WebProg2 – GPU Shop – Uroš Radulović 98/19

Opis funkcijonsalnost:

https://nanibyte.github.io/gpu-shop-js/index.html

Korisnik na homepage-u vidi proizvode dinamički ispisani iz JSON fajla pozvanog preko AJAX-a. Iznad toga korisnik moze da vidi opcije za filtriranje i sortiranje proizvoda. Checkbox-ovi za sortiranje po tipovima su takođe dinamički ispisani.

Klikom na dugme 'Add to Cart' proizvod se dodaje u localStorage. Ako ovo nije moguce prikazuje se greska. Takođe ako dođe do problema sa učitavanjem JSON fajla ispisuje se greška.

Odlaskom na stranicu 'Cart' korisniku se ispisuju svi porizvode koje je dodao u korpu I njhova količina Takođe mu se daje opcija da isprazni korpu klikom na dugme 'Empty Cart'.

Odlaskom na stranicu 'Contact' korisnik moze da posalje poruku. Email se validira pomoću regEx-a. Polje za poruku ima maksimali unos od 200 karaktera. U slučaju da nastane forma nije popunjena pravilno to se ispisuje korisniku.

Navigacija i footer na svakoj stranici su dinamički generisani pomoču JS-a.

Code

https://github.com/NaniByte/gpu-shop-js

Style.css

```
* {
  margin: 0;
  padding: 0;
}

body {
  text-align: center;
}

.navbar-nav li a {
  transition: 0.3s;
}
.navbar-nav li a:hover {
  color: gray;
}

.gridCenter {
  display: grid;
  justify-items: center;
  gap: 5px;
}
```

```
.about__img {
  width: 500px;
.filter__container-inner {
  display: grid;
  grid-template-columns: 1fr 1fr;
  grid-template-columns: 1fr 1fr;
  align-items: center;
  justify-items: center;
.filter label,
.filter h5 {
  margin: 0;
.products {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 15px;
 products img {
  border-bottom: 1px solid #343a40;
@media only screen and (max-width: 767px) {
  .products {
    grid-template-columns: 1fr;
#empty {
  grid-column: 2;
```

Product.json

```
"name": "POWERCOLOR Radeon RX 550 4GB GDDR5 128-bit - AXRX 550 4GBD5-DH",
    "type": "AMD",
    "price": "190",
    "img": "assets\\img\\product\\gpu2.png"
  },
    "productID": "3",
    "name": "MSI Radeon RX 550 2GT LP OC",
    "type": "AMD",
   "price": "120",
    "img": "assets\\img\\product\\gpu3.png"
  },
    "productID": "4",
    "name": "ASUS Phoenix Radeon 550 2GB GDDR5 64-bit - PH-550-2G",
   "type": "AMD",
   "price": "110",
   "img": "assets\\img\\product\\gpu4.png"
 },
    "productID": "5",
    "name": "GIGABYTE GeForce GTX 1650 D6 WINDFORCE OC 4GB GDDR6 128-
bit (rev. 2.0) - GV-N1656WF20C-4GD",
    "type": "nVidia",
    "price": "280",
   "img": "assets\\img\\product\\gpu5.png"
 },
    "productID": "6",
    "name": "GIGABYTE nVidia GeForce GTX 1050Ti 4GB GDDR5 128bit - GV-N105TOC-
4GD",
    "type": "nVidia",
   "price": "250",
   "img": "assets\\img\\product\\gpu6.png"
  },
    "productID": "7",
    "name": "GIGABYTE GeForce GTX 1050Ti OC Low Profile 4GB - GV-N105TOC-4GL",
   "type": "nVidia",
   "price": "240",
    "img": "assets\\img\\product\\gpu7.png"
```

```
const root = document.querySelector(".products")
const cartItems = []
$.ajax({
  url: "./assets/data/product.json",
 dataType: "json",
  success: function (data) {
   window["productData"] = data
   for (let index = 0; index < localStorage.length; index++) {</pre>
     const productID = localStorage.key(index)
     cartItems.push([productID, localStorage.getItem(productID)])
   genProductMarkup()
 },
})
function genProductMarkup() {
  root.innerHTML = ""
 if (!cartItems.length) {
   root.innerHTML = "Cart is empty."
  cartItems.forEach(cartItem => {
    const item = productData.find(itemData => itemData.productID == cartItem[0])
    let markup = `
     <div class="card">
       <img class="card-img-top product__img" src="${item.img}" alt="alt text">
       <div class="card-body">
         <h5 class="card-title">${item.name}</h5>
         ${item.price}$
         ${cartItem[1]}
       </div>
     </div>
    root.innerHTML += markup
  })
document.querySelector("#clear").addEventListener("click", () => {
 localStorage.clear()
  root.innerHTML = "Cart is empty."
```

```
const form = document.querySelector("#form")
form.addEventListener("submit", e => validate(e))
function showMsg(text, type = ∅) {
  const msg = document.getElementById("msg")
  msg.innerText = text
 msg.classList = ""
 msg.classList.add(type ? "bg-success" : "bg-danger")
let errCount = 0
function validate(event) {
  event.preventDefault()
  const email = document.querySelector("#email").value
  const textLength = document.querySelector("#text").value.length
  const emailRegEx = /^[^@\s]+@[^@\s].]+\.[^@\.\s]+$/
  if (!emailRegEx.test(email)) {
   showMsg("Invalid email address!")
   errCount++
 if (textLength > 200) {
    showMsg("Message too long! Max length is 200 charachters.")
    errCount++
  if (errCount == 0) showMsg("Message sent sucessfuly!", 1)
  else errCount = 0
```

Markup.js

```
<a class="nav-link" href="cart.html">Cart</a>
                <a class="nav-link" href="contact.html">Contact</a>
                  </nav>
  document.querySelector("#nav").innerHTML = navMarkup
if (document.querySelector("#footer")) {
 let footerMarkup = `
       <hr class="mt-5">
       <div class="gridCenter">
       <a href="sitemap.txt">Sitemap</a>
       <a download="" href="docs.pdf">Docs</a>
       <a href="author.html">Author</a>
       </div>
  document.querySelector("#footer").innerHTML = footerMarkup
```

Script.js

```
root.innerHTML += markup
    })
    document
      .querySelectorAll("input[name='type']")
      .forEach(e => e.addEventListener("change", renderProduct))
  },
  error: function (error) {
   handleError(error)
  },
})
$.ajax({
 url: "./assets/data/product.json",
 dataType: "json",
 success: function (data) {
   window["productData"] = data
   renderProduct()
 },
})
function handleError(error) {
 const errMarkup =
  <h2 class="text-danger mt-
5">Sorry! Our servers seem to be down at the moment. Try again later.</h2>
  ${error.responseText}
  document.querySelector("#main").innerHTML = errMarkup
function renderProduct() {
  let filterData = productData
  filterData = searchFilter(filterData)
  filterData = orderSort(filterData)
 filterData = typeFilter(filterData)
  genProductMarkup(filterData)
function searchFilter(data) {
  const searchValue = document.querySelector("#search").value.toUpperCase()
  return data.filter(item => item.name.toUpperCase().includes(searchValue))
function orderSort(data) {
```

```
const sortIndex = document.querySelector("#sort").selectedIndex
  if (sortIndex === 0) return data.sort((a, b) => (a.price < b.price ? 1 : -1))</pre>
  else return data.sort((a, b) => (a.price > b.price ? 1 : -1))
function typeFilter(data) {
  const checkedType = []
 document.querySelectorAll("input[name='type']").forEach(element => {
   if (element.checked) checkedType.push(element.value)
  })
 if (checkedType.length === 0) return data
  return data.filter(item => checkedType.includes(item.type))
function genProductMarkup(data) {
  const root = document.querySelector(".products")
  root.innerHTML = ""
 data.forEach(item => {
   let markup = `
   <div class="card">
     <img class="card-img-top product__img" src="${item.img}" alt="alt text">
     <div class="card-body">
       <h5 class="card-title">${item.name}</h5>
       ${item.price}$
       Add to Cart
     </div>
   </div>
   root.innerHTML += markup
  })
 document
    .querySelectorAll(".addToCart")
    .forEach(e => e.addEventListener("click", addToCart))
function addToCart() {
  const root = document.querySelector("#msg")
  const addedProduct = productData.find(product => product.productID == this.id)
  root.innerHTML = `Item: <b>${addedProduct.name}</b> - added to cart.`
  root.classList.add("bg-success")
 window.scrollTo(0, 0)
  if (localStorage) {
   const addedProductID = addedProduct.productID
```

```
const itemQuantity = localStorage.getItem(addedProductID)
   if (!itemQuantity) {
      localStorage.setItem(addedProductID, 1)
    } else localStorage.setItem(addedProductID, parseInt(itemQuantity, 10) + 1)
   } else alert("Sorry! Local Storage is disabled and the cart cannot work.")
}

//* Event Listeners
document.querySelector("#search").addEventListener("input", renderProduct)
document.querySelector("#sort").addEventListener("change", renderProduct)
```

author.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>GpuShop</title>
    <meta
      name="description"
      content="GpuShop is your one stop shop for all your GPU needs."
    <meta name="keywords" content="GPU, Shop, Sale" />
    k
      rel="stylesheet"
      href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.
css"
      integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
      crossorigin="anonymous"
    />
    <link rel="stylesheet" href="assets/css/style.css?v=2" />
    k
      rel="shortcut icon"
      href="assets/img/logo_small.png"
     type="image/x-icon"
    />
  </head>
  <body>
   <div id="nav" class="navbar-expand"></div>
    <h1 class="mb-4">Author</h1>
    <div class="container">
```

```
<div class="row">
       <div class="col-md d-flex justify-content-center">
         <img class="about__img mb-3" src="assets/img/me.jpg" alt="author" />
       </div>
       <div class="col-md">
         Uroš Radulović - student. I am currently studying at ICT college in
           Belgrade. I like pretentious Japanese cartoons, complicated video
           games and the competitive Star Craft scene. I will hopefully become
           a full stack developer one day. I am also interested in UX design.
           Always check if the milk is in date.
         <a
           class="btn btn-primary"
           href="https://nanibyte.github.io/portfolio_school/"
           >Portfolio</a
         <a class="btn btn-primary" href="https://github.com/NaniByte"</pre>
           >Github</a
         <a class="btn btn-primary" download="" href="docs.pdf">Docs</a>
       </div>
     </div>
   </div>
   <footer id="footer"></footer>
   <script src="./assets/js/jquery.js"></script>
   <script src="./assets/js/markup.js"></script>
 </body>
</html>
```

Cart.html

```
<meta name="keywords" content="GPU, Shop, Sale" />
    k
     rel="stylesheet"
     href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.
css"
     integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
     crossorigin="anonymous"
    <link rel="stylesheet" href="assets/css/style.css?v=2" />
     rel="shortcut icon"
     href="assets/img/logo_small.png"
     type="image/x-icon"
  </head>
  <body>
    <div id="nav" class="navbar-expand"></div>
    <h1 class="mb-4">Cart</h1>
    <main id="main">
     <section class="products container">
       <div class="card">
         <img
           class="card-img-top"
           src="assets\img\product\gpu1.png"
           alt="item1"
         />
         <div class="card-body">
           <h5 class="card-title">
             GIGABYTE nVidia GeForce GT 730 2GB GDDR5 64bit - GV-N730D5-2GL
           </h5>
           100$
           <a href="#" class="btn btn-primary">Add to Cart</a>
          </div>
       </div>
     </section>
     <button id="clear" class="btn btn-danger mt-5">Empty cart</button>
    </main>
    <footer id="footer"></footer>
    <script src="./assets/js/jquery.js"></script>
    <script src="./assets/js/cart.js"></script>
    <script src="./assets/js/markup.js"></script>
  </body>
</html>
```

Contact.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>GpuShop</title>
    <meta
      name="description"
      content="GpuShop is your one stop shop for all your GPU needs."
    />
    <meta name="keywords" content="GPU, Shop, Sale"_/>
      rel="stylesheet"
      href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.
css"
      integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
      crossorigin="anonymous"
    />
    <link rel="stylesheet" href="assets/css/style.css?v=2" />
      rel="shortcut icon"
     href="assets/img/logo_small.png"
     type="image/x-icon"
    />
  </head>
  <body>
    <div id="nav" class="navbar-expand"></div>
    <h1 class="mb-4">Contact</h1>
    <form id="form" class="form gridCenter" action="contact.php" method="post">
      <input name="email" id="email" placeholder="Email:" />
      <textarea
       name="text"
       id="text"
       cols="30"
       rows="7"
       placeholder="Enter message here (max 200):"
      ></textarea>
      <button class="btn btn-primary" type="submit">Send Message</button>
```

```
</form>
    <footer id="footer"></footer>
    <script src="./assets/js/markup.js"></script>
    <script src="./assets/js/contact.js"></script>
  </body>
</html>
Index.html<!DOCTYPE html>
<html lang="en">
  <head>
   <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>GpuShop</title>
     name="description"
     content="GpuShop is your one stop shop for all your GPU needs."
    <meta name="keywords" content="GPU, Shop, Sale" />
    k
     rel="stylesheet"
     href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.
css"
     integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
     crossorigin="anonymous"
    <link rel="stylesheet" href="assets/css/style.css?v=2" />
    k
     rel="shortcut icon"
     href="assets/img/logo_small.png"
     type="image/x-icon"
  </head>
  <body>
    <div id="nav" class="navbar-expand"></div>
    <h1>GPU Shop</h1>
    Welcome to the GPU Shop
    <main id="main">
     <section class="filter mb-4">
       <div class="container filter__container-inner">
         <div>
```

```
<label for="search">Search: </label>
        <input</pre>
         type="text"
         id="search"
         name="search"
         placeholder="Search..."
       />
      </div>
      <h5>Type</h5>
      <div>
        <label for="sort">Sort Order: </label>
        <select name="sort" id="sort">
          <option value="0">Price Desc.</option>
          <option value="1">Price Asc.</option>
       </select>
     </div>
     <div id="type">
       <div>
          <label for="nvidia">nVidia</label>
          <input type="checkbox" name="type" id="nVidia" value="nVidia" />
       </div>
       <div>
         <label for="amd">AMD</label>
          <input type="checkbox" name="type" id="AMD" value="AMD" />
        </div>
     </div>
   </div>
 </section>
 <section class="products container">
    <div class="card">
     <img
        class="card-img-top"
       src="assets\img\product\gpu1.png"
       alt="item1"
     />
     <div class="card-body">
       <h5 class="card-title">
         GIGABYTE nVidia GeForce GT 730 2GB GDDR5 64bit - GV-N730D5-2GL
       </h5>
       100$
       <a href="#" class="btn btn-primary">Add to Cart</a>
     </div>
    </div>
 </section>
</main>
```