Uroš Radulović 98/19
Web Programiranje 1
Dokumentacija

Uvod

Korišćeni programski jezici

Jezici koji su se koristili za izradu sajta: HTML, CSS, JS i SCSS. Za biblioteke imamo jQuery, slick (jQuery plugin) i kao CSS framework Bootstrap. Nije korišćen template. Kao okruzenje je koriscen VS-Code, Git za source control i GitHub za hostovanje. Sav JS kod je originalan.

Opis funkcionalnosti:

Navigicija je dinamicki generisana na svakoj strain. Home page sadrzi dinamiko genereisanu galerju. Generisana je pomocu obicnog JS-a (JS u nastavku), a funkcijonalnost galeriji daje slick (jQuery plugin). Menu stranica sadrzi dinamicki generisani meni u obliku kartica. Ove kartice mogu da se filtriraju kliktom na dugmice po vrsti obroka I da li su vegeterijanski ili ne. Generisano je sa JS-om. Booking stranica sadrzi formu koja ima validaciju napisanu pomocu JS-a. Dinamicki generisani dropdown. Na nekoliko mesto na sajut postoje jednostavne animacije napravljenje pomocu jQuery-a.

Template

Template nije koriscen.

# Organizacija

Organizaciona šema

Slike stranica i opisi funkcionalnosti

Index stranica ima dinamicko generisanu navigaciju i dinamicko generisanu galerju koja se pregleda pomocu prevlacenja misa ili prsta.

Meni stranica ima dinamiko generisanje krate sa stvarima menija. Karte su generisanje iz podataka a opisi su nasumicno generisani pomocu algoritma. Koristi se kliktanjem na dugmce.

Booking stranica ima veliku formu koja je validirana na klijentskoj strani. Za validaciju se koristi JS i nekoliko Regular Expresion-a. Dinamicki generisan dropdown.

Kodovi

Svi kodovi su originalni.

main.js

```javascript
//* JS code for all pages. Adds the navbar dynamicly.
let navMarkup = `
<nav class="navbar navbar-expand-md navbar-dark fixed-top bg-
dark"> <a class="navbar-
brand" href="index.html"> <img class="nav__logo" src="img/logo.png" alt="logo" />
 </a> <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarsDefault" aria-controls="navbarsDefault" aria-
expanded="false" aria-label="Toggle navigation" > <span class="navbar-toggler-
icon"></span> </button> <div class="collapse navbar-
collapse" id="navbarsDefault"> <ul class="navbar-nav mr-auto"> <li class="nav-
item"> <a class="nav-link" href="menu.html">Menu</a> </li> <li class="nav-
item"> <a class="nav-link" href="book.html">Book</a> </li> <li class="nav-
item"> <a class="nav-link" href="about.html">About</a> </li> <li class="nav-
item"> <a class="nav-
link" download href="docs.pdf">Docs</a> </li> </ul> </div> </nav>
`;
document.getElementById("nav").innerHTML = navMarkup;
////////////////////////////////////////////////////////////////////////
//* jQuery Animations
$(() => {
```

```
  $(".a1").animate(
    {
      opacity: 1,
    },
    1000
  );
});
```

index.js

```
//* Generates the images for the jQuery "slick" plugin. Initiates "slick".
let numberOfImages = 4;
let slick = document.querySelector(".main__slick");
for (let i = 0; i < numberOfImages; i++) {
  let slickImage = createImage(i);
  slick.appendChild(slickImage);
}
function createImage(i) {
  let slickImage = document.createElement("img");
  slickImage.setAttribute("src", `img/slick${i + 1}.jpg`);
  slickImage.classList.add("main__slick-img");
  return slickImage;
}
$(".main__slick").slick({
  arrows: false,
});
```

book.js

```
//* Declare variables and eventListeners
let formIsValid = [false, false, false, false, false, false, false];

// cilent info
let fullName = document.querySelector("#fullName");
let email = document.querySelector("#email");
let phone = document.querySelector("#phone");
fullName.addEventListener("blur", validateFullName);
email.addEventListener("blur", validateEmail);
phone.addEventListener("blur", validatePhone);
// reservation date
let date = document.querySelector("#date");
let time = document.querySelector("#time");
date.addEventListener("blur", validateDate);
time.addEventListener("blur", validateTime);
// reservation info
let table = document.querySelector("#table");
table.addEventListener("blur", validateTable);
```

```javascript
table.addEventListener("change", validateTable);
let people = document.querySelector("#people");
people.addEventListener("blur", validatePeople);

//////////////////////////////////////////////////////////////////////////
//* Generate dropdown dynamically from data and declare the CSS function
let tabelTypesData = ["Indoor", "Garden", "Rooftop"];
tabelTypesData.forEach((tableType) => {
  let newOption = document.createElement("option");
  newOption.setAttribute("value", tableType);
  newOption.textContent = tableType;
  table.appendChild(newOption);
});

function validationCSSToggle(inputElement, tooltipElement, inputIsValid) {
  if (!inputIsValid) {
    inputElement.classList.add("is-invalid");
    inputElement.classList.remove("is-valid");
    if (tooltipElement.classList.contains("d-
none")) tooltipElement.classList.remove("d-none");
  } else {
    inputElement.classList.add("is-valid");
    inputElement.classList.remove("is-invalid");
    if (!tooltipElement.classList.contains("d-
none")) tooltipElement.classList.add("d-none");
  }
}

//////////////////////////////////////////////////////////////////////////
//* If there is value in any of the input on load call valdation functions
$(document).ready(function () {
  //! Call valdation functions if they have any value
  if (fullName.value) validateFullName();
  if (email.value) validateEmail();
  if (phone.value) validatePhone();
  if (date.value) validateDate();
  if (time.value) validateTime();
  if (people.value) validatePeople();
});

//////////////////////////////////////////////////////////////////////////
//* Validation functions for each input
function validateFullName() {
  let fullNameTooltip = document.querySelector("#fullName-invalid");
  if (!/^[A-Z]\w* [A-Z]\w*/.test(fullName.value)) {
```

```javascript
      validationCSSToggle(fullName, fullNameTooltip, false);
      formIsValid[0] = false;
    } else {
      validationCSSToggle(fullName, fullNameTooltip, true);
      formIsValid[0] = true;
    }
}
function validateEmail() {
    let emailTooltip = document.querySelector("#email-invalid");
    if (!/^\S*@.*\.\w*/.test(email.value)) {
      validationCSSToggle(email, emailTooltip, false);
      formIsValid[1] = false;
    } else {
      validationCSSToggle(email, emailTooltip, true);
      formIsValid[1] = true;
    }
}
function validatePhone() {
    let phoneTooltip = document.querySelector("#phone-invalid");
    if (!/^\d{3}[\d -]{5,8}$/.test(phone.value)) {
      validationCSSToggle(phone, phoneTooltip, false);
      formIsValid[2] = false;
    } else {
      validationCSSToggle(phone, phoneTooltip, true);
      formIsValid[2] = true;
    }
}
function validateDate() {
    let dateTooltip = document.querySelector("#date-invalid");
    if (!/^\d{2}-\d{2}-\d{4}$/.test(date.value)) {
      validationCSSToggle(date, dateTooltip, false);
      formIsValid[3] = false;
    } else {
      validationCSSToggle(date, dateTooltip, true);
      formIsValid[3] = true;
    }
}
function validateTime() {
    let timeTooltip = document.querySelector("#time-invalid");
    if (!/^\d{2}:\d{2}$/.test(time.value)) {
      validationCSSToggle(time, timeTooltip, false);
      formIsValid[4] = false;
    } else {
      validationCSSToggle(time, timeTooltip, true);
      formIsValid[4] = true;
```

```javascript
  }
}
function validateTable() {
  let tableTooltip = document.querySelector("#table-invalid");
  if (table.selectedIndex === 0) {
    validationCSSToggle(table, tableTooltip, false);
    formIsValid[5] = false;
  } else {
    validationCSSToggle(table, tableTooltip, true);
    formIsValid[5] = true;
  }
}
function validatePeople() {
  let peopleTooltip = document.querySelector("#people-invalid");
  if (people.value < 2 || people.value > 12) {
    validationCSSToggle(people, peopleTooltip, false);
    formIsValid[6] = false;
  } else {
    validationCSSToggle(people, peopleTooltip, true);
    formIsValid[6] = true;
  }
}


////////////////////////////////////////////////////////////////////////////////
//* Check if all inputs are valid when button is clicked
let btn = document.querySelector("#form-button");
let text = document.querySelector("#success-text");
btn.addEventListener("click", validateForm);
function validateForm() {
  if (formIsValid.includes(false)) {
    //! Call valdation functions
    validateFullName();
    validateEmail();
    validatePhone();
    validateDate();
    validateTime();
    validateTable();
    validatePeople();
    validateTable();
    text.classList.add("d-none");
  } else {
    text.classList.remove("d-none");
  }
}
```

menu.js

```javascript
let menuContent = document.querySelector(".menu__content");
let vegToggle = false;
let lastType;
document.querySelector("#starter").addEventListener("click", drawMenu);
document.querySelector("#main").addEventListener("click", drawMenu);
document.querySelector("#desert").addEventListener("click", drawMenu);
document.querySelector("#veg").addEventListener("click", toogleVeg);

function toogleVeg(e) {
  vegToggle = !vegToggle;
  drawMenu(e);
}

function drawMenu(e) {
  let buttonClicked = e.target.id;
  menuContent.innerHTML = "";
  for (let i = 0; i < data.length; i++) {
    let newDishType = data[i].split(" ")[1];
    let newDishVeg = data[i].split(" ")[2];
    if (buttonClicked != "veg") {
      if (newDishType != buttonClicked) continue;
    } else {
      if (newDishType != lastType) continue;
    }
    if (vegToggle) {
      if (newDishVeg != vegToggle) continue;
    }
    menuContent.appendChild(createDish(i));
  }
  if (buttonClicked != "veg") lastType = buttonClicked;
}

let data = [
  "pasta main 1",
  "burger main 0",
  "chicken main 0",
  "fish main 0",
  "pizza main 1",
  "dumplings starter 0",
  "salad starer 1",
  "corn starter 1",
  "pancake desert 1",
  "pudding desert 0",
  "beef main 0",
```

```javascript
  "bread starter 1",
  "crepe desert 0",
  "cupcake desert 0",
  "doughnut desert 1",
  "lamb main 0",
  "shrimp main 0",
];

for (let i = 0; i < data.length; i++) {
  menuContent.appendChild(createDish(i));
}

function createDish(i) {
  let splitDataString = data[i].split(" ");
  let name = splitDataString[0];
  let imgSrc = `img/cards/${splitDataString[0]}.jpg`;
  let newDishMarkup = `
    <div class="card menu__card">
        <img src="${imgSrc}" class="card-img-top" alt="image" />
        <div class="card-body">
            <h5 class="card-title menu__title">${name}</h5>
            <p class="card-text">${generateDesc(name)}</p>
        </div>
    </div>
    `;
  let newDish = document.createElement("div");
  newDish.innerHTML = newDishMarkup;
  return newDish;
}

function generateDesc(name) {
  let descriptions = [
    `This meal is one of our specialties. It is very tasty and nutritious. It is
sure to leave you with a full belly and a happy face.`,
    `The ${name} dish is one of our most popular dishes. And with good reason. Th
e combination of high-
quality ingredients and masterful technique is sure to please.`,
    `The ${name} dish is one of our award nominated dishes. Nominated by our love
ly customers for one of their favorite dishes.`,
    `A modern classic. The ${name} dish is well known, even in the world perhaps.
 This is no surprise considering its world class quality.`,
  ];
  return descriptions[getRandomInt(0, 3)];
}
```

```
function getRandomInt(min, max) {
  min = Math.ceil(min);
  max = Math.floor(max);
  return Math.floor(Math.random() * (max - min + 1)) + min;
}
```

Scss:

```scss
//* Color var and bacground image mixin
$color: #ff5500;
@mixin bg {
  background-image: url(../img/h1_hero.png);
  background-position: center;
  background-size: cover;
  background-attachment: fixed;
}


//////////////////////////////////////////////////////////////////////////
//* Global CSS
* {
  margin: 0;
  padding: 0;
}
body {
  min-height: 100vh;
  padding-top: 70px;
}
.nav {
  &__logo {
    width: 75px;
    height: auto;
  }
}


//////////////////////////////////////////////////////////////////////////
//* Index/Home CSS
.main {
  &__slick {
    max-width: 95%;
    width: 700px;
  }
  &__bg {
    @include bg;
  }
}
```

```scss
////////////////////////////////////////////////////////////////////////////
//* Menu CSS
.menu {
  &__card {
    width: 300px;
    margin: 10px;
  }
  &__title {
    margin-bottom: 0;
    text-transform: capitalize;
  }
  &__body {
    @include bg;
  }
}
.card-img-top {
  height: 30vh;
  object-fit: cover;
}


////////////////////////////////////////////////////////////////////////////
//* Booking CSS
.booking-bg {
  @include bg;
}
////////////////////////////////////////////////////////////////////////////
//* About CSS
.about {
  &__img {
    width: 500px;
    border: 3px solid $color;
    @media only screen and (max-width: 990px) {
      width: 350px;
    }
  }
}
////////////////////////////////////////////////////////////////////////////
//* Misc CSS
.a1 {
  opacity: 0;
}
```

Index.html

```html
<!DOCTYPE html>
<html lang="en">
```

```html
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Tasty | Home</title>
  <meta name="description" content="Tasty is one the best restaurants around. Come and see for yourself and taste the amazing food.">
  <meta name="keywords" content="tasty food healty restaurant">
  <link rel="shortcut icon" href="img/logo.png" type="image/x-icon">
  <link
    rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css"
    integrity="sha384-TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
    crossorigin="anonymous"
  />
  <link rel="stylesheet" type="text/css" href="//cdn.jsdelivr.net/npm/slick-carousel@1.8.1/slick/slick.css"/>
  <link rel="stylesheet" href="css/main.css" />
</head>

<body>
  <div id="nav"></div>
  <main class="main">
    <div class="jumbotron main__bg">
      <div class="container">
        <h1 class="display-3">The Best Food Around!</h1>
        <p class="pr-5 a1">
          Sometimes in life as in the kitchen, it is necessary to shake up and awaken the senses. For good flavour on the plate, you need pepper. For good taste in you and around you, you need, Tasty!

          Restaurant-Trattoria Tasty is located in the heart of Central Belgrade, where every guest feels at home in the our relaxed surroundings.

          Here you enjoy looking, listening, sniffing…and then you chose.
        </p>
        <p><a class="btn btn-primary btn-lg a1" href="book.html"">Book Table &raquo;</a></p>
      </div>
    </div>

    <div class="container mb-5">
      <p class="text-center">Swipe images to scroll</p>
```

```html
        <div class="row justify-content-center">
          <div class="main__slick"></div>
        </div>
      </div>

      <div class="container">
        <div class="row">
          <div class="col-md-6">
            <h2>Menu</h2>
            <p>
              At your disposal, we offer fresh soups and pottages, foccacias, mea
l-salads, a big selection of pastas and meat-
dishes….all that together with the scents of high quality olive oil and spicy her
bs. Homemade pasta is handmade daily and served fresh only.
            </p>
            <p><a class="btn btn-
secondary" href="menu.html"">View details &raquo;</a></p>
          </div>
          <div class="col-md-6">
            <h2>About</h2>
            <p>
              In every thought out detail, from the pastel-
colored interior through the heartfelt atmosphere, to the kitchen, you can feel t
he spirit of Italy and the Italian gastronomic flavours.
            </p>
            <p><a class="btn btn-
secondary" href="about.html"">View details &raquo;</a></p>
          </div>
        </div>

        <hr />
      </div>

    </main>
    <footer class="container mt-5">
      <p class="text-center">&copy; Tasty 2020</p>
    </footer>

    <script
      src="https://code.jquery.com/jquery-3.5.1.min.js"
      integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0="
      crossorigin="anonymous"
    ></script>
    <script type="text/javascript" src="//cdn.jsdelivr.net/npm/slick-
carousel@1.8.1/slick/slick.min.js"></script>
```

```
    <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.bundle.min.js"
      integrity="sha384-ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx"
      crossorigin="anonymous"
    ></script>
    <script src="js/main.js"></script>
    <script src="js/index.js"></script>
  </body>
</html>
```

menu.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Tasty | Menu</title>
    <meta
      name="description"
      content="Tasty is one the best restaurants around. Come and see for yourself and taste the amazing food."
    />
    <meta name="keywords" content="tasty food healty restaurant" />
    <link rel="shortcut icon" href="img/logo.png" type="image/x-icon" />
    <link
      rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css"
      integrity="sha384-TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
      crossorigin="anonymous"
    />
    <link rel="stylesheet" href="css/main.css" />
  </head>

  <body class="menu__body">
    <div id="nav"></div>
    <section class="menu mt-5">
      <h1 class="text-center">Menu</h1>
      <div class="container menu__buttons a1">
        <button id="starter" class="btn btn-primary">Starter</button>
        <button id="main" class="btn btn-primary">Main Dish</button>
        <button id="desert" class="btn btn-primary">Desert</button>
```

```html
        <div>
          <label for="veg">Vegetarian</label>
          <input type="checkbox" name="veg" id="veg" />
        </div>
      </div>
      <div class="container">
        <div class="menu__content card-group justify-content-center"></div>
      </div>
    </section>

    <footer class="container mt-5">
      <p class="text-center">&copy; Tasty 2020</p>
    </footer>

    <script
      src="https://code.jquery.com/jquery-3.5.1.min.js"
      integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0="
      crossorigin="anonymous"
    ></script>
    <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.bundle.
min.js"
      integrity="sha384-
ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx"
      crossorigin="anonymous"
    ></script>
    <script src="js/main.js"></script>
    <script src="js/menu.js"></script>
  </body>
</html>
```

Book.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Tasty | Book</title>
    <meta
      name="description"
      content="Tasty is one the best restaurants around. Come and see for yoursel
f and taste the amazing food."
    />
    <meta name="keywords" content="tasty food healty restaurant" />
    <link rel="shortcut icon" href="img/logo.png" type="image/x-icon" />
```

```html
    <link
      rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.c
ss"
      integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
      crossorigin="anonymous"
    />
    <link rel="stylesheet" href="css/main.css" />
  </head>

  <body class="booking-bg">
    <div id="nav"></div>
    <!-- form html start -->
    <div class="container mt-5">
      <h1 class="text-center">Book Table</h1>
      <!-- start of form -->
      <form class="form">
        <!-- cilent info -->
        <div class="form-group position-relative">
          <label for="fullName">Full Name: </label>
          <input placeholder="ex: Asuka Langley" class="form-
control" id="fullName" type="text" />
          <small id="fullName-invalid" class="from-text text-danger d-none">
            Full name must be two uppercase words with no numbers or symbols.
          </small>
        </div>
        <div class="form-group">
          <label for="email">Email: </label>
          <input placeholder="ex: johnson24@gmail.com" class="form-
control" id="email" type="email" />
          <small id="email-invalid" class="from-text text-danger d-none">
            Email must contain "@"" and be a valid email address.
          </small>
        </div>
        <div class="form-group">
          <label for="phone">Phone number: </label>
          <input placeholder="ex: 066454676" class="form-
control" id="phone" type="tel" />
          <small id="phone-invalid" class="from-text text-danger d-none">
            Phone number must contain at least 8 digits.
          </small>
        </div>
        <!-- reservation date -->
        <div class="form-row">
```

```html
            <div class="col">
              <div class="form-group">
                <label for="date">Reservation Date: </label>
                <input placeholder="ex: 17-09-2019" class="form-
control" id="date" type="input" />
                <small id="date-invalid" class="from-text text-danger d-none">
                  Invalid date format or date. Date format: dd-mm-yyyy.
                </small>
              </div>
            </div>
            <div class="col">
              <div class="form-group">
                <label for="time">Arrival Time: </label>
                <input placeholder="ex: 19:35" class="form-
control" id="time" type="input" />
                <small id="time-invalid" class="from-text text-danger d-none">
                  Invalid time format. Time format: hh:mm.
                </small>
              </div>
            </div>
          </div>
          <hr />
          <!-- reservation info -->

          <div class="form-row">
            <div class="col">
              <div class="form-group">
                <label for="people">No. of People: </label>
                <input placeholder="ex: 3" class="form-
control" id="people" type="number" />
                <small id="people-invalid" class="form-text text-danger d-none">
                  The minimum is 2 people and the maximum is 12 people.
                </small>
              </div>
            </div>
            <div class="col">
              <div class="form-group">
                <label for="table">Table Type: </label>
                <select name="table" id="table" class="form-control">
                  <option value="0">Select Table Type</option>
                </select>
                <small id="table-invalid" class="from-text text-danger d-
none"> Please select table type. </small>
              </div>
            </div>
```

```html
      </div>
      <!-- veg and allergy checkboxes -->
      <div class="form-check">
        <input class="form-check-input" id="veg" type="checkbox" />
        <label class="form-check-
label" for="veg">Are vegan options required? </label>
      </div>
      <div class="form-check">
        <input class="form-check-input" id="allergy" type="checkbox" />
        <label class="form-check-
label" for="allergy">Any allergy we need to be aware of? </label>
      </div>
      <hr />
      <!-- message and submit -->
      <div class="form-group">
        <label for="msg">Special Request: </label>
        <textarea class="form-control" name="msg" id="msg"></textarea>
      </div>
      <button id="form-button" type="button" class="btn btn-
primary">Submit</button>
      <p id="success-text" class="text-success d-none mt-
3">Table successfully booked.</p>
    </form>
  </div>
  <!-- form html end -->
  <footer class="container mt-5">
    <p class="text-center">&copy; Tasty 2020</p>
  </footer>
  <script
    src="https://code.jquery.com/jquery-3.5.1.min.js"
    integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0="
    crossorigin="anonymous"
  ></script>
  <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.bundle.
min.js"
    integrity="sha384-
ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx"
    crossorigin="anonymous"
  ></script>
  <script src="js/main.js"></script>
  <script src="js/book.js"></script>
  </body>
</html>
```

About.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Tasty | About</title>
    <meta
      name="description"
      content="Tasty is one the best restaurants around. Come and see for yoursel
f and taste the amazing food."
    />
    <meta name="keywords" content="tasty food healty restaurant" />
    <link rel="shortcut icon" href="img/logo.png" type="image/x-icon" />
    <link
      rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.c
ss"
      integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
      crossorigin="anonymous"
    />
    <link rel="stylesheet" href="css/main.css" />
  </head>
  <body class="booking-bg">
    <div id="nav"></div>
    <div class="container mt-5">
      <div class="row">
        <div class="col-md d-flex justify-content-center">
          <img class="about__img mb-3" src="img/me.jpg" alt="author" />
        </div>
        <div class="col-md">
          <p class="a1">
            Uroš Radulović - student. I am currently studying at ICT college in B
elgrade. I like pretentious Japanese
            cartoons, complicated video games and the competitive Star Craft scen
e. I will hopefully become a full stack
            developer one day. I am also interested in UX design. Always check if
 the milk is in date.
          </p>
          <a class="btn btn-primary" href="https://nani-sore-
0.github.io/portfolio_school/">Portfolio</a>
          <a class="btn btn-primary" href="https://github.com/Nani-Sore-
0">Github</a>
          <a class="btn btn-primary" href="sitemap.xml">Sitemap</a>
```

```html
        <a class="btn btn-primary" download href="docs.pdf">Docs</a>
      </div>
    </div>
  </div>
  <footer class="container mt-5">
    <p class="text-center">&copy; Tasty 2020</p>
  </footer>
  <script
    src="https://code.jquery.com/jquery-3.5.1.min.js"
    integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0="
    crossorigin="anonymous"
  ></script>
  <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx"
    crossorigin="anonymous"
  ></script>
  <script src="js/main.js"></script>
</body>
</html>
```