

Georg-Simon-Ohm-University of Applied Sciences Nuremberg

Report of the application project at the Faculty of AMP

Simulation of a medical therapy method with finite elements

Martin Michel

Keßlerplatz 12

DE-90489 Nuremberg

Advisor: Prof. Dr. rer. nat. Tim Kröger

Advisor: Prof. Dr. rer. nat. habil. Jörg Steinbach

Advisor: Prof. Dr. rer. nat. Thomas Lauterbach

Nuremberg, 01. January 1900

Contents

1. Introduction to radio frequency ablation	5
2. Computer-aided simulation of radio frequency ablation	5
2.1. About Errors in simulations and numerical approaches	5
2.2. The physics behind radio frequency ablation	6
3. Mathematical aspects of discrete simulation	6
3.1. Theory of finite elements	6
3.1.1. Elliptical problems	6
3.1.2. FEM for electrical fields	6
3.1.3. FEM for temperature fields	6
3.2. Solving systems of ODE over time	6
3.3. Axial symmetrie	7
3.4. FEM in cylindric Coordinates	7
4. Discretization of PDEs	7
4.1. PDE for Electric potential	7
4.1.1. Weak formulation of the problem	7
4.1.2. Inner Domain	8
4.1.3. Electrodes	9
4.1.4. Outer boundary	9
4.2. PDE for temperature Distribution	9
4.2.1. Weak formulation	9
5. Applied FEM technologies	10
5.1. Weak solutions	10
5.1.1. Electric potential	10
5.1.2. Temperature Distribution	11
5.2. Discretization / Triangulation	13
5.2.1. Grid generation	13
5.2.2. Grid refinement	13
5.3. Assembling system of equation	13
5.3.1. Assemble elementwise	13
5.3.2. Add boundary Conditions	13
5.4. Error estimations	13
5.4.1. H1-Norm	13
5.4.2. L2-Norm	13
5.4.3. Evtl energy norm	13
6. Numerical challenges / Numerical aspects in general	13
6.0.1. Numerical integration	13
6.0.2. Numerical gradient on discrete points	13
6.0.3. Surface integral	13
6.0.4. Solving the system of equations	13

7. Applied simulation	13
7.1. Generating TestData / Get reference data	13
7.2. Solving the PDEs	13
7.3. Combine everything to continous time dependent simulation	13
7.4. Interpretation of result numbers	13
8. Programming technologies	14
8.1. Performance Optimization	14
8.2. MatLab vs C++	14
8.3. Graphical output	14
9. Summary and Outlook	14
9.1. Project Summary	14
9.1.1. strengths and flaws	14
9.1.2. future modifications	14
9.2. State of the current Research	14
9.3. Other FEM projects and software	15
A. Source code Visual C++	18
B. Source code MatLab	18

List of Figures

List of Tables

Listings

1.	Demo	18
----	----------------	----

1. Introduction to radio frequency ablation

Lets talk about:

- Medical Treatment of Tumor
- Radio frequency ablation
- Why RFA Simulation is important
- Motivation
- This project in General

2. Computer-aided simulation of radio frequency ablation

2.1. About Errors in simulations and numerical approaches

- see TUM dissertation
- There are different sources for errors following the simulation from the line from the real problem down to the discrete solution
- Idealization error: discrepancy between reality and the idealized reality and the idealized constitutive laws and boundary conditions -> Systems are often way more complex in reality, every patient is different
- Modeling errors: discrepancy between mathematical formulation and physical model -> e.g. using dimensionally reduced approaches, like linear dependencies or even constant parameters
- Discretization errors: discrepancy between the continuous description and discrete description of the model
- Solution errors: using iterative approximation methods and rounding errors
- It's basically a butterfly effect
- Optimizing one error source often conflicts with another one -> e.g. handling nonlinearity can cause fatal numerical errors (at least that's what Kroeger said ...)

2.2. The physics behind radio frequency ablation

3. Mathematical aspects of discrete simulation

3.1. Theory of finite elements

3.1.1. Elliptical problems

- Elliptical problems in general
- Parabolic / time-dependent problems
- build up system of PDE's to describe problem
- Using the cylindric domain, different domains

3.1.2. FEM for electrical fields

- special domain
- boundary conditions

3.1.3. FEM for temperature fields

- boundary condition (heat source or sink)

3.2. Solving systems of ODE over time

- This is for temperature distribution

3.3. Axial symmetrie

- Using axial symmetrie to simplify computations
- reducing one dimension 3D -> 2D
- significant savings calculations time and complexity
- approach: fourier decomposition in angular direction to reduce dependency on the angular φ
- using static models, only dependency on space
- maybe Torus elements

3.4. FEM in cylindric Coordinates

- Rewrite the equations to cylindric coordinates

Laplace in cartesian coordinates:

$$\nabla^2 := \Delta := \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2} \quad (1)$$

Laplace in cylindric coordinates:

$$\Delta := \frac{\partial^2}{\partial r^2} + \frac{1}{r} \frac{\partial}{\partial r} + \frac{1}{r^2} \frac{\partial^2}{\partial \phi^2} + \frac{\partial^2}{\partial z^2} \quad (2)$$

Laplace in polar coordinates:

$$\Delta := \frac{\partial^2}{\partial r^2} + \frac{1}{r} \frac{\partial}{\partial r} + \frac{1}{r^2} \frac{\partial^2}{\partial \phi^2} \quad (3)$$

4. Discretization of PDEs

4.1. PDE for Electric potential

4.1.1. Weak formulation of the problem

Three parts are interesting: - Inner domain

- Fixed Potential of electrodes

- Inner domain
- Outer boundary -> Robin

Constant material parameters:

4.1.2. Inner Domain

- The electric potential of the inner domain is described as :

$$-\nabla \cdot (\sigma(x, y, z, t) \nabla \phi(x, y, z, t)) = 0 \quad (4)$$

- Elliptical boundary problem
- Assuming constant material parameters: $\nabla \sigma = 0$
- Solution is independent from σ so we can cut it out - Equation becomes Laplace's equation, ϕ becomes time independent

$$-\Delta \phi(x, y, z) = 0 \quad (5)$$

- Using a cylindric domain, we can use cylinder coordinates (see ref Laplace in cylinder)

$$-\Delta \phi(r, \phi, z) = -\frac{1}{r} \frac{\partial \phi}{\partial r} - \frac{\partial^2 \phi}{\partial r^2} - \frac{1}{r^2} \frac{\partial^2 \phi}{\partial \phi^2} - \frac{\partial^2 \phi}{\partial z^2} = 0 \quad (6)$$

- Since the domain has axis symmetry, the solution for ϕ is independent from the angular ϕ
- So equation simplifies to

$$-\frac{1}{r} \frac{\partial \phi}{\partial r} - \frac{\partial^2 \phi}{\partial r^2} - \frac{\partial^2 \phi}{\partial z^2} = 0 \quad (7)$$

- PDE is now parabolic and no longer elliptic
- We will care about a more complex formulation later

4.1.3. Electrodes

- $\phi = \pm 1$

4.1.4. Outer boundary

- For first try, a simplification with natural boundary conditions

$$n \cdot \nabla \phi = 0 \quad (8)$$

- In cylindrical coordinates

$$TODO \quad (9)$$

4.2. PDE for temperature Distribution

4.2.1. Weak formulation

Following Kroeger, the temperature distribution is modeled by the heat equation:

$$\partial_t(\rho c T) - \nabla \cdot (\lambda \nabla T) = Q \quad (10)$$

The heat equation is a well known parabolic partial differential equation.

We are assuming ρ and c are constant

ρ = density

c = specific heat capacity

λ = thermal conductivity, which is depending on T

$T = T(r, z, t)$ = temperature

$Q = Q(r, z, t)$ = heat energy

Cylindrical coordinates: see 'Transient Heat Transfer in a Partially Cooled Cylindrical Rod' from Lawrence Agbezuge

$$\rho c \frac{\partial T}{\partial t} - \frac{d\lambda}{dT} \left[\left(\frac{\partial T}{\partial r} \right)^2 + \left(\frac{\partial T}{\partial z} \right)^2 \right] - \lambda \left(\frac{\partial^2 T}{\partial r^2} + \frac{1}{r} \frac{\partial T}{\partial r} + \frac{\partial^2 T}{\partial z^2} \right) = Q \quad (11)$$

For the first run, we assume *lambda* is also constant too, which greatly reduces the complexity of the problem to the form

$$\rho c \frac{\partial T}{\partial t} - \lambda \left(\frac{\partial^2 T}{\partial r^2} + \frac{1}{r} \frac{\partial T}{\partial r} + \frac{\partial^2 T}{\partial z^2} \right) = Q \quad (12)$$

TODO: explain Q her

$$Q = Q_{(rf)} + Q_{perf}$$

5. Applied FEM technologies

5.1. Weak solutions

5.1.1. Electric potential

Electric potential / Laplace's equation in cylindrical domain:

$$a_w(u, v) := \int_{\Omega} (\partial_r u \partial_r v + \partial_z u \partial_z v) r dr dz = \int_{\Omega} f v r dr dz \quad (13)$$

$$- u \in H_r^1(\Omega) \cap \{v|_{\Gamma_0} = 0\}$$

$$- v \in H_r^1(\Omega) \cap \{v|_{\Gamma_0} = 0\}$$

Approximate with linear regression functions

Linear regression functions for reference triangles:

$$\phi_1(\xi, \eta) = 1 - \xi - \eta \quad (14)$$

$$\phi_2(\xi, \eta) = \xi \quad (15)$$

$$\phi_3(\xi, \eta) = \eta \quad (16)$$

Specific PDE for electric potential, inner domain:

$$a_w(u, v) := \int_{\Omega} (\partial_r u \partial_r v + \partial_z u \partial_z v) r dr dz = 0 \quad (17)$$

5.1.2. Temperature Distribution

This is basically the problem above but as a hyperbolic problem

Using semidiscrete solution and iterate solution over time

We are applying method of the discontinuous galerkein fem

For reference see Jung, Langer : Methode der finiten Elemente für Ingenieure, chapter 7.1

Weak formulation for the problem:

We are looking for $u(r, z, t) \in V_{g1}$ with $\dot{u} \in L_2(\Omega)$ for almost every $t \in (0, T)$, so

$$(\dot{u}, v)_0 + a(t; u, v) = \langle F(t), v \rangle \text{ for all } v \in V_0 \quad (18)$$

and for almost every $t \in (0, T)$ is the "Anfangsbedingung -> suche englische Formulierung"

$$(u(r, z, 0), v)_0 = (u_0, v)_0 \text{ for all } v \in V_0 \quad (19)$$

The formal model above is given by

$$\begin{aligned} (\dot{u}, v)_0 &= \int_{\Omega} \dot{u}(r, z, t) v(r, z) r dr dz = \int_{\Omega} \frac{\partial u(r, z, t)}{\partial t} v(r, z) r dr dz, \\ a(t; u, v) &= \int_{\Omega} \left[\lambda_1(r, z, t) \frac{\partial u}{\partial r} \frac{\partial v}{\partial r} + \lambda_2(r, z, t) \frac{\partial u}{\partial z} \frac{\partial v}{\partial z} \right] \cdot r \cdot dr dz + \int_{\Gamma_3} \alpha(r, z, t) u(r, z, t) v(r, z) ds, \\ \langle F(t), v \rangle &= \int_{\Omega} f(r, z, t) v(r, z) r dr dz + \int_{\Gamma_2} g_2(r, z, t) v(r, z) ds + \int_{\Gamma_3} \alpha(r, z, t) u_A(r, z, t) v(r, z) ds, \\ V_{g1} &= \text{TODO}, \\ V_0 &= \text{TODO} \end{aligned}$$

Adapted for the temperature distribution, assuming λ and all material parameters are constant:

$$a_w(t; u, v) := \int_{\Omega} \rho c (\partial_t u \cdot v) r dr dz + \int_{\Omega} \lambda (\partial_r u \partial_r v + \partial_z u \partial_z v) r dr dz = \int_{\Omega} f v r dr dz \quad (20)$$

5.2. Discretization / Triangulation

5.2.1. Grid generation

5.2.2. Grid refinement

5.3. Assembling system of equation

5.3.1. Assemble elementwise

5.3.2. Add boundary Conditions

5.4. Error estimations

5.4.1. H1-Norm

5.4.2. L2-Norm

5.4.3. Evtl energy norm

6. Numerical challenges / Numerical aspects in general

6.0.1. Numerical integration

6.0.2. Numerical gradient on discrete points

6.0.3. Surface integral

6.0.4. Solving the system of equations

7. Applied simulation

7.1. Generating TestData / Get reference data

7.2. Solving the PDEs

7.3. Combine everything to continuous time dependent simulation

7.4. Interpretation of result numbers

8. Programming technologies

8.1. Performance Optimization

8.2. MatLab vs C++

- Basically the performance advantages of using C++
- Combine advantages if both languages
- MatLab as documentation of the simulation

8.3. Graphical output

9. Summary and Outlook

9.1. Project Summary

9.1.1. strengths and flaws

- why is it good, why is it bad

9.1.2. future modifications

9.2. State of the current Research

- Research in the simulation of medical therapy methods

9.3. Other FEM projects and software

- FENICS
- COMSOL
- ANSYS

References

- [1] Tim Kröger et. al. *Numerical Simulation of Radio Frequency Ablation with State Dependent Material Parameters in Three Space Dimensions*. Springer, 2006.
- [2] Klaus Knothe u. Heribert Wessels. *Finite Elemente, Eine Einführung für Ingenieure*, 5. Auflage. Springer Vieweg, 2017.
- [3] Michael Jung u. Ulrich Langer. *Methode der finiten Elemente für Ingenieure, Eine Einführung in die numerischen Grundlagen und Computersimulation*, 2. Auflage. Springer Vieweg, 2013.
- [4] Aklilu T. G. Giorges. *Finite Element and Finite Difference Methods for Elliptic and Parabolic Differential Equations*. InTech, 2016.
- [5] John Loustau. *Numerical Differential Equations, Theory and Technique, ODE Methods, Finite Differences, Finite Elements and Collocation*. World Scientific, 2016.
- [6] Arndt Bode et. al. *Partielle Differentialgleichungen, Numerik und Anwendungen, Konferenzen Band 18*. Forschungszentrum Jülich GmbH, 1996.
- [7] Claus-Dieter Munz. *Numerische Behandlung gewöhnlicher und partieller Differenzialgleichungen, Ein anwendungsorientiertes Lehrbuch für Ingenieure*, 4. Auflage. Springer Vieweg, 2019.
- [8] Hengguang Li. *Finite element analysis for the axisymmetric Laplace operator on polygonal domains, Journal of Computational and Applied Mathematics*. Elsevier, 2011.
- [9] *Transient Heat Transfer in a Partially Cooled Cylindrical Rod, Transactions of the ASME Vol. 131*. ASME Digital Collection, 2009.
- [10] Christian G. Sorger. *Generierung von Netzen für Finite Elemente hoher Ordnung in zwei und drei Raumdimensionen*. Technische Universität München, Lehrstuhl für Computation in Engineering, 2012.
- [11] Wolf Dieter Pietruszka. *MATLAB und Simulink in der Ingenieurpraxis, Modellbildung, Berechnung und Simulation*, 4. Auflage. Springer Vieweg, 2014.
- [12] Jichun Li. *Computational Partial Differential Equations Using MATLAB*. CRC Press, 2009.
- [13] P.I. Kattan. *MATLAB Guide to Finite Elements, An Interactive Approach*. Springer, 2003.
- [14] Norbert Heiderich. *Technische Probleme lösen mit C/C++, Von der Analysis bis zur Dokumentation*, 4. Auflage. Hanser, 2020.
- [15] Michael McLaughlin. *C++ Succinctly*. Syncfusion Inc., 2012.

- [16] Stefan Kuhlins. *Die C++ Standardbibliothek, Einführung und Nachschlagewerk*, 4. Auflage. Springer, 2005.
- [17] Physicists like to think that all you have to do is say 'These are the conditions now what happens next?'. *Richard Feynman*. The Character of Physical Law, 1965.
- [18] Not only is the Universe stranger than we think it is stranger than we can think. *Werner Heisenberg*. Across the Frontiers, 1972.

A. Source code Visual C++

Listing 1: For loop to print numbers from 1 to 10

```
1 // Print numbers from 1 to 10
2 #include <stdio.h>
3 int main() {
4     int i;
5     for (i = 1; i < 11; ++i)
6     {
7         printf("%d_", i);
8     }
9     return 0;
10 }
```

B. Source code MatLab

TODO