

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



005

Member ID # 383029



Member Number: 4790



Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk



AUTOMATED COUNT

** OPD/AHH/ASH **

Page 1 of 4

UHID : 120453705
 REFERENCE No. : 01 0555 18/12/25
 SAMPLE DATE & TIME : 18/12/2025 17:52
 REPORT DATE & TIME : 18/12/2025 19:24
 PATIENT : Miss. RYLEIGH
 REFERRED BY : DR MITHIKSHA KOORAGAMAGE

AGE : 6 Y/F 04/10/2019

TEST/PROFILE : **COMPLETE BLOOD COUNT**

TEST	RESULT	FLAG	REFERENCE	VALUE
TOTAL WHITE CELL COUNT	2.1	10^9/L	L	5.0 - 15.0
<u>DIFFERENTIAL COUNT</u>				
NEUTROPHILS	49.6	%	1.1	9%-77% (1.0-8.5)
LYMPHOCYTES	37.9	%	0.8	14%-86% (1.5-9.5)
MONOCYTES	11.3	%	0.2	H 4%-10% (0.2-1.0)
EOSINOPHILS	0.6	%	0.0	L 1%-7% (<0.81)
BASOPHILS	0.6	%	0.0	
<u>HAEMOGLOBIN AND RBC PARAMETERS</u>				
HAEMOGLOBIN	12.7	g/dL		11.0 - 14.0
RED BLOOD CELLS	4.63	10^12/L		4.0 - 5.2
MEAN CELL VOLUME	78.2	fL		75.0 - 87.0
HAEMATOCRIT	36.2	L/L (%)		34.0 - 40.0
MEAN CELL HAEMOGLOBIN	27.5	pg		24.0 - 30.0
M.C.H. CONCENTRATION	35.1	g/dL		31.0 - 37.0
RED CELLS DISTRIBUTION WIDTH	12.7	%		
PLATELET COUNT	187	10^9/L	L	200 - 490

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

**CHROMATOGRAPHIC**

** OPD/AHH/ASH **

Page 2 of 4

UHID : 120453705
 REFERENCE No. : 01 0555 18/12/25
 SAMPLE DATE & TIME : 18/12/2025 17:52
 REPORT DATE & TIME : 18/12/2025 21:29
 PATIENT : Miss. RYLEIGH
 REFERRED BY : DR MITHIKSHA KOORAGAMAGE

AGE : 6 Y/F 04/10/2019
 AHH2006610 / ASH2106101

TEST	RESULT
DENGUE VIRUS NS1 ANTIGEN	POSITIVE

Comment :-

NS1 antigen was found circulating in infected patients from the first day and up to 9 days after onset of fever.

A negative test result cannot exclude a recent infection.
 This is a qualitative test.

***Suggest to correlate the test results with clinical signs.

Sensitivity - 92.4%

Specificity - 98.4%

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



Member of
CLINICAL AND
LABORATORY
STANDARDS
INSTITUTE
005
Member ID # 383029

Member of
AACC
American Association for Clinical Chemistry
Improving Healthcare through Laboratory Medicine
Member Number: 4790



Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

**PATHOLOGY**

** OPD/AHH/ASH **

Page 3 of 4

UHID : 120453705
 REFERENCE No. : 01 0555 18/12/25
 SAMPLE DATE & TIME : 18/12/2025 17:52
 REPORT DATE & TIME : 18/12/2025 21:03
 PATIENT : Miss. RYLEIGH
 REFERRED BY : DR MITHIKSHA KOORAGAMAGE

AGE : 6 Y/F 04/10/2019 / AHH2006610 / ASH2106101

TEST	RESULT
<u>URINE FULL REPORT....</u>	

COLOUR	Pale yellow
APPEARANCE	Slightly Turbid
S.G. (REFRACTOMETER)	1.022
pH	6.0
PROTEIN	Nil
GLUCOSE	Nil
KETONE BODIES	+ (Positive)
BILIRUBIN	Nil
NITRITE	Nil
UROBILINOGEN	Normal Amounts

CENTRIFUGED DEPOSITS (Phase Contrast Microscopy)

PUS CELLS	2 - 4 /H.P.F
RED CELLS	4 - 6 /H.P.F
EPITHELIAL CELLS	+
CASTS	Nil
CRYSTALS	+ Few ammonium urate

MLT

CONFIDENTIAL LABORATORY REPORT

Member of Clinical and Laboratory Standards Institute, U.S.A.



Member of
CLINICAL AND
LABORATORY
STANDARDS
INSTITUTE
005
Member ID # 383029

Member of
AACC
American Association for Clinical Chemistry
Improving Healthcare through Laboratory Medicine
Member Number: 4790



Asiri Hospital Holdings PLC, 181, Kirula Road, Narahenpita, Colombo 05
T. +94 11 452 3355-7 F. +94 11 452 3358 prlab@asiri.lk

**CLINICAL CHEMISTRY**

** OPD/AHH/ASH **

Page 4 of 4

UHID : 120453705
 REFERENCE No. : 01 0555 18/12/25
 SAMPLE DATE & TIME : 18/12/2025 17:52
 REPORT DATE & TIME : 18/12/2025 19:47
 PATIENT : Miss. RYLEIGH
 REFERRED BY : DR MITHIKSHA KOORAGAMAGE
 SAMPLE TYPE : Serum

AGE : 6 Y/F 04/10/2019

AHH2007780 / ASH2106101

TEST	RESULT	FLAG	REFERENCE VALUE
C.REACTIVE PROTEIN	2.8	mg/L	0.1 - 5.0

Comment :-

**** Ultra-sensitive CRP assay is now available.
 (Test code: B198)

MLT