FLDNO	FTABLE	FTYPE	FCODE	FNAME	FFMT	FDESC	LFLDNO	FUID	FDATE	SCALEID
1	NAMES	NAME	ACCNO	GERMPLASM BANK ACCESSION NUMBER	-	The ID of an accession held in a genebank. Names with this type should also have NSTAT=8 and NLOCN=GLOCN, and the combination of NVAL with NLOCN and NTYPE=1 should be unique	1	0	0	0
2	NAMES	NAME	CRSNM	CROSS NAME	-	Name assigned to a cross. GIDs with a name of this type should have a generative germplasm creation method with two or more parents	2	0	0	0
3	NAMES	NAME	UNCRS	UNNAMED CROSS	-	In historical data or breeding programmes where crosses are not named, the pedigree may be used as the "name", and given NTYPE=3. GIDs with a name of this type should have a generative germplasm creation method with two or more parents	3	0	0	0
4	NAMES	NAME	RELNM	RELEASE NAME	-	Name assigned to an officially released variety. Only the GID instance representing the release should have this NTYPE: derived samples of the same variety should have the same name with NTYPE=6	4	0	0	0
5	NAMES	NAME	DRVNM	DERIVATIVE NAME	-	Name assigned to a selection derived from a variable material	5	0	0	0
6	NAMES	NAME	CVNAM	CULTIVAR NAME	-	Name assigned to a cultivar. This includes both modern released cultivars and traditional cultivars and landraces	6	0	0	0
7	NAMES	ABBREVIATION	CVABR	ABBREVIATED CULTIVAR NAME	-		14	0	0	0
8	NAMES	NAME	SPNAM	SPECIES NAME	-	Don't use!!!!!!!!!!!	0	0	0	0
9	NAMES	NAME	COLNO	COLLECTOR'S NUMBER	-	ID assigned by the collector to the original collected sample. In the case of the GID representing the collected sample itself, this name should have NSTAT=8.	0	0	0	0
10	NAMES	NAME	FACCN	FOREIGN ACCESSION NUMBER	-	Accession ID assigned to an equivalent (supposedly duplicate) accession held by a different genebank, but excluding the donor's genebank. (cf DACCN)	0	0	0	0
11	NAMES	NAME	ITEST	INTERNATIONAL TESTING NUMBER	_	An ID assigned to a germplasm sample for international testing. Typically IRTP nnn =germplasm samples screened internationally through INGER. Where the name is connected to the root GID representing the sample managed by INGER itself, this name should have NSTAT=8	0	0	0	0
12	NAMES	NAME	NTEST	NATIONAL TESTING NUMBER	-	An ID assigned to a germplasm sample for national testing.	0	0	0	0
13	NAMES	NAME	LNAME	LINE NAME	-	A name assigned to a particular line typically by a breeder or other scientist	0	0	0	0

14	NAMES	NAME	TACC	TEMPORARY ACCESSION NUMBER/ QUARANTINE NUMBER	-	Genebanks, like that at IRRI, that assign accession IDs only after incoming samples have passed the necessary tests, need to be able to identify those incoming samples before they get accession IDs. This name type serves that purpose	0	0	0	0
15	NAMES	NAME	ADVNM	ALTERNATIVE DERIVATIVE NAME	-		0	0	0	0
16	NAMES	NAME	ACVNM	ALTERNATIVE CULTIVAR NAME	-		0	0	0	0
17	NAMES	NAME	AABBR	ALTERNATIVE ABBREVIATION	-		0	0	0	0
18	NAMES	NAME	OLDMUT1	OLD MUTANT NAME 1	-		0	0	0	0
19	NAMES	NAME	OLDMUT2	OLD MUTANT NAME 2	-		0	0	0	0
20	NAMES	NAME	ELITE	ELITE LINES	-	For breeding lines that are considered elite even though not commercialised, and are given a name in recognition of their elite status	0	0	0	0
21	NAMES	NAME	GACC	MANAGEMENT NAME	-	ID given to a sample created by a maintenance method within a management neighbourhood e.g. a generation of a genebank accession. Format in IRRI GRC is [ACCNO]:[YYYYXX], where [YYYYXX] is the year and season (DS or WS) of seed production. N.B. Separate GIDs for such materials are maintained only for effective genebank management by tracking regenerations, and each GACC should be unique. Normal germplasm searches by germplasm name should not list these GIDs: to this end, the GACC should be the only name. Although, being unique, the name is a "preferred ID", it is assigned the status of "preferred name" to satisfy the ICIS rule of 1 preferred name for every GID	0	112	20060320	0
22	NAMES	NAME	DACCN	DONOR'S ACCESSION NUMBER	-	Donor's Accession number. This is distinct from FACCN, which may be a recipient's accession number.	0	112	20060522	0
23	NAMES	NAME	LCNAM	LOCAL COMMON NAME OF WILD RICE SPECIES	-	Local common name given to wild rice species	0	112	20060525	0
24	NAMES	NAME	HRDC	IRRI-HRDC CODE	-	HRDC Code assigned in IRRI	0	0	20080617	0
1019	NAMES	NAME	CIATGB	CIAT GERMPLASM BANK ACCESSION NUMBER	-	Stop using!!!! We should reassign all these to have NTYPE=1 and apply the rules above for NTYPE 1	19	0	0	0
1027	NAMES	NAME	UNRES	UNRESOLVED NAME	-		27	0	0	0