WEB322 Assignment 1

Submission Deadline:

Tuesday, September 30 - 11:59 PM

Assessment Weight:

10% of your final course Grade

Objective:

Create and publish a web app that uses multiple routes which serve static content (text / json) as well as create a "project service" module for accessing data. For this assignment, we will initially use data from https://drawdown.org (specifically, data related to some of their projects / solutions for solving climate change).

Part 1: Getting Started (Files & Directories)

As with the previous assignment, we will first be creating the files and directories for our solution. To begin:

- Create a new folder somewhere on your system to store the assignment.
- Within this folder, create a "data" folder and a "modules" folder
- Download a copy of the "sectorData.json" file (<u>located here</u>) and the "projectData.json" file (<u>located here</u>) and place them into your newly created "data" folder.
- Within the "modules" folder, create a new file called: "projects.js"

Part 2: Writing projects.js

The purpose of the "projects.js" file is to provide easy access to the Project data for other files within our assignment that require it.

To start, add the following two lines to the beginning of the "projects.js" file:

```
const projectData = require("../data/projectData");
const sectorData = require("../data/sectorData");
```

This will automatically read both files and generate two arrays of objects: "projectData" and "sectorData".

Next, create a variable called "projects", initialized to an empty array, ie:

```
let projects = [];
```

This will be the completed array of "project" objects, after processing the above "projectData" and "sectorData" arrays.

The remainder of this file will contain functions, according to the following specification:

Initialize()

The purpose of this function is to fill the "projects" array (declared above), by adding copies of all the **projectData** objects.

However, each of these objects must **also** include a new "**sector**" property. The value of the "sector" property should be the corresponding **sector_name** value from **sectorData**, whose "id" value matches the "sector_id" for the "projectData" object.

For example, the project with id 9: "id": **9**, "sector_id": 4, "title": ..., "feature_img_url": ..., "summary_short": ..., "intro_short": ..., "impact": ..., "original_source_url": ... } Should get a new "sector" property with the value of "Electricity", ie: "id": **9**, "sector_id": 4, "title": ..., "feature_img_url": ..., "summary_short": ..., "intro short": ..., "impact": ..., "original_source_url": ..., "sector": "Electricity" } Since the "sector name" with id: 4 is "Electricity" from "sectorData", ie: "id": 4, "sector_name": "Electricity" }

HINT: Consider using the .find() and .forEach() Array methods for your solution

getAllProjects()

This function simply returns the complete "projects" array

getProjectById(projectId)

This function will return a specific "project" object from the "projects" array, whose "id" value matches the value of the "projectId" parameter, ie: if getProjectById(9) was invoked, the following project object would be returned:

```
"id": 9,

"sector_id": 4,

"title": ...,

"feature_img_url": ...,

"summary_short": ...,

"intro_short": ...,

"impact": ...,

"original_source_url": ...,

"sector": "Electricity"
```

HINT: Consider using the .find() Array method for your solution

getProjectsBySector(sector)

The purpose of this function is to return an array of objects from the "projects" array whose "sector" value matches the "sector" parameter. However, it is important to note that the "sector" parameter may contain only part of the "sector" string, and case is ignored. For example:

```
getProjectsBySector("agriculture");
```

would return all the projects from your "projects" array whose "sector" property contains the string "agriculture" (ignoring case). For example, this would be all product objects with a "sector" value of: "Food, Agriculture, and Land Use", ie: "projects" with id values: 5, 10, 15, 20, 25 and 30

HINT: Consider using the .filter() Array method as well as the .toUpperCase() / .toLowerCase() and .includes() String methods for your solution

Part 3: Testing & Refactoring projects.js

Once you have completed the above four functions, test them at the bottom of your file by first invoking the "initialize()" function, then the others (since they all need the "projects" array to be filled with data).

NOTE: You should be able to run this file using the command "node modules/projects.js"

If the correct data is returned and you're satisfied that everything is working correctly, you can delete your testing code.

Now, we can begin to refactor our functions to use "Promises".

- Each of the 4 functions created (initialize(), getAllProjects(), getProjectsById(projectId), getProjectsBySector(sector)) must return a new Promise object that "resolves" either with data (if the function returns data) or "rejects" with an error, if the function encounters an error, for example:
 - Initialize() should resolve with no data, once the operation is complete (ie: the "projects" array is filled with objects)
 - o **getAllProjects()** should resolve with the completed "projects" array
 - o **getProjectsById(projectId)** should resolve with the found "project" object, and reject with an appropriate message (ie: unable to find requested project) if the project was not found
 - o **getProjectsBySector(sector)** should resolve with the found "project" objects, and reject with an appropriate message (ie: unable to find requested projects)

Finally, we must make sure this file functions as a "module", either by manually adding all 4 functions to the "module.exports" object individually, or by assigning them at once using an object literal shorthand, ie:

module.exports = { initialize, getAllProjects, getProjectById, getProjectsBySector }

Part 4: Creating the Web Server

The final part of this assignment is to create a "<u>simple web server</u>" that makes our data available. For now, this will simply involve returning the data – we will focus on "rendering" actual HTML pages in future assignments.

To begin:

• Create a new file called "server.js" in the root of your assignment folder (making sure not to accidentally place it within the "data" or "modules" folders):



- Next, run the command "npm init" in the integrated terminal, ensuring that your "entry point" is **server.js** (this should be the default), and "author" is your full name, ie: "John Smith".
- Once this is complete, run the command "npm install express" to generate the "node_modules" folder and update your newly-created "package.json" with the "express" dependency
- Finally, open your server.js file and add the line:

const projectData = require("./modules/projects");

This will ensure that the functions that we wrote in parts 2 & 3 will be available on the **projectData** object (ie: projectData.initialize(), projectData.getAllProjects(), etc)

From this point on, we can begin creating a simple web server using Express.js that features simple GET routes.

However, before the server starts (ie: the **app.listen()** function is invoked), we must ensure that the "projects" array has been successfully built within our "projects" module. Therefore, we must invoke the **projectData.initialize()** function and make sure it has completed successfully (ie "resolves") before we execute our app.listen() function.

NOTE: Even though we do not have any routes configured, we should be able to start the server using the command "node server.js"

Finally, ensure that the following routes are configured in your server.js file:

• GET "/"

This route simply sends back the text: "Assignment 2: Student Name - Student Id" where "Student Name" and "Student Id" are your Name & Seneca Student Id

• GET "/solutions/projects"

This route is responsible for responding with all of the projects (array) from our projectData module

GET "/solutions/projects/id-demo"

In this route, you will demonstrate the **getProjectById** functionality, by invoking the function with a known projectId value from your projectData. Once the function has resolved successfully, respond with the returned object.

NOTE: Do not forget to include code to handle the situation where **getProjectByld** fails. If this is the case, simply respond with the error text.

• GET "/solutions/projects/sector-demo"

In this route, you will demonstrate the **getProjectsBySector** functionality, by invoking the function with a known sector value from your projectData (using a part of the sector name in lower case, ie "ind" for "Industry", or " agriculture" for " Food, Agriculture, and Land Use"). Once the function has resolved successfully, respond with the returned array.

NOTE: Do not forget to include code to handle the situation where **getProjectsBySector** fails. If this is the case, simply respond with the error text.

With your routes complete, you should be ready to hand in our assignment. To see a completed version of this app running, visit: https://web322-f25-a1.vercel.app/

Part 5: Deploying your Site

Finally, once you have tested your site locally and are happy with it, it's time to publish it online.

Check the "Vercel Guide" for more information.

Assignment Submission:

• Add the following declaration at the top of your **server.js** file:

/*	***********************		
*	WEB322 – Assignment 01		
	I declare that this assignment is my Academic Integrity Policy:	y own work in accordance wit	th Seneca's
*	https://www.senecapolytechnic.ca/about/policies/academic-integrity-policy.html		
*	Name:	Student ID:	_ Date:

- Compress (.zip) your web322-app (after removing node_modules folder).
- Get your hosted website's Vercel Public URL (Refer "How to get public Vercel URL" video in Notion Docs resources)
- Video 1: Website Demonstration (of website hosted on Vercel no localhost)
 - Create a website demonstration screen recording (minimum 2 mins, maximum 5 mins) that starts by showing your website on Vercel in action. Begin by stating your name and briefly introducing your website, then systematically demonstrate all core functionality including user interactions, key features, navigation flow, and error handling scenarios. Ensure your demonstration covers all assignment requirements by showing the website working correctly with various inputs and edge cases. Maintain clear screen capture with a minimum resolution of 1080p with audible narration explaining each action as you perform it, ensuring the demonstration flows logically through your website's capabilities to prove that all required programming concepts function properly in practice.
- Video 2: Code Explanation
 - Create a comprehensive code walkthrough recording (minimum 7 mins, maximum 10 mins) where you systematically explain your implementation by showing your actual source code. Start by introducing yourself and providing an overview of your project structure and file organization, then walk through each required component specified in the assignment: demonstrate your use of language features, explain your design decisions, show how different concepts are implemented, highlight key functions and data structures, and point out how you handled challenging aspects of the assignment. Maintain clear screen capture with a minimum resolution of 1080p with audible narration while providing clear explanations that demonstrate understanding rather than just reading code aloud.

Check Notion Docs for resources on:

- How to do a proper app demonstration and code explanation for the submission videos
- How to upload videos to YouTube and set them as "unlisted"

Submit the following:

- Project zip file (after removing node_modules folder)
- Hosted Website's Vercel Public URL (Refer "How to get public Vercel URL" video in Notion Docs resources)
- O Video 1: Website Demonstration YouTube Video URL
- Video 2: Code Explanation YouTube Video URL
 - upload the videos to YouTube, set them as "unlisted"
 - Share the links in submission comments

Note:

- All items listed above must be submitted for your submission to be considered complete/valid.
- Incomplete/Invalid submissions will not be accepted and will receive a grade of zero (0).

Important Note:

- NO LATE SUBMISSIONS for assignments. Late assignment submissions will not be accepted and will receive a grade of zero (0).
- Submitted assignments must run locally, ie: start up errors causing the assignment/app to fail on startup will result in a grade of zero (0) for the assignment.