	Region Hovedstaden	Region Sjælland	Region Syddanmark	Region Midtjylland	Region Nordjylland	Danmark
Patientkarakteristika	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)
Aldersgruppen ← 49	2F (0)	0 (4)	20 (0)	14(0)	0 (0)	7C (7)
	25 (9)	8 (4)	20 (8)	14 (6)	9 (8)	76 (7)
50 - 59	32 (11)	19 (10)	36 (15)	32 (14)	12 (11)	131 (12)
60 - 69	80 (28)	49 (27)	58 (24)	66 (29)	30 (27)	283 (27)
70 - 79	81 (28)	56 (31)	68 (28)	64 (28)	28 (25)	297 (28)
>= 80	69 (24)	51 (28)	62 (25)	50 (22)	33 (29)	265 (25)
Køn	()				(-)	()
Mand	176 (61)	122 (67)	148 (61)	144 (64)	72 (64)	662 (63)
Kvinde	111 (39)	61 (33)	96 (39)	82 (36)	40 (36)	390 (37)
Charlson Komorbiditets Index						
)	178 (62)	105 (57)	149 (61)	143 (63)	67 (60)	642 (61)
1-2	81 (28)	64 (35)	72 (30)	61 (27)	37 (33)	315 (30)
<u>}</u> +	28 (10)	14 (8)	23 (9)	22 (10)	8 (7)	95 (9)
Klinisk stadium (UICC)						
Klinisk UICC stadium I	79 (28)	63 (34)	66 (27)	63 (28)	27 (24)	298 (28)
Klinisk UICC stadium II	39 (14)	23 (13)	25 (10)	32 (14)	28 (25)	147 (14)
Klinisk UICC stadium III	96 (33)	52 (28)	103 (42)	89 (39)	27 (24)	367 (35)
Klinisk UICC stadium IV	56 (20)	37 (20)	47 (19)	39 (17)	30 (27)	209 (20)
Klinisk UICC stadium ikke vurderet	17 (6)	8 (4)	3 (1)	3 (1)	0 (0)	31 (3)
Patologisk stadium (UICC)						
Patologisk UICC stadium 0	3 (1)	1 (1)	1 (0)	1 (0)	1 (1)	7 (1)
Patologisk UICC stadium I	31 (11)	24 (13)	46 (19)	37 (16)	11 (10)	149 (14)
Patologisk UICC stadium II	34 (12)	20 (11)	37 (15)	30 (13)	15 (13)	136 (13)
Patologisk UICC stadium III	36 (13)	31 (17)	38 (16)	51 (23)	11 (10)	167 (16)
Patologisk UICC stadium IV	57 (20)	37 (20)	47 (19)	39 (17)	30 (27)	210 (20)
Patologisk UICC stadium ikke vurderet	126 (44)	70 (38)	75 (31)	68 (30)	44 (39)	383 (36)
Opereration	-					
Ja	202 (70)	126 (69)	179 (73)	177 (78)	56 (50)	740 (70)
Nej	85 (30)	57 (31)	65 (27)	49 (22)	56 (50)	312 (30)
Prioritet						
Elektiv	144 (50)	107 (58)	144 (59)	144 (64)	44 (39)	583 (55)
Akut	2 (1)	0 (0)	2 (1)	2 (1)	0 (0)	6 (1)
n/a	141 (49)	76 (42)	98 (40)	80 (35)	68 (61)	463 (44)
ntention		- ()		(/		
Kurativt	146 (51)	103 (56)	146 (60)	145 (64)	44 (39)	584 (56)
Compromised resection	0 (0)	2 (1)	0 (0)	1 (0)	0 (0)	3 (0)
Palliativt	0 (0)	2 (1)	0 (0)	0 (0)	0 (0)	2 (0)
n/a	141 (49)	76 (42)	98 (40)	80 (35)	68 (61)	463 (44)
iya Histologi	171 (73)	10 (42)	JU (1 U)	JU (JJ)	JO (UI)	7UJ (44)
alstologi Adenokarcinom	250 (00)	156 (05)	330 (04)	206 (01)	102 (01)	052 (01)
adenokarcinom Lavt differentieret adenokarcinom	259 (90)	156 (85)	230 (94)	206 (91)	102 (91)	953 (91)
	8 (3)	2 (1)	3 (1)	5 (2)	0 (0)	18 (2)
Andet karcinom	11 (4)	9 (5)	3 (1)	10 (4)	7 (6)	40 (4)
Joplyst	9 (3)	16 (9)	8 (3)	5 (2)	3 (3)	41 (4)
Mismatch repair deficiency	0.00 (- 0.00	.== ()				
DMMR	240 (84)	156 (85)	216 (89)	205 (91)	100 (89)	917 (87)
MMR	5 (2)	2 (1)	6 (2)	3 (1)	2 (2)	18 (2)
Joplyst	42 (15)	25 (14)	22 (9)	18 (8)	10 (9)	117 (11)
alt						
Patienter	287 (27)	183 (17)	244 (23)	226 (21)	112 (11)	1.052 (100)

Patientkarakteristika	Bispebjerg n(%)	Hillerød n(%)	Herlev n(%)	Hvidovre n(%)	Region Hovedstaden n(%)
Aldersgruppen					
<= 49	3 (5)	4 (6)	9 (13)	9 (10)	25 (9)
50 - 59	4 (7)	8 (12)	5 (7)	15 (16)	32 (11)
60 - 69	16 (29)	19 (28)	17 (24)	28 (31)	80 (28)
70 - 79	18 (32)	20 (29)	20 (28)	23 (25)	81 (28)
>= 80	15 (27)	18 (26)	20 (28)	16 (18)	69 (24)
Køn					
Mand	35 (63)	41 (59)	45 (63)	55 (60)	176 (61)
Kvinde	21 (38)	28 (41)	26 (37)	36 (40)	111 (39)
Charlson Komorbiditets Index					
0	30 (54)	50 (72)	40 (56)	58 (64)	178 (62)
1-2	18 (32)	16 (23)	25 (35)	22 (24)	81 (28)
3+	8 (14)	3 (4)	6 (8)	11 (12)	28 (10)
Klinisk stadium (UICC)	-				
Klinisk UICC stadium I	13 (23)	15 (22)	29 (41)	22 (24)	79 (28)
Klinisk UICC stadium II	12 (21)	5 (7)	9 (13)	13 (14)	39 (14)
Klinisk UICC stadium III	20 (36)	24 (35)	19 (27)	33 (36)	96 (33)
Klinisk UICC stadium IV	10 (18)	18 (26)	11 (15)	17 (19)	56 (20)
Klinisk UICC stadium ikke vurderet	1 (2)	7 (10)	3 (4)	6 (7)	17 (6)
Patologisk stadium (UICC)				-	
Patologisk UICC stadium 0				3 (3)	3 (1)
Patologisk UICC stadium I	5 (9)	5 (7)	7 (10)	14 (15)	31 (11)
Patologisk UICC stadium II	7 (13)	8 (12)	10 (14)	9 (10)	34 (12)
Patologisk UICC stadium III	9 (16)	6 (9)	7 (10)	14 (15)	36 (13)
Patologisk UICC stadium IV	10 (18)	19 (28)	11 (15)	17 (19)	57 (20)
Patologisk UICC stadium ikke vurderet	25 (45)	31 (45)	36 (51)	34 (37)	126 (44)
Opereration				-	
Ja	41 (73)	46 (67)	44 (62)	71 (78)	202 (70)
Nej	15 (27)	23 (33)	27 (38)	20 (22)	85 (30)
Prioritet					
Elektiv	30 (54)	27 (39)	33 (46)	54 (59)	144 (50)
Akut		1 (1)	1 (1)		2 (1)
n/a	26 (46)	41 (59)	37 (52)	37 (41)	141 (49)
Intention					
Kurativt	30 (54)	28 (41)	34 (48)	54 (59)	146 (51)
Compromised resection	26 (46)	41 (59)	37 (52)	37 (41)	141 (49)
Palliativt					
n/a	51 (91)	63 (91)	61 (86)	84 (92)	259 (90)
Histologi		2 (3)	4 (6)	2 (2)	8 (3)
Adenokarcinom	2 (4)	2 (3)	4 (6)	3 (3)	11 (4)
Lavt differentieret adenokarcinom	3 (5)	2 (3)	2 (3)	2 (2)	9 (3)
Andet karcinom	• •	- •		• •	• •
Uoplyst	49 (88)	59 (86)	60 (85)	72 (79)	240 (84)
Mismatch repair deficiency	1 (2)	1 (1)	1 (1)	2 (2)	5 (2)
pMMR	6 (11)	9 (13)	10 (14)	17 (19)	42 (15)
dMMR	- \/	- (/	- 11	(/	_ (/

Patientkarakteristika	SUH n(%)	Slagelse n(%)	Region Sjælland n(%)
Aldersgruppen			
<=49	5 (6)	3 (3)	8 (4)
50 - 59	5 (6)	14 (15)	19 (10)
60 - 69	22 (25)	27 (29)	49 (27)
70 - 79	27 (30)	29 (31)	56 (31)
>=80	30 (34)	21 (22)	51 (28)
Køn			
Mand	61 (69)	61 (65)	122 (67)
Kvinde	28 (31)	33 (35)	61 (33)
Charlson Komorbiditets Index			
0	50 (56)	55 (59)	105 (57)
1-2	32 (36)	32 (34)	64 (35)
3+	7 (8)	7 (7)	14 (8)
Klinisk stadium (UICC)			
Klinisk UICC stadium I	33 (37)	30 (32)	63 (34)
Klinisk UICC stadium II	9 (10)	14 (15)	23 (13)
Klinisk UICC stadium III	23 (26)	29 (31)	52 (28)
Klinisk UICC stadium IV	22 (25)	15 (16)	37 (20)
Klinisk UICC stadium ikke vurderet	2 (2)	6 (6)	8 (4)
Patologisk stadium (UICC)			
Patologisk UICC stadium 0		1 (1)	1 (1)
Patologisk UICC stadium I	12 (13)	12 (13)	24 (13)
Patologisk UICC stadium II	9 (10)	11 (12)	20 (11)
Patologisk UICC stadium III	15 (17)	16 (17)	31 (17)
Patologisk UICC stadium IV	22 (25)	15 (16)	37 (20)
Patologisk UICC stadium ikke vurderet	31 (35)	39 (41)	70 (38)
Opereration			
Ja	57 (64)	69 (73)	126 (69)
Nej	32 (36)	25 (27)	57 (31)
Prioritet			
Elektiv	42 (47)	65 (69)	107 (58)
Akut	47 (53)	29 (31)	76 (42)
n/a			
Intention	42 (47)	61 (65)	103 (56)
Kurativt		2 (2)	2 (1)
Compromised resection		2 (2)	2 (1)
Palliativt	47 (53)	29 (31)	76 (42)
n/a			
Histologi	76 (85)	80 (85)	156 (85)
Adenokarcinom	2 (2)		2 (1)
Lavt differentieret adenokarcinom	5 (6)	4 (4)	9 (5)
Andet karcinom	6 (7)	10 (11)	16 (9)
Joplyst			
Mismatch repair deficiency	79 (89)	77 (82)	156 (85)
pMMR	1 (1)	1 (1)	2 (1)
dMMR	9 (10)	16 (17)	25 (14)
Uoplyst			
l alt	89 (49)	94 (51)	183 (100)

	Lillebælt	OUH	Sydvestjysk	Sønderjylland	Region Syddanmark
Patientkarakteristika	n(%)	n(%)	n(%)	n(%)	n(%)
Aldersgruppen					
<=49	6 (9)	13 (13)	1 (3)		20 (8)
50 - 59	8 (12)	18 (18)	6 (17)	4 (9)	36 (15)
60 - 69	17 (25)	18 (18)	9 (25)	14 (33)	58 (24)
70 - 79	16 (24)	26 (27)	11 (31)	15 (35)	68 (28)
>= 80	20 (30)	23 (23)	9 (25)	10 (23)	62 (25)
Køn					
Mand	40 (60)	56 (57)	27 (75)	25 (58)	148 (61)
Kvinde	27 (40)	42 (43)	9 (25)	18 (42)	96 (39)
Charlson Komorbiditets Index					
0	43 (64)	63 (64)	21 (58)	22 (51)	149 (61)
1-2	18 (27)	26 (27)	10 (28)	18 (42)	72 (30)
3+	6 (9)	9 (9)	5 (14)	3 (7)	23 (9)
Klinisk stadium (UICC)		-			
Klinisk UICC stadium I	15 (22)	30 (31)	6 (17)	15 (35)	66 (27)
Klinisk UICC stadium II	4 (6)	9 (9)	3 (8)	9 (21)	25 (10)
Klinisk UICC stadium III	38 (57)	36 (37)	17 (47)	12 (28)	103 (42)
Klinisk UICC stadium IV	10 (15)	20 (20)	10 (28)	7 (16)	47 (19)
Klinisk UICC stadium ikke vurderet		3 (3)			3 (1)
Patologisk stadium (UICC)		:	-		
Patologisk UICC stadium 0		1 (1)			1 (0)
Patologisk UICC stadium I	14 (21)	17 (17)	7 (19)	8 (19)	46 (19)
Patologisk UICC stadium II	11 (16)	14 (14)	3 (8)	9 (21)	37 (15)
Patologisk UICC stadium III	7 (10)	20 (20)	4 (11)	7 (16)	38 (16)
Patologisk UICC stadium IV	10 (15)	20 (20)	10 (28)	7 (16)	47 (19)
Patologisk UICC stadium ikke vurderet	25 (37)	26 (27)	12 (33)	12 (28)	75 (31)
Opereration		. ,			. ,
Ja	46 (69)	86 (88)	17 (47)	30 (70)	179 (73)
Nej	21 (31)	12 (12)	19 (53)	13 (30)	65 (27)
Prioritet	ζ- /	. ,	- (/	- (,	
Elektiv	39 (58)	61 (62)	17 (47)	27 (63)	144 (59)
Akut	(,	2 (2)	(,	()	2(1)
n/a	28 (42)	35 (36)	19 (53)	16 (37)	98 (40)
Intention	20 (12)	33 (30)	13 (33)	10 (31)	30 (10)
Kurativt	39 (58)	63 (64)	17 (47)	27 (63)	146 (60)
Compromised resection	33 (30)	03 (01)	11 (11)	21 (00)	110 (00)
Palliativt					
n/a	28 (42)	35 (36)	19 (53)	16 (37)	98 (40)
Histologi	20 (42)	33 (30)	15 (55)	10 (21)	30 (40)
Adenokarcinom	61 (91)	96 (98)	31 (86)	42 (98)	230 (94)
Lavt differentieret adenokarcinom		JU (JO)	3T (00)	1 2 (30)	
Andet karcinom	3 (4)	1 /1\			3 (1)
	2 (3)	1 (1)	E (1 A)	1 /2\	3 (1)
Uoplyst Microstoh ropair deficiency	1 (1)	1 (1)	5 (14)	1 (2)	8 (3)
Mismatch repair deficiency	(2) (22)	00 (00)	20 (70)	20 (00)	216 (00)
pMMR	62 (93)	88 (90)	28 (78)	38 (88)	216 (89)
dMMR	1 (1)	10 (10)	1 (3)	4 (9)	6 (2)
Uoplyst	4 (6)	10 (10)	7 (19)	1 (2)	22 (9)
I alt					
Patienter	67 (27)	98 (40)	36 (15)	43 (18)	244 (100)

Patientkaraktorictika	Aarhus	Gødstrup	Viborg	Region Midtjylland	Randers
Patientkarakteristika Aldersgruppen	n(%)	n(%)	n(%)	n(%)	n(%)
<=49	8 (6)	6 (6)		14 (6)	
50 - 59	19 (15)	12 (13)	1 (33)	32 (14)	
60 - 69	37 (29)	28 (30)	1 (33)	66 (29)	
70 - 79	32 (25)	30 (32)	1 (33)	64 (28)	1 (100)
×= 80	33 (26)	17 (18)	_ (33)	50 (22)	_ (===,
Køn	55 (=5)	(==)			
Mand	80 (62)	62 (67)	2 (67)	144 (64)	
Kvinde	49 (38)	31 (33)	1 (33)	82 (36)	1 (100)
Charlson Komorbiditets Index	13 (30)	31 (33)	1 (55)	02 (30)	1 (100)
)	80 (62)	60 (65)	2 (67)	143 (63)	1 (100)
1-2	36 (28)	25 (27)	2 (0.7)	61 (27)	1 (100)
3+	13 (10)	8 (9)	1 (33)	22 (10)	
Klinisk stadium (UICC)	13 (10)	0 (3)	1 (55)	22 (10)	
Klinisk UICC stadium I	47 (36)	15 (16)	1 (33)	63 (28)	
Klinisk UICC stadium II	26 (20)	5 (5)	1 (33)	32 (14)	
Klinisk UICC stadium III	31 (24)	58 (62)	1 (33)	89 (39)	
Klinisk UICC stadium IV	23 (18)	14 (15)	1 (33)	39 (17)	1 (100)
Klinisk UICC stadium ikke vurderet	23 (16)	14 (15)	1 (33)	3 (1)	T (TOO)
Patologisk stadium (UICC)	۷./۷	± \±/		J (1)	
Patologisk UICC stadium 0		1 (1)		1 (0)	
Patologisk UICC stadium I	20 (16)	16 (17)	1 (33)	37 (16)	
Patologisk UICC stadium II			1 (33)	30 (13)	
-	20 (16) 26 (20)	10 (11)	1 (22)		
Patologisk UICC stadium III		24 (26)	1 (33)	51 (23)	1 (100)
Patologisk UICC stadium IV	23 (18)	14 (15)	1 (33)	39 (17)	1 (100)
Patologisk UICC stadium ikke vurderet	40 (31)	28 (30)		68 (30)	
Opereration	100 (78)	74 (80)	2 (67)	177 (78)	1 (100)
Ja					1 (100)
Nej Prioritet	29 (22)	19 (20)	1 (33)	49 (22)	
	06 (67)	EE (EO)	2 (67)	144 (64)	1 (100)
Elektiv	86 (67)	55 (59)	2 (67)	144 (64)	1 (100)
Akut	2 (2)	20 /41)	1 (33)	2 (1)	
n/a	41 (32)	38 (41)	1 (33)	80 (35)	
ntention	07 (67)	EE /FO)	2 (67)	145 (C4)	1 /100\
Kurativt	87 (67)	55 (59)	2 (67)	145 (64)	1 (100)
Compromised resection	1 (1)	20 /41)	1 (22)	1 (0)	
Palliativt	41 (32)	38 (41)	1 (33)	80 (35)	
n/a	110 (01)	04 (00)	2 /100	200 (04)	1 /100\
Histologi	118 (91)	84 (90)	3 (100)	206 (91)	1 (100)
Adenokarcinom	2 (2)	3 (3)		5 (2)	
Lavt differentieret adenokarcinom	7 (5)	3 (3)		10 (4)	
Andet karcinom	2 (2)	3 (3)		5 (2)	
Uoplyst			- 6		
Mismatch repair deficiency	119 (92)	82 (88)	3 (100)	205 (91)	1 (100)
pMMR	3 (2)			3 (1)	
dMMR	7 (5)	11 (12)		18 (8)	
Uoplyst					
l alt	129 (57)	93 (41)	3 (1)	226 (100)	1 (0)

Patientkarakteristika	Aalborg n(%)	Hjørring n(%)	Region Nordjylland n(%)
Aldersgruppen			
<= 49	9 (8)		9 (8)
50 - 59	12 (11)		12 (11)
60 - 69	30 (28)		30 (27)
70 - 79	28 (26)		28 (25)
= 80	30 (28)	3 (100)	33 (29)
/øn			
1and	70 (64)	2 (67)	72 (64)
(vinde	39 (36)	1 (33)	40 (36)
harlson Komorbiditets Index			
	65 (60)	2 (67)	67 (60)
2	36 (33)	1 (33)	37 (33)
+	8 (7)		8 (7)
linisk stadium (UICC)			
inisk UICC stadium I	27 (25)		27 (24)
inisk UICC stadium II	27 (25)	1 (33)	28 (25)
inisk UICC stadium III	26 (24)	1 (33)	27 (24)
inisk UICC stadium IV	29 (27)	1 (33)	30 (27)
linisk UICC stadium ikke vurderet			
atologisk stadium (UICC)	1 (1)		1 (1)
atologisk UICC stadium 0	11 (10)		11 (10)
atologisk UICC stadium I	15 (14)		15 (13)
atologisk UICC stadium II	11 (10)		11 (10)
atologisk UICC stadium III	29 (27)	1 (33)	30 (27)
tologisk UICC stadium IV	42 (39)	2 (67)	44 (39)
tologisk UICC stadium ikke vurderet			
pereration	55 (50)	1 (33)	56 (50)
a	54 (50)	2 (67)	56 (50)
ej			
rioritet	44 (40)		44 (39)
ektiv	65 (60)	3 (100)	68 (61)
kut			
a	44 (40)		44 (39)
tention			-
urativt			
ompromised resection	65 (60)	3 (100)	68 (61)
alliativt			
/a	100 (92)	2 (67)	102 (91)
istologi	7 (6)		7 (6)
denokarcinom	2 (2)	1 (33)	3 (3)
avt differentieret adenokarcinom			
ndet karcinom	98 (90)	2 (67)	100 (89)
Joplyst	2 (2)		2 (2)
Nismatch repair deficiency	9 (8)	1 (33)	10 (9)
MMR			
MMR	109 (97)	3 (3)	112 (100)