

RESULT FOR RP-USERINFO-BEARER-HEADER

AUTHORIZATION RESPONSE

Query Params

```
"client_id": "x9df5CSleNj3",
    "iss":
"https://rp.certification.openid.net:8080/nov-
rp-certified/rp-userinfo-bearer-header",
    "scope": "profile email address phone openid",
    "code":
"BCTGC/Ra3sLFlOuWZ6r2IvvHYTgUNKH/MFuX9nXuKro/A1P
i+7V0KGmBCsrREGA/OtiZuMgJG+F8dSImlyAekEMwFfcmh+m
L4+zZiHwUptZJ4IhNHDkrhKJ9/vWRtQ6Qkra/NLXF6CNuMxJ
6f8J4gQ==",
    "state": "d600f1c1623a2af5dd18413d9d78699a"
}
```

Fragment Params

```
TODO: write JS code. (BTW, do I need client-side tests for my gem??)
```

TOKEN RESPONSE

Access Token

E/YyBECH9mq7S/cEIDQyf8GMIeO52rFukQtIzskTQB35WnEi YoctrxeSequ3bFtJ4P+L0NEKju5wMnUHTtZVv62rO+K9VZ2s ncFrdcFCR/7PJruzwA9Fk0ofvjpzRv9LB7dOrwd1Sml+AHnN 5tDV5A==

ID Token

```
{
  "alg": "RS256",
  "kid":

"b_DlfVNBmgGHUbzLfc3JkR9IJINcYgcQ7MrgHfRLap0"
}
{
  "iss":
"https://rp.certification.openid.net:8080/nov-
rp-certified/rp-userinfo-bearer-header",
  "iat": 1484841661,
  "nonce": "9e2d301a1029940adad7d6c78292a6ee",
```

```
"sub":
"1b2fc9341a16ae4e30082965d537ae47c21a0f27fd43eab
78330ed81751ae6db",
   "acr": "PASSWORD",
   "aud": [
        "x9df5CSleNj3"
   ],
   "exp": 1484928061,
   "auth_time": 1484841661
}
```

USERINFO RESPONSE

User Info

```
"name": "Diana Krall",
  "nickname": "Dina",
  "sub":
"1b2fc9341a16ae4e30082965d537ae47c21a0f27fd43eab
78330ed81751ae6db",
  "email": "diana@example.org",
  "given_name": "Diana",
  "family_name": "Krall",
  "email_verified": false,
  "phone_number": "+46 90 7865000",
  "address": {
```

```
"locality": "Umeå",
    "postal_code": "SE-90187",
    "country": "Sweden",
    "street_address": "Umeå Universitet"
}
```

© Nov Matake | Design: HTML5 UP