CERTIFIED CONNECT RP

RESULT FOR RP-ID_TOKEN-SIG-NONE

AUTHORIZATION RESPONSE

Query Params

```
{
  "client_id": "cv0rK8HJG0uN",
  "iss":
"https://rp.certification.openid.net:8080/nov-
rp-certified/rp-id_token-sig-none",
  "scope": "profile email address phone openid",
  "code":
"GPN/TY6+uH2zq5uPa/RJlKz+SJgLbBVny1GOddMOGVC9nSL
wftkMBCekCZvaHnJeTe16RrkDmTvotzj/btWSxifo+U+EMCO
9XTMHm+KfS/XpDHv/HsO1k7QwrWwxKNowuWHwryk9H996818
YC7bF8A==",
  "state": "5565e008784df57220f14fd15a81a1fe"
}
```

Fragment Params

```
TODO: write JS code. (BTW, do I need client-side
tests for my gem??)
```

TOKEN RESPONSE

Access Token

```
M/LWuKW5VTO7ppBKPKrBk9T1LGZN7EFZSJfg3Cculi80XXgY
nB6CpCd2UVqeUWwUIjiVjIfdECcz0rPladRx2Xtxo69sLNmF
TlQp3lAecgLGPxvB9rwVPljesbKXYcQ/C5DI5cfb5XVX+NMQ
Dph2ZA==
```

ID Token

```
{
  "alg": "none"
}
{
  "iss":
"https://rp.certification.openid.net:8080/nov-
rp-certified/rp-id_token-sig-none",
  "iat": 1484841354,
  "nonce": "1cfe2fb429aeac3e18247adbed8cb9e3",
  "sub":
"1b2fc9341a16ae4e30082965d537ae47c21a0f27fd43eab
```

```
      78330ed81751ae6db",
    "acr": "PASSWORD",
    "aud": [
      "cv0rK8HJG0uN"
    ],
    "exp": 1484927754,
    "auth_time": 1484841354
  }
```

USERINFO RESPONSE

User Info

```
  {
    "name": "Diana Krall",
    "nickname": "Dina",
    "sub":
"1b2fc9341a16ae4e30082965d537ae47c21a0f27fd43eab
78330ed81751ae6db",
    "email": "diana@example.org",
    "given_name": "Diana",
    "family_name": "Krall",
    "email_verified": false,
    "phone_number": "+46 90 7865000",
    "address": {
      "locality": "Umeå",
      "postal_code": "SE-90187",
```

```
        "country": "Sweden",
        "street_address": "Umeå Universitet"
    }
}
```