THESIS TITLE HERE

by

Author Full Name

A Dissertation Submitted to the Faculty of the

DEPARTMENT OF SPANISH AND PORTUGUESE

In Partial Fulfillment of the Requirements For the Degree of

DOCTOR OF PHILOSOPHY

In the Graduate College

THE UNIVERSITY OF ARIZONA

THE UNIVERSITY OF ARIZONA GRADUATE COLLEGE

| As members of the Dissertation Committee, we certify prepared by Author Full Name entitled Thesis title here and recommend that it be accepted as fulfilling the diss of Doctor of Philosophy. | |
|--|--|
| 1st committee member | Date: 15 December 2016 |
| 2nd committee member | Date: 15 December 2016 |
| 3rd committee member | Date: 15 December 2016 |
| 4th committee member | Date: 15 December 2016 |
| Final approval and acceptance of this dissertation is consion of the final copies of the dissertation to the Gradu I hereby certify that I have read this dissertation prepare that it be accepted as fulfilling the dissertation requires | ate College. d under my direction and recommend |
| Dissertation Director: Dissertation director | Date: 15 December 2016 |

STATEMENT BY AUTHOR

This dissertation has been submitted in partial fulfillment of requirements for an advanced degree at the University of Arizona and is deposited in the University Library to be made available to borrowers under rules of the Library.

Brief quotations from this dissertation are allowable without special permission, provided that accurate acknowledgment of source is made. Requests for permission for extended quotation from or reproduction of this manuscript in whole or in part may be granted by the head of the major department or the Dean of the Graduate College when in his or her judgment the proposed use of the material is in the interests of scholarship. In all other instances, however, permission must be obtained from the author.

SIGNED: Author Full Name

ACKNOWLEDGEMENTS

Insert your acknowledgements here.

This should be one page maximum, and is single-spaced by default.

DEDICATION

Dedication goes here.

One page maximum.

TABLE OF CONTENTS

| LIST O | OF FIGURES | 8 |
|--------|--|----|
| LIST O | OF TABLES | 9 |
| ABSTR | RACT | 10 |
| CHAPT | PTER 1 Introduction - Markdown and LaTeX | |
| 1.1 | Issues | |
| 1.2 | Basic structure | |
| 1.3 | Sections | 12 |
| | 1.3.1 Subsections | 12 |
| 1.4 | Math Example | 13 |
| 1.5 | How to cite your references | 13 |
| 1.6 | Graphics | 13 |
| СНАРТ | PTER 2 More IATEX | |
| 2.1 | Tables | 15 |
| 2.2 | TIPA | 17 |
| СНАРТ | PTER 3 Using R | |
| 3.1 | Basic math | |
| 3.2 | Inline expressions | 18 |
| 3.3 | Run models | 18 |
| 3.4 | Plots | 19 |
| СНАРТ | PTER 4 Sourcing .R files | 20 |
| 4.1 | Import scripts | 20 |
| 4.2 | Call chunks | 20 |

${\bf TABLE~OF~CONTENTS}-Continued$

| APPENDIX A | Sample Appendix | 22 |
|------------|------------------|----|
| APPENDIX B | Another Appendix | 23 |
| REFERENCES | S | 24 |

LIST OF FIGURES

| 1.1 | Example figure | 14 |
|-----|----------------|--------|

LIST OF TABLES

| 2.1 | Another table caption here | 15 |
|-----|----------------------------|----|
| 2.3 | Short table caption here | 16 |

ABSTRACT

This is where the body of your abstract goes, limited to 150 words for a thesis, and 350 words for a dissertation or document. The word count limits apply to the regular Abstract in the thesis and to the separate Special Abstract. Use the same text for both; just adjust the margins and heading. The abstract should summarize your work. The UMI booklet listed in the resources section of the U of A manual provides some writing tips. The abstract for a dissertation or document may be longer than one page; word count is more important than page length in this section.

If you are doing a paper submission, submit one copy of the special abstract, and two extra copies of your title page, in the box with the final copies of your thesis. If you are doing an electronic submission, you can ignore the special abstract.

CHAPTER 1

Introduction - Markdown and LATEX

This is a piecemeal rendition of the University of Arizona thesis class (uathesis) reworked to be compatible with Rmarkdown. The majority of the heavy lifting was already done by colleagues in the Department of Planetary Sciences at the U of A (see the uathesis.cls file for more information). In essence all I have done is include the proper adjustments so that it plays nicely with knitr. As of now (Wed Jun 24 23:11:41 2015), knitr and R are fully functional. That said, some other issues still remain.

1.1 Issues

- Section formatting
 - mainly (sub)subsubsection bolding
- Knitr captions
 - include captions from knitr call
 - include figure in LOF from knitr call

1.2 Basic structure

The basic structure of the thesis package has been cleaned up significantly. There are now two folders inside the main directory: **includes** and **sections**. The **includes** folder contains most of the under the hood files that you will generally edit one time to set up the project metadata (i.e. the title, committee members, etc.), but also includes .bib files and figures. The **sections** folder is where the chapters of the dissertation live. Each chapter is its own .Rmd file. You will write you chapters in these files and compile the master document. This folder is home to the other less important (but required) sections (i.e. acknowledgments,

dedications, abstracts and appendices). The underlying engine is LATEX. To generate the dissertation pdf, compile the master.Rmd file in your favorite text editor.

1.3 Sections

You can use either markdown or LaTeX to create sections in the document (see general markdown syntax for more information). In both cases, cross-referencing figure, tables, sections, chapters, etc. can only be done if a label{} is created. For example, this is section 1.3. I generated that number by first labeling the section...

Sections\label{sections}

and then by typing...

\ref{sections}

It is helpful to use this with figures and tables. Like, for Figure 1.1 and Table 2.3 below.

1.3.1 Subsections

You can use hashtags or the subsection{} command to create a subsection.

1.3.1.1 Subsubsections

Don't seem to be working properly yet.

1.3.1.1.1 Subsubsections These don't either and they should be avoided for now.

¹All of these files are imported into the final pdf in the master.Rmd file via knitr or specific commands written for the uathesis class.

1.4 Math Example

Equations can be rendered beautifully by using the equation environment.

$$y = mx + b \tag{1.1}$$

But, old school math works too!

$$y = \beta_0 + \beta_1 + x_1 + \epsilon$$

But putting it inside the equation environment will number it (as in the first example), and has the added advantage of centering automatically as well.

$$y = \beta_0 + \beta_1 + x_1 + \epsilon \tag{1.2}$$

1.5 How to cite your references

One relevant difference from the previous iteration of this package is that it now uses Rmarkdown/pandoc to render citations. This is a work is progress, but for now you can reference by using the standard [@citekey] method. For example, citations are cool (F. Author, Author, & Author, 2002, 2015). For inline citations, remove the brackets (i.e. @articletwo). As in F. Author et al. (2015) said many things.

1.6 Graphics

This took a little cajoling, but the figures are now working. They are automatically included in the list of figures and you can use the brackets in the caption to establish a different LOF caption (separate from the one you see below.).

One thing to remember is that when including images the home directory is always that of the master.Rmd document. Therefore, it is necessary to establish the path to the image file from there. Here is the code used to produce the above figure:




Figure 1.1: Here is a screeny of the sections folder.

\begin{figure}[h]

\centering

\includegraphics[width=.75\textwidth]{./includes/figures/ex.png}
\caption[Example figure]{Here is a screeny of the sections folder.}
\label{fig:firstfig}

\end{figure}

CHAPTER 2

More LATEX

2.1 Tables

Tables work the same way as before...

Table 2.1: Another table caption (to appear with the actual table).

| Col A | Col B | Col C |
|-------|-------|-------|
| 1 | 2 | 3 |
| 4 | 5 | 6 |

They can be rendered in markdown now as well (and can include r code), but I don't recommend this combination (for now)...

| Col 1 | Col 2 | col 3 |
|--------|-------|-------|
| 4 | plus | 8 |
| equals | 12 | nice! |

On the next page is a sample table, placed on the page by itself. Sometimes tables can be wider than they are tall, and you may need to rotate the table by 90° to make it fit better on a page by itself. To do that you can use the Iscape package. To use it, wrap the table commands in a begin and end landscape command and that table will be properly rotated.

Table 2.3: Sample table caption (to appear with the actual table).

| | l | |
|-------|----|---|
| Col C | 33 | 9 |
| Col B | 2 | ಬ |
| Col A | | 4 |

Note that the \caption command can have a short and a long version inside a table environment, just like inside a figure environment (see 1.6).

2.2 TIPA

You can include IPA characters via the TIPA package. Here is an example:

 $[\int\!\mathrm{ip}]\text{-}[\int\!\mathrm{ip}]$ - Looks good.

CHAPTER 3

Using R

3.1 Basic math

Here are some simple math examples

```
24 - 23
```

[1] 1

2345 * 23

[1] 53935

3.2 Inline expressions

You can use inline r expressions like 2 plus 2 = 0

3.3 Run models


```
library(xtable); library(dplyr)
mtcars %>%
  glm(vs ~ mpg, data = ., family = "binomial") %>%
  xtable(., type = "latex") %>%
  print(comment = FALSE)
```

| | Estimate | Std. Error | z value | $\Pr(> z)$ |
|-------------|----------|------------|---------|-------------|
| (Intercept) | -8.8331 | 3.1623 | -2.79 | 0.0052 |
| mpg | 0.4304 | 0.1584 | 2.72 | 0.0066 |

3.4 Plots

And you can generate plots directly from this file as well.

```
library(ggplot2)
ggplot(mtcars, aes(x = mpg, y = vs)) +
geom_point() +
geom_smooth(method = "glm", family = "binomial")
```



CHAPTER 4

Sourcing .R files

4.1 Import scripts

We can use the following command to import an r script:

```
library(knitr)
read_chunk('../includes/scripts/test.R')
```

Notice that the read_chunk() command takes this file as the reference for specifying the path (this is different with regard to inserting graphics).

4.2 Call chunks

We can directly call knitr chunks from the test.R script. First let's load the libraries we will need.

library(dplyr); library(lingStuff)

Now we will generate some data.

```
# Generate data
set.seed(1)
vot = rnorm(20, 15, 5)
vot = sort(vot)
phon = c(0,1,0,0,0,0,0,1,0,1,0,1,1,1,1,1,1,1)
df = as.data.frame(cbind(vot, phon))
```

Let's fit a model.


```
# Fit model
glm <- glm(phon ~ vot, data = df, family = "binomial")</pre>
```

What is the phoneme boundary?

```
# Get crossover point
crossOver(glm)
```

[1] 15.53595

It looks like the boundary is at 15.54. Good. Let's plot it to see what it looks like:



APPENDIX A

Sample Appendix

Stuff....

APPENDIX B

Another Appendix

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

REFERENCES

- Author, F., Author, S., & Author, T. (2002). Random article about some stuff. Random Journal, 666, 1-20.
- Author, F., Author, S., & Author, T. (2015). Some more random stuff. Random Journal, 675, 1–20.