

## CERTIFICATE ISOTOPIC REFERENCE MATERIAL IRMM- 654

146.098 (48) · 10<sup>-9</sup> mol (<sup>68</sup>Zn) · g<sup>-1</sup> (solution)

The Isotopic Reference Material is supplied with an isotope amount content of <sup>68</sup>Zn certified as above.

The amount of zinc isotopes present are related to the  $^{68}$ Zn content through the following certified amount ratios:

$n(^{64}Zn)/n(^{68}Zn)$ : $n(^{66}Zn)/n(^{68}Zn)$ : $n(^{67}Zn)/n(^{68}Zn)$ : $n(^{70}Zn)/n(^{68}Zn)$ :	0.003 489 4(38)
<i>n</i> ( <sup>66</sup> Zn)/ <i>n</i> ( <sup>68</sup> Zn) :	0.003 186 8(46)
<i>n</i> ( <sup>67</sup> Zn)/ <i>n</i> ( <sup>68</sup> Zn) :	0.001 411 3(17)
$n(^{70}Zn)/n(^{68}Zn)$ :	0.000 194 98(78)

This corresponds to an isotopic composition with the following abundances:

amount fraction (·100)		Mass fraction (·100)	
$n(^{64}Zn)/n(Zn)$	0.346 07(37)	$m(^{64}Zn)/m(Zn)$	0.325 81 (35)
<i>n</i> ( <sup>66</sup> Zn)/ <i>n</i> (Zn)	0.316 06(45)	$m(^{66}Zn)/m(Zn)$	0.306 86 (44)
$n(^{67}Zn)/n(Zn)$	0.139 97(17)	$m(^{67}Zn)/m(Zn)$	0.137 96(17)
$n(^{68}Zn)/n(Zn)$	99.178 56(83)	$m(^{68}Zn)/m(Zn)$	99.209 45(79)
$n(^{70}Zn)/n(Zn)$	0.019 338(77)	$m(^{70}Zn)/m(Zn)$	0.019 914(80)

The molar mass of the zinc in this sample is 67.903 689 (24) g·mol<sup>-1</sup>

From the certified values, the following amount content and mass contents are derived:

147.308 (49) . 10 <sup>-9</sup>	mol (Zn) · g <sup>-1</sup> (solution)
9.923 7 (33) · 10 <sup>-6</sup>	g ( <sup>68</sup> Zn) · g <sup>-1</sup> (solution)
10.002 7 (33) · 10 <sup>-6</sup>	g (Zn) · g <sup>-1</sup> (solution)

B-2440 GEEL (Belgium) Tel.: +32-(0)14-571 608 • Fax: +32-(0)14-571 863

## NOTES

- 1. The isotope amount content value and the isotopic ratios of this Isotopic Reference Material are traceable to the SI in the shortest possible way via metrological weighings and via IRMM-652, IRMM-653 and IRMM-1007/1. Measurements calibrated by this Isotopic Reference Material have therefore the potential of being traceable to the SI (mole).
- 2. All uncertainties indicated are expanded uncertainties  $U = k \cdot u_c$  where  $u_c$  is the combined standard uncertainty estimated following to the ISO/BIPM Guide to the Expression of Uncertainty in Measurement<sup>1</sup>. They are given in parentheses and include a coverage factor k=2. They apply to the last two digits of the value. The values certified are traceable to the SI.
- 3. The IRMM-654 has been prepared from diluting a vacuum distilled shot. The IRMM-654 comes in a flame sealed quartz ampoule containing about 0.74 µmol Zinc in 5 mL of a chemically stable nitric acid solution. The molarity is about 0.5M. Details of the preparation and certification procedure can be found in<sup>2</sup>.
- 4. The atomic masses used in the calculations are<sup>3</sup>:

<sup>64</sup>Zn: 63.929 142 2 (14)

<sup>66</sup>Zn: 65.926 033 4 (20)

<sup>67</sup>Zn: 66.927 127 3 (20)

<sup>68</sup>Zn: 67.924 844 2 (20)

<sup>70</sup>Zn: 69.925 319 3 (42)

5. All metrological weighings required in the preparation and certification were done by F. Hendrickx. The isotope abundance ratio measurements of the IRMM-651 were done by E. Ponzevera, using Multiple Collector Inductively Coupled Plasma Mass Spectrometry (MC-ICPMS). M. Berglund and C. Hennessy co-ordinated the preparation of this Isotopic Reference Material and G. Van Baelen was responsible for ampouling. C. Quétel co-ordinated the work leading to the certification of this Isotopic Reference Material and A. Verbruggen was responsible for issuance of the certificate.

B-2440 GEEL July 2007 Dr P. Taylor

Head

IRMM Isotope Measurements

<sup>&</sup>lt;sup>1</sup> International Organisation for Standardisation, Guide to the Expression of Uncertainty in Measurements, Geneva, Switzerland 1995.

<sup>2</sup> Mass discrimination during MC-ICPMS isotopic ratio measurements: investigation by means of synthetic isotopic mixtures (IRMM-007 series) and application to the calibration of natural-like zinc materials (including IRMM-3702 and IRMM-651). Ponzevera *et al.*, Journal of the Applican Society for Mass Spectrometry, 2006. 17: p. 1412-1427.

<sup>&</sup>lt;sup>3</sup> The 2003 atomic mass evaluation: (II). Tables, graphs and references. Audi *et al.*, Nuclear Physics A, 2003. 729(1): p. 337-676. Atomic masses used in <sup>2</sup> above come from an older reference (Isotope abundance variations of selected elements, Coplen *et al.* Pure Appl. Chem., Vol. 74, 10, pp1987-2017, 2002). This difference has impact only on last decimal of the calculated molar mass and no impact on Zn isotope ratios, amount and mass fractions.