
ARCHITECTURE

Components Map



SCORING

How a signal is scored

1 · Eligibility

A candidate becomes a signal only if the source gives a real URL and a parseable published date (never inferred by AI), and Gemini Flash confirms is_about_vc = true: the item is about this person at this firm, their own blog or post, or a deal/announcement by their firm. Namesakes are rejected. Signals older than 60 days are kept as history but never scored.

2 · Type weight

Signal type	Weight
investment	1.0
blog post	0.9
interview	0.9
event	0.8
social post	0.6
news mention	0.5
other	0.3

3 · Relevance (Gemini rubric, 0-1)

Band	Topic
0.9-1.0	Logistics, freight, supply chain, fleet; India B2B SaaS seed
0.7-0.8	B2B SaaS, enterprise, AI-for-business; GTM/fundraising advice
0.4-0.6	Other tech deals, ecosystem/policy commentary, fund raises
0.1-0.3	Consumer/D2C, personal, political, unrelated

4 · Recency by age (days)

Age	Recency	Window
0	1.00	Active
10	0.90	Active
20	0.80	Active
30	0.70	Active
31	0.39	Cooling
45	0.25	Cooling
60	0.10	Cooling
61	0.00	History

5 · Formula

signal_value = relevance x type_weight x recency(age). base = max(signal_value) + min(0.15, 0.05 x (active_count - 1)). Contact status: passed -> 0; waiting & last contact < 7 days -> cap 0.40; waiting & >= 14 days & an active signal -> +0.10. follow_up_score = round(100 x clamp(base, 0, 1)).

6 · Buckets

Bucket	Rule
Reach out this week	score >= 60 AND an active (<= 30d) signal
Warm - watch	score 25-59, or only cooling signals
Quiet - deprioritize	otherwise

7 · Worked example (live): Dayna Grayson, Construct Capital

Top signal: investment 1 x relevance 0.7 x recency 0.97 = 0.68
+0.15 momentum bonus (7 active signals)
+0.10 nudge (waiting 34d, fresh signal to reference)
score = 93 -> reach out

REFERENCE

Components & safeguards

Component	Responsibility	Code
Vercel Cron	ingest daily 06:00 IST · score Mon & Thu 07:00 IST	vercel.json
Ingest route	5 VCs per invocation, self-chaining cursor, 300 s max	api/cron/ingest, lib/runs.ts, lib/chain.ts
Sources	Google News, GDELT, blog RSS, Firecrawl, LinkedIn (optional)	lib/sources/*
Gemini Flash	classify evidence; next move; outreach drafts (linted)	lib/gemini.ts, lib/outreach/drafts.ts
Scoring	deterministic score, bucket, story de-duplication	lib/scoring.ts (unit-tested)
Score route	writes 4 signal columns via update_vc_signals()	api/cron/score, lib/pipeline.ts
Outreach	firm-site contacts, deck cover per firm, Gmail draft/send, LinkedIn note	lib/outreach/*, api/outreach/*, api/deck/*
Notes	Vikram edits notes/status in-app via update_vc_manual()	api/notes (admin token)
Supabase	vcs, signals, runs, contacts, firm_brands, outreach_*; RLS on	supabase/schema.sql

Safeguards

- Column GRANTs: the server key can UPDATE only last_signal_date, signal_summary, follow_up_score, recommended_action.
- Manual edits use one SECURITY DEFINER function, update_vc_manual(), called only by /api/notes (enforced by tests/guardrails.test.ts).
- Fingerprint: md5 of all manual columns before and after every run, stored in runs.protected_check and shown as 'Manual columns unchanged'.
- No hallucinated signals: URL and date come from the source; unclassified items are never stored; same story from many outlets counts once.
- Outreach: emails are copied verbatim from the firm's site (no guessing); drafts can't be sent while [placeholders] remain; Gmail actions need the admin token.
- All AI is Gemini Flash; no Claude/OpenAI SDKs (enforced by tests).

30/60-day windows: only 0-30 day signals can trigger Reach out (the brief's rule); 31-60 day signals show as Cooling; older is history.