



Assignment 02

Algorithms for Sequence Analysis

Sven Rahmann and Jens Zentgraf

30.04.2024, due **6.05.2024**

02.1: Knuth-Morris-Pratt Example (4 Theory)

- $\Sigma := \{A, B, C\}$,
 - $P := \text{BBABBBAB}$,
 - $T := \text{BBABBBACBBBBABBBAB}$.
- 1 Compute the lps table for P .
 - 2 Which DFA state are we in after reading each text character?

02.2 Aho Corasick (4 Theory)

Given the set of patterns $P = \{aho, house, sea, rhesus, emu, user, us, use\}$,

- build the trie,
- compute the lps and extend the trie with the lps links,
- compute the output function.

02.3: Recognizing cyclic permutations (4 Theory)

Given two strings s, t of the same length n ,
how can you efficiently decide if one is a cyclic permutation of the other?

Def.: s is a cyclic permutation of t , if $s == t[i:] + t[:i]$ for some i .

For example, 0123456 and 2345601 are cyclic permutations of each other,
but 6543210 is not a cyclic permutation of the other two (it's a reversal).
Also, babbababbba and ababbbababb are cyclic permutations of each other.

Tasks

- 1 Show that “is a cyclic permutation of” is an equivalence relation on strings.
- 2 Give an algorithm that takes two strings as input and outputs True or False.
Your algorithm should run in $O(n)$ time.

02.4: Shift-Or Algorithm (4 Programming)

- Implement the Shift-Or algorithm.
You can adapt the code for the Shift-And algorithm from the slides.
- Make sure it runs correctly by running some tests,
e.g. the example pattern and text from the lecture.