>>fwrite.m

The result after running with 'fwrite.m' is below.

```
liuxins-MacBook-Pro:C liuxin$ ls
a.out          fwrite.m        hello
liuxins-MacBook-Pro:C liuxin$ gcc -framework Foundation fwrite.m
liuxins-MacBook-Pro:C liuxin$ ./a.out
liuxins-MacBook-Pro:C liuxin$ hexdump -C hello
00000000  00 00 20 03 00 00 00 00  00                       |.. ......|
00000009
```

200*1024= 204800= 0x32000

fwrite(&monthTmp, sizeof(char), 1, fp); -- `00` 00 20 03 00 00 00 00 00

fwrite(&startAddressInIndexContent, sizeof(long), 1, fp);-- 00 `00 20 03 00 00 00 00  00`

Because of Big Edition and Small Edition, '00 20 03 00 00 00 00 00' means '00 00 00 00 00 03 20 00' which is '03 20 00'.

Mac OS X Lion 10.7.4 Terminal   Language:Objective-C

>>SkipLoopDebugging:

When debugging a program, how could we skip loop without clicking step by step or trigger a event after specified steps? The project SkipLoopDebugging will tell you in commenting.

IDE: Xcode 4.3.3   OS: Mac OS X Lion 10.7.4   Language: C++