IskUber
Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Bilaw, Nicole
del Rosario, Luis Gabriel
Tamayo, Juan Gabriel

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2017-2018

Unique Reference:

The documents are stored in the IskUber GitHub Repository Link.

https://github.com/CrumbleThorn/IskUber

Document Purpose:

This document serves as the official Use Case Specification document for IskUber. This document expounds on the internal details of the use case.

Target Audience:

This document is targeted towards software engineers who wish to learn about the specific flow of events for each use case of the system.

Revision Control

History Revision:

Revision Date	Person Responsible	Version Number	Modification
10/08/17	Luis Gabriel Q. del Rosario	1.0	Initial Document.
10/11/17	Luis Gabriel Q. del Rosario	1.1	Filled out empty fields and tables, and added the Activity Diagram; Version number should match the one found in the footer.

Use-Case Name: 3.0 Manage Passenger Requests

Description: The driver may view the list of passengers that sent them a request. The list is sorted in chronological order, with the latest request on top. The driver may also view the credentials of each passenger that sent them a request.

Preconditions: The driver must have already defined their route (Use Case 2.0) in order to be searchable by passengers and receive requests.

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) Driver wishes to view passenger details.	1. A list of passenger requests sorted in chronological order is presented to the driver. 2. The driver chooses a passenger whose details are presented to them.
Scenario 2 Driver does not wish to view passenger details/no passenger requests are available.	1. A list of passenger requests sorted in chronological order is presented to the driver. 2. The driver exits the window.

*Activity Diagram of the Flow of Events:*

Figure 1. Activity Diagram for Use Case 3.0.

Postcondition: NONE

Relationships: This use case is related to use cases 2.0, 3.1 and 3.2.

Special Requirements:
  NONE