# **IskUber Use Case Specification**

#### Submitted to:

Asst. Prof. Ma. Rowena C. Solamo **Faculty Member** Department of Computer Science College of Engineering University of the Philippines, Diliman

> Submitted by: Bilaw, Nicole del Rosario, Luis Gabriel Tamayo, Juan Gabriel

In partial fulfillment of academic requirements for the course CS 191 Software Engineering I of the 1st Semester, AY 2017-2018

Page 1 System: IskUber Version: 1.1 Group: 06

## **Unique Reference:**

The documents are stored in the IskUber GitHub Repository Link.

https://github.com/CrumbleThorn/IskUber

## **Document Purpose:**

This document serves as the official Use Case Specification document for IskUber. This document expounds on the internal details of the use case.

### Target Audience:

This document is targeted towards software engineers who wish to learn about the specific flow of events for each use case of the system.

#### **Revision Control**

#### History Revision:

Revision Date	Person Responsible	Version Number	Modification
10/08/17	Luis Gabriel Q. del Rosario	1.0	Initial Document.
10/11/17	Juan Gabriel C. Tamayo	1.1	Filled out empty fields and tables, and added the Activity Diagram; Version number should match the one found in the footer.

System: IskUber Page 2
Version: 1.1 Group: 06

Use-Case Name: 5.0 Search For Available Drivers

Description: The user inputs the route and time they wish to travel. A list of available drivers that

may accommodate their request will be displayed.

Preconditions: In order to use the search functionality, the user must have already registered for an


account. (Use Case 4.1).

# Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow)	1. The search menu is displayed.
User fills in the search box,	2. The user fills in the search box.
initiates the search, and finds a matching driver.	3. After pressing search, the driver database is checked for matching search criteria.
	4. The results are displayed for the user to view.
	5. The user picks a driver and views his/her credentials and contact details.
Scenario 2	1. The search menu is displayed.
User fills in the search box,	2. The user fills in the search box.
initiates the search, and views the results.	3. After pressing search, the driver database is checked for matching search criteria.
	4. The results are displayed for the user to view.
Scenario 3	1. The search menu is displayed.
User fills in the search box,	2. The user fills in the search box.
initiates the search, and wishes to update their search criteria.	After pressing search, the driver database is checked for matching search criteria.
	4. The results are displayed for the user to view.
	5. The user clicks a button to return to the search menu and update their search parameters.
Scenario 4	1. The search menu is displayed.
User does not specify any	2. The user presses search.
search criterion, but still initiates the search.	3. The search will yield an error, and will return to the search menu.
Scenario 5	1. The search menu is displayed.
	2. The user fills in the search box.
results.	3. After pressing search, the driver database is checked for matching search criteria.
	4. The user is informed that the search yielded no results, and is returned to the search menu.

Page 3 System: IskUber Version: 1.1 Group: 06

# Activity Diagram of the Flow of Events:



System: IskUber Page 4
Version: 1.1 Group: 06

Postcondition: NONE

Relationships: NONE

Special Requirements:
NONE

Page 5 Group: 06 System: IskUber Version: 1.1