

Orders Data Quick Reference Guide

What is the orders dataset, what can you learn from it,
and how do you use it confidently.

What Is the Orders Dataset?

The orders dataset is a curated view of Open State sales orders placed by Sazerac's distributor customers through Oracle. It is refreshed regularly and is the primary source for understanding what has been ordered, by whom, in what quantity, when it was requested to ship, and whether it has actually shipped.

Each row in the dataset represents a single line on a customer's order — one SKU, one quantity, one requested ship date. An order with five different products will appear as five separate rows. Some rows may represent charges (such as pallet fees) rather than physical product — more on that below.

What Questions Can It Answer?

Q: What does [Customer] have on order right now?	Filter by customer name or number and look for lines where ShipDate is blank — those are open, unshipped orders.
Q: Has this order shipped yet?	Look at the ShipDate column. If it has a date, the order has shipped. If it is blank, it has not shipped yet.
Q: How much was ordered vs. how much actually shipped?	Compare OrderQty to FulfillLineShippedQTY. A difference may indicate a short ship or a line not yet fulfilled.
Q: Is this order on hold?	Check HeaderOnHold and LineOnHold. A value of 'Y' means the order or line is currently held and will not ship until the hold is released.
Q: What is the requested ship date?	RequestedShipDate shows when the customer asked for the order to ship. Compare this to today's date to identify late or at-risk shipments.
Q: Which facility is fulfilling this order?	OrganizationName shows the full facility name (e.g., 'Jeffersonville Distribution [SA76]').
Q: What SKUs does a customer have open orders for?	Filter by CustomerName or CustomerNumber with ShipDate blank, then review the SKU and SKUDesc columns.

Field Guide — What Each Column Means

Below is a plain-English guide to the most commonly used fields. Descriptions and example values are based on available sample data and view definitions — confirm any field behaviour with your analyst if you need to rely on it for critical decisions.

Field Name	What It Likely Means	Example Value
PONumber	The customer's own purchase order reference number	80729036-9
OrderNumber	Sazerac's internal Oracle order number	5210798
LineNumber	The line number within the order — each SKU is a separate line	1, 2, 9
OrderDate	When the order was placed in Oracle	2026-05-15
RequestedShipDate	When the customer asked for the order to ship (RSD)	2026-06-01
ShipDate	When it actually shipped. Blank on all open/unshipped lines.	Blank (open order)
OrderStatus	Overall order status. 'OPEN' observed in sample data; other values may exist.	OPEN
HeaderOnHold	Indicates whether the entire order is on hold. Y = held, N = not held.	Y or N
LineOnHold	Indicates whether this specific line is on hold. Y = held, N = not held.	Y or N
OrderQty	How many units were ordered, in the unit of measure shown in LineUOM.	1,140
FulfillLineShippedQTY	How many units have been confirmed shipped. Blank until shipment is confirmed.	Blank (open)
SKU	The Sazerac product SKU number. May also include non-product charge codes.	10023878
SKUDesc	The product name and pack size.	WHEATLEY VODKA 6/1.75L 82PF
LineUOM	Unit of measure. CS = cases is typical for product lines; EA (eaches) appears on charge lines in sample data.	CS
CustomerNumber	The distributor's account number. Appears to match AccountNumber.	1057087
CustomerName	The distributor's name. Appears to match AccountName.	PLCB

Field Name	What It Likely Means	Example Value
DeliveryAddressCode	A code identifying the delivery location within the customer's account. Observed values are numeric sequences — exact meaning may vary by customer.	001, 027
Company	2-letter company code. 'SA' and 'SI' observed in sample data. Blank on charge lines.	SA
Plant	2-digit plant/warehouse code. Blank on charge lines in sample data.	76, 45
OrganizationName	Full name of the fulfilling facility, including code in brackets.	Jeffersonville Distribution [SA76]

How to Use This Data Confidently

A Note on Charge Lines

Some rows in the dataset represent fees or charges — such as pallet or slip charges — rather than physical product shipments. In the sample data reviewed, these appear with a SKU value of '**PALLETSLIPCHG**' and a LineUOM of 'EA'. These rows also tend to have blank values for Company, Plant, and OrganizationCode.

Watch out: If you are analysing product orders or summing quantities, exclude charge lines. A reliable filter is: SKU is not 'PALLETSLIPCHG'. Check with your analyst if you are unsure whether other charge-type SKUs exist in your data.

Finding Open Orders

An order line is open — not yet shipped — when the **ShipDate column is blank**. This is the most important filter for day-to-day planning work. Combine it with a customer filter or a requested ship date range to focus your view.

Tip: To see everything unshipped for a customer: filter CustomerName = [your customer] AND ShipDate is blank.

Understanding Holds

A hold means the order will not ship until someone takes action. There are two hold columns:

- **HeaderOnHold = Y** means the entire order is held — every line on that order is affected.
- **LineOnHold = Y** means only that specific product line is held.

The most actionable hold type for the planning team is the **Non-Pricing (NP) hold**. This typically indicates a logistics or fulfillment issue rather than a pricing dispute, and is a primary trigger for planner intervention.

Comparing Ordered vs. Shipped Quantity

Use **OrderQty** and **FulfillLineShippedQTY** together to identify short ships and fulfillment gaps. If an order has shipped but FulfillLineShippedQTY is less than OrderQty, the customer likely received a partial shipment.

Tip: FulfillLineShippedQTY will be blank on all open orders — this is expected behaviour, not a data issue.

What This Dataset Does NOT Cover

This dataset covers **Open State** orders only. It does **not** include:

- **Bailment / Control State orders** — these come from a separate System21 dataset.
- **Transfer orders** — internal warehouse-to-warehouse movements are in a separate view.
- **Draft or reference orders** — filtered out automatically; only confirmed actionable orders appear.

Quick Reference Card

Use this page as a desk reference when working with the orders dataset.

Common Filters

What You Want to See	Filter to Apply
Open (unshipped) orders only	ShipDate is blank
Orders for a specific customer	CustomerName = [name] OR CustomerNumber = [number]
Orders due to ship this week	RequestedShipDate between [Monday] and [Friday]
Orders currently on hold	HeaderOnHold = 'Y' OR LineOnHold = 'Y'
Product lines only (exclude charge lines)	SKU != 'PALLETSLIPCHG' (confirm with analyst if other charge types exist)
Orders from a specific facility	OrganizationName contains [facility name] OR Plant = [code]

Key Terms

Term	Meaning
Open Order	An order line that has not yet shipped (ShipDate is blank)
RSD	Requested Ship Date — when the customer asked for the order to ship
On Hold	Order or line is blocked from shipping until action is taken
NP Hold	Non-Pricing hold — typically a logistics or fulfillment issue requiring planner action
Short Ship	OrderQty is greater than FulfillLineShippedQTY — customer likely received less than ordered
OTIF	On Time In Full — measures whether orders shipped on time and complete
Open State	Distributor markets managed through Oracle (as opposed to Bailment / Control State markets)
Charge Line	A non-product row for fees (e.g., pallet charges) — generally should be excluded from quantity analysis

Questions about the orders dataset: jsimpson@sazerac.com | For planning process questions, contact your VMI Analyst or Inventory Planning Lead.