Objectives

- ✓ Control Statements in Java.

Jump Statements

- ✓ Java supports three jump statements:
  - ✓ **break**
  - ✓ **continue**
  - ✓ **return**
- ✓ These statements transfer control to another part of your program.

break Statements

- ✓ It terminates a statement sequence in a switch statement.
- ✓ It can be used to exit a loop.
- ✓ It can be used as a "civilized" form of goto.

break Statements

Loop iteration stops at break, and control returns from the loop immediately to the first statement after the loop.

```
// Initially loop is set to run from 0-9
    for (int i = 0; i < 10; i++) {
        // Terminate the loop when i is 5
        if (i == 5)
            break;
        System.out.println("i: " + i);
    }
    System.out.println("Out of Loop");
```

continue Statements

continue statement in Java is used to skip the current iteration of a loop.

```
for (int i = 0; i < 10; i++) {
        // If the number is 2  skip and continue
        if (i == 2)
            continue;
        System.out.print(i + " ");
    }
```

return Statement

- ✓ The **return** statement is used to explicitly return from a method.
- ✓ It causes program control to transfer back to the caller of the method.
- ✓ It is categorized as a jump statement.

Takeaways

- ✓ break statements.
- ✓ continue statements.
- ✓ return statements.

Reference

[1] Herbert Schildt, *"Java: The Complete Reference, Eleventh Edition", Oracle 2018*