

SUI / USDT

Full Setup & Connection Guide

SMC Trading Bot

Pine Script v6

Node.js Server

Cloudflare Tunnel

Live Dashboard

Smart Money Concepts multi-timeframe trading bot — 1D Direction → 1H Key Levels → 5M Entry

Generated: June 04, 2026



Section 1 — Files Overview

The bot consists of 4 files. Download all of them before starting.

File	Purpose	Where Used
<code>SUI_SMC_Bot.pine</code>	Pine Script v6 indicator — detects SMC patterns, fires TV alerts with JSON payloads	TradingView chart
<code>server.js</code>	Node.js server — receives webhook from TV, broadcasts live data to dashboard via WebSocket, auto-starts Cloudflare tunnel	Your PC / Mac / Linux
<code>package.json</code>	Node.js dependencies — express, ws, cors, dotenv	Same folder as server.js
<code>index.html</code>	Web dashboard — live price from Binance, 1D/1H/5M SMC cards, alert feed, signal engine	Any browser (open as file or host)

- Put all 4 files in the same folder on your computer.
- Recommended folder name: sui-smc-bot/

Section 2 — Prerequisites

Node.js v18+	Download from nodejs.org — LTS version recommended
npm	Comes with Node.js automatically
TradingView	Free or paid account at tradingview.com
SUI/USDT chart	Open SUIUSDT on TradingView (Binance or Bybit feed)
A modern browser	Chrome, Firefox, Edge, Safari — for the dashboard

Open your terminal / command prompt and run:

```
node --version
```

You should see something like: v20.11.0

Also check npm:

```
npm --version
```

You should see a version number like: 10.2.4

If node --version shows 'command not found', download Node.js from:
<https://nodejs.org/en/download> (choose LTS version)
Restart terminal after installing.

Section 3 — Server Setup

Open terminal in your bot folder

Navigate to the folder where you saved all 4 bot files.

```
cd path/to/sui-smc-bot
```

On Windows you can also right-click the folder → 'Open in Terminal'

Install dependencies (run once only)

This downloads all required Node.js packages (express, ws, cors, dotenv).

```
npm install
```

Wait for it to complete. You'll see a node_modules/ folder created.

This only needs to be done once. Skip this step on subsequent runs.

Start the server

```
node server.js
```

The server starts on port 4000 and automatically launches a Cloudflare tunnel.

Keep this terminal open — closing it stops the server.

Copy the two printed URLs

After ~5 seconds you will see this in the terminal:

WS URL → `wss://xxxx.trycloudflare.com/ws`

Save both URLs — you need them in the next two sections.

- The Cloudflare tunnel is built-in — no account needed, no extra install.
- The tunnel gives you a FREE public HTTPS URL (required by TradingView).
- URL changes each restart — update TradingView webhook when you restart server.

```
SUI SMC Bot - http://localhost:4000  
Starting Cloudflare Tunnel  
automatically... TUNNEL  
ACTIVE ■ STEP 1 – Paste this in TradingView Webhook URL:  
https://abc12.trycloudflare.com/webhook?secret=sui\_smc\_2024 ■ STEP 2 – Paste this in the  
Dashboard (top bar): wss://abc12.trycloudflare.com/ws
```

Section 4 — Dashboard Setup (index.html)

The dashboard shows live price, 1D/1H/5M SMC analysis, and all TradingView alerts in real time.

1

Open the dashboard

Double-click index.html to open it in your browser.
Or drag-and-drop the file into any browser window.
The dashboard works offline — no web hosting needed.

2

Connect to the server

You will see a red connection banner at the top of the page.
Paste the WS URL from your terminal into the input field:
`wss://xxxx.trycloudflare.com/ws`
Press Enter or click the Connect button.
The banner turns green when connected successfully.

3

Verify the webhook URL is shown

Once connected, a green banner appears below the connection bar.
It shows the Webhook URL for TradingView — click  COPY to copy it.
This is the URL you will paste in TradingView in Section 5.

4

Fire a test alert (optional)

Click the  Fire Test Alert button at the bottom of the side panel.
If the server is connected, you will see a LONG alert appear in the feed.
The 1D / 1H / 5M cards will update with test data.
This confirms the full server → dashboard connection is working.

Component	Description
Connection Banner	Top area – red/yellow/green status + WS URL input
Webhook Banner	Shows TV Webhook URL with one-click copy button
Ticker Strip	Live 24h price, volume, high, low, bias, signal
1D Card	Daily bias (Bullish/Bearish), HTF OB top/bot, zone
1H Card	Hourly key levels – Demand OB, Supply OB, zone
5M Card	Entry signal – CHOCH/MSS status, entry, SL
Price Chart	Real Binance candles – switch 5M / 1H / 1D
Signal Engine	6-point SMC checklist + entry banner + TP/SL
Order Blocks Panel	Live 1D/1H OB levels updated from TV alerts
Alert Feed	Every TradingView alert shown with full SMC context
Setup Panel	Slides in from right – step-by-step guide + test

Section 5 — TradingView Setup

1

Add the Pine Script indicator

Open TradingView → open SUI/USDT chart → set timeframe to 5M.
Click Pine Editor (bottom of screen) → paste full SUI_SMC_Bot.pine code.
Click Add to chart (or Save + Add).

The indicator is v6 — TradingView will confirm version compatibility.

2

Verify the info table appears

After adding the script, a table appears in the top-right of your chart.
It shows: SUI SMC BOT v6 | current price | 1D Bias | 1H Zone | 5M Signal.
Green/red OB zones are drawn on the chart automatically.

If you see errors, ensure TradingView saved it as Pine Script v6.

3

Create an alert — LONG Entry

Right-click on chart → Add Alert (or press Alt+A).
Condition: SUI SMC Bot [1D·1H·5M] → SMC LONG ENTRY
Notifications tab: check Webhook URL checkbox.
https://xxxx.trycloudflare.com/webhook?secret=sui_smc_2024
Alert name: SUI LONG Entry
Click Create — done!

4

Create remaining alerts

Repeat Step 3 for each alertcondition in the Pine Script:
Create one alert per condition below:

Alert Name	Condition to Select	Priority
SUI LONG Entry	SMC LONG ENTRY	HIGH
SUI SHORT Entry	SMC SHORT ENTRY	HIGH
SUI Watch Long	WATCH LONG (Near POI)	MEDIUM
SUI Watch Short	WATCH SHORT (Near POI)	MEDIUM
SUI MSS Bull	MSS BULL CONFIRMED	HIGH
SUI MSS Bear	MSS BEAR CONFIRMED	HIGH
SUI 1H BOS Bull	1H BOS BULL	LOW
SUI 1H BOS Bear	1H BOS BEAR	LOW

■ Use the SAME webhook URL for all 8 alerts. The JSON payload identifies which signal fired.

Section 6 — SMC Concepts Used

The bot uses Smart Money Concepts (SMC) across 3 timeframes to identify high-probability entries.

1D — Direction

Identifies overall market bias using BOS (Break of Structure). Determines if we are in a Bullish (HH/HL) or Bearish (LH/LL) structure.

1H — Key Levels

Finds key Points of Interest (POI): Demand Order Blocks, Supply Order Blocks, Fair Value Gaps and liquidity levels.

5M — Entry

Waits for CHoCH (Change of Character) or MSS (Market Structure Shift) to confirm entry when price taps the 1H POI.

Term	Definition
BOS	Break of Structure – price breaks a prior swing high (bullish) or low (bearish), confirming trend direction
CHoCH	Change of Character – first sign of reversal; price breaks the most recent opposite swing
MSS	Market Structure Shift – stronger CHoCH confirmed by volume; higher reliability entry signal
OB	Order Block – last opposing candle before an impulse move; acts as support/resistance zone
FVG	Fair Value Gap – price imbalance (3-candle gap); price often returns to fill it before continuing
BSL	Buy Side Liquidity – equal highs or swing highs where stop-losses cluster; price targets these
SSL	Sell Side Liquidity – equal lows or swing lows where stop-losses cluster; price sweeps these
POI	Point of Interest – any SMC level (OB, FVG, liquidity) where price is likely to react
Premium	Upper 50% of the daily range – sell zone; avoid buying here unless strong confirmation
Discount	Lower 50% of the daily range – buy zone; look for long entries when price is discounted

Section 7 — Entry Conditions

✓ 1D Bias	1D close > 5-bar swing high (BOS up confirmed)
✓ 1H Aligned	1H price crossed above OB lookback high (BOS on 1H)
✓ Price in POI	Current 5M price is inside the 1H Demand Order Block
✓ 5M Trigger	5M CHoCH bull OR MSS bull fires on current bar

✓ 1D Bias	1D close < 5-bar swing low (BOS down confirmed)
✓ 1H Aligned	1H price crossed below OB lookback low (BOS on 1H)
✓ Price in POI	Current 5M price is inside the 1H Supply Order Block
✓ 5M Trigger	5M CHoCH bear OR MSS bear fires on current bar

Parameter	Value / Formula
Stop Loss	Below the 5M OB bottom minus 0.3x ATR(14)
TP1	Entry + 1.5x risk
TP2	Entry + 3.0x risk (configurable via R:R input)
Min R:R	1:3 default – adjustable in Pine Script settings
Risk per trade	Set manually in your broker – bot does NOT auto-trade

Section 8 — Complete Workflow (Quick Reference)

1

START SERVER

`node server.js`

Terminal prints Webhook URL and WS URL after ~5 seconds

2

OPEN DASHBOARD

`Open index.html in browser`

Paste WS URL → click Connect → banner turns green

3

VERIFY WEBHOOK

`Green webhook banner appears`Click  COPY → webhook URL is in clipboard

4

TRADINGVIEW

`Alert → Webhook URL → paste`

Set condition to any alertcondition from Pine Script

5

RECEIVE ALERT

`TradingView fires → server receives`

Alert appears in dashboard feed with 1D/1H/5M context

6

ANALYSE SIGNAL

`Check 1D/1H/5M cards + checklist`

Score 96% = all conditions met → consider entry

7

MANAGE TRADE

`Use TP1/TP2/SL shown on dashboard`

Place trade manually in your exchange — bot is analysis only

- The bot is for ANALYSIS only — it does NOT place trades automatically.
- Always use your own risk management and confirm signals independently.
- Past signals do not guarantee future results.

Section 9 — Troubleshooting

Q TradingView shows 'Only port 80 allowed'

A You are using localhost or a non-standard port. Use the tunnel URL (<https://xxxx.trycloudflare.com>) — it runs on port 443 automatically.

Q Tunnel URL not appearing in terminal

A cloudflared failed to install or start. Check internet connection. Try running: `cloudflared tunnel --url http://localhost:4000` manually in a second terminal.

Q Dashboard shows OFFLINE (red banner)

A Server is not running. Make sure node server.js is running in a terminal. Check you pasted the wss:// URL (not https://). Press Enter or click Connect after pasting.

Q Alerts not appearing in dashboard

A Check TradingView alert has Webhook URL checkbox enabled. Verify the webhook URL matches terminal output exactly including the `?secret=` part. Fire a test from the dashboard using .

Q Pine Script syntax errors

A Make sure TradingView recognises it as Pine Script v6. The first line must be: `//@version=6` Check for any copy-paste issues in the editor.

Q 1D / 1H price levels show dashes (—)

A These update when a TradingView alert fires. They are not Binance data — they come from the Pine Script via webhook payload. Fire a test alert to populate them.

Q npm install fails

A Check internet connection. Try: `npm install --legacy-peer-deps` or delete `node_modules/` folder and try again.

Q URL changes after restart

A Cloudflare gives a new random URL each time the server restarts. Update the webhook URL in all TradingView alerts and reconnect the dashboard.

Section 10 — Quick Reference Card

Action	Command
Install dependencies (once)	<code>npm install</code>
Start the bot server	<code>node server.js</code>
Check Node.js version	<code>node --version</code>
Check npm version	<code>npm --version</code>
Manual tunnel (if auto fails)	<code>cloudflared tunnel --url http://localhost:4000</code>

Purpose	URL
Server Status	https://xxxx.trycloudflare.com/status
Server Full Info	https://xxxx.trycloudflare.com/
TV Webhook URL	https://xxxx.trycloudflare.com/webhook?secret=sui_smc_2024
Dashboard WS URL	wss://xxxx.trycloudflare.com/ws
Recent Alerts API	https://xxxx.trycloudflare.com/api/alerts?limit=10
Live State API	https://xxxx.trycloudflare.com/api/state
Test Alert (POST)	https://xxxx.trycloudflare.com/test

Field	Value / Description
symbol	Always SUIUSDT
action	LONG / SHORT / WATCH_LONG / WATCH_SHORT / INFO
type	ENTRY / NEAR_ENTRY / BOS / MSS_CONFIRM
price	Current close price at alert fire
sl	Stop loss price (auto-calculated)
tp1	Take profit 1 (1.5x risk)
tp2	Take profit 2 (3x risk)
1d_bias	BULLISH or BEARISH
1d_ob_top	Daily OB top price
1d_ob_bot	Daily OB bottom price

1h_ob	DEMAND or SUPPLY
1h_dem_top	Hourly Demand OB top
1h_dem_bot	Hourly Demand OB bottom
1h_sup_top	Hourly Supply OB top
1h_sup_bot	Hourly Supply OB bottom
5m_signal	CHoCH_BULL / CHoCH_BEAR / MSS_BULL / MSS_BEAR / PENDING

SUI / USDT SMC Bot

Full Setup Guide — Summary

1 npm install node server.js	2 Open index.html Paste WS URL → Connect	3 TradingView Alert Paste Webhook URL	4 Add Pine Script Create 8 Alerts
--	--	---	---

This bot is for educational and analytical purposes only. It does not constitute financial advice.

Generated June 04, 2026 · Pine Script v6 · Node.js · Cloudflare Tunnel · Binance API