

33. [/glossary/bitcoin-node](#)

Meta Title

What Is a Bitcoin Node? Simple Explanation for Beginners

Meta Description

A Bitcoin node is a computer that follows and verifies Bitcoin rules. Learn what nodes do, why they matter, and how they support decentralization.

H1

What Is a Bitcoin Node?

Quick Answer

A Bitcoin node is a computer running Bitcoin software. It connects to the Bitcoin network, checks transactions and blocks, and helps make sure Bitcoin's rules are followed.

Direct Definition

A Bitcoin node is a computer that participates in the Bitcoin network by receiving, checking, and sharing Bitcoin transactions and blocks.

Simple Meaning

A Bitcoin node is like a rule-checking computer.

It does not blindly trust miners.

It does not blindly trust exchanges.

It checks whether transactions and blocks follow Bitcoin's rules.

If something breaks the rules, a node can reject it.

Why Bitcoin Nodes Matter

Bitcoin nodes matter because they help keep Bitcoin decentralized.

In a normal payment app, one company controls the database.

In Bitcoin, many independent computers keep and verify the record.

This means Bitcoin does not depend on one central server.

Nodes help protect the network by checking:

- Whether transactions are valid
- Whether blocks follow the rules
- Whether Bitcoin's supply rules are respected
- Whether miners are behaving correctly

How a Bitcoin Node Works

A Bitcoin node runs Bitcoin software.

It connects with other nodes.

It receives transactions and blocks.

It checks them against Bitcoin's rules.

If the data is valid, the node may share it with others.

If the data is invalid, the node rejects it.

Real-World Example

Imagine a classroom where every student has a copy of the rulebook.

If one student says, "Let's change the marks unfairly," the others can check the rulebook and reject it.

Bitcoin nodes work in a similar way.

They help enforce Bitcoin's rules.

Common Misunderstanding

Many beginners think miners control Bitcoin completely.

Miners are important, but nodes also matter. Miners create blocks, but nodes verify whether those blocks are valid.

A miner cannot simply create unlimited Bitcoin if nodes reject the block.

FAQs

What does a Bitcoin node do?

A Bitcoin node checks transactions and blocks to make sure they follow Bitcoin's rules.

Is a Bitcoin node the same as a miner?

No. A miner creates blocks. A node verifies blocks and transactions.

Can anyone run a Bitcoin node?

Yes, technically anyone can run Bitcoin node software, but it requires storage, internet, and basic technical understanding.

Why are nodes important for decentralization?

Nodes allow many people to independently verify Bitcoin instead of trusting one central authority.

Does running a node earn Bitcoin?

Usually, no. Running a node is mainly about verification, privacy, and supporting network decentralization.

Related Terms

- Full Node
 - Decentralization
 - Bitcoin Mining
 - Proof of Work
 - Bitcoin Transaction
 - Block
 - Consensus Mechanism
-

34. /glossary/full-node

Meta Title

What Is a Full Node? Bitcoin Independent Verification Explained

Meta Description

A full node verifies Bitcoin transactions and blocks independently. Learn how full nodes work and why they matter for Bitcoin decentralization.

H1

What Is a Full Node?

Quick Answer

A full node is a Bitcoin node that independently verifies the entire set of Bitcoin rules. It checks transactions, blocks, and the blockchain history without relying fully on someone else.

Direct Definition

A full node is a Bitcoin node that downloads and verifies Bitcoin blocks and transactions according to Bitcoin's consensus rules.

Simple Meaning

A full node is like having your own copy of Bitcoin's rulebook and record book.

You do not need to ask an exchange, wallet company, or block explorer whether a transaction is valid.

Your full node can check it directly.

Why Full Nodes Matter

Full nodes matter because they give users independent verification.

Bitcoin's core idea is not "trust me."
It is "verify."

A full node helps users verify:

- Whether Bitcoin received is real
- Whether blocks follow the rules
- Whether miners are obeying the protocol
- Whether the supply rules are being respected

This is one of the strongest parts of Bitcoin's design.

Full Node vs Regular Node

People often use "Bitcoin node" and "full node" together.

But a full node specifically verifies Bitcoin's full rules and blockchain data.

Some wallet apps may connect to other nodes instead of verifying everything themselves.

A full node gives stronger independence.

Real-World Example

Rahul receives Bitcoin.

If he uses only a normal wallet connected to someone else's server, he may be trusting that server's information.

If Rahul runs his own full node, he can verify the transaction himself.

This is independent verification.

Common Misunderstanding

Many beginners think full nodes are only for developers.

They are more technical than normal wallets, but they are not only for developers. Many serious Bitcoin users run full nodes to improve privacy and verification.

FAQs

What does a full node verify?

A full node verifies Bitcoin transactions, blocks, and consensus rules.

Is a full node the same as a miner?

No. A full node verifies. A miner creates blocks through proof of work.

Do full nodes secure Bitcoin?

Yes, full nodes help enforce Bitcoin's rules by rejecting invalid blocks and transactions.

Do I need a full node to use Bitcoin?

No. Many people use Bitcoin without running a full node, but running one gives stronger verification.

Does a full node store the blockchain?

Yes, a full node stores and verifies blockchain data.

Related Terms

- Bitcoin Node
 - Decentralization
 - Consensus Mechanism
 - Block
 - Bitcoin Transaction
 - Proof of Work
 - Bitcoin Confirmation
-

35. /glossary/peer-to-peer-network

Meta Title

What Is a Peer-to-Peer Network? Bitcoin P2P Explained Simply

Meta Description

A peer-to-peer network allows computers to communicate directly without one central server. Learn why Bitcoin uses a peer-to-peer network.

H1

What Is a Peer-to-Peer Network?

Quick Answer

A peer-to-peer network is a system where computers communicate directly with each other instead of depending on one central server. Bitcoin uses a peer-to-peer network to share transactions and blocks.

Direct Definition

A peer-to-peer network is a network where participants, called peers, connect and exchange information directly with one another.

Simple Meaning

In a normal app, your phone usually connects to the company's server.

In a peer-to-peer network, computers connect with each other.

There is no single main server that controls everything.

Bitcoin uses this model so transactions and blocks can spread across the world through many independent participants.

Why Peer-to-Peer Networks Matter

Peer-to-peer networks matter because they reduce dependence on a single authority.

If one server fails in a normal app, the app may stop working.

In Bitcoin, many nodes share information with each other. This makes the network more resilient.

It also supports Bitcoin's decentralized design.

How Bitcoin Uses Peer-to-Peer Networking

When a Bitcoin transaction is created, it is shared with nearby nodes.

Those nodes share it with other nodes.

The transaction spreads across the network.

Blocks work similarly. When miners find valid blocks, those blocks are shared through the peer-to-peer network.

Real-World Example

Imagine a group of people passing a message to each other directly.

There is no one office controlling the message.

Each person tells other people.

Soon, everyone knows.

Bitcoin's peer-to-peer network works in a similar way for transactions and blocks.

Common Misunderstanding

Many beginners think Bitcoin runs from one main server.

It does not.

Bitcoin runs through many connected computers. That is why it can continue operating without one central company.

FAQs

What does peer-to-peer mean?

Peer-to-peer means participants communicate directly with each other instead of depending on a central server.

Why does Bitcoin use peer-to-peer networking?

It helps Bitcoin stay decentralized and resilient.

Is peer-to-peer the same as decentralization?

They are related, but not exactly the same. Peer-to-peer describes the network structure. Decentralization means no single party controls the system.

Who are the peers in Bitcoin?

Peers are nodes that connect to each other and share Bitcoin data.

Does peer-to-peer mean there are no rules?

No. Bitcoin still has strict rules. Nodes use software to check those rules.

Related Terms

- Bitcoin Node
 - Full Node
 - Decentralization
 - Bitcoin Transaction
 - Block
 - Consensus Mechanism
 - Blockchain
-

36. /glossary/decentralization

Meta Title

What Is Decentralization? Bitcoin Meaning Explained Simply

Meta Description

Decentralization means no single person, company, or server controls the system. Learn why decentralization matters in Bitcoin.

H1

What Is Decentralization?

Quick Answer

Decentralization means control is spread across many participants instead of being held by one central authority. In Bitcoin, decentralization means no single company, government, or server controls the network.

Direct Definition

Decentralization is a system design where decision-making, verification, and control are distributed across many independent participants.

Simple Meaning

Decentralization means there is no single boss of the system.

In a bank, the bank controls the ledger.

In a payment app, the company controls the app.

In Bitcoin, many participants help run and verify the network.

These participants include nodes, miners, developers, wallet users, and businesses.

Why Decentralization Matters

Decentralization matters because it makes Bitcoin different from normal financial systems.

It reduces reliance on one central party.

It also makes the network harder to shut down, manipulate, or change unfairly.

But decentralization is not magic. It depends on many people running software, verifying rules, and choosing not to trust blindly.

How Bitcoin Is Decentralized

Bitcoin is decentralized in several ways:

Nodes verify rules independently.

Miners compete to add blocks.

Developers propose changes, but cannot force users to accept them.

Users choose which software to run.

No single company owns the Bitcoin network.

Real-World Example

Imagine one classroom where only the teacher has the answer sheet.

That is centralized.

Now imagine every student has the rulebook and can check the answers.

That is closer to decentralization.

Bitcoin works because many participants can verify the rules.

Common Misunderstanding

Some beginners think decentralization means there is no coordination.

That is not true.

Bitcoin has coordination, but it happens through shared rules, open software, economic incentives, and network agreement.

FAQs

What does decentralization mean in Bitcoin?

It means Bitcoin is not controlled by one central authority. Many independent participants help run and verify the network.

Why is decentralization important?

It reduces dependence on one company or government and supports independent verification.

Is Bitcoin fully decentralized?

Bitcoin is one of the most decentralized digital networks, but decentralization is always something that must be maintained.

Who controls Bitcoin?

No single person controls Bitcoin. Users, nodes, miners, and developers all play different roles.

Is decentralization the same as peer-to-peer?

No. Peer-to-peer is about direct network communication. Decentralization is about control being spread out.

Related Terms

- Bitcoin Node

- Full Node
 - Peer-to-Peer Network
 - Consensus Mechanism
 - Proof of Work
 - Bitcoin Mining
 - Blockchain
-

37. /glossary/consensus-mechanism

Meta Title

What Is a Consensus Mechanism? Bitcoin Consensus Explained

Meta Description

A consensus mechanism helps network participants agree on valid transactions and blocks. Learn how consensus works in Bitcoin.

H1

What Is a Consensus Mechanism?

Quick Answer

A consensus mechanism is the method a network uses to agree on what is valid. In Bitcoin, consensus depends on rules, nodes, proof of work, and the longest valid chain.

Direct Definition

A consensus mechanism is a system that allows distributed participants to agree on the correct state of a network without relying on one central authority.

Simple Meaning

Consensus means agreement.

In Bitcoin, thousands of participants need to agree on questions like:

Which transactions are valid?
Which block comes next?
Which chain is the correct one?
How many Bitcoin can exist?

Bitcoin uses rules and proof of work to help the network reach agreement.

Why Consensus Mechanisms Matter

Consensus mechanisms matter because decentralized networks do not have one central manager.

A bank can update its own database.

Bitcoin cannot depend on one company's database.

So Bitcoin needs a way for many independent computers to agree on the same history.

That is what consensus helps solve.

How Bitcoin Consensus Works

Bitcoin consensus works through a combination of:

- Consensus rules
- Nodes verifying blocks
- Miners doing proof of work
- The chain with the most accumulated valid proof of work
- Users choosing software that follows Bitcoin rules

Miners can propose blocks.

Nodes decide whether those blocks are valid.

Real-World Example

Imagine a group of people maintaining a shared notebook.

No single person is in charge.

So everyone agrees to follow the same rulebook.

If someone adds an entry that breaks the rules, others reject it.

Bitcoin consensus works in a similar way.

Common Misunderstanding

Some people think consensus means everyone votes manually.

Bitcoin consensus is not like a daily election.

It is mostly automatic. Nodes follow software rules. Miners perform proof of work. The network accepts valid blocks according to Bitcoin's rules.

FAQs

What does consensus mean in Bitcoin?

It means network participants agree on valid transactions, blocks, and the state of the blockchain.

Is proof of work a consensus mechanism?

Proof of work is a key part of Bitcoin's consensus process.

Do miners control consensus?

No. Miners propose blocks, but nodes verify whether the blocks follow the rules.

Why does Bitcoin need consensus?

Because Bitcoin has no central authority to maintain one official database.

Can Bitcoin rules change?

Rules can change only if the network broadly adopts changes. No single person can force everyone to change.

Related Terms

- Proof of Work
- Bitcoin Node
- Full Node
- Decentralization
- Bitcoin Mining
- Block
- Blockchain

38. /glossary/mempool

Meta Title

What Is the Mempool? Bitcoin Transaction Waiting Area Explained

Meta Description

The mempool is where unconfirmed Bitcoin transactions wait before entering a block. Learn how the mempool works and why transaction fees matter.

H1

What Is the Mempool?

Quick Answer

The mempool is a waiting area for unconfirmed Bitcoin transactions. When a transaction is broadcast but not yet included in a block, it usually waits in the mempool.

Direct Definition

The mempool is the collection of valid but unconfirmed Bitcoin transactions held by nodes before miners include them in blocks.

Simple Meaning

Think of the mempool like a waiting room.

You send a Bitcoin transaction.

It does not immediately enter the blockchain.

First, it waits to be picked by miners.

That waiting area is called the mempool.

Why the Mempool Matters

The mempool matters because it affects transaction speed and fees.

When many people are sending Bitcoin, the mempool can become crowded.

Miners usually prefer transactions with higher fees because block space is limited.

So during busy times, low-fee transactions may wait longer.

How the Mempool Works

A wallet creates and broadcasts a transaction.

Nodes check whether the transaction is valid.

If valid but unconfirmed, the transaction enters the mempool.

Miners choose transactions from the mempool and include them in a block.

Once included in a block, the transaction receives its first confirmation.

Real-World Example

Imagine people waiting to board a bus.

The bus has limited seats.

Some people may pay for priority.

Others may wait for the next bus.

In Bitcoin, the block is like the bus.

The mempool is the waiting area.

Common Misunderstanding

Many beginners think all Bitcoin transactions confirm instantly.

Not always.

A transaction may appear quickly, but it still needs to be included in a block before it is confirmed.

FAQs

What does mempool mean?

Mempool means memory pool. It is where unconfirmed transactions wait.

Why is my transaction stuck in the mempool?

It may have a low fee, or the network may be busy.

Does every node have the same mempool?

Not exactly. Different nodes may have slightly different mempool views.

Can a transaction leave the mempool?

Yes. It can be confirmed, dropped, replaced, or expire depending on node policies and wallet behaviour.

Is the mempool part of the blockchain?

No. The mempool contains unconfirmed transactions. The blockchain contains confirmed blocks.

Related Terms

- Bitcoin Transaction
- Bitcoin Confirmation
- Transaction Fee
- Block
- Bitcoin Mining
- Bitcoin Node
- Proof of Work

39. /glossary/transaction-fee

Meta Title

What Is a Bitcoin Transaction Fee? Simple Explanation

Meta Description

A Bitcoin transaction fee is paid to miners to include a transaction in a block. Learn why fees exist and why they change.

H1

What Is a Transaction Fee?

Quick Answer

A Bitcoin transaction fee is a small amount paid by the sender to encourage miners to include the transaction in a block. Fees can rise or fall depending on network activity and demand for block space.

Direct Definition

A transaction fee is the amount paid to miners for including a Bitcoin transaction in a block.

Simple Meaning

A transaction fee is like paying for space in the next block.

Bitcoin blocks have limited space.

When many users want to send transactions, they compete for that space through fees.

Higher-fee transactions are often confirmed faster. Lower-fee transactions may wait longer.

Why Transaction Fees Matter

Transaction fees matter because they help Bitcoin work as an open network.

Fees help:

- Prioritize transactions
- Reward miners
- Protect block space from spam
- Support long-term mining incentives

Over time, as Bitcoin block subsidies reduce through halvings, transaction fees may become more important for miner rewards.

How Bitcoin Fees Work

When you send Bitcoin, your wallet usually suggests a fee.

The fee is not based only on the amount of Bitcoin sent.

It is mainly based on transaction size and network demand.

This means sending ₹1,000 worth of Bitcoin and ₹10 lakh worth of Bitcoin may not have fees based directly on rupee value.

Real-World Example

Imagine a train with limited seats.

If many people want to travel at the same time, ticket demand rises.

Bitcoin block space works in a similar way. When demand is high, fees can rise.

Common Misunderstanding

Many beginners think Bitcoin fees are charged by Bitcoin as a company.

Bitcoin has no company charging fees.

Fees are paid to miners who include transactions in blocks.

FAQs

Why do Bitcoin transactions have fees?

Fees encourage miners to include transactions in blocks and help manage limited block space.

Who receives Bitcoin transaction fees?

The miner who successfully adds the block receives the transaction fees inside that block.

Are Bitcoin fees fixed?

No. Fees change based on network demand and transaction size.

Does sending more Bitcoin always mean a higher fee?

Not necessarily. Fees are more related to transaction data size and network conditions.

Can I choose a lower fee?

Many wallets allow fee selection, but lower fees may lead to slower confirmation.

Related Terms

- Bitcoin Transaction
 - Mempool
 - Bitcoin Confirmation
 - Block Reward
 - Bitcoin Mining
 - Miner
 - Block
-

40. /glossary/utxo

Meta Title

What Is UTXO? Bitcoin's Unspent Output Model Explained

Meta Description

UTXO stands for unspent transaction output. Learn how Bitcoin tracks balances using outputs instead of normal account balances.

H1

What Is UTXO?

Quick Answer

UTXO stands for unspent transaction output. It is a piece of Bitcoin that has been received but not yet spent. Bitcoin uses UTXOs to track ownership instead of normal account balances.

Direct Definition

A UTXO is an unspent transaction output that can be used as an input in a future Bitcoin transaction.

Simple Meaning

A UTXO is like a coin or note in your wallet.

If you have ₹500, it may be one ₹500 note or five ₹100 notes.

Bitcoin works similarly.

Your wallet balance may be made of many separate pieces called UTXOs.

Why UTXOs Matter

UTXOs matter because they explain how Bitcoin actually tracks value.

Bitcoin does not work like a bank account with one simple balance in a database.

Instead, Bitcoin tracks unspent outputs.

Your wallet adds these pieces together and shows you a simple balance.

How UTXOs Work

When you receive Bitcoin, you receive a transaction output.

If that output has not been spent yet, it is a UTXO.

When you send Bitcoin later, your wallet uses one or more UTXOs as inputs.

If the UTXO amount is bigger than what you are sending, the wallet may create change and send it back to a new address you control.

Real-World Example

Asha has three cash notes:

₹500

₹200

₹100

Her total is ₹800.

Similarly, a Bitcoin wallet may show one balance, but behind the scenes it may be made of several UTXOs.

If Asha needs to pay ₹300, she might use the ₹500 note and get ₹200 back as change.

Bitcoin can work in a similar way with change outputs.

Common Misunderstanding

Many beginners think Bitcoin wallets work exactly like bank accounts.

They do not.

A bank account stores a running balance. Bitcoin uses unspent outputs. The wallet simply presents the total in an easy way.

FAQs

What does UTXO stand for?

UTXO stands for unspent transaction output.

Is a UTXO the same as Bitcoin balance?

No. A balance may be made of multiple UTXOs.

Why does Bitcoin use UTXOs?

The UTXO model helps Bitcoin clearly track which pieces of Bitcoin have been spent and which remain spendable.

What is a change output?

A change output sends leftover Bitcoin back to an address controlled by the sender.

Do beginners need to understand UTXOs?

Not immediately, but understanding UTXOs helps users understand fees, privacy, and wallet behaviour better.

Related Terms

- Bitcoin Transaction

- Bitcoin Wallet
 - Bitcoin Address
 - Transaction Fee
 - Mempool
 - Bitcoin Confirmation
 - Blockchain
-

41. /glossary/double-spend

Meta Title

What Is Double Spend? The Bitcoin Problem Explained Simply

Meta Description

Double spend means trying to spend the same digital money twice. Learn how Bitcoin prevents double spending through blockchain and proof of work.

H1

What Is Double Spend?

Quick Answer

Double spend means trying to spend the same digital money more than once. Bitcoin was designed to solve this problem without needing a central authority.

Direct Definition

Double spend is the risk that the same digital money can be spent twice if there is no reliable system to track ownership and transaction history.

Simple Meaning

In the physical world, if you give someone a ₹500 note, you no longer have that note.

But digital files are different.

A photo can be copied.
A PDF can be copied.
A digital message can be copied.

So the big question was:

How do you stop someone from copying digital money and spending it twice?

Bitcoin's answer is the blockchain, proof of work, and network consensus.

Why Double Spend Matters

Double spend matters because it is one of the main problems Bitcoin solved.

Before Bitcoin, digital money usually required a trusted third party, like a bank or payment company, to prevent double spending.

Bitcoin created a way for a decentralized network to agree on transaction history.

This allowed digital money to work without one central record keeper.

How Bitcoin Prevents Double Spending

Bitcoin prevents double spending by using:

- Transactions
- Blocks
- Proof of work
- Nodes
- Confirmations
- A public blockchain

Once a valid transaction is included in the blockchain and confirmed, it becomes increasingly difficult to replace it with a conflicting transaction.

Real-World Example

Rahul has 1 BTC.

He tries to send the same 1 BTC to Asha and Meera at the same time.

Bitcoin nodes and miners will not allow both conflicting transactions to be confirmed as valid payments in the final blockchain history.

Only one transaction can win.

Common Misunderstanding

Some beginners think double spending means Bitcoin can easily be copied.

Bitcoin itself is not copied like a file.

The network uses rules and verification to decide which transaction history is valid.

FAQs

What does double spend mean?

It means trying to spend the same digital money twice.

Why is double spend a problem for digital money?

Because digital information can be copied unless there is a system to prevent duplicate spending.

How does Bitcoin stop double spending?

Bitcoin uses blockchain, proof of work, nodes, and confirmations to agree on valid transaction history.

Can double spending happen after many confirmations?

It becomes much harder as confirmations increase.

Is double spending the same as fraud?

It can be a form of attempted fraud, but technically it refers to spending the same digital value more than once.

Related Terms

- Bitcoin Transaction
- Bitcoin Confirmation
- Proof of Work
- Blockchain
- Bitcoin Node
- 51% Attack

- Consensus Mechanism
-

42. /glossary/timechain

Meta Title

What Is Timechain? Bitcoin-Native Term Explained Simply

Meta Description

Timechain is a Bitcoin-native way to describe Bitcoin's ordered chain of blocks. Learn what timechain means and how it relates to blockchain.

H1

What Is Timechain?

Quick Answer

Timechain is a Bitcoin-native term used to describe Bitcoin's ordered chain of blocks. It highlights that Bitcoin records transactions in a time-based sequence.

Direct Definition

Timechain refers to Bitcoin's chain of blocks arranged in chronological order, where each block builds on the previous one.

Simple Meaning

Timechain is another way to describe Bitcoin's blockchain.

The word focuses on time.

Bitcoin does not just record transactions.
It records them in order.

Each new block adds a new layer of history.

That ordered history is why some Bitcoiners prefer the word “timechain.”

Why Timechain Matters

Timechain matters because Bitcoin is not only a payment system. It is also a way to create an agreed history of transactions.

Before Bitcoin, digital money needed a trusted third party to decide the order of payments.

Bitcoin uses proof of work and blocks to create a public order of events.

This helps solve the double-spend problem.

Timechain vs Blockchain

For most beginners, blockchain is the more common word.

Timechain is a more Bitcoin-native term.

Simple comparison:

Blockchain = chain of blocks

Timechain = chain of blocks ordered through time

Both refer to the same basic structure in Bitcoin.

Real-World Example

Imagine a diary where every page is dated.

You cannot place tomorrow’s page before yesterday’s page without it looking wrong.

Bitcoin’s timechain works like a public transaction diary. Each block adds a new page in order.

Common Misunderstanding

Some beginners think timechain is a separate technology from blockchain.

In Bitcoin discussions, timechain usually refers to Bitcoin’s blockchain with emphasis on time ordering.

It is not a separate coin or separate network.

FAQs

Is timechain the same as blockchain?

In Bitcoin context, timechain usually refers to Bitcoin's blockchain, with focus on chronological order.

Why do some Bitcoiners say timechain?

Because Bitcoin's chain records transactions in an ordered sequence over time.

Is timechain a beginner term?

Not usually. Blockchain is more common for beginners. Timechain is more advanced and Bitcoin-native.

Does Bitcoin use timechain officially?

Bitcoin uses a chain of blocks. The term timechain is commonly used by some Bitcoin educators and developers to describe that structure.

Why is ordering transactions important?

Ordering transactions helps prevent double spending and creates a shared transaction history.

Related Terms

- Blockchain
- Block
- Bitcoin Transaction
- Double Spend
- Proof of Work
- Bitcoin Confirmation
- Consensus Mechanism

CryptoWala Note for This Cluster

Add this box near the bottom of all Series 4 pages:

CryptoWala Note:

Bitcoin's network is different from normal apps because it does not depend on one company, server, or database. Nodes, miners, users, and open rules work together to keep the system verifiable and decentralized.

Series 4 Internal Linking Plan

Use these links naturally across the pages.

[**/glossary/bitcoin-node**](#)

Link to:

- Full Node
- Decentralization
- Bitcoin Mining
- Proof of Work
- Bitcoin Transaction
- Block
- Consensus Mechanism

[**/glossary/full-node**](#)

Link to:

- Bitcoin Node
- Decentralization
- Consensus Mechanism
- Block
- Bitcoin Transaction
- Proof of Work
- Bitcoin Confirmation

[/glossary/peer-to-peer-network](#)

Link to:

- Bitcoin Node
- Full Node
- Decentralization
- Bitcoin Transaction
- Block
- Consensus Mechanism
- Blockchain

[/glossary/decentralization](#)

Link to:

- Bitcoin Node
- Full Node
- Peer-to-Peer Network
- Consensus Mechanism
- Proof of Work
- Bitcoin Mining
- Blockchain

[/glossary/consensus-mechanism](#)

Link to:

- Proof of Work
- Bitcoin Node
- Full Node
- Decentralization
- Bitcoin Mining
- Block
- Blockchain

[/glossary/mempool](#)

Link to:

- Bitcoin Transaction
- Bitcoin Confirmation

- Transaction Fee
- Block
- Bitcoin Mining
- Bitcoin Node
- Proof of Work

[/glossary/transaction-fee](#)

Link to:

- Bitcoin Transaction
- Mempool
- Bitcoin Confirmation
- Block Reward
- Bitcoin Mining
- Miner
- Block

[/glossary/utxo](#)

Link to:

- Bitcoin Transaction
- Bitcoin Wallet
- Bitcoin Address
- Transaction Fee
- Mempool
- Bitcoin Confirmation
- Blockchain

[/glossary/double-spend](#)

Link to:

- Bitcoin Transaction
- Bitcoin Confirmation
- Proof of Work
- Blockchain
- Bitcoin Node
- 51% Attack
- Consensus Mechanism

/glossary/timechain

Link to:

- Blockchain
- Block
- Bitcoin Transaction
- Double Spend
- Proof of Work
- Bitcoin Confirmation
- Consensus Mechanism