

ORGAN-SPECIFIC PATTERNS OF TUMOR SUSCEPTIBILITY ACROSS MAMMALS

Supplementary Figures

Summary and Legends:

Figure 1 – General tumor prevalence across phylogenetic orders. Violin plots show general tumor prevalence across the four phylogenetic orders in which at least 3 species were represented in our data. Medians are marked with solid black lines.

Figure 2 – General tumor prevalence as a function of each diet item. Violin plots show general tumor prevalence as a function of each diet item consumption, coded as rarely/never occurring in the diet or representing the primary/secondary food item of the species. Medians are marked with solid black lines.

Figures 3 to 7 – Organ-specific tumor prevalence across phylogenetic orders for each organ system. For each of the five organ systems considered (Lymphatic system, Digestive system, Uro-genital system, Endocrine system and Respiratory system), violin plots show organ-specific tumor prevalence across the four phylogenetic orders in which at least 3 species were represented in our data. Medians are marked with solid black lines.

Figures 8 to 12 – Organ-specific tumor prevalence as a function of each diet item for each organ system. For each of the five organ systems considered (Lymphatic system, Digestive system, Uro-genital system, Endocrine system and Respiratory system), violin plots show organ-specific tumor prevalence as a function of each diet item consumption, coded as rarely/never occurring in the diet or representing the primary/secondary food item of the species. Medians are marked with solid black lines.

Tumor prevalence across orders – All organs


Orders

Artiodactyla


Carnivora

Primates

Rodentia



All organs



Tumor prevalence across orders – Lymphatic system

Orders

Artiodactyla

Carnivora

Primates

Rodentia


-3.6

-3.5

-3.4

-3.3

logit(Prevalence)



Tumor prevalence across orders – Digestive system

Orders


Artiodactyla

Carnivora

Primates

Rodentia

logit(Prevalence)



Tumor prevalence across orders – Uro-genital system

Orders


Artiodactyla

Carnivora

Primates

Rodentia

logit(Prevalence)



Tumor prevalence across orders – Endocrine system

Orders


Artiodactyla

Carnivora

Primates

Rodentia

logit(Prevalence)



Tumor prevalence across orders – Respiratory system

Orders

Artiodactyla

Carnivora


Primates

Rodentia


-3.6

logit(Prevalence)


-3.5




Lymphatic system




Digestive system



Uro-genital system



Endocrine system



Respiratory system

