






Tumor prevalence across orders − All Organs
Orders
Artiodactyla
Carnivora
Primates
Rodentia
−3.4
−3.0
−2.6
logit(Prevalence)



All Organs
log(Prevalence)
−2.6
−3.0
−3.4
Animal
Invertebrate
Vertebrate
Herptile
Mammal
Frequency in diet
Rarely or never
Primary or secondary food item



Tumor prevalence across orders − Lymphatic system
Orders
Artiodactyla
Carnivora
Primates
Rodentia
−3.6
−3.5
−3.4
−3.3
logit(Prevalence)



Tumor prevalence across orders − Digestive system
Orders
Artiodactyla
Carnivora
Primates
Rodentia
−3.50
−3.25
−3.00
−2.75
logit(Prevalence)



Tumor prevalence across orders − Urogenital system
Orders
Artiodactyla
Carnivora
Primates
Rodentia
−3.6
−3.4
−3.2
−3.0
logit(Prevalence)



Tumor prevalence across orders − Endocrine system
Orders
Artiodactyla
Carnivora
Primates
Rodentia
−3.6
−3.5
−3.4
−3.3
logit(Prevalence)



Tumor prevalence across orders − Respiratory system
Orders
Artiodactyla
Carnivora
Primates
Rodentia
−3.6
−3.5
−3.4
logit(Prevalence)


Lymphatic system
log(Prevalence)
−3.00
−3.25
−3.50
Animal
Invertebrate
Vertebrate
Herptile
Mammal
Frequency in diet
Rarely or never
Primary or secondary food item


Digestive system
log(Prevalence)
−2.75
−3.00
−3.25
−3.50
Animal
Invertebrate
Vertebrate
Herptile
Mammal
Frequency in diet
Rarely or never
Primary or secondary food item


Urogenital system
log(Prevalence)
−3.0
−3.2
−3.4
−3.6
Animal
Invertebrate
Vertebrate
Herptile
Mammal
Frequency in diet
Rarely or never
Primary or secondary food item


Endocrine system
log(Prevalence)
−3.3
−3.4
−3.5
−3.6
Animal
Invertebrate
Vertebrate
Herptile
Mammal
Frequency in diet
Rarely or never
Primary or secondary food item


Respiratory system
log(Prevalence)
−3.4
−3.5
−3.6
Animal
Invertebrate
Vertebrate
Herptile
Mammal
Frequency in diet
Rarely or never
Primary or secondary food item