

# 50.021 – AI

Kwan Hui

Week 02: Search

[The following notes are compiled from various sources such as textbooks, lecture materials, Web resources and are shared for academic purposes only, intended for use by students registered for a specific course. In the interest of brevity, every source is not cited. The compiler of these notes gratefully acknowledges all such sources. ]

**Due:** 4rd June, 11:59pm


Submission: via eDimension

## 1 Problem Formulation

Missionaries and cannibals is a classical formal problem, and is generally stated as follows. Three missionaries and three cannibals are on one side of the river. They all need to cross in a boat that only holds two people at once. There must never be a situation where there is a group of missionaries in one place who are outnumbered by cannibals.

**TASK:** Formalise the missionaries and cannibals problem in terms of its state space, initial state, goal test, actions and path cost.

## 2 Tree Search VS Graph Search



**Example:** For the above graph, A is the initial state and X is the goal state. Assuming that we insert nodes in terms of lowest alphabetical order first. To perform Breadth-First Search (BFS) using graph search on the above graph, we have the following steps (and their frontier and explored set):

1. Frontier: A (Explored: A)
2. Frontier: AB, AC (Explored: A, B, C)  
- *Note: AB is inserted first, followed by AC*
3. Frontier: AC, ABD, ABX (Explored: A, B, C, D, X)

In this case, the solution is the path ABX.

Similarly for Depth-First Search (DFS) using graph search on the same problem, we have:


1. Frontier: A (Explored: A)
2. Frontier: AB, AC (Explored: A, B, C)
3. Frontier: AB, ACD (Explored: A, B, C, D)
4. Frontier: AB, ACDX (Explored: A, B, C, D)  
- *Note: There is also ACDB, which we do not insert as we are using graph search*

In this case, the solution is the path ACDX.

**TASK:** Answer the following questions:

- a.) Name the main difference between tree search and graph search.
- b.) What is the difference between nodes and states in terms of a search problem?
- c.) Does the explored set keep track of nodes or states? Why is it so?

### 3 Breadth-First Search (BFS) and Depth-First Search (DFS)




For the above graph, A is the initial state and X is the goal state. Assuming that we insert nodes in terms of lowest alphabetical order first (as in 2).

**TASK:** Answer the following questions:

- Run BFS as a graph search, and list down the following: (i) the frontier/queue at every step; (ii) the explored set at every step; and (iii) the solution (if any).
- Run DFS as a graph search, and list down the following: (i) the frontier/queue at every step; (ii) the explored set at every step; and (iii) the solution (if any).
- If BFS is run as a tree search (instead of a graph search), what additional nodes will be inserted? List down 3 such nodes.
- If DFS is run as a tree search (instead of a graph search), what additional nodes will be inserted? List down 3 such nodes.

## 4 More BFS/DFS




For the above graph, A is the initial state and X is the goal state. Assuming that we insert nodes in terms of lowest alphabetical order first (as in 2).

**TASK:** Answer the following questions:

- Run BFS as a graph search, and list down the following: (i) the frontier/queue at every step; (ii) the explored set at every step; and (iii) the solution (if any).
- Run DFS as a graph search, and list down the following: (i) the frontier/queue at every step; (ii) the explored set at every step; and (iii) the solution (if any).

## 5 Uniform Cost Search (UCS)



For the above graph, A is the initial state and X is the goal state. The path

cost is written on the edges of the graph.

**TASK:** Run UCS as a graph search, and list down the following: (i) the frontier/queue at every step (including the path cost of each node); (ii) the explored set at every step; and (iii) the solution (if any).