Fop Lab Task 10

Name: Hafiz Mufassir Amjad

CMS ID: 456049

Section: B

(NOTE: Codes are attached in main.cpp file.)

TASK 1

```
#include <iostream>
                                                                    ■ "C:\Users\Hp\Downloads\Documents\NUST Content\Semester 1\Computer System
#include <vector>
using namespace std;
int main()
    // Pushing elements in the Vector
    vector<int> nums;
                                                                   After pushing integer 5
    for (int i=1; i<=4; i++)
        nums.push_back(i);
    // Printing pushed elements using iterators
    for (auto i=nums.begin(); i != nums.end(); ++i)
        cout<<*i<<endl;
                                                                   After Removing at position 5
    // Pushing integer 5
    nums.push_back(5);
    // Printing after Pushing
    cout<<"After pushing integer 5"<<endl;</pre>
                                                                   Process returned 0 (0x0) execution time: 0.142 s
    for (auto i=nums.begin(); i != nums.end(); ++i)
                                                                   Press any key to continue.
        cout<<*i<<endl;
    // Removing element at that position i.e. at position 5
    nums.erase(nums.cbegin()+4);
    // Printing after Removing
    cout<<"After Removing at position 5"<<endl;</pre>
    for (auto i=nums.begin(); i != nums.end(); ++i)
        cout<<*i<<endl;
    return 0;
```

TASK 2

```
#include <iostream>
  #include <vector>
  #include <string>
 #include <iomanip>
 using namespace std;
  int main()
⊟(
      int no of students, grade, temp;
      string name;
      vector<string> names;
      vector<int> grades;
      cout<<"Enter the number of Students: ";</pre>
      cin>>no of students;
      // Taking names and grades from the user
      for (int i=1; i<=no of students; i++) {</pre>
           cout<<"Enter name of Student "<<i<" : ";
           cin>>name;
           cout<<"Enter grade of Student "<<i<" : ";</pre>
           cin>>grade;
           names.push_back(name);
           grades.push_back(grade);
   // Sorting the grades vector using Bubble Sort.
   // It will be useful while calculating median.
   for (int i=0; i<grades.size()-1; i++) {</pre>
       for (int j=0; j<grades.size()-1; j++) {</pre>
           if (grades[j]>grades[j+1]) {
               temp = grades[j];
               grades[j] = grades[j+1];
               grades[j+1] = temp;
   1
   // Calculating Mean
   double mean;
   for (auto i=grades.cbegin(); i != grades.cend(); i++)
       mean+=*i;
   mean /= grades.size();
   // Calculating Median
   double median;
   if (grades.size()%2 == 0)
       median = (double) (grades[grades.size()/2 - 1] + grades[grades.size()/2])/2.0;
   else
       median = (double) grades[grades.size()/2];
```

```
// Calculating Mode
  int mode, current num=grades[0], current count=1, greatest count=0;
  for (int i=1; i<grades.size(); i++) {</pre>
      if (grades[i] == current num)
          current count++;
      else (
          if (current count>greatest count) {
             greatest count = current count;
             current count = 1;
             mode = current num;
             current num = grades[i];
          else (
             current count = 1;
             current num = grades[i];
  // Printing Requirements
  cout<< "Mean of the Grades: "<<mean<<endl;
  cout<< "Median of the Grades: "<<median<<endl;
  cout<< "Mode of the Grades: "<<mode<<endl;
  cout<<endl<<setw(10)<<"Names"<<setw(10)<<"Grades"<<endl;</pre>
  cout<<"----"<<endl;
  for (int i=0; i<grades.size(); i++)</pre>
      cout<<setw(10)<<names[i]<<setw(10)<<mode<<endl;</pre>
Enter the number of Students: 6
Enter name of Student 1 : Rayyan
Enter grade of Student 1: 30
Enter name of Student 2 : Amad
Enter grade of Student 2 : 25
Enter name of Student 3 : Hunzla
Enter grade of Student 3 : 25
Enter name of Student 4 : Shahzeb
Enter grade of Student 4 : 28
Enter name of Student 5 : Zoraiz
Enter grade of Student 5 : 35
Enter name of Student 6 : Mufassir
Enter grade of Student 6 : 50
Mean of the Grades: 32.1667
Median of the Grades: 29
Mode of the Grades: 25
     Names Grades
                  25
    Rayyan
                  25
      Amad
    Hunzla
                   25
   Shahzeb
                   25
                   25
    Zoraiz
  Mufassir
                   25
Process returned 0 (0x0)
                            execution time: 35.193 s
Press any key to continue.
```

TASK 3

```
#include <iostream>
#include <cmath>
using namespace std;
                                                                                          ■ "C:\Users\Hp\Downloads\Documents\NUST Content\Semester 1\Computer System
                                                                                         Triangle Details:
class Triangle (
                                                                                         Area: 6 square meters
private:
                                                                                         Perimeter: 12 meters
    double side1, side2, side3;
                                                                                         Process returned 0 (0x0) execution time : 0.130 s
public:
    Triangle(double s1, double s2, double s3) : side1(s1), side2(s2), side3(s3) {} Press any key to continue.
    double Area() {
         double s = (side1 + side2 + side3) / 2;
         return sqrt(s * (s - side1) * (s - side2) * (s - side3));
    double Perimeter() {
         return side1 + side2 + side3;
    void printDetails() {
        cout << "Triangle Details:" << endl;</pre>
         cout << "Area: " << Area() << " square meters" << endl;</pre>
         cout << "Perimeter: " << Perimeter() << " meters" << endl;</pre>
-};
int main()
    Triangle myTriangle(3,4,5);
    myTriangle.printDetails();
    return 0;
```

TASK 4

```
#include <string>
#include <iostream>
#include <cmath>
using namespace std;
struct Employee (
    std::string name;
    double salary;
    int hoursOfWork;
    Employee(string n, double s, int h) : name(n), salary(s), hoursOfWork(h) {}
    void increaseSalary() {
         if (hoursOfWork >= 12) {
             salary += 150;
        } else if (hoursOfWork >= 10) {
             salary += 100;
        } else if (hoursOfWork >= 8) {
             salary += 50;
    }
    void printDetails() {
        cout << "Name: " << name << "\tFinal Salary: $" << salary << endl;</pre>
-};
```

```
int main()
    Employee employees[10] = {
          {"Amad", 2000, 8},
         {"Zoraiz", 2500, 10},
{"Hunzla", 3000, 9},
          {"Rayyan", 1800, 13},
          {"Shahzeb", 2800, 5},
         {"Mufassir", 1700, 16},
{"Sibghat", 1900, 7},
          {"Ahmad", 2400, 4},
{"Mannan", 4000, 3},
          {"Usman", 1700, 14},
    };
     for (int i = 0; i < 10; ++i) {
          employees[i].increaseSalary();
          employees[i].printDetails();
    }
   Name: Amad
                   Final Salary: $2050
   Name: Zoraiz
                   Final Salary: $2600
                   Final Salary: $3050
   Name: Hunzla
                   Final Salary: $1950
   Name: Rayyan
   Name: Shahzeb
                   Final Salary: $2800
   Name: Mufassir Final Salary: $1850
   Name: Sibghat
                  Final Salary: $1900
                  Final Salary: $2400
   Name: Ahmad
                  Final Salary: $4000
   Name: Mannan
                  Final Salary: $1850
   Name: Usman
   Process returned 0 (0x0)
                              execution time: 0.107 s
   Press any key to continue.
```