

Bash Redirections Cheat Sheet

Redirection	Description
<code>cmd > file</code>	Redirect the standard output (stdout) of <code>cmd</code> to a file.
<code>cmd 1> file</code>	Same as <code>cmd > file</code> . 1 is the default file descriptor for stdout.
<code>cmd 2> file</code>	Redirect the standard error (stderr) of <code>cmd</code> to a file. 2 is the default file descriptor for stderr.
<code>cmd >> file</code>	Append stdout of <code>cmd</code> to a file.
<code>cmd 2>> file</code>	Append stderr of <code>cmd</code> to a file.
<code>cmd &> file</code>	Redirect stdout and stderr of <code>cmd</code> to a file.
<code>cmd > file 2>&1</code>	Another way to redirect both stdout and stderr of <code>cmd</code> to a file. This is not the same as <code>cmd 2>&1 >file</code> . Redirection order matters!
<code>cmd > /dev/null</code>	Discard stdout.
<code>cmd 2> /dev/null</code>	Discard stderr.
<code>cmd &> /dev/null</code>	Discard stdout and stderr.
<code>cmd < file</code>	Redirect the contents of the file to the stdin of <code>cmd</code> .
<code>cmd << EOL</code> <code>foo</code> <code>bar</code> <code>baz</code> <code>EOL</code>	Redirect a bunch of lines to the stdin.
<code>cmd <<< "string"</code>	Redirect a single line of text to the stdin of <code>cmd</code> .
<code>exec 2> file</code>	Redirect stderr of all commands to a file forever.
<code>exec 3< file</code>	Open a file for reading using a custom file descriptor.
<code>exec 3> file</code>	Open a file for writing using a custom file descriptor.
<code>exec 3<> file</code>	Open a file for reading and writing using a custom file descriptor.
<code>exec 3>&-</code>	Close a file descriptor.
<code>exec 4>&3</code>	Make file descriptor 4 to be a copy of file descriptor 3. (Copy file descriptor 3 to 4.)
<code>exec 4>&3-</code>	Copy file descriptor 3 to 4 and close file descriptor 3.
<code>echo "foo" >&3</code>	Write to a custom file descriptor.
<code>cat <&3</code>	Read from a custom file descriptor.
<code>(cmd1; cmd2) > file</code>	Redirect stdout from multiple commands to a file (using a sub-shell).
<code>{ cmd1; cmd2; } > file</code>	Redirect stdout from multiple commands to a file (faster; not using a sub-shell).
<code>exec 3<> /dev/tcp/host/port</code>	Open a TCP connection to <code>host:port</code> .
<code>exec 3<> /dev/udp/host/port</code>	Open a UDP connection to <code>host:port</code> .
<code>cmd1 cmd2</code>	Redirect stdout of <code>cmd1</code> to stdin of <code>cmd2</code> .
<code>cmd1 & cmd2</code>	Redirect stdout and stderr of <code>cmd1</code> to stdin of <code>cmd2</code> (bash 4.0+ only). Use <code>cmd1 2>&1 cmd2</code> for older bashes.
<code>cmd tee file</code>	Redirect stdout of <code>cmd</code> to a file and print it to screen.
<code>exec {filew}> file</code>	Open a file for writing using a named file descriptor called <code>{filew}</code> (bash 4.1+).
<code>cmd 3>&1 1>&2 2>&3</code>	Swap stdout and stderr of <code>cmd</code> .
<code>cmd > >(cmd1) 2> >(cmd2)</code>	Send stdout of <code>cmd</code> to <code>cmd1</code> and stderr of <code>cmd</code> to <code>cmd2</code> .
<code>cmd1 cmd2 cmd3 cmd4</code> <code>echo \${PIPESTATUS[@]}</code>	Find out the exit codes of all piped commands.

Did I miss any redirections? Let me know! Email me peter@catonmat.net, or fork this cheat sheet on github:

github.com/pkrumins/bash-redirections-cheat-sheet

A cheat sheet by **Peteris Krumins** (peter@catonmat.net), September 2012.
<http://www.catonmat.net> - good coders code, great coders reuse

Released under GNU Free Document License.