

TRUCK WASH & DETERGENTS - POWDER
ALL OF OUR POWDERED PRODUCTS ARE BIODEGRADABLE,
CONTAINS NO CAUSTIC, AND ARE SAFE EVEN ON ALUMINUM SURFACES

CHIP (COMMERCIAL HIGH PERFORMANCE) TRUCK DETERGENT

An extremely high phosphate formula for the toughest cleaning jobs. 260# drum
Removes bugs from windows and the front of trucks. Free rinsing, 350# drum
works in the hardest water. Safe on painted surfaces. Medium foaming. 40# box
Use 1 to 3 lbs. per 55 gallons of water. White powder. **In higher** 14# pail
concentrations may be used as a brushless truck wash. 75% phosphates. 7# pail

BLUE POWER TRUCK DETERGENT ***best seller!***

Our newest and now best selling powder. Extreme cleaning. Super concentrated. You have to try it to believe it! Free rinsing, safe on painted surfaces. Use 1 to 3 lbs. per 55 gallons of water.

225# drum
275# drum
45# box
14# pail
7# pail

LFB (LOADED FOR BEAR) TRUCK DETERGENT

Removes road film, dirt, grease, grime and bugs. Free rinsing, works in the hardest water. Contains sequestering builders, buffers, peptization agents, deflocculation agents, and agents for saponification and emulsification. Use 1 to 3 lbs. per 55 gallons of water.
In stronger concentrations may be used as a brushless truck wash.
76% phosphates. White powder.

225# drum
275# drum
45# box
14# pail
7# pail

WHITE TRUCK SOAP

Excellent cleaner even in the hardest water and heaviest soils. Medium foaming, easy rinsing. Our most popular truck soap! Use 1 to 3 lbs. per 55 gallons of water. White powder 50% phosphates.

260# drum
350# drum
40# box
14# pail
7# pail

THUNDER TRUCK DERTENT

Wonderful cleaner, extremely high sudsing action. Excellent in hard water conditions. Removes even heavy soils. Easy rinsing. Use 1 to 3 lbs. per 55 gallons of water. Blue powder. 50% phosphates.

260# drum
350# drum
45# box
14# pail
7# pail

HATS (HIGH ALKALINITY TRUCK SOAP)

Effective yet moderately priced cleaner. High alkalinity. Use 1 to 3 lbs. of HATS per 55 gallons of water. 30% phosphates.

260# drum
350# drum
45# box
14# pail
7# pail

CINCH HAND TRUCK WASH DETERGENT

Effective hand wash detergent. Use 1 to 3 lbs. per 55 gallons of water. Very mild cleaner for safe washing. 10% phosphates. White powder.

260# drum
400# drum
45# box
14# pail
7# pail

TRUCK WASH DETERGENTS - LIQUID

LIQUID BLUE VEHICLE WASH & DEGREASER

Liquid Blue is a liquid wash that can be used on any vehicle surface. Use on plastics, rubber, flooring, walls, or metal to remove road film, grease, dirt and oil. Liquid Blue is nonflammable and biodegradable. Liquid Blue may be diluted as much as 32 to 1 for light cleaning. Heavier concentrations are needed for harder jobs.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

LIQUID BLUE WITH WAX

Our Liquid Blue Vehicle Wash & Degreaser with Wax added for extra protection.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

BRUSHLESS TRUCK WASH

A maximum concentrate truck and trailer wash that removes exhaust deposits, road film, and bug residues from vehicles without brushing. Dilute from 25 to 100 to 1 with water.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

HSC - HEAVY DUTY CLEANER & DEGREASER

A highly concentrated liquid degreaser, formulated to attack heavy oils, greases, syrups and adhesives. HSC is water soluble and highly alkaline. Dilution will vary according to types of soils to be removed. Normal use is 2 oz. of HSC per gallon of water.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

SS-51 TRUCK WASH

A concentrated car wash detergent that provides long lasting foam, excellent detergency, and superior dirt removal. SS-51 is mild to skin and biodegradable. May be diluted up to 100 to 1 with water.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

BUCKET OF SUDS TRUCK WASH

A next generation truck washing soap for hand washing. Use just 22 oz. of Bucket of Suds per 55 gallons of water. One 5 gallon pail makes 1600 gallons of usable truck wash detergent. Great sudsing action that lasts and lasts. Good cleaning power combined with excellent hand protection. Can also be used as a additive for extra suds in your spray wash system. Amber liquid.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

ALUMINUM BRIGHTENERS

CITRIC ALUMINUM BRIGHTENER

The safest concentrate for aluminum brighteners. Dilute up to 20-1 with water. Extremely oxidized surfaces may require a more concentrated solution. Citric acid / Phosphoric acid based.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

PHOSPHORIC ALUMINUM BRIGHTENER

A metal brightener, cleaner and degreaser. A safe product designed for people who want to stay away from hydrofluoric acid. May be diluted up to 20 to 1 with water. Phosphoric acid/solvent based.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

ALUMINUM BRIGHTENER REGULAR STRENGTH

Removes oxidation from any aluminum surface. Cleans as it works. Dilute 50 to 1 with water for light oxidation. ALWAYS WORK FROM BOTTOM TO TOP. Light blue liquid. Hydrofluoric acid based. Do not apply to glass surfaces.

55 gal. drum

ALUMINUM BRIGHTENER EXTRA STRENGTH

A more concentrated version of our regular strength Aluminum Brightener. Removes oxidation from any aluminum surface. Cleans as it works. Dilute 100 to 1 with water for light oxidation. Use in a more concentrated form for heavier oxidation. ALWAYS WORK FROM BOTTOM TO TOP. Hydrofluoric acid based. Light blue liquid.

55 gal. drum

BRIGHT & CLEAN

An acid based prewash to prepare painted surfaces or oxidized aluminum for washing. May be diluted 50:1 with water. Rinse with water before washing with an alkaline soap such as Triple G or CHIPS. Do not apply to glass.

55 gal. drum

NATURALLY BRIGHT

A mild acid based cleaning solution for removal of light concrete or cement streaking. When used according to label instructions, will not remove shine on polished aluminum.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.

AB SPECIAL

Removes oxidation from any aluminum surface. the best cleaner in our aluminum brightener family. Dilute up to 100 to 1 with water. ALWAYS WORK FROM BOTTOM TO TOP. Hydrofluoric acid, phosphoric acid, and sulfuric acid based. Caution: Do not apply to glass.

55 gal. drum

ABF ALUMINUM BRIGHTENER

An economical yet effective brightener. Dilute 40 to 1 with water. Use in a more concentrated form for heavier oxidation. Ammonium bifluoride based. Do not apply to glass surfaces.

55 gal. drum

DEGREASERS - WATER BASED**SUPER SOLVE ALL PURPOSE CLEANER & DEGREASER**

An all purpose water based cleaning and degreasing product. Restores oxidized and stained paint. Dilute with water - up to 30 to 1 for light cleaning. Strong enough to use as a light degreaser. Can be used in steam machines, pump type washers, or brush washing. Neutralizes acids. Safe for use - even in concentrate form. Blue liquid.

55 gal. drum
5 gal. pail
Cs. 4/1 gal
1 gallon

TRIPLE G ALL PURPOSE CLEANER & DEGREASER *best seller!*****

A more concentrated version of our Super Solve. A water based, all purpose cleaning and degreasing product. Restores oxidized paint, removes grease, oil, dirt, wax, soap, gum, ink and light carbon. Can be used in steam machines, pump-type washer, or brush washing to clean trucks, concrete, or almost anything. Can also be used in parts-wash machine - no flash point to worry about. Super concentrate. Dilute with water - up to 50 to 1 for light cleaning. Biodegradable. Blue liquid.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

STEAM CLEANER & DEGREASER

Our famous Triple G with caustic added for superior cleaning and grease and carbon removal. For the toughest cleaning. Not recommended for aluminum or its alloys. Use for very heavy duty work. Use for trucks, farm equipment, engines, road equipment, etc. Removes oil, grease, dirt, grime, smoke and soot. May be diluted with up to 60 to 1 with water. Blue liquid. Mint odor.

55 gal. drum
5 gal. pail

DEGREASERS - POWDERS

CHOO CHOO POWDERED DEGREASER

A highly alkaline powdered detergent for cleaning and degreasing heavy equipment. Cleans oil, grease and dirt. Contains caustic. Use 1 to 3 lbs. per 55 gallons of water.

260# drum
350# drum
40# box
14# pail
7# pail

WAXES, POLISHES & CHEMICALS

WASH & WAX

Highly concentrated truck & car wash shampoo. Imparts a waxed appearance to the finish. Use 1 oz. per gallon of water. Completely safe to equipment and people. Use in hot or cold water. Excellent general equipment wash.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

SPRAY WAX

A highly concentrated, non-streaking liquid wax. Safe on glass, rubber, vinyl. and on all painted surfaces. Can be diluted up to 3000 to 1 with water in a metering system. Spray on, rinse off.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon

CONCRETE CLEANER

SMASH CONCRETE CLEANER

Excellent cleaner for removing oil, grime and dirt from concrete or any other surface. Can be used as a car or truck wash, a concrete cleaner or an all purpose cleaner. We area, sprinkle on, scrub, and wash off grime. White powder.

260# drum
350# drum
40# box
14# pail
7# pail

WASH BRUSHES, HANDLES

A202 BRUSH

The best brush for applying acid-type material on the market. Silver flagged plastic bristles set in a 8" block. Uses extender handle and/or 6' threaded handle. Acid resistant. Also available: A202G (softer green bristles)

1411 BRUSH

Same as A202 but flagged bristles are set in a 10" block and uses either a threaded or a tapered handle. Acid resistant.

1411G BRUSH

Softer, green nylon bristles

1421 BRUSH

Plastic 8" block with two holes (one of either side) to accept a tapered handle either parallel with the plastic bristles or at a 45 degree angle.

3024 BRUSH

8" plastic block with white flagged plastic bristles. One threaded hole. Acid resistant.

3033 BRUSH

10" truck brush with green flagged nylon bristles staple-set in a plastic block with a rubber bumper around the block. Uses threaded or tapered handles.

186 BRUSH

Designed for freight vans, bilevel head stays in contact with surfaces when scrubbing high surfaces, like the upper sides of trailers and vans. Threaded handle hole. Acid resistant. Block length: 10" Trim: 2"

186G - green flagged PLASTIC bristles

186N - green flagged NYLEX bristles

3314N BRUSH

14" Soft green flagged nylon bristles set in a foam plastic block. Requires threaded handle. trim length: 2.5"

3318N BRUSH

18" Soft green flagged nylon bristles set in a foam plastic block. Requires threaded handle. trim length 2.5"

3318 BRUSH

18" silver flagged plastic bristles are staple-set in a foam plastic block with two threaded handle holes. Trim length: 2.5"

3021 BRUSH

Staple set in 9" foam plastic block with a protective bumper. Block has one threaded and one tapered handle hole.

77 BRUSH

Long handled fender brush with a plastic block and stiff tampafill bristles. Length of trim: 2" Length of block: 20" Acid resistant.

43 BRUSH

Long fender brush with soft green flagged-tip bristles, set in a foam plastic block, designed for soft scrubbing. Acid resistant. Block length: 20" Trim: 2"

68P BRUSH

Short handled fender brush with plastic block and hard brown plastic bristles. Length of trim: 2" Length of block: 8"

600 EXHAUST STACK BRUSH

White tampico fibre set in a flexible circular plastic block, with two standard threaded handle holes, one for 90 degree angle, and one for a 45 degree angle. Designed to clean chrome plated exhaust stacks.

18" PLASTIC EXTENDER HANDLE

18" threaded plastic extension for use with the A202 or 1411 brush. The end that does not go in the brush is internally threaded so our 6' threaded handle can be added and the threads protected from acid and other liquids. Made of extremely durable steel reinforced plastic for long life.

BRS136 - 5' THREADED HANDLE WITH METAL TIP

Lacquered wood handle, 15/16"

BR-72 HANDLE

1 1/8" X 72" lacquered wood handle with nylon threaded tip

BR-96 HANDLE

1 1/8" x 96" Lacquered wood handle with nylon threaded tip

A-72 HANDLE (6' THREADED)

15/16" X 72 lacquered wood handle with threaded end.

C-96 - 8' TAPERED HANDLE

Straight grained hardwood, one end rounded and the other tapered.

THREADED FIBERGLASS HANDLE

Non-conductive, acid resistant. Meets all sanitary code requirements.

5' HANDLE

6' HANDLE

REPLACEMENT TIPS

K 93 - 15/16" Tip. Acid resistant plastic

FG 90 - 1" Tip. Acid resistant plastic fits fiberglass handles

Zinc 1 1/8" Tip

Steel 1" Tip

R 90 - 1 1/8 Tip. Acid resistant fits BR72 handle

TELESCOPIC EXTENSION POLE

Yellow fiberglass handle with aluminum pole insert. 6' to 12' (two section)

for use with detergents, NO ACID USE. Threaded tip made of metal.

ACCESSORIES, PROTECTIVE CLOTHING

GLOVES

Lightweight - unsupported, nitrile, X-Large, 11"

Medium Duty - supported, green, PVC coating, Large, 12"

Heavy Duty - supported, black, neoprene, large, 14"

Glove Liners - 100% cotton knitted fabric keeps hands warm in winter and sweat-free in summer under leather or rubber gloves. 12/package

EYE PROTECTION

Protective glasses

Safety goggles

ACID MIST RESPIRATOR

A reusable half-facemask can be cleaned and reused 20-30 times depending on use. Disposable cartridges are easy to replace. NIOSH/MSHA approved for acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, dust fumes and mist and organic vapors) Comfortable, low profile, easy to clean. Respirator face-piece only, order cartridges below.

ACID GAS CARTRIDGES

Acid gas cartridges for above respirator, approved for acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, dust fumes and mist and organic vapors) 2 per pack.

CLOTHING

Bib Overall - Sizes S, M, L, XL, XXL. PVC stretch fabric, elasticized suspenders with non-corrosive buckles. No fly front. Yellow

Rain Jacket with Hood - Stretch PVC outer layer material.

Sizes: S, M, L, XL, XXL

CHEMICAL DISPENSING PRODUCTS

DRUM PUMP

All plastic, self priming. Suitable for acidic or alkaline products. Can be cut to fit any barrel depth.

TRIGGER SPRAYER & BOTTLE

32 oz. with a heavy duty trigger sprayer.

ACID RESISTANT PUMP-UP SPRAYER

2 gallon high density polyethylene tank, all poly from tank to tip. Viton seals with straight neck. Tank MUST be emptied and rinsed out after use. DO NOT STORE ACID PRODUCTS IN SPRAYER for best results. Acid resistant tanks and hoses.

VEHICLE DETAILING PRODUCTS

PROTECTOR VINYL, LEATHER & RUBBER DRESSING

Protects against sun rays which dry out and crack. Dries quickly, does not streak.
Odorless.

RLV RUBBER LEATHER VINYL DRESSING

Softens, protects, beautifies and restores. Ready to use. Cherry scent.

JUST FOR READY MIX

THE FORCE CONCRETE REMOVER

A revolutionary new product! Not an acid. No harsh fumes, no extreme corrosivity on metal. Will not harm paint, rubber, glass, wiring harnesses or the people using it. May be diluted 1:2 on slight build up. Amber liquid. Organic salt.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon
1 quart

TIME RELEASE PLUS

Will remove light and medium concrete. Apply to surfaces to be cleaned, allow to set at least 20 minutes. Can be left to dry overnight. Just rewet and wash off. Can be scrubbed with a brush. Will not damage metal or paint. Wear gloves, mildly corrosive to skin.

55 gal. drum
5 gal. pail
Cs. 4/1 gal.
1 gallon
1 quart

#202 DESCALER CONCRETE REMOVER

Penetrates hard set up concrete immediately. Will not harm paint. Will remove heavy accumulations of concrete. With proper protection, as safe to use as a strong detergent. Spray or brush on. May be diluted 5:1 with water.

Non-flammable. **The best product for concrete removal.**

Red liquid. Hydrochloric acid based.

55 gal. drum
5 gal. pail

X-35 CONCRETE REMOVER

Lower fuming product than #202. Formulated for the customer who wants high cleaning power with less odor and oxidation. Contains phosphoric acid which provides a phosphitized film to help prevent rusting. May be diluted up to 4:1 with water. Hydrochloric acid/phosphoric acid based.

55 gal. drum
5 gal. pail

X-35 R CONCRETE REMOVER

Even less odor than X-35. A good combination of cleaning with very little odor and phosphitized coating to help prevent rusting. Can be diluted up to 4:1 with water. Phosphoric acid/hydrochloric acid based.

55 gal. drum
5 gal. pail

BCR CONCRETE REMOVER

A new product that penetrates hard, set-up concrete without harsh fumes. Contains phosphoric acid, which provides a phosphitized film to help prevent rusting. Surfactants help in cling time as well as soil removal. May be diluted 5:1 with water. Phosphoric acid and hydrochloric acid based.

55 gal. drum
5 gal. pail

SATIN X CONCRETE REMOVER

A very mild yet concentrated cleaner. Contains no hydrochloric acid. 55 gal. drum
No harsh fumes to deal with. Phosphoric acid leaves a phosphitized 5 gal. pail
coating to help prevent rust. Excellent product for light concrete buildup Cs. 4/1 gal.
and dust for both barrel and cab. Heavier build up may require several
applications. May be diluted up to 4:1 with water. Phosphoric acid based.

NATURALLY CLEAN CONCRETE REMOVER

New product containing the two mildest acids you can use to keep trucks 55 gal. drum
dust free. Very safe product for your equipment and the people using it. 5 gal. pail
Will remove light dust with one application. Heavier build up may require Cs. 4/1 gal
several applications. Ready to use yellow liquid. Citric/phosphoric acid based.

CAB BRITE

A mild acid wash for any vehicle. An excellent wash to remove cement 55 gal. drum
dust that has blown onto cabs and truck. Spray or wash cabs or entire 5 gal. pail
vehicle with Cab Brite, then rinse with water.

CHUTE SCRAPER

Solid heavy duty steel reinforced handle and paddle molded from a durable field tested plastic used
for over ten years in the aggregate handling systems and proven to be virtually unbreakable. Curved
sides and flat tip of paddle designed for fast easy clean out of main and extension chutes. Non-slip
handle grips keeps hands out of concrete. Cleans easily. (spray with water or wash off with acid)
Will not rust. Hold concrete back when filling wheelbarrows or use the chute scraper to push
concrete into hard to reach places.

Chute Scraper Complete (head & 18" handle)

Chute Scraper Head Only

18" Plastic extender handle