Bootstrap 4 Badges

❮ Previous   Next ❯

Example heading New

Example heading New

Example heading New

Example heading New

Example heading New

Example heading New

Badges are used to add additional information to any content. Use the `.badge` class together with a contextual class (like `.badge-secondary`) within `<span>` elements to create rectangular badges. Note that badges scale to match the size of the parent element (if any):

Example

```
<h1 class="tagcolor" style="color:mediumblue">>Example heading <span
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>New</span class="tagcolor" style="color:mediumblue">>
</h1 class="tagcolor" style="color:mediumblue">>
<h2 class="tagcolor" style="color:mediumblue">>Example heading <span
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>New</span class="tagcolor" style="color:mediumblue">>
</h2 class="tagcolor" style="color:mediumblue">>
<h3 class="tagcolor" style="color:mediumblue">>Example heading <span
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>New</span class="tagcolor" style="color:mediumblue">>
</h3 class="tagcolor" style="color:mediumblue">>
<h4 class="tagcolor" style="color:mediumblue">>Example heading <span
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>New</span class="tagcolor" style="color:mediumblue">>
</h4 class="tagcolor" style="color:mediumblue">>
<h5 class="tagcolor" style="color:mediumblue">>Example heading <span
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>New</span class="tagcolor" style="color:mediumblue">>
</h5 class="tagcolor" style="color:mediumblue">>
<h6 class="tagcolor" style="color:mediumblue">>Example heading <span
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>New</span class="tagcolor" style="color:mediumblue">>
</h6 class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Contextual Badges

Primary Secondary Success Danger Warning Info Light Dark

Use any of the contextual classes (`.badge-*`) to change the color of a badge:

Example

```
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-primary"="tagcolor"
style="color:mediumblue">>Primary</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-secondary"="tagcolor"
style="color:mediumblue">>Secondary</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-success"="tagcolor"
style="color:mediumblue">>Success</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-danger"="tagcolor"
style="color:mediumblue">>Danger</span class="tagcolor" style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-warning"="tagcolor"
style="color:mediumblue">>Warning</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-info"="tagcolor"
style="color:mediumblue">>Info</span class="tagcolor" style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-light"="tagcolor"
style="color:mediumblue">>Light</span class="tagcolor" style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-dark"="tagcolor"
style="color:mediumblue">>Dark</span class="tagcolor" style="color:mediumblue">>
```

Pill Badges

Primary Secondary Success Danger Warning Info Light Dark

Use the `.badge-pill` class to make the badges more round:

Example

```
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-primary"="tagcolor"
style="color:mediumblue">>Primary</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-secondary"="tagcolor"
style="color:mediumblue">>Secondary</span class="tagcolor"
style="color:mediumblue">>
```

```html
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-success"="tagcolor"
style="color:mediumblue">>Success</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-danger"="tagcolor"
style="color:mediumblue">>Danger</span class="tagcolor" style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-warning"="tagcolor"
style="color:mediumblue">>Warning</span class="tagcolor"
style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-info"="tagcolor"
style="color:mediumblue">>Info</span class="tagcolor" style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-light"="tagcolor"
style="color:mediumblue">>Light</span class="tagcolor" style="color:mediumblue">>
<span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="badge badge-pill badge-dark"="tagcolor"
style="color:mediumblue">>Dark</span class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Badge inside an Element

An example of using a badge inside a button:

Messages 4

Example

```
<button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor" style="color:mediumblue">>
  Messages <span class="attributecolor" style="color:red">
class="attributevaluecolor" style="color:mediumblue">="badge badge-
light"="tagcolor" style="color:mediumblue">>4</span class="tagcolor"
style="color:mediumblue">>
</button class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

❮ Previous

Log in to track progress

Next ❯

SPACES   UPGRADE   NEWSLETTER   GET CERTIFIED   REPORT ERROR

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM   ABOUT