Bootstrap 4 Tooltip

〈 **Previous**   **Next** 〉

Bootstrap 4 Tooltip

The Tooltip component is small pop-up box that appears when the user moves the mouse pointer over an element:

Hover over me   Hover over me

How To Create a Tooltip

To create a tooltip, add the `data-toggle="tooltip"` attribute to an element.

Use the `title` attribute to specify the text that should be displayed inside the tooltip:

```
<a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#" data-toggle="attributevaluecolor"
style="color:mediumblue">="tooltip" title="attributevaluecolor"
```

Note: Tooltips must be initialized with jQuery: select the specified element and call the `tooltip()` method.

The following code will enable all tooltips in the document:

Example

```
<script class="tagcolor" style="color:mediumblue">>
$(document).ready(function(){
  $('[data-toggle="tooltip"]').tooltip();
});
</script class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Positioning Tooltips

By default, the tooltip will appear on top of the element.

Use the `data-placement` attribute to set the position of the tooltip on top, bottom, left or the right side of the element:

Example

```
<a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#" data-toggle="attributevaluecolor"
```

```
style="color:mediumblue">="tooltip" data-placement="attributevaluecolor"
style="color:mediumblue">="top" title="attributevaluecolor"
style="color:mediumblue">="Hooray!"="tagcolor"
style="color:mediumblue">>Hover</a class="tagcolor" style="color:mediumblue">>
<a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#" data-toggle="attributevaluecolor"
style="color:mediumblue">="tooltip" data-placement="attributevaluecolor"
style="color:mediumblue">="bottom" title="attributevaluecolor"
style="color:mediumblue">="Hooray!"="tagcolor"
style="color:mediumblue">>Hover</a class="tagcolor" style="color:mediumblue">>
<a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#" data-toggle="attributevaluecolor"
style="color:mediumblue">="tooltip" data-placement="attributevaluecolor"
style="color:mediumblue">="left" title="attributevaluecolor"
style="color:mediumblue">="Hooray!"="tagcolor"
style="color:mediumblue">>Hover</a class="tagcolor" style="color:mediumblue">>
<a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#" data-toggle="attributevaluecolor"
style="color:mediumblue">="tooltip" data-placement="attributevaluecolor"
style="color:mediumblue">="right" title="attributevaluecolor"
style="color:mediumblue">="Hooray!"="tagcolor"
style="color:mediumblue">>Hover</a class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Complete Bootstrap Tooltip Reference

For a complete reference of all tooltip options, methods and events, go to our <u>Bootstrap JS Tooltip Reference</u>.

❮ Previous   Log in to track progress   Next ❯

Top Tutorials	Top References	Top Examples	Get Certified
HTML Tutorial	HTML Reference	HTML Examples	HTML Certificate
CSS Tutorial	CSS Reference	CSS Examples	CSS Certificate
JavaScript Tutorial	JavaScript Reference	JavaScript Examples	JavaScript Certificate
How To Tutorial	SQL Reference	How To Examples	Front End Certificate
SQL Tutorial	Python Reference	SQL Examples	SQL Certificate
Python Tutorial	W3.CSS Reference	Python Examples	Python Certificate
W3.CSS Tutorial	Bootstrap Reference	W3.CSS Examples	PHP Certificate
Bootstrap Tutorial	PHP Reference	Bootstrap Examples	jQuery Certificate
PHP Tutorial	HTML Colors	PHP Examples	Java Certificate
Java Tutorial	Java Reference	Java Examples	C++ Certificate
C++ Tutorial	Angular Reference	XML Examples	C# Certificate
jQuery Tutorial	jQuery Reference	jQuery Examples	XML Certificate

FORUM   ABOUT