

Bootstrap 4 Tutorial

BS4 HOME

BS4 Get Started

BS4 Containers

BS4 Grid Basic

BS4 Typography

BS4 Colors

BS4 Tables

BS4 Images

BS4 Jumbotron

BS4 Alerts

BS4 Buttons

BS4 Button Groups

BS4 Badges

BS4 Progress Bars

BS4 Spinners

BS4 Pagination

BS4 List Groups

BS4 Cards

BS4 Dropdowns

BS4 Collapse

BS4 Navs

BS4 Navbar

BS4 Forms

BS4 Inputs

BS4 Input Groups

BS4 Custom Forms

BS4 Carousel

BS4 Modal

ADVERTISEMENT

Bootstrap 4 Pagination

[< Previous](#)[Next >](#)

Basic Pagination

If you have a web site with lots of pages, you may wish to add some sort of pagination to each page.

[Previous](#) [1](#) [2](#) [3](#) [Next](#)

To create a basic pagination, add the `.pagination` class to an `` element. Then add the `.page-item` to each `` element and a `.page-link` class to each link inside ``:

Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"pagination"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-link" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>Previous</a>
```


```

class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>1</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>2</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>3</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Next</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

COLOR PICKER



 Get Certified

ADVERTISEMENT

Active State

The `.active` class is used to "highlight" the current page:

Previous	1	2	3	Next
----------	---	---	---	------

Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="pagination"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Previous</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>1</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item active"="tagcolor" style="color:mediumblue">>
<a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>2</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
```

```

style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>3</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Next</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

ADVERTISEMENT

Disabled State

The `.disabled` class is used for un-clickable links:

Previous 1 2 3 Next

Example

```

<ul class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="pagination"="tagcolor" style="color:mediumblue">>
  <li class="attributeicolor" style="color:red"> class="attributevaluecolor"

```

```

style="color:mediumblue">="page-item disabled"="tagcolor"
style="color:mediumblue">><a class="attributecolor" style="color:red">
class="attributevaluecolor" style="color:mediumblue">="page-link"
href="attributevaluecolor" style="color:mediumblue">="#"="tagcolor"
style="color:mediumblue">>Previous</a class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>1</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>2</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>3</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Next</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

Pagination Sizing

Pagination blocks can also be sized to a larger or a smaller size:

Previous	1	2	3	Next
----------	---	---	---	------

Previous	1	2	3	Next
----------	---	---	---	------

Add class `.pagination-lg` for larger blocks or `.pagination-sm` for smaller blocks:

Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"pagination pagination-lg"="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-link" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>Previous</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-link" href="attributevaluecolor"
style="color:mediumblue">"#"="tagcolor" style="color:mediumblue">>1</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
```

```

style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>2</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>3</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Next</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="pagination pagination-sm"="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Previous</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue"><a
class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>1</a
class="tagcolor" style="color:mediumblue"></li class="tagcolor"
style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"

```

```

style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>2</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>3</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-item"="tagcolor" style="color:mediumblue">><a
class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="page-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Next</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

Pagination Alignment

Use utility classes to change the alignment of the pagination:

Previous	1	2	3	Next
----------	---	---	---	------

Previous	1	2	3	Next
----------	---	---	---	------

Previous	1	2	3	Next
----------	---	---	---	------

Example

```
<!-- Default (left-aligned) -->
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"pagination" style="attributevaluecolor"
style="color:mediumblue">"margin:20px 0"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">>...</li
class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

<!-- Center-aligned -->
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"pagination justify-content-center"
style="attributevaluecolor" style="color:mediumblue">"margin:20px 0"="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">>...</li
class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

<!-- Right-aligned -->
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"pagination justify-content-end"
style="attributevaluecolor" style="color:mediumblue">"margin:20px 0"="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">"page-item"="tagcolor" style="color:mediumblue">>...</li
class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Tip: Read more about Bootstrap 4 Utility/Helper classes in our [BS4 Utilities Chapter](#).

Breadcrumbs

Another form for pagination, is breadcrumbs:

[Photos](#) / [Summer 2017](#) / [Italy](#) / Rome

The `.breadcrumb` and `.breadcrumb-item` classes indicates the current page's location within a navigational hierarchy:

Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="breadcrumb"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="breadcrumb-item"="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Photos</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="breadcrumb-item"="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Summer 2017</a
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="breadcrumb-item"="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Italy</a
```

```
class="tagcolor" style="color:mediumblue">></li class="tagcolor"
style="color:mediumblue">>
  <li class="attributevaluecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="breadcrumb-item active"="tagcolor"
style="color:mediumblue">>Rome</li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

◀ Previous

Log in to track progress

Next ▶

ADVERTISEMENT

ADVERTISEMENT

[!\[\]\(f4912148590488019602cab6e009e597_img.jpg\)](#) [!\[\]\(d7a8eaa1c5d6eb8f857fe636176c5d31_img.jpg\)](#) [!\[\]\(374c4e35f0de7d5605f992f908c4a567_img.jpg\)](#) [!\[\]\(e9a752443ad7d053798325a0e53e4015_img.jpg\)](#) [FORUM](#) [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2023](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).