

Bootstrap 4 Media Objects

[< Previous](#)[Next >](#)

Media Objects

Bootstrap provides an easy way to align media objects (like images or videos) together with content. Media objects are often used to display blog comments, tweets and so on:



John Doe *Posted on February 19, 2016*

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



John Doe *Posted on February 20, 2016*

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Basic Media Object



John Doe *Posted on February 19, 2016*

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

To create a media object, add the `.media` class to a container element, and place media content inside a child container with the `.media-body` class. Add padding and margins as needed, with the spacing utilities:

Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media border p-3"="tagcolor"
style="color:mediumblue">>
  <img class="attributecolor" style="color:red"> src="attributevaluecolor"
style="color:mediumblue">="img_avatar3.png" alt="attributevaluecolor"
style="color:mediumblue">="John Doe" class="attributevaluecolor"
style="color:mediumblue">="mr-3 mt-3 rounded-circle" style="attributevaluecolor"
style="color:mediumblue">="width:60px;"="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
    <h4 class="tagcolor" style="color:mediumblue">>John Doe <small
class="tagcolor" style="color:mediumblue">><i class="tagcolor"
style="color:mediumblue">>Posted on February 19, 2016</i class="tagcolor"
style="color:mediumblue">></small class="tagcolor" style="color:mediumblue">></h4
class="tagcolor" style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

COLOR
PICKER



Get Certified

ADVERTISEMENT

Nested Media Objects

Media objects can also be nested (a media object inside a media object):



John Doe *Posted on February 19, 2016*

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



Jane Doe *Posted on February 20, 2016*

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

To nest media objects, place a new `.media` container inside the `.media-body` container:

Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media border p-3"="tagcolor"
style="color:mediumblue">>
  <img class="attributecolor" style="color:red"> src="attributevaluecolor"
style="color:mediumblue">="img_avatar3.png" alt="attributevaluecolor"
style="color:mediumblue">="John Doe" class="attributevaluecolor"
style="color:mediumblue">="mr-3 mt-3 rounded-circle" style="attributevaluecolor"
style="color:mediumblue">="width:60px;"="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
```

```

    <h4 class="tagcolor" style="color:mediumblue">>John Doe <small
class="tagcolor" style="color:mediumblue">><i class="tagcolor"
style="color:mediumblue">>Posted on February 19, 2016</i class="tagcolor"
style="color:mediumblue">></small class="tagcolor" style="color:mediumblue">></h4
class="tagcolor" style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
    <div class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media p-3"="tagcolor" style="color:mediumblue">>
    <img class="attributeicolor" style="color:red"> src="attributevaluecolor"
style="color:mediumblue">="img_avatar2.png" alt="attributevaluecolor"
style="color:mediumblue">="Jane Doe" class="attributevaluecolor"
style="color:mediumblue">="mr-3 mt-3 rounded-circle" style="attributevaluecolor"
style="color:mediumblue">="width:45px;"="tagcolor" style="color:mediumblue">>
    <div class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
    <h4 class="tagcolor" style="color:mediumblue">>Jane Doe <small
class="tagcolor" style="color:mediumblue">><i class="tagcolor"
style="color:mediumblue">>Posted on February 20 2016</i class="tagcolor"
style="color:mediumblue">></small class="tagcolor" style="color:mediumblue">></h4
class="tagcolor" style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

Right-Aligned Media Image

John Doe *Posted on February 19, 2016*



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



To right-align the media image, add the image after the `.media-body` container:


Example

```
<div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="media border p-3"="tagcolor"
style="color:mediumblue">>
  <div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
    <h4 class="tagcolor" style="color:mediumblue">>John Doe <small
class="tagcolor" style="color:mediumblue">><i class="tagcolor"
style="color:mediumblue">>Posted on February 19, 2016</i class="tagcolor"
style="color:mediumblue">></small class="tagcolor" style="color:mediumblue">></h4
class="tagcolor" style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
  <img class="attribute" style="color:red"> src="attributevalue"
style="color:mediumblue">="img_avatar3.png" alt="attributevalue"
style="color:mediumblue">="John Doe" class="attributevalue"
style="color:mediumblue">="ml-3 mt-3 rounded-circle" style="attributevalue"
style="color:mediumblue">="width:60px;"="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Top, Middle or Bottom Alignment

Use the flex utilities, `align-self-*` classes to place the media object on the top, middle or at the bottom:




Media Top

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Media Middle



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Media Bottom

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.





Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Example

```
<!-- Media top -->
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media"="tagcolor" style="color:mediumblue">>
  <img class="attributecolor" style="color:red"> src="attributevaluecolor"
style="color:mediumblue">="img_avatar1.png" class="attributevaluecolor"
style="color:mediumblue">="align-self-start mr-3" style="attributevaluecolor"
style="color:mediumblue">="width:60px"="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
    <h4 class="tagcolor" style="color:mediumblue">>Media Top</h4 class="tagcolor"
style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

<!-- Media middle -->
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media"="tagcolor" style="color:mediumblue">>
  <img class="attributecolor" style="color:red"> src="attributevaluecolor"
style="color:mediumblue">="img_avatar1.png" class="attributevaluecolor"
style="color:mediumblue">="align-self-center mr-3" style="attributevaluecolor"
style="color:mediumblue">="width:60px"="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
    <h4 class="tagcolor" style="color:mediumblue">>Media Middle</h4
class="tagcolor" style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
```

```
</div class="tagcolor" style="color:mediumblue">>

<!-- Media bottom -->
<div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="media"="tagcolor" style="color:mediumblue">>
  <img class="attribute" style="color:red"> src="attributevalue"
style="color:mediumblue">="img_avatar1.png" class="attributevalue"
style="color:mediumblue">="align-self-end mr-3" style="attributevalue"
style="color:mediumblue">="width:60px"="tagcolor" style="color:mediumblue">>
  <div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="media-body"="tagcolor" style="color:mediumblue">>
    <h4 class="tagcolor" style="color:mediumblue">>Media Bottom</h4
class="tagcolor" style="color:mediumblue">>
    <p class="tagcolor" style="color:mediumblue">>Lorem ipsum...</p
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

◀ Previous

Log in to track progress

Next ▶

ADVERTISEMENT

ADVERTISEMENT



[SPACES](#)

[UPGRADE](#)

[NEWSLETTER](#)

[GET CERTIFIED](#)

[REPORT ERROR](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)



[FORUM](#)

[ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2023](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).