


[Getting started](#)[Layout](#)[Content](#)[Components](#)[Utilities](#)[Borders](#)[Clearfix](#)[Close icon](#)[Colors](#)[Display](#)[Embed](#)[Flex](#)[Float](#)[Image replacement](#)[Position](#)[Screenreaders](#)[Sizing](#)[Spacing](#)[Text](#)[Vertical align](#)[Visibility](#)

Position

Use these shorthand utilities for quickly configuring the position of an element.

[Segment with advanced AI tools for up to 141% more revenue](#)
ads via Carbon



Adobe Creative Cloud for Teams. Put creativity to work.
ads via Carbon

[Common values](#)[Fixed top](#)[Fixed bottom](#)[Sticky top](#)

Common values

Quick positioning classes are available, though they are not responsive.

```
<div class="position-static">...</div>
<div class="position-relative">...</div>
<div class="position-absolute">...</div>
<div class="position-fixed">...</div>
<div class="position-sticky">...</div>
```

[Copy](#)

Fixed top

Position an element at the top of the viewport, from edge to edge. Be sure you understand the ramifications of fixed position in your project; you may need to add additional CSS.

```
<div class="fixed-top">...</div>
```

[Copy](#)

Fixed bottom

Position an element at the bottom of the viewport, from edge to edge. Be sure you understand the ramifications of fixed position in your project; you may need to add additional CSS.

```
<div class="fixed-bottom">...</div>
```

[Copy](#)

Sticky top

Position an element at the top of the viewport, from edge to edge, but only after you scroll past it. The `.sticky-top` utility uses CSS's `position: sticky`, which isn't fully supported in all browsers.

IE11 and IE10 will render `position: sticky` as `position: relative`. As such, we wrap the styles in a `@supports` query, limiting the stickiness to only browsers that

can render it properly.

```
<div class="sticky-top">...</div>
```

Copy