

## Bootstrap 4 Tutorial

BS4 HOME

BS4 Get Started

BS4 Containers

BS4 Grid Basic

BS4 Typography

BS4 Colors

BS4 Tables

BS4 Images

BS4 Jumbotron

BS4 Alerts

BS4 Buttons

BS4 Button Groups

BS4 Badges

BS4 Progress Bars

BS4 Spinners

BS4 Pagination

BS4 List Groups

BS4 Cards

BS4 Dropdowns

BS4 Collapse

BS4 Navs

BS4 Navbar

BS4 Forms

BS4 Inputs

BS4 Input Groups

BS4 Custom Forms

BS4 Carousel

BS4 Modal

ADVERTISEMENT

# Bootstrap 4 Navs

[< Previous](#)[Next >](#)

## Nav Menus

[Link](#) [Link](#) [Link](#) [Disabled](#)

If you want to create a simple horizontal menu, add the `.nav` class to a `<ul>` element, followed by `.nav-item` for each `<li>` and add the `.nav-link` class to their links:

### Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
```


```

<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link disabled" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Disabled</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

COLOR  
PICKER



 Get Certified

ADVERTISEMENT

## Aligned Nav

Link Link Link Disabled

Link Link Link Disabled

Add the `.justify-content-center` class to center the nav, and the `.justify-content-end` class to right-align the nav.

## Example

```
<!-- Centered nav -->
<ul class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">nav justify-content-center="tagcolor"
style="color:mediumblue">>

<!-- Right-aligned nav -->
<ul class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">nav justify-content-end="tagcolor"
style="color:mediumblue">>
```

Try it Yourself »

## Vertical Nav

Link

Link

Link

Disabled

Add the `.flex-column` class to create a vertical nav:

## Example

**Try it Yourself »**

# Tabs

Turn the nav menu into navigation tabs with the `.nav-tabs` class. Add the `.active` class to the active/current link. If you want the tabs to be toggable, see the last example on this page.

```
<ul class="attributecolor" style="color:red" class="attributevaluecolor" style="color:mediumblue">="nav nav-tabs"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor" style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor" style="color:mediumblue">="nav-link active" href="attributevaluecolor" style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Active</a class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor" style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor" style="color:mediumblue">="nav-link" href="attributevaluecolor" style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
```

```

class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link disabled" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Disabled</a
class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Pills

Active

Link

Link

Disabled

Turn the nav menu into navigation pills with the `.nav-pills` class. If you want the pills to be toggleable, see the last example on this page.

## Example

```

<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav nav-pills"="tagcolor" style="color:mediumblue">>

```

```

<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link active" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Active</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
<li class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributeicolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link disabled" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Disabled</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Justified Tabs/pills

Justify the tabs/pills with the `.nav-justified` class (equal width):



## Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav nav-pills nav-justified"="tagcolor"
style="color:mediumblue">>..</ul class="tagcolor" style="color:mediumblue">>
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav nav-tabs nav-justified"="tagcolor"
style="color:mediumblue">>..</ul class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

## Pills with Dropdown



## Example

```
<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav nav-pills"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link active" href="attributevaluecolor"
```





```

style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Disabled</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Tabs with Dropdown

Active Dropdown ▾ Link Disabled

### Example

```

<ul class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav nav-tabs"="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link active" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Active</a
class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
  <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item dropdown"="tagcolor"
style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link dropdown-toggle" data-
toggle="attributevaluecolor" style="color:mediumblue">="dropdown"
href="attributevaluecolor" style="color:mediumblue">="#"="tagcolor"
style="color:mediumblue">>Dropdown</a class="tagcolor" style="color:mediumblue">>
    <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>

```

```

        <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 1</a
class="tagcolor" style="color:mediumblue">>
        <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 2</a
class="tagcolor" style="color:mediumblue">>
        <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link 3</a
class="tagcolor" style="color:mediumblue">>
    </div class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
        <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Link</a
class="tagcolor" style="color:mediumblue">>
    </li class="tagcolor" style="color:mediumblue">>
    <li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
        <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link disabled" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Disabled</a
class="tagcolor" style="color:mediumblue">>
    </li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Toggableable / Dynamic Tabs

## HOME

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

To make the tabs toggleable, add the `data-toggle="tab"` attribute to each link. Then add a `.tab-pane` class with a unique ID for every tab and wrap them inside a `<div>` element with class `.tab-content`.

If you want the tabs to fade in and out when clicking on them, add the `.fade` class to `.tab-pane`:

## Example

```
<!-- Nav tabs -->
<ul class="attribute color" style="color:red"> class="attribute value color"
style="color:mediumblue">="nav nav-tabs"="tag color" style="color:mediumblue">>
  <li class="attribute color" style="color:red"> class="attribute value color"
style="color:mediumblue">="nav-item"="tag color" style="color:mediumblue">>
    <a class="attribute color" style="color:red"> class="attribute value color"
style="color:mediumblue">="nav-link active" data-toggle="attribute value color"
style="color:mediumblue">="tab" href="attribute value color"
style="color:mediumblue">="#home"="tag color" style="color:mediumblue">>Home</a
class="tag color" style="color:mediumblue">>
  </li class="tag color" style="color:mediumblue">>
  <li class="attribute color" style="color:red"> class="attribute value color"
style="color:mediumblue">="nav-item"="tag color" style="color:mediumblue">>
    <a class="attribute color" style="color:red"> class="attribute value color"
style="color:mediumblue">="nav-link" data-toggle="attribute value color"
style="color:mediumblue">="tab" href="attribute value color"
style="color:mediumblue">="#menu1"="tag color" style="color:mediumblue">>Menu 1</a
class="tag color" style="color:mediumblue">>
```

```

</li class="tagcolor" style="color:mediumblue">>
<li class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-item"="tagcolor" style="color:mediumblue">>
  <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="nav-link" data-toggle="attributevaluecolor"
style="color:mediumblue">="tab" href="attributevaluecolor"
style="color:mediumblue">="#menu2"="tagcolor" style="color:mediumblue">>Menu 2</a
class="tagcolor" style="color:mediumblue">>
</li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

<!-- Tab panes -->
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-content"="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-pane container active" id="attributevaluecolor"
style="color:mediumblue">="home"="tagcolor" style="color:mediumblue">>...</div
class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-pane container fade" id="attributevaluecolor"
style="color:mediumblue">="menu1"="tagcolor" style="color:mediumblue">>...</div
class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-pane container fade" id="attributevaluecolor"
style="color:mediumblue">="menu2"="tagcolor" style="color:mediumblue">>...</div
class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Toggleable / Dynamic Pills

Home

Menu 1

Menu 2

# HOME

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

The same code applies to pills; only change the data-toggle attribute to `data-toggle="pill"` :

## Example

```
<!-- Nav pills -->
<ul class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav nav-pills" = "tagcolor" style="color:mediumblue">>
  <li class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav-item" = "tagcolor" style="color:mediumblue">>
    <a class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav-link active" data-toggle="attributevalue"
style="color:mediumblue">= "pill" href="attributevalue"
style="color:mediumblue">= "#home" = "tagcolor" style="color:mediumblue">>Home</a
class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
  <li class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav-item" = "tagcolor" style="color:mediumblue">>
    <a class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav-link" data-toggle="attributevalue"
style="color:mediumblue">= "pill" href="attributevalue"
style="color:mediumblue">= "#menu1" = "tagcolor" style="color:mediumblue">>Menu 1</a
class="tagcolor" style="color:mediumblue">>
  </li class="tagcolor" style="color:mediumblue">>
  <li class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav-item" = "tagcolor" style="color:mediumblue">>
    <a class="attribute" style="color:red" class="attributevalue"
style="color:mediumblue">= "nav-link" data-toggle="attributevalue"
style="color:mediumblue">= "pill" href="attributevalue"
style="color:mediumblue">= "#menu2" = "tagcolor" style="color:mediumblue">>Menu 2</a
```

```

class="tagcolor" style="color:mediumblue">>
    </li class="tagcolor" style="color:mediumblue">>
</ul class="tagcolor" style="color:mediumblue">>

<!-- Tab panes -->
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-content"="tagcolor" style="color:mediumblue">>
    <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-pane container active" id="attributevaluecolor"
style="color:mediumblue">="home"="tagcolor" style="color:mediumblue">>...</div
class="tagcolor" style="color:mediumblue">>
    <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-pane container fade" id="attributevaluecolor"
style="color:mediumblue">="menu1"="tagcolor" style="color:mediumblue">>...</div
class="tagcolor" style="color:mediumblue">>
    <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="tab-pane container fade" id="attributevaluecolor"
style="color:mediumblue">="menu2"="tagcolor" style="color:mediumblue">>...</div
class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Complete Bootstrap 4 Nav Reference

For a complete reference of all tab options, methods and events, go to our [Bootstrap 4 JS Tab Reference](#).

◀ Previous

Log in to track progress

Next ▶

ADVERTISEMENT



[SPACES](#)

[UPGRADE](#)

[NEWSLETTER](#)

[GET CERTIFIED](#)

[REPORT ERROR](#)

## Top Tutorials

HTML Tutorial  
CSS Tutorial  
JavaScript Tutorial  
How To Tutorial  
SQL Tutorial  
Python Tutorial  
W3.CSS Tutorial  
Bootstrap Tutorial  
PHP Tutorial  
Java Tutorial  
C++ Tutorial  
jQuery Tutorial

## Top References

HTML Reference  
CSS Reference  
JavaScript Reference  
SQL Reference  
Python Reference  
W3.CSS Reference  
Bootstrap Reference  
PHP Reference  
HTML Colors  
Java Reference  
Angular Reference  
jQuery Reference

## Top Examples

HTML Examples  
CSS Examples  
JavaScript Examples  
How To Examples  
SQL Examples  
Python Examples  
W3.CSS Examples  
Bootstrap Examples  
PHP Examples  
Java Examples  
XML Examples  
jQuery Examples

## Get Certified

HTML Certificate  
CSS Certificate  
JavaScript Certificate  
Front End Certificate  
SQL Certificate  
Python Certificate  
PHP Certificate  
jQuery Certificate  
Java Certificate  
C++ Certificate  
C# Certificate  
XML Certificate



FORUM ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2023](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).