



Custom Checkbox

To create a custom checkbox, wrap a container element, like <div>, with a class of .custom-control and .custom-checkbox around the checkbox. Then add the .custom-control-input to the input with type="checkbox".

Tip: If you use labels for accompanying text, add the .custom-control-label class to it. Note that the value of the for attribute should match the id of the checkbox:

Custom checkbox

☐ Default checkbox

Example

Try it Yourself »







Custom Switch

To create a custom "toggle switch", wrap a container element, like <div>, with a class of .custom-control and .custom-switch around a checkbox. Then add the .custom-control-input class to the checkbox:

Toggle me

Example

Try it Yourself »

Custom Radio buttons

To create a custom radio button, wrap a container element, like <div>, with a class of .custom-control and .custom-radio around the radio button. Then add the .custom-control-input

to the input with type="radio".

Tip: If you use labels for accompanying text, add the .custom-control-label class to it. Note that the value of the for attribute should match the id of the radio:

Custom radio

O Default radio

Example

```
<form class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="custom-control custom-radio"="tagcolor"
style="color:mediumblue">>
    <input class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="radio" class="attributevaluecolor"
style="color:mediumblue">="custom-control-input" id="attributevaluecolor"
style="color:mediumblue">="customRadio" name="attributevaluecolor"
style="color:mediumblue">="example1" value="attributevaluecolor"
style="color:mediumblue">="customEx"="tagcolor" style="color:mediumblue">>
    <label class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="custom-control-label" for="attributevaluecolor"
style="color:mediumblue">="customRadio"="tagcolor"
style="color:mediumblue">>Custom radio</label class="tagcolor"</pre>
style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</form class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Inline Custom Form Controls

If you want the custom form controls to sit side by side (inline), add the .custom-controlinline to the wrapper/container:

○ Custom radio
○ Custom radio

```
<form class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="custom-control custom-radio custom-control-
inline"="tagcolor" style="color:mediumblue">>
    <input class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="radio" class="attributevaluecolor"
style="color:mediumblue">="custom-control-input" id="attributevaluecolor"
style="color:mediumblue">="customRadio" name="attributevaluecolor"
style="color:mediumblue">="example" value="attributevaluecolor"
style="color:mediumblue">="customEx"="tagcolor" style="color:mediumblue">>
    <label class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="custom-control-label" for="attributevaluecolor"
style="color:mediumblue">="customRadio"="tagcolor"
style="color:mediumblue">>Custom radio 1</label class="tagcolor"</pre>
style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="custom-control custom-radio custom-control-
inline"="tagcolor" style="color:mediumblue">>
    <input class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="radio" class="attributevaluecolor"
style="color:mediumblue">="custom-control-input" id="attributevaluecolor"
style="color:mediumblue">="customRadio2" name="attributevaluecolor"
style="color:mediumblue">="example" value="attributevaluecolor"
style="color:mediumblue">="customEx"="tagcolor" style="color:mediumblue">>
    <label class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="custom-control-label" for="attributevaluecolor"
style="color:mediumblue">="customRadio2"="tagcolor"
style="color:mediumblue">>Custom radio 2</label class="tagcolor"</pre>
```

ADVERTISEMENT

Custom Select Menu

To create a custom select menu, add the .custom-select class to the <select> element:

Custom Select Menu

₹

Default select menu ✓

```
<form class="tagcolor" style="color:mediumblue">>
  <select class="attributecolor" style="color:red"> name="attributevaluecolor"
style="color:mediumblue">="cars" class="attributevaluecolor"
style="color:mediumblue">="custom-select"="tagcolor" style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> selected="tagcolor"
style="color:mediumblue">>Custom Select Menu</option class="tagcolor"</pre>
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="volvo"="tagcolor"
style="color:mediumblue">>Volvo</option class="tagcolor"</pre>
stvle="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="fiat"="tagcolor" style="color:mediumblue">>Fiat/option
class="tagcolor" style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="audi"="tagcolor" style="color:mediumblue">>Audi/option
class="tagcolor" style="color:mediumblue">>
  </select class="tagcolor" style="color:mediumblue">>
</form class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

Custom Select Menu Size

Use the .custom-select-sm class to create a small select menu and the .custom-select-lg class for a large one:

Small Custom Select Menu

Default Custom Select Menu

the Large Custom Select Menu

\$\displaystyle{\pi}\$

```
<form class="tagcolor" style="color:mediumblue">>
  <!-- Small -->
  <select class="attributecolor" style="color:red"> name="attributevaluecolor"
style="color:mediumblue">="cars" class="attributevaluecolor"
style="color:mediumblue">="custom-select custom-select-sm"="tagcolor"
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> selected="tagcolor"
style="color:mediumblue">>Small Custom Select Menu</option class="tagcolor"</pre>
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="volvo"="tagcolor"
style="color:mediumblue">>Volvo</option class="tagcolor"
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="fiat"="tagcolor" style="color:mediumblue">>Fiat/option
class="tagcolor" style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="audi"="tagcolor" style="color:mediumblue">>Audi/option
class="tagcolor" style="color:mediumblue">>
  </select class="tagcolor" style="color:mediumblue">>
  <!-- Large -->
  <select class="attributecolor" style="color:red"> name="attributevaluecolor"
style="color:mediumblue">="cars" class="attributevaluecolor"
style="color:mediumblue">="custom-select custom-select-lg"="tagcolor"
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> selected="tagcolor"
style="color:mediumblue">>Large Custom Select Menu</option class="tagcolor"</pre>
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="volvo"="tagcolor"
style="color:mediumblue">>Volvo</option class="tagcolor"</pre>
style="color:mediumblue">>
    <option class="attributecolor" style="color:red"> value="attributevaluecolor"
style="color:mediumblue">="fiat"="tagcolor" style="color:mediumblue">>Fiat/option
```

Custom Range

To create a custom range menu, add the .custom-range class to an input with type="<range>":

Custom range

Default range

Custom File Upload

To create a custom file upload, wrap a container element with a class of .custom-file around the input with type="file". Then add the .custom-file-input to it.

Tip: If you use labels for accompanying text, add the .custom-file-label class to it. Note that the value of the for attribute should match the id of the checkbox:

Choose file Browse

Default file: Choose File No file chosen

Note that you also have to include some jQuery code if you want the name of the file to appear when you select a specific file:

```
<script class="tagcolor" style="color:mediumblue">>

// Add the following code if you want the name of the file appear on select
$(".custom-file-input").on("change", function() {
    var fileName = $(this).val().split("\\").pop();
    $(this).siblings(".custom-file-label").addClass("selected").html(fileName);
});
</script class="tagcolor" style="color:mediumblue">>>

Try it Yourself >>

Log in to track progress

Next >>

Next >>
```

ADVERTISEMENT

ADVERTISEMENT



f 🧔 🛅 🖸 FORUM ABOUT

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

<u>Copyright 1999-2023</u> by Refsnes Data. All Rights Reserved. <u>W3Schools is Powered by W3.CSS</u>

