

## Bootstrap 4 Tutorial

BS4 HOME

BS4 Get Started

BS4 Containers

BS4 Grid Basic

BS4 Typography

BS4 Colors

BS4 Tables

BS4 Images

BS4 Jumbotron

BS4 Alerts

BS4 Buttons

BS4 Button Groups

BS4 Badges

BS4 Progress Bars

BS4 Spinners

BS4 Pagination

BS4 List Groups

BS4 Cards

BS4 Dropdowns

BS4 Collapse

BS4 Navs

BS4 Navbar

BS4 Forms

BS4 Inputs

BS4 Input Groups

BS4 Custom Forms

BS4 Carousel

BS4 Modal

ADVERTISEMENT

# Bootstrap 4 Button Groups

[< Previous](#)[Next >](#)

## Button Groups

Bootstrap 4 allows you to group a series of buttons together (on a single line) in a button group:



Use a `<div>` element with class `.btn-group` to create a button group:

### Example

```
<div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="btn-group"="tag" style="color:mediumblue">>
  <button class="attribute" style="color:red"> type="attributevalue"
style="color:mediumblue">="button" class="attributevalue"
style="color:mediumblue">="btn btn-primary"="tag"
style="color:mediumblue">>Apple</button class="tag"
style="color:mediumblue">>
```

```

<button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Samsung</button class="tagcolor"
style="color:mediumblue">>
<button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Sony</button class="tagcolor"
style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

**Tip:** Instead of applying button sizes to every button in a group, use class `.btn-group-lg` for a large button group or the `.btn-group-sm` for a small button group:

Large Buttons:

Apple Samsung Sony

Default Buttons:

Apple Samsung Sony

Small Buttons:

Apple Samsung Sony

## Example

```

<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="btn-group btn-group-lg"="tagcolor"
style="color:mediumblue">>

```

COLOR  
PICKER



 Get Certified

ADVERTISEMENT

```


<button class="attribute" style="color:red" type="attributevalue"
style="color:mediumblue">"button" class="attributevalue"
style="color:mediumblue">"btn btn-primary"="tagcolor"
style="color:mediumblue">>Apple</button class="tagcolor"
style="color:mediumblue">>
<button class="attribute" style="color:red" type="attributevalue"
style="color:mediumblue">"button" class="attributevalue"
style="color:mediumblue">"btn btn-primary"="tagcolor"
style="color:mediumblue">>Samsung</button class="tagcolor"
style="color:mediumblue">>
<button class="attribute" style="color:red" type="attributevalue"
style="color:mediumblue">"button" class="attributevalue"
style="color:mediumblue">"btn btn-primary"="tagcolor"
style="color:mediumblue">>Sony</button class="tagcolor"
style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Vertical Button Groups

Bootstrap 4 also supports vertical button groups:



Use the class `.btn-group-vertical` to create a vertical button group:

### Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="btn-group-vertical"="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Apple</button class="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Samsung</button class="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Sony</button class="tagcolor"
style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
```

Try it Yourself »

ADVERTISEMENT

## Nesting Button Groups & Dropdown Menus

Apple Samsung Sony ▾

Nest button groups to create dropdown menus (you will learn more about dropdowns in a later chapter):

### Example

```
<div class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">= "btn-group"="tagcolor" style="color:mediumblue">>
  <button class="attribute" style="color:red"> type="attributevalue"
style="color:mediumblue">= "button" class="attributevalue"
style="color:mediumblue">= "btn btn-primary"="tagcolor"
style="color:mediumblue">>Apple</button class="tagcolor"
style="color:mediumblue">>
  <button class="attribute" style="color:red"> type="attributevalue"
style="color:mediumblue">= "button" class="attributevalue"
style="color:mediumblue">= "btn btn-primary"="tagcolor"
style="color:mediumblue">>Samsung</button class="tagcolor"
```

```

style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="btn-group"="tagcolor" style="color:mediumblue">>
    <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary dropdown-toggle" data-
toggle="attributevaluecolor" style="color:mediumblue">="dropdown"="tagcolor"
style="color:mediumblue">>
    Sony
  </button class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Tablet</a
class="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Smartphone</a
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Split Button Dropdowns

Sony ▼

Example

```

<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="btn-group"="tagcolor" style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Sony</button class="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary dropdown-toggle dropdown-toggle-split"
data-toggle="attributevaluecolor" style="color:mediumblue">="dropdown"="tagcolor"
style="color:mediumblue">>
    <span class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="caret"="tagcolor" style="color:mediumblue">></span
class="tagcolor" style="color:mediumblue">>
  </button class="tagcolor" style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Tablet</a
class="tagcolor" style="color:mediumblue">>
    <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Smartphone</a
class="tagcolor" style="color:mediumblue">>
  </div class="tagcolor" style="color:mediumblue">>
</div class="tagcolor" style="color:mediumblue">>

```

Try it Yourself »

## Vertical Button Group w/ Dropdown

Apple

Samsung

Sony ▾

## Example

```
<div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="btn-group-vertical"="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Apple</button class="tagcolor"
style="color:mediumblue">>
  <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary"="tagcolor"
style="color:mediumblue">>Samsung</button class="tagcolor"
style="color:mediumblue">>
  <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="btn-group"="tagcolor" style="color:mediumblue">>
    <button class="attributecolor" style="color:red"> type="attributevaluecolor"
style="color:mediumblue">="button" class="attributevaluecolor"
style="color:mediumblue">="btn btn-primary dropdown-toggle" data-
toggle="attributevaluecolor" style="color:mediumblue">="dropdown"="tagcolor"
style="color:mediumblue">>
      Sony
    </button class="tagcolor" style="color:mediumblue">>
    <div class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-menu"="tagcolor" style="color:mediumblue">>
      <a class="attributecolor" style="color:red"> class="attributevaluecolor"
style="color:mediumblue">="dropdown-item" href="attributevaluecolor"
style="color:mediumblue">="#"="tagcolor" style="color:mediumblue">>Tablet</a
class="tagcolor" style="color:mediumblue">>
```



```

        <a class="attribute" style="color:red" > class="attributevalue"
        style="color:mediumblue" >="dropdown-item" href="attributevalue"
        style="color:mediumblue" >="#"="tagcolor" style="color:mediumblue" >>Smartphone</a
        class="tagcolor" style="color:mediumblue" >>
    </div class="tagcolor" style="color:mediumblue" >>
</div class="tagcolor" style="color:mediumblue" >>
</div class="tagcolor" style="color:mediumblue" >>

```

Try it Yourself »

## Button Groups Side by Side

Button groups are "inline" by default, which makes them appear side by side when you have multiple groups:

Apple Samsung Sony BMW Mercedes Volvo

### Example

```

<div class="attribute" style="color:red" > class="attributevalue"
style="color:mediumblue" >="btn-group"="tagcolor" style="color:mediumblue" >>
    <button class="attribute" style="color:red" > type="attributevalue"
style="color:mediumblue" >="button" class="attributevalue"
style="color:mediumblue" >="btn btn-primary"="tagcolor"
style="color:mediumblue" >>Apple</button class="tagcolor"
style="color:mediumblue" >>
    <button class="attribute" style="color:red" > type="attributevalue"
style="color:mediumblue" >="button" class="attributevalue"
style="color:mediumblue" >="btn btn-primary"="tagcolor"
style="color:mediumblue" >>Samsung</button class="tagcolor"
style="color:mediumblue" >>

```

```
<button class="attribute" style="color:red" type="attributevalue" style="color:mediumblue">button class="attributevalue" style="color:mediumblue">btn btn-primary="tag" style="color:mediumblue">>Sony</button class="tag" style="color:mediumblue">>
</div class="tag" style="color:mediumblue">>

<div class="attribute" style="color:red" class="attributevalue" style="color:mediumblue">btn-group="tag" style="color:mediumblue">>
  <button class="attribute" style="color:red" type="attributevalue" style="color:mediumblue">button class="attributevalue" style="color:mediumblue">btn btn-primary="tag" style="color:mediumblue">>BMW</button class="tag" style="color:mediumblue">>
  <button class="attribute" style="color:red" type="attributevalue" style="color:mediumblue">button class="attributevalue" style="color:mediumblue">btn btn-primary="tag" style="color:mediumblue">>Mercedes</button class="tag" style="color:mediumblue">>
  <button class="attribute" style="color:red" type="attributevalue" style="color:mediumblue">button class="attributevalue" style="color:mediumblue">btn btn-primary="tag" style="color:mediumblue">>Volvo</button class="tag" style="color:mediumblue">>
</div class="tag" style="color:mediumblue">>
```

[Try it Yourself »](#)

[« Previous](#)

[Log in to track progress](#)

[Next »](#)

ADVERTISEMENT

ADVERTISEMENT



[SPACES](#)

[UPGRADE](#)

[NEWSLETTER](#)

[GET CERTIFIED](#)

[REPORT ERROR](#)

### Top Tutorials

[HTML Tutorial](#)  
[CSS Tutorial](#)  
[JavaScript Tutorial](#)  
[How To Tutorial](#)  
[SQL Tutorial](#)  
[Python Tutorial](#)  
[W3.CSS Tutorial](#)  
[Bootstrap Tutorial](#)  
[PHP Tutorial](#)  
[Java Tutorial](#)  
[C++ Tutorial](#)  
[jQuery Tutorial](#)

### Top References

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[Java Reference](#)  
[Angular Reference](#)  
[jQuery Reference](#)

### Top Examples

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)  
[PHP Examples](#)  
[Java Examples](#)  
[XML Examples](#)  
[jQuery Examples](#)

### Get Certified

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[Front End Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[PHP Certificate](#)  
[jQuery Certificate](#)  
[Java Certificate](#)  
[C++ Certificate](#)  
[C# Certificate](#)  
[XML Certificate](#)

[!\[\]\(125d701e9425b54c764340b5671b38cd\_img.jpg\)](#) [!\[\]\(34c5d6a15de5cee4fef2fa4252527f03\_img.jpg\)](#) [!\[\]\(5b11d5c5e33a434b0685002e20a1170c\_img.jpg\)](#) [!\[\]\(10f6aa8ae083baccdee37269dc116db7\_img.jpg\)](#) [FORUM](#) [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

[Copyright 1999-2023](#) by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).