In addition, all elements have margin-top: 0 and margin-bottom: 1rem (16px by default). <h1> - <h6> Bootstrap 4 styles HTML headings (<h1> to <h6>) with a bolder font-weight and an increased font-size: Example h1 Bootstrap heading (2.5rem = 40px) h2 Bootstrap heading (2rem = 32px) h3 Bootstrap heading (1.75rem = 28px) h4 Bootstrap heading (1.5rem = 24px) h5 Bootstrap heading (1.25rem = 20px) h6 Bootstrap heading (1rem = 16px) Try it Yourself » Display Headings Display headings are used to stand out more than normal headings (larger font-size and lighter font-weight), and there are four classes to choose from: .display-1, .display-2, .display-3, .display-4 Example

Bootstrap 4 Text/Typography

Bootstrap 4 uses a default font-size of 16px, and its line-height is 1.5.

The default font-family is "Helvetica Neue", Helvetica, Arial, sans-serif.

Bootstrap 4 Default Settings

(Previous

Display 1 Display 2 Display 3

Display 4

In Bootstrap 4 the HTML <small> element is used to create a lighter, secondary text in any heading:

ADVERTISEMENT

schools

Build your

career. Get

Full Access.

SAVE 770\$

Start today

Bootstrap 4 will style the HTML <mark> element with a yellow background color and some padding:

Lifelong access to all W3Schools courses and certifications!

Try it Yourself »

<small>

h1 heading secondary text h2 heading secondary text

h3 heading secondary text

h4 heading secondary text

h5 heading secondary text

h6 heading secondary text

Try it Yourself »

Example

Example Use the mark element to highlight text. Try it Yourself »

<mark>

Bootstrap 4 will style the HTML <abbr> element with a dotted border bottom: Example

<abbr>

Try it Yourself » Duckyround gradient

When \$enable-gradients is set to true, you'll be able to use .bg-gradient- utility classes. By default, \$enable-gradients is disabled and the example below is intentionally broken. This is done for easier customization from the moment you start using Bootstrap. Learn about

The WHO was founded in 1948.

our Sass options to enable these classes and more.

Duckground gradient When \$enable-gradients is set to true, you'll be able to use .bg-gradient- utility classes. By default, \$enable-gradients is disabled and the example below is intentionally broken. This is done for easier customization from the moment you start using Bootstrap. Learn about our Sass options to enable these classes and more.

.bg-gradient-light uispiay wne'n printing.

How it works

for various effects as you need.

Notation

Class

breakpoint abbreviation.

.font-weight-bold

.font-italic

.font-weight-bolder

.font-weight-light

As such, the classes are named using the format:

Change the value of the display property with our responsive display utility classes. We

Description

Bold text

Bolder text

Italic text

Light weight text

Lighter weight text

Makes a paragraph stand out

Indicates left-aligned text

Normal text

purposely support only a subset of all possible values for display. Classes can be combined

.bg-gradient-warning

.bg-gradient-light

.bg-gradient-warning

.font-weight-lighter .font-weight-normal .lead

.small

.text-left

.text-*-left

.text-break

.text-center

.text-right

.text-*-right

.text-justify

.text-monospace

.text-lowercase

.list-unstyled

Previous

.text-nowrap

.text-*-center

.text-decoration-none

Resets the color of a text or a link (inherits the color from its .text-reset parent) Indicates uppercased text .text-uppercase Indicates capitalized text .text-capitalize Displays the text inside an <abbr> element in a slightly smaller font .initialism

size

screens

Indicates justified text

Indicates no wrap text

Indicates lowercased text

Monospaced text

.list-inline Places all list items on a single line (used together with .listinline-item on each elements) Makes a element scrollable .pre-scrollable Complete Bootstrap 4 CSS Reference For a complete reference of all CSS classes available in Bootstrap 4, visit our <u>Bootstrap 4 All Classes Reference</u>.

Display utility classes that apply to all breakpoints, from xs to x1, have no breakpoint abbreviation in them. This is because those classes are applied from min-width: 0; and up, and thus are not bound by a media query. The remaining breakpoints, however, do include a

> Prevents long text from breaking layout Indicates center-aligned text Indicates center-aligned text on small, medium, large or xlarge Removes the underline from a link Indicates right-aligned text Indicates right-aligned text on small, medium, large or xlarge

Indicates smaller text (set to 80% of the size of the parent)

Indicates left-aligned text on small, medium, large or xlarge screens

Removes the default list-style and left margin on list items (works

children list items (to remove the default list-style from any nested

on both
and
). This class only applies to immediate

lists, apply this class to any nested lists as well)

Log in to track progress

Try it Try it Try it Try it Try it Try it Try it

> Try it Try it

Try it

Try it

Try it

Try it

Next >

Next >

Dack

De sp

Displ

Сору

Example

Try it

Try it