

Bootstrap 4 Icons

[< Previous](#)[Next >](#)

Bootstrap 4 Icons

Bootstrap 4 does not have its own icon library (Glyphicons from Bootstrap 3 are not supported in BS4). However, there are many free icon libraries to choose from, such as Font Awesome and Google Material Design Icons.

To use Font Awesome icons, add the following to your HTML page (No downloading or installation is required):

```
<link class="attribute" style="color:red" rel="attributevalue"
style="color:mediumblue">="stylesheet" href="attributevalue"
style="color:mediumblue">="https://use.fontawesome.com/releases/v5.7.0/css/all.cs
s" integrity="attributevalue" style="color:mediumblue">="sha384-
l2N37f5QGtY3VHgiss14W3ExzMWZxybElSJSEsQp9S+oqd12jhcu+A56Ebc1zFSJ"
crossorigin="attributevalue"
style="color:mediumblue">="anonymous"="tagcolor" style="color:mediumblue">>
```

Then, add the name of the icon class to any inline HTML element (like `<i>` or ``):

Example

```
<i class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="fas fa-cloud"="tag" style="color:mediumblue">></i
class="tag" style="color:mediumblue">>
<i class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="fas fa-coffee"="tag" style="color:mediumblue">>
</i class="tag" style="color:mediumblue">>
<i class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="fas fa-car"="tag" style="color:mediumblue">></i
class="tag" style="color:mediumblue">>
<i class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="fas fa-file"="tag" style="color:mediumblue">></i
class="tag" style="color:mediumblue">>
<i class="attribute" style="color:red"> class="attributevalue"
style="color:mediumblue">="fas fa-bars"="tag" style="color:mediumblue">></i
class="tag" style="color:mediumblue">>
```

Try It Yourself »

The list of all Font Awesome icons can be found here:
<https://www.w3schools.com/icons/default.asp>

◀ Previous

Log in to track progress

Next ▶

COLOR
PICKER



 Get Certified

[SPACES](#)[UPGRADE](#)[NEWSLETTER](#)[GET CERTIFIED](#)[REPORT ERROR](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#)[ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).

