

BELIMO

CRM Data Import

Construct Connect D365 Leads Import Tool (CRM_DataImport.xlsm)

USER MANUAL

Release 1.2

Prepared for Belimo internal staff – not for distribution.

Belimo U.S., Inc. | 33 Turner Road, Danbury, CT 06810

Questions? Use the Report a Bug or Give Feedback button on the Dashboard.

Contents

1. Introduction	4
1.1 The process at a glance	4
1.2 What's in this manual	4
2. Getting Started	6
2.1 What you need	6
2.2 Opening the file	6
2.3 The Dashboard	6
2.4 The About screen and updates	8
3. The Five Steps	9
3.1 Step 1 – Enter the date	9
3.2 Step 2 – Get FTP File	9
3.3 Step 3 – Import xml File	9
3.4 Step 4 – Convert xml File	10
3.5 Step 5 – Copy File – Folder	11
4. How the Data Is Mapped	12
4.1 Project category to Building Type	12
4.2 Field-by-field mapping	12
4.3 Duplicates and the ImportLog	14
5. The Workbook's Sheets	15
5.1 Utilities: Combine Files	15
6. The Output Workbook and E-mail	16
6.1 The import workbook	16
6.2 The e-mail	16
7. The Routine, as a Checklist	17
8. Messages and Troubleshooting	18
8.1 General problems	19

9. Data Handling	20
Appendix. Release History	21

1. Introduction

The CRM Data Import tool (the “tool”, file name CRM_DataImport.xlsm, titled *Construct Connect D365 Leads Import Tool* on its Dashboard) turns the project-lead data file that Construct Connect publishes for Belimo into a ready-to-import **Dynamics 365 (D365) lead workbook**. Construct Connect delivers new construction projects as XML files. Copying those projects into the CRM by hand – title, owner, contact, address, value, category and scope, for dozens of projects at a time – is slow and error-prone. The tool does it in five clicks: it downloads the file, reads it, maps every field to the CRM’s lead layout, skips projects it has already handled, and writes the import workbook.

Who this manual covers

The person who prepares the regular CRM lead import – typically once a week – and anyone who has to support them. No programming knowledge is needed; Section 7 is a one-page checklist for the routine job.

1.1 The process at a glance

Step	Button	What happens	Result
1	(date box)	You enter the date of the file you want (YYYYMMDD).	The date to download is set.
2	Get FTP File	Downloads the day’s U.S. and Canada ZIP files from Construct Connect over SFTP, unzips them and combines them into one XML file.	One combined XML file in C:\CRM_Download_Files
3	Import xml File	You pick the XML (or ZIP) file; its projects are read into the XML_Data sheet.	One row per project on XML_Data
4	Convert xml File	Maps each project to the CRM lead layout, skipping projects already imported.	Rows on the Lead sheet; ImportLog updated
5	Copy File – Folder	Saves the Lead sheet as the D365 import workbook and offers to e-mail it.	C:\CRM_Import_Files\CRM_Lead_D365_Import_date.xlsx

1.2 What’s in this manual

- Section 2 – What you need, opening the file and the Dashboard.
- Section 3 – The five steps in detail.
- Section 4 – How the data is mapped (project category, lead fields, duplicates).
- Section 5 – The workbook’s sheets, and the Combine Files utility.
- Section 6 – The output workbook and e-mail.

- Section 7 – The routine, as a checklist. Section 8 – Messages and troubleshooting. Section 9 – Data handling.
- Appendix – Release history.

2. Getting Started

2.1 What you need

Requirement	Details
Microsoft Excel for Windows	With macros enabled.
WinSCP	Installed in its default location: C:\Program Files (x86)\WinSCP\WinSCP.com. Used to fetch the files over SFTP (Step 2).
7-Zip	Installed in its default location: C:\Program Files\7-Zip\7z.exe. Used to unzip the downloads (Steps 2 and 3).
Network access	Outbound SFTP on port 2220 to Construct Connect's server (sftp.cmdintegration.com). Some company networks or VPNs block this port.
Folders	C:\CRM_Download_Files (created automatically) for downloads and C:\CRM_Import_Files for the finished workbook (the tool offers to create it).
Outlook (optional)	Used to prepare the e-mail in Step 5. If classic Outlook is not available, the tool falls back to sending the e-mail itself (Section 6.2).

The Construct Connect logins the tool needs are built into the workbook, so nothing has to be typed in. For that reason the file should be kept on Belimo PCs only and not forwarded outside the company.

2.2 Opening the file

Open CRM_DataImport.xlsm in Excel. It is built with macros: if Excel shows a yellow **Protected View** bar, click **Enable Editing**, and if it then shows a **Security Warning** bar, click **Enable Content**. (If the file came from e-mail or a download, right-click it in File Explorer, choose Properties, tick **Unblock** and click OK first.)

The workbook opens on the **Dashboard** and resets it: the status lights and messages are cleared, the date box is emptied, and the date to download is set to **yesterday** (in YYYYMMDD form), which is normally the file you want. You can leave the date box empty and go straight to Step 2, or type a different date (Section 3.1).

2.3 The Dashboard

The Dashboard is the only screen you normally use. Work down the five rows, top to bottom.



Figure 1 – The Dashboard: the date box and reset button, the four action buttons, and the message bar at the bottom.

Element	What it is for
Date box and Reset button	Type the file date here (Step 1). The round red Reset button clears the date, the message bar and all the status lights so you can start again.
Get FTP File	Downloads and combines the day's files (Step 2).
Import xml File	Reads a chosen XML or ZIP file into the tool (Step 3).
Convert xml File	Maps the projects to CRM leads (Step 4).
Copy File – Folder	Creates the D365 import workbook and offers to e-mail it (Step 5).
Status lights (right of each button)	A green check mark appears when that step finished successfully; a red X when it failed. Blank means it has not run.
Message bar (bottom, white)	Shows the result of the last step: a success message with the file name, or the error. Red text means an error.
Round blue (i) button (top right)	Opens the About screen: version, updates and this manual (Section 2.4).
Report a Bug or Give Feedback	Opens Belimo's bug and feedback form in your web browser.

The on-screen step numbers

The Dashboard's row labels read Step 1, Step 2, Step 3, Step 3 and Step 5 – the two middle rows are both labelled "Step 3" and there is no "Step 4". It is only the labelling: the order is always top to bottom, and this manual numbers the steps 1 to 5 by position.

2.4 The About screen and updates

Click the round blue **(i)** button at the top right of the Dashboard to open the About screen. It shows the tool’s name, its version and release date, the internal-use notice, a short description, and who maintains the tool. It also has three buttons and a Close button.



Figure 2 – The About screen.

Button	What it does
Check for Updates	Asks Belimo’s update source whether a newer release exists. If one does, you are told what is new and may choose to download it.
Download Fresh Copy	Downloads the current published release straight away, even if you are already up to date – useful if you think your copy is damaged.
Download User Manual	Saves the current published copy of this manual (a PDF) to a folder you choose. If none has been published yet, the tool tells you so.
Close	Closes the About screen.

Each time the workbook opens it also checks for a newer release in the background. When a new one is published it tells you once, and you can install it or carry on; the button does the same at any time. If an update is installed, you pick where the new copy is saved through a normal Windows **Save As** dialog – your current copy is never changed or deleted. If the update source cannot be reached (for example you are offline), the check does nothing and the tool works as normal. **Check the ImportLog after installing an update.** The ImportLog lives inside the workbook (Section 4.3), and a newly downloaded copy carries the ImportLog it was published with, not yours. Before you run Step 4 with a new copy, copy your old ImportLog sheet contents across, otherwise projects you already imported will look new.

3. The Five Steps

3.1 Step 1 – Enter the date

Construct Connect files are named by date. Type the date of the file you want in the white box in **YYYYMMDD** form – for example 20260922 for 22 September 2026 – and press **Enter**. The tool checks that you typed exactly eight digits forming a real date and then re-displays it in a friendlier form (2026/09/22). If it is not a valid date you are told so.

- If you leave the box empty, the tool uses yesterday's date, which was set when the workbook opened.
- If you have clicked Reset, the date is cleared: you must enter a date before Step 2 (otherwise the message bar says "Error – 'todaysDate' is blank.").

3.2 Step 2 – Get FTP File

Click **Get FTP File**. The tool connects to Construct Connect's SFTP server with WinSCP and downloads that date's two files:

File	Contents
1.4_DL_BelimoAircontrolsInc_XML_date.zip	United States projects
1.4_DL_BelimoAircontrols-CAN_XML_date.zip	Canada projects

It then unzips both with 7-Zip and joins them into one file, **1.4_DL_BelimoAircontrols_ALL_XML_date.xml**, in **C:\CRM_Download_Files**. The message bar reports "Success – Files for *date* downloaded" and, once combined, the name of the combined file and which regions it includes; the first light turns green.

- If only one of the two files exists yet (for example Canada has not been posted), the tool lists the missing file(s) and asks whether to continue with only the available one. Answer Yes to continue or No to cancel.
- For every run the tool also saves diagnostic files (a WinSCP log and a short summary) beside the downloads. If something fails, the message bar names the summary file; it explains the likely causes.
- The download can take a little while. Do not click other buttons until the message bar updates.

3.3 Step 3 – Import xml File

Click **Import xml File**. A file chooser opens in **C:\CRM_Download_Files**. Select the combined XML file from Step 2 (or any Construct Connect XML or ZIP file – for a ZIP the tool unzips it for you). The tool reads every project in the file into the **XML_Data** sheet, one row per project, with these columns:

Column	Field	Notes
A	ProjectID	Construct Connect's project number.
B	Title	Project name.
C	Stage	For example Schematic Design, Post Bid, Construction Underway.
D	DataSourceID	Country of origin (US or CAN).
E	Web Link	Link to the project in Construct Connect.
F	WorkType	For example New or Addition.
G, H	Valuation, Currency	Project value and its currency.
I	ParentCategory	The first of the ten categories the tool recognises (Section 4.1).
J	ScopeDetail	The project's scope text.
K–N	Owner_Name, Owner_Contact_Name, _Email, _Phone	The owner company and its first listed contact.
O	RAC_Name	The Belimo Regional Application Consultant assigned in Construct Connect.
P–T	AddressLine1, City, StateProvince, ZipPostalCode, CountryRegion	Project address. U.S. ZIP codes are padded to five digits (so a leading zero is kept); Canadian postal codes are kept as they are.

When it finishes you are told “Construct Connect XML data successfully imported!” and the second light turns green. Importing again replaces the contents of XML_Data.

3.4 Step 4 – Convert xml File

Click **Convert xml File**. The tool works down XML_Data and, for each project, first checks the **ImportLog** sheet: a project whose ProjectID is already logged was imported on an earlier run and is **skipped**, so the same lead never goes into the CRM twice. New projects are added to the ImportLog with today's date and mapped onto the **Lead** sheet according to the rules in Section 4.

When done, a box reports, for example, “Of the 52 records in the XML_Data, 3 were duplicates”, and the third light turns green. The Lead sheet is cleared and rebuilt each time you run this step, so it always contains only the leads from the current run.

Do not run Step 4 twice for the same file

The first run logs every new project in the ImportLog. If you run Step 4 again on the same data, all of those projects are now “duplicates”, so the Lead sheet comes out empty and there is nothing to import. If that happens by accident, re-run Steps 3 to 5 from the original file only after asking for the ImportLog entries to be removed.

3.5 Step 5 – Copy File – Folder

Click **Copy File – Folder**. The tool takes what is on the Lead sheet and creates the import workbook:

1. If C:\CRM_Import_Files does not exist, you are asked whether to create it. Answer Yes (answering No stops the step).
2. A new workbook is created and saved as C:\CRM_Import_Files\CRM_Lead_D365_Import_YYYY-MM-DD.xlsx (today's date), containing the Lead sheet with its formatting and drop-down lists (the lists are kept on a hidden sheet inside the file).
3. You are told "Sheet copied successfully ... The workbook has been saved and closed." and the fourth light turns green.
4. You are asked "**Do you want to email the file?**" – see Section 6.2.
5. The lead counts per Regional Application Consultant on the Counts sheet are refreshed.

If the Lead sheet is empty (there were no new leads), no file is created. You see "No new leads were found..." and can still send a short notification e-mail saying there were no new leads that week.

4. How the Data Is Mapped

4.1 Project category to Building Type

Construct Connect files each project under a parent category. The tool recognises ten of them and translates each into the CRM's Building Type; anything else becomes "Other".

Construct Connect category	CRM Building Type
COMMERCIAL	Mixed Use Buildings
COMMUNITY	Entertainment and Leisure
EDUCATIONAL	Education Other
GENERAL	Other
GOVERNMENT	Government
INDUSTRIAL	Manufacturing
MEDICAL	Health
MILITARY	Government
RESIDENTIAL	Other
RETAIL	Retail

4.2 Field-by-field mapping

The **Columns** sheet in the workbook is a one-page map of this; Figure 2 shows it. Column letters refer to the XML_Data sheet (left) and the Lead sheet (right).

<u>XML</u>			<u>Lead</u>		
Project ID	A	1	Maps to	Description	K 11 1/2
Title	B	2		Topic	D 4
Stage	C	3		- Null -	
DataSourceID	D	4		- Null -	
Web Link	E	5		Website	O 15
Work Type	F	6		- Null -	
Valuation	G	7		Budget Amount	L 12
Currency	H	8		Currency Code	M 13
ParentCategory	I	9		Building Type	H 8
ScopeDetail	J	10		Description	K 11 2/2
Owner Name	K	11		Company Name	F 6
Owner_Contact_Name	L	12		First Name / Last Name	Q / R 17 18
Owner_Contact_Email	M	13		Email	T 20
Owner_Contact_Phone	N	14		Mobile Phone	S 19
RAC_Name	O	15		Owner	P 16
AddressLine1	P	16		Street 1	U 21
City	Q	17		City	W 23
StateProvince	R	18		Region	Y 25
ZipPostalCode	S	19		Postal Code	V 22
CountryRegion	T	20		Country	X 24

Figure 3 – The Columns sheet: XML_Data column → Lead column.

Lead column	Filled with
D Topic	The project Title.
E Lead type	Always “Building”.
F Company Name	The owner company (Owner_Name).
G Building name	A building name picked out of the Title when it contains a name followed by a word such as Tower, Plaza, Center, Hall, Building, Complex, Mall, Arena, University, School, Hospital, Stadium, Headquarters or Courthouse; otherwise “No Building Found”.
H Building Type	From the category table above.
I Status Reason	Always “New”.
J Rating	Always “Warm”.
K Description	“Project ID: ”, the ProjectID, then the ScopeDetail text, cut off at 1,985 characters.
L, M Budget Amount, Currency Code	The project Valuation and its currency.
N Lead Source	Always “External Referral”.
O Website	The Web Link back to Construct Connect.
P Owner	The RAC name, turned around from “First Last” to “Last First” (the CRM’s user format).
Q, R First Name, Last Name	The owner contact’s name, split at the first space (a single name goes in First Name).

Lead column	Filled with
S, T Mobile Phone, Email	The owner contact's phone and e-mail.
U, V, W Street 1, Postal Code, City	The project address.
X Country	The country in title case (for example "United States").
Y Region	The full state or province name, converted from its two-letter code.

The three leading "(Do Not Modify)" columns (A–C) keep the layout of a D365 lead export and are left alone.

4.3 Duplicates and the ImportLog

The **ImportLog** sheet is the tool's memory: each ProjectID it has ever mapped, with the date it was downloaded. It is checked first for every project (Section 3.4). It holds up to 10,000 rows across three column pairs. Do not delete or sort it – clearing it makes old projects look new again and they would be imported a second time.

5. The Workbook's Sheets

Sheet	What it contains
Dashboard	The five-step control screen (Section 2.3). Cell A1 holds the date to download; A2 holds the current step's result. Not for editing.
XML_Data	The projects read from the XML file (Step 3), one row each.
ImportLog	Every ProjectID already imported, with the date (Section 4.3).
Cross	Reference only: a chart linking each Construct Connect ("Insights") category to a D365 building type (Section 4.1), and flow charts of how the steps work.
hiddenSheet	The lists behind the Lead sheet's drop-downs: Lead type (Account, Building), Building Type, Status Reason, Rating and Lead Source. (Visible in the tab bar despite its name.)
Lead	The mapped leads in the D365 layout (Step 4). Copied to the import workbook in Step 5.
Columns	The one-page mapping map (Section 4.2).
Utilities	The Combine Files tool (below).
Counts	The number of leads per Regional Application Consultant on the Lead sheet, refreshed in Step 5.

5.1 Utilities: Combine Files

Normally Step 2 combines the U.S. and Canada files for you. The **Combine Files** button on the Utilities sheet is a stand-alone helper for the case where you have several separate XML files (for example several Canadian files) and want them merged into a single XML file to import in Step 3: click it, select the XML files to combine (the first file chosen is the base), and choose the name and place of the merged file.




Figure 4 – The Utilities sheet.

6. The Output Workbook and E-mail

6.1 The import workbook

The file CRM_Lead_D365_Import_YYYY-MM-DD.xlsx in C:\CRM_Import_Files has one visible sheet, **Lead**, in the layout the D365 import expects: 25 columns from the three leading “(Do Not Modify)” columns to Region, with drop-downs for Lead type, Building Type, Status Reason, Rating and Lead Source. Review it before it goes any further: check that the Owner (RAC) names look right, that building types are sensible, and that no row is missing its Topic. The CRM administrator loads this file into Dynamics 365. The tool does not connect to the CRM itself.

6.2 The e-mail

After the file is saved you are asked “**Do you want to email the file?**”. Yes prepares a message with the subject *CRM Lead D365 Import Workbook – date* and the file attached, addressed to the CRM administrator with copies to two colleagues (the recipients are set inside the tool). Two ways of sending are tried, in order:

- **Classic Outlook.** The message opens as a draft in Outlook for you to check and send.
- **Automatic send.** If classic Outlook is not available (for example the “New Outlook” is installed), the tool sends the message itself through Microsoft 365 mail and tells you “Email sent via SMTP (fallback).” If that also fails you see “Unable to send email via Outlook or SMTP.” – send the file manually from C:\CRM_Import_Files.

Answering No shows “Email operation cancelled.” The file is still saved. When there were no new leads, the same prompt offers a short notification e-mail with no attachment (“There were no new Leads in this week’s CRM download.”).

7. The Routine, as a Checklist

1. Open CRM_DataImport.xlsm and enable macros. Check that the Dashboard is clear.
2. Type the file date (YYYYMMDD) and press Enter – or leave it empty to use yesterday.
3. Click **Get FTP File**. Wait for the green check and the “Combined XML created” message. If a file is missing, decide whether to continue.
4. Click **Import xml File** and choose the combined XML file (1.4_DL_BelimoAircontrols_ALL_XML_date.xml).
5. Click **Convert xml File**. Note the number of duplicates reported.
6. Look at the Lead sheet: does it have the leads you expect?
7. Click **Copy File – Folder**, create the folder if asked, and answer Yes to e-mail the file (or send it yourself).
8. Close the workbook. Do **not** save changes you did not intend – but do save after a run so the ImportLog keeps its new entries.

Saving matters

The ImportLog is stored in the workbook. If you close without saving after Step 4, the projects you just processed are forgotten and will show up as new leads next time. Save the workbook after a successful run.

8. Messages and Troubleshooting

You see...	What it means and what to do
"Error – 'todaysDate' is blank."	The date was cleared (Reset). Enter a date and press Enter (Section 3.1).
"Please enter a valid 8-digit date in the format YYYYMMDD." / "The entered date is not valid."	The date box needs exactly eight digits forming a real date, for example 20260922.
"Error – WinSCP.com not found: ..."	WinSCP is not installed in its standard location. Install WinSCP (Section 2.1) or ask for support.
"SFTP error – see diagnostic file: ..."	The download failed. Open the named diagnostic file: it lists the exit code and likely causes – the dated file has not been posted yet, the login was rejected, the network blocks port 2220, or Construct Connect changed its server settings.
"The following XML file(s) are missing... continue using ONLY the available file(s)?"	One region's file was not downloaded or unzipped. Yes continues with the other; No cancels.
"Error extracting US XML / CAN XML from ZIP"	7-Zip could not unzip the file. Check that 7-Zip is installed (Section 2.1) and that the ZIP downloaded completely; run Step 2 again.
"XML combine cancelled", "Error loading US XML", "XML root mismatch"	The XML files could not be read or do not belong together. Download again; if it repeats, the file format may have changed – report it.
"7-Zip executable not found at: ..."	Import needs 7-Zip to open a ZIP file. Install it, or select an already-unzipped XML file.
"No file selected. Operation canceled." / "The selected file is neither an XML nor a ZIP file."	Pick a .xml or .zip file from C:\CRM_Download_Files.
"Extracted file not found or not an XML file."	The ZIP did not contain the expected XML. Try Step 2 again or unzip it yourself and pick the XML.
"Failed to load XML file" / "No root node found in the XML file."	The XML is damaged or incomplete. Download it again.
"Of the N records in the XML_Data, S were duplicates"	Information. S projects were already in the ImportLog and were skipped. If S equals N, everything was imported before and the Lead sheet is empty.
"No table found in the Lead worksheet."	The Lead sheet's table has been deleted. Restore it from a clean copy of the tool.
"No new leads were found in the 'Lead' sheet"	Step 4 produced no leads (all duplicates, or an empty file). No import file is created; you may send the "no new leads" e-mail.
"Destination folder ... does not exist. Would you like to create it?"	Answer Yes to create C:\CRM_Import_Files.
"An error occurred in ..." (with an error number)	Note the number and text and report it with the Feedback button. Close and reopen the workbook before trying again.
A red X beside a button	That step failed – read the message bar. Fix the cause and click the button again.

8.1 General problems

Symptom	Likely cause and fix
Buttons do nothing.	Macros are disabled. Click Enable Editing / Enable Content (Section 2.2).
Get FTP File hangs or fails at once.	Not on the Belimo network, or SFTP port 2220 is blocked. Connect to the network or VPN that allows it and try again.
The file for yesterday is not there.	Construct Connect has not posted it yet. Try later, or enter an earlier date.
Old projects appear as new leads.	The ImportLog was cleared or the workbook was closed without saving after a previous run (Section 7).
The e-mail did not open in Outlook.	Classic Outlook is not installed; the tool tries the automatic send instead. If it fails, send the saved file manually.
A lead has “No Building Found”.	The Title has no recognisable building name. Edit the building name in the import workbook if you want one.

9. Data Handling

- The downloaded and generated files contain **personal data** – owners' contact names, e-mail addresses and telephone numbers. Handle them as you would any customer data, send them only to the CRM administrator, and do not share them outside Belimo.
- Files accumulate in C:\CRM_Download_Files (ZIP, XML, WinSCP logs and diagnostics) and C:\CRM_Import_Files. Delete old ones after the import has been confirmed, in line with Belimo's data-retention practice.
- The Construct Connect logins are stored inside the workbook. Keep the file on Belimo PCs and do not e-mail it. Do not copy the ImportLog or Lead sheets into shared files.
- The tool checks Belimo's update source when it opens and from the About screen. Nothing about your leads is sent – only the published version number is read.

Appendix. Release History

Release	Date	Changes
1.2	2026-09-24	Added the standard admin keys used in every Belimo tool: F12 asks for the admin password and then shows and unprotects every sheet; F11 puts every sheet back exactly as it was. One password now protects every sheet in every tool. These keys are for maintainers and do not change how you use the tool. Corrected the update source so Check for Updates looks in the right place. When a newer release is published, the tool now tells you when you open it, once for each new version (Yes installs it, No carries on). Check for Updates on the About screen is always available.
1.1	2026-09-23	Added automatic update checking through Belimo's update source, a standard About screen (opened from the round (i) button on the Dashboard) with Check for Updates, Download Fresh Copy and Download User Manual buttons, and this manual. The file now has a fixed name, CRM_DataImport.xlsm; the version is shown on the About screen instead of in the file name.
1.0	September 2026	The tool was renamed CRM_DataImport_V1.0 (it was previously the xml_DataImport V7.x–V8.x series, kept in the Archives folder). SFTP download with WinSCP, combined U.S. and Canada file, XML import, mapping to the D365 lead layout with duplicate protection, and the import workbook with an e-mail step.