



A `TeXMACS` plugin for running `GHCi` sessions.

1 Installing

1.1 From release files

The release archives contain statically linked files, which makes it possible to interact with different versions of `GHCi`.

To install, uncompress the archive for your OS at `$TEXMACS_PATH/plugins/` (usually `/usr/share/TeXmacs/plugins/` in `LINUX`, `<TeXmacs_install_dir>\plugins\` in `WINDOWS`) or `$TEXMACS_HOME_PATH/plugins/` (`$HOME/.TeXmacs/plugins/` in `LINUX`, `%UserProfile%\AppData\Roaming\TeXmacs\plugins\` in `WINDOWS`.)

`ghci` needs to be in your `PATH` for the plugin to work.

The plugin is comparatively simple, as its job is mostly forwarding input and output. The resulting interaction and evaluation facilities are all `TeXMACS`'s.

1.2 Building and installing from source

Building the plugin requires a `bash`-style shell and a `HASKELL` distribution (GHC 9.10.3 or later.) In `WINDOWS`, this means installing `HASKELL` through `ghcup` and setting up an `MSys2` directory, then installing the development packages so that `make`, `strip` and other required utilities will be available. `git` is also required for cloning the repository, which is our first step:

```
git clone https://github.com/cubofjudahslion/tm-ghci
```

This will create a folder named `tm-ghci` right under your current one. To install just write

```
cd tm-ghci/ghci
make deploy
```

Which takes care of compiling and installing the plug-in in the appropriate directory (`$TEXMACS_HOME_PATH/plugins`.)

2 Features and Limitations

`tm-ghci` is *alpha*-stage software. It's only been tested in `WINDOWS 10` and `ARCH LINUX`. I don't own a `MACOS` system, so I'm unable to provide the respective version.

Presently, it's able to run a vanilla `ghci` session, i.e., without project dependencies autoloading (as `stack repl` or `cabal repl` would do.)

3 Licensing

`tm-ghci` is distributed under the [GPL-3](#) license.

4 AI Policy

Research has shown that overreliance on [AI causes cognitive deterioration](#) — all while [failing to improve productivity](#) in a perceivably meaningful way, and it's certainly not helping [code quality](#), [technical debt](#) or — one would think this would tip the scales — [finances](#). This project is thus AI-free for the benefit of both the user and the author.

5 Issues

Use the [issues page](#) to report erroneous behavior. Please include platform data (i.e., OS/distribution, hardware), a clear description of the error condition, and the steps required to reproduce it.

6 Thanks to

- *The TEX_{MACS} developers* for giving us such a magnificent tool.
- *Massimiliano Gubinelli* for setting me straight on the help file mechanism for plug-ins.