Power Distribution System for a CubeSat

Presented by :

Ansaf Niyaz | TRV19EE016 Govind Murali | TRV19EE025 Jijesh J. Kumar | TRV19EE029 Naveen A.B. | TRV19EE038

GEC Barton Hill, Thiruvananthapuram

November 7, 2022

Contents

- 1. Objectives
- 2. Project Outline
- 3. System Archeticture
- 4. Methodology
- 5. Requirements

Objective

To design and implement a fully autonomous power generation, storage and distribution system for a CubeSat

Project Outline

CubeSat:

- Dimensions-10x10x10 cm
- Weight-2 kg.

solarRooftopGov.png

solarRooftopGov.png

Project Outline (Contd.)

Electrical Power System (EPS):

- Harvests energy from the solar panels.
- Manages power storage and distribution.
- Redundant architecture.

System Architecture

Block Diagram

Methodology

- Identifying the power requirements.
- Forming Specifications.
- Architecture design and topology selection.
- Design and simulation.
- Procurement of components
- Frabication and testing.

Requirements

Equipments Requirements

- SMD Soldering Station
- DSO
- Power Supply, Function Generator

Software Requirements

- MATLAB/Spice
- KiCad
- STM32 CubeIDE

References I

[1] Moraes, Caio Guilherme da Silva and Brockveld, Sergio Luis and Heldwein, Marcelo Lobo and Franca, André Stanzani and Vaccari, Anderson Silva and Waltrich, Gierri (2021) Power Conversion Technologies for a Hybrid Energy Storage System in Diesel-Electric Locomotives

IEEE Transactions on Industrial Electronics vol. 68, no. 10, pp. 9081-9091.

- [2] Spiryagin, Maksym (2014)
 Ground Vehicle Engineering: Design and Simulation of Rail Vehicles
 CRC Press.
- [3] T. Letrouve, W. Lhomme, J. Pouget, and A. Bouscayrol (2014) Different hybridization rate of a diesel-electric locomotive *IEEE Vehicle Power Propulsion Conference* pp. 1-6.

References II

- [4] Y. Sun, C. Cole, M. Spiryagin, T. Godber, S. Hames, and M. Rasul (2015) Conceptual designs of hybrid locomotives for application as heavy haul trains on typical track lines,
 - Proceedings of the Institution of Mechanical Engineers Part F Journal of Rail and Rapid Transit, vol. 227, no. 5, pp. 439–452.
- [5] F. Deng, X. Zhang, X. Li, T. Lei, and T. Wang (2018)
 - Decoupling control strategy for input-series output-parallel systems based on dual active bridge dc-dc converters
 - 9th IEEE International Symposium on Power Electronics Distribution Generation System, pp. 1–8.

References III

[6] Government Of India, Ministry of Railways (2021)

Technical specification for traction alternators with auxiliary machines and their sub-assemblies used in broad gauge diesel electric ALCO locomotives

*Research, Design & Standards Organization; Manak Nagar, Lucknow.