

```
nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (main)
$ git branch homework8

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (main)
$ git branch
  homework6
  homework7
  homework8
* main

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (main)
$ ls
homework1  homework3  homework5
homework2  homework4  homework7

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (main)
$ git branch homework6
fatal: a branch named 'homework6' already exists

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (main)
$ git checkout homework6
Switched to branch 'homework6'

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework6)
$ ls
homework6  homework7

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework6)
$ cd homework6

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel/homework6 (homework6)
$ ls
homework6.ipynb  hw6_branch.png

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel/homework6 (homework6)
$ git checkout homework8
Switched to branch 'homework8'

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel/homework6 (homework8)
$ ls

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel/homework6 (homework8)
$ cd ..

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ ls
homework1  homework3  homework5  homework7
homework2  homework4  homework6

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ rm -rf *

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ ls

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
```

```
ns1fu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git status
On branch homework8
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    homework1/homework1.py
    deleted:    homework1/homework1_folder.png
    deleted:    homework1/hw1_commandline.png
    deleted:    homework1/hw1_pwd_and_ls.png
    deleted:    homework1/hw1_vscode.png
    deleted:    homework2/homework2.py
    deleted:    homework2/hw2_changes.png
    deleted:    homework2/hw2_clone.png
    deleted:    homework2/hw2_commandline.png
    deleted:    homework2/hw2_vscode.png
    deleted:    homework3/average_vowels.py
    deleted:    homework3/homework3.py
    deleted:    homework3/hw3_Average_vowels.png
    deleted:    homework3/hw3_changes.png
    deleted:    homework3/hw3_commandline.png
    deleted:    homework3/hw3_pull.png
    deleted:    homework3/hw3_vscode.png
    deleted:    homework4/homework4.py
    deleted:    homework4/hw4_branch.png
    deleted:    homework4/hw4_changes.png
    deleted:    homework4/hw4_commandline.png
    deleted:    homework4/hw4_surprise.png
    deleted:    homework4/hw4_vscode.png
    deleted:    homework4/surprise.py
    deleted:    homework5/brainstorm.txt
    deleted:    homework5/homework5.py
    deleted:    homework5/hw5_commandline.png
    deleted:    homework5/hw5_my_tree.png
    deleted:    homework5/hw5_vscode.png
```

no changes added to commit (use "git add" and/or "git commit -a")

```
ns1fu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ ls
```

```
ns1fu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git barnch
git: 'barnch' is not a git command. See 'git --help'.
```

The most similar command is  
branch

```
ns1fu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git branch
  homework6
  homework7
* homework8
  main
```

```
ns1fu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ ls
```

```

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git commit -m "emptying homework8 branch"
On branch homework8
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    homework1/homework1.py
        deleted:    homework1/homework1_folder.png
        deleted:    homework1/hw1_commandline.png
        deleted:    homework1/hw1_pwd_and_ls.png
        deleted:    homework1/hw1_vscode.png
        deleted:    homework2/homework2.py
        deleted:    homework2/hw2_changes.png
        deleted:    homework2/hw2_clone.png
        deleted:    homework2/hw2_commandline.png
        deleted:    homework2/hw2_vscode.png
        deleted:    homework3/average_vowels.py
        deleted:    homework3/homework3.py
        deleted:    homework3/hw3_average_vowels.png
        deleted:    homework3/hw3_changes.png
        deleted:    homework3/hw3_commandline.png
        deleted:    homework3/hw3_pull.png
        deleted:    homework3/hw3_vscode.png
        deleted:    homework4/homework4.py
        deleted:    homework4/hw4_branch.png
        deleted:    homework4/hw4_changes.png
        deleted:    homework4/hw4_commandline.png
        deleted:    homework4/hw4_surprise.png
        deleted:    homework4/hw4_vscode.png
        deleted:    homework4/surprise.py
        deleted:    homework5/brainstorm.txt
        deleted:    homework5/homework5.py
        deleted:    homework5/hw5_commandline.png
        deleted:    homework5/hw5_my_tree.png
        deleted:    homework5/hw5_vscode.png

```

```

no changes added to commit (use "git add" and/or "git commit -a")

```

```

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git add .

```

```

nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git commit -m "emptying homework8 branch"
[homework8 412cfd5] emptying homework8 branch
29 files changed, 946 deletions(-)
delete mode 100644 homework1/homework1.py
delete mode 100644 homework1/homework1_folder.png
delete mode 100644 homework1/hw1_commandline.png
delete mode 100644 homework1/hw1_pwd_and_ls.png
delete mode 100644 homework1/hw1_vscode.png
delete mode 100644 homework2/homework2.py
delete mode 100644 homework2/hw2_changes.png
delete mode 100644 homework2/hw2_clone.png
delete mode 100644 homework2/hw2_commandline.png
delete mode 100644 homework2/hw2_vscode.png
delete mode 100644 homework3/average_vowels.py
delete mode 100644 homework3/homework3.py
delete mode 100644 homework3/hw3_average_vowels.png
delete mode 100644 homework3/hw3_changes.png
delete mode 100644 homework3/hw3_commandline.png
delete mode 100644 homework3/hw3_pull.png
delete mode 100644 homework3/hw3_vscode.png
delete mode 100644 homework4/homework4.py
delete mode 100644 homework4/hw4_branch.png
delete mode 100644 homework4/hw4_changes.png
delete mode 100644 homework4/hw4_commandline.png
delete mode 100644 homework4/hw4_surprise.png
delete mode 100644 homework4/hw4_vscode.png
delete mode 100644 homework4/surprise.py
delete mode 100644 homework5/brainstorm.txt
delete mode 100644 homework5/homework5.py
delete mode 100644 homework5/hw5_commandline.png
delete mode 100644 homework5/hw5_my_tree.png
delete mode 100644 homework5/hw5_vscode.png

```

```
nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git push origin homework8
Enter passphrase for key '/c/Users/nsifu/.ssh/id_ed25519':
Enter passphrase for key '/c/Users/nsifu/.ssh/id_ed25519':
Enter passphrase for key '/c/Users/nsifu/.ssh/id_ed25519':
git@github.com: Permission denied (publickey).
fatal: Could not read from remote repository.
```

Please make sure you have the correct access rights  
and the repository exists.

```
nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$ git push origin homework8
Enter passphrase for key '/c/Users/nsifu/.ssh/id_ed25519':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 210 bytes | 210.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'homework8' on GitHub by visiting:
remote:      https://github.com/Cubic-Immunity/Nathaniel/pull/new/homework8
remote:
To github.com:Cubic-Immunity/Nathaniel.git
 * [new branch]      homework8 -> homework8
```

```
nsifu@LAPTOP MINGW64 ~/python_decal_fa25/Nathaniel (homework8)
$
```