ATCC medium: 1527 PY-glucose (ATCC medium 1524) with 10 g glucose per liter of medium

ATCC Medium 1524:

Peptone, Bacto (BD 211677)	5.0 g
Trypticase Peptone (BD 211921)	5.0 g
Yeast extract	10.0 g
0.025% Resazurin, aqueous	4.0 ml
Salt Solution (see below)	40.0 ml
Hemin Solution (see below)	10.0 ml
Vitamin K1 Solution (see below)	0.2 ml
L-Cysteine . HCl	0.5 g
Distilled water	950.0 ml

Adjust medium for a final pH of 7.0. Mix all ingredients except cysteine and bring to boil under 80% N_2, 10% H_2, 10% CO_2. Add cysteine and re-adjust pH, if necessary. Tube medium anaerobically using Hungate methods and the same gas phase. Autoclave at 121C for 15 minutes.

Salt Solution:

$CaCl_2$	0.2 g
$MgSO_4$	0.2 g
K_2HPO_4	1.0 g
KH_2PO_4	1.0 g
$NaHCO_3$	10.0 g
NaCl	2.0 g
Distilled water	1.0 L

Mix $CaCl_2$ and $MgSO_4$ in 300.0 ml distilled water until dissolved. Add 500.0 ml water and the remaining salts while swirling slowly. Add 200.0 ml distilled water and mix. Store at 4C.

Hemin Solution:

Hemin	50.0 mg
N NaOH	1.0 ml
Distilled water to	100.0 ml

Suspend hemin in NaOH; then add water. Autoclave at 121C for 15 minutes.

Vitamin K1 Solution:

Vitamin K1	0.15 ml
95% Ethanol	30.0 ml

Store in brown bottle at 4C. Discard after 1 month.