1148: TINDALLIA MEDIUM

NaCl	30.00	g
KCl	0.20	g
K_2HPO_4	0.20	g
$MgCl_2$ x 6 H_2O	0.10	g
NH_4Cl	1.00	g
Yeast extract	0.50	g
Peptone	5.00	g
Trace element solution (mg per 200 ml)	1.00	ml
Resazurin	1.00	mg
Distilled water	1000.00	ml

1. Prepare the medium omitting Na_2CO_3, $NaHCO_3$, Na_2S x 9 H_2O, and Vitamin solution.
2. Boil the medium and cool under nitrogen, add Na_2CO_3 and $NaHCO_3$.

$NaHCO_3$	24.00	g
Na_2CO_3	2.76	g

3. Adjust pH to 9.5-10.0 with 10M KOH.
4. Dispense into tubes or bottle fitted with rubber stoppers.
5. Autoclave at 121 °C for 15 min.
6. Add Na_2S x 9 H_2O (neutralized) and Vitamin solution from sterile stock solutions

Na_2S x 9 H_2O (from neutralized stock solution)	0.40	g
Wolin's vitamin solution	2.00	ml

Trace element solution (mg per 200 ml)

$MnCl_2$ x 4 H_2O	720.00	mg
$Fe(NH_4)_2(SO_4)_2$ x 12 H_2O	400.00	mg
$FeSO_4$ x 7 H_2O	200.00	mg
$CoCl_2$ x 6 H_2O	200.00	mg
$ZnSO_4$ x 7 H_2O	200.00	mg
Na_2MoO_4 x 2 H_2O	20.00	mg
$NiCl_2$	100.00	mg
$CuSO_4$ x 5 H_2O	20.00	mg
$AlK(SO_4)_2$ x 12 H_2O	20.00	mg
H_3BO_3	20.00	mg
HCl (concentrated)	5.00	ml
Distilled water	200.00	ml

© 2023 DSMZ - All rights reserved

1148: TINDALLIA MEDIUM

Wolin's vitamin solution (from medium 141)

Biotin	2.00	mg
Folic acid	2.00	mg
Pyridoxine hydrochloride	10.00	mg
Thiamine HCl	5.00	mg
Riboflavin	5.00	mg
Nicotinic acid	5.00	mg
Calcium D-(+)-pantothenate	5.00	mg
Vitamin B_{12}	0.10	mg
p-Aminobenzoic acid	5.00	mg
(DL)-alpha-Lipoic acid	5.00	mg
Distilled water	1000.00	ml

© 2023 DSMZ - All rights reserved