

STATUS

Everything built, everything not built, and every item raised in this chat with its state.

Nothing below is aspirational. If it says BUILT, it runs in one of the four demos.

Repo: 3,557 lines across 39 JS files, 4 SQL files, 43 tables, 14 packages, 48 HTTP endpoints. Verified by: `npm run demo`, `demo:device`, `demo:modular`, `demo:surfaces` — all four pass.

PART 1 — WHAT IS BUILT

Kernel (`src/kernel/` , `db/*.sql`)

#	Thing	File	Proven by
1	Core contracts — ULID/uuid ids, request/result envelopes, frozen vocabulary	<code>db/001 + executor.js</code>	all demos
2	Identity & tenancy — person global, membership per business, <code>business_id</code> stamped by kernel	<code>db/001 , platform.js</code>	demo
3	Permissions — grants not roles, auto/ask/never, membership grant beats role grant, explicit never wins	<code>policy.js</code>	demo
4	Canonical business data — business, location, <code>business_fact</code> , <code>regular_hours</code> , <code>temporary_hours</code>	<code>db/001 , canonical.js</code>	demo
5	No-per-channel-columns rule — what a channel shows is an observation, never a column	<code>canonical.js</code>	demo-device
6	Sources & reconciliation — observation table, 9-tier authority rank, <code>drift()</code>	<code>canonical.js</code>	demo-device
7	<code>channel_sync_state</code> — per app per key, in-sync or drifted	<code>db/002 , channels.js</code>	demo-device

8	Capability registry — the only way anything executes	policy.js	all demos
9	Safety loop — request → plan → route → approval → execute → verify → receipt	executor.js	demo
10	Approval state — sensitive capability parks in <code>awaiting_approval</code> , writes an approval row	executor.js	demo
11	Verification — four states; no verifier means the receipt says <code>unknown</code> , never success	executor.js	demo
12	Receipt ledger — hash-chained per business, <code>verifyChain</code> catches edits	ledger.js	demo
13	Event outbox — transactional, subscribers, <code>drain()</code>	events.js	demo
14	Package registry + manifest validator	registry.js	demo
15	Installer — JSON schema → real DDL, <code>business_id</code> + RLS-ready, <code>uninstall</code> revokes reach not data	installer.js	demo
16	Gateway — the only data path a module gets, scoped to one package + one business	gateway.js	demo
17	Projection — public profile assembled from installed apps only	projection.js	demo
18	Workspace — cloud Android + container, per business, persistent volumes	workspace.js	demo-device
19	Device apps — install on the business's own device, logged in as the business	workspace.js	demo-device
20	AppMaps — <code>carries[]</code> + write/read step routes, per package version	db/002 , channels.js	demo-device
21	Fan-out — one canonical change drives every app that carries that key. Nobody names Facebook	fanout.js	demo-device
22	Verification by screen read — replays read steps, records channel's own observation	channels.js	demo-device
23	Repair queue — map mismatch stops the run, captures failing step + screenshot, does not guess	channels.js	demo-device

24	Device session — live view/control against the same instance automations drive	<code>workspace.js</code>	demo-device
25	Shared automations — publish once, install by key, author publishes v1.1 and everyone gets it	<code>automation.js</code>	demo-device
26	Provider slots — 6 declared, contract checked at load	<code>providers.js</code>	demo-modular
27	Provider swap — business binding shadows platform default, one row	<code>providers.js</code>	demo-modular
28	Model router — scores across providers, falls back, records the decision	<code>router.js</code>	demo-modular
29	Harness runner — offered only the actor's reach, cannot widen it	<code>harness.js</code>	demo-modular
30	Scripts-edit / models-read — <code>agentSafe:false</code> on device writes	<code>channels.js</code> , <code>harness.js</code>	demo-modular
31	Builder — intent → manifest → preview → approve → signed package → installed	<code>builder.js</code>	demo-modular
32	Generated modules — a schema gets create/list/update/remove + renderer with real verifiers	<code>generated.js</code>	demo-modular
33	Package signing + trust tiers, signature covers manifest hash	<code>signing.js</code>	demo-modular
34	Import pipeline — 11 gates, rejects record which step and why	<code>importer.js</code>	demo-modular
35	Two MCP surfaces — public (no credential) and private (token → membership → grants)	<code>mcp.js</code>	demo-surfaces
36	Access tokens — hashed, scoped to one membership at one business	<code>mcp.js</code>	demo-surfaces
37	Links page — real HTML, every tile a projection, opens in place, no outbound redirect	<code>links.js</code>	demo-surfaces
38	Embed — same section as a fragment for the business's own site	<code>links.js</code>	demo-surfaces

39	Open/closed badge computed from canonical hours + temporary closure	links.js	demo-surfaces
40	Search intent capture — the search the booking platform would have kept	db/003 , availability	demo-surfaces

Apps (modules/)

package	kind	tables	public section	state
business_profile	app	none, reads canonical	About / Hours / Contact	BUILT
qr_menu	app	menu_item	Menu	BUILT
availability	app	slot	Check Availability	BUILT
forms	app	form, submission	Get in touch	BUILT
crm	app	contact, deal	none	BUILT
facebook	channel_app	appmap: hours, contact.phone	—	BUILT
google_business	channel_app	appmap: hours, contact.phone	—	BUILT
yelp	channel_app	appmap: hours	—	BUILT

Providers

package	fills	state
android_cloud	workspace.executor	BUILT (simulator behind it)
android_local_node	workspace.executor	BUILT (simulator behind it)
hosted_models	model	DECLARES + ROUTES; complete() simulates
local_models	model	DECLARES + ROUTES; complete() simulates
loop_harness	harness	BUILT, deterministic planner

composer	builder	BUILT
----------	---------	-------

Started this turn, NOT finished

- `db/004_marketplace.sql` — resource, listing, directory_search, referral_click, subscriber, subscription, waitlist_entry, offer, offer_send. **Tables written, not wired to anything.**
- `src/kernel/directory.js` — cross-business search + referral recording + demand. **Written, not wired, no demo, never run.**

PART 2 — WHERE I HARDWIRED THINGS (you were right)

These are places I broke the modular rule. Each is a real defect with a location.

Where	What I hardwired	Should be
<code>fanout.js:46</code>	<code>KEY_OF</code> maps capability → canonical key in a literal object	the capability should declare which key it touches
<code>canonical.js:9</code>	<code>AUTHORITY</code> ranks are a literal object in the kernel	a table the owner can reorder
<code>canonical.js</code>	<code>business.set_fact / set_hours / set_temporary_closure</code> live in the kernel	should be a <code>business_core</code> package
<code>links.js:127-175</code>	renderer switches on data shape (<code>d.categories</code> , <code>d.days</code> , <code>d.weekly</code>)	the package should declare its own view, not be sniffed
<code>installer.js:6</code>	<code>TYPES</code> field-type map is fixed	should be extensible by a package
<code>importer.js:15</code>	license allow/block lists are literals	policy table
<code>platform.js</code>	platform default bindings are a literal array	seed data

<code>harness-loop</code>	planner is keyword matching	fine as one provider, but it is the only one
<code>mcp.js</code>	<code>check_availability</code> tool is named in the kernel	should come from the availability package

PART 3 — EVERY THING YOU RAISED IN THIS CHAT

Status: **BUILT / PARTIAL / NOT BUILT / NOT STARTED**

Foundation layers 1–10

#	Item	Status
1	Core Contracts	BUILT
2	Identity & Tenancy	BUILT
3	Canonical Business Data	BUILT
4	Sources & Reconciliation	BUILT
5	Five Maps — canonical map, field map, capability map, tenant install map, AppMap	PARTIAL — capability map, install map, AppMap exist. Canonical map and field map (external field → canonical field) do not
6	Capability Registry	BUILT
7	Provider & Plugin Layer	BUILT
8	Harness Adapter Layer	BUILT
9	Harness Profiles — preset stacks per industry	NOT BUILT
10	Developer Platform + Marketplace + Modular Foundation	PARTIAL — package format, install, signing, import built. No SDK, no CLI, no marketplace UI, no ratings, no versioning UI

Layers 11–20

--	--	--

#	Item	Status
11	AI / Model Layer — multi-model router	PARTIAL — router, scoring, fallback, cost recording built. No real endpoint calls
12	Local Intelligence — on-device models, rules engine, smart cache	NOT BUILT (a <code>local_models</code> provider exists but simulates)
13	Memory & Context — episodic/business/user/world/vector	NOT BUILT — slot declared, nothing fills it
14	Builder / Composition Planner	BUILT (deterministic; not model-driven)
15	Builder Harnesses	PARTIAL — one harness, contract exists
16	GitHub / open-source ingestion	BUILT (pipeline + gates; real GitHub fetch coded, demo uses fixtures)
17	Package standard + marketplace	PARTIAL — standard and install built, marketplace surface not
18	Developer platform / SDK	NOT BUILT
19	Ghost Node / compute layer	PARTIAL — workspace rows and two executor providers. No containers, no scheduler, no autoscale
20	Distributed mesh	NOT BUILT

Execution and device

Item	Status
Android as the executor, not APIs	BUILT
AppMaps as deterministic scripts	BUILT
Cloud Android + Docker container side by side, same host	PARTIAL — rows exist, no real containers
Persistent volume, apps stay logged in	PARTIAL — modelled, not real

Live Android screen in the owner's dashboard	PARTIAL — session + token rows; no stream transport
Remote control of the device	NOT BUILT
Voice interaction with any app on the device	NOT BUILT
AI navigates read-only to answer questions	PARTIAL — <code>channel.read</code> exists and is agent-safe; no model driving it
Scripts do edits, AI never does	BUILT
Screenshot on failure + self-healing + resume from checkpoint	PARTIAL — screenshot + repair row + stop-safely built. No checkpoint resume, no proposed repair, no "unknown states become new maps"
Browser executor	NOT BUILT
Remote computer / desktop executor	NOT BUILT
Physical Android phone as a node	NOT BUILT
Ghost Box (HDMI, signage, kiosk)	NOT BUILT
Ghost Node USB adapter (4G LTE, secure enclave)	NOT BUILT
Raspberry Pi bridge / Mac mini local node	NOT BUILT (the <code>android_local_node</code> provider is a stand-in)

Data, sync, publishing

Item	Status
One update, everywhere	BUILT
Verify each destination	BUILT
Drift view: canonical vs every app	BUILT

Public profile from installed apps	BUILT
Links page, stay-on-page, sections expand in place	BUILT
Embed / snippet into their own website	BUILT
Website builder / modular website sections	NOT BUILT
Calendar display of availability on their own site	BUILT (as embed)
GCR directory / cross-business search	NOT BUILT — <code>tables + directory.js</code> written this turn, never run
QR menus	BUILT (as an app)
Digital signage	NOT BUILT
Widgets	NOT BUILT

Availability, waitlist, offers

Item	Status
Availability as a count , not a yes ("how many jet skis")	PARTIAL — slot has capacity/held. <code>resource.units</code> table written, not wired
Search across every platform for one thing (condos at Phoenix East)	NOT BUILT — <code>directory.js</code> written, never run
Display from Airbnb / VRBO / FareHarbor / Peek, book on the source	NOT BUILT — <code>listing.source + book_url</code> designed only
Referral click recorded so the business sees demand	NOT BUILT — table written only
Last-minute availability blast ("5 seats, leaves in 2 hours, 50% off")	NOT BUILT — <code>offer</code> tables written only
Waitlist with position and a response deadline	NOT BUILT — <code>waitlist_entry</code> written only
Cascade to the next person when the first	

does not answer	NOT BUILT
Service businesses — “I need a plumber ASAP”	NOT BUILT
Doctor’s office cancellation → offer to first in line	NOT BUILT
Consumer opt-in / consent	NOT BUILT — <code>subscriber</code> table written only

Messaging, notification, assistant

Item	Status
SMS through the platform’s own number	NOT BUILT — and I have not named a vendor, per your instruction
SMS approval (reply YES 5812)	NOT BUILT
Owner texted an exception, approves/rejects/takes over	NOT BUILT
Daily intelligence text (“yesterday at a glance”)	NOT BUILT
Opt-in streams: catch, music, deals, loyalty	NOT BUILT
Quiet hours, rate limits, usefulness check	NOT BUILT
AI phone assistant fed by canonical data	NOT BUILT
Consumer-side app (tourist interest filter)	NOT BUILT

Content, reviews, customers

Item	Status
Content creation: AI drafts, human approves, scripts publish	NOT BUILT
Review collection / authentic reviews app	NOT BUILT

Review intelligence (themes, recover unhappy first)	NOT BUILT
AI drafts review replies, owner approves	NOT BUILT
Customer identity / loyalty	NOT BUILT
Follow-up after a completed visit	NOT BUILT

Business / commercial

Item	Status
Admin dashboard vs user dashboard split	NOT BUILT — the split is enforced in data, but no UI and no admin capabilities
Every UI except the links page	NOT BUILT
Billing / plans / subscriptions	NOT BUILT
Per-tool pricing, some free with subscription	NOT BUILT
White-label GoHighLevel as a back end, each tool a separate app	NOT BUILT
Apps sellable standalone, off-platform	PARTIAL — packages are self-contained by design; no standalone runtime
Payments (Square / PayPal / Stripe, fee passed to customer)	NOT BUILT
Referral link generation by asking	NOT BUILT — would be an appmap route, plumbing supports it
Chamber / municipal / industry packs	NOT BUILT

PART 4 — HONEST TOTALS

- Foundation and execution spine: **built and running**.
- Everything consumer-facing except the links page: **not built**.
- Everything messaging: **not built**.

- Everything commercial: **not built**.
- Two files written this turn that have never executed: `db/004_marketplace.sql` ,
`src/kernel/directory.js` .

Roughly: the part that makes apps possible is done. The apps themselves, the reach into customers, and the money are not.

PART 5 — WHAT I WILL NOT DO NEXT

I will not pick the next thing. Everything above is either done, half-done, or untouched, and you can see which. Tell me which line to work on and I will work on that line only.