

===== HTML =====

- - - - - D : \ Documents \ 3 . CESDE - Caso cambio  
de programa \ Tecnica - Proyecto \ Semestre 2 \  
Metodolog as giles \ Antioq App \ Antioq App \ in  
dex . html - - - - -

< ! D O C T Y P E   h t m l >

< h t m l   l a n g = " e s " >

< h e a d >

    < m e t a   c h a r s e t = " U T F - 8 "   / >

    < m e t a   n a m e = " v i e w p o r t "   c o n t e n t = " w i d t h =  
d e v i c e - w i d t h ,   i n i t i a l - s c a l e = 1 . 0 "   / >

    < t i t l e > A n t i o q A P P   -   D e s c u b r e   A n t i o q u i a  
< / t i t l e >

    < l i n k   r e l = " s t y l e s h e e t "   h r e f = " c s s / m a i n  
. c s s "   / >

    < s t y l e >

        b o d y   {

                f o n t - f a m i l y :   ' A r i a l ' ,   s a n s - s e  
r i f ;

                m a r g i n :   0 ;

                p a d d i n g :   0 ;

                b a c k g r o u n d :   l i n e a r - g r a d i e n t ( 1  
3 5 d e g ,   # 6 6 7 e e a   0 % ,   # 7 6 4 b a 2   1 0 0 % ) ;

                d i s p l a y :   f l e x ;

                j u s t i f y - c o n t e n t :   c e n t e r ;

                a l i g n - i t e m s :   c e n t e r ;

                m i n - h e i g h t :   1 0 0 v h ;

        }

        . w e l c o m e - c o n t a i n e r   {

```
        text-align: center;
        background: rgba(255, 255, 25
5, 0.95);
        padding: 3rem;
        border-radius: 20px;
        box-shadow: 0 15px 35px rgba(
0, 0, 0, 0.1);
        max-width: 500px;
        width: 90%;
    }
```

```
.logo {
    font-size: 3rem;
    font-weight: bold;
    color: #667eea;
    margin-bottom: 1rem;
    text-shadow: 2px 2px 4px rgba
(0, 0, 0, 0.1);
}
```

```
.subtitle {
    font-size: 1.2rem;
    color: #666;
    margin-bottom: 2rem;
    line-height: 1.6;
}
```

```
.loading-text {
    font-size: 1.1rem;
    color: #764ba2;
    margin-bottom: 1.5rem;
}

.spinner {
    width: 40px;
    height: 40px;
    border: 4px solid #f3f3f3;
    border-top: 4px solid #667eea
;

    border-radius: 50%;
    animation: spin 1s linear inf
inite;

    margin: 0 auto 2rem;
}

@keyframes spin {
    0% { transform: rotate(0deg);
}

    100% { transform: rotate(360d
eg); }
}

.features {
```

```
        display: grid;

        grid-template-columns: repeat
(auto-fit, minmax(120px, 1fr));

        gap: 1rem;

        margin-top: 2rem;
    }
```

```
    .feature-item {

        padding: 1rem;

        background: linear-gradient(1
35deg, #667eea, #764ba2);

        color: white;

        border-radius: 10px;

        font-size: 0.9rem;

        font-weight: 500;
    }
```

```
</style>
```

```
<script type="module" src="https://static
.rocket.new/rocket-web.js?_cfg=https%3A%2F
%2Fantioqapp6359back.builtwithrocket.new&_
be=https%3A%2F%2Fapplication.rocket.new&_v
=0.1.8"></script>
```

```
</head>
```

```
<body>
```

```
    <div class="welcome-container">
```


```
        <div class="logo"><  AntioqAPP</
div>
```

```
        <div class="subtitle">Tu gu a com
pleta para descubrir las maravillas de Ant
ioquia</div>
```

```
        <div class="loading-text">Cargando experiencias increíbles...</div>
```

```
    <div class="spinner"></div>
```

```
    <div class="features">
```

```
        <div class="feature-item">= 
Rutas Turísticas</div>
```

```
        <div class="feature-item">=
Eventos</div>
```

```
        <div class="feature-item"><
Directorio</div>
```

```
        <div class="feature-item">=
Reservas</div>
```

```
    </div>
```

```
</div>
```

```
<script>
```

```
    // Redirect to tourism routes page after 3 seconds
```

```
    setTimeout(function() {
        window.location.href = 'pages/tourism_routes.html';
    }, 3000);
```

```
    // Optional: Add click to skip waiting
```

```
    document.addEventListener('click', function() {
```

```

        window.location.href = 'pages
/tourism_routes.html';

    });

    // Add some interactive feedback

    document.querySelector('.welcome-
container').addEventListener('mouseenter',
    function() {

        this.style.transform = 'scale
(1.02)';

        this.style.transition = 'tran
sform 0.3s ease';

    });

    document.querySelector('.welcome-
container').addEventListener('mouseleave',
    function() {

        this.style.transform = 'scale
(1)';

    });

</script>

<script id="dhws-dataInjector" src="/publ
ic/dhws-data-injector.js"></script>

</body>

</html>

- - - - - D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Metodologías giles\AntioqApp\AntioqApp\p
ages\booking_management.html - - - - -

<!DOCTYPE html>

<html lang="es">

```

```

<head>

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <title>Gesti n de Reservas - AntioqAP
P</title>

    <link rel="stylesheet" href=".. /css /main.css" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

    <script type="module" src="https://static.rocket.new/rocket-web.js?_cfg=https%3A%2F%2Fantioqapp6359back.builtwithrocket.new&_be=https%3A%2F%2Fapplication.rocket.new&_v=0.1.8"></script>

</head>

<body class="bg-background min-h-screen">

    <!-- Navigation Header -->

    <nav class="bg-surface shadow-warm border-b border-subtle">

        <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

            <div class="flex justify-between items-center h-16">

                <!-- Logo -->

                <div class="flex items-center ext-primary" viewBox="0 0 32 32" fill="currentColor">

                    <path d="M16 2L3 7v10c0 8.5 5.5 16.5 13 18 7.5 1.5 13 9.5 13 18V7L16 2z" />

```

```

        <circle cx = "16" cy = "14" r = "4" fill = "white" />

        <path d = "M12 20h8v2h-8z" fill = "white" />

    </svg>

    <span class = "ml-2 text-t-xl font-serif font-bold text-primary">AntioqAPP</span>

</div>

<!-- Navigation Links -->

<div class = "hidden md:flex items-center space-x-8">

    <a href = "tourism_routes.html" class = "text-text-secondary hover:text-primary transition-colors">Rutas</a>

    <a href = "events_calendar.html" class = "text-text-secondary hover:text-primary transition-colors">Eventos</a>

    <a href = "business_directory.html" class = "text-text-secondary hover:text-primary transition-colors">Negocios</a>

    <a href = "booking_management.html" class = "text-primary font-medium">Mis Reservas</a>

<div class = "relative">

    <button class = "flex items-center text-text-secondary hover:text-primary transition-colors" onclick = "toggleUserMenu()">

        <img src = "https://images.pexels.com/photos/774909/pixel

```



s-photo-774909.jpeg?auto=compress&cs=tinys  
rgb&w=1260&h=750&dpr=2" alt="Usuario" clas  
s="w-8 h-8 rounded-full mr-2" onerror="thi  
s.src='https://images.unsplash.com/photo-1  
584824486509-112e4181ff6b?q=80&w=2940&auto  
=format&fit=crop&ixlib=rb-4.0.3&ixid=M3wxM  
jA3fDB8MHxwaG90by1wYWdlfHx8fGVuZDB8fHx8fA%  
3D%3D'; this.onerror=null;" />

<span>Mar a G  
onzalez</span>

<i class="fas  
fa-chevron-down ml-1 text-xs"></i>

</button>

<!-- User Dropdown  
n-->

<div id="userMenu  
" class="absolute right-0 mt-2 w-48 bg-sur  
face rounded-lg shadow-warm-lg border bord  
er-subtle hidden z-50">

<div class="p  
y-2">

<a href="j  
avascript:void(0)" class="block px-4 py-2  
text-sm text-text-secondary hover:bg-prim  
ary-50 hover:text-primary">Mi Perfil</a>

<a href="b  
ooking\_management.html" class="block px-4  
py-2 text-sm text-primary bg-primary-50">  
Mis Reservas</a>

<a href="j  
avascript:void(0)" class="block px-4 py-2  
text-sm text-text-secondary hover:bg-prim  
ary-50 hover:text-primary">Configuraci n</  
a>

<hr class  
="my-1 border-subtle" />

<a href="u  
ser\_login.html" class="block px-4 py-2 te  
xt-sm text-text-secondary hover:bg-prim

```

- 50   hover:text-primary">Cerrar Sesi n</a>
                                           </div>
                                           </div>
                                           </div>
                                           </div>

                                           <!-- Mobile Menu Button -
- >

                                           <div class="md:hidden">
                                           <button type="button"
class="text-text-secondary hover:text-pri
mary" onclick="toggleMobileMenu()">
                                           <i class="fas fa-
bars text-xl"></i>
                                           </button>
                                           </div>
                                           </div>
                                           </div>
                                           </div>
                                           </nav>

                                           <!-- Main Content -->

                                           <main class="flex-1 py-8 px-4 sm:px-6
lg:px-8">
                                           <div class="max-w-7xl mx-auto">
                                           <!-- Header Section -->
                                           <div class="mb-8">
                                           <div class="flex flex-col
sm:flex-row sm:items-center sm:justify-be
tween">

```

```

        <div>

            <h1 class="text-f
luid-3xl font-serif font-bold text-primary
mb-2">Gesti n de Reservas</h1>

            <p class="text-te
xt-secondary">Administra tus experiencias
y reservas de turismo</p>

        </div>

```

```

        <!-- View Toggle -->

        <div class="mt-4 sm:m
t-0 flex items-center space-x-2">

            <div class="bg-su
rface rounded-lg p-1 shadow-warm border bo
rder-subtle">

                <button oncli
ck="switchView('customer')" id="customerVi
ewBtn" class="px-4 py-2 rounded-md text-sm
font-medium bg-primary text-white transit
ion-colors">

                    <i class=
"fas fa-user mr-2"></i>Cliente

                </button>

                <button oncli
ck="switchView('entrepreneur')" id="entrep
reneurViewBtn" class="px-4 py-2 rounded-md
text-sm font-medium text-text-secondary h
over:text-primary transition-colors">

                    <i class=
"fas fa-briefcase mr-2"></i>Emprendedor

                </button>

            </div>

        </div>

```

```

        < / d i v >

    < / d i v >

    < ! - -   F i l t e r s   S e c t i o n   - - >

        < d i v   c l a s s = " b g - s u r f a c e   r o u n d e
d - x 1   p - 6   s h a d o w - w a r m   b o r d e r   b o r d e r - s u b t l e
m b - 8 " >

            < d i v   c l a s s = " f l e x   f l e x - c o l
l g : f l e x - r o w   l g : i t e m s - c e n t e r   l g : j u s t i f y - b e
t w e e n   g a p - 4 " >

                < ! - -   S e a r c h   a n d   F i l t e
r s   - - >

                    < d i v   c l a s s = " f l e x   f l e x
- c o l   s m : f l e x - r o w   g a p - 4   f l e x - 1 " >

                        < ! - -   S e a r c h   - - >

                            < d i v   c l a s s = " r e l a t
i v e   f l e x - 1   m a x - w - m d " >

                                < i   c l a s s = " f a s
f a - s e a r c h   a b s o l u t e   l e f t - 3   t o p - 1 / 2   t r a n s f o
r m   - t r a n s l a t e - y - 1 / 2   t e x t - t e x t - s e c o n d a r y " > <
/ i >

                                    < i n p u t   t y p e = "
t e x t "   p l a c e h o l d e r = " B u s c a r   p o r   c o n f i r m a c i o n
,   e x p e r i e n c i a . . . "   c l a s s = " w - f u l l   p l - 1 0   p r - 4
p y - 2   b o r d e r   b o r d e r - g r a y - 3 0 0   r o u n d e d - l g   f o
c u s : r i n g - 2   f o c u s : r i n g - p r i m a r y   f o c u s : b o r d e r
- t r a n s p a r e n t "   / >

                                            < / d i v >

                                < ! - -   S t a t u s   F i l t e
r   - - >

                                    < s e l e c t   c l a s s = " p x
- 4   p y - 2   b o r d e r   b o r d e r - g r a y - 3 0 0   r o u n d e d - l g
f o c u s : r i n g - 2   f o c u s : r i n g - p r i m a r y   f o c u s : b o r d
e r - t r a n s p a r e n t " >

```

```

        <option value
> Todos los estados </option>

        <option value
= "confirmed"> Confirmado </option>

        <option value
= "pending"> Pendiente </option>

        <option value
= "completed"> Completado </option>

        <option value
= "cancelled"> Cancelado </option>

        </select>

        <!-- Date Range -
- >

        <input type="date
" class="px-4 py-2 border border-gray-300
rounded-lg focus:ring-2 focus:ring-primary
focus:border-transparent" />

        </div>

        <!-- View Options - - >

        <div class="flex item
s-center space-x-2">

        <button onclick="
toggleView('cards')" id="cardsViewBtn" cla
ss="p-2 rounded-lg bg-primary text-white">

        <i class="fas
fa-th-large"></i>

        </button>

        <button onclick="
toggleView('calendar')" id="calendarViewBt
n" class="p-2 rounded-lg text-text-seconda

```

```

ry hover:bg-primary-50 hover:text-primary
transition-colors">

        <i class="fas
fa-calendar-alt"></i>

        </button>

        <button onclick="
toggleView('list')" id="listViewBtn" class
="p-2 rounded-lg text-text-secondary hover
:bg-primary-50 hover:text-primary transiti
on-colors">

        <i class="fas
fa-list"></i>

        </button>

    </div>

</div>

</div>

<!-- Customer View -->
<div id="customerView" class=
"space-y-6">

    <!-- Stats Cards -->

    <div class="grid grid-col
s-1 md:grid-cols-4 gap-6 mb-8">

        <div class="bg-surfac
e rounded-xl p-6 shadow-warm border border
-subtle">

            <div class="flex
items-center">

                <div class="w
-12 h-12 bg-primary-100 rounded-full flex
items-center justify-center">

                    <i class=
"fas fa-calendar-check text-primary text-x

```

l" > < / i >

< / d i v >

l - 4 " > < d i v   c l a s s = " m

< p   c l a s s =  
" t e x t - t e x t - s e c o n d a r y   t e x t - s m " > R e s e r v a s   A c t  
i v a s < / p >

< p   c l a s s =  
" t e x t - 2 x 1   f o n t - b o l d   t e x t - p r i m a r y " > 3 < / p >

< / d i v >

< / d i v >

< / d i v >

< d i v   c l a s s = " b g - s u r f a c  
e   r o u n d e d - x 1   p - 6   s h a d o w - w a r m   b o r d e r   b o r d e r  
- s u b t l e " >

< d i v   c l a s s = " f l e x  
i t e m s - c e n t e r " >

< d i v   c l a s s = " w  
- 1 2   h - 1 2   b g - s u c c e s s - 1 0 0   r o u n d e d - f u l l   f l e x  
i t e m s - c e n t e r   j u s t i f y - c e n t e r " >

< i   c l a s s =  
" f a s   f a - c h e c k - c i r c l e   t e x t - s u c c e s s   t e x t - x 1 "  
> < / i >

< / d i v >

< d i v   c l a s s = " m  
l - 4 " >

< p   c l a s s =  
" t e x t - t e x t - s e c o n d a r y   t e x t - s m " > C o m p l e t a d a s <  
/ p >

< p   c l a s s =  
" t e x t - 2 x 1   f o n t - b o l d   t e x t - s u c c e s s " > 1 2 < / p >

< / d i v >

```
< / d i v >
```

```
< / d i v >
```

```
                < d i v   c l a s s = " b g - s u r f a c  
e   r o u n d e d - x 1   p - 6   s h a d o w - w a r m   b o r d e r   b o r d e r  
- s u b t l e " >
```

```
                < d i v   c l a s s = " f l e x  
i t e m s - c e n t e r " >
```

```
                < d i v   c l a s s = " w  
- 1 2   h - 1 2   b g - w a r n i n g - 1 0 0   r o u n d e d - f u l l   f l e x  
i t e m s - c e n t e r   j u s t i f y - c e n t e r " >
```

```
                < i   c l a s s =  
" f a s   f a - c l o c k   t e x t - w a r n i n g   t e x t - x 1 " > < / i >
```

```
                < / d i v >
```

```
                < d i v   c l a s s = " m  
l - 4 " >
```

```
                < p   c l a s s =  
" t e x t - t e x t - s e c o n d a r y   t e x t - s m " > P e n d i e n t e s < /  
p >
```

```
                < p   c l a s s =  
" t e x t - 2 x 1   f o n t - b o l d   t e x t - w a r n i n g " > 1 < / p >
```

```
                < / d i v >
```

```
                < / d i v >
```

```
                < / d i v >
```

```
                < d i v   c l a s s = " b g - s u r f a c  
e   r o u n d e d - x 1   p - 6   s h a d o w - w a r m   b o r d e r   b o r d e r  
- s u b t l e " >
```

```
                < d i v   c l a s s = " f l e x  
i t e m s - c e n t e r " >
```

```
                < d i v   c l a s s = " w  
- 1 2   h - 1 2   b g - a c c e n t - 1 0 0   r o u n d e d - f u l l   f l e x   i
```



```
tems - center justify - center " >
```

```
        < i class =  
"fas fa-dollar-sign text-accent text-xl" > <  
/ i >
```

```
< / div >
```

```
        < div class = " m  
l - 4 " >
```

```
        < p class =  
"text-text-secondary text-sm" > Total Gastad  
o < / p >
```

```
        < p class =  
"text-2xl font-bold text-accent" > $ 2 , 4 5 0 , 0 0  
0 < / p >
```

```
< / div >
```

```
< / div >
```

```
< / div >
```

```
< / div >
```

```
< ! - - Booking Cards - - >
```

```
        < div id = " bookingCards " cl  
ass = " grid grid - cols - 1 lg : grid - cols - 2 gap - 6  
" >
```

```
        < ! - - Confirmed Bookin  
g - - >
```

```
        < div class = " bg - surfac  
e rounded - xl shadow - warm border border - sub  
tle overflow - hidden card - elevation " >
```

```
        < div class = " relat  
ive " >
```

```
        < img src = " htt  
ps : // images . pixabay . com / photos / 2019 / 09 / 16 /  
18 / 03 / guatape - 4481744 _ 1280 . jpg " alt = " Tour  
Guatap " class = " w - full h - 48 object - cover "  
onerror = " this . src = ' https : // images . unsplash
```

.com/photo-1584824486509-112e4181ff6b?q=80  
&w=2940&auto=format&fit=crop&ixlib=rwb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVuZD8fHx8fA%3D%3D';this.onerror=null;" />

<div class="absolute top-4 right-4">  
<span class="bg-success text-white px-3 py-1 rounded-full text-sm font-medium">

<i class="fas fa-check-circle mr-1"></i> Confirm  
ado

</span>  
</div>  
</div>

<div class="p-6">  
<div class="flex justify-between items-start mb-4">  
<div>

<h3 class="font-serif font-semibold text-lg text-primary mb-1">Tour Completo Guatap </h3>

<p class="text-text-secondary text-sm">Experiencias Antioquia</p>

</div>

<button onclick="openBookingDetail('booking1')" class="text-primary hover:text-primary-600 transition-colors">

<i class="fas fa-external-link-alt"></i>

```

< / button >

< / div >

< div class = " space - y - 3 mb - 4 " >

< div class = " flex items - center text - sm text - text - secondary " >

< i class = " fas fa - calendar mr - 3 text - primary w - 4 " > < / i >

< span > 25 de Septiembre, 2025 - 8:00 AM < / span >

< / div >

< div class = " flex items - center text - sm text - text - secondary " >

< i class = " fas fa - users mr - 3 text - primary w - 4 " > < / i >

< span > 2 personas < / span >

< / div >

< div class = " flex items - center text - sm text - text - secondary " >

< i class = " fas fa - map - marker - alt mr - 3 text - primary w - 4 " > < / i >

< span > Punto de encuentro: Parque Principal Guatap < / span >

< / div >

```

```
                                <div class
s = "flex items-center text-sm text-text-sec
ondary" >
```

```
                                <i cl
ass = "fas fa-credit-card mr-3 text-primary
w-4" > </i >
```

```
                                <span
> $320,000 COP - Pagado </span >
```

```
                                </div >
```

```
                                </div >
```

```
                                <div class = "b
g-primary-50 rounded-lg p-3 mb-4" >
```

```
                                <div class
s = "flex items-center text-sm" >
```

```
                                <i cl
ass = "fas fa-info-circle text-primary mr-2"
> </i >
```

```
                                <span
class = "text-primary font-medium" > Confirma
ci n: #GT2025-001 </span >
```

```
                                </div >
```

```
                                </div >
```

```
                                <div class = "f
lex flex-col sm:flex-row gap-2" >
```

```
                                <button o
nclick = "openChat('booking1')" class = "flex-
1 bg-primary text-white px-4 py-2 rounded-
lg hover:bg-primary-600 transition-colors
btn-spring" >
```

```
                                <i cl
ass = "fas fa-comments mr-2" > </i > Chat
```

```
                                </button >
```

```
                                < button o
n click = " modifyBooking ( ' booking1 ' ) " class = "
flex - 1 border border - primary text - primary
px - 4 py - 2 rounded - lg hover : bg - primary - 50 t
ransition - colors " >
```

```
                                < i cl
ass = " fas fa - edit mr - 2 " > < / i > Modificar
```

```
                                < / button >
```

```
                                < button o
n click = " cancelBooking ( ' booking1 ' ) " class = "
px - 4 py - 2 text - error hover : bg - error - 50 rou
unded - lg transition - colors " >
```

```
                                < i cl
ass = " fas fa - times " > < / i >
```

```
                                < / button >
```

```
                                < / div >
```

```
                                < / div >
```

```
                                < / div >
```

```
                                < ! - - Pending Booking
- - >
```

```
                                < div class = " bg - surfac
e rounded - xl shadow - warm border border - sub
tle overflow - hidden card - elevation " >
```

```
                                < div class = " relat
ive " >
```

```
                                < img src = " htt
ps : / / images . unsplash . com / photo - 15710196134
54 - 1cb2f99b2d8b ? q = 80 & w = 2940 & auto = format & fi
t = crop & ixlib = rb - 4 . 0 . 3 " alt = " Taller Artesan
as " class = " w - full h - 48 object - cover " oner
ror = " this . src = ' https : / / images . unsplash . com
/ photo - 1584824486509 - 112e4181ff6b ? q = 80 & w = 2
940 & auto = format & fit = crop & ixlib = rb - 4 . 0 . 3 & ix
id = M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVuZDB8fHx8fA%3D%3D ' ; this . onerror = null ; " / >
```

```

        <div class="absolu
bsolute top-4 right-4">

        <span class="bg-warni
ss="bg-warning text-white px-3 py-1 rounded-f
d-full text-sm font-medium">

        <i class="fas fa-clock mr-1"></i>Pendiente

        </span>

    </div>

</div>

<div class="p-6">

    <div class="flex justify-between items-start mb-4">

        <div>

            <h3 class="font-serif font-semibol
lass="font-serif font-semibold text-lg text-pr
t-primary mb-1">Taller de Artesan as</h3>

            <p class="text-text-secondary text-sm">Artesan
as Paisa</p>

        </div>

        <button onclick="openBookingDetail('booking2')" class="text-primary hover:text-primary-600 transition-colors">

            <i class="fas fa-external-link-alt"></i>

        </button>

    </div>

```

```
<div class="space-y-3 mb-4">

    <div class="flex items-center text-sm text-text-secondary">

        <i class="fas fa-calendar mr-3 text-primary w-4">
    </i>

    <span>28 de Septiembre, 2025 - 2:00 PM</span>

    </div>

    <div class="flex items-center text-sm text-text-secondary">

        <i class="fas fa-users mr-3 text-primary w-4">
    </i>

    <span>1 persona</span>

    </div>

    <div class="flex items-center text-sm text-text-secondary">

        <i class="fas fa-map-marker-alt mr-3 text-primary w-4">
    </i>

    <span>Taller: Calle 10 #15-20, El Retiro</span>

    </div>

    <div class="flex items-center text-sm text-text-secondary">

        <i class="fas fa-credit-card mr-3 text-primary w-4">
    </i>
```

```

                                <span
> $85,000 COP - Pendiente de pago </span>

                                </div>

                                </div>

                                <div class="b
g-warning-50 rounded-lg p-3 mb-4">

                                <div clas
s="flex items-center text-sm">

                                <i cl
ass="fas fa-exclamation-triangle text-warn
ing mr-2"></i>

                                <span
class="text-warning font-medium">Confirma
el pago para asegurar tu reserva</span>

                                </div>

                                </div>

                                <div class="f
lex flex-col sm:flex-row gap-2">

                                <button o
nclick="payBooking('booking2')" class="fle
x-1 bg-accent text-white px-4 py-2 rounded
-lg hover:bg-accent-600 transition-colors
btn-spring">

                                <i cl
ass="fas fa-credit-card mr-2"></i>Pagar Ah
ora

                                </button>

                                <button o
nclick="openChat('booking2')" class="flex-
1 border border-primary text-primary px-4
py-2 rounded-lg hover:bg-primary-50 transi
tion-colors">

```



```

< i c l
a s s = " f a s f a - c o m m e n t s m r - 2 " > < / i > C h a t

< / b u t t o n >

< / d i v >

< / d i v >

< / d i v >

< ! - - C o m p l e t e d B o o k i n
g - - >

< d i v c l a s s = " b g - s u r f a c
e r o u n d e d - x l s h a d o w - w a r m b o r d e r b o r d e r - s u b
t l e o v e r f l o w - h i d d e n c a r d - e l e v a t i o n " >

< d i v c l a s s = " r e l a t
i v e " >

< i m g s r c = " h t t
p s : / / i m a g e s . p e x e l s . c o m / p h o t o s / 1 6 4 0 7 7 7 / p e x e
l s - p h o t o - 1 6 4 0 7 7 7 . j p e g ? a u t o = c o m p r e s s & c s = t i n
y s r g b & w = 1 2 6 0 & h = 7 5 0 & d p r = 2 " a l t = " T o u r G a s t r o
n m i c o " c l a s s = " w - f u l l h - 4 8 o b j e c t - c o v e r " o
n e r r o r = " t h i s . s r c = ' h t t p s : / / i m a g e s . u n s p l a s h .
c o m / p h o t o - 1 5 8 4 8 2 4 4 8 6 5 0 9 - 1 1 2 e 4 1 8 1 f f 6 b ? q = 8 0 &
w = 2 9 4 0 & a u t o = f o r m a t & f i t = c r o p & i x l i b = r b - 4 . 0 . 3
& i x i d = M 3 w x M j A 3 f D B 8 M H x w a G 9 0 b y 1 w Y W d l f H x 8 f G V u
f D B 8 f H x 8 f A % 3 D % 3 D ' ; t h i s . o n e r r o r = n u l l ; " / >

< d i v c l a s s = " a
b s o l u t e t o p - 4 r i g h t - 4 " >

< s p a n c l a
s s = " b g - p r i m a r y t e x t - w h i t e p x - 3 p y - 1 r o u n d e
d - f u l l t e x t - s m f o n t - m e d i u m " >

< i c l
a s s = " f a s f a - s t a r m r - 1 " > < / i > C o m p l e t a d o

< / s p a n >

< / d i v >

< / d i v >

```

```

<div class="p-6">

        <div class="flex justify-between items-start mb-4">

            <div>

                <h3 class="font-serif font-semibold text-lg text-primary mb-1">Tour Gastronomico Medellin
            </h3>

            <p class="text-text-secondary text-sm">Sabores Paisas</p>

        </div>

        <button onclick="openBookingDetail('booking3')" class="text-primary hover:text-primary-600 transition-colors">

            <i class="fas fa-external-link-alt"></i>

        </button>

    </div>

    <div class="space-y-3 mb-4">

        <div class="flex items-center text-sm text-text-secondary">

            <i class="fas fa-calendar mr-3 text-primary w-4"></i>

            <span>15 de Septiembre, 2025 - 6:00 PM</span>

        </div>

```

```

<div class
s = "flex items-center text-sm text-text-sec
ondary">

```

```

<i cl
ass = "fas fa-users mr-3 text-primary w-4"><
/i>

```

```

<span
> 2 personas</span>

```

```

</div>

```

```

<div class
s = "flex items-center text-sm text-text-sec
ondary">

```

```

<i cl
ass = "fas fa-star mr-3 text-accent w-4"></i
>

```

```

<span
> Calificación: 5.0 P+P+P+P+P</span>

```

```

</div>

```

```

<div class
s = "flex items-center text-sm text-text-sec
ondary">

```

```

<i cl
ass = "fas fa-credit-card mr-3 text-primary
w-4"></i>

```

```

<span
> $180,000 COP - Pagado</span>

```

```

</div>

```

```

</div>

```

```

<div class = "b
g-success-50 rounded-lg p-3 mb-4">

```

```

<div class
s = "flex items-center text-sm">

```

```
                                <i cl
a s s = " f a s   f a - c h e c k - c i r c l e   t e x t - s u c c e s s   m r - 2
" > < / i >
```

```
                                < s p a n
c l a s s = " t e x t - s u c c e s s   f o n t - m e d i u m " > E x p e r i e n
c i a   c o m p l e t a d a   -   G r a c i a s   p o r   t u   r e s e   a ! < /
s p a n >
```

```
< / d i v >
```

```
< / d i v >
```

```
                                < d i v   c l a s s = " f
l e x   f l e x - c o l   s m : f l e x - r o w   g a p - 2 " >
```

```
                                < b u t t o n   o
n c l i c k = " r e b o o k E x p e r i e n c e ( ' b o o k i n g 3 ' ) "   c l a s
s = " f l e x - 1   b g - p r i m a r y   t e x t - w h i t e   p x - 4   p y - 2
r o u n d e d - l g   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s i t i o n
- c o l o r s   b t n - s p r i n g " >
```

```
                                < i   c l
a s s = " f a s   f a - r e d o   m r - 2 " > < / i > R e s e r v a r   N u e v a m
e n t e
```

```
< / b u t t o n >
```

```
                                < b u t t o n   o
n c l i c k = " s h a r e E x p e r i e n c e ( ' b o o k i n g 3 ' ) "   c l a s
s = " f l e x - 1   b o r d e r   b o r d e r - p r i m a r y   t e x t - p r i m a r
y   p x - 4   p y - 2   r o u n d e d - l g   h o v e r : b g - p r i m a r y - 5 0
t r a n s i t i o n - c o l o r s " >
```

```
                                < i   c l
a s s = " f a s   f a - s h a r e   m r - 2 " > < / i > C o m p a r t i r
```

```
< / b u t t o n >
```

```
< / d i v >
```

```
< / d i v >
```

```
< / d i v >
```

```
< / d i v >
```

```
< / d i v >
```

```

        <!-- Entrepreneur View (Hidden by default) -->
        <div id="entrepreneurView" class="space-y-6 hidden">
            <!-- Entrepreneur Stats -
            ->
            <div class="grid grid-cols-1 md:grid-cols-4 gap-6 mb-8">
                <div class="bg-surface rounded-xl p-6 shadow-warm border border-subtle">
                    <div class="flex items-center">
                        <div class="w-12 h-12 bg-primary-100 rounded-full flex items-center justify-center">
                            <i class="fas fa-calendar-check text-primary text-xl"></i>
                        </div>
                        <div class="m-1-4">
                            <p class="text-text-secondary text-sm">Reservas Hoy</p>
                            <p class="text-2xl font-bold text-primary">8</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

                                <div class="bg-surface
e rounded-xl p-6 shadow-warm border border
-subtle">

```

```

                                <div class="flex
items-center">

```

```

                                <div class="w
-12 h-12 bg-accent-100 rounded-full flex i
tems-center justify-center">

```

```

                                <i class=
"fas fa-dollar-sign text-accent text-xl"><
/i>

```

```

                                </div>

```

```

                                <div class="m
l-4">

```

```

                                <p class=
"text-text-secondary text-sm">Ingresos Mes
</p>

```

```

                                <p class=
"text-2xl font-bold text-accent">$4,850,00
0</p>

```

```

                                </div>

```

```

                                </div>

```

```

                                </div>

```

```

                                <div class="bg-surface
e rounded-xl p-6 shadow-warm border border
-subtle">

```

```

                                <div class="flex
items-center">

```

```

                                <div class="w
-12 h-12 bg-success-100 rounded-full flex
items-center justify-center">

```

```

                                <i class=
"fas fa-percentage text-success text-xl"><
/i>

```

< / d i v >

1 - 4 " >

< d i v   c l a s s = " m

< p   c l a s s =

" t e x t - t e x t - s e c o n d a r y   t e x t - s m " > 0 c u p a c i   n < / p

>

< p   c l a s s =

" t e x t - 2 x 1   f o n t - b o l d   t e x t - s u c c e s s " > 8 5 % < / p >

< / d i v >

< / d i v >

< / d i v >

< d i v   c l a s s = " b g - s u r f a c

e   r o u n d e d - x 1   p - 6   s h a d o w - w a r m   b o r d e r   b o r d e r

- s u b t l e " >

< d i v   c l a s s = " f l e x

i t e m s - c e n t e r " >

< d i v   c l a s s = " w

- 1 2   h - 1 2   b g - s e c o n d a r y - 1 0 0   r o u n d e d - f u l l   f l e

x   i t e m s - c e n t e r   j u s t i f y - c e n t e r " >

< i   c l a s s =

" f a s   f a - s t a r   t e x t - s e c o n d a r y   t e x t - x 1 " > < / i >

< / d i v >

< d i v   c l a s s = " m

1 - 4 " >

< p   c l a s s =

" t e x t - t e x t - s e c o n d a r y   t e x t - s m " > C a l i f i c a c i   n

< / p >

< p   c l a s s =

" t e x t - 2 x 1   f o n t - b o l d   t e x t - s e c o n d a r y " > 4 . 8 < / p

>

< / d i v >

```

< / d i v >

< / d i v >

< / d i v >

< ! - -   E n t r e p r e n e u r   B o o k i n g
s   - - >

< d i v   c l a s s = " g r i d   g r i d - c o l
s - 1   l g : g r i d - c o l s - 2   g a p - 6 " >

< ! - -   T o d a y ' s   B o o k i n g
- - >

< d i v   c l a s s = " b g - s u r f a c
e   r o u n d e d - x l   s h a d o w - w a r m   b o r d e r   b o r d e r - s u b
t l e   o v e r f l o w - h i d d e n   c a r d - e l e v a t i o n " >

< d i v   c l a s s = " p - 6 " >

< d i v   c l a s s = " f
l e x   j u s t i f y - b e t w e e n   i t e m s - s t a r t   m b - 4 " >

< d i v >

< h 3   c
l a s s = " f o n t - s e r i f   f o n t - s e m i b o l d   t e x t - l g   t e x
t - p r i m a r y   m b - 1 " > T o u r   C o m p l e t o   G u a t a p < / h 3 >

< p   c l
a s s = " t e x t - t e x t - s e c o n d a r y   t e x t - s m " > H o y   -   8 :
0 0   A M < / p >

< / d i v >

< s p a n   c l a
s s = " b g - s u c c e s s   t e x t - w h i t e   p x - 3   p y - 1   r o u n d e
d - f u l l   t e x t - s m   f o n t - m e d i u m " >

< i   c l
a s s = " f a s   f a - c h e c k - c i r c l e   m r - 1 " > < / i > C o n f i r m
a d o

< / s p a n >

< / d i v >

```



```

<div class="space-y-3 mb-4">

  <div class="flex items-center text-sm text-text-secondary">

    <i class="fas fa-user mr-3 text-primary w-4"></i>

    <span>María González - 2 personas</span>

  </div>

  <div class="flex items-center text-sm text-text-secondary">

    <i class="fas fa-phone mr-3 text-primary w-4"></i>

    <span>+57 300 123 4567</span>

  </div>

  <div class="flex items-center text-sm text-text-secondary">

    <i class="fas fa-envelope mr-3 text-primary w-4"></i>

    <span>maria.gonzalez@email.com</span>

  </div>

  <div class="flex items-center text-sm text-text-secondary">

    <i class="

```

```

a s s = " f a s   f a - c r e d i t - c a r d   m r - 3   t e x t - p r i m a r y
w - 4 " > < / i >

< s p a n

> $ 3 2 0 , 0 0 0   C O P   -   P a g a d o < / s p a n >

< / d i v >

< / d i v >

< d i v   c l a s s = " b
g - p r i m a r y - 5 0   r o u n d e d - l g   p - 3   m b - 4 " >

< d i v   c l a s
s = " f l e x   i t e m s - c e n t e r   t e x t - s m " >

< i   c l
a s s = " f a s   f a - i n f o - c i r c l e   t e x t - p r i m a r y   m r - 2 "
> < / i >

< s p a n
c l a s s = " t e x t - p r i m a r y   f o n t - m e d i u m " > R e q u e r i m
i e n t o s   e s p e c i a l e s :   V e g e t a r i a n o < / s p a n >

< / d i v >

< / d i v >

< d i v   c l a s s = " f
l e x   f l e x - c o l   s m : f l e x - r o w   g a p - 2 " >

< b u t t o n   o
n c l i c k = " c o n t a c t C u s t o m e r ( ' c u s t o m e r 1 ' ) "   c l a s s
s = " f l e x - 1   b g - p r i m a r y   t e x t - w h i t e   p x - 4   p y - 2
r o u n d e d - l g   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s i t i o n
- c o l o r s   b t n - s p r i n g " >

< i   c l
a s s = " f a s   f a - p h o n e   m r - 2 " > < / i > C o n t a c t a r

< / b u t t o n >

< b u t t o n   o
n c l i c k = " o p e n C h a t ( ' c u s t o m e r 1 ' ) "   c l a s s = " f l e x
- 1   b o r d e r   b o r d e r - p r i m a r y   t e x t - p r i m a r y   p x - 4
p y - 2   r o u n d e d - l g   h o v e r : b g - p r i m a r y - 5 0   t r a n s

```

ition - colors " >

ass = " fas fa - comments mr - 2 " > < / i > Chat

< / button >

nclick = " viewDetails ( ' customer1 ' ) " class = " p  
x - 4 py - 2 text - primary hover : bg - primary - 50  
rounded - lg transition - colors " >

< i cl

ass = " fas fa - eye " > < / i >

< / button >

< / div >

< / div >

< / div >

< ! - - Upcoming Booking

- - >

< div class = " bg - surfac  
e rounded - xl shadow - warm border border - sub  
tle overflow - hidden card - elevation " >

< div class = " p - 6 " >

< div class = " f  
lex justify - between items - start mb - 4 " >

< div >

< h3 c  
lass = " font - serif font - semibold text - lg tex  
t - primary mb - 1 " > Taller de Artesan as < / h3 >

< p cl  
ass = " text - text - secondary text - sm " > Ma ana -  
2 : 0 0 PM < / p >

< / div >

< span cla

```
ss = "bg-warning text-white px-3 py-1 rounded-  
full text-sm font-medium">
```

```
ass = "fas fa-clock mr-1"></i> Pendiente  
  
</span>  
  
</div>
```

```
  
  
pace-y-3 mb-4">  
  
s = "flex items-center text-sm text-text-sec  
ondary">
```

```
  
  
ass = "fas fa-user mr-3 text-primary w-4"></i>  
i>
```

```
  
  
> Carlos Rodriguez - 1 persona</span>  
  
</div>
```

```
  
  
s = "flex items-center text-sm text-text-sec  
ondary">  
  
ass = "fas fa-phone mr-3 text-primary w-4"></i>  
/i>
```

```
  
  
s = "flex items-center text-sm text-text-sec  
ondary">
```

```
  
  
ass = "fas fa-phone mr-3 text-primary w-4"></i>  
/i>
```

```
  
  
> +57 301 987 6543</span>  
  
</div>
```

```
  
  
s = "flex items-center text-sm text-text-sec  
ondary">
```

```
  
  
ass = "fas fa-envelope mr-3 text-primary w-4  
"></i>
```

```
</span>
```

```
> carlos.rodriguez@email.com</span>
```

```
</div>
```

```
<div class="flex items-center text-sm text-text-secondary">
```

```
<i class="fas fa-credit-card mr-3 text-primary w-4"></i>
```

```
<span>$85,000 COP - Pendiente de pago</span>
```

```
</div>
```

```
</div>
```

```
<div class="bg-warning-50 rounded-lg p-3 mb-4">
```

```
<div class="flex items-center text-sm">
```

```
<i class="fas fa-exclamation-triangle text-warning mr-2"></i>
```

```
<span class="text-warning font-medium">Cliente debe confirmar pago</span>
```

```
</div>
```

```
</div>
```

```
<div class="flex flex-col sm:flex-row gap-2">
```

```
<button onclick="sendPaymentReminder('customer2')" class="flex-1 bg-accent text-white px-4 py-2 rounded-lg hover:bg-accent-600 transition-colors btn-spring">
```

```

                                <i cl
a s s = " f a s   f a - b e l l   m r - 2 " > < / i > R e c o r d a r   P a g o
                                < / b u t t o n >

                                < b u t t o n o
n c l i c k = " o p e n C h a t ( ' c u s t o m e r 2 ' ) "   c l a s s = " f l e x
- 1   b o r d e r   b o r d e r - p r i m a r y   t e x t - p r i m a r y   p x - 4
p y - 2   r o u n d e d - l g   h o v e r : b g - p r i m a r y - 5 0   t r a n s
i t i o n - c o l o r s " >

                                <i cl
a s s = " f a s   f a - c o m m e n t s   m r - 2 " > < / i > C h a t
                                < / b u t t o n >

                                < / d i v >

                                < / d i v >

                                < / d i v >

                                < / d i v >

                                < ! - -   C a l e n d a r   V i e w   ( H i d d e n   b y
d e f a u l t )   - - >

                                < d i v   i d = " c a l e n d a r V i e w "   c l a s s =
" h i d d e n " >

                                < d i v   c l a s s = " b g - s u r f a c e   r o
u n d e d - x 1   s h a d o w - w a r m   b o r d e r   b o r d e r - s u b t l e
p - 6 " >

                                < d i v   c l a s s = " f l e x   i t e m
s - c e n t e r   j u s t i f y - b e t w e e n   m b - 6 " >

                                < h 2   c l a s s = " t e x t - x
l   f o n t - s e r i f   f o n t - s e m i b o l d   t e x t - p r i m a r y " > S
e p t i e m b r e   2 0 2 5 < / h 2 >

                                < d i v   c l a s s = " f l e x
i t e m s - c e n t e r   s p a c e - x - 2 " >

                                < b u t t o n   c l a s s
= " p - 2   t e x t - t e x t - s e c o n d a r y   h o v e r : t e x t - p r i m a

```

```

ry transition-colors">

<i class=
"fas fa-chevron-left"></i>

</button>

<button class
="p-2 text-text-secondary hover:text-primary
ry transition-colors">

<i class=
"fas fa-chevron-right"></i>

</button>

</div>

</div>

<!-- Calendar Grid --
>

<div class="grid grid
-cols-7 gap-2 mb-4">

<div class="text-
center text-sm font-medium text-text-secon
dary py-2">Dom</div>

<div class="text-
center text-sm font-medium text-text-secon
dary py-2">Lun</div>

<div class="text-
center text-sm font-medium text-text-secon
dary py-2">Mar</div>

<div class="text-
center text-sm font-medium text-text-secon
dary py-2">Mi </div>

<div class="text-
center text-sm font-medium text-text-secon
dary py-2">Jue</div>

<div class="text-
center text-sm font-medium text-text-secon

```

d a r y    p y - 2 " > V i e < / d i v >

```
<div class="text-center text-sm font-medium text-text-secondary py-2">S b</div>
```

[illegible]

```
center py-3 text-text-secondary">1</div>
```

```
<div class="text-center py-3 text-text-secondary">2</div>
```

```
<div class="text-center py-3 text-text-secondary">3</div>
```

```
<div class="text-center py-3 text-text-secondary">4</div>
```

```
<div class="text-center py-3 text-text-secondary">5</div>
```

```
<div class="text-center py-3 text-text-secondary">6</div>
```

```
<div class="text-center py-3 text-text-secondary">7</div>
```

```
<div class="text-center py-3 text-text-secondary">8</div>
```

```
<div class="text-center py-3 text-text-secondary">9</div>
```

```
<div class="text-center py-3 text-text-secondary">10</div>
```

```
<div class="text-center py-3 text-text-secondary">11</div>
```

```
<div class="text-center py-3 text-text-secondary">12</div>
```

```
<div class="text-
```



```
center py - 3 text - text - secondary " > 13 < / div >
```

```
center py - 3 text - text - secondary " > 14 < / div >
```

```
center py - 3 relative " >
```

```
text - text - secondary " > 15 < / span >
```

```
absolute bottom - 1 left - 1 / 2 transform - trans  
late - x - 1 / 2 w - 2 h - 2 bg - success rounded - full  
> < / div >
```

```
< / div >
```

```
center py - 3 text - text - secondary " > 16 < / div >
```

```
center py - 3 text - text - secondary " > 17 < / div >
```

```
center py - 3 text - text - secondary " > 18 < / div >
```

```
center py - 3 text - text - secondary " > 19 < / div >
```

```
center py - 3 text - text - secondary " > 20 < / div >
```

```
center py - 3 text - text - secondary " > 21 < / div >
```

```
center py - 3 bg - primary - 50 rounded - lg relat  
ive " >
```

```
text - primary font - medium " > 22 < / span >
```

```
ext - xs text - primary mt - 1 " > Hoy < / div >
```

```

< / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   t e x t - t e x t - s e c o n d a r y " > 2 3 < / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   t e x t - t e x t - s e c o n d a r y " > 2 4 < / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   r e l a t i v e " >

< s p a n   c l a s s = "
t e x t - t e x t - s e c o n d a r y " > 2 5 < / s p a n >

< d i v   c l a s s = " a
b s o l u t e   b o t t o m - 1   l e f t - 1 / 2   t r a n s f o r m   - t r a n s
l a t e - x - 1 / 2   w - 2   h - 2   b g - p r i m a r y   r o u n d e d - f u l l
" > < / d i v >

< / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   t e x t - t e x t - s e c o n d a r y " > 2 6 < / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   t e x t - t e x t - s e c o n d a r y " > 2 7 < / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   r e l a t i v e " >

< s p a n   c l a s s = "
t e x t - t e x t - s e c o n d a r y " > 2 8 < / s p a n >

< d i v   c l a s s = " a
b s o l u t e   b o t t o m - 1   l e f t - 1 / 2   t r a n s f o r m   - t r a n s
l a t e - x - 1 / 2   w - 2   h - 2   b g - w a r n i n g   r o u n d e d - f u l l
" > < / d i v >

< / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   t e x t - t e x t - s e c o n d a r y " > 2 9 < / d i v >

< d i v   c l a s s = " t e x t -
c e n t e r   p y - 3   t e x t - t e x t - s e c o n d a r y " > 3 0 < / d i v >

< / d i v >

```

```

<!-- Legend -->

<div class="flex items-center justify-center space-x-6 text-sm">

    <div class="flex items-center">

        <div class="w-3 h-3 bg-success rounded-full mr-2"></div>

        <span class="text-text-secondary">Completado</span>

    </div>

    <div class="flex items-center">

        <div class="w-3 h-3 bg-primary rounded-full mr-2"></div>

        <span class="text-text-secondary">Confirmado</span>

    </div>

    <div class="flex items-center">

        <div class="w-3 h-3 bg-warning rounded-full mr-2"></div>

        <span class="text-text-secondary">Pendiente</span>

    </div>

</div>

</div>
</div>

```

```

        < / d i v >

    < / m a i n >

    < ! - -   C h a t   M o d a l   - - >

        < d i v   i d = " c h a t M o d a l "   c l a s s = " f i x e d   i n s e
t - 0   b g - b l a c k   b g - o p a c i t y - 5 0   h i d d e n   z - 5 0   f l e
x   i t e m s - c e n t e r   j u s t i f y - c e n t e r   p - 4 " >

            < d i v   c l a s s = " b g - s u r f a c e   r o u n d e d - x l
m a x - w - m d   w - f u l l   m a x - h - 9 6   f l e x   f l e x - c o l " >

                < d i v   c l a s s = " p - 4   b o r d e r - b   b o r d
e r - s u b t l e " >

                    < d i v   c l a s s = " f l e x   j u s t i f y -
b e t w e e n   i t e m s - c e n t e r " >

                        < d i v   c l a s s = " f l e x   i t e m
s - c e n t e r " >

                            < i m g   s r c = " h t t p s : /
/ i m a g e s . p e x e l s . c o m / p h o t o s / 7 7 4 9 0 9 / p e x e l s - p h
o t o - 7 7 4 9 0 9 . j p e g ? a u t o = c o m p r e s s & c s = t i n y s r g b &
w = 1 2 6 0 & h = 7 5 0 & d p r = 2 "   a l t = " U s u a r i o "   c l a s s = " w
- 8   h - 8   r o u n d e d - f u l l   m r - 3 "   o n e r r o r = " t h i s . s r
c = ' h t t p s : / / i m a g e s . u n s p l a s h . c o m / p h o t o - 1 5 8 4 8
2 4 4 8 6 5 0 9 - 1 1 2 e 4 1 8 1 f f 6 b ? q = 8 0 & w = 2 9 4 0 & a u t o = f o r
m a t & f i t = c r o p & i x l i b = r b - 4 . 0 . 3 & i x i d = M 3 w x M j A 3 f
D B 8 M H x w a G 9 0 b y 1 w Y W d l f H x 8 f G V u f D B 8 f H x 8 f A % 3 D % 3
D ' ;   t h i s . o n e r r o r = n u l l ; "   / >

                                < d i v >

                                    < h 3   c l a s s = " f o
n t - m e d i u m   t e x t - p r i m a r y " > E x p e r i e n c i a s   A n t i o
q u i a < / h 3 >

                                        < p   c l a s s = " t e x
t - x s   t e x t - s u c c e s s " > E n   l   n e a < / p >

                                            < / d i v >

                                                < / d i v >

                                                    < b u t t o n   o n c l i c k = " c l o s
e C h a t ( ) "   c l a s s = " t e x t - t e x t - s e c o n d a r y   h o v e r :

```

```

text - primary " >

                                < i   class = " fas   fa -
times   text - xl " > < / i >

                                < / button >

                                < / div >

                                < / div >

                                < div   class = " flex - 1   p - 4   overfl
ow - y - auto   space - y - 3 " >

                                < div   class = " flex " >

                                < div   class = " bg - primar
y - 100   rounded - lg   p - 3   max - w - xs " >

                                < p   class = " text - sm
text - primary " > Hola!   En   qu   puedo   ayudar
te   con   tu   reserva? < / p >

                                < p   class = " text - xs
text - text - secondary   mt - 1 " > 10:30   AM < / p >

                                < / div >

                                < / div >

                                < div   class = " flex   justify -
end " >

                                < div   class = " bg - primar
y   rounded - lg   p - 3   max - w - xs " >

                                < p   class = " text - sm
text - white " > Hola,   tengo   una   pregunta   sobr
e   el   punto   de   encuentro < / p >

                                < p   class = " text - xs
text - primary - 200   mt - 1 " > 10:32   AM < / p >

                                < / div >

                                < / div >

```

```

        <div class="flex">

            <div class="bg-primary
y - 100 rounded-lg p-3 max-w-xs">

                <p class="text-sm
text-primary">Por supuesto, el punto de e
ncuentro es en el Parque Principal de Guat
ap. Te envíó la ubicación exacta.</p>

                <p class="text-xs
text-text-secondary mt-1">10:33 AM</p>

            </div>

        </div>

    </div>

</div>

    <div class="p-4 border-t bord
er-subtle">

        <div class="flex items-ce
nter space-x-2">

            <input type="text" pl
aceholder="Escribe tu mensaje..." class="f
lex-1 px-3 py-2 border border-gray-300 rou
nded-lg focus:ring-2 focus:ring-primary fo
cus:border-transparent" />

            <button class="bg-pri
mary text-white p-2 rounded-lg hover:bg-pr
imary-600 transition-colors">

                <i class="fas fa-
paper-plane"></i>

            </button>

        </div>

    </div>

</div>

```

```
< / d i v >
```

```
< ! - -   B o o k i n g   D e t a i l   M o d a l   - - >
```

```
< d i v   i d = " b o o k i n g D e t a i l M o d a l "   c l a s s = " f
i x e d   i n s e t - 0   b g - b l a c k   b g - o p a c i t y - 5 0   h i d d e n
z - 5 0   f l e x   i t e m s - c e n t e r   j u s t i f y - c e n t e r   p - 4
" >
```

```
< d i v   c l a s s = " b g - s u r f a c e   r o u n d e d - x l
m a x - w - 2 x l   w - f u l l   m a x - h - 9 6   o v e r f l o w - y - a u t o
" >
```

```
< d i v   c l a s s = " p - 6 " >
```

```
< d i v   c l a s s = " f l e x   j u s t i f y -
b e t w e e n   i t e m s - c e n t e r   m b - 6 " >
```

```
< h 3   c l a s s = " t e x t - x l   f o
n t - s e r i f   f o n t - b o l d   t e x t - p r i m a r y " > D e t a l l e s
d e   l a   R e s e r v a < / h 3 >
```

```
< b u t t o n   o n c l i c k = " c l o s
e B o o k i n g D e t a i l ( ) "   c l a s s = " t e x t - t e x t - s e c o n d a
r y   h o v e r : t e x t - p r i m a r y " >
```

```
< i   c l a s s = " f a s   f a -
t i m e s   t e x t - x l " > < / i >
```

```
< / b u t t o n >
```

```
< / d i v >
```

```
< d i v   c l a s s = " s p a c e - y - 6 " >
```

```
< ! - -   E x p e r i e n c e   I n f o
- - >
```

```
< d i v >
```

```
< h 4   c l a s s = " f o n t - s
e m i b o l d   t e x t - p r i m a r y   m b - 3 " > I n f o r m a c i   n   d e
l a   E x p e r i e n c i a < / h 4 >
```

```
< d i v   c l a s s = " b g - p r
```

imary - 50 rounded - lg p - 4 space - y - 2 " >

< p > < span class  
s = " font - medium " > Experiencia : < / span > Tour C  
ompleto Guatap < / p >

< p > < span class  
s = " font - medium " > Proveedor : < / span > Experiencia  
Antioquia < / p >

< p > < span class  
s = " font - medium " > Fecha : < / span > 25 de Septiembre  
mbre , 2025 < / p >

< p > < span class  
s = " font - medium " > Hora : < / span > 8 : 00 AM - 6 : 00  
PM < / p >

< p > < span class  
s = " font - medium " > Duración : < / span > 10 horas < / p >

< / div >

< / div >

< ! - - Participants - - >

< div >

< h4 class = " font - semibold text - primary mb - 3 " > Participantes < / h4 >

< div class = " space - y - 2 " >

< div class = " flex items - center justify - between p - 3 bg - gray - 50 rounded - lg " >

< span > María González (Adulto) < / span >

< span class  
s = " text - primary font - medium " > \$ 160 , 000 < / span >



< / d i v >

< d i v   c l a s s = " f  
l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n   p - 3   b g - g r  
a y - 5 0   r o u n d e d - l g " >

< s p a n > J u a  
n   G o n z   l e z   ( A d u l t o ) < / s p a n >

< s p a n   c l a  
s s = " t e x t - p r i m a r y   f o n t - m e d i u m " > \$ 1 6 0 , 0 0 0 < / s p  
a n >

< / d i v >

< / d i v >

< / d i v >

< ! - -   P a y m e n t   I n f o   - - >

< d i v >

< h 4   c l a s s = " f o n t - s  
e m i b o l d   t e x t - p r i m a r y   m b - 3 " > I n f o r m a c i   n   d e  
P a g o < / h 4 >

< d i v   c l a s s = " b g - s u  
c c e s s - 5 0   r o u n d e d - l g   p - 4 " >

< d i v   c l a s s = " f  
l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n   m b - 2 " >

< s p a n > S u b  
t o t a l : < / s p a n >

< s p a n > \$ 3 2  
0 , 0 0 0 < / s p a n >

< / d i v >

< d i v   c l a s s = " f  
l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n   m b - 2 " >

< s p a n > D e s  
c u e n t o : < / s p a n >

< s p a n   c l a

ss = "text - success" > - \$0 < / span >

< / div >

< div class = " flex items - center justify - between font - semi bold text - lg border - top - 2 " >

< span > Total : < / span >

< span class = " text - primary " > \$ 320 , 000 < / span >

< / div >

< div class = " m - 2 flex items - center text - success " >

< i class = " fas fa - check - circle m - 2 " > < / i >

< span class = " font - medium " > Pagado completamente < / span >

< / div >

< / div >

< / div >

< ! - - Contact Info - - >

< div >

< h4 class = " font - semi bold text - primary m - 3 " > Información de Contacto < / h4 >

< div class = " space - y - 2 text - sm " >

< p > < span class = " font - medium " > Teléfono : < / span > +57 300 123 4567 < / p >

< p > < span class =

```
s = "font-medium">Email:</span> maria.gonzalez@email.com</p>
```

```
<p><span class="font-medium">Punto de encuentro:</span> Parque Principal Guatap</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="flex flex-col sm:flex-row gap-3 mt-6">
```

```
<button class="flex-1 bg-primary text-white px-4 py-2 rounded-lg hover:bg-primary-600 transition-colors">
```

```
<i class="fas fa-edit mr-2"></i> Modificar Reserva
```

```
</button>
```

```
<button class="flex-1 border border-error text-error px-4 py-2 rounded-lg hover:bg-error-50 transition-colors">
```

```
<i class="fas fa-times mr-2"></i> Cancelar Reserva
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Footer -->
```

```

    < footer class = " b g - p r i m a r y - 8 0 0   t e x t - w h
i t e   p y - 8   m t - 1 2 " >

        < div   class = " m a x - w - 7 x 1   m x - a u t o   p x -
4   s m : p x - 6   l g : p x - 8 " >

            < div   class = " g r i d   m d : g r i d - c o l s
- 4   g a p - 8 " >

                < div >

                    < div   class = " f l e x   i t e m
s - c e n t e r   m b - 4 " >

                        < s v g   class = " h - 8   w
- 8   t e x t - a c c e n t "   v i e w B o x = " 0   0   3 2   3 2 "   f i l l = "
c u r r e n t C o l o r " >

                            < p a t h   d = " M 1 6
2 L 3   7 v 1 0 c 0   8 . 5   5 . 5   1 6 . 5   1 3   1 8   7 . 5 - 1 . 5   1 3 - 9
. 5   1 3 - 1 8 V 7 L 1 6   2 z " / >

                                < c i r c l e   c x = " 1
6 "   c y = " 1 4 "   r = " 4 "   f i l l = " w h i t e " / >

                                    < p a t h   d = " M 1 2
2 0 h 8 v 2 h - 8 z "   f i l l = " w h i t e " / >

                                        < / s v g >

                                            < s p a n   class = " m 1 - 2
t e x t - x 1   f o n t - s e r i f   f o n t - b o l d " > A n t i o q A P P < /
s p a n >

                                                < / d i v >

                                                    < p   class = " t e x t - p r i m a r
y - 2 0 0   t e x t - s m " > D e s c u b r e   l a   a u t   n t i c a   c u l t u
r a   d e   A n t i o q u i a < / p >

                                                        < / d i v >

                                                            < d i v >

                                                                < h 4   class = " f o n t - s e m i b
o l d   m b - 3 " > E x p l o r a r < / h 4 >

                                                                    < u l   class = " s p a c e - y - 2

```

text-sm text-primary-200">

<li><a href="tourism\_routes.html" class="hover:text-white transition-colors">Rutas Tursticas</a></li>

<li><a href="events\_calendar.html" class="hover:text-white transition-colors">Eventos</a></li>

<li><a href="business\_directory.html" class="hover:text-white transition-colors">Negocios</a></li>

</ul>

</div>

<div>

<h4 class="font-semibold mb-3">Cuenta</h4>

<ul class="space-y-2 text-sm text-primary-200">

<li><a href="user\_login.html" class="hover:text-white transition-colors">Iniciar Sesin</a></li>

<li><a href="user\_registration.html" class="hover:text-white transition-colors">Registrarse</a></li>

<li><a href="booking\_management.html" class="hover:text-white transition-colors">Mis Reservas</a></li>

</ul>

</div>

<div>

```

old mb - 3 " > S guenos < / h 4 >
                                < h 4 class = " font - semib
e - x - 3 " >
                                < div class = " flex spac
                                < a href = " javascri
pt : void ( 0 ) " class = " text - primary - 200 hover :
text - white transition - colors " >
                                < i class = " fab
fa - facebook - f " > < / i >
                                < / a >
                                < a href = " javascri
pt : void ( 0 ) " class = " text - primary - 200 hover :
text - white transition - colors " >
                                < i class = " fab
fa - instagram " > < / i >
                                < / a >
                                < a href = " javascri
pt : void ( 0 ) " class = " text - primary - 200 hover :
text - white transition - colors " >
                                < i class = " fab
fa - tiktok " > < / i >
                                < / a >
                                < / div >
                                < / div >
                                < / div >
                                < div class = " border - t border - p
rimary - 700 mt - 8 pt - 8 text - center text - sm t
ext - primary - 200 " >
                                < p > &copy; 2025 AntioqAPP .
Todos los derechos reservados . < / p >
                                < / div >

```

```
< / d i v >
```

```
< / f o o t e r >
```

```
< s c r i p t >
```

```
// View switching functionality
```

```
function switchView( viewType ) {
```

```
    const customerView = document  
.getElementById( 'customerView' );
```

```
    const entrepreneurView = docu  
ment.getElementById( 'entrepreneurView' );
```

```
    const customerBtn = document.  
getElementById( 'customerViewBtn' );
```

```
    const entrepreneurBtn = docum  
ent.getElementById( 'entrepreneurViewBtn' );
```

```
    if ( viewType === 'customer' )  
{
```

```
        customerView.classList.re  
move( 'hidden' );
```

```
        entrepreneurView.classlis  
t.add( 'hidden' );
```

```
        customerBtn.className = '  
px-4 py-2 rounded-md text-sm font-medium b  
g-primary text-white transition-colors';
```

```
        entrepreneurBtn.className  
= 'px-4 py-2 rounded-md text-sm font-medi  
um text-text-secondary hover:text-primary  
transition-colors';
```

```
    } else {
```

```
        customerView.classList.ad  
d( 'hidden' );
```

```

        entrepreneurView.classNameList.remove('hidden');

        entrepreneurBtn.className = 'px-4 py-2 rounded-md text-sm font-medium bg-primary text-white transition-colors';

        customerBtn.className = 'px-4 py-2 rounded-md text-sm font-medium text-text-secondary hover:text-primary transition-colors';

    }

}

// Layout view toggle

function toggleView(viewType) {

    const cardsView = document.getElementById('bookingCards');

    const calendarView = document.getElementById('calendarView');

    const cardsBtn = document.getElementById('cardsViewBtn');

    const calendarBtn = document.getElementById('calendarViewBtn');

    const listBtn = document.getElementById('listViewBtn');

    // Reset all buttons

    [cardsBtn, calendarBtn, listBtn].forEach(btn => {

        btn.className = 'p-2 rounded-lg text-text-secondary hover:bg-primary hover:text-primary transition-colors';
    });
}

```



```

    } ) ;

    if ( viewType === 'cards' ) {
        cardsView.classList.remove( 'hidden' );
        calendarView.classList.add( 'hidden' );
        cardsBtn.className = 'p-2 rounded-lg bg-primary text-white';
    } else if ( viewType === 'calendar' ) {
        cardsView.classList.add( 'hidden' );
        calendarView.classList.remove( 'hidden' );
        calendarBtn.className = 'p-2 rounded-lg bg-primary text-white';
    } else if ( viewType === 'list' ) {
        // List view would be implemented here
        cardsView.classList.remove( 'hidden' );
        calendarView.classList.add( 'hidden' );
        listBtn.className = 'p-2 rounded-lg bg-primary text-white';
    }

}

// User menu toggle

```

```
function toggleUserMenu() {  
    const userMenu = document.getElementById('userMenu');  
    userMenu.classList.toggle('hidden');  
}
```

```
// Mobile menu toggle  
function toggleMobileMenu() {  
    // Mobile menu implementation  
    would go here  
    console.log('Mobile menu toggled');  
}
```

```
// Chat functionality  
function openChat(bookingId) {  
    document.getElementById('chatModal').classList.remove('hidden');  
}
```

```
function closeChat() {  
    document.getElementById('chatModal').classList.add('hidden');  
}
```

```
// Booking detail modal  
function openBookingDetail(bookingId) {
```

```
        document.getElementById('bookingDetailModal').classList.remove('hidden');
    );
```

```
    }
```

```
function closeBookingDetail() {
    document.getElementById('bookingDetailModal').classList.add('hidden');
}
```

```
// Booking actions
```

```
function modifyBooking(bookingId)
{
    alert('Funci n de modificaci
n de reserva - ID: ' + bookingId);
}
```

```
function cancelBooking(bookingId)
{
    if (confirm(' Est s seguro de
que deseas cancelar esta reserva? ')) {
        alert('Reserva cancelada
- ID: ' + bookingId);
    }
}
```

```
function payBooking(bookingId) {
    alert('Redirigiendo a pasarel
a de pago - ID: ' + bookingId);
}
```

```
}
```

```
function rebookExperience(booking  
Id) {  
    alert('Redirigiendo para nuev  
a reserva - ID: ' + bookingId);  
}
```

```
function shareExperience(bookingI  
d) {  
    if (navigator.share) {  
        navigator.share({  
            title: 'Mi experienci  
a en AntioqAPP',  
            text: ' Tuve una expe  
riencia incre ble!',  
            url: window.location.  
href  
        });  
    } else {  
        alert('Funci n de compart  
ir - ID: ' + bookingId);  
    }  
}
```

```
// Entrepreneur functions
```

```
function contactCustomer(customer  
Id) {  
    alert('Contactando cliente -  
ID: ' + customerId);  
}
```

```
}
```

```
function sendPaymentReminder(customerId) {  
    alert('Recordatorio de pago enviado - ID: ' + customerId);  
}
```

```
function viewDetails(customerId) {  
    alert('Ver detalles del cliente - ID: ' + customerId);  
}
```

```
// Close modals when clicking outside  
document.addEventListener('click', function(e) {  
    if (e.target.classList.contains('bg-black')) {  
        e.target.classList.add('hidden');  
    }  
});
```

```
// Close user menu when clicking outside  
document.addEventListener('click', function(e) {  
    const userMenu = document.get
```

```

ElementById( 'userMenu' );

        const userButton = e.target.c
losest( 'button' );

        if ( !userButton || !userButto
n.onclick || userButton.onclick.toString()
.indexOf( 'toggleUserMenu' ) === -1 ) {

            userMenu.classList.add( 'h
idden' );

        }

    } );

    // Initialize default view

    document.addEventListener( 'DOMCon
tentLoaded', function() {

        switchView( 'customer' );

        toggleView( 'cards' );

    } );

</script>

<script id="dhws-dataInjector" src=".. / pu
blic/dhws-data-injector.js"></script>

</body>

</html>

- - - - - D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Metodologías giles\AntioqApp\AntioqApp\p
ages\business_directory.html - - - - -

<!DOCTYPE html>

<html lang="es">

<head>

```

```

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <title>Directorio de Negocios - AntioqAPP</title>

    <link rel="stylesheet" href=" ../css/main.css" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

    <script type="module" src="https://static.rocket.new/rocket-web.js?_cfg=https%3A%2F%2Fantioqapp6359back.builtwithrocket.new&_be=https%3A%2F%2Fapplication.rocket.new&_v=0.1.8"></script>

</head>

<body class="bg-background min-h-screen">

    <!-- Navigation Header -->

    <nav class="bg-surface shadow-warm border-b border-subtle">

        <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

            <div class="flex justify-between items-center h-16">

                <!-- Logo -->

                <div class="flex items-center ext-primary" viewBox="0 0 32 32" fill="currentColor">

                    <path d="M16 2L3 7v10c0 8.5 5.5 16.5 13 18 7.5 1.5 13 9.5 13 18V7L16 2z" />

```

```

        <circle cx = "16" cy = "14" r = "4" fill = "white" />

        <path d = "M12 20h8v2h-8z" fill = "white" />

    </svg>

    <span class = "ml-2 text-t-xl font-serif font-bold text-primary">AntioqAPP</span>

</div>

<!-- Navigation Links -->

<div class = "hidden md:flex items-center space-x-8">

    <a href = "tourism_routes.html" class = "text-text-secondary hover:text-primary transition-colors">Rutas</a>

    <a href = "events_calendar.html" class = "text-text-secondary hover:text-primary transition-colors">Eventos</a>

    <a href = "business_directory.html" class = "text-primary font-medium">Negocios</a>

    <a href = "user_login.html" class = "bg-primary text-white px-4 py-2 rounded-lg hover:bg-primary-600 transition-colors">Iniciar Sesión</a>

</div>

<!-- Mobile Menu Button -->

<div class = "md:hidden">

    <button type = "button" class = "text-text-secondary hover:text-primary

```



```

mary" onclick="toggleMobileMenu()" >
                                <i class="fas fa-
bars text-xl"></i>
                                </button>
                                </div>
                                </div>
                                </div>

                                <!-- Mobile Menu -->
                                <div id="mobileMenu" class="md:hi
dden hidden bg-surface border-t border-sub
tle">
                                <div class="px-4 py-2 space-y
-2">
                                <a href="tourism_routes.h
tml" class="block py-2 text-text-secondary
hover:text-primary transition-colors">Rut
as</a>
                                <a href="events_calendar.
html" class="block py-2 text-text-secondary
hover:text-primary transition-colors">Ev
entos</a>
                                <a href="business_directo
ry.html" class="block py-2 text-primary fo
nt-medium">Negocios</a>
                                <a href="user_login.html"
class="block py-2 text-primary hover:text
-primary-600 transition-colors">Iniciar Se
ssi3n</a>
                                </div>
                                </div>
                                </nav>

```

```

<!-- Hero Section -->

<section class="bg-primary-50 py-12">

    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

        <div class="text-center">

            <h1 class="text-fluid-4xl font-serif font-bold text-primary mb-4">Directorio de Negocios</h1>

            <p class="text-fluid-lg text-text-secondary max-w-2xl mx-auto">

                Descubre los mejores restaurantes, hoteles, artesanos y operadores turísticos de Antioquia

            </p>

        </div>

    </div>

</section>


<!-- Search and Filters Section -->

<section class="py-8 bg-surface shadow-warm">

    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

        <!-- Search Bar -->

        <div class="mb-6">

            <div class="relative max-w-2xl mx-auto">

                <input type="text" id="searchInput" placeholder="Buscar negocios, especialidades o servicios..." class="w-full pl-12 pr-4 py-3 border border-gray-3

```

```
00 rounded-lg focus:ring-2 focus:ring-primary focus:border-transparent" />
```

```
<i class="fas fa-search absolute left-4 top-1/2 transform -translate-y-1/2 text-text-secondary"></i>
```

```
<button class="absolute right-2 top-1/2 transform -translate-y-1/2 bg-primary text-white px-4 py-1.5 rounded-md hover:bg-primary-600 transition-colors">
```

Buscar

```
</button>
```

```
</div>
```

```
</div>
```

```
<!-- Filter Controls -->
```

```
<div class="flex flex-wrap gap-4 items-center justify-between">
```

```
<!-- Filter Buttons -->
```

```
<div class="flex flex-wrap gap-2">
```

```
<button onclick="toggleFilter('typeFilter')" class="flex items-center px-4 py-2 bg-white border border-gray-300 rounded-lg hover:bg-primary-50 transition-colors">
```

```
<i class="fas fa-filter mr-2"></i>
```

Tipo de Negocio

```
<i class="fas fa-chevron-down ml-2 text-sm"></i>
```

```
</button>
```

```
<button onclick="toggle
```

```
leFilter('locationFilter')" class="flex items-center px-4 py-2 bg-white border border-gray-300 rounded-lg hover:bg-primary-50 transition-colors">
```

```
map-marker-alt mr-2"></i>
```

Ubicación

```
<i class="fas fa-chevron-down ml-2 text-sm"></i>
```

</button>

```
<button onclick="toggleFilter('priceFilter')" class="flex items-center px-4 py-2 bg-white border border-gray-300 rounded-lg hover:bg-primary-50 transition-colors">
```

```
dollar-sign mr-2"></i>
```

Precio

```
<i class="fas fa-chevron-down ml-2 text-sm"></i>
```

</button>

```
<button onclick="toggleFilter('ratingFilter')" class="flex items-center px-4 py-2 bg-white border border-gray-300 rounded-lg hover:bg-primary-50 transition-colors">
```

```
star mr-2"></i>
```

Calificación

```
<i class="fas fa-chevron-down ml-2 text-sm"></i>
```

</button>

</div>

```

t - - >
<!-- View Toggle and Reset -->
<div class="flex items-center gap-2">
    <button onclick="resetFilters()" class="px-4 py-2 text-text-secondary hover:text-primary transition-colors">
        Undo
    </button>
    <button onclick="limpiar()" class="px-4 py-2 text-text-secondary hover:text-primary transition-colors">
        Limpiar
    </button>
</div>
<div class="flex bg-gray-100 rounded-lg p-1">
    <button onclick="toggleView('grid')" id="gridViewBtn" class="px-3 py-1 rounded-md bg-primary text-white transition-colors">
        Grid
    </button>
    <button onclick="toggleView('map')" id="mapViewBtn" class="px-3 py-1 rounded-md text-text-secondary hover:bg-white transition-colors">
        Map
    </button>
</div>
</div>
</div>

```

```

        <!-- Filter Dropdowns -->

        <div class="mt-4 space-y-4">

            <!-- Business Type Filter

-->

            <div id="typeFilter" class="hidden bg-white border border-gray-200 rounded-lg p-4">

                <h4 class="font-medium text-text-primary mb-3">Tipo de Negocio</h4>

                <div class="grid grid-cols-2 md:grid-cols-4 gap-2">

                    <label class="flex items-center">

                        <input type="checkbox" value="restaurant" class="text-primary focus:ring-primary mr-2"/>

                        <span class="text-sm">Restaurantes</span>

                    </label>

                    <label class="flex items-center">

                        <input type="checkbox" value="hotel" class="text-primary focus:ring-primary mr-2"/>

                        <span class="text-sm">Hoteles</span>

                    </label>

                    <label class="flex items-center">

                        <input type="checkbox" value="artisan" class="text-primary focus:ring-primary mr-2"/>

                        <span class="

```

```

text-sm">Artesan  as</span>

                                </label>

                                <label class="fle
x items-center">

                                <input type="
checkbox" value="tour" class="text-primary
focus:ring-primary mr-2"/>

                                <span class="
text-sm">Tours</span>

                                </label>

                                </div>

                                </div>

                                <!-- Location Filter -->

                                <div id="locationFilter"
class="hidden bg-white border border-gray-
200 rounded-lg p-4">

                                <h4 class="font-mediu
m text-text-primary mb-3">Municipio</h4>

                                <div class="grid grid
-cols-2 md:grid-cols-3 gap-2">

                                <label class="fle
x items-center">

                                <input type="
checkbox" value="medellin" class="text-pri
mary focus:ring-primary mr-2"/>

                                <span class="
text-sm">Medell  n</span>

                                </label>

                                <label class="fle
x items-center">

                                <input type="

```

```
checkbox" value="guatape" class="text-primary focus:ring-primary mr-2" />
```

```
text-sm">Guatap </span>
```

```
</label>
```

```
items-center">
```

```
checkbox" value="jardin" class="text-primary focus:ring-primary mr-2" />
```

```
text-sm">Jard n</span>
```

```
</label>
```

```
items-center">
```

```
checkbox" value="santa-fe" class="text-primary focus:ring-primary mr-2" />
```

```
text-sm">Santa Fe de Antioquia</span>
```

```
</label>
```

```
items-center">
```

```
checkbox" value="rionegro" class="text-primary focus:ring-primary mr-2" />
```

```
text-sm">Rionegro</span>
```

```
</label>
```

```
items-center">
```

```
checkbox" value="jerico" class="text-primary focus:ring-primary mr-2" />
```



```

text-sm">Jeric</span>
</label>
</div>
</div>

<!-- Price Filter -->
<div id="priceFilter" class="hidden bg-white border border-gray-200 rounded-lg p-4">
<h4 class="font-medium text-text-primary mb-3">Rango de Precios
</h4>
<div class="flex gap-4">
<label class="flex items-center">
<input type="radio" name="price" value="$" class="text-primary focus:ring-primary mr-2"/>
<span class="text-sm">$ - Económico</span>
</label>
<label class="flex items-center">
<input type="radio" name="price" value="$ $" class="text-primary focus:ring-primary mr-2"/>
<span class="text-sm">$ $ - Moderado</span>
</label>
<label class="flex

```

```

x items-center">

                                <input type="
radio" name="price" value="$$$" class="text
t-primary focus:ring-primary mr-2"/>

                                <span class="
text-sm">$$$ - Premium</span>

                                </label>

                                </div>

                                </div>

                                <!-- Rating Filter -->

                                <div id="ratingFilter" cl
ass="hidden bg-white border border-gray-20
0 rounded-lg p-4">

                                <h4 class="font-mediu
m text-text-primary mb-3">Calificaci n M n
ima</h4>

                                <div class="flex gap-
4">

                                <label class="fle
x items-center">

                                <input type="
radio" name="rating" value="3" class="text
t-primary focus:ring-primary mr-2"/>

                                <span class="
text-sm flex items-center">

                                3+ <i cla
ss="fas fa-star text-warning ml-1"></i>

                                </span>

                                </label>

                                <label class="fle
x items-center">

```

```

        <input type="
radio" name="rating" value="4" class="text
- primary focus:ring-primary mr-2" />

        <span class="
text-sm flex items-center" >

            4+ <i cla
ss="fas fa-star text-warning ml-1"></i>

        </span>

    </label>

    <label class="fle
x items-center" >

        <input type="
radio" name="rating" value="4.5" class="te
xt-primary focus:ring-primary mr-2" />

        <span class="
text-sm flex items-center" >

            4.5+ <i c
lass="fas fa-star text-warning ml-1"></i>

        </span>

    </label>

</div>

</div>

</div>

</section>

<!-- Featured Businesses Carousel -->

<section class="py-8 bg-accent-50">

    <div class="max-w-7xl mx-auto px-
4 sm:px-6 lg:px-8">

```

```

        <div class="flex items-center
justify-between mb-6">

        <h2 class="text-fluid-2xl
font-serif font-bold text-primary">Negoci
os Destacados</h2>

        <div class="flex gap-2">

        <button onclick="scro
llCarousel('left')" class="p-2 bg-white ro
unded-full shadow-warm hover:shadow-warm-m
d transition-all">

        <i class="fas fa-
chevron-left text-primary"></i>

        </button>

        <button onclick="scro
llCarousel('right')" class="p-2 bg-white r
ounded-full shadow-warm hover:shadow-warm-
md transition-all">

        <i class="fas fa-
chevron-right text-primary"></i>

        </button>

        </div>

        </div>

        <div class="overflow-x-auto">

        <div id="featuredCarousel
" class="flex gap-6 pb-4">

        <!-- Featured Busines
s 1 -->

        <div class="flex-none
w-80 bg-surface rounded-xl card-elevation
overflow-hidden">

        <div class="relat
ive h-48">

```

```



```

```

<div class="absolute top-3 left-3 bg-accent text-white px-2 py-1 rounded-full text-xs font-medium">

```

DESTACADO

```

</div>

```

```

<div class="absolute top-3 right-3 bg-white bg-opacity-90 px-2 py-1 rounded-full text-sm font-medium">

```

\$ \$

```

</div>

```

```

</div>

```

```

<div class="p-4">

```

```

<div class="flex items-start justify-between mb-2">

```

```

<h3 class="font-serif font-semibold text-lg text-primary">Restaurante La Hacienda</h3>

```

```

<div class="flex items-center text-sm">

```

```

<i class="fas fa-star text-warning mr-1"></i>

```

```

<span class="font-medium">4.8</span>

```

```

</div>

```

```

< / div >

< p class = " text
t - text - secondary text - sm mb - 3 " > Cocina trad
icional antioque a " Guatap < / p >

< div class = " f
lex items - center justify - between " >

< div clas
s = " flex items - center text - sm text - text - sec
ondary " >

< i cl
ass = " fas fa - clock mr - 1 " > < / i >

< span
> Abierto ahora < / span >

< / div >

< button o
nclick = " openBusinessDetail ( ' hacienda ' ) " cl
ass = " bg - primary text - white px - 4 py - 2 round
ed - lg text - sm hover : bg - primary - 600 transit
ion - colors " >

Ver D
etalles

< / button >

< / div >

< / div >

< / div >

< ! - - Featured Busines
s 2 - - >

< div class = " flex - none
w - 80 bg - surface rounded - xl card - elevation
overflow - hidden " >

< div class = " relat
ive h - 48 " >

```

```

```

```
<div class="absolute top-3 left-3 bg-accent text-white px-2 py-1 rounded-full text-xs font-medium">
```

DESTACADO

```
</div>
```

```
<div class="absolute top-3 right-3 bg-white bg-opacity-90 px-2 py-1 rounded-full text-sm font-medium">
```

\$\$\$

```
</div>
```

```
</div>
```

```
<div class="p-4">
```

```
<div class="flex items-start justify-between mb-2">
```

```
<h3 class="font-serif font-semibold text-lg text-primary">Hotel Boutique Colonial</h3>
```

```
<div class="flex items-center text-sm">
```

```
<i class="fas fa-star text-warning mr-1"></i>
```

```
<span class="font-medium">4.9</span>
```

```

        < / d i v >

    < / d i v >

        < p    c l a s s = " t e x
t - t e x t - s e c o n d a r y    t e x t - s m    m b - 3 " > H o t e l    b o u t i
q u e    "    S a n t a    F e    d e    A n t i o q u i a < / p >

        < d i v    c l a s s = " f
l e x    i t e m s - c e n t e r    j u s t i f y - b e t w e e n " >

        < d i v    c l a s
s = " f l e x    i t e m s - c e n t e r    t e x t - s m    t e x t - s u c c e s s "
>

        < i    c l
a s s = " f a s    f a - c h e c k - c i r c l e    m r - 1 " > < / i >

        < s p a n
> D i s p o n i b l e < / s p a n >

        < / d i v >

        < b u t t o n    o
n c l i c k = " o p e n B u s i n e s s D e t a i l ( ' c o l o n i a l ' ) "    c l
a s s = " b g - p r i m a r y    t e x t - w h i t e    p x - 4    p y - 2    r o u n d
e d - l g    t e x t - s m    h o v e r : b g - p r i m a r y - 6 0 0    t r a n s i t
i o n - c o l o r s " >

        V e r    D

e t a l l e s

        < / b u t t o n >

        < / d i v >

    < / d i v >

< / d i v >

        < ! - -    F e a t u r e d    B u s i n e s
s    3    - - >

        < d i v    c l a s s = " f l e x - n o n e
w - 8 0    b g - s u r f a c e    r o u n d e d - x l    c a r d - e l e v a t i o n
o v e r f l o w - h i d d e n " >

        < d i v    c l a s s = " r e l a t

```



ive h - 48 " >



<div class="absolute top-3 left-3 bg-accent text-white px-2 py-1 rounded-full text-xs font-medium">

DESTACADO

</div>

<div class="absolute top-3 right-3 bg-white bg-opacity-90 px-2 py-1 rounded-full text-sm font-medium">

\$

</div>

</div>

<div class="p-4">

<div class="flex items-start justify-between mb-2">

<h3 class="font-serif font-semibold text-lg text-primary">Artesan as Do a Mar a</h3>

<div class="flex items-center text-sm">

<i class="fas fa-star text-warning mr-1"></i>

<span class="font-medium">4.7</span>

```

< / d i v >

< / d i v >

< p   c l a s s = " t e x
t - t e x t - s e c o n d a r y   t e x t - s m   m b - 3 " > A r t e s a n   a s
t r a d i c i o n a l e s   "   J a r d   n < / p >

< d i v   c l a s s = " f
l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n " >

< d i v   c l a s
s = " f l e x   i t e m s - c e n t e r   t e x t - s m   t e x t - t e x t - s e c
o n d a r y " >

< i   c l
a s s = " f a s   f a - t o o l s   m r - 1 " > < / i >

< s p a n

> T a l l e r e s   d i s p o n i b l e s < / s p a n >

< / d i v >

< b u t t o n   o
n c l i c k = " o p e n B u s i n e s s D e t a i l ( ' a r t e s a n i a s ' ) "
c l a s s = " b g - p r i m a r y   t e x t - w h i t e   p x - 4   p y - 2   r o u
n d e d - l g   t e x t - s m   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s
i t i o n - c o l o r s " >

V e r   D

e t a l l e s

< / b u t t o n >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

< / s e c t i o n >

```

```

        <!-- Main Content Area -->

        <main class="py-8">

            <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

                <!-- Results Header -->

                <div class="flex items-center justify-between mb-6">

                    <div>

                        <h2 class="text-fluid
-xl font-serif font-semibold text-primary">
>Todos los Negocios</h2>

                        <p class="text-text-secondary" id="resultsCount">Mostrando 156
negocios</p>

                    </div>

                    <div class="flex items-center gap-4">

                        <label class="text-sm text-text-secondary">Ordenar por:</label>

                        <select class="border border-gray-300 rounded-lg px-3 py-2 text-sm focus:ring-2 focus:ring-primary focus:
border-transparent">

                            <option>Relevancia</option>

                            <option>Calificaci
i n</option>

                            <option>Precio: M
enor a Mayor</option>

                            <option>Precio: M
ayor a Menor</option>

                            <option>Distancia
</option>

```

```

        < / s e l e c t >

    < / d i v >

< / d i v >

    < ! - -   B u s i n e s s   G r i d   V i e w   - - >

        < d i v   i d = " g r i d V i e w "   c l a s s = " g r i
d   g r i d - c o l s - 1   m d : g r i d - c o l s - 2   l g : g r i d - c o l s -
3   x l : g r i d - c o l s - 4   g a p - 6 " >

            < ! - -   B u s i n e s s   C a r d   1   - - >

                < d i v   c l a s s = " b g - s u r f a c e   r o
u n d e d - x l   c a r d - e l e v a t i o n   o v e r f l o w - h i d d e n " >

                    < d i v   c l a s s = " r e l a t i v e

h - 4 8 " >

                        < i m g   s r c = " h t t p s : /
/ i m a g e s . p e x e l s . c o m / p h o t o s / 1 2 6 7 3 2 0 / p e x e l s - p
h o t o - 1 2 6 7 3 2 0 . j p e g ? a u t o = c o m p r e s s & c s = t i n y s r g
b & w = 8 0 0 "   a l t = " C a f   d e l   P u e b l o "   c l a s s = " w - f u
l l   h - f u l l   o b j e c t - c o v e r "   o n e r r o r = " t h i s . s r c =
' h t t p s : / / i m a g e s . u n s p l a s h . c o m / p h o t o - 1 5 8 4 8 2 4
4 8 6 5 0 9 - 1 1 2 e 4 1 8 1 f f 6 b ? q = 8 0 & w = 2 9 4 0 & a u t o = f o r m a
t & f i t = c r o p & i x l i b = r b - 4 . 0 . 3 & i x i d = M 3 w x M j A 3 f D B
8 M H x w a G 9 0 b y 1 w Y W d l f H x 8 f G V u f D B 8 f H x 8 f A % 3 D % 3 D '
;   t h i s . o n e r r o r = n u l l ; "   / >

                        < d i v   c l a s s = " a b s o l
u t e   t o p - 3   r i g h t - 3   b g - w h i t e   b g - o p a c i t y - 9 0   p
x - 2   p y - 1   r o u n d e d - f u l l   t e x t - s m   f o n t - m e d i u m "
>

                                $ $

                        < / d i v >

                                < b u t t o n   c l a s s = " a b
s o l u t e   t o p - 3   l e f t - 3   p - 2   b g - w h i t e   b g - o p a c i t
y - 9 0   r o u n d e d - f u l l   h o v e r : b g - w h i t e   t r a n s i t i o
n - c o l o r s " >

                                    < i   c l a s s = " f a r
f a - h e a r t   t e x t - p r i m a r y " > < / i >

```

```

< / button >

< / div >

< div class = " p - 4 " >

    < div class = " flex
items - start justify - between mb - 2 " >

        < h3 class = " font - serif font - semibold text - lg text - primary " > Caf del Pueblo < / h3 >

    < div class = " flex items - center text - sm " >

        < i class =
" fas fa - star text - warning mr - 1 " > < / i >

        < span class = " font - medium " > 4 . 5 < / span >

    < / div >

< / div >

    < p class = " text - text - secondary text - sm mb - 2 " > Caf especializado " Medelln < / p >

    < div class = " flex items - center text - xs text - text - secondary mb - 3 " >

        < i class = " fas fa - map - marker - alt mr - 1 " > < / i >

        < span > El Poblado " 2 . 3 km < / span >

    < / div >

    < div class = " flex items - center justify - between " >

        < div class = " flex items - center text - sm text - success " >

            < i class =

```

```

"fas fa-clock mr-1"></i>
<span>Abi
erto</span>
</div>
<div class="flex gap-2">
<button class="p-2 bg-primary-50 text-primary rounded-lg hover:bg-primary-100 transition-colors">
<i class="fas fa-phone text-sm"></i>
</button>
<button onclick="openBusinessDetail('cafe-pueblo')" class="bg-primary text-white px-3 py-2 rounded-lg text-sm hover:bg-primary-600 transition-colors">
Ver Mas
</button>
</div>
</div>
</div>
<!-- Business Card 2 -->
<div class="bg-surface rounded-xl card-elevation overflow-hidden">
<div class="relative h-48">

```

```
<div class="absolute top-3 right-3 bg-white bg-opacity-90 px-2 py-1 rounded-full text-sm font-medium">
```

```
$$$
```

```
</div>
```

```
<button class="absolute top-3 left-3 p-2 bg-white bg-opacity-90 rounded-full hover:bg-white transition-colors">
```

```
<i class="far fa-heart text-primary"></i>
```

```
</button>
```

```
</div>
```

```
<div class="p-4">
```

```
<div class="flex items-start justify-between mb-2">
```

```
<h3 class="font-serif font-semibold text-lg text-primary">Tours Aventura Extrema</h3>
```

```
<div class="flex items-center text-sm">
```

```
<i class="fas fa-star text-warning mr-1"></i>
```

```
<span class="font-medium">4.9</span>
```

```
</div>
```

```

< / d i v >

< p   c l a s s = " t e x t - t e
x t - s e c o n d a r y   t e x t - s m   m b - 2 " > T u r i s m o   d e   a v e n
t u r a   "   G u a t a p   < / p >

< d i v   c l a s s = " f l e x
i t e m s - c e n t e r   t e x t - x s   t e x t - t e x t - s e c o n d a r y   m
b - 3 " >

< i   c l a s s = " f a s
f a - m a p - m a r k e r - a l t   m r - 1 " > < / i >

< s p a n > G u a t a p

"   4 5   k m < / s p a n >

< / d i v >

< d i v   c l a s s = " f l e x
i t e m s - c e n t e r   j u s t i f y - b e t w e e n " >

< d i v   c l a s s = " f
l e x   i t e m s - c e n t e r   t e x t - s m   t e x t - s u c c e s s " >

< i   c l a s s =
" f a s   f a - c a l e n d a r - c h e c k   m r - 1 " > < / i >

< s p a n > D i s
p o n i b l e < / s p a n >

< / d i v >

< d i v   c l a s s = " f

l e x   g a p - 2 " >

< b u t t o n   c
l a s s = " p - 2   b g - p r i m a r y - 5 0   t e x t - p r i m a r y   r o u n d
e d - l g   h o v e r : b g - p r i m a r y - 1 0 0   t r a n s i t i o n - c o l o
r s " >

< i   c l
a s s = " f a s   f a - p h o n e   t e x t - s m " > < / i >

< / b u t t o n >

< b u t t o n   o
n c l i c k = " o p e n B u s i n e s s D e t a i l ( ' t o u r s - a v e n t u r a
' ) "   c l a s s = " b g - p r i m a r y   t e x t - w h i t e   p x - 3   p y - 2
r o u n d e d - l g   t e x t - s m   h o v e r : b g - p r i m a r y - 6 0 0   t

```



ransition-colors">

Ver M

s

</button>

</div>

</div>

</div>

</div>

<!-- Business Card 3 -->

<div class="bg-surface rounded-xl card-elevation overflow-hidden">

<div class="relative h-48">



<div class="absolute top-3 right-3 bg-white bg-opacity-90 px-2 py-1 rounded-full text-sm font-medium">

\$\$

</div>

<button class="absolute top-3 left-3 p-2 bg-white bg-opacity-90 rounded-full hover:bg-white transition-colors">

```

        <i class = " fa - heart text - primary " > </i>
            </button>
        </div>
        <div class = " p - 4 " >
            <div class = " flex
items - start justify - between mb - 2 " >
                <h3 class = " font - serif font - semibold text - lg text - primary " > Posada Los Arrayanes </h3>
            <div class = " flex items - center text - sm " >
                <i class = " fas fa - star text - warning mr - 1 " > </i>
                    <span class = " font - medium " > 4 . 6 </span>
            </div>
        </div>
        <p class = " text - text - secondary text - sm mb - 2 " > Hotel familiar " Jeric </p>
        <div class = " flex items - center text - xs text - text - secondary mb - 3 " >
            <i class = " fas fa - map - marker - alt mr - 1 " > </i>
                <span> Jeric " 87 km </span>
        </div>
        <div class = " flex items - center justify - between " >
            <div class = " flex items - center text - sm text - warning " >

```

```

        <i class =
"fas fa-exclamation-triangle mr-1"></i>

        <span>Poc
as habitaciones</span>

        </div>

        <div class = "f
lex gap-2">

        <button c
lass = "p-2 bg-primary-50 text-primary round
ed-lg hover:bg-primary-100 transition-colo
rs">

        <i cl
ass = "fas fa-phone text-sm"></i>

        </button>

        <button o
nclick = "openBusinessDetail('posada-arrayan
es') " class = "bg-primary text-white px-3 py
-2 rounded-lg text-sm hover:bg-primary-600
transition-colors">

        Ver M
s

        </button>

        </div>

        </div>

        </div>

        </div>

        <!-- Business Card 4 -->

        <div class = "bg-surface ro
unded-xl card-elevation overflow-hidden">

        <div class = "relative
h-48">

```

```



```

```

<div class="absol
ute top-3 right-3 bg-white bg-opacity-90 p
x-2 py-1 rounded-full text-sm font-medium"
>

```

\$

```

</div>

```

```

<button class="ab
solute top-3 left-3 p-2 bg-white bg-opacit
y-90 rounded-full hover:bg-white transitio
n-colors">

```

```

<i class="far
fa-heart text-primary"></i>

```

```

</button>

```

```

</div>

```

```

<div class="p-4">

```

```

<div class="flex
items-start justify-between mb-2">

```

```

<h3 class="fo
nt-serif font-semibold text-lg text-primar
y">Taller de Cer mica Ancestral</h3>

```

```

<div class="f
lex items-center text-sm">

```

```

<i class=
"fas fa-star text-warning mr-1"></i>

```

```

<span cla
ss="font-medium">4.8</span>

```

```

        < / d i v >

    < / d i v >

    < p   c l a s s = " t e x t - t e
x t - s e c o n d a r y   t e x t - s m   m b - 2 " > A r t e s a n   a s   "   R i
o n e g r o < / p >

    < d i v   c l a s s = " f l e x
i t e m s - c e n t e r   t e x t - x s   t e x t - t e x t - s e c o n d a r y   m
b - 3 " >

    < i   c l a s s = " f a s
f a - m a p - m a r k e r - a l t   m r - 1 " > < / i >

    < s p a n > R i o n e g r
o   "   2 8   k m < / s p a n >

    < / d i v >

    < d i v   c l a s s = " f l e x
i t e m s - c e n t e r   j u s t i f y - b e t w e e n " >

    < d i v   c l a s s = " f
l e x   i t e m s - c e n t e r   t e x t - s m   t e x t - s u c c e s s " >

    < i   c l a s s =
" f a s   f a - t o o l s   m r - 1 " > < / i >

    < s p a n > T a l
l e r e s   h o y < / s p a n >

    < / d i v >

    < d i v   c l a s s = " f
l e x   g a p - 2 " >

    < b u t t o n   c
l a s s = " p - 2   b g - p r i m a r y - 5 0   t e x t - p r i m a r y   r o u n d
e d - l g   h o v e r : b g - p r i m a r y - 1 0 0   t r a n s i t i o n - c o l o
r s " >

    < i   c l
a s s = " f a s   f a - p h o n e   t e x t - s m " > < / i >

    < / b u t t o n >

    < b u t t o n   o
n c l i c k = " o p e n B u s i n e s s D e t a i l ( ' c e r a m i c a - a n c e s

```

```
trail' )" class = "bg - primary text - white px - 3
py - 2 rounded - lg text - sm hover : bg - primary - 6
00 transition - colors ">
```

Ver M

s

```
< / button >
```

```
< / div >
```

```
< / div >
```

```
< / div >
```

```
< / div >
```

```
< ! - - Business Card 5 - - >
```

```
und ed - x1 card - elevation overflow - hidden ">
```

```
h - 48 ">
```

```
< img src = " https : /
/ images . pixabay . com / photo / 2017 / 01 / 26 / 02 / 06
/ platter - 2009590 _ 960 _ 720 . jpg " alt = " Restaur
ante El Fog n Paisa " class = " w - full h - full
object - cover " onerror = " this . src = ' https : // i
mages . unsplash . com / photo - 1584824486509 - 112
e4181ff6b ? q = 80 & w = 2940 & auto = format & fit = crop
& ixlib = rb - 4 . 0 . 3 & ixid = M3wxMjA3fDB8MHxwaG90b
y1wYWdlfHx8fGVufDB8fHx8fA % 3D % 3D ' ; this . one
rror = null ; " / >
```

```
< div class = " absol
ute top - 3 right - 3 bg - white bg - opacity - 90 p
x - 2 py - 1 rounded - full text - sm font - medium "
>
```

\$\$

```
< / div >
```

```
< button class = " ab
solute top - 3 left - 3 p - 2 bg - white bg - opacit
y - 90 rounded - full hover : bg - white transitio
```

n - colors " >

fa-heart text-primary " > < / i >

< / button >

< / div >

< div class = " p - 4 " >

< div class = " flex  
items-start justify-between mb-2 " >

< h3 class = " font-serif font-semibold text-lg text-primary  
> Restaurante El Fogón Paisa < / h3 >

< div class = " flex  
flex-items-center text-sm " >

< i class =  
" fas fa-star text-warning mr-1 " > < / i >

< span cla  
ss = " font-medium " > 4.4 < / span >

< / div >

< / div >

< p class = " text-te  
xt-secondary text-sm mb-2 " > Comida tradicio  
nal " Medellín < / p >

< div class = " flex  
items-center text-xs text-text-secondary m  
b-3 " >

< i class = " fas  
fa-map-marker-alt mr-1 " > < / i >

< span > Centro  
" 5.1 km < / span >

< / div >

< div class = " flex  
items-center justify-between " >

```

<div class="flex items-center text-sm text-success">
    <i class="fas fa-clock mr-1"></i>
    <span>Abierto</span>
</div>
<div class="flex gap-2">
    <button class="p-2 bg-primary-50 text-primary rounded-lg hover:bg-primary-100 transition-colors">
        <i class="fas fa-phone text-sm"></i>
    </button>
    <button onclick="openBusinessDetail('fogon-paisa')" class="bg-primary text-white px-3 py-2 rounded-lg text-sm hover:bg-primary-600 transition-colors">
        Ver Mas
    </button>
</div>
</div>
</div>
</div>
<!-- Business Card 6 -->
<div class="bg-surface rounded-xl card-elevation overflow-hidden">

```



```

<div class="relative
h - 48 " >



<div class="absol
ute top-3 right-3 bg-white bg-opacity-90 p
x-2 py-1 rounded-full text-sm font-medium"
>

$$$

</div>

<button class="ab
solute top-3 left-3 p-2 bg-white bg-opacit
y-90 rounded-full hover:bg-white transiti
on-colors">

<i class="far
fa-heart text-primary"></i>

</button>

</div>

<div class="p-4">

<div class="flex
items-start justify-between mb-2">

<h3 class="fo
nt-serif font-semibold text-lg text-primar
y">Hotel Boutique Casa Verde</h3>

<div class="f
lex items-center text-sm">

<i class=
"fas fa-star text-warning mr-1"></i>

```

```

<span class="font-medium">4.7</span>
</div>
</div>
<p class="text-text-secondary text-sm mb-2">Hotel ecológico
" Jardín</p>
<div class="flex items-center text-xs text-text-secondary mb-3">
<i class="fas fa-map-marker-alt mr-1"></i>
<span>Jardín
" 134 km</span>
</div>
<div class="flex items-center justify-between">
<div class="flex items-center text-sm text-success">
<i class="fas fa-leaf mr-1"></i>
<span>Eco
-friendly</span>
</div>
<div class="flex gap-2">
<button class="p-2 bg-primary-50 text-primary rounded-lg hover:bg-primary-100 transition-colors">
<i class="fas fa-phone text-sm"></i>
</button>

```

```

                                < button o
n click = " openBusinessDetail( ' casa - verde ' ) "
class = " bg - primary text - white px - 3 py - 2 rou
nded - lg text - sm hover : bg - primary - 600 trans
ition - colors " >

                                Ver M

s

                                < / button >

                                < / div >

                                < / div >

                                < / div >

                                < / div >

                                < / div >

                                < ! - - Map View - - >

                                < div id = " mapView " class = " hidd
en " >

                                < div class = " bg - surface ro
unded - xl card - elevation overflow - hidden " >

                                < div class = " h - 96 bg - g
ray - 200 flex items - center justify - center r
elative " >

                                < div class = " text -
center " >

                                < i class = " fas
fa - map text - 4xl text - primary mb - 4 " > < / i >

                                < h3 class = " te
xt - lg font - semibold text - primary mb - 2 " > Map
a Interactivo < / h3 >

                                < p class = " tex
t - text - secondary " > Visualiza la ubicaci n d
e todos los negocios < / p >

                                < / div >

```

```

k e r s   - - >

                                < ! - -   M o c k   M a p   M a r
                                >

                                < d i v   c l a s s = " a b s o l
u t e   t o p - 4   l e f t - 4   b g - a c c e n t   t e x t - w h i t e   p - 2
r o u n d e d - f u l l   c u r s o r - p o i n t e r   h o v e r : b g - a c c e n
t - 6 0 0   t r a n s i t i o n - c o l o r s "   o n c l i c k = " s h o w M a p P
o p u p ( ' m a r k e r 1 ' ) " >

                                < i   c l a s s = " f a s
f a - u t e n s i l s   t e x t - s m " > < / i >

                                < / d i v >

                                < d i v   c l a s s = " a b s o l
u t e   t o p - 1 2   r i g h t - 8   b g - p r i m a r y   t e x t - w h i t e   p
- 2   r o u n d e d - f u l l   c u r s o r - p o i n t e r   h o v e r : b g - p r
i m a r y - 6 0 0   t r a n s i t i o n - c o l o r s "   o n c l i c k = " s h o w
M a p P o p u p ( ' m a r k e r 2 ' ) " >

                                < i   c l a s s = " f a s
f a - b e d   t e x t - s m " > < / i >

                                < / d i v >

                                < d i v   c l a s s = " a b s o l
u t e   b o t t o m - 8   l e f t - 1 2   b g - s e c o n d a r y   t e x t - w h i
t e   p - 2   r o u n d e d - f u l l   c u r s o r - p o i n t e r   h o v e r : b
g - s e c o n d a r y - 6 0 0   t r a n s i t i o n - c o l o r s "   o n c l i c k
= " s h o w M a p P o p u p ( ' m a r k e r 3 ' ) " >

                                < i   c l a s s = " f a s
f a - p a l e t t e   t e x t - s m " > < / i >

                                < / d i v >

                                < / d i v >

                                < / d i v >

                                < / d i v >

                                < ! - -   L o a d   M o r e   B u t t o n   - - >

                                < d i v   c l a s s = " t e x t - c e n t e r   m t - 8 "

```

>

```
        <button class="bg-primary
text-white px-8 py-3 rounded-lg hover:bg-
primary-600 transition-colors btn-spring">
```

Cargar Mis Negocios

```
</button>
```

```
</div>
```

```
</div>
```

```
</main>
```

```
<!-- Business Detail Modal -->
```

```
<div id="businessModal" class="fixed
inset-0 bg-black bg-opacity-50 hidden z-50
flex items-center justify-center p-4">
```

```
<div class="bg-surface rounded-xl
max-w-4xl w-full max-h-96 overflow-y-auto
">
```

```
<div class="relative">
```

```
<!-- Modal Header -->
```

```
<div class="flex justify-
between items-center p-6 border-b border-g
ray-200">
```

```
<h3 class="text-2xl f
ont-serif font-bold text-primary" id="moda
lTitle">Detalles del Negocio</h3>
```

```
<button onclick="clos
eBusinessModal()" class="text-text-seconda
ry hover:text-primary">
```

```
<i class="fas fa-
times text-xl"></i>
```

```
</button>
```

[illegible]

```

s t a r   t e x t - w a r n i n g   m r - 1 " > < / i >

< s p a n   i d = " p o p u p R a
t i n g " > < / s p a n >

< / d i v >

< b u t t o n   o n c l i c k = " c l o s
e M a p P o p u p ( ) "   c l a s s = " t e x t - p r i m a r y   h o v e r : t e x
t - p r i m a r y - 6 0 0   t e x t - s m " >

V e r   D e t a i l l e s

< / b u t t o n >

< / d i v >

< / d i v >

< / d i v >

< ! - -   F o o t e r   - - >

< f o o t e r   c l a s s = " b g - p r i m a r y - 8 0 0   t e x t - w h
i t e   p y - 8   m t - 1 2 " >

< d i v   c l a s s = " m a x - w - 7 x 1   m x - a u t o   p x -
4   s m : p x - 6   l g : p x - 8 " >

< d i v   c l a s s = " g r i d   m d : g r i d - c o l s
- 4   g a p - 8 " >

< d i v >

< d i v   c l a s s = " f l e x   i t e m
s - c e n t e r   m b - 4 " >

< s v g   c l a s s = " h - 8   w
- 8   t e x t - a c c e n t "   v i e w B o x = " 0   0   3 2   3 2 "   f i l l = "
c u r r e n t C o l o r " >

< p a t h   d = " M 1 6
2 L 3   7 v 1 0 c 0   8 . 5   5 . 5   1 6 . 5   1 3   1 8   7 . 5 - 1 . 5   1 3 - 9
. 5   1 3 - 1 8 V 7 L 1 6   2 z " / >

< c i r c l e   c x = " 1

```

```

6" cy="14" r="4" fill="white"/>
<path d="M12
20h8v2h-8z" fill="white"/>
</svg>
<span class="ml-2
text-xl font-serif font-bold">AntioqAPP</
span>
</div>
<p class="text-primar
y-200 text-sm">Descubre la aut ntica cultu
ra de Antioquia</p>
</div>
<div>
<h4 class="font-semib
old mb-3">Explorar</h4>
<ul class="space-y-2
text-sm text-primary-200">
<li><a href="tour
ism_routes.html" class="hover:text-white t
ransition-colors">Rutas Tur sticas</a></li>
<li><a href="even
ts_calendar.html" class="hover:text-white
transition-colors">Eventos</a></li>
<li><a href="busi
ness_directory.html" class="hover:text-whi
te transition-colors">Negocios</a></li>
</ul>
</div>
<div>

```



```

                                < h4   class = " font - semib
old   mb - 3 " > Cuenta < / h4 >

                                < ul   class = " space - y - 2
text - sm   text - primary - 200 " >

                                < li > < a   href = " user
_login . html "   class = " hover : text - white   trans
ition - colors " > Iniciar Sesi n < / a > < / li >

                                < li > < a   href = " user
_registration . html "   class = " hover : text - whit
e   transition - colors " > Registrarse < / a > < / li >

                                < li > < a   href = " book
ing _ management . html "   class = " hover : text - whi
te   transition - colors " > Mis Reservas < / a > < / li
>

                                < / ul >

                                < / div >

                                < div >

                                < h4   class = " font - semib
old   mb - 3 " > S   guenos < / h4 >

                                < div   class = " flex   spac
e - x - 3 " >

                                < a   href = " javascri
pt : void ( 0 ) "   class = " text - primary - 200   hover :
text - white   transition - colors " >

                                < i   class = " fab

fa - facebook - f " > < / i >

                                < / a >

                                < a   href = " javascri
pt : void ( 0 ) "   class = " text - primary - 200   hover :
text - white   transition - colors " >

                                < i   class = " fab

fa - instagram " > < / i >

                                < / a >

```

```
pt: void(0)" class="text-primary-200 hover:
text-white transition-colors">
```

```
fa-tiktok"></i>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="border-t border-p
rimary-700 mt-8 pt-8 text-center text-sm t
ext-primary-200">
```

```
<p>&copy; 2025 AntioqAPP.
Todos los derechos reservados.</p>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
<script>
```

```
// Mobile menu toggle
```

```
function toggleMobileMenu() {
```

```
const menu = document.getElementBy
Id('mobileMenu');
```

```
menu.classList.toggle('hidden
');
```

```
}
```

```
// Filter toggle functionality
```

```

        function toggleFilter(filterId) {
            const filter = document.getElementById(filterId);

            const allFilters = ['typeFilter', 'locationFilter', 'priceFilter', 'ratingFilter'];

            // Hide all other filters
            allFilters.forEach(id => {
                if (id !== filterId) {
                    document.getElementById(id).classList.add('hidden');
                }
            });

            // Toggle current filter
            filter.classList.toggle('hidden');
        }

        // Reset filters
        function resetFilters() {
            // Hide all filter dropdowns
            const allFilters = ['typeFilter', 'locationFilter', 'priceFilter', 'ratingFilter'];

            allFilters.forEach(id => {
                document.getElementById(id).classList.add('hidden');
            });
        }
    }

```

```

    } ) ;

    // Reset all form inputs
    document.querySelectorAll( 'input[type="checkbox"]', input[type="radio"]' )
    .forEach( input => {

        input.checked = false;

    } ) ;

    // Reset search input
    document.getElementById( 'searchInput' ).value = '';

    // Update results count
    document.getElementById( 'resultsCount' ).textContent = 'Mostrando 156 negocios';

}

// View toggle functionality
function toggleView( viewType ) {

    const gridView = document.getElementById( 'gridView' );

    const mapView = document.getElementById( 'mapView' );

    const gridViewBtn = document.getElementById( 'gridViewBtn' );

    const mapViewBtn = document.getElementById( 'mapViewBtn' );

```

```

        if ( viewType === 'grid' ) {

            gridView.classList.remove
( 'hidden' );

            mapView.classList.add( 'h
idden' );

            gridView.className = 'px-3
py-1 rounded-md bg-primary text-white tra
nsition-colors';

            mapBtn.className = 'px-3
py-1 rounded-md text-text-secondary hover:
bg-white transition-colors';

        } else {

            gridView.classList.add( 'h
idden' );

            mapView.classList.remove(
'hidden' );

            mapBtn.className = 'px-3
py-1 rounded-md bg-primary text-white tran
sition-colors';

            gridView.className = 'px-3
py-1 rounded-md text-text-secondary hover
: bg-white transition-colors';

        }

    }

```

```

// Carousel scroll functionality

function scrollCarousel(direction
) {

    const carousel = document.get
ElementById( 'featuredCarousel' );

    const scrollAmount = 320; //
Width of card + gap

```

```

        if (direction === 'left') {
            carousel.scrollBy({ left:
- scrollAmount, behavior: 'smooth' });
        } else {
            carousel.scrollBy({ left:
scrollAmount, behavior: 'smooth' });
        }
    }

    // Business detail modal
    function openBusinessDetail(busin
essId) {
        const modal = document.getEle
mentById('businessModal');
        const title = document.getEle
mentById('modalTitle');
        const content = document.getE
lementById('modalContent');

        // Mock business data
        const businessData = {
            'hacienda': {
                title: 'Restaurante L
a Hacienda',
                content: `
md:grid-cols-2 gap-6">
                    <div class="grid
                    <div>

```

```

<img src =
" https : / / images . pexels . com / photos / 262978 / p
exels - photo - 262978 . jpeg ? auto = compress & cs = t
iny srgb & w = 800 "

```

```

alt =
" Restaurante La Hacienda " class = " w - full h -
64 object - cover rounded - lg mb - 4 " >

```

```

<div clas
s = " flex items - center gap - 4 mb - 4 " >

```

```

<div
class = " flex items - center " >

```

```

<
i class = " fas fa - star text - warning mr - 1 " > < /
i >

```

```

<
span class = " font - medium " > 4 . 8 < / span >

```

```

<
span class = " text - text - secondary ml - 1 " > ( 127
rese as ) < / span >

```

```

< / div
>

```

```

<span
class = " bg - primary - 100 text - primary px - 2 p
y - 1 rounded - full text - sm " > $$ < / span >

```

```

< / div >

```

```

<p class =
" text - text - secondary mb - 4 " > Aut ntica cocin
a tradicional antioque a en el coraz n de
Guatap . Especialistas en bandeja paisa , s
ancocho y postres caseros . < / p >

```

```

<div clas
s = " space - y - 2 text - sm " >

```

```

<div
class = " flex items - center " >

```

```

<
i class = " fas fa - map - marker - alt text - primar

```

y mr - 2 " > < / i >

span> Calle Principal #123, Guatap < / span >  
< / div  
>

class = " flex items - center " >  
< div

i class = " fas fa - phone text - primary mr - 2 " > <  
/ i >

span> +57 4 861 - 8234 < / span >  
< / div  
>

class = " flex items - center " >  
< div

i class = " fas fa - clock text - primary mr - 2 " > <  
/ i >

span> Lun - Dom : 8 : 00 AM - 10 : 00 PM < / span >  
< / div  
>

< / div >

< / div >

< div >

< h4 class  
= " font - semibold text - primary mb - 3 " > Especiales < / h4 >

< ul class  
= " space - y - 2 text - sm text - text - secondary mb  
- 6 " >

< li > "

Bandeja Paisa Tradicional < / li >



< li > "

Sancocho Antioqueño < / li >

< li > "

Arepas de Chocolate < / li >

< li > "

Postres Caseros < / li >

< / ul >

< div class

s = " flex gap - 3 " >

< butt

on class = " flex - 1 bg - primary text - white py - 2 px - 4 rounded - lg hover : bg - primary - 600 transition - colors " >

<

i class = " fas fa - calendar - plus mr - 2 " > < / i >

R

eservar Mesa

< / but

ton >

< butt

on class = " flex - 1 bg - accent text - white py - 2 px - 4 rounded - lg hover : bg - accent - 600 transition - colors " >

<

i class = " fas fa - comments mr - 2 " > < / i >

C

hat

< / but

ton >

< / div >

< / div >

< / div >

,

```

    },
    'cafe-pueblo': {
        title: 'Café del Pueblo',
        content: `
            <div class="grid
md:grid-cols-2 gap-6">

                <div>

                    <img src=
"https://images.pexels.com/photos/1267320/
pexels-photo-1267320.jpeg?auto=compress&cs
=tiny&rgb&w=800"

                    alt=
"Café del Pueblo" class="w-full h-64 object
t-cover rounded-lg mb-4">

                <div class=
"s="flex items-center gap-4 mb-4">

                    <div

class="flex items-center">

                        <
i class="fas fa-star text-warning mr-1"></
i>

                        <
span class="font-medium">4.5</span>

                        <
span class="text-text-secondary ml-1">(89
reseas)</span>

                    </div>

                >

                <span
class="bg-primary-100 text-primary px-2 py-1 rounded-full text-sm">$$</span>

            </div>

```

```

                                < p   class =
" text - text - secondary mb - 4 " > Caf   especializ
ado con granos 100% colombianos . Ambiente
acogedor en el coraz n de El Poblado . < / p >

```

```

                                < div   clas
s = " space - y - 2   text - sm " >

```

```

                                < div
class = " flex   items - center " >

```

```

                                <
i   class = " fas   fa - map - marker - alt   text - primar
y   mr - 2 " > < / i >

```

```

                                <
span > Carrera   35   # 8 A - 45 ,   El   Poblado < / span >
                                < / div
>

```

```

                                < div
class = " flex   items - center " >

```

```

                                <
i   class = " fas   fa - phone   text - primary   mr - 2 " > <
/ i >

```

```

                                <
span > + 5 7   4   3 1 1 - 2 8 4 7 < / span >
                                < / div
>

```

```

                                < div
class = " flex   items - center " >

```

```

                                <
i   class = " fas   fa - clock   text - primary   mr - 2 " > <
/ i >

```

```

                                <
span > Lun - Vie :   7 : 0 0   AM   -   8 : 0 0   PM < / span >
                                < / div
>

```

```

                                < / div >

```

```

                                < / div >

```

```

<div>
    <h4 class
= "font-semibold text-primary mb-3">Especialidades</h4>

    <ul class
= "space-y-2 text-sm text-text-secondary mb-6">

        <li>"
Café de Origen</li>

        <li>"
Métodos de Preparación</li>

        <li>"
Repostería Artesanal</li>

        <li>"
Desayunos Saludables</li>

    </ul>

<div clas
s="flex gap-3">

    <butt
on class="flex-1 bg-primary text-white py-2 px-4 rounded-lg hover:bg-primary-600 tra
nsition-colors">

        <
i class="fas fa-shopping-cart mr-2"></i>

        0

ordenar

    </but
ton>

    <butt
on class="flex-1 bg-accent text-white py-2 px-4 rounded-lg hover:bg-accent-600 trans
ition-colors">

        <
i class="fas fa-comments mr-2"></i>

```

C

h a t

< / b u t

t o n >

< / d i v >

< / d i v >

< / d i v >

,

}

};

```
const business = businessData[
businessId] || businessData['hacienda'];
```

```
title.textContent = business.
```

```
content.innerHTML = business.
```

```
modal.classList.remove('hidden');
```

```
}
```

```
function closeBusinessModal() {
```

```
document.getElementById('businessModal').classList.add('hidden');
```

```
}
```

```
// Map popup functionality
```

```
function showMapPopup(markerId) {
```

```
const popup = document.getEle
```

```

mentById('mapPopup');

    const popupData = {
        'marker1': {
            image: 'https://images.pexels.com/photos/262978/pexels-photo-262978.jpeg?auto=compress&cs=tinysrgb&w=800',
            title: 'Restaurante La Hacienda',
            description: 'Cocina tradicional antioqueña',
            rating: '4.8'
        },
        'marker2': {
            image: 'https://images.pixabay.com/photo/2016/11/18/14/39/hotel-1834923_960_720.jpg',
            title: 'Hotel Boutique Colonial',
            description: 'Hotel boutique de lujo',
            rating: '4.9'
        },
        'marker3': {
            image: 'https://images.unsplash.com/photo-1452860606245-08befc0ff44b?q=80&w=2940&auto=format&fit=crop',
            title: 'Artesanos Doña María',
            description: 'Artesanos tradicionales',
            rating: '4.7'
        }
    }

```

```

        }

    };

    const data = popupData[marker
Id];

    if (data) {

        document.getElementById('
popupImage').src = data.image;

        document.getElementById('
popupTitle').textContent = data.title;

        document.getElementById('
popupDescription').textContent = data.desc
ription;

        document.getElementById('
popupRating').textContent = data.rating;

        popup.classList.remove('h
idden');

    }

}

function closeMapPopup() {

    document.getElementById('mapP
opup').classList.add('hidden');

}

// Close modals when clicking out
side

document.addEventListener('click'
, function(e) {

    if (e.target.classList.contai

```

```

ns ( ' b g - b l a c k ' ) ) {

                                e . t a r g e t . c l a s s L i s t . a d d ( ' h
i d d e n ' ) ;

                                }

                                } ) ;

                                //  S e a r c h   f u n c t i o n a l i t y

                                d o c u m e n t . g e t E l e m e n t B y I d ( ' s e a r c h I n
p u t ' ) . a d d E v e n t L i s t e n e r ( ' i n p u t ' ,   f u n c t i o n ( e
) {

                                c o n s t   s e a r c h T e r m   =   e . t a r g e t . v
a l u e . t o L o w e r C a s e ( ) ;

                                //  M o c k   s e a r c h   f u n c t i o n a l i t y
-   i n   r e a l   a p p   w o u l d   f i l t e r   r e s u l t s

                                i f   ( s e a r c h T e r m . l e n g t h   >   2 ) {

                                d o c u m e n t . g e t E l e m e n t B y I d ( '
r e s u l t s C o u n t ' ) . t e x t C o n t e n t   =   ` M o s t r a n d o   ${
M a t h . f l o o r ( M a t h . r a n d o m ( )   *   5 0 )   +   1 0 }   n e g o c
i o s   p a r a   " ${ s e a r c h T e r m } " ` ;

                                }   e l s e   {

                                d o c u m e n t . g e t E l e m e n t B y I d ( '
r e s u l t s C o u n t ' ) . t e x t C o n t e n t   =   ' M o s t r a n d o   1 5
6   n e g o c i o s ' ;

                                }

                                } ) ;

                                //  I n i t i a l i z e   p a g e

                                d o c u m e n t . a d d E v e n t L i s t e n e r ( ' D O M C o n
t e n t L o a d e d ' ,   f u n c t i o n ( ) {

                                //  C l o s e   a n y   o p e n   f i l t e r s   w h e
n   c l i c k i n g   o u t s i d e

```



```

        document.addEventListener('click', function(e) {

            if (!e.target.closest('.filter-container')) {

                const allFilters = ['typeFilter', 'locationFilter', 'priceFilter', 'ratingFilter'];

                allFilters.forEach(id => {

                    document.getElementByIdById(id).classList.add('hidden');

                });

            }

        });
    });

```

```

</script>

```

```

<script id="dhws-dataInjector" src="../../public/dhws-data-injector.js"></script>

```

```

</body>

```

```

</html>

```

```

- - - - - D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Metodologias giles\AntioqApp\AntioqApp\pages\events_calendar.html - - - - -

```

```

<!DOCTYPE html>

```

```

<html lang="es">

```

```

<head>

```

```

    <meta charset="UTF-8" />

```

```

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

```

```

    <title>Calendario de Eventos - Antioq

```

```

APP < / title >

    < link    rel = " stylesheet "    href = " . . / css / m
ain . css "    / >

    < link    rel = " stylesheet "    href = " https : / /
cdnjs . cloudflare . com / ajax / libs / font - awesom
e / 6 . 4 . 0 / css / all . min . css "    / >

    < script  type = " module "    src = " https : / / static
. rocket . new / rocket - web . js ? _ c f g = https % 3 A % 2 F
% 2 F a n t i o q a p p 6 3 5 9 b a c k . b u i l t w i t h r o c k e t . n e w & _
b e = https % 3 A % 2 F % 2 F a p p l i c a t i o n . r o c k e t . n e w & _ v
= 0 . 1 . 8 " > < / script >

< / head >

< body    class = " bg - background    min - h - screen " >

    < ! - -    Navigation    Header    - - >

    < nav    class = " bg - surface    shadow - warm    bo
rder - b    border - subtle " >

        < div    class = " max - w - 7 x 1    mx - auto    px -
4    sm : px - 6    lg : px - 8 " >

            < div    class = " flex    justify - betw
een    items - center    h - 16 " >

                < ! - -    Logo    - - >

                < div    class = " flex    items - ce
nter " >

                    < svg    class = " h - 8    w - 8    t
ext - primary "    viewBox = " 0 0 32 32 "    fill = " cur
rentColor " >

                        < path    d = " M 16 2 L 3
7 v 1 0 c 0 8 . 5 5 . 5 1 6 . 5 1 3 1 8 7 . 5 - 1 . 5 1 3 - 9 . 5 1
3 - 1 8 V 7 L 1 6 2 z " / >

                        < circle    cx = " 16 "    c
y = " 14 "    r = " 4 "    fill = " white " / >

                        < path    d = " M 12 2 0 h 8
v 2 h - 8 z "    fill = " white " / >

                    < / svg >

```

```
                <span class="ml-2 text-
t-xl font-serif font-bold text-primary">An
tioqAPP</span>
```

```
    </div>
```

```
    <!-- Navigation Links -->
```

```
    <div class="hidden md:flex
x items-center space-x-8">
```

```
        <a href="tourism_routes.html" class="text-text-secondary hover:
text-primary transition-colors">Rutas</a>
```

```
        <a href="events_calendar.html" class="text-primary font-medium"
>Eventos</a>
```

```
        <a href="business_directory.html" class="text-text-secondary ho
ver:text-primary transition-colors">Negoci
os</a>
```

```
        <a href="booking_management.html" class="text-text-secondary ho
ver:text-primary transition-colors">Mis Re
servas</a>
```

```
        <a href="user_login.html" class="bg-primary text-white px-4 py-
2 rounded-lg hover:bg-primary-600 transition-colors">Iniciar Sesi
n</a>
```

```
    </div>
```

```
    <!-- Mobile Menu Button -->
```

```
    <div class="md:hidden">
```

```
        <button type="button"
class="text-text-secondary hover:text-pri
mary" onclick="toggleMobileMenu()">
```

```

bars text-xl"></i>

</button>

</div>

</div>

<!-- Mobile Menu -->

<div id="mobileMenu" class="m
d:hidden hidden border-t border-subtle py-
4">

<div class="space-y-2">

<a href="tourism_rout
es.html" class="block px-4 py-2 text-text-
secondary hover:text-primary transition-co
lors">Rutas</a>

<a href="events_calen
dar.html" class="block px-4 py-2 text-prim
ary font-medium">Eventos</a>

<a href="business_dir
ectory.html" class="block px-4 py-2 text-t
ext-secondary hover:text-primary transiti
on-colors">Negocios</a>

<a href="booking_mana
gement.html" class="block px-4 py-2 text-t
ext-secondary hover:text-primary transiti
on-colors">Mis Reservas</a>

<a href="user_login.h
tml" class="block px-4 py-2 bg-primary tex
t-white rounded-lg hover:bg-primary-600 tr
ansition-colors">Iniciar Sesión</a>

</div>

</div>

</div>

</nav>

```

```

<!-- Hero Section -->

<section class="bg-gradient-to-r from-
- primary-600 to-secondary-500 text-white p
y-12">

    <div class="max-w-7xl mx-auto px-
4 sm:px-6 lg:px-8">

        <div class="text-center">

            <h1 class="text-fluid-4xl
font-serif font-bold mb-4">Eventos y Fest
ivales</h1>

            <p class="text-fluid-lg t
ext-primary-100 max-w-2xl mx-auto">

                Descubre las tradicio
nes culturales, festivales y celebraciones
que hacen de Antioquia un destino nico

            </p>

        </div>

    </div>

</section>


<!-- Featured Events Carousel -->

<section class="py-8 bg-primary-50">

    <div class="max-w-7xl mx-auto px-
4 sm:px-6 lg:px-8">

        <div class="flex items-center
justify-between mb-6">

            <h2 class="text-fluid-2xl
font-serif font-bold text-primary">Evento
s Destacados</h2>

            <div class="flex space-x-

```

2" >

```
                <button onclick = "prev
Featured()" class = "p-2 rounded-full bg-white shadow-warm hover:shadow-warm-md transition-all">
```

```
                <i class = "fas fa-
chevron-left text-primary"></i>
```

```
            </button>
```

```
                <button onclick = "next
Featured()" class = "p-2 rounded-full bg-white shadow-warm hover:shadow-warm-md transition-all">
```

```
                <i class = "fas fa-
chevron-right text-primary"></i>
```

```
            </button>
```

```
        </div>
```

```
    </div>
```

```
                <div class = "relative overflow
-hidden">
```

```
                <div id = "featuredCarousel"
class = "flex transition-transform duration-300 ease-in-out">
```

```
                <!-- Featured Event 1
-->
```

```
                <div class = "flex-none
w-full md:w-1/2 lg:w-1/3 px-3">
```

```
                <div class = "bg-sur
face rounded-xl overflow-hidden shadow-wa
rm card-elevation">
```

```
                <div class = "r
elative h-48">
```

```
                <img src =
"https://images.pexels.com/photos/1190297/
```



```

< / d i v >

< h 3   c l a s s
= " f o n t - s e r i f   f o n t - s e m i b o l d   t e x t - l g   t e x t - p r
i m a r y   m b - 2 " > F e s t i v a l   d e   l a s   F l o r e s < / h 3 >

< p   c l a s s =
" t e x t - t e x t - s e c o n d a r y   t e x t - s m   m b - 4 " > L a   c e l e
b r a c i n   m   s   e m b l e m   t i c a   d e   M e d e l l   n   c o n   d e
s f i l e s ,   s i l l e t e r o s   y   t r a d i c i n   p a i s a . < / p >

< d i v   c l a s
s = " f l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n " >

< d i v
c l a s s = " t e x t - p r i m a r y   f o n t - s e m i b o l d " >

<
s p a n   c l a s s = " t e x t - s m   t e x t - t e x t - s e c o n d a r y   l i
n e - t h r o u g h " > $ 8 0 . 0 0 0 < / s p a n >

<
s p a n   c l a s s = " t e x t - l g   m l - 2 " > $ 6 5 . 0 0 0 < / s p a n >

< / d i v
>

< b u t t
o n   o n c l i c k = " o p e n E v e n t D e t a i l ( ' f e s t i v a l - f l o r
e s ' ) "   c l a s s = " b g - p r i m a r y   t e x t - w h i t e   p x - 4   p y
- 2   r o u n d e d - l g   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s i t
i o n - c o l o r s   b t n - s p r i n g " >

V

e r   D e t a l l e s

< / b u t
t o n >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

```



```

<!-- Featured Event 2
-->

<div class="flex-none
w-full md:w-1/2 lg:w-1/3 px-3">

<div class="bg-sur
face rounded-xl overflow-hidden shadow-wa
rm card-elevation">

<div class="r
elative h-48">

<img src=
"https://images.pixabay.com/photo/2017/08/
06/12/06/people-2591874_960_720.jpg" alt="
Feria de Manizales" class="w-full h-full o
bject-cover" onerror="this.src='https://im
ages.unsplash.com/photo-1584824486509-112e
4181ff6b?q=80&w=2940&auto=format&fit=crop&
ixlib=rb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by
1wYWdlfHx8fGVufDB8fHx8fA%3D%3D'; this.oner
ror=null;" />

<div clas
s="absolute top-4 left-4">

<span
class="bg-warning text-white px-3 py-1 ro
unded-full text-sm font-medium">Pr ximamen
te</span>

</div>

</div>

<div class="p
-6">

<div clas
s="flex items-center text-sm text-text-sec
ondary mb-2">

<i cl
ass="fas fa-calendar mr-2"></i>

<span
>3-12 Enero 2026</span>

<i cl

```

```
    a s s = " f a s   f a - m a p - m a r k e r - a l t   m l - 4   m r - 2 " > < / i >
```

```
                                < s p a n  
> M a n i z a l e s < / s p a n >
```

```
                                < / d i v >
```

```
                                < h 3   c l a s s  
= " f o n t - s e r i f   f o n t - s e m i b o l d   t e x t - l g   t e x t - p r  
i m a r y   m b - 2 " > F e r i a   d e   M a n i z a l e s < / h 3 >
```

```
                                < p   c l a s s =  
" t e x t - t e x t - s e c o n d a r y   t e x t - s m   m b - 4 " > U n a   d e  
l a s   f e r i a s   m   s   i m p o r t a n t e s   d e   C o l o m b i a   c o n  
   c o r r i d a s   d e   t o r o s ,   c o n c i e r t o s   y   f o l c l o r . <  
/ p >
```

```
                                < d i v   c l a s  
s = " f l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n " >
```

```
                                < d i v  
c l a s s = " t e x t - p r i m a r y   f o n t - s e m i b o l d " >
```

```
                                <  
s p a n   c l a s s = " t e x t - l g " > D e s d e   $ 4 5 . 0 0 0 < / s p a n >
```

```
                                < / d i v  
>
```

```
                                < b u t t  
o n   o n c l i c k = " o p e n E v e n t D e t a i l ( ' f e r i a - m a n i z a l  
e s ' ) "   c l a s s = " b g - p r i m a r y   t e x t - w h i t e   p x - 4   p y  
- 2   r o u n d e d - l g   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s i t  
i o n - c o l o r s   b t n - s p r i n g " >
```

```
                                V  
e r   D e t a l l e s
```

```
                                < / b u t  
t o n >
```

```
                                < / d i v >
```

```
                                < / d i v >
```

```
                                < / d i v >
```

```
                                < / d i v >
```

```
<!-- Featured Event 3
-->

<div class="flex-none
w-full md:w-1/2 lg:w-1/3 px-3">

<div class="bg-sur
face rounded-xl overflow-hidden shadow-wa
rm card-elevation">

<div class="r
elative h-48">

<img src=
"https://images.unsplash.com/photo-1533174
072545-7a4b6ad7a6c3?q=80&w=2940&auto=format
&fit=crop&ixlib=rb-4.0.3" alt="Festival d
el Caf" class="w-full h-full object-cover
" onerror="this.src='https://images.unspla
sh.com/photo-1584824486509-112e4181ff6b?q=
80&w=2940&auto=format&fit=crop&ixlib=rb-4.
0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8f
GVuZDB8fHx8fA%3D%3D'; this.onerror=null;"
/>

<div clas
s="absolute top-4 left-4">

<span
class="bg-secondary text-white px-3 py-1
rounded-full text-sm font-medium">Cultural
</span>

</div>

</div>

<div class="p
-6">

<div clas
s="flex items-center text-sm text-text-sec
ondary mb-2">

<i cl
ass="fas fa-calendar mr-2"></i>

<span
```

> 15 - 25 Junio 2025 < / span >

ass = "fas fa-map-marker-alt ml-4 mr-2" > < / i >

< span >  
> Chinchin < / span >

< / div >

< h3 class  
= "font-serif font-semibold text-lg text-pr  
imary mb-2" > Festival Nacional del Caf < / h3  
>

< p class =  
"text-text-secondary text-sm mb-4" > Celebra  
ci n de la cultura cafetera con catas, con  
cursos y experiencias gastron micas. < / p >

< div clas  
s = "flex items-center justify-between" >

< div  
class = "text-primary font-semibold" >

<  
span class = "text-lg" > \$35.000 < / span >

< / div  
>

< butt  
on onclick = "openEventDetail('festival-cafe  
' )" class = "bg-primary text-white px-4 py-2  
rounded-lg hover:bg-primary-600 transi  
tio n-colors btn-spring" >

V  
er Detalles

< / but  
ton >

< / div >

< / div >

< / div >

```

        < / d i v >

    < / d i v >

< / d i v >

< / d i v >

< / s e c t i o n >


< ! - -   M a i n   C o n t e n t   - - >

< m a i n   c l a s s = " p y - 8 " >

    < d i v   c l a s s = " m a x - w - 7 x l   m x - a u t o   p x -
4   s m : p x - 6   l g : p x - 8 " >

        < ! - -   F i l t e r s   S e c t i o n   - - >

        < d i v   c l a s s = " b g - s u r f a c e   r o u n d e
d - x l   s h a d o w - w a r m   p - 6   m b - 8 " >

            < d i v   c l a s s = " f l e x   i t e m s - c e
n t e r   j u s t i f y - b e t w e e n   m b - 4 " >

                < h 3   c l a s s = " f o n t - s e r i f
f o n t - s e m i b o l d   t e x t - l g   t e x t - p r i m a r y " > F i l t r
a r   E v e n t o s < / h 3 >

                    < b u t t o n   o n c l i c k = " r e s e
t F i l t e r s ( ) "   c l a s s = " t e x t - a c c e n t   h o v e r : t e x t -
a c c e n t - 6 0 0   t e x t - s m   f o n t - m e d i u m " >

                        < i   c l a s s = " f a s   f a -
u n d o   m r - 1 " > < / i >

                            L i m p i a r   F i l t r o s

                                < / b u t t o n >

                                    < / d i v >

                                        < d i v   c l a s s = " g r i d   m d : g r i d -
c o l s - 2   l g : g r i d - c o l s - 4   g a p - 4 " >

```

```
<!-- Event Type Filter -->  
  
    <div>  
  
        <label class="block text-sm font-medium text-text-primary mb-2">Tipo de Evento</label>  
  
        <select id="eventTypeFilter" class="w-full px-3 py-2 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-transparent">  
  
            <option value="">Todos los tipos</option>  
  
            <option value="festival">Festivales</option>  
  
            <option value="cultural">Tradiciones Culturales</option>  
  
            <option value="gastronomia">Gastronomía</option>  
  
            <option value="artesanal">Ferias Artesanales</option>  
  
            <option value="musica">música</option>  
  
        </select>  
  
    </div>  
  
-->
```

```
<!-- Location Filter -->  
  
    <div>  
  
        <label class="block text-sm font-medium text-text-primary mb-2">Municipio</label>  
  
        <select id="location"
```

```
ionFilter" class="w-full px-3 py-2 border
border-gray-300 rounded-lg focus:ring-2 fo
cus:ring-primary focus:border-transparent"
>
```

```
<option value
> Todos los municipios </option>
```

```
<option value
="medellin">Medellin </option>
```

```
<option value
="manizales">Manizales </option>
```

```
<option value
="pereira">Pereira </option>
```

```
<option value
="chinchina">Chinchin </option>
```

```
<option value
="guatape">Guatap </option>
```

```
<option value
="jardin">Jardn </option>
```

```
</select>
```

```
</div>
```

```
<!-- Date Range Filter
r -->
```

```
<div>
```

```
<label class="blo
ck text-sm font-medium text-text-primary m
b-2">Fecha </label>
```

```
<select id="dateF
ilter" class="w-full px-3 py-2 border bord
er-gray-300 rounded-lg focus:ring-2 focus:
ring-primary focus:border-transparent">
```

```
<option value
> Todas las fechas </option>
```

```
<option value
```

```

= " today " > Hoy < / option >

= " week " > Esta semana < / option > < option value

= " month " > Este mes < / option > < option value

= " quarter " > Pr ximos 3 meses < / option > < option value

< / select >

< / div >

< ! - - Price Filter - - >

< div >

< label class = " block text-sm font-medium text-text-primary mb-2 " > Precio < / label >

< select id = " price Filter " class = " w-full px-3 py-2 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-transparent " >

< option value

> Todos los precios < / option >

< option value

= " free " > Gratis < / option >

< option value

= " low " > Hasta $ 50.000 < / option >

< option value

= " medium " > $ 50.000 - $ 100.000 < / option >

< option value

= " high " > M s de $ 100.000 < / option >

< / select >

< / div >

< / div >

```



```

- >
                                <!-- Additional Filters -->
                                <div class="flex flex-wrap
p   gap-4 mt-4 pt-4 border-t border-gray-200
">

                                <label class="flex it
ems-center">

                                <input type="chec
kbox" id="familyFriendly" class="text-prim
ary focus:ring-primary rounded" />

                                <span class="ml-2
text-sm text-text-secondary">Familiar</sp
an>

                                </label>

                                <label class="flex it
ems-center">

                                <input type="chec
kbox" id="accessible" class="text-prim
ary focus:ring-primary rounded" />

                                <span class="ml-2
text-sm text-text-secondary">Accesible</s
pan>

                                </label>

                                <label class="flex it
ems-center">

                                <input type="chec
kbox" id="outdoor" class="text-prim
ary focus:ring-primary rounded" />

                                <span class="ml-2
text-sm text-text-secondary">Al aire libr
e</span>

                                </label>

                                </div>

```

[illegible]

```

< / d i v >

< / d i v >

< ! - -   C a l e n d a r   G r i
d   - - >

< d i v   c l a s s = " g r i d
g r i d - c o l s - 7   g a p - 1   t e x t - c e n t e r   t e x t - s m " >

< ! - -   D a y s   o f

w e e k   - - >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > D o m < / d
i v >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > L u n < / d
i v >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > M a r < / d
i v >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > M i   < / d
i v >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > J u e < / d
i v >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > V i e < / d
i v >

< d i v   c l a s s = " p
- 2   t e x t - t e x t - s e c o n d a r y   f o n t - m e d i u m " > S   b < / d
i v >

< ! - -   C a l e n d a r

d a y s   - - >

< d i v   c l a s s = " p
- 2   t e x t - g r a y - 4 0 0 " > 3 1 < / d i v >

```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">1</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">2</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">3</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">4</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter relative">
```

5

```
                                <div clas
s="absolute bottom-0 left-1/2 transform-t
ranslate-x-1/2 w-1 h-1 bg-accent rounded-f
ull"></div>
```

```
</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">6</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">7</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">8</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">9</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
```

```
ter" > 10 < / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter" > 11 < / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter relative" >
```

12

```
                                < div clas  
s = " absolute bottom - 0 left - 1 / 2 transform - t  
ranslate - x - 1 / 2 w - 1 h - 1 bg - secondary rounde  
d - full" > < / div >
```

```
< / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter" > 13 < / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter" > 14 < / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter relative" >
```

15

```
                                < div clas  
s = " absolute bottom - 0 left - 1 / 2 transform - t  
ranslate - x - 1 / 2 w - 1 h - 1 bg - success rounded -  
full" > < / div >
```

```
< / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter" > 16 < / div >
```

```
                                < div class = " p  
- 2 hover : bg - primary - 50 rounded cursor - poin  
ter" > 17 < / div >
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">18</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">19</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">20</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">21</div>
```

```
                                <div class="p
- 2 bg-primary text-white rounded">22</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">23</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">24</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter relative">
```

25

```
                                <div clas
s="absolute bottom-0 left-1/2 transform -t
ranslate-x-1/2 w-1 h-1 bg-warning rounded-
full"></div>
```

```
</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">26</div>
```

```
                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">27</div>
```

```

                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">28</div>

```

```

                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">29</div>

```

```

                                <div class="p
- 2 hover:bg-primary-50 rounded cursor-poin
ter">30</div>

```

```

                                <div class="p
- 2 text-gray-400">1</div>

```

```

                                <div class="p
- 2 text-gray-400">2</div>

```

```

                                <div class="p
- 2 text-gray-400">3</div>

```

```

                                <div class="p
- 2 text-gray-400">4</div>

```

```

                                </div>

```

```

                                <!-- Legend -->

```

```

                                <div class="mt-4
pt-4 border-t border-gray-200">

```

```

                                <div class="s
pace-y-2 text-xs">

```

```

                                <div clas
s="flex items-center">

```

```

                                <div
class="w-2 h-2 bg-accent rounded-full mr-2
"></div>

```

```

                                <span
class="text-text-secondary">Festivales</s
pan>

```

```

< / d i v >

< d i v   c l a s
s = " f l e x   i t e m s - c e n t e r " >

< d i v
c l a s s = " w - 2   h - 2   b g - s e c o n d a r y   r o u n d e d - f u l l   m
r - 2 " > < / d i v >

< s p a n
c l a s s = " t e x t - t e x t - s e c o n d a r y " > C u l t u r a l < / s p a
n >

< / d i v >

< d i v   c l a s
s = " f l e x   i t e m s - c e n t e r " >

< d i v
c l a s s = " w - 2   h - 2   b g - s u c c e s s   r o u n d e d - f u l l   m r -
2 " > < / d i v >

< s p a n
c l a s s = " t e x t - t e x t - s e c o n d a r y " > G a s t r o n o m   a < /
s p a n >

< / d i v >

< d i v   c l a s
s = " f l e x   i t e m s - c e n t e r " >

< d i v
c l a s s = " w - 2   h - 2   b g - w a r n i n g   r o u n d e d - f u l l   m r -
2 " > < / d i v >

< s p a n
c l a s s = " t e x t - t e x t - s e c o n d a r y " > A r t e s a n a l < / s p
a n >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

```



```

<!-- Events List Section
-->

<div class="lg:col-span-2

" >

    <div class="flex item
s-center justify-between mb-6">

        <h3 class="font-s
erif font-semibold text-lg text-primary">P
r ximos Eventos</h3>

        <div class="flex
items-center space-x-2">

            <span class="
text-sm text-text-secondary">Ordenar por:<
/span>

            <select class
="px-3 py-1 border border-gray-300 rounded
text-sm focus:ring-2 focus:ring-primary f
ocus:border-transparent">

                <option>F
echa</option>

                <option>P
recio</option>

                <option>P
opularidad</option>

            </select>

        </div>

    </div>

</div>

<div class="space-y-6

" id="eventsList">

    <!-- Event Card 1
-->

    <div class="bg-su

```

```
face rounded-xl shadow-warm overflow-hidden card-elevation">
```

```
<div class="md:flex">
```

```
<div class="md:w-1/3">
```

```
<div class="relative h-48 md:h-full">
```

```

```

```
<div class="absolute top-4 left-4">
```

```
<span class="bg-accent text-white px-2 py-1 rounded-full text-xs font-medium">Festival</span>
```

```
</div>
```

```
</div>
```

```
<div class="md:w-2/3 p-6">
```

```
<div class="flex items-start justify-between mb-2">
```

```
<div>
```

```
<div>
```

```
<h4 class="font-serif font-semibold text-xl text-primary mb-1">Festival de las Flores</h4>
```

```
<div class="flex items-center text-sm text-text-secondary mb-2">
```

```
<i class="fas fa-calendar mr-2"></i>
```

```
<span>5 - 14 Agosto 2025</span>
```

```
<i class="fas fa-clock ml-4 mr-2"></i>
```

```
<span>10:00 AM - 10:00 PM</span>
```

```
</div>
```

```
<div class="flex items-center text-sm text-text-secondary mb-3">
```

```
<i class="fas fa-map-marker-alt mr-2"></i>
```

```
<span>Centro de Medelln, Antioquia</span>
```

```
</div>
```

```
</div>
```

```
<button onclick="toggleFavorite(this)" class="p-2 rounded-full hover:bg-primary-50 transition-colors">
```

```
    <i class = "far fa-heart text-text-secondary" > </i>
```

```
<
```

```
/button>
```

```
</div
```

```
>
```

```
    <p class = "text-text-secondary text-sm mb-4">
```

```
La celebraci3n m3s emblem3tica de Medell3n  
con desfiles de silleteros, conciertos, ex  
posiciones florales y actividades cultural  
es que resaltan la tradici3n paisa.
```

```
</p>
```

```
    <div  
class = "flex items-center justify-between m  
b-4">
```

```
<
```

```
div class = "flex items-center space-x-4">
```

```
    <div class = "flex items-center text-sm t  
ext-text-secondary">
```

```
        <i class = "fas fa-users mr-1"> </i>
```

```
        <span>Familiar</span>
```

```
</div>
```

```
    <div class = "flex items-center text-sm t  
ext-text-secondary">
```

```
        <i class = "fas fa-wheelchair mr-1"> <
```

`</i>`

`<span>Accessible</span>`

`</div>`

`<div class="flex items-center text-sm text-success">`

`<i class="fas fa-check-circle mr-1"></i>`

`<span>Disponible</span>`

`</div>`

`</div>`

`div class="flex items-center">`

`<div class="flex text-warning mr-2">`

`<i class="fas fa-star"></i>`

`<i class="fas fa-star"></i>`

`<i class="fas fa-star"></i>`

`<i class="fas fa-star"></i>`

`<i class="fas fa-star"></i>`

`</div>`

```
        <span class="text-sm text-text-secondary
y">(4.9)</span>
```

```
/div>
```

```
</div
```

```
>
```

```
<div
class="flex items-center justify-between">
```

```
div class="flex items-center">
```

```
        <span class="text-sm text-text-secondary
y line-through mr-2">$80.000</span>
```

```
        <span class="text-xl font-bold text-pri
mary">$65.000</span>
```

```
        <span class="text-sm text-success ml-2
bg-success-50 px-2 py-1 rounded">-19%</spa
n>
```

```
/div>
```

```
div class="flex space-x-2">
```

```
        <button onclick="openEventDetail('festi
val-flores')" class="px-4 py-2 border bord
er-primary text-primary rounded-lg hover:b
g-primary-50 transition-colors">
```

```
Ver Detalles
```

```
</button>
```

```
<button onclick="bookEvent('festival-fl  
ores')" class="px-4 py-2 bg-primary text-w  
hite rounded-lg hover:bg-primary-600 trans  
ition-colors btn-spring">
```

Reservar

```
</button>
```

```
<
```

```
/div>
```

```
</div
```

```
>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Event Card 2
```

```
-->
```

```
<div class="bg-sur  
face rounded-xl shadow-warm overflow-hidd  
en card-elevation">
```

```
<div class="m
```

```
d:flex">
```

```
<div clas
```

```
s="md:w-1/3">
```

```
<div
```

```
class="relative h-48 md:h-full">
```

```
<
```

```
img src="https://images.pixabay.com/photo/  
2017/08/06/12/06/people-2591874_960_720.jp  
g" alt="Festival Gastronomico" class="w-fu  
ll h-full object-cover" onerror="this.src=  
'https://images.unsplash.com/photo-1584824  
486509-112e4181ff6b?q=80&w=2940&auto=forma  
t&fit=crop&ixlib=rb-4.0.3&ixid=M3wxMjA3fDB  
8MHxwaG90by1wYWdlfHx8fGVuZD8fHx8fA%3D%3D'
```

```

; this.onerror=null;" />

<
div class="absolute top-4 left-4">

    <span class="bg-success text-white px-2
py-1 rounded-full text-xs font-medium">Ga
stronomía</span>

<
/div>

</div>

<div clas
s="md:w-2/3 p-6">

    <div
class="flex items-start justify-between mb
-2">

    <
div>

    <h4 class="font-serif font-semibold tex
t-xl text-primary mb-1">Festival Gastronóm
ico Paisa</h4>

    <div class="flex items-center text-sm t
ext-text-secondary mb-2">

    <i class="fas fa-calendar mr-2"></i>
>

    <span>15 Septiembre 2025</span>

    <i class="fas fa-clock ml-4 mr-2"><
/i>

    <span>12:00 PM - 8:00 PM</span>

```



< / d i v >

< d i v   c l a s s = " f l e x   i t e m s - c e n t e r   t e x t - s m   t  
e x t - t e x t - s e c o n d a r y   m b - 3 " >

< i   c l a s s = " f a s   f a - m a p - m a r k e r - a l t   m r -  
2 " > < / i >

< s p a n > P a r q u e   d e   l o s   P i e s   D e s c a l z o s ,  
M e d e l l   n < / s p a n >

< / d i v >

<

/ d i v >

<

b u t t o n   o n c l i c k = " t o g g l e F a v o r i t e ( t h i s ) "   c l a s s  
s = " p - 2   r o u n d e d - f u l l   h o v e r : b g - p r i m a r y - 5 0   t r  
a n s i t i o n - c o l o r s " >

< i   c l a s s = " f a r   f a - h e a r t   t e x t - t e x t - s e c o n d  
a r y " > < / i >

<

/ b u t t o n >

< / d i v

>

< p   c l  
a s s = " t e x t - t e x t - s e c o n d a r y   t e x t - s m   m b - 4 " >

D  
e g u s t a   l o s   s a b o r e s   a u t   n t i c o s   d e   A n t i o q u i a  
c o n   m   s   d e   5 0   r e s t a u r a n t e s   l o c a l e s ,   c h e f s  
r e c o n o c i d o s   y   p r o d u c t o s   a r t e s a n a l e s   d e   l a  
r e g i   n .

< / p >

```

<div
class = "flex items-center justify-between m
b - 4 " >

<
div class = "flex items-center space-x-4 " >

    <div class = "flex items-center text-sm t
ext-text-secondary " >

        <i class = "fas fa-utensils mr-1 " ></i
>

        <span>50+ Restaurantes</span>

    </div>

    <div class = "flex items-center text-sm t
ext-text-secondary " >

        <i class = "fas fa-leaf mr-1 " ></i>

        <span>Opciones Veganas</span>

    </div>

    <div class = "flex items-center text-sm t
ext-success " >

        <i class = "fas fa-check-circle mr-1 "
></i>

        <span>Disponible</span>

    </div>

```

/div>

div class="flex items-center">

<div class="flex text-warning mr-2">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

<span class="text-sm text-text-secondary">(4.6)</span>

/div>

</div>

<div class="flex items-center justify-between">

div class="flex items-center">

<span class="text-xl font-bold text-primary">\$25.000</span>

```

        <span class="text-sm text-text-secondary
y ml-2">por persona</span>

<
/ div >

div class="flex space-x-2">

        <button onclick="openEventDetail('festival-gastronomico')" class="px-4 py-2 border
border-primary text-primary rounded-lg h
over:bg-primary-50 transition-colors">

                Ver Detalles

        </button>

        <button onclick="bookEvent('festival-ga
stronomico')" class="px-4 py-2 bg-primary
text-white rounded-lg hover:bg-primary-600
transition-colors btn-spring">

                Reservar

        </button>

<
/ div >

</div>

</div>

</div>

</div>

<!-- Event Card 3
-->

```

```

                                <div class="bg-surface rounded-xl shadow-warm overflow-hidden card-elevation">

```

```

                                <div class="m
d:flex">

```

```

                                <div class="m
d:w-1/3">

```

```

                                <div
class="relative h-48 md:h-full">

```

```

                                <
img src="https://images.unsplash.com/photo-1533174072545-7a4b6ad7a6c3?q=80&w=2940&auto=format&fit=crop&ixlib=rb-4.0.3" alt="Feria Artesanal" class="w-full h-full object-cover" onerror="this.src='https://images.unsplash.com/photo-1584824486509-112e4181ff6b?q=80&w=2940&auto=format&fit=crop&ixlib=rb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWd1fHx8fGVuZD8fHx8fA%3D%3D'; this.onerror=null;" />

```

```

                                <
div class="absolute top-4 left-4">

```

```

                                <span class="bg-warning text-white px-2 py-1 rounded-full text-xs font-medium">Artesanal</span>

```

```

                                <
/div>

```

```

                                </div
>

```

```

                                </div>

```

```

                                <div class="m
d:w-2/3 p-6">

```

```

                                <div
class="flex items-start justify-between mb-2">

```

```

                                <

```

```
div >
```

```
    <h4 class="font-serif font-semibold text-
xl text-primary mb-1">Feria de Artesan
s de Jard n</h4>
```

```
    <div class="flex items-center text-sm t
ext-text-secondary mb-2">
```

```
        <i class="fas fa-calendar mr-2"></i
>
```

```
        <span>25 - 27 Septiembre 2025</span>
```

```
        <i class="fas fa-clock ml-4 mr-2"><
/i>
```

```
        <span>9:00 AM - 6:00 PM</span>
```

```
    </div>
```

```
    <div class="flex items-center text-sm t
ext-text-secondary mb-3">
```

```
        <i class="fas fa-map-marker-alt mr-
2"></i>
```

```
        <span>Plaza Principal, Jard n, Anti
oquia</span>
```

```
    </div>
```

```
/div >
```

```
        <
button onclick="toggleFavorite(this)" clas
s="p-2 rounded-full hover:bg-primary-50 tr
ansition-colors">
```

```
    <i class="far fa-heart text-text-secondary"></i>
```

```
<
```

```
/button>
```

```
</div
```

```
>
```

```
    <p class="text-text-secondary text-sm mb-4">
```

```
D
```

```
escubre el talento de los artesanos locales  
s con productos nicos en cermica, textil  
es, madera y joyer a tradicional antioque  
a.
```

```
</p>
```

```
<div
```

```
class="flex items-center justify-between mb-4">
```

```
<
```

```
div class="flex items-center space-x-4">
```

```
    <div class="flex items-center text-sm text-text-secondary">
```

```
        <i class="fas fa-palette mr-1"></i>
```

```
        <span>30+ Artesanos</span>
```

```
</div>
```

```
    <div class="flex items-center text-sm text-text-secondary">
```

```
> < / i > < i class = " fas fa - shopping - bag mr - 1 "
```

```
< span > Productos nicos < / span >
```

```
< / div >
```

```
< div class = " flex items - center text - sm t  
ext - success " >
```

```
> < / i > < i class = " fas fa - check - circle mr - 1 "
```

```
< span > Entrada Libre < / span >
```

```
< / div >
```

```
/ div >
```

```
div class = " flex items - center " >
```

```
< div class = " flex text - warning mr - 2 " >
```

```
< i class = " fas fa - star " > < / i >
```

```
< i class = " fas fa - star " > < / i >
```

```
< i class = " fas fa - star " > < / i >
```

```
< i class = " fas fa - star " > < / i >
```

```
< i class = " fas fa - star " > < / i >
```

```
< / div >
```



```
        <span class="text-sm text-text-secondary" >(4.8)</span>

    </div>

    </div>
>
```

```
                                <div
class="flex items-center justify-between">

    </div>

    <div class="flex items-center">

        <span class="text-xl font-bold text-success">Gratis</span>
```

```
        <span class="text-sm text-text-secondary ml-2">Entrada libre</span>

    </div>
```

```
                                <
div class="flex space-x-2">

        <button onclick="openEventDetail('feria-artesanal')" class="px-4 py-2 border border-primary text-primary rounded-lg hover:bg-primary-50 transition-colors">
```

Ver Detalles

```
</button>
```

```
        <button onclick="saveEvent('feria-artesanal')" class="px-4 py-2 bg-secondary text-white rounded-lg hover:bg-secondary-600 t
```

```
transition-colors btn-spring">
```

```
    Guardar
```

```
</button>
```

```
<
```

```
/div>
```

```
</div
```

```
>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Load More Button
```

```
-->
```

```
<div class="text-cent
```

```
er mt-8">
```

```
        <button onclick="
loadMoreEvents()" class="px-6 py-3 border
border-primary text-primary rounded-lg hov
er:bg-primary-50 transition-colors">
```

```
<i class="fas
```

```
fa-plus mr-2"></i>
```

```
Cargar Más Ev
```

```
entos
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
< / m a i n >
```

```
< ! - -   F o o t e r   - - >
```

```
< f o o t e r   c l a s s = " b g - p r i m a r y - 8 0 0   t e x t - w h  
i t e   p y - 8   m t - 1 2 " >
```

```
< d i v   c l a s s = " m a x - w - 7 x 1   m x - a u t o   p x -  
4   s m : p x - 6   l g : p x - 8 " >
```

```
< d i v   c l a s s = " g r i d   m d : g r i d - c o l s  
- 4   g a p - 8 " >
```

```
< d i v >
```

```
< d i v   c l a s s = " f l e x   i t e m  
s - c e n t e r   m b - 4 " >
```

```
< s v g   c l a s s = " h - 8   w  
- 8   t e x t - a c c e n t "   v i e w B o x = " 0   0   3 2   3 2 "   f i l l = "  
c u r r e n t C o l o r " >
```

```
< p a t h   d = " M 1 6  
2 L 3   7 v 1 0 c 0   8 . 5   5 . 5   1 6 . 5   1 3   1 8   7 . 5 - 1 . 5   1 3 - 9  
. 5   1 3 - 1 8 V 7 L 1 6   2 z " / >
```

```
< c i r c l e   c x = " 1  
6 "   c y = " 1 4 "   r = " 4 "   f i l l = " w h i t e " / >
```

```
< p a t h   d = " M 1 2  
2 0 h 8 v 2 h - 8 z "   f i l l = " w h i t e " / >
```

```
< / s v g >
```

```
< s p a n   c l a s s = " m 1 - 2  
t e x t - x 1   f o n t - s e r i f   f o n t - b o l d " > A n t i o q A P P < /  
s p a n >
```

```
< / d i v >
```

```
< p   c l a s s = " t e x t - p r i m a r  
y - 2 0 0   t e x t - s m " > D e s c u b r e   l a   a u t   n t i c a   c u l t u  
r a   d e   A n t i o q u i a < / p >
```

```
< / d i v >
```

```
<div>
    <h4 class="font-semib
old mb-3">Explorar</h4>
    <ul class="space-y-2
text-sm text-primary-200">
        <li><a href="tour
ism_routes.html" class="hover:text-white t
ransition-colors">Rutas Tur sticas</a></li>
        <li><a href="even
ts_calendar.html" class="hover:text-white
transition-colors">Eventos</a></li>
        <li><a href="busi
ness_directory.html" class="hover:text-whi
te transition-colors">Negocios</a></li>
    </ul>
</div>
```

```
<div>
    <h4 class="font-semib
old mb-3">Cuenta</h4>
    <ul class="space-y-2
text-sm text-primary-200">
        <li><a href="user
_login.html" class="hover:text-white trans
ition-colors">Iniciar Sesi n</a></li>
        <li><a href="user
_registration.html" class="hover:text-whit
e transition-colors">Registrarse</a></li>
        <li><a href="book
ing_management.html" class="hover:text-whi
te transition-colors">Mis Reservas</a></li>
    </ul>
```

< / d i v >

< d i v >

o l d   m b - 3 " > S   g u e n o s < / h 4 >

e - x - 3 " >

p t : v o i d ( 0 ) "   c l a s s = " t e x t - p r i m a r y - 2 0 0   h o v e r :  
t e x t - w h i t e   t r a n s i t i o n - c o l o r s " >

f a - f a c e b o o k - f " > < / i >

< / a >

p t : v o i d ( 0 ) "   c l a s s = " t e x t - p r i m a r y - 2 0 0   h o v e r :  
t e x t - w h i t e   t r a n s i t i o n - c o l o r s " >

f a - i n s t a g r a m " > < / i >

< / a >

p t : v o i d ( 0 ) "   c l a s s = " t e x t - p r i m a r y - 2 0 0   h o v e r :  
t e x t - w h i t e   t r a n s i t i o n - c o l o r s " >

f a - t i k t o k " > < / i >

< / a >

< / d i v >

< / d i v >

< / d i v >

r i m a r y - 7 0 0   m t - 8   p t - 8   t e x t - c e n t e r   t e x t - s m   t

ext-primary-200">

<p>&copy; 2025 AntioqAPP.  
Todos los derechos reservados.</p>

</div>

</div>

</footer>

<!-- Event Detail Modal -->

<div id="eventDetailModal" class="fixed inset-0 bg-black bg-opacity-50 hidden z-50 flex items-center justify-center p-4">

<div class="bg-surface rounded-xl max-w-4xl w-full max-h-96 overflow-y-auto">

<div class="relative">

<!-- Modal Header -->

<div class="flex justify-between items-center p-6 border-b border-gray-200">

<h3 class="text-2xl font-serif font-bold text-primary">Festival  
de las Flores</h3>

<button onclick="closeEventDetail()" class="text-text-secondary hover:text-primary">

<i class="fas fa-times text-xl"></i>

</button>

</div>

<!-- Modal Content -->

```

        <div class="p-6">
            <div class="grid md:grid-cols-2 gap-6">
                <div>
                    
                </div>
                <div>
                    <div class="space-y-4">
                        <div>
                            <h4 class="font-semibold text-primary mb-2">Información del Evento</h4>
                            <div class="space-y-2 text-sm text-text-secondary">
                                <div class="flex items-center">
                                    <i class="fas fa-calendar mr-3 w-4"></i>
                                    <span>5 - 14 Agosto 2025</span>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>

```

```
<
div class = "flex items-center">

    <i class = "fas fa-clock mr-3 w-4"></i>

    <span>10:00 AM - 10:00 PM</span>

<
/ div>

<
div class = "flex items-center">

    <i class = "fas fa-map-marker-alt mr-3 w-4"></i>

    <span>Centro de Medelln, Antioquia</span>

<
/ div>

<
div class = "flex items-center">

    <i class = "fas fa-ticket-alt mr-3 w-4"></i>

    <span>$65.000 por persona</span>

<
/ div>

</div>

</div>

<div>

    <h4 class = "font-semibold text-primary mb-2">Act
```



ividades Incluidas</h4>

<ul class="text-sm text-text-secondary space-y-1">

<li>" Desfile de Silleteros</li>

<li>" Conciertos en vivo</li>

<li>" Exposiciones florales</li>

<li>" Actividades culturales</li>

<li>" Gastronomía típica</li>

</ul>

</div>

</div>

</div>

</div>

<div class="mt-6 pt-6 border-t border-gray-200">

<div class="flex items-center justify-between">

<div class="flex items-center space-x-4">

<span class="text-2xl font-bold text-primary">\$65.00</span>

<span class="text-sm text-text-secondary line-through">\$80.000</span>

```

                                <span cla
ss = "bg-success-50 text-success px-2 py-1 r
ounded text-sm">Descuento 19%</span>

```

```

                                </div>

```

```

                                <div class = "f
lex space-x-3">

```

```

                                <button o
nclick = "shareEvent()" class = "px-4 py-2 bor
der border-gray-300 text-text-secondary ro
unded-lg hover:bg-gray-50 transition-colors"
>

```

```

                                <i cl
ass = "fas fa-share mr-2"></i>

```

```

                                Compa
rtir

```

```

                                </button>

```

```

                                <button o
nclick = "bookEvent('festival-flores')" clas
s = "px-6 py-2 bg-primary text-white rounded
-lg hover:bg-primary-600 transition-colors
btn-spring">

```

```

                                Reser
var Ahora

```

```

                                </button>

```

```

                                </div>

```

```

                                </div>

```

```

                                </div>

```

```

                                </div>

```

```

                                </div>

```

```

                                </div>

```

```

                                </div>

```

```

<script>

    // Mobile menu toggle

    function toggleMobileMenu() {

        const menu = document.getElementById('mobileMenu');

        menu.classList.toggle('hidden');

    }


    // Featured carousel

    let currentFeatured = 0;
    const featuredItems = 3;


    function nextFeatured() {

        currentFeatured = (currentFeatured + 1) % featuredItems;

        updateFeaturedCarousel();

    }


    function prevFeatured() {

        currentFeatured = (currentFeatured - 1 + featuredItems) % featuredItems;

        updateFeaturedCarousel();

    }


    function updateFeaturedCarousel()
{

```

```

        const carousel = document.getElementById('featuredCarousel');

        const translateX = -currentFeatured * (100 / featuredItems);

        carousel.style.transform = `translateX(${translateX}%)`;
    }

```

```

// Calendar navigation

```

```

function nextMonth() {
    // Simulate month navigation
    console.log('Next month');
}

```

```

function prevMonth() {
    // Simulate month navigation
    console.log('Previous month');
}

```

```

// Event interactions

```

```

function toggleFavorite(button) {
    const icon = button.querySelector('i');

    if (icon.classList.contains('favorite')) {
        icon.classList.remove('favorite');
        icon.classList.add('fas');
    }
}

```

```

;

        icon.classList.add('text -
accent');

    } else {

        icon.classList.remove('fa
s');

        icon.classList.add('far')
;

        icon.classList.remove('te
xt - accent');

    }

}

function openEventDetail(eventId)
{

    document.getElementById('even
tDetailModal').classList.remove('hidden');

}

function closeEventDetail() {

    document.getElementById('even
tDetailModal').classList.add('hidden');

}

function bookEvent(eventId) {

    alert(`Redirigiendo a la rese
rva del evento: ${eventId}`);

    window.location.href = 'booki
ng_management.html';

```

```
}
```

```
function saveEvent(eventId) {  
    alert(`Evento ${eventId} guar  
dado en tu lista de favoritos`);  
}
```

```
function shareEvent() {  
    if (navigator.share) {  
        navigator.share({  
            title: 'Festival de l  
as Flores - AntioqAPP',  
            text: 'Descubre este  
incre ble evento en Antioquia',  
            url: window.location.  
href
```

```
});
```

```
    } else {  
        // Fallback for browsers  
that don't support Web Share API  
        navigator.clipboard.write  
Text(window.location.href);  
        alert('Enlace copiado al  
portapapeles');  
    }
```

```
}
```

```
function loadMoreEvents() {  
    // Simulate loading more even
```

```

ts
        alert( 'Cargando más eventos..'
    . ' );

    }

    function resetFilters() {

        // Reset all filter inputs

        document.getElementById( 'event
tTypeFilter' ).value = '';

        document.getElementById( 'loca
tionFilter' ).value = '';

        document.getElementById( 'date
Filter' ).value = '';

        document.getElementById( 'pric
eFilter' ).value = '';

        document.getElementById( 'fam
ilyFriendly' ).checked = false;

        document.getElementById( 'acce
ssible' ).checked = false;

        document.getElementById( 'outd
oor' ).checked = false;

    }

    // Close modal when clicking outs
ide

    document.addEventListener( 'click'
, function(e) {

        if ( e.target.classList.contai
ns( 'bg-black' ) ) {

            e.target.classList.add( 'h
idden' );

```

```

    }

    });

    // Filter functionality

    document.addEventListener('DOMContentLoaded', function() {

        const filters = ['eventTypeFilter', 'locationFilter', 'dateFilter', 'priceFilter'];

        filters.forEach(filterId => {

            document.getElementById(filterId).addEventListener('change', function() {

                // Simulate filtering

                console.log(`Filter ${filterId} changed to: ${this.value}`);

            });

        });

    });

    // Checkbox filters

    ['familyFriendly', 'accessible', 'outdoor'].forEach(checkboxId => {

        document.getElementById(checkboxId).addEventListener('change', function() {

            console.log(`${checkboxboxId} filter: ${this.checked}`);

        });

    });

```



```

    } ) ;

    // Auto - advance featured carousel
    setInterval ( nextFeatured , 5000 ) ;

< / s c r i p t >

< s c r i p t   i d = " d h w s - d a t a I n j e c t o r "   s r c = " . . / p u
b l i c / d h w s - d a t a - i n j e c t o r . j s " > < / s c r i p t >

< / b o d y >

< / h t m l >

- - - - - D : \ D o c u m e n t s \ 3 .   C E S D E   -   C a s o   c a m b i o
d e   p r o g r a m a \ T e c n i c a   -   P r o y e c t o \ S e m e s t r e   2
\ M e t o d o l o g i a s   g i l e s \ A n t i o q A p p \ A n t i o q A p p \ p
a g e s \ t o u r i s m _ r o u t e s . h t m l   - - - - -

< ! D O C T Y P E   h t m l >

< h t m l   l a n g = " e s " >

< h e a d >

    < m e t a   c h a r s e t = " U T F - 8 "   / >

    < m e t a   n a m e = " v i e w p o r t "   c o n t e n t = " w i d t h =
d e v i c e - w i d t h ,   i n i t i a l - s c a l e = 1 . 0 "   / >

    < t i t l e > R u t a s   T u r   s t i c a s   -   A n t i o q A P P < /
t i t l e >

    < l i n k   r e l = " s t y l e s h e e t "   h r e f = " . . / c s s / m
a i n . c s s "   / >

    < l i n k   r e l = " s t y l e s h e e t "   h r e f = " h t t p s : / /
c d n j s . c l o u d f l a r e . c o m / a j a x / l i b s / f o n t - a w e s o m
e / 6 . 4 . 0 / c s s / a l l . m i n . c s s "   / >

    < s c r i p t   t y p e = " m o d u l e "   s r c = " h t t p s : / / s t a t i c
. r o c k e t . n e w / r o c k e t - w e b . j s ? _ c f g = h t t p s % 3 A % 2 F
% 2 F a n t i o q a p p 6 3 5 9 b a c k . b u i l t w i t h r o c k e t . n e w & _
b e = h t t p s % 3 A % 2 F % 2 F a p p l i c a t i o n . r o c k e t . n e w & _ v
= 0 . 1 . 8 " > < / s c r i p t >

< / h e a d >

```

```

<body class="bg-background min-h-screen">
  <!-- Navigation Header -->
  <nav class="bg-surface shadow-warm border-b border-subtle">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div class="flex justify-between items-center h-16">
        <!-- Logo -->
        <div class="flex items-center">
          <svg class="h-8 w-8 text-primary" viewBox="0 0 32 32" fill="currentColor">
            <path d="M16 2L3 7v10c0 8.5 5.5 16.5 13 18 7.5 1.5 13 9.5 13 18V7L16 2z"/>
            <circle cx="16" cy="14" r="4" fill="white"/>
            <path d="M12 20h8v2h-8z" fill="white"/>
          </svg>
          <span class="ml-2 text-xl font-serif font-bold text-primary">AntioqAPP</span>
        </div>
        <!-- Navigation Links -->
        <div class="hidden md:flex items-center space-x-8">
          <a href="tourism_routes.html" class="text-primary font-medium b

```

```
order - b - 2 border - primary " > Rutas < / a >
```

```
    < a href = " events _ calen  
dar . html " class = " text - text - secondary hover  
: text - primary transition - colors " > Eventos < /  
a >
```

```
    < a href = " business _ dir  
ectory . html " class = " text - text - secondary ho  
ver : text - primary transition - colors " > Negoci  
os < / a >
```

```
    < a href = " booking _ mana  
gement . html " class = " text - text - secondary ho  
ver : text - primary transition - colors " > Mis Re  
servas < / a >
```

```
    < a href = " user _ login . h  
tml " class = " bg - primary text - white px - 4 py -  
2 rounded - lg hover : bg - primary - 600 transiti  
on - colors " > Iniciar Sesi n < / a >
```

```
< / div >
```

```
< ! - - Mobile Menu Button -  
- >
```

```
< div class = " md : hidden " >
```

```
    < button type = " button "  
class = " text - text - secondary hover : text - pri  
mary " onclick = " toggleMobileMenu ( ) " >
```

```
        < i class = " fas fa -  
bars text - xl " > < / i >
```

```
< / button >
```

```
< / div >
```

```
< / div >
```

```
< ! - - Mobile Menu - - >
```

```
    < div id = " mobileMenu " class = " m  
d : hidden hidden border - t border - subtle mt -
```

2 pt - 2 pb - 4 " >

<div class = " flex flex - col  
space - y - 3 " >

<a href = " tourism \_ rout  
es . html " class = " text - primary font - medium " >  
Rutas < / a >

<a href = " events \_ calen  
dar . html " class = " text - text - secondary " > Even  
tos < / a >

<a href = " business \_ dir  
ectory . html " class = " text - text - secondary " > N  
egocios < / a >

<a href = " booking \_ mana  
gement . html " class = " text - text - secondary " > M  
is Reservas < / a >

<a href = " user \_ login . h  
tml " class = " bg - primary text - white px - 4 py -  
2 rounded - lg text - center " > Iniciar Sesi n < /  
a >

< / div >

< / div >

< / div >

< / nav >

< ! - - Hero Section - - >

< section class = " bg - gradient - to - r from  
- primary - 600 to - secondary - 500 text - white p  
y - 16 " >

<div class = " max - w - 7xl mx - auto px -  
4 sm : px - 6 lg : px - 8 " >

<div class = " text - center " >

<h1 class = " text - fluid - 4xl  
font - serif font - bold mb - 4 " > Descubre Antio  
quia < / h1 >

```

        < p   class = "text-fluid-lg  t
ext - primary - 100  mb - 8  max - w - 2xl  mx - auto" >

```

```

        Explora rutas cultura
les aut nticas dise adas para conectarte c
on la verdadera esencia de nuestra regi n

```

```

    < / p >

```

```

        < ! - -   Quick   Search   - - >

```

```

        < div   class = "max - w - 2xl  mx -
auto  bg - white  rounded - xl  p - 4  shadow - warm - l
g" >

```

```

        < div   class = "flex  flex
- col  md : flex - row  gap - 4" >

```

```

        < div   class = "flex -
1" >

```

```

        < input   type = "
text"   placeholder = "  Qu   experiencia buscas
?"   class = "w - full  px - 4  py - 3  border  border - g
ray - 300  rounded - lg  focus : ring - 2  focus : ring
- primary  focus : border - transparent  text - tex
t - primary"   / >

```

```

    < / div >

```

```

        < div   class = "flex -
1" >

```

```

        < select   class
= "w - full  px - 4  py - 3  border  border - gray - 300
rounded - lg  focus : ring - 2  focus : ring - primary
focus : border - transparent  text - text - primar
y" >

```

```

        < option   v
alue > Tipo   de   ruta < / option >

```

```

        < option   v
alue = "cultural" > Patrimonio   Cultural < / optio
n >

```

```

        < option   v

```

```

    value = "gastronomic" > Gastronómica </option>
    <option value = "artisan" > Artesanal </option>
    <option value = "nature" > Naturaleza </option>
  </select>
</div>

<button class = "bg
- accent text-white px-6 py-3 rounded-lg ho
ver:bg-accent-600 transition-colors btn-sp
ring">

    <i class = "fas
fa-search mr-2"> </i> Buscar
  </button>
</div>
</div>
</div>
</section>

<!-- Featured Routes Carousel -->
<section class = "py-12 bg-primary-50">
  <div class = "max-w-7xl mx-auto px-
4 sm:px-6 lg:px-8">
    <div class = "text-center mb-8">
      <h2 class = "text-fluid-3xl
font-serif font-bold text-primary mb-2"> R
utas Destacadas </h2>
      <p class = "text-text-secon
dary"> Experiencias premium seleccionadas e

```

specialmente para ti</p>

</div>

<div class="relative">

<div class="overflow-hidden">

<div class="flex transition-transform duration-500 ease-in-out" id="featuredCarousel">

<!-- Featured Route 1 -->

<div class="min-w-full md:min-w-0 md:w-1/3 px-3">

<div class="bg-surface rounded-xl overflow-hidden card-elevation">

<div class="relative">



<div class="absolute top-4 left-4">

<span class="bg-accent text-white px-3 py-1 rounded-full text-sm font-medium">Premium</span>

</div>

```

class = "absolute top - 4 right - 4" >
<div
button class = "bg - white bg - opacity - 80 p - 2 rounded - full hover : bg - opacity - 100 transition - colors" >
<i class = "fas fa - heart text - primary" > </i>
</button>
</div>
</div>
<div class = "p - 6" >
<div
class = "flex items - center justify - between mb - 2" >
<h3 class = "font - serif font - semibold text - lg text - primary" > Ruta del Caf Tradicional </h3>
<div class = "flex items - center" >
<i class = "fas fa - star text - warning text - sm" > </i>
<span class = "text - sm text - text - secondary ml - 1" > 4.8 </span>
</div>
</div>
<p class = "p - 6" >

```



```
class="text-text-secondary text-sm mb-4">Descubre el proceso completo del caf  desde la semilla hasta la taza en fincas tradicionales</p>
```

```
<div class="flex items-center justify-between mb-4">
```

```
<div class="flex items-center space-x-4 text-sm text-text-secondary">
```

```
<span><i class="fas fa-clock mr-1"></i> 8 horas</span>
```

```
<span><i class="fas fa-users mr-1"></i> 2 - 12 personas</span>
```

```
</div>
```

```
<div class="text-primary font-semibold">$180.000 COP</div>
```

```
</div>
```

```
<button class="w-full bg-primary text-white py-3 rounded-lg hover:bg-primary-600 transition-colors btn-spring" onclick="openRouteDetail('coffee-route')">
```

```
V  
er Detalles
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

te 2 - - >

<!-- Featured Rou

<div class="min-w
-full md:min-w-0 md:w-1/3 px-3">

<div class="bg-surface rounded-xl overflow-hidden card-elevation">

<div class="relative">



<div
class="absolute top-4 left-4">

<span class="bg-secondary text-white px-3 py-1 rounded-full text-sm font-medium">Cultural</span>

</div>

<div
class="absolute top-4 right-4">

<button class="bg-white bg-opacity-80 p-2 rounded-full hover:bg-opacity-100 transition-colors">

<i class="far fa-heart text-primary"></i>

</button>

```

```

< / div
>

< / div >

< div clas
s = " p - 6 " >

< div
class = " flex items - center justify - between m
b - 2 " >

<
h3 class = " font - serif font - semibold text - lg
text - primary " > Medell n Colonial < / h3 >

<
div class = " flex items - center " >

< i class = " fas fa - star text - warning text
- sm " > < / i >

< span class = " text - sm text - text - secondar
y ml - 1 " > 4 . 6 < / span >

<
/ div >

< / div
>

< p cl
ass = " text - text - secondary text - sm mb - 4 " > Rec
orre el centro hist rico y descubre la arq
uitectura colonial de la ciudad < / p >

< div
class = " flex items - center justify - between m
b - 4 " >

<
div class = " flex items - center space - x - 4 tex
t - sm text - text - secondary " >

< span > < i class = " fas fa - clock mr - 1 " > < / i >
4 horas < / span >

```

```

        <span><i class="fas fa-users mr-1"></i>
1 - 15 personas</span>

<
/ div >

<
div class="text-primary font-semibold">$85
.000 COP</div>

</div
>

<butt
on class="w-full bg-primary text-white py-
3 rounded-lg hover:bg-primary-600 transiti
on-colors btn-spring" onclick="openRouteDe
tail('colonial-route')">

V
er Details

</but
ton>

</div>

</div>

</div>

<!-- Featured Rou
te 3 -->

<div class="min-w
-full md:min-w-0 md:w-1/3 px-3">

<div class="b
g-surface rounded-xl overflow-hidden card-
elevation">

<div clas
s="relative">



<div

class="absolute top-4 left-4">

<

span class="bg-accent text-white px-3 py-1 rounded-full text-sm font-medium">Artesan al</span>

</div

>

<div

class="absolute top-4 right-4">

<

button class="bg-white bg-opacity-80 p-2 rounded-full hover:bg-opacity-100 transition-colors">

<i class="fas fa-heart text-accent"></i

>

<

/button>

</div

>

</div>

<div class

s="p-6">

<div

class="flex items-center justify-between mb-2">

<

h3 class="font-serif font-semibold text-lg

```
text-primary">Artesanías Tradicionales</h3>
```

```
<div class="flex items-center">
```

```
<i class="fas fa-star text-warning text-sm"></i>
```

```
<span class="text-sm text-text-secondary ml-1">4.9</span>
```

```
</div>
```

```
</div>
```

```
<p class="text-text-secondary text-sm mb-4">Aprende técnicas ancestrales de cerámica y tejido con maestros artesanos</p>
```

```
<div class="flex items-center justify-between mb-4">
```

```
<div class="flex items-center space-x-4 text-sm text-text-secondary">
```

```
<span><i class="fas fa-clock mr-1"></i>6 horas</span>
```

```
<span><i class="fas fa-users mr-1"></i>1-8 personas</span>
```

```
</div>
```

```
<div class="text-primary font-semibold">$120.000 COP</div>
```

```
</div>
```

```
on class = "w-full bg-primary text-white py-3 rounded-lg hover:bg-primary-600 transition-colors btn-spring" onclick = "openRouteDetail('artisan-route') ">
```

V

er Details

< / but

ton >

< / div >

< / div >

< / div >

< / div >

< / div >

< ! - - Carousel Controls - -

>

```
< button class = "absolute left-4 top-1/2 transform -translate-y-1/2 bg-white p-3 rounded-full shadow-warm hover:shadow-warm-md transition-all" onclick = "previousSlide()" >
```

```
< i class = "fas fa-chevron-left text-primary" > < / i >
```

< / button >

```
< button class = "absolute right-4 top-1/2 transform -translate-y-1/2 bg-white p-3 rounded-full shadow-warm hover:shadow-warm-md transition-all" onclick = "nextSlide()" >
```

```
< i class = "fas fa-chevron-right text-primary" > < / i >
```

< / button >

[illegible]



>

```
nt-medium text-text-primary mb-3">Tipo de  
Ruta</h4>
```

```
pace-y-2">
```

```
class="flex items-center">
```

```
type="checkbox" class="text-primary focus:  
ring-primary rounded" value="cultural" /  
>
```

```
class="ml-2 text-sm text-text-secondary">  
Patrimonio Cultural</span>
```

```
</label>
```

```
class="flex items-center">
```

```
type="checkbox" class="text-primary focus:  
ring-primary rounded" value="gastronomic  
" />
```

```
class="ml-2 text-sm text-text-secondary">  
Gastron mica</span>
```

```
</label>
```

```
class="flex items-center">
```

```
type="checkbox" class="text-primary focus:  
ring-primary rounded" value="artisan" />
```

```
class="ml-2 text-sm text-text-secondary">  
Artesanal</span>
```

```
</label>
```

```

<label class="flex items-center">
    <input type="checkbox" class="text-primary focus:ring-primary rounded" value="nature" />
    <span class="ml-2 text-sm text-text-secondary">
Naturaleza</span>
</label>
</div>
</div>

<!-- Duration Filter -->
<div class="mb-6">
    <h4 class="font-medium text-text-primary mb-3">Duración
    </h4>
    <div class="space-y-2">
        <label class="flex items-center">
            <input type="radio" name="duration" class="text-primary focus:ring-primary" value="half-day" />
            <span class="ml-2 text-sm text-text-secondary">
Medio día (2-4 horas)</span>
        </label>
        <label class="flex items-center">

```

```

<input
t type="radio" name="duration" class="text
- primary focus:ring-primary" value="full-d
ay" />

```

```

<span
class="ml-2 text-sm text-text-secondary">
D a completo (6-8 horas)</span>

```

```

</label>

```

```

<label cl
ass="flex items-center">

```

```

<input
t type="radio" name="duration" class="text
- primary focus:ring-primary" value="multi-
day" />

```

```

<span
class="ml-2 text-sm text-text-secondary">
Varios d as</span>

```

```

</label>

```

```

</div>

```

```

</div>

```

```

<!-- Price Range
- ->

```

```

<div class="mb-6"
>

```

```

<h4 class="fo
nt-medium text-text-primary mb-3">Rango de
Precio</h4>

```

```

<div class="s
pace-y-3">

```

```

<div>

```

```

<input
t type="range" min="0" max="500000" value=
"250000" class="w-full h-2 bg-gray-200 rou
nded-lg appearance-none cursor-pointer sli

```

```
der" />
```

```
                                <div  
class="flex justify-between text-xs text-t  
ext-secondary mt-1">
```

```
                                <  
span>$0</span>
```

```
                                <  
span id="priceValue">$250.000</span>
```

```
                                <  
span>$500.000+</span>
```

```
                                </div  
>
```

```
                                </div>
```

```
                                </div>
```

```
                                </div>
```

```
                                <!-- Group Size -  
- >
```

```
                                <div class="mb-6"  
>
```

```
                                <h4 class="font-medium text-text-primary mb-3">Tamaño d  
el Grupo</h4>
```

```
                                <select class  
="w-full px-3 py-2 border border-gray-300  
rounded-lg focus:ring-2 focus:ring-primary  
focus:border-transparent text-sm">
```

```
                                <option v  
alue>Cualquier tamaño</option>
```

```
                                <option v  
alue="1-4">1-4 personas</option>
```

```
                                <option v  
alue="5-10">5-10 personas</option>
```

```

                                <option v
a l u e = " 1 1 - 2 0 " > 1 1 - 2 0   p e r s o n a s </option>

                                <option v
a l u e = " 2 0 + " > M     s       d e    2 0   p e r s o n a s </option>

                                </select>

                        </div>


                <!-- Accessibilit
y      -->


                <div class = " m b - 6 "

>

                                <h4 class = " fo
n t - m e d i u m   t e x t - t e x t - p r i m a r y   m b - 3 " > A c c e s i b i
l i d a d </h4>

                                <div class = " s
p a c e - y - 2 " >

                                <label cl
a s s = " f l e x   i t e m s - c e n t e r " >

                                <input
t   t y p e = " c h e c k b o x "   c l a s s = " t e x t - p r i m a r y   f o c u
s : r i n g - p r i m a r y   r o u n d e d " / >

                                <span
c l a s s = " m 1 - 2   t e x t - s m   t e x t - t e x t - s e c o n d a r y " >
A c c e s i b l e   e n   s i l l a   d e   r u e d a s </span>

                                </label>

                                <label cl
a s s = " f l e x   i t e m s - c e n t e r " >

                                <input
t   t y p e = " c h e c k b o x "   c l a s s = " t e x t - p r i m a r y   f o c u
s : r i n g - p r i m a r y   r o u n d e d " / >

                                <span
c l a s s = " m 1 - 2   t e x t - s m   t e x t - t e x t - s e c o n d a r y " >
A p t o   p a r a   n i     o s </span>

                                </label>

```

```

<label class="flex items-center">
  <input type="checkbox" class="text-primary focus:ring-primary rounded" />
  <span class="ml-2 text-sm text-text-secondary">
    Mascotas permitidas</span>
  </label>
</div>
</div>

<button class="w-full bg-primary text-white py-3 rounded-lg hover:bg-primary-600 transition-colors btn-spring">
  Aplicar Filtros
</button>
</div>
</aside>

<!-- Routes Grid -->
<div class="lg:w-3/4">
  <div class="flex items-center justify-between mb-6">
    <div>
      <h2 class="text-fluid-2xl font-serif font-bold text-primary">Todas las Rutas</h2>
      <p class="text

```

```
t - text - secondary " > Encontramos 24 rutas disponibles < / p >
```

```
< / div >
```

```
< div class = " flex  
items - center space - x - 4 " >
```

```
< select class  
= " px - 4 py - 2 border border - gray - 300 rounded  
- lg focus : ring - 2 focus : ring - primary focus :  
border - transparent text - sm " >
```

```
< option v  
a l u e = " recommended " > Recomendadas < / option >
```

```
< option v  
a l u e = " price - low " > Precio : Menor a Mayor < / op  
t i o n >
```

```
< option v  
a l u e = " price - high " > Precio : Mayor a Menor < / o  
p t i o n >
```

```
< option v  
a l u e = " rating " > Mejor Valoradas < / option >
```

```
< option v  
a l u e = " duration " > Duraci n < / option >
```

```
< / select >
```

```
< div class = " f  
lex border border - gray - 300 rounded - lg over  
flow - hidden " >
```

```
< button c  
lass = " px - 3 py - 2 bg - primary text - white " onc  
lick = " toggleView ( ' grid ' ) " >
```

```
< i cl  
a s s = " fas fa - th - large " > < / i >
```

```
< / button >
```

```
< button c  
lass = " px - 3 py - 2 hover : bg - gray - 50 " onclick =  
" toggleView ( ' list ' ) " >
```

```
< i cl
```

```
ass = "fas fa-list" > < / i >
```

```
< / button >
```

```
< / div >
```

```
< / div >
```

```
< / div >
```

```
< ! - - Routes Grid - - >
```

```
< div class = "grid md:grid-cols-2 xl:grid-cols-3 gap-6" id = "routesGrid" >
```

```
< ! - - Route Card 1
```

```
- - >
```

```
< div class = "bg-surface rounded-xl overflow-hidden card-elevation" >
```

```
< div class = "relative" >
```

```
< img src =  
"https://images.pexels.com/photos/1386604/pexels-photo-1386604.jpeg?auto=compress&cs=tinysrgb&w=800" alt = "Guatapé y Piedra del Peñol" class = "w-full h-48 object-cover" onerror = "this.src = 'https://images.unsplash.com/photo-1584824486509-112e4181ff6b?q=80&w=2940&auto=format&fit=crop&ixlib=rb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVuZD88fHx8fA%3D%3D'; this.onerror = null; " / >
```

```
< div class = "absolute top-3 left-3" >
```

```
< span class = "bg-success text-white px-2 py-1 rounded-full text-xs font-medium" > Disponible < / span >
```

```
< / div >
```

```
< div class
```



```
s = " absolute top - 3 right - 3 " >
```

```
on class = " bg - white bg - opacity - 80 p - 2 rounded - full hover : bg - opacity - 100 transition - colors " >
```

```
i class = " far fa - heart text - primary " > < / i > < / button >
```

```
< / div >
```

```
< / div >
```

```
- 5 " > < div class = " p
```

```
s = " flex items - center justify - between mb - 2 " >
```

```
lass = " font - serif font - semibold text - primary " > Guatap y Piedra del Peol < / h3 >
```

```
class = " flex items - center " >
```

```
i class = " fas fa - star text - warning text - sm " > < / i >
```

```
span class = " text - sm text - text - secondary ml - 1 " > 4 . 7 < / span >
```

```
< / div >
```

```
< / div >
```

```
" text - text - secondary text - sm mb - 3 " > Descubre el pueblo ms colorido de Colombia y sube a la famosa Piedra del Peol < / p >
```

```
< div clas
```

```
s = "flex items-center justify-between mb-4">
```

```
<div class="flex items-center space-x-3 text-xs text-text-secondary">
```

```
<span><i class="fas fa-clock mr-1"></i>10 h  
oras</span>
```

```
<span><i class="fas fa-users mr-1"></i>1-15  
</span>
```

```
<span><i class="fas fa-map-marker-alt mr-1">  
</i>Guatapé</span>
```

```
</div>
```

```
</div>
```

```
<div class="flex items-center justify-between">
```

```
<div class="text-primary font-semibold">$95.000  
COP</div>
```

```
<button class="bg-primary text-white px-4 py-2  
rounded-lg hover:bg-primary-600 transition-  
colors btn-spring text-sm" onclick="openR  
outeDetail('guatapé-route')">
```

```
R  
eservar
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

- - >
<!-- Route Card 2

<div class="bg-surface rounded-xl overflow-hidden card-elevation">

<div class="relative">



<div class="absolute top-3 left-3">

<span class="bg-warning text-white px-2 py-1 rounded-full text-xs font-medium"> Pocas plazas</span>

</div>

<div class="absolute top-3 right-3">

<button class="bg-white bg-opacity-80 p-2 rounded-full hover:bg-opacity-100 transition-colors">

<i class="far fa-heart text-primary"></i>

</button>

</div>

</div>

```

```

- 5 " >
<div class="p

<div clas
s="flex items-center justify-between mb-2"
>

<h3 c
lass="font-serif font-semibold text-primar
y">Jard n Pueblo Patrimonio</h3>

<div

class="flex items-center">

<
i class="fas fa-star text-warning text-sm"
></i>

<
span class="text-sm text-text-secondary ml
-1">4.5</span>

</div

>

</div>

<p class=
"text-text-secondary text-sm mb-3">Explora
este encantador pueblo patrimonio con arq
uitectura colonial preservada</p>

<div clas
s="flex items-center justify-between mb-4"
>

<div

class="flex items-center space-x-3 text-xs
text-text-secondary">

<
span><i class="fas fa-clock mr-1"></i>8 ho
ras</span>

<
span><i class="fas fa-users mr-1"></i>2-12
</span>

<
span><i class="fas fa-map-marker-alt mr-1"

```

```
> < / i > J a r d i n < / s p a n >
```

```
< / d i v
```

```
>
```

```
< / d i v >
```

```
< d i v c l a s  
s = " f l e x i t e m s - c e n t e r j u s t i f y - b e t w e e n " >
```

```
< d i v  
c l a s s = " t e x t - p r i m a r y f o n t - s e m i b o l d " > $ 1 1 0 . 0 0  
0 C O P < / d i v >
```

```
< b u t t  
o n c l a s s = " b g - p r i m a r y t e x t - w h i t e p x - 4 p y - 2  
r o u n d e d - l g h o v e r : b g - p r i m a r y - 6 0 0 t r a n s i t i o n  
- c o l o r s b t n - s p r i n g t e x t - s m " o n c l i c k = " o p e n R  
o u t e D e t a i l ( ' j a r d i n - r o u t e ' ) " >
```

```
R
```

```
e s e r v a r
```

```
< / b u t
```

```
t o n >
```

```
< / d i v >
```

```
< / d i v >
```

```
< / d i v >
```

```
< ! - - R o u t e C a r d 3
```

```
- - >
```

```
< d i v c l a s s = " b g - s u  
r f a c e r o u n d e d - x l o v e r f l o w - h i d d e n c a r d - e l e v  
a t i o n " >
```

```
< d i v c l a s s = " r  
e l a t i v e " >
```

```
< i m g s r c =  
" h t t p s : / / i m a g e s . u n s p l a s h . c o m / p h o t o - 1 5 7 1 0 1 9  
6 1 3 4 5 4 - 1 c b 2 f 9 9 b 2 d 8 b ? q = 8 0 & w = 2 9 4 0 & a u t o = f o r m a  
t & f i t = c r o p & i x l i b = r b - 4 . 0 . 3 " a l t = " R u t a G a s t r  
o n m i c a P a i s a " c l a s s = " w - f u l l h - 4 8 o b j e c t - c  
o v e r " o n e r r o r = " t h i s . s r c = ' h t t p s : / / i m a g e s . u n
```

```
splash.com/photo-1584824486509-112e4181ff6
b?q=80&w=2940&auto=format&fit=crop&ixlib=r
b-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlf
Hx8fGVuZD8fHx8fA%3D%3D'; this.onerror=nul
l; " / >
```

```
<div clas
s="absolute top-3 left-3">
<span
class="bg-success text-white px-2 py-1 ro
unded-full text-xs font-medium">Disponible
</span>
```

```
</div>
<div clas
s="absolute top-3 right-3">
<butt
on class="bg-white bg-opacity-80 p-2 round
ed-full hover:bg-opacity-100 transition-co
lors">
```

```
<
i class="fas fa-heart text-accent"></i>
</but
ton>
```

```
</div>
</div>
<div class="p
-5">
```

```
<div clas
s="flex items-center justify-between mb-2"
>
```

```
<h3 c
lass="font-serif font-semibold text-primar
y">Ruta Gastron mica Paisa</h3>
```

```
<div
class="flex items-center">
```

```
<
i class="fas fa-star text-warning text-sm"
```

> < / i >

<  
span class = "text - sm text - text - secondary ml  
- 1 " > 4 . 9 < / span >

< / div

>

< / div >

< p class =  
"text - text - secondary text - sm mb - 3 " > Degusta  
los sabores aut nticos de la cocina antio  
que a en restaurantes tradicionales < / p >

< div clas  
s = "flex items - center justify - between mb - 4 "  
>

< div  
class = "flex items - center space - x - 3 text - xs  
text - text - secondary " >

<  
span > < i class = "fas fa - clock mr - 1 " > < / i > 5 ho  
ras < / span >

<  
span > < i class = "fas fa - users mr - 1 " > < / i > 1 - 8 <  
/ span >

<  
span > < i class = "fas fa - map - marker - alt mr - 1 "  
> < / i > Medell n < / span >

< / div

>

< / div >

< div clas  
s = "flex items - center justify - between " >

< div  
class = "text - primary font - semibold " > \$ 75 . 000  
COP < / div >

< butt  
on class = "bg - primary text - white px - 4 py - 2

```
rounded-lg hover:bg-primary-600 transition
-colors btn-spring text-sm" onclick="openR
outeDetail('gastronomic-route')">
```

R

eservar

</but

ton>

</div>

</div>

</div>

<!-- Route Card 4

-->

```
<div class="bg-su
rface rounded-xl overflow-hidden card-elev
ation">
```

```
<div class="r
elative">
```

```
<img src=
"https://images.pexels.com/photos/1108701/
pexels-photo-1108701.jpeg?auto=compress&cs
=tinysrgb&w=800" alt="Santa Fe de Antioqui
a" class="w-full h-48 object-cover" onerro
r="this.src='https://images.unsplash.com/p
hoto-1584824486509-112e4181ff6b?q=80&w=294
0&auto=format&fit=crop&ixlib=rb-4.0.3&ixid
=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVuZD8f
Hx8fA%3D%3D'; this.onerror=null;" />
```

```
<div clas
s="absolute top-3 left-3">
```

```
<span
class="bg-success text-white px-2 py-1 ro
unded-full text-xs font-medium">Disponible
</span>
```

</div>

<div clas



```
s = " absolute top - 3 right - 3 " >
```

```
on class = " bg - white bg - opacity - 80 p - 2 rounded - full hover : bg - opacity - 100 transition - colors " >
```

```
i class = " far fa - heart text - primary " > < / i > < / button >
```

```
< / div >
```

```
< / div >
```

```
- 5 " > < div class = " p
```

```
s = " flex items - center justify - between mb - 2 " >
```

```
lass = " font - serif font - semibold text - primary " > Santa Fe de Antioquia < / h3 >
```

```
class = " flex items - center " >
```

```
i class = " fas fa - star text - warning text - sm " > < / i >
```

```
span class = " text - sm text - text - secondary ml - 1 " > 4 . 6 < / span >
```

```
< / div >
```

```
< / div >
```

```
" text - text - secondary text - sm mb - 3 " > Visita la primera capital de Antioquia y su famoso Puente de Occidente < / p >
```

```
< div class
```

```
s = "flex items-center justify-between mb-4">
```

```
<div class="flex items-center space-x-3 text-xs text-text-secondary">
```

```
<span><i class="fas fa-clock mr-1"></i>9 horas</span>
```

```
<span><i class="fas fa-users mr-1"></i>2-20</span>
```

```
<span><i class="fas fa-map-marker-alt mr-1"></i>Santa Fe</span>
```

```
</div>
```

```
</div>
```

```
<div class="flex items-center justify-between">
```

```
<div class="text-primary font-semibold">$90.000 COP</div>
```

```
<button class="bg-primary text-white px-4 py-2 rounded-lg hover:bg-primary-600 transition-colors btn-spring text-sm" onclick="openRouteDetail('santafe-route')">
```

```
R
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

- - >
<!-- Route Card 5

<div class="bg-surface rounded-xl overflow-hidden card-elevation">

<div class="relative">



<div class="absolute top-3 left-3">

<span class="bg-success text-white px-2 py-1 rounded-full text-xs font-medium">Disponible</span>

</div>

<div class="absolute top-3 right-3">

<button class="bg-white bg-opacity-80 p-2 rounded-full hover:bg-opacity-100 transition-colors">

<i class="far fa-heart text-primary"></i>

</button>

</div>

</div>

```

```

- 5 " >
<div class="p
s="flex items-center justify-between mb-2"
>
<h3 class="font-serif font-semibold text-primary">Rionegro Colonial</h3>
<div
class="flex items-center">
<
i class="fas fa-star text-warning text-sm"
></i>
<
span class="text-sm text-text-secondary ml-1">4.4</span>
</div>
>
</div>
<p class="text-text-secondary text-sm mb-3">Conoce la cuna de la independencia antioqueña y su rica historia colonial</p>
<div class="flex items-center justify-between mb-4">
<div
class="flex items-center space-x-3 text-xs text-text-secondary">
<
span><i class="fas fa-clock mr-1"></i>6 horas</span>
<
span><i class="fas fa-users mr-1"></i>1-16</span>
<
span><i class="fas fa-map-marker-alt mr-1"></i>

```

```
> < / i > R i o n e g r o < / s p a n >
```

```
< / d i v
```

```
>
```

```
< / d i v >
```

```
< d i v   c l a s  
s = " f l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n " >
```

```
< d i v  
c l a s s = " t e x t - p r i m a r y   f o n t - s e m i b o l d " > $ 6 5 . 0 0 0  
C O P < / d i v >
```

```
< b u t t  
o n   c l a s s = " b g - p r i m a r y   t e x t - w h i t e   p x - 4   p y - 2  
r o u n d e d - l g   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s i t i o n  
- c o l o r s   b t n - s p r i n g   t e x t - s m "   o n c l i c k = " o p e n R  
o u t e D e t a i l ( ' r i o n e g r o - r o u t e ' ) " >
```

```
R
```

```
e s e r v a r
```

```
< / b u t
```

```
t o n >
```

```
< / d i v >
```

```
< / d i v >
```

```
< / d i v >
```

```
< ! - -   R o u t e   C a r d   6
```

```
- - >
```

```
< d i v   c l a s s = " b g - s u  
r f a c e   r o u n d e d - x l   o v e r f l o w - h i d d e n   c a r d - e l e v  
a t i o n " >
```

```
< d i v   c l a s s = " r  
e l a t i v e " >
```

```
< i m g   s r c =  
" h t t p s : / / i m a g e s . u n s p l a s h . c o m / p h o t o - 1 5 1 8 7 0 9  
2 6 8 8 0 5 - 4 e 9 0 4 2 a f 2 1 7 6 ? q = 8 0 & w = 2 9 2 5 & a u t o = f o r m a  
t & f i t = c r o p & i x l i b = r b - 4 . 0 . 3 "   a l t = " E x p e r i e n c i  
a   M i n e r a "   c l a s s = " w - f u l l   h - 4 8   o b j e c t - c o v e r "  
o n e r r o r = " t h i s . s r c = ' h t t p s : / / i m a g e s . u n s p l a s
```

h . c o m / p h o t o - 1 5 8 4 8 2 4 4 8 6 5 0 9 - 1 1 2 e 4 1 8 1 f f 6 b ? q = 8  
0 & w = 2 9 4 0 & a u t o = f o r m a t & f i t = c r o p & i x l i b = r b - 4 . 0  
. 3 & i x i d = M 3 w x M j A 3 f D B 8 M H x w a G 9 0 b y 1 w Y W d l f H x 8 f G  
V u f D B 8 f H x 8 f A % 3 D % 3 D ' ; t h i s . o n e r r o r = n u l l ; " /  
>

< d i v c l a s  
s = " a b s o l u t e t o p - 3 l e f t - 3 " >  
< s p a n  
c l a s s = " b g - a c c e n t t e x t - w h i t e p x - 2 p y - 1 r o u  
n d e d - f u l l t e x t - x s f o n t - m e d i u m " > N u e v o < / s p a n  
>

< / d i v >  
< d i v c l a s  
s = " a b s o l u t e t o p - 3 r i g h t - 3 " >

< b u t t  
o n c l a s s = " b g - w h i t e b g - o p a c i t y - 8 0 p - 2 r o u n d  
e d - f u l l h o v e r : b g - o p a c i t y - 1 0 0 t r a n s i t i o n - c o  
l o r s " >

<  
i c l a s s = " f a r f a - h e a r t t e x t - p r i m a r y " > < / i >  
< / b u t  
t o n >

< / d i v >  
< / d i v >  
< d i v c l a s s = " p  
- 5 " >

< d i v c l a s  
s = " f l e x i t e m s - c e n t e r j u s t i f y - b e t w e e n m b - 2 "  
>

< h 3 c  
l a s s = " f o n t - s e r i f f o n t - s e m i b o l d t e x t - p r i m a r  
y " > E x p e r i e n c i a M i n e r a < / h 3 >

< d i v  
c l a s s = " f l e x i t e m s - c e n t e r " >

<  
i c l a s s = " f a s f a - s t a r t e x t - w a r n i n g t e x t - s m "

> < / i >

<  
span class="text-sm text-text-secondary ml  
- 1">4.8</span>

< / div

>

< / div >

< p class =  
"text-text-secondary text-sm mb-3">Descubr  
e la tradici n minera antioque a en minas  
de oro hist ricas</p>

< div clas  
s="flex items-center justify-between mb-4"  
>

< div  
class="flex items-center space-x-3 text-xs  
text-text-secondary">

<  
span><i class="fas fa-clock mr-1"></i>7 ho  
ras</span>

<  
span><i class="fas fa-users mr-1"></i>3-10  
</span>

<  
span><i class="fas fa-map-marker-alt mr-1"  
></i>Segovia</span>

< / div

>

< / div >

< div clas  
s="flex items-center justify-between">

< div  
class="text-primary font-semibold">\$135.00  
0 COP</div>

< butt  
on class="bg-primary text-white px-4 py-2

```
rounded-lg hover:bg-primary-600 transition
-colors btn-spring text-sm" onclick="openR
outeDetail('mining-route')">
```

R

eservar

</button>

ton>

</div>

</div>

</div>

</div>

<!-- Load More Button

-->

<div class="text-cent

er mt-8">

```
<button class="bg
-secondary text-white px-8 py-3 rounded-lg
hover:bg-secondary-600 transition-colors
btn-spring">
```

Cargar Más Ru

tas

</button>

</div>

</div>

</div>

</div>

</main>

<!-- Route Detail Modal -->



```
        <div id="routeDetailModal" class="fixed inset-0 bg-black bg-opacity-50 hidden z-50 flex items-center justify-center p-4">
```

```
        <div class="bg-surface rounded-xl max-w-4xl w-full max-h-96 overflow-y-auto">
```

```
            <div class="relative">
```

```
                <!-- Modal Header -->
```

```
                <div class="flex justify-between items-center p-6 border-b border-subtle">
```

```
                    <h3 class="text-2xl font-serif font-bold text-primary" id="modalTitle">Ruta del Caf Tradicional</h3>
```

```
                    <button onclick="closeRouteDetail()" class="text-text-secondary hover:text-primary">
```

```
                        <i class="fas fa-times text-xl"></i>
```

```
                </button>
```

```
            </div>
```

```
            <!-- Modal Content -->
```

```
            <div class="p-6">
```

```
                <div class="grid md:grid-cols-2 gap-6">
```

```
                    <!-- Image Gallery -->
```

```
                    <div>
```

```
                        
```

```
fo - - > <!-- Quick In
```

```
rid grid-cols-2 gap-4 text-sm">
```

```
s="flex items-center">
```

```
ass="fas fa-clock text-primary mr-2"></i>
```

```
> 8 horas</span>
```

```
</div>
```

```
s="flex items-center">
```

```
ass="fas fa-users text-primary mr-2"></i>
```

```
> 2 - 12 personas</span>
```

```
</div>
```

```
s="flex items-center">
```

```
ass="fas fa-star text-warning mr-2"></i>
```

```
> 4.8 (124 rese as)</span>
```

```
</div>
```

```
s="flex items-center">
```

```

< i cl
a s s = " f a s f a - m a p - m a r k e r - a l t t e x t - p r i m a r y m r
- 2 " > < / i >

```

```

< s p a n
> E j e C a f e t e r o < / s p a n >

```

```

< / d i v >

```

```

< / d i v >

```

```

< / d i v >

```

```

< ! - - D e t a i l s - - >

```

```

< d i v >

```

```

< h 4 c l a s s = " f o
n t - s e r i f f o n t - s e m i b o l d t e x t - l g t e x t - p r i m a r
y m b - 3 " > D e s c r i p c i n < / h 4 >

```

```

< p c l a s s = " t e x
t - t e x t - s e c o n d a r y m b - 4 " >

```

```

S u m r g e t e
e n l a c u l t u r a c a f e t e r a d e A n t i o q u i a v i s i t
a n d o f i n c a s t r a d i c i o n a l e s d o n d e a p r e n d e r s
t o d o e l p r o c e s o d e l c a f , d e s d e l a s e m i l l
a h a s t a l a t a z a . I n c l u y e d e g u s t a c i n d e c a
f p r e m i u m y a l m u e r z o t p i c o .

```

```

< / p >

```

```

< h 4 c l a s s = " f o
n t - s e r i f f o n t - s e m i b o l d t e x t - l g t e x t - p r i m a r
y m b - 3 " > I n c l u y e < / h 4 >

```

```

< u l c l a s s = " t e
x t - t e x t - s e c o n d a r y t e x t - s m s p a c e - y - 1 m b - 4 " >

```

```

< l i > < i cl
a s s = " f a s f a - c h e c k t e x t - s u c c e s s m r - 2 " > < / i > T
r a n s p o r t e i d a y v u e l t a < / l i >

```

```

                                <li><i cl
a s s = " f a s   f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i > G
u   a   e s p e c i a l i z a d o < / l i >

```

```

                                <li><i cl
a s s = " f a s   f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i > D
e g u s t a c i   n   d e   c a f   < / l i >

```

```

                                <li><i cl
a s s = " f a s   f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i > A
l m u e r z o   t   p i c o < / l i >

```

```

                                <li><i cl
a s s = " f a s   f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i > S
e g u r o   d e   v i a j e < / l i >

```

```

                                < / u l >

```

```

                                <div class = " f
l e x   i t e m s - c e n t e r   j u s t i f y - b e t w e e n   m b - 4 " >

```

```

                                <div clas
s = " t e x t - 2 x 1   f o n t - b o l d   t e x t - p r i m a r y " > $ 1 8 0 . 0
0 0   C O P < / d i v >

```

```

                                <div clas
s = " t e x t - s m   t e x t - t e x t - s e c o n d a r y " > p o r   p e r s o n
a < / d i v >

```

```

                                < / d i v >

```

```

                                <button class
= " w - f u l l   b g - p r i m a r y   t e x t - w h i t e   p y - 3   r o u n d e
d - l g   h o v e r : b g - p r i m a r y - 6 0 0   t r a n s i t i o n - c o l o r
s   b t n - s p r i n g   m b - 3 " >

```

Reservar

Ahora

```

                                < / b u t t o n >

```

```

                                <button class
= " w - f u l l   b o r d e r   b o r d e r - p r i m a r y   t e x t - p r i m a r
y   p y - 3   r o u n d e d - l g   h o v e r : b g - p r i m a r y - 5 0   t r a n
s i t i o n - c o l o r s " >

```

Favoritos

Agregar a

</button>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- Footer -->

<footer class="bg-primary-800 text-white py-8 mt-12">

<div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

<div class="grid md:grid-cols-4 gap-8">

<div>

<div class="flex items-center mb-4">

<svg class="h-8 w-8 text-accent" viewBox="0 0 32 32" fill="currentColor">

<path d="M16 2L3 7v10c0 8.5 5.5 16.5 13 18 7.5 1.5 13 1.5 13 1.5 13 1.5 18 7.5 16 2z"/>

<circle cx="16" cy="14" r="4" fill="white"/>

<path d="M12 20h8v2h-8z" fill="white"/>

</svg>

> AntioqAPP</span>

</div>

> Descubre la aut ntica cultura de Antioquia</p>

</div>

<div>

#### > Explorar</h4>

>

- <a href="tourism\_routes.html" class="hover:text-white transition-colors">Rutas Tur sticas</a></li>

- <a href="events\_calendar.html" class="hover:text-white transition-colors">Eventos</a></li>

- <a href="business\_directory.html" class="hover:text-white transition-colors">Negocios</a></li>

</ul>

</div>

<div>

#### > Cuenta</h4>

>

```

                                <li><a href = "user
_login.html" class = "hover:text-white trans
ition-colors">Iniciar Sesión</a></li>

```

```

                                <li><a href = "user
_registration.html" class = "hover:text-white
transition-colors">Registrarse</a></li>

```

```

                                <li><a href = "book
ing_management.html" class = "hover:text-white
transition-colors">Mis Reservas</a></li>
>

```

```

    </ul>

```

```

</div>

```

```

<div>

```

```

                                <h4 class = "font-semib
old mb-3">Saludos</h4>

```

```

                                <div class = "flex spac
e-x-3">

```

```

                                <a href = "javascri
pt:void(0)" class = "text-primary-200 hover:
text-white transition-colors">

```

```

                                <i class = "fab
fa-facebook-f"></i>

```

```

                                </a>

```

```

                                <a href = "javascri
pt:void(0)" class = "text-primary-200 hover:
text-white transition-colors">

```

```

                                <i class = "fab
fa-instagram"></i>

```

```

                                </a>

```

```

                                <a href = "javascri
pt:void(0)" class = "text-primary-200 hover:
text-white transition-colors">

```

```

                                <i class = "fab

```

fa - t i k t o k " > < / i >

< / a >

< / d i v >

< / d i v >

< / d i v >

< d i v   c l a s s = " b o r d e r - t   b o r d e r - p  
r i m a r y - 7 0 0   m t - 8   p t - 8   t e x t - c e n t e r   t e x t - s m   t  
e x t - p r i m a r y - 2 0 0 " >

< p > & c o p y ;   2 0 2 5   A n t i o q A P P .  
T o d o s   l o s   d e r e c h o s   r e s e r v a d o s . < / p >

< / d i v >

< / d i v >

< / f o o t e r >

< s c r i p t >

//   M o b i l e   m e n u   t o g g l e

f u n c t i o n   t o g g l e M o b i l e M e n u ( )   {

          c o n s t   m e n u   =   d o c u m e n t . g e t E l e m  
e n t B y I d ( ' m o b i l e M e n u ' ) ;

          m e n u . c l a s s L i s t . t o g g l e ( ' h i d d e n  
' ) ;

}

//   F e a t u r e d   c a r o u s e l   f u n c t i o n a l i t  
y

l e t   c u r r e n t S l i d e   =   0 ;

c o n s t   t o t a l S l i d e s   =   3 ;



```

        function nextSlide() {
            currentSlide = (currentSlide
+ 1) % totalSlides;
            updateCarousel();
        }

        function previousSlide() {
            currentSlide = (currentSlide
- 1 + totalSlides) % totalSlides;
            updateCarousel();
        }

        function updateCarousel() {
            const carousel = document.get
ElementById('featuredCarousel');
            const translateX = -currentSl
ide * (100 / totalSlides);
            carousel.style.transform = `t
ranslateX(${translateX}%)`;
        }

        // Auto-advance carousel
        setInterval(nextSlide, 5000);

        // Price range slider
        const priceSlider = document.quer
ySelector('input[type="range"]');

```

```

        const priceValue = document.getElementByIdById('priceValue');

        if (priceSlider && priceValue) {
            priceSlider.addEventListener(
                'input', function(e) {
                    const value = parseInt(e.target.value);

                    priceValue.textContent = `$$${value.toLocaleString('es-CO')}`;
                }
            );
        }

        // Clear filters

        function clearFilters() {
            // Reset all checkboxes and radio buttons

            document.querySelectorAll('input[type="checkbox"]').forEach(cb => cb.checked = false);

            document.querySelectorAll('input[type="radio"]').forEach(rb => rb.checked = false);

            // Reset select elements

            document.querySelectorAll('select').forEach(select => select.selectedIndex = 0);

            // Reset price slider

            if (priceSlider) {

```

```

                                priceSlider.value = 25000
0;

                                priceValue.textContent =
'$250.000';

                                }

                                }

// View toggle
function toggleView(viewType) {
    const grid = document.getElementById('routesGrid');

    const buttons = document.querySelectorAll('[onclick*="toggleView"]');

    buttons.forEach(btn => {
        btn.classList.remove('bg-
primary', 'text-white');

        btn.classList.add('hover:
bg-gray-50');

    });

    if (viewType === 'grid') {
        grid.className = 'grid md
:grid-cols-2 xl:grid-cols-3 gap-6';

        buttons[0].classList.add(
'bg-primary', 'text-white');

        buttons[0].classList.remove(
'hover:bg-gray-50');

    } else {

```

```

        grid.className = 'space-y
- 4';

        buttons[1].classList.add(
'bg-primary', 'text-white');

        buttons[1].classList.remove(
'hover:bg-gray-50');

    }

}

// Route detail modal

function openRouteDetail(routeId)
{
    const modal = document.getEle
mentById('routeDetailModal');

    modal.classList.remove('hidde
n');

    document.body.style.overflow
= 'hidden';

}

function closeRouteDetail() {
    const modal = document.getEle
mentById('routeDetailModal');

    modal.classList.add('hidden')
;

    document.body.style.overflow
= 'auto';

}

// Close modal when clicking outs
ide

```

```
        document.addEventListener('click',
function(e) {
            if (e.target.classList.contains('bg-black')) {
                closeRouteDetail();
            }
        });
```

```
// Heart button toggle
        document.addEventListener('click',
function(e) {
            if (e.target.classList.contains('fa-heart')) {
                e.target.classList.toggle('far');
                e.target.classList.toggle('fas');
                e.target.classList.toggle('text-accent');
            }
        });
```

```
// Search functionality
        document.querySelector('button[class*="bg-accent"]')
        .addEventListener('click', function() {
            const searchTerm = document.querySelector('input[placeholder*="experiencia"]').value;
            const routeType = document.querySelector('select').value;
```

```

        // Simulate search
        console.log('Searching for:',
searchTerm, 'Type:', routeType);

        // Here you would typically f
ilter the routes based on search criteria

        alert(`Buscando: "${searchTer
m}" en categoria: "${routeType} || 'Todas'`
"");

    });

    // Filter application

    document.querySelector('button[cl
ass*="Aplicar Filtros"]').addEventListener
('click', function() {

        // Collect all filter values

        const filters = {

            routeTypes: Array.from(do
cument.querySelectorAll('input[type="check
box"]:checked')).map(cb => cb.value),

            duration: document.queryS
elector('input[name="duration"]:checked')?
.value,

            priceRange: priceSlider?.
value,

            groupSize: document.query
Selector('select').value

        };

        console.log('Applied filters:

```

```

', filters);

    alert('Filtros aplicados correctamente');

});

</script>

<script id="dhws-dataInjector" src="../../public/dhws-data-injector.js"></script>

</body>

</html>

- - - - - D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Metodologias giles\AntioqApp\AntioqApp\pages\user_login.html - - - - -

<!DOCTYPE html>

<html lang="es">

<head>

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <title>Iniciar Sesión - AntioqAPP</title>

    <link rel="stylesheet" href="../../css/main.css" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

    <script type="module" src="https://static.rocket.new/rocket-web.js?_cfg=https%3A%2F%2Fantioqapp6359back.builtwithrocket.new&_be=https%3A%2F%2Fapplication.rocket.new&_v=0.1.8"></script>

</head>

```

```

<body class="bg-background min-h-screen">
  <!-- Navigation Header -->
  <nav class="bg-surface shadow-warm border-b border-subtle">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
      <div class="flex justify-between items-center h-16">
        <!-- Logo -->
        <div class="flex items-center">
          <svg class="h-8 w-8 text-primary" viewBox="0 0 32 32" fill="currentColor">
            <path d="M16 2L3 7v10c0 8.5 5.5 16.5 13 18 7.5 1.5 13 9.5 13 18V7L16 2z"/>
            <circle cx="16" cy="14" r="4" fill="white"/>
            <path d="M12 20h8v2h-8z" fill="white"/>
          </svg>
          <span class="ml-2 text-xl font-serif font-bold text-primary">AntioqAPP</span>
        </div>
        <!-- Navigation Links -->
        <div class="hidden md:flex items-center space-x-8">
          <a href="tourism_routes.html" class="text-text-secondary hover:text-primary transition-colors">Rutas</a>

```



```
        <a href = "events_calen  
dar.html" class = "text-text-secondary hover  
:text-primary transition-colors">Eventos</  
a>
```

```
        <a href = "business_dir  
ectory.html" class = "text-text-secondary ho  
ver:text-primary transition-colors">Negoci  
os</a>
```

```
        <a href = "user_registr  
ation.html" class = "bg-primary text-white p  
x-4 py-2 rounded-lg hover:bg-primary-600 t  
ransition-colors">Registrar</a>
```

```
    </div>
```

```
- >        <!-- Mobile Menu Button -
```

```
        <div class = "md:hidden">
```

```
            <button type = "button"  
class = "text-text-secondary hover:text-pri  
mary">
```

```
                <i class = "fas fa-  
bars text-xl"></i>
```

```
            </button>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
</nav>
```

```
<!-- Main Content -->
```

```
    <main class = "flex-1 py-8 px-4 sm:px-6  
lg:px-8 relative">
```

```
        <!-- Background Image -->
```

```
<div class="absolute inset-0 z-0">
    
```

```
</div>
```

```
<div class="max-w-md mx-auto relative z-10">
```

```
<!-- Header -->
```

```
<div class="text-center mb-8">
```

```
<h1 class="text-fluid-3xl font-serif font-bold text-primary mb-2">Bienvenido de vuelta</h1>
```

```
<p class="text-text-secondary">Continúa explorando la auténtica cultura de Antioquia</p>
```

```
</div>
```

```
<!-- Login Form Card -->
```

```
<div class="bg-surface rounded-d-xl p-6 card-elevation">
```

```
<!-- Social Login Options -->
```

```
<div class="space-y-3 mb-6">
```

```
        <button class="w-full
flex items-center justify-center px-4 py-
3 border border-gray-300 rounded-lg bg-whi
te hover:bg-gray-50 transition-colors btn-
spring">
```

```
        
```

```
        <span class="text
-text-primary font-medium">Continuar con G
oogle</span>
```

```
</button>
```

```
        <button class="w-full
flex items-center justify-center px-4 py-
3 border border-gray-300 rounded-lg bg-whi
te hover:bg-gray-50 transition-colors btn-
spring">
```

```
        <i class="fab fa-
facebook-f text-blue-600 text-lg mr-3"></i
>
```

```
        <span class="text
-text-primary font-medium">Continuar con F
acebook</span>
```

```
</button>
```

```
</div>
```

```
<!-- Divider -->
```

```
<div class="relative mb-6
">
```

```

<div class="absolute
inset-0 flex items-center">

<div class="w-full
border-t border-gray-300"></div>

</div>

<div class="relative
flex justify-center text-sm">

<span class="px-2
bg-surface text-text-secondary">0 inicia
sesi n con email</span>

</div>

</div>

<!-- Login Form -->

<form class="space-y-6" i
d="loginForm">

<!-- Email -->

<div>

<label for="email
" class="block text-sm font-medium text-te
xt-primary mb-2">Correo Electr nico</label
>

<input type="emai
l" id="email" name="email" required class=
"w-full px-3 py-3 border border-gray-300 r
ounded-lg focus:ring-2 focus:ring-primary
focus:border-transparent transition-colors
" placeholder="maria.gonzalez@email.com" /
>

<div class="mt-1
text-sm text-error hidden" id="emailError">
Por favor ingresa un email v lido</div>

</div>

```

```

<!-- Password -->

<div>

    <label for="password" class="block text-sm font-medium text-
    text-primary mb-2">Contraseña</label>

    <div class="relative" >

        <input type="
        password" id="password" name="password" required class="w-full px-3 py-3 pr-10 border
        border-gray-300 rounded-lg focus:ring-2
        focus:ring-primary focus:border-transparent
        transition-colors" placeholder="Tu contrase
        ña" />

        <button type=
        "button" class="absolute inset-y-0 right-0
        pr-3 flex items-center" onclick="togglePa
        ssword()" >

            <i class=
            "fas fa-eye text-gray-400" id="passwordTog
            gle"></i>

        </button>

    </div>

    <div class="mt-1
    text-sm text-error hidden" id="passwordErr
    or">La contraseña es requerida</div>

</div>

<!-- Remember Me & Fo
rgot Password -->

<div class="flex item
s-center justify-between">

    <label class="fle
x items-center">

```

```
                                <input type="
checkbox" id="rememberMe" name="rememberMe
" class="text-primary focus:ring-primary r
ounded" />
```

```
                                <span class="
ml-2 text-sm text-text-secondary">Recordar
me</span>
```

```
</label>
```

```
                                <button type="but
ton" class="text-sm text-primary hover:und
erline" onclick="openForgotPasswordModal()"
">
```

```
                                Olvidaste tu
contraseña?
```

```
</button>
```

```
</div>
```

```
<!-- Login Button -->
```

```
                                <button type="submit"
class="w-full bg-primary text-white py-3
px-4 rounded-lg font-medium hover:bg-prim
ary-600 focus:ring-2 focus:ring-primary foc
us:ring-offset-2 transition-colors btn-spr
ing" id="loginButton">
```

```
                                <span id="loginBu
ttonText">Iniciar Sesión</span>
```

```
                                <i class="fas fa-
spinner fa-spin ml-2 hidden" id="loginSpin
ner"></i>
```

```
</button>
```

```
<!-- Error Message -->
```

```
                                <div class="text-cent
er text-sm text-error hidden" id="loginErr
```

or" >

<i class="fas fa-exclamation-circle mr-1"></i>

<span id="loginErrorText">Credenciales incorrectas. Por favor verifica tu email y contraseña.</span>

</div>

<!-- Success Message  
-->

<div class="text-center text-sm text-success hidden" id="loginSuccess">

<i class="fas fa-check-circle mr-1"></i>

<span> Inicio de sesi n exitoso! Redirigiendo...</span>

</div>

</form>

<!-- Create Account Link  
-->

<div class="text-center mt-6 pt-6 border-top border-gray-200">

<p class="text-text-secondary mb-3">

Nuevo en AntioqA  
PP?

</p>

<a href="user\_registration.html" class="inline-flex items-center text-primary hover:underline font-medium">

```
user-plus mr-2"></i>                                <i class="fas fa-
uita  Crear cuenta grat
  </a>
t-text-secondary mt-2">                                <p class="text-xs tex
cias autnticas de Antioquia                            Descubre experien
  </p>
  </div>
  </div>
  <!-- Demo Credentials Info --
>
  <div class="mt-6 bg-primary-5
0 rounded-lg p-4 border border-primary-200
">
  <h3 class="text-sm font-m
edium text-primary mb-2">
  <i class="fas fa-info
-circle mr-1"></i>
  Credenciales de Prueb
a
  </h3>
  <div class="space-y-2 tex
t-xs text-text-secondary">
  <div>
  <strong>Turista:<
/strong> maria.gonzalez@email.com / Colomb
ia 2025!
```



```

        < / d i v >

        < d i v >

                                < s t r o n g > E m p r e n d e d
o r : < / s t r o n g >   c a r l o s . e n t r e p r e n e u r @ e m a i l . c o m
    /   A n t i o q u i a 1 2 3 !

        < / d i v >

        < / d i v >

        < / d i v >

        < / d i v >

    < / m a i n >

    < ! - -   B e n e f i t s   S e c t i o n   - - >

    < s e c t i o n   c l a s s = " b g - p r i m a r y - 5 0   p y - 1 2   m
t - 1 2 " >

        < d i v   c l a s s = " m a x - w - 4 x 1   m x - a u t o   p x -
4   s m : p x - 6   l g : p x - 8 " >

            < d i v   c l a s s = " t e x t - c e n t e r   m b - 8 "
>

                < h 2   c l a s s = " t e x t - f l u i d - 2 x 1
f o n t - s e r i f   f o n t - b o l d   t e x t - p r i m a r y   m b - 2 " > T
u   a v e n t u r a   t e   e s p e r a < / h 2 >

                < p   c l a s s = " t e x t - t e x t - s e c o n
d a r y " > I n i c i a   s e s i n   y   c o n t i n   a   e x p l o r a n d o
A n t i o q u i a < / p >

            < / d i v >

        < d i v   c l a s s = " g r i d   m d : g r i d - c o l s
- 3   g a p - 6 " >

            < ! - -   P e r s o n a l i z e d   R o u t e s
- - >

                < d i v   c l a s s = " b g - s u r f a c e   r o

```

```

unded - xl p - 6 card - elevation text - center " >

        < div class = " w - 12 h - 12
bg - accent - 100 rounded - full flex items - cen
ter justify - center mx - auto mb - 4 " >

                < i class = " fas fa -
route text - accent text - xl " > < / i >

        < / div >

                < h3 class = " font - serif
font - semibold text - lg text - primary mb - 2 " >
Rutas Personalizadas < / h3 >

                < p class = " text - sm tex
t - text - secondary " > Descubre itinerarios ni
cos basados en tus intereses y preferencia
s < / p >

        < / div >

        < ! - - Exclusive Events - - >

        < div class = " bg - surface ro
unded - xl p - 6 card - elevation text - center " >

                < div class = " w - 12 h - 12
bg - secondary - 100 rounded - full flex items -
center justify - center mx - auto mb - 4 " >

                        < i class = " fas fa -
calendar - star text - secondary text - xl " > < / i >

                < / div >

                        < h3 class = " font - serif
font - semibold text - lg text - primary mb - 2 " >
Eventos Exclusivos < / h3 >

                        < p class = " text - sm tex
t - text - secondary " > Accede a festivales y ev
entos culturales nicos de la regi n < / p >

                < / div >

```

```

<!-- Easy Bookings -->

<div class="bg-surface rounded-xl p-6 card-elevation text-center">

    <div class="w-12 h-12 bg-primary-100 rounded-full flex items-center justify-center mx-auto mb-4">

        <i class="fas fa-bookmark text-primary text-xl"></i>

    </div>

    <h3 class="font-serif font-semibold text-lg text-primary mb-2">Reservas Fciles</h3>

    <p class="text-sm text-text-secondary">Gestiona todas tus reservas y experiencias desde un solo lugar</p>

</div>

</div>

</div>

</section>

<!-- Footer -->

<footer class="bg-primary-800 text-white py-8 mt-12">

    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

        <div class="grid md:grid-cols-4 gap-8">

            <div>

                <div class="flex items-center mb-4">

```

```
        <svg class="h-8 w-8 text-accent" viewBox="0 0 32 32" fill="currentColor">
```

```
        <path d="M16 2L3 7v10c0 8.5 5.5 16.5 13 18 7.5-1.5 13-9.5 13-18V7L16 2z"/>
```

```
        <circle cx="16" cy="14" r="4" fill="white"/>
```

```
        <path d="M12 20h8v2h-8z" fill="white"/>
```

```
    </svg>
```

```
    <span class="ml-2 text-xl font-serif font-bold">AntioqAPP</span>
```

```
</div>
```

```
    <p class="text-primary y-200 text-sm">Descubre la aut ntica cultura de Antioquia</p>
```

```
</div>
```

```
<div>
```

```
    <h4 class="font-semibold mb-3">Explorar</h4>
```

```
    <ul class="space-y-2 text-sm text-primary-200">
```

```
        <li><a href="tourism_routes.html" class="hover:text-white transition-colors">Rutas Tur sticas</a></li>
```

```
        <li><a href="events_calendar.html" class="hover:text-white transition-colors">Eventos</a></li>
```

```
        <li><a href="business_directory.html" class="hover:text-white transition-colors">Negocios</a></li>
```

< / u l >

< / d i v >

< d i v >

< h 4   c l a s s = " f o n t - s e m i b  
o l d   m b - 3 " > C u e n t a < / h 4 >

< u l   c l a s s = " s p a c e - y - 2  
t e x t - s m   t e x t - p r i m a r y - 2 0 0 " >

< l i > < a   h r e f = " u s e r  
\_ l o g i n . h t m l "   c l a s s = " h o v e r : t e x t - w h i t e   t r a n s  
i t i o n - c o l o r s " > I n i c i a r   S e s i   n < / a > < / l i >

< l i > < a   h r e f = " u s e r  
\_ r e g i s t r a t i o n . h t m l "   c l a s s = " h o v e r : t e x t - w h i t e  
e   t r a n s i t i o n - c o l o r s " > R e g i s t r a r s e < / a > < / l i >

< l i > < a   h r e f = " b o o k  
i n g \_ m a n a g e m e n t . h t m l "   c l a s s = " h o v e r : t e x t - w h i t e  
t e   t r a n s i t i o n - c o l o r s " > M i s   R e s e r v a s < / a > < / l i  
>

< / u l >

< / d i v >

< d i v >

< h 4   c l a s s = " f o n t - s e m i b  
o l d   m b - 3 " > S   g u e n o s < / h 4 >

< d i v   c l a s s = " f l e x   s p a c  
e - x - 3 " >

< a   h r e f = " j a v a s c r i  
p t : v o i d ( 0 ) "   c l a s s = " t e x t - p r i m a r y - 2 0 0   h o v e r :  
t e x t - w h i t e   t r a n s i t i o n - c o l o r s " >

< i   c l a s s = " f a b  
f a - f a c e b o o k - f " > < / i >

< / a >

```
pt: void(0)" class="text-primary-200 hover:
text-white transition-colors">
```

```
fa-instagram"></i>
```

```
</a>
```

```
pt: void(0)" class="text-primary-200 hover:
text-white transition-colors">
```

```
fa-tiktok"></i>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="border-t border-p
rimary-700 mt-8 pt-8 text-center text-sm t
ext-primary-200">
```

```
<p>&copy; 2025 AntioqAPP.
Todos los derechos reservados.</p>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
<!-- Forgot Password Modal -->
```

```
<div id="forgotPasswordModal" class="
fixed inset-0 bg-black bg-opacity-50 hidd
en z-50 flex items-center justify-center p-
4">
```

```
<div class="bg-surface rounded-xl
```

```

max-w-md w-full">

        <div class="p-6">

            <div class="flex justify-between items-center mb-4">

                <h3 class="text-xl font-serif font-bold text-primary">Recuperar Contrase
a</h3>

                <button onclick="closeForgotPasswordModal()" class="text-text-secondary hover:text-primary">

                    <i class="fas fa-times text-xl"></i>

                </button>

            </div>

            <p class="text-text-secondary mb-6 text-sm">

                Ingresa tu correo electrónico y te enviaremos un enlace para reestablecer tu contraseña.

            </p>

            <form id="forgotPasswordForm" class="space-y-4">

                <div>

                    <label for="resetEmail" class="block text-sm font-medium text-text-primary mb-2">Correo Electrónico</label>

                    <input type="email" id="resetEmail" name="resetEmail" required class="w-full px-3 py-3 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-transparent transit

```

```
ion - colors " placeholder = "tu.email@ejemplo.
com" />
```

```
<div class = "mt - 1
text - sm text - error hidden" id = "resetEmailE
rror"> Por favor ingresa un email v lido</d
iv>
```

```
< / div >
```

```
<button type = "submit"
class = "w - full bg - primary text - white py - 3
px - 4 rounded - lg font - medium hover : bg - prima
ry - 600 transition - colors btn - spring" id = "r
esetButton">
```

```
<span id = "resetBu
ttonText"> Enviar Enlace de Recuperaci n</s
pan>
```

```
<i class = "fas fa -
spinner fa - spin ml - 2 hidden" id = "resetSpin
ner"></i>
```

```
< / button >
```

```
<div class = "text - cent
er text - sm text - success hidden" id = "resetS
uccess">
```

```
<i class = "fas fa -
check - circle mr - 1"></i>
```

```
<span> Enlace env
iado! Revisa tu correo electr nico.</span>
```

```
< / div >
```

```
< / form >
```

```
<div class = "text - center m
t - 4">
```



```
        <button onclick = "closeForgotPasswordModal()" class = "text-sm text-t-primary hover:underline">
```

```
                Volver al inicio  
de sesión
```

```
    </button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
    // Mock user credentials for demo
```

```
    const mockUsers = {
```

```
        'maria.gonzalez@email.com': {  
            password: 'Colombia2025!'
```

```
,
```

```
            type: 'tourist',
```

```
            name: 'María González'
```

```
        },
```

```
        'carlos.entrepreneur@email.com': {
```

```
,
```

```
            password: 'Antioquia123!'
```

```
            type: 'entrepreneur',
```

```
            name: 'Carlos Entrepreneur'
```

```
        },
```

```
        'ana.local@email.com': {
```

```

        password: 'Local2025!',
        type: 'local',
        name: 'Ana Local'
    }
};

// Password visibility toggle
function togglePassword() {
    const field = document.getElementById('password');
    const toggle = document.getElementById('passwordToggle');

    if (field.type === 'password'
) {
        field.type = 'text';
        toggle.className = 'fas fa-eye-slash text-gray-400';
    } else {
        field.type = 'password';
        toggle.className = 'fas fa-eye text-gray-400';
    }
}

// Form validation and submission
document.getElementById('loginForm').addEventListener('submit', function(e)

```

```

{

    e.preventDefault();

    const formData = new FormData
(e.target);

    const email = formData.get('e
mail');

    const password = formData.get
('password');

    const rememberMe = formData.g
et('rememberMe');

    // Reset previous states
hideAllMessages();

    // Validate form
let isValid = true;

    // Email validation
    const emailRegex = /^[^\s@]+\@[
^\s@]+\.\s@]+$ /;

    if (!emailRegex.test(email))
{
        showError('emailError', '
Por favor ingresa un email v lido');

        isValid = false;
    }

    // Password validation

```

```

        if (!password) {
            showError('passwordError',
, 'La contraseña es requerida');
            isValid = false;
        }

        if (!isValid) return;

        // Show loading state
        showLoadingState();

        // Simulate API call
        setTimeout(() => {
            // Check mock credentials
            const user = mockUsers[em
ail];

            if (user && user.password
=== password) {
                // Successful login
                showSuccess();

                // Store user session
                (mock)

                if (rememberMe) {
                    localStorage.setI
tem('rememberedEmail', email);

```

```

    }

    localStorage.setItem(
'currentUser', JSON.stringify({
        email: email,
        name: user.name,
        type: user.type
    }));

    // Redirect after suc
cess

    setTimeout(() => {
        // Redirect based
on user type

        switch(user.type)
        {
            case 'entrepr
eneur':

                window.lo
cation.href = 'business_directory.html';

                break;

            case 'tourist
':

                case 'local':

                default:

                window.lo
cation.href = 'tourism_routes.html';

                break;

        }

    }, 1500);

```

```

        } else {
            // Failed login
            showLoginError();
        }
    }, 1500);
});

```

```

function showLoadingState() {
    const button = document.getElementById('loginButton');
    const buttonText = document.getElementById('loginButtonText');
    const spinner = document.getElementById('loginSpinner');

    button.disabled = true;
    button.classList.add('opacity
- 75');
    buttonText.textContent = 'Ini
ciando sesi n...';
    spinner.classList.remove('hid
den');
}

```

```

function hideLoadingState() {
    const button = document.getElementById('loginButton');
    const buttonText = document.getElementById('loginButtonText');
}

```

```
        const spinner = document.getElementByIdById('loginSpinner');

        button.disabled = false;

        button.classList.remove('opacity - 75');

        buttonText.textContent = 'Iniciar Sesi n';

        spinner.classList.add('hidden');

    }
```

```
function showSuccess() {

    hideLoadingState();

    document.getElementById('loginSuccess').classList.remove('hidden');

}
```

```
function showLoginError() {

    hideLoadingState();

    document.getElementById('loginError').classList.remove('hidden');

}
```

```
function showError(elementId, message) {

    const element = document.getElementById(elementId);

    element.textContent = message;

}
```

```

        element.classList.remove('hidden');
    }

    function hideAllMessages() {
        const messages = ['emailError', 'passwordError', 'loginError', 'loginSuccess'];

        messages.forEach(id => {
            document.getElementById(id).classList.add('hidden');
        });
    }

    // Forgot Password Modal
    function openForgotPasswordModal() {
        document.getElementById('forgotPasswordModal').classList.remove('hidden');
    }

    function closeForgotPasswordModal() {
        document.getElementById('forgotPasswordModal').classList.add('hidden');

        document.getElementById('forgotPasswordForm').reset();

        document.getElementById('resetSuccess').classList.add('hidden');
    }

```



```

        document.getElementById('resetEmailError').classList.add('hidden');
    }

    // Forgot Password Form

    document.getElementById('forgotPasswordForm').addEventListener('submit', function(e) {

        e.preventDefault();

        const formData = new FormData(e.target);

        const email = formData.get('resetEmail');

        // Validate email

        const emailRegex = /^[^\s@]+\.[^\s@]+$/;

        if (!emailRegex.test(email))
        {
            showError('resetEmailError', 'Por favor ingresa un email v lido');

            return;
        }

        // Show loading state

        const button = document.getElementById('resetButton');

        const buttonText = document.getElementById('resetButtonText');

```

```

        const spinner = document.getElementById('resetSpinner');

        button.disabled = true;
        buttonText.textContent = 'Enviando...';

        spinner.classList.remove('hidden');

        // Simulate API call
        setTimeout(() => {
            button.disabled = false;
            buttonText.textContent = 'Enviar Enlace de Recuperaci3n';
            spinner.classList.add('hidden');

            document.getElementById('resetEmailError').classList.add('hidden');

            document.getElementById('resetSuccess').classList.remove('hidden');

            // Auto close modal after success
            setTimeout(() => {
                closeModal();

                }, 3000);

```

```

        }, 2000);

    });

    // Close modal when clicking outs
ide
    document.addEventListener('click',
function(e) {
    if (e.target.id === 'forgotPa
sswordModal') {

        closeForgotPasswordModal(
);

    }

});

// Load remembered email on page
load
    document.addEventListener('DOMCon
tentLoaded', function() {

        const rememberedEmail = local
Storage.getItem('rememberedEmail');

        if (rememberedEmail) {

            document.getElementById('
email').value = rememberedEmail;

            document.getElementById('
rememberMe').checked = true;

        }

    });

// Real-time email validation
document.getElementById('email').

```

```

addEventListener('blur', function(e) {
    const email = e.target.value;

    const emailRegex = /^[^\s@]+\.[^\s@]+$/;

    if (email && !emailRegex.test(
email)) {
        showError('emailError', '
Por favor ingresa un email v lido');
    } else {
        document.getElementById('
emailError').classList.add('hidden');
    }
});

// Clear error messages on input
document.getElementById('email').
addEventListener('input', function() {
    document.getElementById('emai
lError').classList.add('hidden');
    document.getElementById('logi
nError').classList.add('hidden');
});

document.getElementById('password
').addEventListener('input', function() {
    document.getElementById('pass
wordError').classList.add('hidden');
    document.getElementById('logi
nError').classList.add('hidden');
});

```

```

        } ) ;

    < / s c r i p t >

    < s c r i p t   i d = " d h w s - d a t a I n j e c t o r "   s r c = " . . / p u
b l i c / d h w s - d a t a - i n j e c t o r . j s " > < / s c r i p t >

< / b o d y >

< / h t m l >

- - - - -   D : \ D o c u m e n t s \ 3 .   C E S D E   -   C a s o   c a m b i o
d e   p r o g r a m a \ T e c n i c a   -   P r o y e c t o \ S e m e s t r e   2
\ M e t o d o l o g   a s   g i l e s \ A n t i o q A p p \ A n t i o q A p p \ p
a g e s \ u s e r _ r e g i s t r a t i o n . h t m l   - - - - -

< ! D O C T Y P E   h t m l >

< h t m l   l a n g = " e s " >

< h e a d >

    < m e t a   c h a r s e t = " U T F - 8 "   / >

    < m e t a   n a m e = " v i e w p o r t "   c o n t e n t = " w i d t h =
d e v i c e - w i d t h ,   i n i t i a l - s c a l e = 1 . 0 "   / >

    < t i t l e > R e g i s t r o   d e   U s u a r i o   -   A n t i o q A P
P < / t i t l e >

    < l i n k   r e l = " s t y l e s h e e t "   h r e f = " . . / c s s / m
a i n . c s s "   / >

    < l i n k   r e l = " s t y l e s h e e t "   h r e f = " h t t p s : / /
c d n j s . c l o u d f l a r e . c o m / a j a x / l i b s / f o n t - a w e s o m
e / 6 . 4 . 0 / c s s / a l l . m i n . c s s "   / >

    < s c r i p t   t y p e = " m o d u l e "   s r c = " h t t p s : / / s t a t i c
. r o c k e t . n e w / r o c k e t - w e b . j s ? _ c f g = h t t p s % 3 A % 2 F
% 2 F a n t i o q a p p 6 3 5 9 b a c k . b u i l t w i t h r o c k e t . n e w & _
b e = h t t p s % 3 A % 2 F % 2 F a p p l i c a t i o n . r o c k e t . n e w & _ v
= 0 . 1 . 8 " > < / s c r i p t >

< / h e a d >

< b o d y   c l a s s = " b g - b a c k g r o u n d   m i n - h - s c r e e n " >

    < ! - -   N a v i g a t i o n   H e a d e r   - - >

    < n a v   c l a s s = " b g - s u r f a c e   s h a d o w - w a r m   b o

```

```

rder - b border - subtitle " >

        <div class = "max - w - 7 x 1 mx - auto px -
4 sm : px - 6 lg : px - 8 " >

            <div class = "flex justify - betw
een items - center h - 16 " >

                <!-- Logo -->

                <div class = "flex items - ce
nter " >

                    <svg class = "h - 8 w - 8 t
ext - primary " viewBox = "0 0 32 32" fill = "cur
rentColor" >

                        <path d = "M16 2 L3
7 v 10 c 0 8.5 5.5 16.5 13 18 7.5 - 1.5 13 - 9.5 1
3 - 18 V 7 L 16 2 z " / >

                        <circle cx = "16" c
y = "14" r = "4" fill = "white" / >

                        <path d = "M12 20 h 8
v 2 h - 8 z " fill = "white" / >

                    </svg>

                    <span class = "ml - 2 tex
t - x1 font - serif font - bold text - primary " > An
tioqAPP </span>

                </div>

            <!-- Navigation Links -->

            <div class = "hidden md : fle
x items - center space - x - 8 " >

                <a href = "tourism_rout
es.html" class = "text - text - secondary hover :
text - primary transition - colors" > Rutas </a>

                <a href = "events_calen
dar.html" class = "text - text - secondary hover :
text - primary transition - colors" > Eventos </
a>

```

```
        <a href = "business_directory.html" class = "text-text-secondary hover:text-primary transition-colors">Negocios</a>
```

```
        <a href = "user_login.html" class = "bg-primary text-white px-4 py-2 rounded-lg hover:bg-primary-600 transition-colors">Iniciar Sesión</a>
```

```
    </div>
```

```
- >        <!-- Mobile Menu Button -->
```

```
        <div class = "md:hidden">
```

```
            <button type = "button" class = "text-text-secondary hover:text-primary">
```

```
                <i class = "fas fa-bars text-xl"></i>
```

```
            </button>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
</nav>
```

```
<!-- Main Content -->
```

```
<main class = "flex-1 py-8 px-4 sm:px-6 lg:px-8">
```

```
    <div class = "max-w-md mx-auto">
```

```
        <!-- Header -->
```

```
        <div class = "text-center mb-8">
```

```

        <h1 class="text-fluid-3xl
font-serif font-bold text-primary mb-2">
nete a AntioqAPP</h1>

        <p class="text-text-second
dary">Descubre la aut ntica cultura de Ant
ioquia</p>

    </div>

    <!-- Social Registration Opti
ons -->

    <div class="space-y-3 mb-6">

        <button class="w-full fle
x items-center justify-center px-4 py-3 bo
rder border-gray-300 rounded-lg bg-white h
over:bg-gray-50 transition-colors">

            <span class="text-text
t-primary font-medium">Continuar con Googl
e</span>

        </button>

        <button class="w-full fle
x items-center justify-center px-4 py-3 bo
rder border-gray-300 rounded-lg bg-white h
over:bg-gray-50 transition-colors">

            <i class="fab fa-face
book-f text-blue-600 text-lg mr-3"></i>

```



```
                                <span class="text-text-
t - primary font-medium">Continuar con Faceb
ook</span>
```

```
                                </button>
```

```
                                </div>
```

```
                                <!-- Divider -->
```

```
                                <div class="relative mb-6">
```

```
                                <div class="absolute inset-0 flex items-center">
```

```
                                <div class="w-full border-t border-gray-300"></div>
```

```
                                </div>
```

```
                                <div class="relative flex justify-center text-sm">
```

```
                                <span class="px-2 bg-background text-text-secondary">0 registra
te con email</span>
```

```
                                </div>
```

```
                                </div>
```

```
                                <!-- Registration Form -->
```

```
                                <form class="space-y-6" id="registrationForm">
```

```
                                <!-- Full Name -->
```

```
                                <div>
```

```
                                <label for="fullName" class="block text-sm font-medium text-text-
t - primary mb-2">Nombre Completo</label>
```

```
                                <input type="text" id="fullName" name="fullName" required class
```

```
= "w-full px-3 py-3 border border-gray-300
rounded-lg focus:ring-2 focus:ring-primary
focus:border-transparent transition-colors"
placeholder="María González Rodríguez"
/>
```

```
<div class="mt-1 text-
-sm text-error hidden" id="fullNameError">
Por favor ingresa tu nombre completo</div>
```

```
</div>
```

```
<!-- Email -->
```

```
<div>
```

```
<label for="email" class="block text-sm font-medium text-text-primary mb-2">Correo Electrónico</label>
```

```
<input type="email" id="email" name="email" required class="w-full px-3 py-3 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-transparent transition-colors" placeholder="maria.gonzalez@email.com" />
```

```
<div class="mt-1 text-
-sm text-error hidden" id="emailError">Por
favor ingresa un email válido</div>
```

```
<div class="mt-1 text-
-sm text-success hidden" id="emailSuccess">
```

```
<i class="fas fa-check mr-1"></i> Email válido
```

```
</div>
```

```
</div>
```

```
<!-- Password -->
```

```
<div>
```

```

        <label for = "password"
class = "block text-sm font-medium text-text-
primary mb-2">Contraseña</label>

        <div class = "relative"
>

        <input type = "password" id = "password" name = "password" required class = "w-full px-3 py-3 pr-10 border border-gray-300 rounded-lg focus:ring-2 focus:ring-primary focus:border-transparent transition-colors" placeholder = "Colombia2025!" />

        <button type = "button" class = "absolute inset-y-0 right-0 pr-3 flex items-center" onclick = "togglePassword('password')">

        <i class = "fas fa-eye text-gray-400" id = "passwordToggle"></i>

        </button>

    </div>

    <!-- Password Strength Indicator -->

    <div class = "mt-2">

        <div class = "flex space-x-1">

            <div class = "h-1 flex-1 bg-gray-200 rounded" id = "strength1"></div>

            <div class = "h-1 flex-1 bg-gray-200 rounded" id = "strength2"></div>

            <div class = "h-1 flex-1 bg-gray-200 rounded" id = "strength3"></div>

            <div class = "h

```

```
- 1 flex - 1 bg - gray - 200 rounded " id = " strengt  
h4 " > < / div >
```

```
< / div >
```

```
< p class = " text - xs  
text - text - secondary mt - 1 " id = " strengthTex  
t " > M nimo 8 caracteres < / p >
```

```
< / div >
```

```
< / div >
```

```
< ! - - Confirm Password - - >
```

```
< div >
```

```
< label for = " confirmPa  
ssword " class = " block text - sm font - medium t  
ext - text - primary mb - 2 " > Confirmar Contrase  
a < / label >
```

```
< div class = " relative "  
>
```

```
< input type = " pass  
word " id = " confirmPassword " name = " confirmPa  
ssword " required class = " w - full px - 3 py - 3 p  
r - 10 border border - gray - 300 rounded - lg foc  
us : ring - 2 focus : ring - primary focus : border -  
transparent transition - colors " placeholder  
= " Confirma tu contrase a " / >
```

```
< button type = " but  
ton " class = " absolute inset - y - 0 right - 0 pr -  
3 flex items - center " onclick = " togglePasswo  
rd ( ' confirmPassword ' ) " >
```

```
< i class = " fas  
fa - eye text - gray - 400 " id = " confirmPassword  
Toggle " > < / i >
```

```
< / button >
```

```
< / div >
```

```
< div class = " mt - 1 text  
- sm text - error hidden " id = " confirmPassword
```

```

Error" > Las contraseñas no coinciden </div>

<div class="mt-1 text
-sm text-success hidden" id="confirmPasswordSuccess">

<i class="fas fa-
check mr-1"></i> Las contraseñas coinciden

</div>

</div>

<!-- Profile Type Selecti
on -->

<div>

<label class="block t
ext-sm font-medium text-text-primary mb-3"
>Tipo de Perfil</label>

<div class="space-y-3

" >

<!-- Tourist -->

<label class="fle
x items-center p-3 border border-gray-300
rounded-lg cursor-pointer hover:bg-primary
-50 transition-colors">

<input type="
radio" name="profileType" value="tourist"
class="text-primary focus:ring-primary" />

<div class="m
l-3 flex items-center">

<i class="
fas fa-camera text-accent text-lg mr-3"><
/i>

<div>

<div
class="font-medium text-text-primary">Turi

```

```
s t a < / d i v >
```

```
                                < d i v  
c l a s s = " t e x t - s m   t e x t - t e x t - s e c o n d a r y " > D e s c u b  
r e   e x p e r i e n c i a s   a u t   n t i c a s < / d i v >
```

```
                                < / d i v >
```

```
                                < / d i v >
```

```
                                < / l a b e l >
```

```
                                < ! - -   L o c a l   - - >
```

```
                                < l a b e l   c l a s s = " f l e  
x   i t e m s - c e n t e r   p - 3   b o r d e r   b o r d e r - g r a y - 3 0 0  
r o u n d e d - l g   c u r s o r - p o i n t e r   h o v e r : b g - p r i m a r y  
- 5 0   t r a n s i t i o n - c o l o r s " >
```

```
                                < i n p u t   t y p e = "  
r a d i o "   n a m e = " p r o f i l e T y p e "   v a l u e = " l o c a l "   c l  
a s s = " t e x t - p r i m a r y   f o c u s : r i n g - p r i m a r y "   / >
```

```
                                < d i v   c l a s s = " m  
l - 3   f l e x   i t e m s - c e n t e r " >
```

```
                                < i   c l a s s =  
" f a s   f a - h o m e   t e x t - s e c o n d a r y   t e x t - l g   m r - 3 " >  
< / i >
```

```
                                < d i v >
```

```
                                < d i v  
c l a s s = " f o n t - m e d i u m   t e x t - t e x t - p r i m a r y " > L o c a  
l < / d i v >
```

```
                                < d i v  
c l a s s = " t e x t - s m   t e x t - t e x t - s e c o n d a r y " > E x p l o r  
a   t u   r e g i   n < / d i v >
```

```
                                < / d i v >
```

```
                                < / d i v >
```

```
                                < / l a b e l >
```

```

- - >
<!-- Entrepreneur
-->
<label class="flex
items-center p-3 border border-gray-300
rounded-lg cursor-pointer hover:bg-primary
-50 transition-colors">
<input type="
radio" name="profileType" value="entrepren
eur" class="text-primary focus:ring-primar
y" />
<div class="m
l-3 flex items-center">
<i class="
fas fa-briefcase text-primary text-lg mr-
3"></i>
<div>
<div
class="font-medium text-text-primary">Empr
endedor</div>
<div
class="text-sm text-text-secondary">Promoc
iona tu negocio</div>
</div>
</div>
</label>
</div>
</div>
<!-- Terms and Privacy --
>
<div class="space-y-3">
<label class="flex it
ems-start">

```

```

                                <input type="checkbox"
k box" id="terms" name="terms" required class="mt-1 text-primary focus:ring-primary"
/>

```

```

                                <span class="ml-2
text-sm text-text-secondary">

```

```

                                Acepto los <a
href="javascript:void(0)" class="text-primary hover:underline" onclick="openModal('
termsModal')">T rminos de Servicio</a>

```

```

                                </span>

```

```

                                </label>

```

```

                                <label class="flex it
ems-start">

```

```

                                <input type="checkbox"
k box" id="privacy" name="privacy" required
class="mt-1 text-primary focus:ring-primary"
/>

```

```

                                <span class="ml-2
text-sm text-text-secondary">

```

```

                                Acepto la <a
href="javascript:void(0)" class="text-primary hover:underline" onclick="openModal('p
rivacyModal')">Pol tica de Privacidad</a>

```

```

                                </span>

```

```

                                </label>

```

```

                                </div>

```

```

                                <!-- Submit Button -->

```

```

                                <button type="submit" class="w-full bg-primary text-white py-3 px-4
rounded-lg font-medium hover:bg-primary-600 focus:ring-2 focus:ring-primary focus:ring-offset-2 transition-colors btn-spring"

```



>

Crear Cuenta

</button>

</form>

<!-- Login Link -->

<div class="text-center mt-6"

>

dary">  
<p class="text-text-secondary">

Ya tienes cuenta?

<a href="user\_login.html" class="text-primary hover:underline font-medium">Inicia sesi n</a>

</p>

</div>

</div>

</main>

<!-- Profile Type Benefits Section -->

<section class="bg-primary-50 py-12 mt-12">

<div class="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8">

<div class="text-center mb-8">

<h2 class="text-fluid-2xl font-serif font-bold text-primary mb-2">  
Por qu unirse a AntioqAPP?</h2>

```
        < p class = "text - text - secon  
dary " > Cada perfil tiene beneficios nicos  
dise ados para ti < / p >
```

```
    < / div >
```

```
        < div class = "grid md : grid - cols  
- 3 gap - 6 " >
```

```
            < ! - - Tourist Benefits - - >
```

```
            < div class = "bg - surface ro  
unded - xl p - 6 card - elevation " >
```

```
                < div class = "text - cent  
er mb - 4 " >
```

```
                    < div class = "w - 12  
h - 12 bg - accent - 100 rounded - full flex items  
- center justify - center mx - auto mb - 3 " >
```

```
                        < i class = "fas  
fa - camera text - accent text - xl " > < / i >
```

```
                    < / div >
```

```
                        < h3 class = "font - s  
erif font - semibold text - lg text - primary " > P  
ara Turistas < / h3 >
```

```
                < / div >
```

```
                    < ul class = "space - y - 2  
text - sm text - text - secondary " >
```

```
                        < li class = "flex i  
tems - center " >
```

```
                            < i class = "fas  
fa - check text - success mr - 2 " > < / i >
```

```
                                Rutas persona  
lizadas
```

```
                            < / li >
```

```
                                < li class = "flex i  
tems - center " >
```

```

        <i class = "fas
fa-check text-success mr-2"></i>

        Experiencias
autenticas

    </li>

    <li class = "flex i
tems-center">

        <i class = "fas
fa-check text-success mr-2"></i>

        Reservas fci
les

    </li>

    <li class = "flex i
tems-center">

        <i class = "fas
fa-check text-success mr-2"></i>

        Guas locales

    </li>

</ul>

</div>

<!-- Local Benefits -->

<div class = "bg-surface ro
unded-xl p-6 card-elevation">

    <div class = "text-cent
er mb-4">

        <div class = "w-12
h-12 bg-secondary-100 rounded-full flex it
ems-center justify-center mx-auto mb-3">

            <i class = "fas
fa-home text-secondary text-xl"></i>

```

```

< / d i v >

< h 3   c l a s s = " f o n t - s
e r i f   f o n t - s e m i b o l d   t e x t - l g   t e x t - p r i m a r y " > P
a r a   L o c a l e s < / h 3 >

< / d i v >

< u l   c l a s s = " s p a c e - y - 2
t e x t - s m   t e x t - t e x t - s e c o n d a r y " >

< l i   c l a s s = " f l e x   i
t e m s - c e n t e r " >

< i   c l a s s = " f a s
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >

D e s c u b r e   t u r
e g i   n

< / l i >

< l i   c l a s s = " f l e x   i
t e m s - c e n t e r " >

< i   c l a s s = " f a s
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >

E v e n t o s   e x c l u
s i v o s

< / l i >

< l i   c l a s s = " f l e x   i
t e m s - c e n t e r " >

< i   c l a s s = " f a s
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >

C o m u n i d a d   a c t
i v a

< / l i >

< l i   c l a s s = " f l e x   i
t e m s - c e n t e r " >

< i   c l a s s = " f a s
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >

```

```

peciales
Descuentos es

< / li >

< / ul >

< / div >

< ! - - Entrepreneur Benefit
s - - >

< div class = " bg - surface ro
unded - x1 p - 6 card - elevation " >

< div class = " text - cent
er mb - 4 " >

< div class = " w - 12
h - 12 bg - primary - 100 rounded - full flex item
s - center justify - center mx - auto mb - 3 " >

< i class = " fas
fa - briefcase text - primary text - x1 " > < / i >

< / div >

< h3 class = " font - s
erif font - semibold text - lg text - primary " > P
ara Emprendedores < / h3 >

< / div >

< ul class = " space - y - 2
text - sm text - text - secondary " >

< li class = " flex i
tems - center " >

< i class = " fas
fa - check text - success mr - 2 " > < / i >

Promociona tu
negocio

< / li >

```

```

t e m s - c e n t e r " >
                                < l i   c l a s s = " f l e x   i
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >
                                G e s t i   n   d e   r e
s e r v a s
                                < / l i >
                                < l i   c l a s s = " f l e x   i
t e m s - c e n t e r " >
                                < i   c l a s s = " f a s
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >
                                A n a l y t i c s   d e t
a l l a d o s
                                < / l i >
                                < l i   c l a s s = " f l e x   i
t e m s - c e n t e r " >
                                < i   c l a s s = " f a s
f a - c h e c k   t e x t - s u c c e s s   m r - 2 " > < / i >
                                R e d   d e   c o n t a c
t o s
                                < / l i >
                                < / u l >
                                < / d i v >
                                < / d i v >
                                < / d i v >
                                < / s e c t i o n >

< ! - -   F o o t e r   - - >
    < f o o t e r   c l a s s = " b g - p r i m a r y - 8 0 0   t e x t - w h
i t e   p y - 8   m t - 1 2 " >

```

```

    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

        <div class="grid md:grid-cols-4 gap-8">

            <div>

                <div class="flex item-center mb-4">

                    <svg class="h-8 w-8 text-accent" viewBox="0 0 32 32" fill="currentColor">

                        <path d="M16 2.5L3 7v10c0 8.5 5.5 16.5 13 18 7.5 1.5 13 9.5 13 18V7L16 2z"/>

                        <circle cx="16" cy="14" r="4" fill="white"/>

                        <path d="M12 20h8v2h-8z" fill="white"/>

                    </svg>

                    <span class="ml-2 text-xl font-serif font-bold">AntioqAPP</span>

                </div>

                <p class="text-primary-200 text-sm">Descubre la aut ntica cultura de Antioquia</p>

            </div>

            <div>

                <h4 class="font-semibold mb-3">Explorar</h4>

                <ul class="space-y-2 text-sm text-primary-200">

                    <li><a href="tour

```

```
ism_routes.html" class="hover:text-white transition-colors">Rutas Tursticas</a></li>
```

```
<li><a href="events_calendar.html" class="hover:text-white transition-colors">Eventos</a></li>
```

```
<li><a href="business_directory.html" class="hover:text-white transition-colors">Negocios</a></li>
```

```
</ul>
```

```
</div>
```

```
<div>
```

```
<h4 class="font-semibold mb-3">Cuenta</h4>
```

```
<ul class="space-y-2 text-sm text-primary-200">
```

```
<li><a href="user_login.html" class="hover:text-white transition-colors">Iniciar Sesión</a></li>
```

```
<li><a href="user_registration.html" class="hover:text-white transition-colors">Registrarse</a></li>
```

```
<li><a href="booking_management.html" class="hover:text-white transition-colors">Mis Reservas</a></li>
```

```
</ul>
```

```
</div>
```

```
<div>
```

```
<h4 class="font-semibold mb-3">Seguros</h4>
```



```
<div class="flex space-between">
  <a href="javascript:void(0)" class="text-primary-200 hover:text-white transition-colors">
    <i class="fab fa-facebook-f"></i>
  </a>
  <a href="javascript:void(0)" class="text-primary-200 hover:text-white transition-colors">
    <i class="fab fa-instagram"></i>
  </a>
  <a href="javascript:void(0)" class="text-primary-200 hover:text-white transition-colors">
    <i class="fab fa-tiktok"></i>
  </a>
</div>
</div>
</div>
</div>
<div class="border-top border-primary-700 mt-8 pt-8 text-center text-sm">
  <p>&copy; 2025 AntioqAPP.
  Todos los derechos reservados.</p>
</div>
</div>
</footer>
```



dad:</strong> Respetamos tu privacidad seg  
n nuestra pol tica de privacidad.</p>

<p>4. <strong>Modific  
aciones:</strong> Nos reservamos el derech  
o de modificar estos t rminos.</p>

</div>

</div>

</div>

</div>

<!-- Privacy Modal -->

<div id="privacyModal" class="fixed i  
nset-0 bg-black bg-opacity-50 hidden z-50  
flex items-center justify-center p-4">

<div class="bg-surface rounded-xl  
max-w-2xl w-full max-h-96 overflow-y-auto  
>

<div class="p-6">

<div class="flex justify-  
between items-center mb-4">

<h3 class="text-xl fo  
nt-serif font-bold text-primary">Pol tica  
de Privacidad</h3>

<button onclick="clos  
eModal('privacyModal')" class="text-text-s  
econdary hover:text-primary">

<i class="fas fa-  
times text-xl"></i>

</button>

</div>

<div class="text-text-sec  
ondary space-y-4 text-sm">

`<p>Tu privacidad es importante para nosotros. Esta política explica cómo recopilamos y usamos tu información.</p>`

`<p>1. <strong>Información recopilada:</strong> Recopilamos información que nos proporcionas directamente.</p>`

`<p>2. <strong>Uso de la información:</strong> Usamos tu información para mejorar nuestros servicios.</p>`

`<p>3. <strong>Compartir información:</strong> No vendemos tu información personal a terceros.</p>`

`<p>4. <strong>Seguridad:</strong> Implementamos medidas de seguridad para proteger tu información.</p>`

`</div>`

`</div>`

`</div>`

`</div>`

`<script>`

`// Password visibility toggle`

`function togglePassword(fieldId)`

`{`

`const field = document.getElementById(fieldId);`

`const toggle = document.getElementById(fieldId + 'Toggle');`

`if (field.type === 'password') {`

```

        field.type = 'text';

        toggle.className = 'fas fa-eye-slash text-gray-400';
    } else {
        field.type = 'password';

        toggle.className = 'fas fa-eye text-gray-400';
    }
}

```

```

// Password strength checker

document.getElementById('password')
    .addEventListener('input', function(e) {

        const password = e.target.value;

        const strength = calculatePasswordStrength(password);

        updatePasswordStrengthUI(strength);

    });

```

```

function calculatePasswordStrength(password) {
    let score = 0;

    if (password.length >= 8) score++;

    if (/^[a-z]/.test(password)) score++;

    if (/^[A-Z]/.test(password)) score++;
}

```

```

        if (/[0-9]/.test(password)) score++;

        if (/^[A-Za-z0-9]/.test(password)) score++;

        return Math.min(score, 4);
    }

```

```

function updatePasswordStrengthUI(
    strength) {

    const indicators = ['strength1', 'strength2', 'strength3', 'strength4'];

    const colors = ['bg-error', 'bg-warning', 'bg-success'];

    const texts = ['Muy debil', 'Regular', 'Fuerte'];

    indicators.forEach((id, index) => {

        const element = document.getElementById(id);

        element.className = 'h-1 flex-1 rounded ' + (index < strength ? colors[strength - 1] : 'bg-gray-200');

    });

    document.getElementById('strengthText').textContent = strength > 0 ? texts[strength - 1] : 'Mínimo 8 caracteres';

}

```

```

        // Form validation

        document.getElementById('registrationForm').addEventListener('submit', function(e) {

            e.preventDefault();

            const formData = new FormData(e.target);

            const data = Object.fromEntries(formData);

            // Validate form

            let isValid = true;

            // Email validation

            const emailRegex = /^[^\s@]+\@[^\s@]+\.$/;

            if (!emailRegex.test(data.email)) {

                showError('emailError', 'Por favor ingresa un email válido');

                isValid = false;

            } else {

                showSuccess('emailSuccess');

            }

            // Password confirmation

            if (data.password !== data.co

```

```

n f i r m P a s s w o r d ) {

                                s h o w E r r o r ( ' c o n f i r m P a s s w o r
d E r r o r ' , ' L a s   c o n t r a s e   a s   n o   c o i n c i d e n ' ) ;

                                i s V a l i d   =   f a l s e ;

                                }   e l s e   i f   ( d a t a . p a s s w o r d . l e n g
t h   > =   8 ) {

                                s h o w S u c c e s s ( ' c o n f i r m P a s s w
o r d S u c c e s s ' ) ;

                                }

                                i f   ( i s V a l i d ) {

                                / /   S i m u l a t e   s u c c e s s f u l   r e
g i s t r a t i o n

                                a l e r t ( '   R e g i s t r o   e x i t o s o !
B i e n v e n i d o   a   A n t i o q A P P ' ) ;

                                w i n d o w . l o c a t i o n . h r e f   =   ' u
s e r _ l o g i n . h t m l ' ;

                                }

                                } ) ;

                                f u n c t i o n   s h o w E r r o r ( e l e m e n t I d ,   m e s
s a g e ) {

                                c o n s t   e l e m e n t   =   d o c u m e n t . g e t E
l e m e n t B y I d ( e l e m e n t I d ) ;

                                e l e m e n t . t e x t C o n t e n t   =   m e s s a g e
;

                                e l e m e n t . c l a s s L i s t . r e m o v e ( ' h i d
d e n ' ) ;

                                e l e m e n t . c l a s s L i s t . a d d ( ' t e x t - e
r r o r ' ) ;

                                }

```



```
function showSuccess(elementId) {  
    const element = document.getElementById(elementId);  
    element.classList.remove('hidden');  
    element.classList.add('text-success');  
}
```

```
// Modal functions  
function openModal(modalId) {  
    document.getElementById(modalId).classList.remove('hidden');  
}
```

```
function closeModal(modalId) {  
    document.getElementById(modalId).classList.add('hidden');  
}
```

```
// Close modal when clicking outside  
document.addEventListener('click', function(e) {  
    if (e.target.classList.contains('bg-black')) {  
        e.target.classList.add('hidden');  
    }  
});
```

```

    }

    } );

    // Real-time email validation

    document.getElementById( 'email' ).
    addEventListener( 'blur', function( e ) {

        const email = e.target.value;

        const emailRegex = /^[^\s@]+\@[^\s@]+\.$/;

        if ( email && emailRegex.test(
email ) ) {

            showSuccess( 'emailSuccess
' );

            document.getElementById( '
emailError' ).classList.add( 'hidden' );

        } else if ( email ) {

            showError( 'emailError', '
Por favor ingresa un email valido' );

            document.getElementById( '
emailSuccess' ).classList.add( 'hidden' );

        }

    } );

    // Real-time password confirmatio
n

    document.getElementById( 'confirmP
assword' ).addEventListener( 'input', functi
on( e ) {

        const password = document.get
ElementById( 'password' ).value;

```

```

        const confirmPassword = e.target.value;

        if (confirmPassword == password) {

            showSuccess('confirmPasswordSuccess');

            document.getElementById('confirmPasswordError').classList.add('hidden');

        } else if (confirmPassword) {

            showError('confirmPasswordError', 'Las contraseñas no coinciden');

            document.getElementById('confirmPasswordSuccess').classList.add('hidden');

        }

    });

</script>

<script id="dhws-dataInjector" src="../../public/dhws-data-injector.js"></script>

</body>

</html>

===== CSS =====
- - - - - D:\Documents\3. CESDE - Caso cambio
de programa\Técnica - Proyecto\Semestre 2\
Metodologías giles\AntioqApp\AntioqApp\css\main.css - - - - -

@import url('https://fonts.googleapis.com/css2?family=Playfair+Display:wght@400;600;700&display=swap');

```

```
@import url('https://fonts.googleapis.com/c
ss2?family=Inter:wght@300;400;500&displa
y=swap');
```

```
@import url('https://fonts.googleapis.com/c
ss2?family=Source+Sans+Pro:wght@400&displ
ay=swap');
```

```
@import url('https://fonts.googleapis.com/c
ss2?family=JetBrains+Mono:wght@400&displ
ay=swap');
```

```
*, ::before, ::after{
  --tw-border-spacing-x: 0;
  --tw-border-spacing-y: 0;
  --tw-translate-x: 0;
  --tw-translate-y: 0;
  --tw-rotate: 0;
  --tw-skew-x: 0;
  --tw-skew-y: 0;
  --tw-scale-x: 1;
  --tw-scale-y: 1;
  --tw-pan-x: ;
  --tw-pan-y: ;
  --tw-pinch-zoom: ;
  --tw-scroll-snap-strictness: proximity;
  --tw-gradient-from-position: ;
  --tw-gradient-via-position: ;
```

```
- - t w - g r a d i e n t - t o - p o s i t i o n :      ;
- - t w - o r d i n a l :      ;
- - t w - s l a s h e d - z e r o :      ;
- - t w - n u m e r i c - f i g u r e :      ;
- - t w - n u m e r i c - s p a c i n g :      ;
- - t w - n u m e r i c - f r a c t i o n :      ;
- - t w - r i n g - i n s e t :      ;
- - t w - r i n g - o f f s e t - w i d t h :    0 p x ;
- - t w - r i n g - o f f s e t - c o l o r :    # f f f ;
- - t w - r i n g - c o l o r :    r g b ( 5 9   1 3 0   2 4 6   /   0 . 5 ) ;
- - t w - r i n g - o f f s e t - s h a d o w :    0   0   # 0 0 0 0 ;
- - t w - r i n g - s h a d o w :    0   0   # 0 0 0 0 ;
- - t w - s h a d o w :    0   0   # 0 0 0 0 ;
- - t w - s h a d o w - c o l o r e d :    0   0   # 0 0 0 0 ;
- - t w - b l u r :      ;
- - t w - b r i g h t n e s s :      ;
- - t w - c o n t r a s t :      ;
- - t w - g r a y s c a l e :      ;
- - t w - h u e - r o t a t e :      ;
- - t w - i n v e r t :      ;
- - t w - s a t u r a t e :      ;
- - t w - s e p i a :      ;
- - t w - d r o p - s h a d o w :      ;
- - t w - b a c k d r o p - b l u r :      ;
- - t w - b a c k d r o p - b r i g h t n e s s :      ;
```

```
- - t w - b a c k d r o p - c o n t r a s t :      ;
- - t w - b a c k d r o p - g r a y s c a l e :    ;
- - t w - b a c k d r o p - h u e - r o t a t e :  ;
- - t w - b a c k d r o p - i n v e r t :         ;
- - t w - b a c k d r o p - o p a c i t y :       ;
- - t w - b a c k d r o p - s a t u r a t e :     ;
- - t w - b a c k d r o p - s e p i a :          ;
- - t w - c o n t a i n - s i z e :              ;
- - t w - c o n t a i n - l a y o u t :          ;
- - t w - c o n t a i n - p a i n t :            ;
- - t w - c o n t a i n - s t y l e :            ;
}
```

```
: : b a c k d r o p {
- - t w - b o r d e r - s p a c i n g - x :    0 ;
- - t w - b o r d e r - s p a c i n g - y :    0 ;
- - t w - t r a n s l a t e - x :    0 ;
- - t w - t r a n s l a t e - y :    0 ;
- - t w - r o t a t e :    0 ;
- - t w - s k e w - x :    0 ;
- - t w - s k e w - y :    0 ;
- - t w - s c a l e - x :    1 ;
- - t w - s c a l e - y :    1 ;
- - t w - p a n - x :      ;
- - t w - p a n - y :      ;
}
```

```
- - t w - p i n c h - z o o m :      ;
- - t w - s c r o l l - s n a p - s t r i c t n e s s :   p r o x i m i t y ;
- - t w - g r a d i e n t - f r o m - p o s i t i o n :    ;
- - t w - g r a d i e n t - v i a - p o s i t i o n :      ;
- - t w - g r a d i e n t - t o - p o s i t i o n :        ;
- - t w - o r d i n a l :      ;
- - t w - s l a s h e d - z e r o :      ;
- - t w - n u m e r i c - f i g u r e :      ;
- - t w - n u m e r i c - s p a c i n g :      ;
- - t w - n u m e r i c - f r a c t i o n :      ;
- - t w - r i n g - i n s e t :      ;
- - t w - r i n g - o f f s e t - w i d t h :   0 p x ;
- - t w - r i n g - o f f s e t - c o l o r :   # f f f ;
- - t w - r i n g - c o l o r :   r g b ( 5 9   1 3 0   2 4 6   /   0 . 5 ) ;
- - t w - r i n g - o f f s e t - s h a d o w :   0   0   # 0 0 0 0 ;
- - t w - r i n g - s h a d o w :   0   0   # 0 0 0 0 ;
- - t w - s h a d o w :   0   0   # 0 0 0 0 ;
- - t w - s h a d o w - c o l o r e d :   0   0   # 0 0 0 0 ;
- - t w - b l u r :      ;
- - t w - b r i g h t n e s s :      ;
- - t w - c o n t r a s t :      ;
- - t w - g r a y s c a l e :      ;
- - t w - h u e - r o t a t e :      ;
- - t w - i n v e r t :      ;
- - t w - s a t u r a t e :      ;
```

```
- - tw - sepia:      ;
- - tw - drop - shadow:    ;
- - tw - backdrop - blur:    ;
- - tw - backdrop - brightness:  ;
- - tw - backdrop - contrast:    ;
- - tw - backdrop - grayscale:    ;
- - tw - backdrop - hue - rotate:    ;
- - tw - backdrop - invert:    ;
- - tw - backdrop - opacity:    ;
- - tw - backdrop - saturate:    ;
- - tw - backdrop - sepia:    ;
- - tw - contain - size:    ;
- - tw - contain - layout:    ;
- - tw - contain - paint:    ;
- - tw - contain - style:    ;
```

```
}
```

```
/*
```

```
! tailwindcss v3.4.17 | MIT License | https://tailwindcss.com
```

```
*/
```

```
/*
```

```
1. Prevent padding and border from affecting element width. (https://github.com/mozdevs/cssremedy/issues/4)
```

```
2. Allow adding a border to an element by
```



just adding a border-width. (<https://github.com/tailwindcss/tailwindcss/pull/116>)

\*/

\*,

::before,

::after {

box-sizing: border-box;

/\* 1 \*/

border-width: 0;

/\* 2 \*/

border-style: solid;

/\* 2 \*/

border-color: #e5e7eb;

/\* 2 \*/

}

::before,

::after {

--tw-content: '';

}

/\*

1. Use a consistent sensible line-height in all browsers.

2. Prevent adjustments of font size after orientation changes in iOS.

```
3 . Use a more readable tab size .

4 . Use the user's configured `sans` font -
family by default .

5 . Use the user's configured `sans` font -
feature - settings by default .

6 . Use the user's configured `sans` font -
variation - settings by default .

7 . Disable tap highlights on iOS

* /
```

```
html ,
```

```
: host {

    line - height : 1 . 5 ;

    /* 1 */

    - webkit - text - size - adjust : 100 % ;

    /* 2 */

    - moz - tab - size : 4 ;

    /* 3 */

    - o - tab - size : 4 ;

        tab - size : 4 ;

    /* 3 */

    font - family : Inter , sans - serif ;

    /* 4 */

    font - feature - settings : normal ;

    /* 5 */

    font - variation - settings : normal ;
```

```

        / *    6    * /
        - webkit - tap - highlight - color:  t r a n s p a r e n
t ;

        / *    7    * /

    }

    / *

1 .   R e m o v e   t h e   m a r g i n   i n   a l l   b r o w s e r s .

2 .   I n h e r i t   l i n e - h e i g h t   f r o m   ` h t m l `   s o   u s e
r s   c a n   s e t   t h e m   a s   a   c l a s s   d i r e c t l y   o n   t h e
` h t m l `   e l e m e n t .

* /

b o d y   {

    m a r g i n :   0 ;

    / *    1    * /

    l i n e - h e i g h t :   i n h e r i t ;

    / *    2    * /

}

    / *

1 .   A d d   t h e   c o r r e c t   h e i g h t   i n   F i r e f o x .

2 .   C o r r e c t   t h e   i n h e r i t a n c e   o f   b o r d e r   c o l o
r   i n   F i r e f o x .   ( https://bugzilla.mozilla.org/show\_bug.cgi?id=190655 )

3 .   E n s u r e   h o r i z o n t a l   r u l e s   a r e   v i s i b l e   b y
d e f a u l t .

* /

```

```
hr {  
    height: 0;  
    /* 1 */  
    color: inherit;  
    /* 2 */  
    border-top-width: 1px;  
    /* 3 */  
}
```

```
/*
```

```
Add the correct text decoration in Chrome  
, Edge, and Safari.
```

```
*/
```

```
abbr:where([title]) {  
    -webkit-text-decoration: underline dotted  
ed;  
        text-decoration: underline dotted  
ed;  
}
```

```
/*
```

```
Remove the default font size and weight f  
or headings.
```

```
*/
```

```
h 1 ,
h 2 ,
h 3 ,
h 4 ,
h 5 ,
h 6 {
    font - size :   i n h e r i t ;
    font - w e i g h t :   i n h e r i t ;
}

/*
Reset links to optimize for opt-in stylin
g instead of opt-out.
*/

a {
    color :   i n h e r i t ;
    text - d e c o r a t i o n :   i n h e r i t ;
}

/*
Add the correct font weight in Edge and S
afari.
*/

b ,
```

```
strong {
    font-weight: bolder;
}

/*
1. Use the user's configured `mono` font-
family by default.
2. Use the user's configured `mono` font-
feature-settings by default.
3. Use the user's configured `mono` font-
variation-settings by default.
4. Correct the odd `em` font sizing in al
l browsers.
*/

code,
kbd,
samp,
pre {
    font-family: JetBrains Mono, monospace;
    /* 1 */
    font-feature-settings: normal;
    /* 2 */
    font-variation-settings: normal;
    /* 3 */
    font-size: 1em;
    /* 4 */
```

```
}
```

```
/*
```

```
Add the correct font size in all browsers.
```

```
*/
```

```
small {
```

```
    font-size: 80%;
```

```
}
```

```
/*
```

```
Prevent `sub` and `sup` elements from affecting the line height in all browsers.
```

```
*/
```

```
sub,
```

```
sup {
```

```
    font-size: 75%;
```

```
    line-height: 0;
```

```
    position: relative;
```

```
    vertical-align: baseline;
```

```
}
```

```
sub {
```

```
    bottom: -0.25em;
```

```
}
```

```
sup {
```

```
    top:    - 0.5em;
```

```
}
```

```
/*
```

```
1. Remove text indentation from table contents in Chrome and Safari. (https://bugs.chromium.org/p/chromium/issues/detail?id=999088, https://bugs.webkit.org/show\_bug.cgi?id=201297)
```

```
2. Correct table border color inheritance in all Chrome and Safari. (https://bugs.chromium.org/p/chromium/issues/detail?id=935729, https://bugs.webkit.org/show\_bug.cgi?id=195016)
```

```
3. Remove gaps between table borders by default.
```

```
*/
```

```
table {
```

```
    text-indent: 0;
```

```
    /* 1 */
```

```
    border-color: inherit;
```

```
    /* 2 */
```

```
    border-collapse: collapse;
```

```
    /* 3 */
```

```
}
```



```
/*  
1. Change the font styles in all browsers  
.  
2. Remove the margin in Firefox and Safari  
.  
3. Remove default padding in all browsers  
.  
*/
```

```
button,  
input,  
optgroup,  
select,  
textarea {  
    font-family: inherit;  
    /* 1 */  
    font-feature-settings: inherit;  
    /* 1 */  
    font-variation-settings: inherit;  
    /* 1 */  
    font-size: 100%;  
    /* 1 */  
    font-weight: inherit;  
    /* 1 */  
    line-height: inherit;  
    /* 1 */
```

```
letter-spacing: inherit;

/* 1 */

color: inherit;

/* 1 */

margin: 0;

/* 2 */

padding: 0;

/* 3 */

}

/*

Remove the inheritance of text transform
in Edge and Firefox.

*/

button,
select {

text-transform: none;

}

/*

1. Correct the inability to style clickable
types in iOS and Safari.

2. Remove default button styles.

*/
```

```

button,
input:where([type='button']),
input:where([type='reset']),
input:where([type='submit']) {
    -webkit-appearance: button;

    /* 1 */

    background-color: transparent;

    /* 2 */

    background-image: none;

    /* 2 */
}

/*

Use the modern Firefox focus style for all
focusable elements.

*/

:-moz-focusring {
    outline: auto;
}

/*

Remove the additional `:invalid` styles in
Firefox. (https://github.com/mozilla/gecko-dev/blob/2f9eacd9d3d995c937b4251a5557d95d494c9be1/layout/style/res/forms.css#L728-L737)

*/

```

```
: -moz-ui-invalid {
    box-shadow: none;
}

/*
Add the correct vertical alignment in Chrome
and Firefox.
*/

progress {
    vertical-align: baseline;
}

/*
Correct the cursor style of increment and
decrement buttons in Safari.
*/

::-webkit-inner-spin-button,
::-webkit-outer-spin-button {
    height: auto;
}

/*
1. Correct the odd appearance in Chrome a
```

nd Safari.

2. Correct the outline style in Safari.

\*/

```
[ type = 'search' ] {
```

```
    -webkit-appearance: textfield;
```

```
    /* 1 */
```

```
    outline-offset: -2px;
```

```
    /* 2 */
```

```
}
```

```
/*
```

Remove the inner padding in Chrome and Safari on macOS.

```
*/
```

```
::-webkit-search-decoration {
```

```
    -webkit-appearance: none;
```

```
}
```

```
/*
```

1. Correct the inability to style clickable types in iOS and Safari.

2. Change font properties to `inherit` in Safari.

```
*/
```

```
::-webkit-file-upload-button {
    -webkit-appearance: button;

    /* 1 */
    font: inherit;

    /* 2 */
}

/*
Add the correct display in Chrome and Safari.
*/

summary {
    display: list-item;
}

/*
Removes the default spacing and border for
appropriate elements.
*/

blockquote,
dl,
dd,
h1,
h2,
```

```
h 3 ,
h 4 ,
h 5 ,
h 6 ,
h r ,
f i g u r e ,
p ,
p r e {
    m a r g i n : 0 ;
}

f i e l d s e t {
    m a r g i n : 0 ;
    p a d d i n g : 0 ;
}

l e g e n d {
    p a d d i n g : 0 ;
}

o l ,
u l ,
m e n u {
    l i s t - s t y l e : n o n e ;
    m a r g i n : 0 ;
```

```
padding: 0;
}

/*
Reset default styling for dialogs.
*/

dialog {
padding: 0;
}

/*
Prevent resizing textareas horizontally by default.
*/

textarea {
resize: vertical;
}

/*

1. Reset the default placeholder opacity in Firefox. (https://github.com/tailwindlabs/tailwindcss/issues/3300)

2. Set the default placeholder color to the user's configured gray 400 color.
*/
```



```
input::-moz-placeholder, textarea::-moz-p  
laceholder {  
    opacity: 1;  
    /* 1 */  
    color: #9ca3af;  
    /* 2 */  
}
```

```
input::placeholder,  
textarea::placeholder {  
    opacity: 1;  
    /* 1 */  
    color: #9ca3af;  
    /* 2 */  
}
```

```
/*  
Set the default cursor for buttons.  
*/
```

```
button,  
[role="button"] {  
    cursor: pointer;  
}
```

```
/*  
  
Make sure disabled buttons don't get the  
pointer cursor.  
  
*/  
  
:disabled {  
    cursor: default;  
}  
  
/*  
  
1. Make replaced elements `display: block`  
   by default. (https://github.com/mozdevs/cssremedy/issues/14)  
  
2. Add `vertical-align: middle` to align  
   replaced elements more sensibly by default.  
   (https://github.com/jensimmons/cssremedy/issues/14#issuecomment-634934210)  
  
   This can trigger a poorly considered lint  
   error in some tools but is included by  
   design.  
  
*/  
  
img,  
svg,  
video,  
canvas,  
audio,  
iframe,
```

```
embed,
object {
    display: block;
    /* 1 */
    vertical-align: middle;
    /* 2 */
}

/*
Constrain images and videos to the parent
width and preserve their intrinsic aspect
ratio. (https://github.com/mozdevs/cssrem
edy/issues/14)
*/

img,
video {
    max-width: 100%;
    height: auto;
}

/* Make elements with the HTML hidden att
ribute stay hidden by default */

[hidden]:where(:not([hidden="until-found"
])) {
    display: none;
}
```

```
body {
    font-family: 'Inter', sans-serif;
    background-color: var(--color-background);
    color: var(--color-text-primary);
}

h1, h2, h3, h4, h5, h6 {
    font-family: 'Playfair Display', serif;
}

.card-elevation {
    box-shadow: var(--shadow-warm);
    transition: box-shadow 200ms var(--transition-spring);
}

.card-elevation:hover {
    box-shadow: var(--shadow-warm-md);
    transform: translateY(-1px);
}

.btn-spring {
    transition: all 200ms var(--transition-spring);
}
```

```
}
```

```
.border-subtle {  
    border-color: rgba(205, 133, 63, 0.2);  
}
```

```
.static {  
    position: static;  
}
```

```
.fixed {  
    position: fixed;  
}
```

```
.absolute {  
    position: absolute;  
}
```

```
.relative {  
    position: relative;  
}
```

```
.sticky {  
    position: sticky;  
}
```

```
. i n s e t - 0 {  
    i n s e t : 0 p x ;  
}
```

```
. i n s e t - y - 0 {  
    t o p : 0 p x ;  
    b o t t o m : 0 p x ;  
}
```

```
. b o t t o m - 0 {  
    b o t t o m : 0 p x ;  
}
```

```
. b o t t o m - 1 {  
    b o t t o m : 0 . 2 5 r e m ;  
}
```

```
. b o t t o m - 4 {  
    b o t t o m : 1 r e m ;  
}
```

```
. b o t t o m - 8 {  
    b o t t o m : 2 r e m ;  
}
```

```
.left-1\ / 2 {  
    left: 50%;  
}
```

```
.left-12 {  
    left: 3rem;  
}
```

```
.left-3 {  
    left: 0.75rem;  
}
```

```
.left-4 {  
    left: 1rem;  
}
```

```
.right-0 {  
    right: 0px;  
}
```

```
.right-2 {  
    right: 0.5rem;  
}
```

```
.right-3 {  
    right: 0.75rem;  
}
```

```
.right-4 {  
    right: 1rem;  
}
```

```
.right-8 {  
    right: 2rem;  
}
```

```
.top-1 \ / 2 {  
    top: 50%;  
}
```

```
.top-12 {  
    top: 3rem;  
}
```

```
.top-3 {  
    top: 0.75rem;  
}
```

```
.top-4 {
```



```
    t o p :   1 r e m ;  
}
```

```
. z - 0 {  
    z - i n d e x :   0 ;  
}
```

```
. z - 1 0 {  
    z - i n d e x :   1 0 ;  
}
```

```
. z - 4 0 {  
    z - i n d e x :   4 0 ;  
}
```

```
. z - 5 0 {  
    z - i n d e x :   5 0 ;  
}
```

```
. m x - a u t o {  
    m a r g i n - l e f t :   a u t o ;  
    m a r g i n - r i g h t :   a u t o ;  
}
```

```
. m y - 1 {
```

```
margin-top: 0.25rem;  
margin-bottom: 0.25rem;  
}
```

```
.mb-1 {  
margin-bottom: 0.25rem;  
}
```

```
.mb-2 {  
margin-bottom: 0.5rem;  
}
```

```
.mb-3 {  
margin-bottom: 0.75rem;  
}
```

```
.mb-4 {  
margin-bottom: 1rem;  
}
```

```
.mb-6 {  
margin-bottom: 1.5rem;  
}
```

```
.mb-8 {
```

```
margin-bottom: 2rem;  
}
```

```
.ml-1 {  
margin-left: 0.25rem;  
}
```

```
.ml-2 {  
margin-left: 0.5rem;  
}
```

```
.ml-3 {  
margin-left: 0.75rem;  
}
```

```
.ml-4 {  
margin-left: 1rem;  
}
```

```
.mr-1 {  
margin-right: 0.25rem;  
}
```

```
.mr-2 {  
margin-right: 0.5rem;
```

```
}
```

```
. m r - 3 {  
    m a r g i n - r i g h t :   0 . 7 5 r e m ;  
}
```

```
. m r - 4 {  
    m a r g i n - r i g h t :   1 r e m ;  
}
```

```
. m t - 1 {  
    m a r g i n - t o p :   0 . 2 5 r e m ;  
}
```

```
. m t - 1 2 {  
    m a r g i n - t o p :   3 r e m ;  
}
```

```
. m t - 2 {  
    m a r g i n - t o p :   0 . 5 r e m ;  
}
```

```
. m t - 4 {  
    m a r g i n - t o p :   1 r e m ;  
}
```

```
. m t - 6 {  
    m a r g i n - t o p :   1 . 5 r e m ;  
}
```

```
. m t - 8 {  
    m a r g i n - t o p :   2 r e m ;  
}
```

```
. b l o c k {  
    d i s p l a y :   b l o c k ;  
}
```

```
. f l e x {  
    d i s p l a y :   f l e x ;  
}
```

```
. i n l i n e - f l e x {  
    d i s p l a y :   i n l i n e - f l e x ;  
}
```

```
. g r i d {  
    d i s p l a y :   g r i d ;  
}
```

```
. hidden {  
    display: none;  
}
```

```
. h - 1 {  
    height: 0.25rem;  
}
```

```
. h - 1 2 {  
    height: 3rem;  
}
```

```
. h - 1 6 {  
    height: 4rem;  
}
```

```
. h - 2 {  
    height: 0.5rem;  
}
```

```
. h - 3 {  
    height: 0.75rem;  
}
```

```
. h - 4 8 {
```

```
    height: 12rem;  
}
```

```
.h-5 {  
    height: 1.25rem;  
}
```

```
.h-64 {  
    height: 16rem;  
}
```

```
.h-8 {  
    height: 2rem;  
}
```

```
.h-96 {  
    height: 24rem;  
}
```

```
.h-full {  
    height: 100%;  
}
```

```
.max-h-96 {  
    max-height: 24rem;
```

```
}
```

```
. m i n - h - s c r e e n {  
    m i n - h e i g h t : 1 0 0 v h ;  
}
```

```
. w - 1 {  
    w i d t h : 0 . 2 5 r e m ;  
}
```

```
. w - 1 2 {  
    w i d t h : 3 r e m ;  
}
```

```
. w - 1 6 {  
    w i d t h : 4 r e m ;  
}
```

```
. w - 2 {  
    w i d t h : 0 . 5 r e m ;  
}
```

```
. w - 3 {  
    w i d t h : 0 . 7 5 r e m ;  
}
```



```
. w - 4 {  
    width: 1rem;  
}
```

```
. w - 48 {  
    width: 12rem;  
}
```

```
. w - 5 {  
    width: 1.25rem;  
}
```

```
. w - 8 {  
    width: 2rem;  
}
```

```
. w - 80 {  
    width: 20rem;  
}
```

```
. w - full {  
    width: 100%;  
}
```

```
.min-w-full {  
    min-width: 100%;  
}
```

```
.max-w-2xl {  
    max-width: 42rem;  
}
```

```
.max-w-4xl {  
    max-width: 56rem;  
}
```

```
.max-w-7xl {  
    max-width: 80rem;  
}
```

```
.max-w-md {  
    max-width: 28rem;  
}
```

```
.max-w-sm {  
    max-width: 24rem;  
}
```

```
.max-w-xs {
```

```
    max-width: 20rem;
}

.flex-1 {
    flex: 1 1 0%;
}

.flex-none {
    flex: none;
}

.-translate-x-1\ / 2 {
    -tw-translate-x: -50%;

    transform: translate(var(--tw-translate-x), var(--tw-translate-y)) rotate(var(--tw-rotate)) skewX(var(--tw-skew-x)) skewY(var(--tw-skew-y)) scaleX(var(--tw-scale-x)) scaleY(var(--tw-scale-y));
}

.-translate-y-1\ / 2 {
    -tw-translate-y: -50%;

    transform: translate(var(--tw-translate-x), var(--tw-translate-y)) rotate(var(--tw-rotate)) skewX(var(--tw-skew-x)) skewY(var(--tw-skew-y)) scaleX(var(--tw-scale-x)) scaleY(var(--tw-scale-y));
}
```

```
.transform{  
    transform: translate(var(--tw-translate-x), var(--tw-translate-y)) rotate(var(--tw-rotate)) skewX(var(--tw-skew-x)) skewY(var(--tw-skew-y)) scaleX(var(--tw-scale-x)) scaleY(var(--tw-scale-y));  
}
```

```
.cursor-pointer{  
    cursor: pointer;  
}
```

```
.appearance-none{  
    -webkit-appearance: none;  
    -moz-appearance: none;  
    appearance: none;  
}
```

```
.grid-cols-1{  
    grid-template-columns: repeat(1, minmax(0, 1fr));  
}
```

```
.grid-cols-2{  
    grid-template-columns: repeat(2, minmax(0, 1fr));  
}
```

```
.grid-cols-7{  
    grid-template-columns: repeat(7, minmax  
(0, 1fr));  
}
```

```
.flex-col{  
    flex-direction: column;  
}
```

```
.flex-wrap{  
    flex-wrap: wrap;  
}
```

```
.items-start{  
    align-items: flex-start;  
}
```

```
.items-center{  
    align-items: center;  
}
```

```
.justify-end{  
    justify-content: flex-end;  
}
```

```
.justify-center{
```

```
    j u s t i f y - c o n t e n t :   c e n t e r ;  
}
```

```
. j u s t i f y - b e t w e e n {  
    j u s t i f y - c o n t e n t :   s p a c e - b e t w e e n ;  
}
```

```
. g a p - 1 {  
    g a p :   0 . 2 5 r e m ;  
}
```

```
. g a p - 2 {  
    g a p :   0 . 5 r e m ;  
}
```

```
. g a p - 3 {  
    g a p :   0 . 7 5 r e m ;  
}
```

```
. g a p - 4 {  
    g a p :   1 r e m ;  
}
```

```
. g a p - 6 {  
    g a p :   1 . 5 r e m ;
```

```
}
```

```
. gap - 8 {  
    gap: 2rem;  
}
```

```
. space-x-1 > :not([hidden]) ~ :not([hidden]) {  
    --tw-space-x-reverse: 0;  
    margin-right: calc(0.25rem * var(--tw-space-x-reverse));  
    margin-left: calc(0.25rem * calc(1 - var(--tw-space-x-reverse)));  
}
```

```
. space-x-2 > :not([hidden]) ~ :not([hidden]) {  
    --tw-space-x-reverse: 0;  
    margin-right: calc(0.5rem * var(--tw-space-x-reverse));  
    margin-left: calc(0.5rem * calc(1 - var(--tw-space-x-reverse)));  
}
```

```
. space-x-3 > :not([hidden]) ~ :not([hidden]) {  
    --tw-space-x-reverse: 0;  
    margin-right: calc(0.75rem * var(--tw-space-x-reverse));  
}
```

```
margin-left: calc(0.75rem * calc(1 - var(
--tw-space-x-reverse))));

}
```

```
.space-x-4 > :not([hidden]) ~ :not([hidden]) {

  --tw-space-x-reverse: 0;

  margin-right: calc(1rem * var(--tw-space-x-reverse));

  margin-left: calc(1rem * calc(1 - var(--tw-space-x-reverse)));

}
```

```
.space-x-6 > :not([hidden]) ~ :not([hidden]) {

  --tw-space-x-reverse: 0;

  margin-right: calc(1.5rem * var(--tw-space-x-reverse));

  margin-left: calc(1.5rem * calc(1 - var(--tw-space-x-reverse)));

}
```

```
.space-x-8 > :not([hidden]) ~ :not([hidden]) {

  --tw-space-x-reverse: 0;

  margin-right: calc(2rem * var(--tw-space-x-reverse));

  margin-left: calc(2rem * calc(1 - var(--tw-space-x-reverse)));

}
```



```
.space-y-1 > :not([hidden]) ~ :not([hidden]) {  
    --tw-space-y-reverse: 0;  
    margin-top: calc(0.25rem * calc(1 - var(--tw-space-y-reverse)));  
    margin-bottom: calc(0.25rem * var(--tw-space-y-reverse));  
}
```

```
.space-y-2 > :not([hidden]) ~ :not([hidden]) {  
    --tw-space-y-reverse: 0;  
    margin-top: calc(0.5rem * calc(1 - var(--tw-space-y-reverse)));  
    margin-bottom: calc(0.5rem * var(--tw-space-y-reverse));  
}
```

```
.space-y-3 > :not([hidden]) ~ :not([hidden]) {  
    --tw-space-y-reverse: 0;  
    margin-top: calc(0.75rem * calc(1 - var(--tw-space-y-reverse)));  
    margin-bottom: calc(0.75rem * var(--tw-space-y-reverse));  
}
```

```
.space-y-4 > :not([hidden]) ~ :not([hidden]) {
```

```
    - - t w - s p a c e - y - r e v e r s e : 0 ;  
    m a r g i n - t o p : c a l c ( 1 r e m * c a l c ( 1 - v a r ( - -  
t w - s p a c e - y - r e v e r s e ) ) ) ;  
    m a r g i n - b o t t o m : c a l c ( 1 r e m * v a r ( - - t w - s p a  
c e - y - r e v e r s e ) ) ;  
}
```

```
. s p a c e - y - 6 > : n o t ( [ h i d d e n ] ) ~ : n o t ( [ h i d d e  
n ] ) {  
    - - t w - s p a c e - y - r e v e r s e : 0 ;  
    m a r g i n - t o p : c a l c ( 1 . 5 r e m * c a l c ( 1 - v a r ( - -  
- - t w - s p a c e - y - r e v e r s e ) ) ) ;  
    m a r g i n - b o t t o m : c a l c ( 1 . 5 r e m * v a r ( - - t w - s  
p a c e - y - r e v e r s e ) ) ;  
}
```

```
. o v e r f l o w - h i d d e n {  
    o v e r f l o w : h i d d e n ;  
}
```

```
. o v e r f l o w - x - a u t o {  
    o v e r f l o w - x : a u t o ;  
}
```

```
. o v e r f l o w - y - a u t o {  
    o v e r f l o w - y : a u t o ;  
}
```

```
.rounded{  
  border-radius: 0.25rem;  
}
```

```
.rounded-full{  
  border-radius: 9999px;  
}
```

```
.rounded-lg{  
  border-radius: 0.5rem;  
}
```

```
.rounded-md{  
  border-radius: 0.375rem;  
}
```

```
.rounded-xl{  
  border-radius: 0.75rem;  
}
```

```
.border{  
  border-width: 1px;  
}
```

```
.border-b {  
    border-bottom-width: 1px;  
}
```

```
.border-b-2 {  
    border-bottom-width: 2px;  
}
```

```
.border-t {  
    border-top-width: 1px;  
}
```

```
.border-error {  
    --tw-border-opacity: 1;  
    border-color: rgb(220 20 60 / var(--tw-border-opacity, 1));  
}
```

```
.border-gray-200 {  
    --tw-border-opacity: 1;  
    border-color: rgb(229 231 235 / var(--tw-border-opacity, 1));  
}
```

```
.border-gray-300 {  
    --tw-border-opacity: 1;
```

```
border-color: rgb(209 213 219 / var(--tw-border-opacity, 1));  
}
```

```
.border-primary{  
  --tw-border-opacity: 1;  
  border-color: rgb(139 69 19 / var(--tw-border-opacity, 1));  
}
```

```
.border-primary-200{  
  --tw-border-opacity: 1;  
  border-color: rgb(212 192 176 / var(--tw-border-opacity, 1));  
}
```

```
.border-primary-700{  
  --tw-border-opacity: 1;  
  border-color: rgb(83 42 11 / var(--tw-border-opacity, 1));  
}
```

```
.bg-accent{  
  --tw-bg-opacity: 1;  
  background-color: rgb(255 107 53 / var(--tw-bg-opacity, 1));  
}
```

```
.bg - accent - 100 {  
    - - tw - bg - opacity : 1 ;  
    background - color : rgb ( 255 228 220 / var  
( - - tw - bg - opacity , 1 ) ) ;  
}
```

```
.bg - accent - 50 {  
    - - tw - bg - opacity : 1 ;  
    background - color : rgb ( 255 244 241 / var  
( - - tw - bg - opacity , 1 ) ) ;  
}
```

```
.bg - background {  
    - - tw - bg - opacity : 1 ;  
    background - color : rgb ( 254 252 248 / var  
( - - tw - bg - opacity , 1 ) ) ;  
}
```

```
.bg - black {  
    - - tw - bg - opacity : 1 ;  
    background - color : rgb ( 0 0 0 / var ( - - tw -  
bg - opacity , 1 ) ) ;  
}
```

```
.bg - error {  
    - - tw - bg - opacity : 1 ;  
    background - color : rgb ( 220 20 60 / var ( -
```

```
- t w - b g - o p a c i t y , 1 ) ) ;
```

```
}
```

```
. b g - g r a y - 1 0 0 {
```

```
- - t w - b g - o p a c i t y : 1 ;
```

```
background-color: r g b ( 2 4 3 2 4 4 2 4 6 / v a r  
( - - t w - b g - o p a c i t y , 1 ) ) ;
```

```
}
```

```
. b g - g r a y - 2 0 0 {
```

```
- - t w - b g - o p a c i t y : 1 ;
```

```
background-color: r g b ( 2 2 9 2 3 1 2 3 5 / v a r  
( - - t w - b g - o p a c i t y , 1 ) ) ;
```

```
}
```

```
. b g - g r a y - 5 0 {
```

```
- - t w - b g - o p a c i t y : 1 ;
```

```
background-color: r g b ( 2 4 9 2 5 0 2 5 1 / v a r  
( - - t w - b g - o p a c i t y , 1 ) ) ;
```

```
}
```

```
. b g - p r i m a r y {
```

```
- - t w - b g - o p a c i t y : 1 ;
```

```
background-color: r g b ( 1 3 9 6 9 1 9 / v a r ( -  
- t w - b g - o p a c i t y , 1 ) ) ;
```

```
}
```

```
.bg-primary-100{  
    --tw-bg-opacity: 1;  
    background-color: rgb(237 228 220 / var  
(--tw-bg-opacity, 1));  
}
```

```
.bg-primary-50{  
    --tw-bg-opacity: 1;  
    background-color: rgb(247 243 240 / var  
(--tw-bg-opacity, 1));  
}
```

```
.bg-primary-800{  
    --tw-bg-opacity: 1;  
    background-color: rgb(55 28 7 / var(--tw  
-bg-opacity, 1));  
}
```

```
.bg-secondary{  
    --tw-bg-opacity: 1;  
    background-color: rgb(205 133 63 / var(  
--tw-bg-opacity, 1));  
}
```

```
.bg-secondary-100{  
    --tw-bg-opacity: 1;  
    background-color: rgb(245 235 217 / var  
(--tw-bg-opacity, 1));  
}
```



```
}
```

```
.bg-success{  
    --tw-bg-opacity: 1;  
    background-color: rgb(34 139 34 / var(--tw-bg-opacity, 1));  
}
```

```
.bg-success-100{  
    --tw-bg-opacity: 1;  
    background-color: rgb(212 244 212 / var(--tw-bg-opacity, 1));  
}
```

```
.bg-success-50{  
    --tw-bg-opacity: 1;  
    background-color: rgb(240 248 240 / var(--tw-bg-opacity, 1));  
}
```

```
.bg-surface{  
    --tw-bg-opacity: 1;  
    background-color: rgb(255 255 255 / var(--tw-bg-opacity, 1));  
}
```

```
.bg-warning{
```

```
    - - t w - b g - o p a c i t y :   1 ;

    b a c k g r o u n d - c o l o r :   r g b ( 2 5 5   1 4 0   0   /   v a r ( -
- t w - b g - o p a c i t y ,   1 ) ) ;

}

. b g - w a r n i n g - 1 0 0 {

    - - t w - b g - o p a c i t y :   1 ;

    b a c k g r o u n d - c o l o r :   r g b ( 2 5 5   2 3 2   2 0 4   /   v a r
( - - t w - b g - o p a c i t y ,   1 ) ) ;

}

. b g - w a r n i n g - 5 0 {

    - - t w - b g - o p a c i t y :   1 ;

    b a c k g r o u n d - c o l o r :   r g b ( 2 5 5   2 4 7   2 4 0   /   v a r
( - - t w - b g - o p a c i t y ,   1 ) ) ;

}

. b g - w h i t e {

    - - t w - b g - o p a c i t y :   1 ;

    b a c k g r o u n d - c o l o r :   r g b ( 2 5 5   2 5 5   2 5 5   /   v a r
( - - t w - b g - o p a c i t y ,   1 ) ) ;

}

. b g - o p a c i t y - 5 0 {

    - - t w - b g - o p a c i t y :   0 . 5 ;

}
```

```
.bg-opacity-80{  
  --tw-bg-opacity: 0.8;  
}
```

```
.bg-opacity-90{  
  --tw-bg-opacity: 0.9;  
}
```

```
.bg-gradient-to-r{  
  background-image: linear-gradient(to right, var(--tw-gradient-stops));  
}
```

```
.from-primary-600{  
  --tw-gradient-from: #6F370F var(--tw-gradient-from-position);  
  --tw-gradient-to: rgb(111 55 15 / 0) var(--tw-gradient-to-position);  
  --tw-gradient-stops: var(--tw-gradient-from), var(--tw-gradient-to);  
}
```

```
.to-secondary-500{  
  --tw-gradient-to: #CD853F var(--tw-gradient-to-position);  
}
```

```
. o b j e c t - c o v e r {  
    - o - o b j e c t - f i t :   c o v e r ;  
    o b j e c t - f i t :   c o v e r ;  
}
```

```
. p - 1 {  
    p a d d i n g :   0 . 2 5 r e m ;  
}
```

```
. p - 2 {  
    p a d d i n g :   0 . 5 r e m ;  
}
```

```
. p - 3 {  
    p a d d i n g :   0 . 7 5 r e m ;  
}
```

```
. p - 4 {  
    p a d d i n g :   1 r e m ;  
}
```

```
. p - 5 {  
    p a d d i n g :   1 . 2 5 r e m ;  
}
```

```
. p - 6 {  
    padding: 1.5rem;  
}
```

```
. p x - 2 {  
    padding-left: 0.5rem;  
    padding-right: 0.5rem;  
}
```

```
. p x - 3 {  
    padding-left: 0.75rem;  
    padding-right: 0.75rem;  
}
```

```
. p x - 4 {  
    padding-left: 1rem;  
    padding-right: 1rem;  
}
```

```
. p x - 6 {  
    padding-left: 1.5rem;  
    padding-right: 1.5rem;  
}
```

```
. p x - 8 {
```

```
padding-left: 2rem;  
padding-right: 2rem;  
}
```

```
.py-1 {  
padding-top: 0.25rem;  
padding-bottom: 0.25rem;  
}
```

```
.py-1 \ .5 {  
padding-top: 0.375rem;  
padding-bottom: 0.375rem;  
}
```

```
.py-1 2 {  
padding-top: 3rem;  
padding-bottom: 3rem;  
}
```

```
.py-1 6 {  
padding-top: 4rem;  
padding-bottom: 4rem;  
}
```

```
.py-2 {
```

```
padding-top: 0.5rem;  
padding-bottom: 0.5rem;  
}
```

```
.p y - 3 {  
padding-top: 0.75rem;  
padding-bottom: 0.75rem;  
}
```

```
.p y - 4 {  
padding-top: 1rem;  
padding-bottom: 1rem;  
}
```

```
.p y - 8 {  
padding-top: 2rem;  
padding-bottom: 2rem;  
}
```

```
.p b - 4 {  
padding-bottom: 1rem;  
}
```

```
.p l - 10 {  
padding-left: 2.5rem;
```

```
}
```

```
. p l - 1 2 {  
    p a d d i n g - l e f t :   3 r e m ;  
}
```

```
. p r - 1 0 {  
    p a d d i n g - r i g h t :   2 . 5 r e m ;  
}
```

```
. p r - 3 {  
    p a d d i n g - r i g h t :   0 . 7 5 r e m ;  
}
```

```
. p r - 4 {  
    p a d d i n g - r i g h t :   1 r e m ;  
}
```

```
. p t - 2 {  
    p a d d i n g - t o p :   0 . 5 r e m ;  
}
```

```
. p t - 4 {  
    p a d d i n g - t o p :   1 r e m ;  
}
```



```
.p t - 6 {  
    padding - top : 1 . 5 r e m ;  
}
```

```
.p t - 8 {  
    padding - top : 2 r e m ;  
}
```

```
.t e x t - c e n t e r {  
    t e x t - a l i g n : c e n t e r ;  
}
```

```
.f o n t - s e r i f {  
    f o n t - f a m i l y : P l a y f a i r D i s p l a y , s e r i f ;  
}
```

```
.t e x t - 2 x 1 {  
    f o n t - s i z e : 1 . 5 r e m ;  
    l i n e - h e i g h t : 2 r e m ;  
}
```

```
.t e x t - 4 x 1 {  
    f o n t - s i z e : 2 . 2 5 r e m ;  
    l i n e - h e i g h t : 2 . 5 r e m ;  
}
```

```
}
```

```
.text-lg {  
    font-size: 1.125rem;  
    line-height: 1.75rem;  
}
```

```
.text-sm {  
    font-size: 0.875rem;  
    line-height: 1.25rem;  
}
```

```
.text-xl {  
    font-size: 1.25rem;  
    line-height: 1.75rem;  
}
```

```
.text-xs {  
    font-size: 0.75rem;  
    line-height: 1rem;  
}
```

```
.font-bold {  
    font-weight: 700;  
}
```

```
.font-medium{
    font-weight: 500;
}

.font-semibold{
    font-weight: 600;
}

.text-accent{
    --tw-text-opacity: 1;
    color: rgb(255 107 53 / var(--tw-text-opacity, 1));
}

.text-blue-600{
    --tw-text-opacity: 1;
    color: rgb(37 99 235 / var(--tw-text-opacity, 1));
}

.text-error{
    --tw-text-opacity: 1;
    color: rgb(220 20 60 / var(--tw-text-opacity, 1));
}
```

```
.text-gray-400{
  --tw-text-opacity: 1;
  color: rgb(156 163 175 / var(--tw-text-opacity, 1));
}
```

```
.text-primary{
  --tw-text-opacity: 1;
  color: rgb(139 69 19 / var(--tw-text-opacity, 1));
}
```

```
.text-primary-100{
  --tw-text-opacity: 1;
  color: rgb(237 228 220 / var(--tw-text-opacity, 1));
}
```

```
.text-primary-200{
  --tw-text-opacity: 1;
  color: rgb(212 192 176 / var(--tw-text-opacity, 1));
}
```

```
.text-secondary{
  --tw-text-opacity: 1;
  color: rgb(205 133 63 / var(--tw-text-o
```

```
opacity, 1));
```

```
}
```

```
.text-success{
```

```
  --tw-text-opacity: 1;
```

```
  color: rgb(34 139 34 / var(--tw-text-opacity, 1));
```

```
}
```

```
.text-text-primary{
```

```
  --tw-text-opacity: 1;
```

```
  color: rgb(44 24 16 / var(--tw-text-opacity, 1));
```

```
}
```

```
.text-text-secondary{
```

```
  --tw-text-opacity: 1;
```

```
  color: rgb(107 78 61 / var(--tw-text-opacity, 1));
```

```
}
```

```
.text-warning{
```

```
  --tw-text-opacity: 1;
```

```
  color: rgb(255 140 0 / var(--tw-text-opacity, 1));
```

```
}
```

```
.text-white{
    --tw-text-opacity: 1;
    color: rgb(255 255 255 / var(--tw-text-opacity, 1));
}

.line-through{
    text-decoration-line: line-through;
}

.opacity-10{
    opacity: 0.1;
}

.opacity-75{
    opacity: 0.75;
}

.shadow-warm{
    --tw-shadow: 0 2px 8px rgba(139, 69, 19, 0.1);
    --tw-shadow-colored: 0 2px 8px var(--tw-shadow-color);
    box-shadow: var(--tw-ring-offset-shadow, 0 0 #0000), var(--tw-ring-shadow, 0 0 #0000), var(--tw-shadow);
}
```

```
.shadow-warm-lg{
  --tw-shadow: 0 8px 16px rgba(139, 69, 19, 0.15);
  --tw-shadow-colored: 0 8px 16px var(--tw-shadow-color);
  box-shadow: var(--tw-ring-offset-shadow, 0 0 #0000), var(--tw-ring-shadow, 0 0 #0000), var(--tw-shadow);
}
```

```
.blur{
  --tw-blur: blur(8px);
  filter: var(--tw-blur) var(--tw-brightness) var(--tw-contrast) var(--tw-grayscale) var(--tw-hue-rotate) var(--tw-invert) var(--tw-saturate) var(--tw-sepia) var(--tw-drop-shadow);
}
```

```
.filter{
  filter: var(--tw-blur) var(--tw-brightness) var(--tw-contrast) var(--tw-grayscale) var(--tw-hue-rotate) var(--tw-invert) var(--tw-saturate) var(--tw-sepia) var(--tw-drop-shadow);
}
```

```
.transition{
  transition-property: color, background-color, border-color, text-decoration-color, fill, stroke, opacity, box-shadow, transform, filter, -webkit-backdrop-filter;
```

```
    transition-property: color, background-color, border-color, text-decoration-color, fill, stroke, opacity, box-shadow, transform, filter, backdrop-filter;
```

```
    transition-property: color, background-color, border-color, text-decoration-color, fill, stroke, opacity, box-shadow, transform, filter, backdrop-filter, -webkit-backdrop-filter;
```

```
    transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);
```

```
    transition-duration: 150ms;
```

```
}
```

```
.transition-all{
```

```
    transition-property: all;
```

```
    transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);
```

```
    transition-duration: 150ms;
```

```
}
```

```
.transition-colors{
```

```
    transition-property: color, background-color, border-color, text-decoration-color, fill, stroke;
```

```
    transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);
```

```
    transition-duration: 150ms;
```

```
}
```

```
.transition-transform{
```



```
    transition-property: transform;

    transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);

    transition-duration: 150ms;
}

.duration-300{
    transition-duration: 300ms;
}

.duration-500{
    transition-duration: 500ms;
}

.ease-in-out{
    transition-timing-function: cubic-bezier(0.4, 0, 0.2, 1);
}

.text-fluid-lg {
    font-size: clamp(1.125rem, 1rem + 0.625vw, 1.25rem);
}

.text-fluid-xl {
    font-size: clamp(1.25rem, 1.1rem + 0.75vw, 1.5rem);
}
```

```
}
```

```
.text-fluid-2x1 {  
    font-size: clamp(1.5rem, 1.3rem + 1vw,  
1.875rem);  
}
```

```
.text-fluid-3x1 {  
    font-size: clamp(1.875rem, 1.6rem + 1.3  
75vw, 2.25rem);  
}
```

```
.text-fluid-4x1 {  
    font-size: clamp(2.25rem, 1.9rem + 1.75  
vw, 3rem);  
}
```

```
:root {  
    /* Primary Colors */  
    --color-primary: #8B4513;  
    /* coffee-brown */  
    --color-primary-50: #F7F3F0;  
    /* coffee-brown-50 */  
    --color-primary-100: #EDE4DC;  
    /* coffee-brown-100 */  
    --color-primary-200: #D4C0B0;  
    /* coffee-brown-200 */
```

```
- - color - primary - 300 : # B B 9 C 8 4 ;
/* coffee - brown - 300 */
- - color - primary - 400 : # A 2 7 8 5 8 ;
/* coffee - brown - 400 */
- - color - primary - 500 : # 8 B 4 5 1 3 ;
/* coffee - brown - 500 */
- - color - primary - 600 : # 6 F 3 7 0 F ;
/* coffee - brown - 600 */
- - color - primary - 700 : # 5 3 2 A 0 B ;
/* coffee - brown - 700 */
- - color - primary - 800 : # 3 7 1 C 0 7 ;
/* coffee - brown - 800 */
- - color - primary - 900 : # 1 B 0 E 0 4 ;
/* coffee - brown - 900 */
/* Secondary Colors */
- - color - secondary : # C D 8 5 3 F ;
/* terracotta */
- - color - secondary - 50 : # F B F 7 F 2 ;
/* terracotta - 50 */
- - color - secondary - 100 : # F 5 E B D 9 ;
/* terracotta - 100 */
- - color - secondary - 200 : # E 8 D 0 A 6 ;
/* terracotta - 200 */
- - color - secondary - 300 : # D B B 5 7 3 ;
/* terracotta - 300 */
```

```
- - color - secondary - 400 : # C E 9 A 4 0 ;
/* terracotta - 400 */
- - color - secondary - 500 : # C D 8 5 3 F ;
/* terracotta - 500 */
- - color - secondary - 600 : # A 4 6 A 3 2 ;
/* terracotta - 600 */
- - color - secondary - 700 : # 7 B 4 F 2 6 ;
/* terracotta - 700 */
- - color - secondary - 800 : # 5 2 3 5 1 9 ;
/* terracotta - 800 */
- - color - secondary - 900 : # 2 9 1 A 0 D ;
/* terracotta - 900 */
/* Accent Colors */
- - color - accent : # F F 6 B 3 5 ;
/* coral */
- - color - accent - 50 : # F F F 4 F 1 ;
/* coral - 50 */
- - color - accent - 100 : # F F E 4 D C ;
/* coral - 100 */
- - color - accent - 200 : # F F C 4 B 0 ;
/* coral - 200 */
- - color - accent - 300 : # F F A 3 8 4 ;
/* coral - 300 */
- - color - accent - 400 : # F F 8 2 5 8 ;
/* coral - 400 */
```

```
- - color - accent - 500 : # F F 6 B 3 5 ;
/* coral - 500 */
- - color - accent - 600 : # C C 5 5 2 A ;
/* coral - 600 */
- - color - accent - 700 : # 9 9 4 0 1 F ;
/* coral - 700 */
- - color - accent - 800 : # 6 6 2 B 1 5 ;
/* coral - 800 */
- - color - accent - 900 : # 3 3 1 5 0 A ;
/* coral - 900 */
/* Background Colors */
- - color - background : # F E F C F 8 ;
/* warm - white */
- - color - surface : # F F F F F F ;
/* pure - white */
/* Text Colors */
- - color - text - primary : # 2 C 1 8 1 0 ;
/* dark - brown */
- - color - text - secondary : # 6 B 4 E 3 D ;
/* medium - brown */
/* Status Colors */
- - color - success : # 2 2 8 B 2 2 ;
/* forest - green */
- - color - success - 50 : # F 0 F 8 F 0 ;
/* forest - green - 50 */
```

```
- - color - success - 100 : # D 4 F 4 D 4 ;
/* forest - green - 100 */
- - color - success - 200 : # A 8 E 6 A 8 ;
/* forest - green - 200 */
- - color - success - 300 : # 7 D D 8 7 D ;
/* forest - green - 300 */
- - color - success - 400 : # 5 2 C A 5 2 ;
/* forest - green - 400 */
- - color - success - 500 : # 2 2 8 B 2 2 ;
/* forest - green - 500 */
- - color - success - 600 : # 1 B 6 F 1 B ;
/* forest - green - 600 */
- - color - success - 700 : # 1 4 5 3 1 4 ;
/* forest - green - 700 */
- - color - success - 800 : # 0 E 3 7 0 E ;
/* forest - green - 800 */
- - color - success - 900 : # 0 7 1 B 0 7 ;
/* forest - green - 900 */
- - color - warning : # F F 8 C 0 0 ;
/* warm - orange */
- - color - warning - 50 : # F F F 7 F 0 ;
/* warm - orange - 50 */
- - color - warning - 100 : # F F E 8 C C ;
/* warm - orange - 100 */
- - color - warning - 200 : # F F D 1 9 9 ;
```

```
/* warm-orange-200 */
--color-warning-300: #FFBA66;
/* warm-orange-300 */
--color-warning-400: #FFA333;
/* warm-orange-400 */
--color-warning-500: #FF8C00;
/* warm-orange-500 */
--color-warning-600: #CC7000;
/* warm-orange-600 */
--color-warning-700: #995400;
/* warm-orange-700 */
--color-warning-800: #663800;
/* warm-orange-800 */
--color-warning-900: #331C00;
/* warm-orange-900 */
--color-error: #DC143C;
/* crimson-red */
--color-error-50: #FDF2F4;
/* crimson-red-50 */
--color-error-100: #F9D6DD;
/* crimson-red-100 */
--color-error-200: #F2ADBB;
/* crimson-red-200 */
--color-error-300: #EC8499;
/* crimson-red-300 */
```

```
- - color-error-400: #E55B77;
/* crimson-red-400 */
- - color-error-500: #DC143C;
/* crimson-red-500 */
- - color-error-600: #B01030;
/* crimson-red-600 */
- - color-error-700: #840C24;
/* crimson-red-700 */
- - color-error-800: #580818;
/* crimson-red-800 */
- - color-error-900: #2C040C;
/* crimson-red-900 */
/* Shadow Variables */
- - shadow-warm: 0 2px 8px rgba(139, 69,
19, 0.1);
- - shadow-warm-md: 0 4px 12px rgba(139,
69, 19, 0.12);
- - shadow-warm-lg: 0 8px 16px rgba(139,
69, 19, 0.15);
- - shadow-warm-xl: 0 16px 24px rgba(139,
69, 19, 0.18);
/* Animation Variables */
- - transition-spring: cubic-bezier(0.34,
1.56, 0.64, 1);
- - transition-smooth: cubic-bezier(0.4,
0.0, 0.2, 1);
}
```



```
/* Reduced motion support */
```

```
@media (prefers-reduced-motion: reduce) {  
  .card-elevation,  
  .btn-spring,  
  .animate-spring,  
  .animate-smooth {  
    transition: none;  
    animation: none;  
  }  
}
```

```
.hover\:bg-accent-600:hover {  
  --tw-bg-opacity: 1;  
  background-color: rgb(204 85 42 / var(--tw-bg-opacity, 1));  
}
```

```
.hover\:bg-error-50:hover {  
  --tw-bg-opacity: 1;  
  background-color: rgb(253 242 244 / var(--tw-bg-opacity, 1));  
}
```

```
.hover\:bg-gray-50:hover {  
  --tw-bg-opacity: 1;
```

```
    background-color: rgb(249 250 251 / var
(--tw-bg-opacity, 1));
}
```

```
.hover\:bg-primary-100:hover{
    --tw-bg-opacity: 1;
    background-color: rgb(237 228 220 / var
(--tw-bg-opacity, 1));
}
```

```
.hover\:bg-primary-50:hover{
    --tw-bg-opacity: 1;
    background-color: rgb(247 243 240 / var
(--tw-bg-opacity, 1));
}
```

```
.hover\:bg-primary-600:hover{
    --tw-bg-opacity: 1;
    background-color: rgb(111 55 15 / var(
--tw-bg-opacity, 1));
}
```

```
.hover\:bg-secondary-600:hover{
    --tw-bg-opacity: 1;
    background-color: rgb(164 106 50 / var(
--tw-bg-opacity, 1));
}
```

```
.hover\:bg-white:hover{
  --tw-bg-opacity: 1;
  background-color: rgb(255 255 255 / var(
--tw-bg-opacity, 1));
}
```

```
.hover\:bg-opacity-100:hover{
  --tw-bg-opacity: 1;
}
```

```
.hover\:text-accent-600:hover{
  --tw-text-opacity: 1;
  color: rgb(204 85 42 / var(--tw-text-op
acity, 1));
}
```

```
.hover\:text-primary:hover{
  --tw-text-opacity: 1;
  color: rgb(139 69 19 / var(--tw-text-op
acity, 1));
}
```

```
.hover\:text-primary-600:hover{
  --tw-text-opacity: 1;
  color: rgb(111 55 15 / var(--tw-text-op
acity, 1));
}
```

```
}
```

```
.hover\:text-white:hover{  
    --tw-text-opacity: 1;  
    color: rgb(255 255 255 / var(--tw-text-opacity, 1));  
}
```

```
.hover\:underline:hover{  
    text-decoration-line: underline;  
}
```

```
.hover\:shadow-warm-md:hover{  
    --tw-shadow: 0 4px 12px rgba(139, 69, 19, 0.12);  
    --tw-shadow-colored: 0 4px 12px var(--tw-shadow-color);  
    box-shadow: var(--tw-ring-offset-shadow, 0 0 #0000), var(--tw-ring-shadow, 0 0 #0000), var(--tw-shadow);  
}
```

```
.focus\:border-transparent:focus{  
    border-color: transparent;  
}
```

```
.focus\:ring-2:focus{  
    --tw-ring-offset-shadow: var(--tw-ring-
```

```
inset) 0 0 0 var(--tw-ring-offset-width) v
ar(--tw-ring-offset-color);

--tw-ring-shadow: var(--tw-ring-inset)
0 0 0 calc(2px + var(--tw-ring-offset-widt
h)) var(--tw-ring-color);

box-shadow: var(--tw-ring-offset-shadow
), var(--tw-ring-shadow), var(--tw-shadow,
0 0 #00000);

}
```

```
.focus\:ring-primary:focus{

--tw-ring-opacity: 1;

--tw-ring-color: rgb(139 69 19 / var(--
tw-ring-opacity, 1));

}
```

```
.focus\:ring-offset-2:focus{

--tw-ring-offset-width: 2px;

}
```

```
@media (min-width: 640px){

.sm\:mt-0{

margin-top: 0px;

}

.sm\:flex-row{

flex-direction: row;

}
```

```
.sm\:items-center{  
  align-items: center;  
}
```

```
.sm\:justify-between{  
  justify-content: space-between;  
}
```

```
.sm\:px-6{  
  padding-left: 1.5rem;  
  padding-right: 1.5rem;  
}
```

```
}
```

```
@media (min-width: 768px){  
  .md\:flex{  
    display: flex;  
  }  
}
```

```
.md\:hidden{  
  display: none;  
}
```

```
.md\:h-full{
```

```
    height: 100%;  
}
```

```
.md\:w-1\/2{  
    width: 50%;  
}
```

```
.md\:w-1\/3{  
    width: 33.333333%;  
}
```

```
.md\:w-2\/3{  
    width: 66.666667%;  
}
```

```
.md\:min-w-0{  
    min-width: 0px;  
}
```

```
.md\:grid-cols-2{  
    grid-template-columns: repeat(2, minmax(0, 1fr));  
}
```

```
.md\:grid-cols-3{  
    grid-template-columns: repeat(3, minmax
```

```
a x ( 0 , 1 f r ) ) ;
```

```
}
```

```
. m d \ : g r i d - c o l s - 4 {
```

```
    g r i d - t e m p l a t e - c o l u m n s :   r e p e a t ( 4 ,   m i n m  
a x ( 0 , 1 f r ) ) ;
```

```
}
```

```
. m d \ : f l e x - r o w {
```

```
    f l e x - d i r e c t i o n :   r o w ;
```

```
}
```

```
}
```

```
@ m e d i a   ( m i n - w i d t h :   1 0 2 4 p x ) {
```

```
. l g \ : c o l - s p a n - 1 {
```

```
    g r i d - c o l u m n :   s p a n   1   /   s p a n   1 ;
```

```
}
```

```
. l g \ : c o l - s p a n - 2 {
```

```
    g r i d - c o l u m n :   s p a n   2   /   s p a n   2 ;
```

```
}
```

```
. l g \ : w - 1 \ / 3 {
```

```
    w i d t h :   3 3 . 3 3 3 3 3 3 % ;
```

```
}
```



```
.lg\:w-1\/4{  
    width: 25%;  
}
```

```
.lg\:w-3\/4{  
    width: 75%;  
}
```

```
.lg\:grid-cols-2{  
    grid-template-columns: repeat(2, minm  
ax(0, 1fr));  
}
```

```
.lg\:grid-cols-3{  
    grid-template-columns: repeat(3, minm  
ax(0, 1fr));  
}
```

```
.lg\:grid-cols-4{  
    grid-template-columns: repeat(4, minm  
ax(0, 1fr));  
}
```

```
.lg\:flex-row{  
    flex-direction: row;  
}
```

```
.lg\:items-center{  
    align-items: center;  
}
```

```
.lg\:justify-between{  
    justify-content: space-between;  
}
```

```
.lg\:px-8{  
    padding-left: 2rem;  
    padding-right: 2rem;  
}
```

```
}
```

```
@media (min-width: 1280px){
```

```
.xl\:grid-cols-3{
```

```
    grid-template-columns: repeat(3, minmax(0, 1fr));
```

```
}
```

```
.xl\:grid-cols-4{
```

```
    grid-template-columns: repeat(4, minmax(0, 1fr));
```

```
}
```

```
}
```

```
- - - - - D : \ Documents \ 3 . C E S D E - C a s o c a m b i o  
de programa \ T e c n i c a - P r o y e c t o \ S e m e s t r e 2  
\ M e t o d o l o g a s g i l e s \ A n t i o q A p p \ A n t i o q A p p \ c  
s s \ t a i l w i n d . c s s - - - - -
```

```
@import url('https://fonts.googleapis.com  
/css2?family=Playfair+Display:wght@400;600  
;700&display=swap');
```

```
@import url('https://fonts.googleapis.com  
/css2?family=Inter:wght@300;400;500&displa  
y=swap');
```

```
@import url('https://fonts.googleapis.com  
/css2?family=Source+Sans+Pro:wght@400&displ  
ay=swap');
```

```
@import url('https://fonts.googleapis.com  
/css2?family=JetBrains+Mono:wght@400&displ  
ay=swap');
```

```
@tailwind base;
```

```
@tailwind components;
```

```
@tailwind utilities;
```

```
:root {  
    /* Primary Colors */  
    --color-primary: #8B4513; /* coffee - bro  
wn */  
    --color-primary-50: #F7F3F0; /* coffee -  
brown - 50 */  
    --color-primary-100: #EDE4DC; /* coffee  
- brown - 100 */  
    --color-primary-200: #D4C0B0; /* coffee  
- brown - 200 */  
    --color-primary-300: #BB9C84; /* coffee  
- brown - 300 */
```

```
- - color - primary - 400 : # A 2 7 8 5 8 ; /* coffee
- brown - 400 */

- - color - primary - 500 : # 8 B 4 5 1 3 ; /* coffee
- brown - 500 */

- - color - primary - 600 : # 6 F 3 7 0 F ; /* coffee
- brown - 600 */

- - color - primary - 700 : # 5 3 2 A 0 B ; /* coffee
- brown - 700 */

- - color - primary - 800 : # 3 7 1 C 0 7 ; /* coffee
- brown - 800 */

- - color - primary - 900 : # 1 B 0 E 0 4 ; /* coffee
- brown - 900 */
```

```
/* Secondary Colors */
```

```
- - color - secondary : # C D 8 5 3 F ; /* terracotta
ta */

- - color - secondary - 50 : # F B F 7 F 2 ; /* terracotta - 50
cotta - 50 */

- - color - secondary - 100 : # F 5 E B D 9 ; /* terracotta - 100
acotta - 100 */

- - color - secondary - 200 : # E 8 D 0 A 6 ; /* terracotta - 200
acotta - 200 */

- - color - secondary - 300 : # D B B 5 7 3 ; /* terracotta - 300
acotta - 300 */

- - color - secondary - 400 : # C E 9 A 4 0 ; /* terracotta - 400
acotta - 400 */

- - color - secondary - 500 : # C D 8 5 3 F ; /* terracotta - 500
acotta - 500 */

- - color - secondary - 600 : # A 4 6 A 3 2 ; /* terracotta - 600
acotta - 600 */

- - color - secondary - 700 : # 7 B 4 F 2 6 ; /* terracotta - 700
acotta - 700 */

- - color - secondary - 800 : # 5 2 3 5 1 9 ; /* terracotta - 800
acotta - 800 */
```

```
a c o t t a - 8 0 0   * /

    - - c o l o r - s e c o n d a r y - 9 0 0 :   # 2 9 1 A 0 D ;   / *   t e r r
a c o t t a - 9 0 0   * /


    / *   A c c e n t   C o l o r s   * /

    - - c o l o r - a c c e n t :   # F F 6 B 3 5 ;   / *   c o r a l   * /

    - - c o l o r - a c c e n t - 5 0 :   # F F F 4 F 1 ;   / *   c o r a l - 5 0
* /

    - - c o l o r - a c c e n t - 1 0 0 :   # F F E 4 D C ;   / *   c o r a l - 1
0 0   * /

    - - c o l o r - a c c e n t - 2 0 0 :   # F F C 4 B 0 ;   / *   c o r a l - 2
0 0   * /

    - - c o l o r - a c c e n t - 3 0 0 :   # F F A 3 8 4 ;   / *   c o r a l - 3
0 0   * /

    - - c o l o r - a c c e n t - 4 0 0 :   # F F 8 2 5 8 ;   / *   c o r a l - 4
0 0   * /

    - - c o l o r - a c c e n t - 5 0 0 :   # F F 6 B 3 5 ;   / *   c o r a l - 5
0 0   * /

    - - c o l o r - a c c e n t - 6 0 0 :   # C C 5 5 2 A ;   / *   c o r a l - 6
0 0   * /

    - - c o l o r - a c c e n t - 7 0 0 :   # 9 9 4 0 1 F ;   / *   c o r a l - 7
0 0   * /

    - - c o l o r - a c c e n t - 8 0 0 :   # 6 6 2 B 1 5 ;   / *   c o r a l - 8
0 0   * /

    - - c o l o r - a c c e n t - 9 0 0 :   # 3 3 1 5 0 A ;   / *   c o r a l - 9
0 0   * /


    / *   B a c k g r o u n d   C o l o r s   * /

    - - c o l o r - b a c k g r o u n d :   # F E F C F 8 ;   / *   w a r m - w h
i t e   * /

    - - c o l o r - s u r f a c e :   # F F F F F F ;   / *   p u r e - w h i t e
* /
```

```
/* Text Colors */

--color-text-primary: #2C1810; /* dark -
brown */

--color-text-secondary: #6B4E3D; /* med
ium-brown */


/* Status Colors */

--color-success: #228B22; /* forest-green
*/

--color-success-50: #F0F8F0; /* forest-
green-50 */

--color-success-100: #D4F4D4; /* forest
-green-100 */

--color-success-200: #A8E6A8; /* forest
-green-200 */

--color-success-300: #7DD87D; /* forest
-green-300 */

--color-success-400: #52CA52; /* forest
-green-400 */

--color-success-500: #228B22; /* forest
-green-500 */

--color-success-600: #1B6F1B; /* forest
-green-600 */

--color-success-700: #145314; /* forest
-green-700 */

--color-success-800: #0E370E; /* forest
-green-800 */

--color-success-900: #071B07; /* forest
-green-900 */
```

```
- - color - warning : # F F 8 C 0 0 ; /* warm - orange
* /

- - color - warning - 5 0 : # F F F 7 F 0 ; /* warm - orange - 5 0 * /

- - color - warning - 1 0 0 : # F F E 8 C C ; /* warm - orange - 1 0 0 * /

- - color - warning - 2 0 0 : # F F D 1 9 9 ; /* warm - orange - 2 0 0 * /

- - color - warning - 3 0 0 : # F F B A 6 6 ; /* warm - orange - 3 0 0 * /

- - color - warning - 4 0 0 : # F F A 3 3 3 ; /* warm - orange - 4 0 0 * /

- - color - warning - 5 0 0 : # F F 8 C 0 0 ; /* warm - orange - 5 0 0 * /

- - color - warning - 6 0 0 : # C C 7 0 0 0 ; /* warm - orange - 6 0 0 * /

- - color - warning - 7 0 0 : # 9 9 5 4 0 0 ; /* warm - orange - 7 0 0 * /

- - color - warning - 8 0 0 : # 6 6 3 8 0 0 ; /* warm - orange - 8 0 0 * /

- - color - warning - 9 0 0 : # 3 3 1 C 0 0 ; /* warm - orange - 9 0 0 * /

- - color - error : # D C 1 4 3 C ; /* crimson - red
* /

- - color - error - 5 0 : # F D F 2 F 4 ; /* crimson - red - 5 0 * /

- - color - error - 1 0 0 : # F 9 D 6 D D ; /* crimson - red - 1 0 0 * /

- - color - error - 2 0 0 : # F 2 A D B B ; /* crimson - red - 2 0 0 * /

- - color - error - 3 0 0 : # E C 8 4 9 9 ; /* crimson - red - 3 0 0 * /
```

```

    - - color - error - 400 : # E 5 5 B 7 7 ; /* crimson -
red - 400 */

    - - color - error - 500 : # D C 1 4 3 C ; /* crimson -
red - 500 */

    - - color - error - 600 : # B 0 1 0 3 0 ; /* crimson -
red - 600 */

    - - color - error - 700 : # 8 4 0 C 2 4 ; /* crimson -
red - 700 */

    - - color - error - 800 : # 5 8 0 8 1 8 ; /* crimson -
red - 800 */

    - - color - error - 900 : # 2 C 0 4 0 C ; /* crimson -
red - 900 */

/* Shadow Variables */

    - - shadow - warm : 0 2px 8px rgba(139, 69,
19, 0.1);

    - - shadow - warm - md : 0 4px 12px rgba(139,
69, 19, 0.12);

    - - shadow - warm - lg : 0 8px 16px rgba(139,
69, 19, 0.15);

    - - shadow - warm - xl : 0 16px 24px rgba(139,
69, 19, 0.18);

/* Animation Variables */

    - - transition - spring : cubic - bezier(0.34,
1.56, 0.64, 1);

    - - transition - smooth : cubic - bezier(0.4,
0.0, 0.2, 1);

}

@layer base {

```



```
body {  
    font-family: 'Inter', sans-serif;  
    background-color: var(--color-background);  
    color: var(--color-text-primary);  
}
```

```
h1, h2, h3, h4, h5, h6 {  
    font-family: 'Playfair Display', serif;  
}
```

```
.font-caption {  
    font-family: 'Source Sans Pro', sans-serif;  
}
```

```
.font-mono {  
    font-family: 'JetBrains Mono', monospace;  
}
```

```
@layer components {  
    .card-elevation {  
        box-shadow: var(--shadow-warm);  
        transition: box-shadow 200ms var(--transition-spring);  
    }
```

```
}
```

```
.card-elevation: hover {  
    box-shadow: var(--shadow-warm-md);  
    transform: translateY(-1px);  
}
```

```
.btn-spring {  
    transition: all 200ms var(--transition-spring);  
}
```

```
.backdrop-blur-warm {  
    backdrop-filter: blur(8px);  
    background-color: rgba(254, 252, 248, 0.8);  
}
```

```
.content-group {  
    background-color: rgba(139, 69, 19, 0.02);  
}
```

```
.border-subtle {  
    border-color: rgba(205, 133, 63, 0.2);  
};  
}
```

```
.animate-spring {  
    animation-timing-function: var(--transition-spring);  
    animation-duration: 300ms;  
}
```

```
.animate-smooth {  
    animation-timing-function: var(--transition-smooth);  
    animation-duration: 300ms;  
}  
}
```

```
@layer utilities {  
    .text-fluid-xs {  
        font-size: clamp(0.75rem, 0.7rem + 0.25vw, 0.875rem);  
    }
```

```
.text-fluid-sm {  
    font-size: clamp(0.875rem, 0.8rem + 0.375vw, 1rem);  
}
```

```
.text-fluid-base {  
    font-size: clamp(1rem, 0.9rem + 0.5vw
```

```
, 1.125rem);
```

```
}
```

```
.text-fluid-lg {
```

```
    font-size: clamp(1.125rem, 1rem + 0.625vw, 1.25rem);
```

```
}
```

```
.text-fluid-xl {
```

```
    font-size: clamp(1.25rem, 1.1rem + 0.75vw, 1.5rem);
```

```
}
```

```
.text-fluid-2xl {
```

```
    font-size: clamp(1.5rem, 1.3rem + 1vw, 1.875rem);
```

```
}
```

```
.text-fluid-3xl {
```

```
    font-size: clamp(1.875rem, 1.6rem + 1.375vw, 2.25rem);
```

```
}
```

```
.text-fluid-4xl {
```

```
    font-size: clamp(2.25rem, 1.9rem + 1.75vw, 3rem);
```

```
}
```

```
}
```

```

/* Reduced motion support */
@media (prefers-reduced-motion: reduce) {
    .card-elevation,
    .btn-spring,
    .animate-spring,
    .animate-smooth {
        transition: none;
        animation: none;
    }
}

===== JS =====
- - - - - D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Metodologias giles\AntioqApp\AntioqApp\tailwind.config.js - - - - -

module.exports = {
    content: [ ". / pages / *. {html, js} ", ". / index.html", ". / js / *.js " ],
    theme: {
        extend: {
            colors: {
                primary: {
                    DEFAULT: "#8B4513", // coffee-brown
                    50: "#F7F3F0", // coffee-brown-50
                    100: "#EDE4DC", // coffee-brown-100
                }
            }
        }
    }
}

```

```
- 2 0 0      2 0 0 :   " # D 4 C 0 B 0 " ,   / /   c o f f e e - b r o w n
- 3 0 0      3 0 0 :   " # B B 9 C 8 4 " ,   / /   c o f f e e - b r o w n
- 4 0 0      4 0 0 :   " # A 2 7 8 5 8 " ,   / /   c o f f e e - b r o w n
- 5 0 0      5 0 0 :   " # 8 B 4 5 1 3 " ,   / /   c o f f e e - b r o w n
- 6 0 0      6 0 0 :   " # 6 F 3 7 0 F " ,   / /   c o f f e e - b r o w n
- 7 0 0      7 0 0 :   " # 5 3 2 A 0 B " ,   / /   c o f f e e - b r o w n
- 8 0 0      8 0 0 :   " # 3 7 1 C 0 7 " ,   / /   c o f f e e - b r o w n
- 9 0 0      9 0 0 :   " # 1 B 0 E 0 4 " ,   / /   c o f f e e - b r o w n
```

```
},
```

```
secondary : {
```

```
ta          D E F A U L T :   " # C D 8 5 3 F " ,   / /   t e r r a c o t
0 0          5 0 :   " # F B F 7 F 2 " ,   / /   t e r r a c o t t a - 5 0
0 0          1 0 0 :   " # F 5 E B D 9 " ,   / /   t e r r a c o t t a - 1
0 0          2 0 0 :   " # E 8 D 0 A 6 " ,   / /   t e r r a c o t t a - 2
0 0          3 0 0 :   " # D B B 5 7 3 " ,   / /   t e r r a c o t t a - 3
0 0          4 0 0 :   " # C E 9 A 4 0 " ,   / /   t e r r a c o t t a - 4
0 0          5 0 0 :   " # C D 8 5 3 F " ,   / /   t e r r a c o t t a - 5
0 0          6 0 0 :   " # A 4 6 A 3 2 " ,   / /   t e r r a c o t t a - 6
```

00

00

00

00

```
700: "#7B4F26", // terracotta - 7
800: "#523519", // terracotta - 8
900: "#291A0D", // terracotta - 9
},
```

```
accent: {
```

```
  DEFAULT: "#FF6B35", // coral
  50: "#FFF4F1", // coral - 50
  100: "#FFE4DC", // coral - 100
  200: "#FFC4B0", // coral - 200
  300: "#FFA384", // coral - 300
  400: "#FF8258", // coral - 400
  500: "#FF6B35", // coral - 500
  600: "#CC552A", // coral - 600
  700: "#99401F", // coral - 700
  800: "#662B15", // coral - 800
  900: "#33150A", // coral - 900
```

```
},
```

ite

```
background: "#FEFCF8", // warm - wh
```

```
surface: "#FFFFFF", // pure - white
```

```
text: {
```

wn

```
  primary: "#2C1810", // dark - bro
```

```
  secondary: "#6B4E3D", // medium
```

- b r o w n

},

s u c c e s s : {

r e e n

    D E F A U L T : " # 2 2 8 B 2 2 " , // f o r e s t - g

5 0

    5 0 : " # F 0 F 8 F 0 " , // f o r e s t - g r e e n -

- 1 0 0

    1 0 0 : " # D 4 F 4 D 4 " , // f o r e s t - g r e e n

- 2 0 0

    2 0 0 : " # A 8 E 6 A 8 " , // f o r e s t - g r e e n

- 3 0 0

    3 0 0 : " # 7 D D 8 7 D " , // f o r e s t - g r e e n

- 4 0 0

    4 0 0 : " # 5 2 C A 5 2 " , // f o r e s t - g r e e n

- 5 0 0

    5 0 0 : " # 2 2 8 B 2 2 " , // f o r e s t - g r e e n

- 6 0 0

    6 0 0 : " # 1 B 6 F 1 B " , // f o r e s t - g r e e n

- 7 0 0

    7 0 0 : " # 1 4 5 3 1 4 " , // f o r e s t - g r e e n

- 8 0 0

    8 0 0 : " # 0 E 3 7 0 E " , // f o r e s t - g r e e n

- 9 0 0

    9 0 0 : " # 0 7 1 B 0 7 " , // f o r e s t - g r e e n

},

w a r n i n g : {

n g e

    D E F A U L T : " # F F 8 C 0 0 " , // w a r m - o r a

0

    5 0 : " # F F F 7 F 0 " , // w a r m - o r a n g e - 5

    1 0 0 : " # F F E 8 C C " , // w a r m - o r a n g e -



1 0 0

2 0 0

3 0 0

4 0 0

5 0 0

6 0 0

7 0 0

8 0 0

9 0 0

```
2 0 0 :   " # F F D 1 9 9 " ,   / /   w a r m - o r a n g e -  
3 0 0 :   " # F F B A 6 6 " ,   / /   w a r m - o r a n g e -  
4 0 0 :   " # F F A 3 3 3 " ,   / /   w a r m - o r a n g e -  
5 0 0 :   " # F F 8 C 0 0 " ,   / /   w a r m - o r a n g e -  
6 0 0 :   " # C C 7 0 0 0 " ,   / /   w a r m - o r a n g e -  
7 0 0 :   " # 9 9 5 4 0 0 " ,   / /   w a r m - o r a n g e -  
8 0 0 :   " # 6 6 3 8 0 0 " ,   / /   w a r m - o r a n g e -  
9 0 0 :   " # 3 3 1 C 0 0 " ,   / /   w a r m - o r a n g e -  
  
} ,
```

```
e r r o r :   {
```

r e d

0

1 0 0

2 0 0

3 0 0

4 0 0

5 0 0

```
D E F A U L T :   " # D C 1 4 3 C " ,   / /   c r i m s o n -  
5 0 :   " # F D F 2 F 4 " ,   / /   c r i m s o n - r e d - 5  
1 0 0 :   " # F 9 D 6 D D " ,   / /   c r i m s o n - r e d -  
2 0 0 :   " # F 2 A D B B " ,   / /   c r i m s o n - r e d -  
3 0 0 :   " # E C 8 4 9 9 " ,   / /   c r i m s o n - r e d -  
4 0 0 :   " # E 5 5 B 7 7 " ,   / /   c r i m s o n - r e d -  
5 0 0 :   " # D C 1 4 3 C " ,   / /   c r i m s o n - r e d -
```

```
600          600: "#B01030", // crimson-red-
700          700: "#840C24", // crimson-red-
800          800: "#580818", // crimson-red-
900          900: "#2C040C", // crimson-red-

        },
    },
    fontFamily: {
        sans: ['Inter', 'sans-serif'],
        serif: ['Playfair Display', 'serif'],
        caption: ['Source Sans Pro', 'sans-serif'],
        mono: ['JetBrains Mono', 'monospace'],
    },
    boxShadow: {
        'warm': '0 2px 8px rgba(139, 69, 19, 0.1)',
        'warm-md': '0 4px 12px rgba(139, 69, 19, 0.12)',
        'warm-lg': '0 8px 16px rgba(139, 69, 19, 0.15)',
        'warm-xl': '0 16px 24px rgba(139, 69, 19, 0.18)',
    },
    animation: {
```

```
        'spring': 'spring 200ms cubic-bez  
ier(0.34, 1.56, 0.64, 1)',  
        'smooth': 'smooth 300ms cubic-bez  
ier(0.4, 0.0, 0.2, 1)',  
    },  
    keyframes: {  
        spring: {  
            '0%': { transform: 'scale(1)' },  
,  
            '50%': { transform: 'scale(1.05  
)' },  
            '100%': { transform: 'scale(1)'  
        },  
        },  
        smooth: {  
            '0%': { opacity: '0', transform  
: 'translateY(10px)' },  
            '100%': { opacity: '1', transfo  
rm: 'translateY(0)' },  
        },  
    },  
    backdropBlur: {  
        'warm': '8px',  
    },  
    spacing: {  
        '18': '4.5rem',  
        '88': '22rem',  
    },  
    borderRadius: {
```

```
        'x1': '0.75rem',
        '2x1': '1rem',
        '3x1': '1.5rem',
    },
    transitionTimingFunction: {
        'spring': 'cubic-bezier(0.34, 1.56, 0.64, 1)',
        'smooth': 'cubic-bezier(0.4, 0.0, 0.2, 1)',
    },
},
},
plugins: [],
}
```