```
===== HTML =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde Frontend-I\Carrito Comida
s\archivos-plantilla-Mio\cart.html ----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
    integrity = "sha384 - EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC" crossorigin="anonymous">
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
```

nts.googleapis.com">

```
k rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"><img src="./images/logo.p
ng" alt=""
           width="30px">BUR<span>GER</span
> < / a >
      <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s - target = " # navbar Supported Content "
         aria-controls="navbarSupportedCon
tent" aria-expanded="false" aria-label="To
ggle navigation">
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / s p a n >
       </button>
       <div class="collapse navbar-collaps</pre>
e" id = "navbarSupportedContent">
        m b - 1 g - 0 " >
           class="nav-item">
```

< / l i >

class="nav-item">

< / l i >

class="nav-item dropdown">

aria-expanded="false">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

< / u 1 >

< / l i >

class="nav-item">

```
< / l i >
            class="nav-item">
              <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
            < / l i >
         < / u 1 >
         <form class="d-flex align-items-c</pre>
enter position-relative">
            <div class="icons d-flex align-</pre>
items-center gap-3">
              <i class="fa-regular fa-user"</pre>
> < / i >
              <div class="dropdown">
                 <i class="fa-solid fa-cart-</pre>
shopping dropdown-toggle position-relative
" id="iconoCarrito" role="button"
                   data-bs-toggle="dropdown"
aria-expanded="false">
                   <span id="contadorCarrito"</pre>
                    class="position-absolut
e top-0 start-100 translate-middle badge r
ounded-pill bg-warning text-dark"
                     style = "font-size: 0.7re
m ; " >
                     0
                   / s p a n >
                < / i >
```

```
opdown-menu-end p-3 shadow" id="listaCarri
to "style = "min-width: 280px;">
                 class="text-center te
xt-muted small">Carrito vac o
               < / u l >
             < / d i v >
           < / d i v >
        < / f o r m >
      < / d i v >
    < / d i v >
  < / n a v >
  <!-- nav section -->
  <!-- cart section -->
  <h2 class="page-title text-center my-5</pre>
py-3" style="background-color: #ffc800;">C
art < / h 2 >
  <div class="page-content">
    <!-- Cart Star -->
    <section class="pt-80 pb-40">
      <div class="container-fluid">
        <div class="row">
           <div class="col-lg-8 mb-64 mb-1</pre>
g - 0 px - 5" >
             <div class=" mb-64">
               b 1 e " >
```

```
<thead>
                    < t r >
                      PRODUC
T 0 < / t h >
                      PRECIO
< / t h >
                      CANTID
AD
                      SUBTOT
AL
                    < / t r >

< / thead>
                  < t b o d y >
                    <!--aqui van los produc
tos de localstorage -->
                  < / t b o d y >
                < / d i v >
             <a href="index.html" class="c</pre>
us-btn primary">
                <span class="icon-wrapper">
                  <svg class="icon-svg icon</pre>
-svg-copy" xmlns="http://www.w3.org/2000/s
vg" width="20" height="20"
                    viewBox="0 0 20 20" fil
1 = " n o n e " >
                    d = " M 1 6 . 2 5 2 2 1 1 . 9 7 8 9 C 1
4.4658 10.1925 13.7513 6.14339 15.6567 4.2
3 7 9 2 M 1 5 . 6 5 6 7 4 . 2 3 7 9 2 C 1 4 . 5 6 5 5 . 3 2 9 6 1 1 . 4 8 8 5
 7.21521 7.91576 3.64246M15.6567 4.23792L4
```

```
.34301 15.5516"
```

stroke = "#FCFDFD" stro
ke-width = "2" stroke-linecap = "round" stroke
-linejoin = "round" > < / path >

< / s v g >

/ s p a n >

Continuar Comprando

< / a >

< / d i v >

<div class="col-lg-4">

<div class="cart-summary">

 $$\rm < p\ class = "lead\ color-black" > SUBTOTAL$

< / d i v >

 $$\langle p\>$ class="lead color-black mb-0">DESTINO

< select class = "destino"
>

```
> Bello - $10.000
                   <option value="Itagui</pre>
">Itagui - $15.000</option>
                   <option value = "Enviga</pre>
do">Envigado - $15.000</option>
                    <option value = "Sabane</pre>
ta">Sabaneta - $15.000</option>
                   <option value="La Est</pre>
rella">La Estrella - $20.000</option>
                   <option value = "Caldas</pre>
" > Caldas - $20.000 < / option >
                   <option value = "Copaca</pre>
bana" > Copacabana - $20.000 < /option >
                  / select>
                < / d i v >
                <div class="d-flex justif</pre>
y-content-between align-items-center mb-24
" >
                  ack">VALOR DOMICILIO
                  mi">$10.000
                < / d i v >
                <div class="d-flex justif</pre>
y-content-between align-items-center mb-24
" >
                  ack">DESCUENTO PROMO
                  $
5.000
```

<option value="Bello"</pre>

< / d i v >

< / d i v >

stroke = "#FCFDFD" st
roke - width = "2" stroke - linecap = "round" stro
ke - linejoin = "round" > < / path >

 $\langle / s v g \rangle$

/ span>

Ir a pagar

</button>

```
< / d i v >
         < / d i v >
       < / d i v >
    </section>
    <!-- Cart End -->
  < / d i v >
  <!-- cart section -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
       <div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt="" width="30px">Burger</a>
             Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.
             >
               Karachi <br>
               Sindh <br><br>
               Pakistan <br> <br>
```

< / d i v >

<h4>Useful Links/h4>

u 1 >

< l i > < a h r e f = " # " > H o m e < / a > < / l</pre>

i >

< a href="#">About

1 i >

< a href = " # " > Contact < / a >

< / l i >

< a href="#">Services

> < / l i >

< / u l >

< / d i v >

<h4>Our Services</h4>

 $$\langle p \rangle$ Lorem ipsum dolor sit amet consectetur adipisicing elit. Quas, aperiam. <math display="inline"><\!/p \,>$

< u 1 >

```
< a href = " # " > Pizza < / a > < /</pre>
li \rightarrow
                 < a href="#">Fried chick
en</a>
                 < a href="#">Fries</a>/
li \rightarrow
              < / u l >
            < / d i v >
            <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
              <h4>Our Socail Links/h4>
              Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
             <div class="socail-links mt-3</pre>
" >
                 <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                <a href="#"><i class="fa-br</pre>
     fa-facebook"></i>
ands
                 <a href="#"><i</pre>
                                  class="fa-br
ands fa-google-plus"></i>
                 <a href="#"><i class="fa-br</pre>
ands fa-instagram"></i></a>
                <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i></a>
              < / d i v >
            < / d i v >
```

```
< / d i v >
     < / d i v >
     \langle h r \rangle
     <div class="container py-4">
       <div class="copyright">
         © Copyright <strong>Burger</
strong>. All Rights reserved
       < / d i v >
       <div class="credits">
         Designed By <a href="#">SA coding
< / a >
       < / d i v >
     < / d i v >
  </footer>
  <!-- footer -->
  <a href="#" class="arrow"><i class="fa-</pre>
solid fa-arrow-up"></i></a>
  <script src="https://cdn.jsdelivr.net/n</pre>
pm/bootstrap@5.0.2/dist/js/bootstrap.bundl
e.min.js"
     integrity="sha384-MrcW6ZMFY1zcLA8N1+N
tUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIax
V X M "
     crossorigin = "anonymous"></script>
  <script type="module" src="js/pro_local</pre>
storage.js"></script>
```

```
<script type="module" src="js/info_carr</pre>
ito.js"></script>
  <script type="module" src="js/pro_carri</pre>
to.js"></script>
  <script type="module" src="js/resumen c</pre>
ompra.js"></script>
 <script type="module">
    import { loadCarrito, sincronizarCarr
itoLS } from './js/pro_localstorage.js';
    import { renderCartDropdown, renderCa
rtTable, updateCartCount } from './js/info
_carrito.js';
    import { calcularResumen } from './js
/resumen_compra.js';
    document.addEventListener('DOMContent
Loaded', () => {
      console.log("=_, Iniciando cart.html
con m dulos...");
      // 1 Sincronizar carrito desde lo
calStorage
      sincronizarCarritoLS();
      const carrito = loadCarrito(); //
I' trae los 4 productos
      console.log("= Carrito cargado:",
carrito);
```

```
// 2 Renderizar men desplegable
y contador del carrito (navbar)
      renderCartDropdown(carrito);
      updateCartCount(carrito);
      // 3 🛮 Renderizar tabla de producto
 en cart.html
      renderCartTable(carrito);
      // 40 Calcular resumen de la compr
 (subtotal, total)
      calcular Resumen (carrito);
    });
  </script>
</body>
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\checkout.html --
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" cont</pre>
ent="IE=edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  k href="https://cdn.jsdelivr.net/np
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
    integrity = "sha384 - EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC" crossorigin="anonymous">
  <!-- bootstrap links -->
  <!-- fonts links -->
  link rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
m/css2?family=Dancing+Script:wght@600&disp
lay = swap " rel = "stylesheet" >
  <!-- fonts links -->
< / h e a d >
```

< b o d y >

<!-- nav section --> <nav class="navbar navbar-expand-lg" id</pre> = " n a v b a r " > <div class="container-fluid"> <a class="navbar-brand" href="index</pre> .html" id="logo"> < img src="./images/logo.p ng" alt="" width="30px">BURGER < / a > <button class="navbar-toggler" type</pre> = "button" data-bs-toggle="collapse" data-b s - target = " # navbar Supported Content " aria-controls="navbarSupportedCon tent" aria-expanded="false" aria-label="To ggle navigation"> <i class="fa-solid fa-bars"</pre> > < / i > < / s p a n > /button> <div class="collapse navbar-collaps</pre> e" id = "navbarSupportedContent"> 2 mb-lg-0"> class="nav-item"> <a class="nav-link active" ar</pre> ia-current="page" href="#" id="first-child " > H o m e < / a > $\langle / 1 i \rangle$ class="nav-item"> <a class="nav-link" href="ind</pre> ex.html#burger">Burger $\langle / 1 i \rangle$

class="nav-item dropdown">

button data-bs-toggle="dropdown" aria-expanded="false"> 0 ther < / a > a-labelledby="navbarDropdown" style="backg round-color: #ffc800;"> < a class = "dropdown-item</pre> " href="index.html#top-icons">Pizza</l < a class = "dropdown-item</pre> " href="index.html#top-icons">Fries</l i > < a class = "dropdown-item</pre> " href="index.html#top-icons">Fried Chicke n < /a >< / u 1 > $\langle /1i \rangle$ class="nav-item"> <a class="nav-link" href="ind</pre> ex.html#about">About Us < / 1 i >

class="nav-item">

< / 1 i >

< / u 1 >

<form class="d-flex">

```
<div class="icons">
              <i class="fa-regular fa-user"</pre>
> < / i >
              <div class="dropdown">
                <i class="fa-solid fa-cart-</pre>
shopping dropdown-toggle" id="iconoCarrito
" role = "button"
                  data-bs-toggle="dropdown"
aria-expanded="false"></i>
                opdown-menu-end p-2" id="listaCarrito" sty
le = " m i n - w i d t h : 250 p x ; " >
                  class="text-center te
xt-muted">Carrito vac o
                < / u 1 >
              < / d i v >
           < / d i v >
         < / f o r m >
       < / d i v >
     < / d i v >
  < / n a v >
  <!-- nav section -->
  <!-- cart section -->
  <h2 class="page-title text-center my-5</pre>
py-3" style="background-color: #ffc800;">C
heckout</h2>
  <div class="page-content">
     <section class="pt-80 pb-40">
```

```
<div class="container-fluid">
          <form>
            <div class="row">
               <div class="col-lg-8 mb-64 mb</pre>
-lg-0 px-5"
                 < h 5     c l a s s = " m b - 3 2 " > D A T O S     D E
ENTREGA</h>
                 <div class="row">
                    <div class="col-sm-6">
                      <div class="form-group</pre>
m b - 3 2 " >
                        <label>Nombres*
1 >
                        <input id="nombres-in</pre>
put" type="text" name="f-name" autocomplet
e = "off" placeholder = "Mr. John">
                        <div data-lastpass-ic</pre>
on - root = " "
                           style="position: re
lative !important; height: 0px !important;
width: 0px !important; float: left !impor
tant; ">
                        < / d i v >
                      < / d i v >
                    < / d i v >
                    <div class="col-sm-6">
                      <div class="form-group</pre>
m b - 3 2 " >
                        <label>Apellidos*</la>
b e 1 >
                        <input id="apellidos-</pre>
input" type="text" name="l-name" autocompl
```

```
ete="off" placeholder="Deo">
                       < / d i v >
                    < / d i v >
                    <div class = "col-sm-6">
                       <div class="form-group</pre>
m b - 3 2 " >
                         <label>Email*</label>
                         <input id = "email-inpu</pre>
t" type="email" name="email" autocomplete=
" o f f "
                            placeholder = "email@
example.com">
                       < / d i v >
                    < / d i v >
                    <div class="col-sm-6">
                       <div class="form-group</pre>
m b - 3 2 " >
                         <label>Celular*</labe</pre>
1 >
                         <input id="celular-in"</pre>
put" type="tel" name="phone" autocomplete=
"off" placeholder="12345679">
                       < / d i v >
                    < / d i v >
                    <div class="col-12">
                       <div class="form-group</pre>
m b - 3 2 " >
                         <label>Direccion*</la>
b e 1 >
                         <input id="direccion-</pre>
input" type="text" name="address" autocomp
```

```
lete="off"
                           placeholder = "Your A
ddress">
                       < / d i v >
                    < / div >
                    <div class = "col-12">
                      <div class="form-group</pre>
m b - 3 2 " >
                         <label>Direction (opt
ional)</label>
                         <input id="direccion-</pre>
2 - input "type = "text" name = "address 2" autoc
omplete="off"
                           placeholder="Apartm
ent, Suite, Unit etc.">
                       < / d i v >
                    < / d i v >
                  < / d i v >
                  <div class="mt-64">
                    < h 5     c l a s s = " m b - 3 2 " > I N F O R M A
CION ADICIONAL < / h 5 >
                    <div class="form-group">
                      <label>Notas de orden (
opcional) < /label>
                      <textarea name="noe" id</pre>
= "additiona-note" rows = "5"
                        placeholder="Note Abo
ut Your Order, e.g. special notes for deli
very."></textarea>
                    < / d i v >
```

```
<div class="col-lg-4">
              <div class="cart-summary">
                <h6 class="title mb-24">R
ESUMEN DE ORDEN</hd>
                <div class="cart-summary-</pre>
detail mb-24">
                  <div class="productos b</pre>
order-bottom">
                   <!-- aqui van product
os -->
                  < / d i v >
                  <div class="d-flex just</pre>
ify-content-between align-items-center mb-
2 4 " >
                   black">VALOR DOMICILIO
                   domi">$5.00
                  < / d i v >
                  <div class="d-flex just</pre>
ify-content-between align-items-center mb-
2 4 " >
                    black" > Ciudad DOMICILIO 
                    class="lead destin"
o" > $5.00 
                  < / d i v >
                  <div class="d-flex just</pre>
ify-content-between align-items-center mb-
2 4 " >
```

```
black" > DESCUENTO PROMO
                     > $ 5 . 0 0 
                   < / d i v >
                   <div class="d-flex just</pre>
ify-content-between align-items-center mb-
3 2 " >
                     black">SUBTOTAL
                     black res-sub-total">$560.00
                   < / d i v >
                 < / d i v >
                 <div class="d-flex justif</pre>
y-content-between align-items-center mb-32
                   <h5 class="color-primar"</pre>
y " > T O T A L < / h 5 >
                   <h5 class="color-primar"</pre>
y total">$420.00</h5>
                 \langle / div \rangle
                 <div class="payment-metho</pre>
d mb-24">
                   umn mb-3">
                     < 1 i >
                       <label class="lead"</pre>
for = " c o d " >
                         <input id="cod" t</pre>
ype="radio" class="form-check-input" name=
"radio" class="radio" value="1"
                            checked = "checke
d " >
```

```
Contraentrega + (5
%) < / label>
                         < / l i >
                         < 1 i >
                           <label class="lead"</pre>
for = " c p " >
                             <input id="cp" ty</pre>
pe="radio" class="form-check-input" name="
radio" class="radio" value="2">
                              PSE + (3%) < /label>
                         < / l i >
                         < 1 i >
                           <label class="lead"</pre>
for = "bt">
                             <input id="bt" ty</pre>
pe="radio" class="form-check-input" name="
radio" class="radio" value="3">
                             Transferencia</la
b e 1 >
                        < / l i >
                      < / u 1 >
                    < / d i v >
                    <button type="button" cla</pre>
ss="btn-checkout cus-btn dark w-100">
                      <span class="icon-wrapp</pre>
er">
                        < s v g c l a s s = "i c o n - s v g</pre>
icon-svg-copy" xmlns="http://www.w3.org/20
00/svg" width="20" height="20"
                           viewBox="0 0 20 20"
fill="none">
```

```
d = "M16.2522 11.97
8 9 C 1 4 . 4 6 5 8 1 0 . 1 9 2 5 1 3 . 7 5 1 3 6 . 1 4 3 3 9 1 5 . 6 5 6 7
 4.23792M15.6567 4.23792C14.565 5.3296 11.
4885 7.21521 7.91576 3.64246M15.6567 4.237
9 2 L 4 . 3 4 3 0 1 1 5 . 5 5 1 6 "
                              stroke="#FCFDFD"
stroke-width="2" stroke-linecap="round" st
roke-linejoin="round"></path>
                         < / s v g >
                       / s p a n >
                       Place Order
                    / button>
                  < / d i v >
               < / d i v >
             < / d i v >
          < / f o r m >
        < / d i v >
     </section>
   < / d i v >
   <!-- cart section -->
   <!-- footer -->
   <footer id="footer" style="margin-top:</pre>
50px;">
     <div class="footer-top">
        <div class="container">
          <div class="row">
```

```
<div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt="" width="30px">Burger</a>
              Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
             >
                Karachi <br>
                Sindh <br><br>
                Pakistan <br><br>
             <strong><i class="fa-solid fa</pre>
000</strong></strong><br>
             <strong><i class="fa-solid fa</pre>
-envelope"></i> Email: <strong>example@gma
il.com</strong></strong>
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Useful Links/h4>
              \langle u 1 \rangle
                < a href = " # " > Home < / a > < / 1</pre>
i >
                < a href = " # " > About < / a > < /</pre>
1 i >
                < a href="#">Contact</a>
\langle / 1 i \rangle
                < a href="#">Services</a</pre>
> < / l i >
```

```
< a href="#">Privacy pol
icay</a>
             < / u 1 >
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Our Services
             Lorem ipsum dolor sit amet
consectetur adipisicing elit. Quas, aperi
am.
             < u 1 >
               < a href="#">Pizza</a>/
li \rightarrow
               < a href="#">Fried chick
en</a>
               < a href="#">Fries</a>/
1 i >
             < / u 1 >
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Our Socail Links/h4>
             Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
             <div class="socail-links mt-3</pre>
" >
               <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
```

```
<a href="#"><i class="fa-br</pre>
ands fa-facebook"></i></a>
                 <a href="#"><i class="fa-br</pre>
     fa-google-plus"></i></a>
ands
                 <a href="#"><i class="fa-br</pre>
ands fa-instagram"></i></a>
                 <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i>
              < / d i v >
            < / d i v >
          < / d i v >
       < / d i v >
     < / d i v >
     <hr>>
     <div class="container py-4">
       <div class="copyright">
         © Copyright <strong>Burger</
strong>. All Rights reserved
       < / d i v >
       <div class="credits">
          Designed By <a href="#">SA coding
< / a >
       < / d i v >
     < / d i v >
  </footer>
```

```
<!-- footer -->
  <a href="#" class="arrow"><i class="fa-</pre>
solid fa-arrow-up"></i></a>
  <script src="https://cdn.jsdelivr.net/n</pre>
pm/bootstrap@5.0.2/dist/js/bootstrap.bundl
e.min.js"
     integrity = "sha384-MrcW6ZMFY1zcLA8N1+N
tUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIax
VXM"
    crossorigin="anonymous"></script>
  <script src="js/checkout.js"></script>
</body>
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\index.html -----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
```

```
link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  link rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
    integrity="sha384-EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC" crossorigin="anonymous">
  <!-- bootstrap links -->
  <!-- fonts links -->
  link rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
  <!-- I' M dulos de carrito -->
< / h e a d >
< b o d y >
  <!-- home section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
```

<div class="container-fluid">

width="30px">BURGER

aria-controls="navbarSupportedCon
tent" aria-expanded="false" aria-label="To
ggle navigation">

class="nav-item">

< / 1 i >

class="nav-item">

< / l i >

class="nav-item dropdown">

aria-expanded = "false" > Other

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

< / u 1 >

< / 1 i >

class="nav-item">

 $\langle /1i \rangle$

class="nav-item">

< / l i >

< / u 1 >

```
<i class="fa-regular fa-user"</pre>
> < / i >
             <div class="dropdown">
               <i class="fa-solid fa-cart-</pre>
shopping dropdown-toggle position-relative
" id = "iconoCarrito" role = "button"
                  data-bs-toggle="dropdown"
aria-expanded="false">
                 <span id = "contadorCarrito</pre>
                   class="position-absolut
e top-0 start-100 translate-middle badge r
ounded-pill bg-warning text-dark"
                    style="font-size: 0.7re
m ; " >
                    0
                 / span>
               < / i >
               opdown-menu-end p-3 shadow" id="listaCarri
to " style = "min-width: 280px;">
                 class="text-center te
xt-muted small">Carrito vac o
               < / u l >
             < / d i v >
           < / d i v >
         < / f o r m >
```

```
< / d i v >
    < / d i v >
    <table class="table list-cart ocultar"
" >
      < thead>
        < t r >
           # 
              scope="col">Imagen
          < t h
          < t h
              scope = "col" > Nombre 
              scope = "col">Precio
          < t h
        < / t r >
      / thead>
      < t b o d y >
        <!-- aqui va la info del producto
- - >
      <tfoot>
        < t r >
          ter">
             <a href="cart.html" class="bt</pre>
n-cart btn btn-primary">Ver Carrito</a>
          < / t d >
        < / t r >
      / table>
  < / n a v >
```

```
<div id = "Home" class = "home-section">
                       <!-- home content -->
                       <section class="home">
                                 <div class="content">
                                           <h1>Super Delicious
                                                      <br> <br> <br > <br
                                           < / h 1 >
                                            Lorem ipsum dolor sit amet con
sectetur adipisicing elit. Voluptatum, ist
e! 
                                           < div id = "btn" >
                                                    <button class="btn-add-carrito"</pre>
  data-id="h002" data-nombre="Hamburguesa B
BQ " data-precio = "120.00" >
                                                                Order Now
                                                      / button>
                                                      <span>$120.00</span>
                                           < / d i v >
                                 < / d i v >
                                 <div class="img">
                                           <img src="./images/burger.png" al</pre>
t = " " >
                                 < / d i v >
                      </section>
                       <!-- home content -->
            < / d i v >
            <!-- home section -->
```

```
<!-- top icons -->
         <div class="container" id="top-icons">
                 < h 1 > 0 F F E R S < / h 1 >
                  <div class="row">
                           <div class="col-md-3 py-3 py-md-0">
                                  <i><i><img src="./images/offer1.png"</pre>
alt = " " > < / i >
                                    <h3>Burger 50% off</h3>
                           < / d i v >
                           <div class="col-md-3 py-3 py-md-0">
                                  <i><i><i><img src="./images/offer2.png"</pre>
alt = " " > < / i >
                                    <h3>Free Delivery/h3>
                           < / d i v >
                           <div class="col-md-3 py-3 py-md-0">
                                   <i><i><io</pre> <ir><io</pre> <ir><io</pre> <ir><io</pre> <ir><io</pre> <ir><io</pre> <ir><io</pre> <ir><io</p> <ir><io</ti><ti><io</ti><ti><io</ti><ti><io</ti><ti><io</ti><ti><io</ti><ti><io</ti><ti><io</ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ti><io></ti><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td><ab</td>
alt = " " > < / i >
                                    <h3>Burger free fries/h3>
                           < / d i v >
                           <div class="col-md-3 py-3 py-md-0">
                                    <i><i><img src="./images/offer4.png"</pre>
alt = " " > < / i >
```

```
< / d i v >
    < / div >
  < / d i v >
  <!-- top icons -->
  <!-- cards -->
  <div class="container" id="cards">
     <div class="row">
       <div class="col-md-6 py-3 py-md-0">
         <div class="card">
            <img src="./images/cards1.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>HamBurger/h3>
              Lorem ipsum dolor sit amet
\cdot 
              < div id = "btn" >
                <button id = "rn" class = "btn -</pre>
add-carrito" data-id="h003" data-nombre="H
amburguesa" data-precio="120.00">
```

<h3>Burger with free cold drink/

h 3 >

```
Order Now
                  / button>
               < / d i v >
             < / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-6 py-3 py-md-0">
          <div class="card">
             <img src="./images/cards2.png"</pre>
alt = " " >
             <div class="card-img-overlay">
               < h 3 > P i z z a < / h 3 >
               Lorem ipsum dolor sit amet
\cdot 
               <button id = "rn" class = "btn-ad</pre>
d-carrito" data-id="h004" data-nombre="Piz
za" data-precio="120.00">Order
                 Now</button>
             < / d i v >
          < / d i v >
       < / d i v >
     < / d i v >
     <div class="row" style="margin-top: 3</pre>
0 p x ; " >
        <div class="col-md-4 py-3 py-md-0">
          <div class="card">
```

```
<img src="./images/cards3.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Italian pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id="rn" class="btn-ad</pre>
d-carrito" data-id="h005" data-nombre="Ita
lian pizza"
                 data-precio = "120.00"> Order
Now</button>
            < / d i v >
          < / d i v >
       < / d i v >
       < div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards4.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Fried Chicken</h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id = "rn" class = "btn-ad</pre>
             data-id="h006" data-nombre="Fri
d - carrito"
ed Chicken"
                 data-precio = "120.00" > 0 r der
Now</button>
            < / d i v >
          < / d i v >
       < / d i v >
```

```
<div class="col-md-4 py-3 py-md-0">
         <div class="card">
            <img src="./images/cards5.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Chesse Burger/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id="rn" class="btn-ad</pre>
d-carrito" data-id="h004" data-nombre="Che
sse Burguer"
                data-precio = "120.00" > Order
Now</button>
           < / div >
         < / d i v >
       < / d i v >
    < / d i v >
  < / d i v >
  <!-- cards -->
```

```
<!-- burger -->
<div class="container" id="burger">
```

```
<h1>Delicious Burger
    <div class="row content-pro" style="m</pre>
argin-top: 30px;">
      <!-- aqui van los productos-->
      <div class="col-md-3 py-3 py-md-0">
        <div class="card">
           <img src="./images/b1.png" alt=</pre>
" " >
           <div class="card-body">
             <h3>Italian Pizza/h3>
             Lorem ipsum dolor sit amet
\cdot 
             < h 5 >
               $6.50
"Italian Pizza" data-precio="6.50">
                <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
               / span>
             < / h 5 >
           < / d i v >
        < / d i v >
      < / d i v >
      <div class="col-md-3 py-3 py-md-0">
        <div class="card">
           <img src="./images/b2.png" alt=</pre>
```

```
" " >
            <div class="card-body">
              <h3>Fried Chicken</h3>
              Lorem ipsum dolor sit amet
. 
              < h 5 >
                $ 2 0 . 3 0
                <span class="btn-product bt</pre>
n-add-carrito" data-id="p001" data-nombre=
"Fried Chicken" data-precio="20.30">
                  <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                / span>
              < / h 5 >
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b3.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
\cdot 
              < h 5 >
                $1.20
                <span class="btn-product bt</pre>
```

n-add-carrito" data-id="p001" data-nombre=

```
"Tasty Fried" data-precio="1.20">
                 <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                / s p a n >
             < / h 5 >
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
           <img src="./images/b4.png" alt=</pre>
" " >
           <div class="card-body">
             <h3>Pizza Slice/h3>
             Lorem ipsum dolor sit amet
\cdot 
             < h 5 >
                $3.20
"Pzza Slice" data-precio="3.20">
                <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
               / span>
             < / h 5 >
           < / d i v >
         < / d i v >
       < / d i v >
```

```
<div class="col-md-3 py-3 py-md-0">
          <div class="card">
            <img src="./images/b5.png" alt=</pre>
" " >
            <div class="card-body">
               <h3>Italian Pizza/h3>
               Lorem ipsum dolor sit amet
\cdot 
               < h 5 >
                 $6.50
                 <span class="btn-product bt</pre>
n-add-carrito" data-id="p001" data-nombre=
"Italian Pizza" data-precio="6.50">
                   <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                 / span>
               < / h 5 >
            < / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <div class="card">
            <img src="./images/b6.png" alt=</pre>
" " >
            <div class="card-body">
               <h3>Fried Chicken/h3>
               Lorem ipsum dolor sit amet
. 
               < h 5 >
```

\$ 20.30

 $\mbox{$\mbox{$<$}$ i class = "fa-solid fa-basket-shopping"></ix}$

/ s p a n >

< / h 5 >

< / d i v >

< / d i v >

< / d i v >

<div class="col-md-3 py-3 py-md-0">

<div class="card">

<div class="card-body">

<h3>Tasty Fries/h3>

 $$\langle p \rangle$ Lorem ipsum dolor sit amet . <math display="inline"><\!/p \rangle$

< h 5 >

\$1.20

/ span>

< / h 5 >

< / d i v >

```
< / d i v >
        < / d i v >
        <div class = "col-md-3 py-3 py-md-0">
          <div class="card">
             <img src="./images/b8.png" alt=</pre>
" " >
             <div class="card-body">
               <h3>Pizza Slice/h3>
               Lorem ipsum dolor sit amet
\cdot 
               < h 5 >
                 $ 3 . 2 0
                 <span class="btn-product bt</pre>
n-add-carrito" data-id="p001" data-nombre=
"Pizza Slice" data-precio="3.20">
                   <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                 / span>
               < / h 5 >
             < / d i v >
          < / d i v >
        < / d i v >
     < / d i v >
   < / d i v >
   <!-- burger -->
```

```
<div class="banner">
    <h3>0ther Product/h3>
    Lorem ipsum dolor, sit amet consec
tetur adipisicing elit. Architecto, volupt
atibus?
    <button id="btnorder">Order Now</butt</pre>
on>
  < / d i v >
  <!-- banner -->
  <!-- top cards -->
  <div class="container" id="topcards">
    <div class="row">
       <div class="col-md-4 py-3 py-md-0">
        <div class="card">
           <img src="./images/topcard1.png</pre>
 alt="">
        < / d i v >
```

<!-- banner -->

```
< / d i v >
       <div class="col-md-4 py-3 py-md-0">
         <div class="card">
           <img src="./images/topcard2.png</pre>
 alt="">
         < / div>
       < / d i v >
       <div class="col-md-4 py-3 py-md-0">
         <div class="card">
           <img src="./images/topcard3.png</pre>
 alt="">
         < / d i v >
       < / d i v >
    < / div >
  < / d i v >
  <!-- top cards -->
  <!-- burger -->
  <div class="container" id="burger">
    <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class = "col-md-3 py-3 py-md-0">
```

```
<div class="card">
            <img src="./images/p1.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$6.50 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p2.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$20.30 <span><i class="fa"</pre>
-solid fa-basket-shopping"></i></span></h5
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
```

```
<img src="./images/p3.png" alt=</pre>
" " >
            <div class="card-body">
               <h3>Tasty Fries/h3>
               Lorem ipsum dolor sit amet
\cdot 
              <h5>$1.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></i></span></h5>
            < / d i v >
          < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
          <div class="card">
            <img src="./images/p4.png" alt=</pre>
" " >
            <div class="card-body">
               <h3>Pizza Slice/h3>
               Lorem ipsum dolor sit amet
\cdot 
               <h5>$3.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
            < / d i v >
          < / d i v >
       < / d i v >
     < / d i v >
  < / d i v >
   <!-- burger -->
```

```
<!-- about -->
  <div class="container" id="about">
    < h 1 > A B 0 U T < / h 1 >
    <div class="row">
       <div class="col-md-6 py-3 py-md-0">
         <div class="card">
           <img src="./images/about.png" a</pre>
1 t = " " >
        < / d i v >
       < / d i v >
       <div class="col-md-6 py-3 py-md-0">
         <h2>Delicious Burger
        Lorem ipsum dolor sit amet, co
nsectetur adipisicing elit. Totam accusamu
s exercitationem ut. Non assumenda
           nihil tempore minima consequatu
r corrupti numquam quia dolorum laborum pr
aesentium vero commodi ex velit
          expedita, omnis adipisci? Exerc
itationem consequatur ducimus praesentium
```

dolores rerum voluptatibus, nam illo

quas modi deleniti iusto labori osam adipisci enim excepturi, cupiditate quidem neque tempora sunt animi natus

aliquid. Fugiat eligendi molest iae magnam vero dicta est praesentium unde ducimus eveniet commodi alias,

pariatur quis quod saepe sed ac cusamus porro nemo doloribus cumque quos quo nihil! Numquam explicabo odit

accusamus laudantium molestiae. Ipsum culpa dolor sequi dolore doloribus aperiam, earum maxime alias

voluptates magni.

< / d i v >

< / d i v >

< / d i v >

<!-- about -->

animi?

< / d i v >

< / d i v >

```
< / d i v >
  < / d i v >
  <!-- contact -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
       <div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt = " " width = " 3 0 p x " > Burger < / a >
             Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
             >
                Karachi <br>
                Sindh <br><br>
```

Pakistan

 <i class="fa-solid fa</pre> 000
 <i class="fa-solid fa</pre> -envelope"></i> Email: example@gma il.com < / d i v > <div class="col-lg-3 col-md-6 f</pre> ooter-links"> <h4>Useful Links/h4> < u 1 > < a href = " # " > Home < / a > < / l</pre> i > < a href = " # " > About < / a > < /</pre> $li \rightarrow$ < a href="#">Contact < / l i > < a href = " # " > Services < / a</pre> > < / l i > < a href="#">Privacy pol icay < / u 1 > < / d i v >

<h4>0ur Services

```
u 1 >
                 < l i > < a h r e f = " # " > P i z z a < / a > < /</pre>
l i >
                 < a href="#">Fried chick
en</a>
                 < a href = " # " > Fries < / a > < /</pre>
l i >
              < / u 1 >
            < / d i v >
            <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
               <h4>Our Socail Links/h4>
               Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
              <div class="socail-links mt-3</pre>
" >
                 <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                 <a href="#"><i class="fa-br</pre>
ands
     fa-facebook"></i>
                 <a href="#"><i class="fa-br</pre>
ands
      fa-google-plus"></i></a>
                 <a href="#"><i class="fa-br</pre>
     fa-instagram"></i></a>
ands
                 <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i>
               < / d i v >
```

< / d i v >

am.

```
< / d i v >
       < / d i v >
     < / d i v >
     < h r >
     <div class="container py-4">
       <div class="copyright">
         © Copyright <strong>Burger</
strong>.All Rights reserved
       < / d i v >
       <div class="credits">
          Designed By <a href="#">SA coding
< / a >
       < / d i v >
    < / d i v >
  </footer>
  <!-- footer -->
```

< script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"

integrity = "sha384-MrcW6ZMFYlzcLA8Nl+N
tUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIax
VXM"

crossorigin = "anonymous"></script>

<script type="module">

import { loadCarrito, sincronizarCarr
itoLS } from './js/pro_localstorage.js';

import { renderCartDropdown, renderCa
rtTable, updateCartCount } from './js/info
carrito.js';

import { calcularResumen } from './js
/resumen_compra.js';

document.addEventListener('DOMContent
Loaded', () => {

console.log("=_, Iniciando cart.html
con m dulos...");

```
// 1 Sincronizar carrito desde lo
calStorage
      sincronizarCarritoLS();
      const carrito = loadCarrito(); //
I' trae los 4 productos
      console.log("= Carrito cargado:",
carrito);
      // 2 Renderizar men desplegable
y contador del carrito (navbar)
      renderCartDropdown(carrito);
      updateCartCount(carrito);
      // 3 🛮 Renderizar tabla de producto
s en cart.html
      renderCartTable(carrito);
      ^{\prime} // 4 ^{\circ} Calcular resumen de la compr
  (subtotal, total)
      calcularResumen(carrito);
    });
  /script>
```

```
</body>
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
   programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla-Mio\thankyou.html --
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent="IE=edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
```

```
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
/ head>
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"> < img src="./images/logo.p
ng" alt="" width="30px">BUR<span>GER</span
> < / a >
       <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-co
ntrols = "navbarSupportedContent" aria-expan
ded="false" aria-label="Toggle navigation"
>
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / span >
       /button>
       <div class="collapse navbar-collaps</pre>
e" id = "navbarSupportedContent">
```

2 mb-lg-0">

class="nav-item">

< / l i >

class="nav-item">

< / l i >

class="nav-item dropdown">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

< / u l >

< / l i >

class="nav-item">

```
<a class="nav-link" href="ind</pre>
ex.html#about">About Us</a>
          < / 1 i >
          class="nav-item">
            <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
          \langle / 1 i \rangle
        < / u l >
        <form class = "d-flex">
          <div class="icons">
             <i class="fa-regular fa-user"</pre>
> < / i >
             <div class="dropdown">
  <i class="fa-solid fa-cart-shopping dro</pre>
pdown-toggle" id="iconoCarrito"
     role = "button" data-bs-toggle = "dropdo
wn" aria-expanded="false"></i>
h: 250px;">
   Ca
rrito vac o
 < / u l >
< / d i v >
          < / d i v >
        < / f o r m >
      < / d i v >
```

```
< / d i v >
  \langle / nav \rangle
    <!-- nav section -->
     <!-- cart section -->
     <h2 class="page-title text-center my</pre>
   py-3" style="background-color: #ffc800;
">PEDIDO EN PROCESO</h2>
     <div class="page-content">
         <div class="resumen-compra col-xx</pre>
1-8 col-lg-8 col-md-8 col-sm-10 offset-xxl
-2 offset-lg-2 offset-md-2 offset-sm-1">
             <h5 class="mb-16"><span>Clien
te!</span>Muchas Gracias por tu compra</h5
             0 r d e n # 0 0 0 
             Estamos prep
arando tu pedido, pronto nos comunicaremos
contigo para realizar la entrega.
            <div class="card my-5">
               <div class="card-header">Re
sumen de tu compra</div>
               <div class="row">
                <div class="col-sm-6 mb-3</pre>
m b - s m - 0 " >
                   <div class="card">
                     <div class="card-body</pre>
" >
                       <h5 class="card-tit</pre>
le">Special title treatment</h5>
                       ">With supporting text below as a natural
lead-in to additional content.
```

```
<a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                       < / d i v >
                     < / d i v >
                   < / d i v >
                   <div class="col-sm-6">
                     <div class="card">
                       <div class="card-body</pre>
" >
                          <h5 class="card-tit</pre>
le">Special title treatment</h5>
                         ">With supporting text below as a natural
lead-in to additional content.
                         <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                       < / d i v >
                     < / d i v >
                   < / d i v >
                 < / d i v >
                 <div class="card-footer">
                   Card footer
                 < / d i v >
              < / d i v >
              <button type="button" class="</pre>
btn-gracias cus-btn dark w-100 mb-32">
                  <span class="icon-wrapper"</pre>
" >
                       <svg class="icon-svg</pre>
icon-svg-copy" xmlns="http://www.w3.org/20
```

```
00/svg" width="20" height="20" viewBox="0
0 20 20" fill="none">
                         <path d = "M16.2522</pre>
11.9789614.4658 10.1925 13.7513 6.14339 1
5.6567 4.23792M15.6567 4.23792C14.565 5.32
9 6 1 1 . 4 8 8 5 7 . 2 1 5 2 1 7 . 9 1 5 7 6 3 . 6 4 2 4 6 M 1 5 . 6 5 6 7
4.23792L4.34301 15.5516" stroke="#FCFDFD"
stroke-width="2" stroke-linecap="round" s
troke-linejoin="round"></path>
                     < / s v g >
                 / span>
                Realizar otra compra?
             /button>
         < / d i v >
     < / d i v >
     <!-- cart section -->
   <!-- footer -->
    <footer id="footer" style="margin-top</pre>
  50px;">
     <div class="footer-top">
        <div class="container">
         <div class="row">
            <div class="col-lg-3 col-md-6</pre>
footer-contact">
              <a class="navbar-brand" href</pre>
g" alt="" width="30px">Burger</a>
              Lorem, ipsum dolor sit am
et consectetur adipisicing elit. Perspicia
tis, libero.
```

Karachi


```
Sindh <br><br>
                 Pakistan <br> <br>
               <strong><i class="fa-solid f</pre>
0000</strong></strong><br>
               <strong><i class="fa-solid f</pre>
a-envelope"></i> Email: <strong>example@gm
ail.com</strong></strong>
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Useful Links/h4>
               < u 1 >
                 < a href="#">Home</a>/
li \rightarrow
                 < l i > < a</pre>
                         href="#">About</a><
/ 1 i >
                 < l i > < a
                         href="#">Contact</a
> < / l i >
                         href="#">Services</
                 < l i > < a</pre>
a > \langle / l i \rangle
                 < a href="#">Privacy po
licay</a>
               < / u 1 >
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Our Services/h4>
```

```
Lorem ipsum dolor sit ame
t consectetur adipisicing elit. Quas, aper
iam.
              < u 1 >
                 < a href="#">Pizza</a>
/ l i >
                        href="#">Fried chic
                 < l i > < a
ken < /a > 
                 < a href="#">Fries</a>
/ l i >
              < / u 1 >
            < / d i v >
            <div class="col-lg-3 col-md-6</pre>
footer-links">
              <h4>Our Socail Links/h4>
              Lorem ipsum dolor, sit am
et consectetur adipisicing elit. Perferend
is, minus.
              <div class="socail-links mt-</pre>
3 " >
                 <a href="#"><i class="fa-b</pre>
rands fa-twitter"></i></a>
                 <a href="#"><i</pre>
                                 class = "fa-b
rands fa-facebook"></i>
                 <a href="#"><i</pre>
                                 class = "fa-b
      fa-google-plus"></i>
rands
                 <a href="#"><i</pre>
                                 class="fa-b
rands
     fa-instagram"></i></a>
                 <a href="#"><i class="fa-b</pre>
rands fa-linkedin-in"></i>
```

< / d i v >

t >

```
<script src="js/thankyou.js"></script</pre>
>
  / b o d y >
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Muestra\cart.html --
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  k rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
```

```
<!-- fonts links -->
  link rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay = swap " rel = "stylesheet" >
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
    <nav class="navbar navbar-expand-lg"</pre>
id="navbar">
       <div class="container-fluid">
         <a class="navbar-brand" href="ind</pre>
ex.html" id="logo"><img src="./images/logo.png" alt="" width="30px">BUR<span>GER</sp
an > \langle /a \rangle
         <button class="navbar-toggler" ty</pre>
pe="button" data-bs-toggle="collapse" data
-bs-target="#navbarSupportedContent" aria-
controls = "navbarSupportedContent" aria-exp
anded="false" aria-label="Toggle navigatio
n " >
           <span><i class="fa-solid fa-bar</pre>
s"></i></span>
         /button>
         <div class="collapse navbar-colla</pre>
pse" id = "navbarSupportedContent">
           b-2 mb-lg-0">
              class="nav-item">
```

< / l i >

class="nav-item">

< / l i >

class="nav-item dropdown"
>

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.85}} \put($

< / u l >

< / l i >

class="nav-item">

```
< / l i >
               class="nav-item">
                 <a class="nav-link" href="i</pre>
ndex.html#contact">Contact Us</a>
               < / 1 i >
             < / u 1 >
            <form class = "d-flex">
               <div class="icons">
                 <i class="fa-regular fa-use</pre>
r " > < / i >
                  <i class="fa-solid fa-cart-</pre>
shopping"></i>
               < / div >
            < / f o r m >
          < / d i v >
        < / d i v >
     < / n a v >
     <!-- nav section -->
      <!-- cart section -->
          <h2 class="page-title text-center"</pre>
my-5 py-3" style="background-color: #ffc8
00; " > Cart < / h 2 >
          <div class="page-content">
               <!-- Cart Star -->
               <section class="pt-80 pb-40">
                    <div class="container-flu</pre>
```

```
i d " >
                  <div class="row">
                      g-8 mb-64 mb-1g-0 px-5">
                          <div class="</pre>
m b - 6 4 " >
                              <table cl
ass="table cart-table">
                                  < t h e a</pre>
d >
                                      <
tr>
  PRODUCTO
  PRECIO
  CANTIDAD
  SUBTOTAL
                                      <
/ t r >
                                  / the
ad>
                                  < t b o d</pre>
y >
-aqui van los productos de localstorage-->
                                  < / t b o</pre>
d y >
                              / table>
                          < / d i v >
```

```
<a href="inde</pre>
x.html" class="cus-btn primary">
                                      kspan cla
ss="icon-wrapper">
class="icon-svg icon-svg-copy" xmlns="http
://www.w3.org/2000/svg" width="20" height=
"20" viewBox="0 0 20 20" fill="none">
path d="M16.2522 11.9789C14.4658 10.1925 1
3.7513 6.14339 15.6567 4.23792M15.6567 4.2
3 7 9 2 C 1 4 . 5 6 5 5 . 3 2 9 6 1 1 . 4 8 8 5 7 . 2 1 5 2 1 7 . 9 1 5 7 6
3.64246M15.6567 4.23792L4.34301 15.5516"
stroke="#FCFDFD" stroke-width="2" stroke-1
inecap="round" stroke-linejoin="round"></p
ath>
                                          </svg
>
                                      / s p a n >
                                      Continuar
Comprando
                                 < / a >
                            < / d i v >
                            <div class="col-1</pre>
g - 4 " >
                                 <div class="c</pre>
art-summary">
                                      <h6 class</pre>
= "title mb-24" > RESUMEN ORDEN < / h6 >
                                      <div clas
s = "cart-summary-detail mb-24">
                                          < div
class="d-flex justify-content-between alig
n-items-center mb-24">
```

<

```
p class = "lead color-black" > SUBTOTAL 
 class="lead res-sub-total">560.00
р
                                       < / d i v
>
                                       < div
class="d-flex justify-content-between alig
n-items-center mb-3">
class = "lead color-black mb-0" > DESTINO 
                                         < s e
lect class="destino">
option selected value = "Medellin" > Medellin
- $0
option value = "Bello" > Bello - $10.000 < /opti
on >
option value="Itagui">Itagui - $15.000</op
tion>
option value = "Envigado" > Envigado - $15.000
/option>
option value="Sabaneta">Sabaneta - $15.000
/option>
option value="La Estrella">La Estrella
20.000</option>
option value = "Caldas" > Caldas - $20.000 < /op
tion>
option value = "Copacabana" > Copacabana -
                                          $ 2 0
.000</option>
```

```
< / s
elect>
                                      < / d i v >
class="d-flex justify-content-between alig
n-items-center mb-24">
p class="lead color-black">VALOR DOMICILIO
<
p class="lead valor-domi">$10.000
                                        / div
>
                                        < div
class="d-flex justify-content-between alig
n-items-center mb-24">
p class="lead color-black">DESCUENTO PROMO
<
p class="lead promo">$5.000
                                        / div
>
                                    < / d i v >
                                    <div clas</pre>
s="d-flex justify-content-between align-it
ems-center mb-48">
                                        < h 5 c
lass = "color-primary" > TOTAL < / h5 >
                                        < h 5
                                            C
lass="color-primary total">$420.00</h5>
                                    < / d i v >
                                    <button t</pre>
```

```
ype="button" class="cus-btn dark btn-resum
e n " >
                                         < s p a n
class="icon-wrapper">
svg class="icon-svg icon-svg-copy" xmlns="
http://www.w3.org/2000/svg" width="20" hei
ght="20" viewBox="0 0 20 20" fill="none">
  d = "M16.2522 11.9789C14.4658 10.19
25 13.7513 6.14339 15.6567 4.23792M15.6567
4.23792C14.565 5.3296 11.4885 7.21521 7.9
1576 3.64246M15.6567 4.23792L4.34301 15.55
16" stroke="#FCFDFD" stroke-width="2" stro
ke-linecap="round" stroke-linejoin="round"
> < / path>
                                              <
/ s v g >
                                         < / s p a</pre>
n >
                                         Ir a
pagar
                                     / button>
                                < / d i v >
                           < / d i v >
                      < / d i v >
                  < / d i v >
              </section>
              <!-- Cart End -->
         < / d i v >
     <!-- cart section -->
```

```
<!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
      <div class="container">
        <div class="row">
          <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
            <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt="" width="30px">Burger</a>
            Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
            >
              Karachi <br>
              Sindh <br><br>
               Pakistan <br> <br>
            <strong><i class="fa-solid fa</pre>
000</strong></strong><br/>br>
            <strong><i class="fa-solid fa</pre>
-envelope"></i> Email: <strong>example@gma
il.com</strong></strong>
          < / d i v >
          <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
            <h4>Useful Links/h4>
            < u 1 >
```

```
< l i > < a h r e f = " # " > H o m e < / a > < / l</pre>
i >
                   < l i > < a h r e f = " # " > A b o u t < / a > < /</pre>
1 i >
                   < a href = " # " > Contact < / a >
< / l i >
                   < a href = " # " > Services < / a</pre>
> < / l i >
                   < a href="#">Privacy pol
icay</a>
                < / u 1 >
              < / d i v >
              <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
                <h4>Our Services/h4>
                Lorem ipsum dolor sit amet
consectetur adipisicing elit. Quas, aperi
am.
                < u 1 >
                   < a href="#">Pizza</a>
li \rightarrow
                   <a href="#">Fried chick</a>
e n < / a > < / l i >
                   < a href="#">Fries</a>/
1 i >
                < / u l >
              < / d i v >
              <div class="col-lg-3 col-md-6 f</pre>
```

ooter-links">

```
<h4>Our Socail Links/h4>
              Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
              <div class="socail-links mt-3</pre>
" >
                <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                <a href="#"><i class="fa-br</pre>
ands fa-facebook"></i>
                <a href="#"><i class="fa-br</pre>
ands fa-google-plus"></i></a>
                <a href="#"><i class="fa-br</pre>
ands fa-instagram"></i></a>
                <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i></a>
              < / d i v >
            < / d i v >
         < / d i v >
       < / d i v >
     < / d i v >
  \langle h r \rangle
  <div class="container py-4">
     <div class="copyright">
       © Copyright <strong>Burger</st
rong>. All Rights reserved
     < / d i v >
     <div class="credits">
```

```
Designed By <a href="#">SA coding</
a >
     < / d i v >
   < / d i v >
</footer>
   <!-- footer -->
   <a href="#" class="arrow"><i class="fa-</pre>
solid fa-arrow-up"></i></a>
     <script src="https://cdn.jsdelivr.net</pre>
/npm/bootstrap@5.0.2/dist/js/bootstrap.bun
dle.min.js" integrity="sha384-MrcW6ZMFYlzc
L A 8 N 1 + N t U V F 0 s A 7 M s X s P 1 U y J o M p 4 Y L E u N S f A P + J c X n
/tWtIaxVXM" crossorigin="anonymous"></scri</pre>
pt>
     <script src="js/detalleCarrito.js">
script>
\langle / b o d y \rangle
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Muestra\checkout.htm
1 - - - - -
<!DOCTYPE html>
<html lang="en">
< h e a d >
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
```

```
<meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  k rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuC0mLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
```

/ button>

class="nav-item">

< / 1 i >

class="nav-item">

< / l i >

0 ther

```
a-labelledby="navbarDropdown" style="backg
round-color: #ffc800;">
                < a class = "dropdown-item</pre>
" href="index.html#top-icons">Pizza</a></l
i >
                < a class = "dropdown-item</pre>
" href="index.html#top-icons">Fries</a></l
i >
                < a class = "dropdown-item</pre>
" href="index.html#top-icons">Fried Chicke
n < / a > < / l i >
              < / u 1 >
            < / 1 i >
            class="nav-item">
              <a class="nav-link" href="ind</pre>
ex.html#about">About Us</a>
            \langle / 1 i \rangle
            class="nav-item">
              <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
            \langle / 1 i \rangle
         < / u 1 >
         <form class="d-flex">
            <div class="icons">
              <i class="fa-regular fa-user"</pre>
> < / i >
              <i class="fa-solid fa-cart-sh</pre>
opping"></i>
            < / d i v >
```

```
</form>
        < / d i v >
     < / d i v >
   < / n a v >
     <!-- nav section -->
      <!-- cart section -->
      <h2 class="page-title text-center my</pre>
-5 py-3" style="background-color: #ffc800;
" > C h e c k o u t < / h 2 >
       <div class="page-content">
          <section class="pt-80 pb-40">
                <div class="container-fluid">
                     <form>
                         <div class="row">
                              <div class="col-l</pre>
g-8 mb-64 mb-lg-0 px-5">
                                    < h 5 class = "mb"
-32">DATOS DE ENTREGA</h5>
                                    <div class="r</pre>
o w " >
                                         <div clas
s = "col-sm-6" >
                                               < div
class="form-group mb-32">
                                                   <
label>Nombres*
input id = "nombres-input" type = "text" name =
"f-name" autocomplete = "off" placeholder = "M
r. John">
```

< div

```
data-lastpass-icon-root="" style="position
: relative !important; height: 0px !import
ant; width: 0px !important; float: left !i
mportant; "></div></div>
                                    < / d i v >
                                    <div clas
s = "col-sm-6" >
                                          < div
class="form-group mb-32">
                                             <
label>Apellidos*</label>
input id="apellidos-input" type="text" nam
e="l-name" autocomplete="off" placeholder=
" D e o " >
                                         < / d i v
>
                                    < / d i v >
                                    <div clas
s = "col-sm-6" >
                                         < div
class="form-group mb-32">
                                              <
label>Email*</label>
input id="email-input" type="email" name="
email" autocomplete="off" placeholder="ema
il@example.com">
                                         / div
>
                                    < / d i v >
                                    <div clas
s = "col-sm-6" >
                                         < div
class="form-group mb-32">
```

```
<
label>Celular*</label>
input id="celular-input" type="tel" name=`"
phone" autocomplete="off" placeholder="123
45679">
                                          / div
>
                                     < / d i v >
                                     <div clas
s = "col-12" >
                                          < div
class = "form - group mb - 32" >
                                               <
label>Direccion*</label>
input id="direccion-input" type="text" nam
e="address" autocomplete="off" placeholder
= "Your Address">
                                          < / d i v
>
                                     < / d i v >
                                     <div clas
s = " c o l - 1 2 " >
                                          < div
class="form-group mb-32">
                                               <
label>Direccion (optional) </label>
input id="direccion-2-input" type="text" n
ame = "address 2" autocomplete = "off" placehol
der="Apartment, Suite, Unit etc.">
                                          < / d i v
>
```

```
< / div >
                                     / div>
                                     <div class="m</pre>
t - 6 4 " >
                                          <h5 class</pre>
= " m b - 3 2 " > I N F O R M A C I O N A D I C I O N A L < / h 5 >
                                          <div clas
s = "form - group" >
                                                < l a b e</pre>
1 > Notas de orden (opcional) < /label >
                                               < t e x t
area name="noe" id="additiona-note" rows="
5" placeholder="Note About Your Order, e.g
. special notes for delivery."></textarea>
                                           < / d i v >
                                     < / d i v >
                                < / d i v >
                                <div class="col-l</pre>
g - 4 " >
                                     <div class="c</pre>
art-summary">
                                           <h6 class</pre>
= "title mb-24" > RESUMEN DE ORDEN < / h6 >
                                          <div clas
s = "cart-summary-detail mb-24">
                                                < div
class="productos border-bottom">
                                                  <! -
- aqui van productos -->
                                                </div
>
                                                < div
```

```
class="d-flex justify-content-between alig
n-items-center mb-24">
p class="lead color-black">VALOR DOMICILIO
<
p class="lead valor-domi">$5.00
                                     < / d i v
>
                                     < div
class="d-flex justify-content-between alig
n-items-center mb-24">
class="lead color-black">Ciudad DOMICILIO <
/ p >
                                        < p
class="lead destino">$5.00
                                   < / d i v >
                                     < div
class="d-flex justify-content-between alig
n-items-center mb-24">
p class="lead color-black">DESCUENTO PROMO
<
p class="lead promo">$5.00
                                     < / d i v
>
class="d-flex justify-content-between alig
n-items-center mb-32">
                                          <
p class="lead color-black">SUBTOTAL
p class="lead color-black res-sub-total">$
560.00
```

```
/ div
>
                                      < / d i v >
                                      <div clas
s="d-flex justify-content-between align-it
ems-center mb-32">
                                           < h 5 c
lass = "color-primary" > TOTAL < / h5 >
                                           < h 5
lass="color-primary total">$420.00</h5>
                                      < / d i v >
                                      <div clas
s = "payment-method mb-24">
                                          < u 1 c
lass="nav flex-column mb-3">
                                                <
li \rightarrow
  <label class="lead" for="cod">
     <input id="cod" type="radio" class="f</pre>
orm-check-input" name="radio" class="radio
"value="1" checked="checked">
     Contraentrega + (5%) < /label>
                                                <
/ 1 i >
                                                <
li \rightarrow
  <label class="lead" for="cp">
     <input id="cp" type="radio" class="fo</pre>
rm-check-input" name="radio" class="radio"
```

```
value="2">
     PSE + (3%) < /label>
                                             <
/ l i >
                                              <
li \rightarrow
  <label class="lead" for="bt">
     <input id="bt" type="radio" class="fo</pre>
rm-check-input" name="radio" class="radio"
 value="3">
     Transferencia</label>
                                             <
/ l i >
                                        < / u l >
                                    < / d i v >
                                    <button t</pre>
ype="button" class="btn-checkout cus-btn d
ark w-100">
                                        < s p a n
class="icon-wrapper">
svg class="icon-svg icon-svg-copy" xmlns="
http://www.w3.org/2000/svg" width="20" hei
ght="20" viewBox="0 0 20 20" fill="none">
  <path d = "M16.2522 11.9789C14.4658 10.19</pre>
25 13.7513 6.14339 15.6567 4.23792M15.6567
4.23792C14.565 5.3296 11.4885 7.21521 7.9
1576 3.64246M15.6567 4.23792L4.34301 15.55
16" stroke="#FCFDFD" stroke-width="2" stro
ke-linecap="round" stroke-linejoin="round"
> < / path>
```

```
<
/ s v g >
                                             < / s p a</pre>
n >
                                             Place
0 r d e r
                                        / button>
                                   < / d i v >
                             < / d i v >
                         < / d i v >
                   </form>
               < / d i v >
          </section>
      < / d i v >
      <!-- cart section -->
    <!-- footer -->
     <footer id="footer" style="margin-top</pre>
  50px;">
      <div class="footer-top">
         <div class="container">
           <div class="row">
              <div class="col-lg-3 col-md-6</pre>
footer-contact">
                <a class="navbar-brand" href</pre>
= " # " id = "logo2" > < img src = "./images/logo.pn
g" alt="" width="30px">Burger</a>
                Lorem, ipsum dolor sit am
```

```
tis, libero.<br>
               Karachi <br>
                  Sindh <br><br>
                  Pakistan <br> <br>
               <strong><i class="fa-solid f</pre>
0000</strong></strong><br>
               <strong><i class="fa-solid f</pre>
a-envelope"></i> Email: <strong>example@gm
ail.com</strong></strong>
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Useful Links/h4>
               < u 1 >
                  < a href = " # " > Home < / a > < /</pre>
li \rightarrow
                          href="#">About</a><
                  < l i > < a</pre>
/ l i >
                          href="#">Contact</a
                 < l i > < a
> < / l i >
                          href="#">Services</
                  < l i > < a</pre>
a > \langle / l i \rangle
                  < a href="#">Privacy po
licay</a>
               < / u 1 >
             < / d i v >
```

et consectetur adipisicing elit. Perspicia

```
<div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Our Services</h4>
               Lorem ipsum dolor sit ame
t consectetur adipisicing elit. Quas, aper
iam.
               < u 1 >
                  < a href="#">Pizza</a>
/ l i >
                  < l i > < a</pre>
                          href="#">Fried chic
ken < /a > 
                 < a href = " # " > Fries < / a > <</pre>
/ 1 i >
               < / u 1 >
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Our Socail Links/h4>
               Lorem ipsum dolor, sit am
et consectetur adipisicing elit. Perferend
is, minus.
              <div class="socail-links mt-</pre>
3 " >
                  <a href="#"><i class="fa-b</pre>
rands fa-twitter"></i></a>
                  <a href="#"><i class="fa-b</pre>
rands
      fa-facebook"></i></a>
                 <a href="#"><i</pre>
                                   class = "fa-b
      fa-google-plus"></i></a>
rands
                 <a href="#"><i class="fa-b</pre>
rands fa-instagram"></i></a>
```

```
<a href="#"><i class="fa-b</pre>
rands fa-linkedin-in"></i>
               < / d i v >
             < / d i v >
           < / d i v >
        < / d i v >
      < / d i v >
    < h r >
    <div class="container py-4">
      <div class="copyright">
        © Copyright <strong>Burger</s
trong>. All Rights reserved
      < / d i v >
      <div class="credits">
        Designed By <a href="#">SA coding<
/ a >
      < / d i v >
    < / d i v >
    </footer>
    <!-- footer -->
    <a href="#" class="arrow"><i class="fa</pre>
-solid fa-arrow-up"></i></a>
    <script src="https://cdn.jsdelivr.net/</pre>
```

```
npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-MrcW6ZMFY1zcL
A 8 N 1 + N t U V F Ø s A 7 M s X s P 1 U y J o M p 4 Y L E u N S f A P + J c X n /
tWtIaxVXM" crossorigin="anonymous"></scrip
t >
     <script src="js/checkout.js"></script</pre>
>
  / b o d y >
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Muestra\index. html -
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent="IE=edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  k rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
  link rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
```

```
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  link href="https://fonts.googleapis.co"
m / css2?family = Dancing + Script: wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- home section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
     <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"><img src="./images/logo.p
ng" alt="" width="30px">BUR<span>GER</span
> < / a >
       <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s-target="#navbarSupportedContent" aria-co
ntrols="navbarSupportedContent" aria-expan
ded="false" aria-label="Toggle navigation"
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / s p a n >
       /button>
       <div class="collapse navbar-collaps</pre>
e" id="navbarSupportedContent">
```

\$< ul class="navbar-nav me-auto mb-2 mb-lg-0">

class="nav-item">

< / l i >

class="nav-item">

< / l i >

class="nav-item dropdown">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

< / u 1 >

 $\langle / 1 i \rangle$

```
class="nav-item">
             <a class="nav-link" href="ind</pre>
ex.html#about">About Us</a>
           < / l i >
           class="nav-item">
             <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
           < / l i >
         < / u 1 >
         <form class="d-flex">
           <div class="icons">
              <i class="fa-regular fa-user"</pre>
> < / i >
              <div class="carrito">
                <i class="fa-solid fa-cart-</pre>
shopping"></i>
                <span class="contar-pro">0
/span>
             < / d i v >
           < / d i v >
         < / f o r m >
       < / d i v >
     < / d i v >
     " >
       < t h e a d >
         < t r >
```

```
#
                                                        Imagen
                                                                            scope = "col" > Nombre 
                                                        < t h
                                                        Precio
                                             < / t r >
                                   </thead>
                                   < t b o d y >
                                             <!-- aqui va la info del producto
 - - >
                                   < t f o o t >
                                             < t r >
                                                        ter">
                                                                  <a href="cart.html" class="bt</pre>
n-cart btn btn-primary">Ver Carrito</a>
                                                        < / t d >
                                             < / t a b l e >
             < / n a v >
             <div id = "Home" class = "home - section" >
                        <!-- home content -->
                        <section class="home">
                                  <div class="content">
                                              <h1>Super Delicious
                                                        <br> <br> <br > <br
```

```
< / h 1 >
         Lorem ipsum dolor sit amet con
sectetur adipisicing elit. Voluptatum, ist
e! 
         <div id="btn"><button>Order Now/
button> <span>$100.50</span></div>
       < / d i v >
       <div class="img">
         <img src="./images/burger.png" al</pre>
t = " " >
       < / d i v >
    </section>
     <!-- home content -->
  < / d i v >
  <!-- home section -->
  <!-- top icons -->
  <div class="container" id="top-icons">
     < h 1 > 0 F F E R S < / h 1 >
     <div class="row">
       <div class="col-md-3 py-3 py-md-0">
         <i><i><i><img src="./images/offer1.png"</pre>
```

alt = " " > < / i >

```
<h3>Burger 50% off</h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer2.png"</pre>
alt = " " > < / i >
          <h3>Free Delivery</h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer3.png"</pre>
alt = " " > < / i >
          <h3>Burger free fries/h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer4.png"</pre>
alt = " " > < / i >
          <h3>Burger with free cold drink/
h 3 >
       < / d i v >
     < / d i v >
   < / d i v >
   <!-- top icons -->
```

```
<!-- cards -->
   <div class="container" id="cards">
     <div class="row">
        <div class="col-md-6 py-3 py-md-0">
          <div class="card">
             <img src="./images/cards1.png"</pre>
alt = " " >
             <div class="card-img-overlay">
               < h 3 > H a m B u r g e r < / h 3 >
               Lorem ipsum dolor sit amet
\cdot 
               <button id = "rn" > Order Now < / bu</pre>
tton>
            < / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-6 py-3 py-md-0">
          <div class="card">
             <img src="./images/cards2.png"</pre>
a 1 t = " " >
             <div class="card-img-overlay">
               < h 3 > P i z z a < / h 3 >
               Lorem ipsum dolor sit amet
\cdot 
               <button id = "rn" > Order Now</bu</pre>
tton>
             < / d i v >
```

```
< / d i v >
     < / d i v >
     <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards3.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Italian pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id="rn">Order Now</bu</pre>
tton>
            < / d i v >
          < / d i v >
       < / d i v >
       <div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards4.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id="rn">Order Now</bu</pre>
tton>
```

< / d i v >

```
< / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-4 py-3 py-md-0">
          <div class="card">
             <img src="./images/cards5.png"</pre>
alt = " " >
             <div class="card-img-overlay">
               <h3>Chesse Burger/h3>
               Lorem ipsum dolor sit amet
\cdot 
               <button id = "rn" > Order Now < / bu</pre>
tton>
             < / div>
          < / d i v >
        < / d i v >
     < / d i v >
   < / d i v >
   <!-- cards -->
```

```
<!-- burger -->
  <div class="container" id="burger">
     <h1>Delicious Burger/h1>
     <div class="row content-pro" style="m</pre>
argin-top: 30px;">
       <!-- aqui van los productos-->
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b1.png" alt=</pre>
" " >
           <div class="card-body">
              < h 3 > I t a l i a n P i z z a < / h 3 >
              Lorem ipsum dolor sit amet
. 
              <h5>$6.50 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
           <img src="./images/b2.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
. 
              <h5>$20.30 <span class="btn-p"</pre>
```

```
roduct"> <i class="fa-solid fa-basket-shopp
ing"></i></span></h5>
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b3.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$1.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b4.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$3.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
```

```
< / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b5.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$6.50 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b6.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$20.30 <span class="btn-p"</pre>
roduct"> <i class="fa-solid fa-basket-shopp
ing"></i></span></h5>
```

```
< / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b7.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
. 
              <h5>$1.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b8.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$3.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
```

```
< / d i v >
    < / d i v >
  < / d i v >
  <!-- burger -->
  <!-- banner -->
  <div class="banner">
    <h3>0ther Product/h3>
    Lorem ipsum dolor, sit amet consec
tetur adipisicing elit. Architecto, volupt
atibus?
    <button id="btnorder">Order Now</butt</pre>
on>
 </div>
  <!-- banner -->
```

<!-- top cards -->

```
<div class="container" id="topcards">
    <div class="row">
      <div class="col-md-4 py-3 py-md-0">
        <div class="card">
          <img src="./images/topcard1.png</pre>
alt = " " >
       < / d i v >
      < / d i v >
      <div class="col-md-4 py-3 py-md-0">
        <div class="card">
          <img src="./images/topcard2.png</pre>
alt="">
        < / d i v >
      < / d i v >
      <div class="col-md-4 py-3 py-md-0">
        <div class="card">
          <img src="./images/topcard3.png</pre>
alt="">
       < / d i v >
     < / div >
   < / d i v >
 < / d i v >
 <!-- top cards -->
```

```
<!-- burger -->
  <div class="container" id="burger">
    <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p1.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$6.50 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p2.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
\cdot
```

```
<h5>$20.30 <span><i class="fa</pre>
-solid fa-basket-shopping"></i></span></h5
             < / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <div class="card">
             <img src="./images/p3.png" alt=</pre>
" " >
             <div class="card-body">
               <h3>Tasty Fries/h3>
               Lorem ipsum dolor sit amet
\cdot 
               \langle h5 \rangle  $ 1.20 \langle span \rangle \langle i class = "fa-
solid fa-basket-shopping"></i></span></h5>
             < / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <div class="card">
             <img src="./images/p4.png" alt=</pre>
" " >
             <div class="card-body">
               < h 3 > P i z z a S l i c e < / h 3 >
               Lorem ipsum dolor sit amet
\cdot 
               <h5>$3.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></i></span></h5>
```

<h2>Delicious Burger

Lorem ipsum dolor sit amet, cons ectetur adipisicing elit. Totam accusamus exercitationem ut. Non assumenda nihil tem pore minima consequatur corrupti numquam q uia dolorum laborum praesentium vero commo di ex velit expedita, omnis adipisci? Exer citationem consequatur ducimus praesentium dolores rerum voluptatibus, nam illo quas modi deleniti iusto laboriosam adipisci e nim excepturi, cupiditate quidem neque tem pora sunt animi natus aliquid. Fugiat elig endi molestiae magnam vero dicta est praes entium unde ducimus eveniet commodi alias, pariatur quis quod saepe sed accusamus po rro nemo doloribus cumque quos quo nihil! Numquam explicabo odit accusamus laudantiu m molestiae. Ipsum culpa dolor sequi dolor e doloribus aperiam, earum maxime alias vo luptates magni.

<!-- contact -->
<div class="container">

```
< h 2 i d = " h 2 " > C O N T A C T < / h 2 >
         < / d i v >
                <div class="container" id="contact">
                <div class="row">
                        <div class="col-md-6 py-3 py-md-0">
                                   < h 3 > C 0 N T A C T < / h 3 >
                                   Lorem ipsum dolor sit amet co
nsectetur adipisicing elit. Voluptas dolor
        sit excepturi, nemo reiciendis animi?</
p >
                                  <input type="text" placeholder="</pre>
Name"><br/>
<br/>
Name"><br/>
<br/>

                                 <input type="email" placeholder=</pre>
" E m a i l " > < b r >
                                 <input type="number" placeholder</pre>
= " P h o n e " > < b r >
                                  <button id = "btnmessage" > Send/bu
tton>
                       < / d i v >
                        <div class="col-md-6 py-3 py-md-0">
                               < h 3 > I N F O < / h 3 >
                               Lorem ipsum dolor sit amet, co
nsectetur adipisicing elit. Itaque, odio a
ssumenda nostrum commodi at corporis!
                               <i class="fas fa-phone"> <span>+0
00000000000000</span></i>
                                <i class="fa-solid fa-envelope">
<span>example@gmail.com</span></i>
                               <i class="fa-solid fa-location-do</pre>
t"> <span>Pakistan sindh Karachi</span></i
> < b r >
```

```
< / d i v >
  < / d i v >
  <!-- contact -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
       <div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt = " " width = " 3 0 p x " > Burger < / a >
             Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
             >
                Karachi <br>
                Sindh <br><br>
```

Pakistan

 <i class="fa-solid fa</pre> 000
 <i class="fa-solid fa</pre> -envelope"></i> Email: example@gma il.com < / d i v > <div class="col-lg-3 col-md-6 f</pre> ooter-links"> <h4>Useful Links/h4> < u 1 > < a href = " # " > Home < / a > < / l</pre> i > < a href = " # " > About < / a > < /</pre> $li \rightarrow$ < a href="#">Contact < / l i > < a href = " # " > Services < / a</pre> > < / l i > < a href="#">Privacy pol icay < / u 1 > < / d i v >

<h4>0ur Services

```
u 1 >
                 < l i > < a h r e f = " # " > P i z z a < / a > < /</pre>
l i >
                 < a href="#">Fried chick
en</a>
                 < a href = " # " > Fries < / a > < /</pre>
l i >
              < / u 1 >
            < / d i v >
            <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
               <h4>Our Socail Links/h4>
               Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
              <div class="socail-links mt-3</pre>
" >
                 <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                 <a href="#"><i class="fa-br</pre>
ands
     fa-facebook"></i>
                 <a href="#"><i class="fa-br</pre>
ands
      fa-google-plus"></i></a>
                 <a href="#"><i class="fa-br</pre>
     fa-instagram"></i></a>
ands
                 <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i>
               < / d i v >
```

am.

```
< / d i v >
       < / d i v >
    < / d i v >
  < h r >
  <div class="container py-4">
    <div class="copyright">
       © Copyright <strong>Burger</st
rong>.All Rights reserved
    < / d i v >
    <div class="credits">
       Designed By <a href="#">SA coding</
a >
    < / d i v >
  < / d i v >
</footer>
  <!-- footer -->
```

```
<script src="https://cdn.jsdelivr.net/n</pre>
pm/bootstrap@5.0.2/dist/js/bootstrap.bundl
e.min.js" integrity = "sha384-MrcW6ZMFY1zcLA
8 N l + N t U V F Ø s A 7 M s X s P 1 U y J o M p 4 Y L E u N S f A P + J c X n / t
WtIaxVXM" crossorigin="anonymous"></script
  <!--archivo de carrito-->
  <script src="js/carrito.js"></script>
/ b o d y >
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Muestra\thankyou.htm
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
```

```
link rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  k rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"> < img src="./images/logo.p
ng" alt="" width="30px">BUR<span>GER</span
> < / a >
       <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s-target="#navbarSupportedContent" aria-co
ntrols = "navbarSupportedContent" aria-expan
ded="false" aria-label="Toggle navigation"
```

>

/button>

class="nav-item">

< / l i >

class="nav-item">

< / l i >

class="nav-item dropdown">

0 ther

< / a >

```
< a class = "dropdown-item</pre>
" href="index.html#top-icons">Fried Chicke
n < / a > < / l i >
              < / u l >
             \langle / 1 i \rangle
             class="nav-item">
               <a class="nav-link" href="ind</pre>
ex.html#about">About Us</a>
             \langle / 1 i \rangle
             class="nav-item">
               <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
             < / l i >
           < / u 1 >
           <form class="d-flex">
             <div class="icons">
                <i class="fa-regular fa-user"</pre>
> < / i >
                <i class="fa-solid fa-cart-sh</pre>
opping"></i>
             < / d i v >
          < / f o r m >
        < / d i v >
     < / d i v >
   < / n a v >
     <!-- nav section -->
      <!-- cart section -->
```

```
<h2 class="page-title text-center my</pre>
-5 py-3" style="background-color: #ffc800;
">PEDIDO EN PROCESO</h2>
     <div class="page-content">
        <div class="resumen-compra col-xx</pre>
1-8 col-lg-8 col-md-8 col-sm-10 offset-xxl
-2 offset-lg-2 offset-md-2 offset-sm-1">
             <h5 class="mb-16"><span>Clien
te!</span>Muchas Gracias por tu compra</h5
             0 r d e n # 0 0 0 
             Estamos prep
arando tu pedido, pronto nos comunicaremos
 contigo para realizar la entrega.
             <div class="card my-5">
               <div class="card-header">Re
sumen de tu compra</div>
               <div class="row">
                 <div class="col-sm-6 mb-3</pre>
m b - s m - 0 " >
                   <div class="card">
                     <div class="card-body</pre>
" >
                       <h5 class="card-tit</pre>
le">Special title treatment</h5>
                       ">With supporting text below as a natural
lead-in to additional content.
                       <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                     < / d i v >
```

```
< / d i v >
                  <div class="col-sm-6">
                    <div class="card">
                       <div class="card-body</pre>
" >
                         <h5 class="card-tit</pre>
le">Special title treatment</h5>
                         ">With supporting text below as a natural
lead-in to additional content.
                         <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                      < / d i v >
                    < / d i v >
                  < / d i v >
                < / d i v >
                <div class="card-footer">
                  Card footer
                < / d i v >
              < / d i v >
             <button type="button" class="</pre>
btn-gracias cus-btn dark w-100 mb-32">
                 <span class="icon-wrapper</pre>
" >
                      <svg class="icon-svg</pre>
icon-svg-copy" xmlns="http://www.w3.org/20
00/svg" width="20" height="20" viewBox="0
0 20 20 " fill="none">
                           <path d = "M16.2522</pre>
11.9789014.4658 10.1925 13.7513 6.14339 1
5.6567 4.23792M15.6567 4.23792C14.565 5.32
96 11.4885 7.21521 7.91576 3.64246M15.6567
```

```
4.23792L4.34301 15.5516" stroke="#FCFDFD"
 stroke-width="2" stroke-linecap="round" s
troke-linejoin="round"></path>
                       \langle / s v g \rangle
                   / s p a n >
                 Realizar otra compra?
              /button>
         < / d i v >
      < / d i v >
      <!-- cart section -->
    <!-- footer -->
     <footer id="footer" style="margin-top</pre>
: 50px;">
      <div class="footer-top">
        <div class="container">
           <div class="row">
             <div class="col-lg-3 col-md-6</pre>
footer-contact">
               <a class="navbar-brand" href</pre>
= " # " id = "logo2" > < img src = "./images/logo.pn
g " alt = " " width = " 3 0 p x " > B u r g e r < / a >
               Lorem, ipsum dolor sit am
et consectetur adipisicing elit. Perspicia
tis, libero.<br>
               Karachi <br>
                 Sindh <br><br>
                 Pakistan <br><br>
```

```
<strong><i class="fa-solid f</pre>
0000</strong></strong><br>
               <strong><i class="fa-solid f</pre>
a-envelope"></i> Email: <strong>example@gm
ail.com</strong></strong>
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Useful Links</h4>
               < u 1 >
                 < a href="#">Home</a>/
li \rightarrow
                         href="#">About</a><
                 < l i > < a</pre>
/ 1 i >
                 < l i > < a</pre>
                         href="#">Contact</a
> < / l i >
                         href="#">Services</
                 < l i > < a</pre>
a > \langle / l i \rangle
                 < a href="#">Privacy po
licay</a>
               < / u 1 >
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Our Services/h4>
               Lorem ipsum dolor sit ame
t consectetur adipisicing elit. Quas, aper
iam.
               u 1 >
```

< a href="#">Pizza

```
/ 1 i >
                 < a href="#">Fried chic
ken</a>
                 < a href="#">Fries</a>
/ 1 i >
               < / u l >
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Our Socail Links/h4>
               Lorem ipsum dolor, sit am
et consectetur adipisicing elit. Perferend
is, minus.
              <div class="socail-links mt-</pre>
3 " >
                 <a href="#"><i class="fa-b</pre>
rands fa-twitter"></i></a>
                 <a href="#"><i class="fa-b</pre>
      fa-facebook"></i>
rands
                                  class="fa-b
                 <a href="#"><i</pre>
      fa-google-plus"></i></a>
                 <a href="#"><i class="fa-b</pre>
rands
      fa-instagram"></i>
                 <a href="#"><i class="fa-b</pre>
rands fa-linkedin-in"></i>
               < / d i v >
             < / d i v >
          < / d i v >
```

```
< / d i v >
    <hr><hr>>
    <div class="container py-4">
      <div class="copyright">
         © Copyright <strong>Burger</s
trong>. All Rights reserved
      < / d i v >
      <div class="credits">
         Designed By <a href="#">SA coding <
/ a >
      < / d i v >
    < / d i v >
     </footer>
    <!-- footer -->
    <a href="#" class="arrow"><i class="fa</pre>
-solid fa-arrow-up"></i></a>
    <script src="https://cdn.jsdelivr.net/</pre>
npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-MrcW6ZMFYlzcL
A 8 N l + N t U V F Ø s A 7 M s X s P 1 U y J o M p 4 Y L E u N S f A P + J c X n /
tWtIaxVXM" crossorigin="anonymous"></scrip
t >
     <script src="js/thankyou.js"></script</pre>
   \langle / b o d y \rangle
< / h t m l >
```

```
===== CSS =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde_Frontend-I\Carrito_Comida
s\archivos-plantilla-Mio\style.css ----
* {
     margin: 0;
     padding: 0;
     box-sizing: border-box;
}
.home-section{
     width: 100%;
     height: 100vh;
     background: linear-gradient(110deg, w
hite 68%, #ffc800 32%);
}
/ * navbar * /
# n a v b a r {
     position: sticky;
     top: 0;
     background-color: #fff;
     z-index: 99;
     border-bottom: 2px solid black;
}
# 1 o g o {
    font-size: 30px;
     margin-left: 30px;
     color: black;
```

```
font-weight: bold;
    text-shadow: 1px 1px 1px black;
}
#logo img{
   margin-bottom: 10px;
}
#logo span{
 color: #ffc800;
}
. n a v - i t e m {
   margin-left: 30px;
}
.nav-item .nav-link{
   color: black;
    font-weight: bold;
    transition: 0.5s ease;
}
#first-child{
   color: #ffc800;
    text-shadow: 1px 1px 1px black;
}
.nav-item .nav-link:hover{
   color: #ffc800;
    text-shadow: 1px 1px 1px black;
}
```

```
.icons{
    margin-right: 30px;
}
.icons i {
    margin-left: 10px;
    cursor: pointer;
}
@media screen and (max-width:982px) {
    .icons{
        margin-left: 25px;
    }
}
  navbar */
/* home content */
.home{
    display: flex;
    align-items: center;
    justify-content: center;
    flex-wrap: wrap;
    position: relative;
    z-index: 0;
    font-family: 'Roboto Slab', serif;
}
.home .img{
    flex: 1 1 300px;
```

```
}
.home .img img{
    width: 92%;
    animation: c 5s linear infinite;
}
@keyframes c{
    0%, 100% {
        transform: translateY(0px);
    }
    5 0 % {
        transform: translateY(30px);
    }
}
.home .content{
    flex: 1 1 400px;
    margin-top: 30px;
}
.content h1{
    margin-left: 42px;
    font-size: 65px;
    font-weight: bold;
    text-shadow: -1px 0px 0px black;
}
.content h1 span{
   color: #ffc800;
```

```
text-shadow: 1px 1px black;
    font-size: 100px;
    font-weight: bold;
}
.content p{
   margin-left: 42px;
}
# b t n {
    margin-left: 42px;
}
#btn button{
    width: 150px;
    height: 32px;
    letter-spacing: 3px;
    background-color: black;
    color: white;
    border-radius: 5px;
    transition: 0.5s ease;
    cursor: pointer;
}
#btn button:hover{
    background-color: #ffc800;
    color: black;
    border: none;
}
```

```
#btn span{
    margin-left: 10px;
    font-size: 20px;
    font-weight: bold;
}
@media screen and (max-width:1200px) {
    . home-section {
        height: 90vh;
    }
}
@media screen and (max-width:799px) {
    .home-section{
        height: 140vh;
    }
}
@media screen and (max-width:550px) {
    .home-section{
        height: 110 vh;
    }
}
@media screen and (max-width:420px){
    .content h1 span{
        font-size: 80px;
    }
}
```

```
@media screen and (max-width:320px){
    .content h1{
         font-size: 50px;
    }
    .content h1 span{
        font-size: 60px;
    }
}
/* home content */
/* top icons */
#top-icons{
    margin-top: 50px;
}
#top-icons h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#top-icons i img{
    width: 100px;
}
#top-icons h3{
```

```
font-size: 18px;
    font-family: 'Roboto Slab', serif;
    margin-left: 20px;
}
/* top icons */
/ * cards * /
#cards{
    margin-top: 100px;
   font-family: 'Roboto Slab', serif;
}
#cards .card h3{
   color: #ffc800;
    font-weight: bold;
}
#cards .card p{
   color: #ffc800;
    font-weight: bold;
}
# r n {
    width: 150px;
    height: 32px;
    border: none;
    background: transparent;
    color: #ffc800;
```

```
border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px black;
    transition: 0.5s ease;
    cursor: pointer;
}
#rn:hover{
    background-color: #ffc800;
    color: white;
}
/ * cards * /
/ * burger * /
#burger{
    margin-top: 100px;
    font-family: 'Roboto Slab', serif;
}
#burger h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#burger .card{
```

```
transition: 0.5s ease;
    cursor: pointer;
}
#burger .card:hover{
    background-color: #ffc800;
}
#burger .card h3{
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
#burger .card h5 span{
    color: black;
    float: right;
}
/ * burger * /
/ * banner * /
.banner{
    margin-top: 100px;
    width: 100%;
    height: 60vh;
    background-image:linear-gradient(rgba
(0,0,0,0.5), rgba(0,0,0.5)), url(./images
/banner.png);
```

```
background-size: cover;
    text-align: center;
    font-family: 'Roboto Slab', serif;
}
.banner h3{
    padding-top: 132px;
    color: #ffc800;
    font-size: 32px;
}
.banner p {
   color: #ffc800;
}
#btnorder{
    width: 200px;
    height: 32px;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    transition: 0.5s ease;
}
#btnorder:hover{
    background-color: #ffc800;
    color: white;
    text-shadow: 1px 1px 1px black;
}
```

```
/ * banner * /
/* top cards */
#topcards{
   margin-top: 50px;
}
#topcards .card{
    background-color: #ffc800;
    transition: 0.5s ease;
   cursor: pointer;
}
#topcards .card:hover{
   transform: translateY(-10px);
}
/* top cards */
/ * about * /
#about {
   margin-top: 100px;
}
#about h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
```

```
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px black;
}
#about h2 {
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px black;
}
#about p{
    font-family: 'Roboto Slab', serif;
}
#readmorebtn button{
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
    color: #ffc800;
    font-weight: bold;
    letter-spacing: 3px;
    transition: 0.5s ease;
}
#about .card{
    background-color: #ffc800;
```

```
}
#readmorebtn button:hover{
    background-color: #ffc800;
    color: white;
}
/ * about * /
/* contact */
#contact{
    margin-top: 10px;
    border: 2px solid #ffc800;
}
# h 2 {
    margin-top: 100px;
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
```

```
text-shadow: 1px 1px 1px black;
}
#contact h3{
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#contact p{
    font-family: 'Roboto Slab', serif;
}
#contact input{
    width: 500px;
    height: 42px;
    margin-top: 20px;
    background-color: #ffc800;
    border: none;
    border-radius: 5px;
}
#contact ::placeholder{
    color: black;
    font-family: 'Roboto Slab', serif;
    padding-left: 10px;
    font-weight: bold;
}
```

```
#btnmessage{
     margin-top: 20px;
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
     letter-spacing: 3px;
    font-weight: bold;
    transition: 0.5s ease;
}
# b t n m e s s a g e : h o v e r {
    background-color: #ffc800;
    color: white;
}
#contact i{
    color: #ffc800;
    font-size: 20px;
    margin-top: 30px;
}
#contact i span{
    font-family: 'Dancing Script', cursiv
e ;
}
@media screen and (max-width:1200px) {
    #contact input{
```

```
width: 350px;
    }
}
@media screen and (max-width:385px) {
    #contact input{
        width: 250px;
    }
}
/* contact */
/ * footer * /
#footer{
    padding: 0 0 30px 0;
    font-family: 'Roboto Slab', serif;
    color: white;
    font-size: 14px;
    background: #ffc800;
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
```

```
#footer .footer-top{
    padding: 60px 030px;
    border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px black;
    background: linear-gradient(110deg, b
lack 67%, #ffc800 32%);
    color: white;
}
# 1 o g o 2 {
    font-size: 30px;
    color: white;
    font-weight: bold;
    text-shadow: 1px 1px 1px black;
}
#logo2 img{
    margin-bottom: 10px;
}
#footer .footer-top .footer-contact h4{
    font-size: 22px;
    margin: 0 0 300px 0;
    padding: 2px 0 2px 0;
                  1;
    line-height:
    font-weight: 700;
}
#footer .footer-top .footer-contact p{
```

```
font-size: 16px;
    margin: 0;
    color: white;
    line-height: 1;
    font-weight: 700;
}
#footer .footer-top h4{
    font-size: 16px;
    font-weight: bold;
    position: relative;
    padding-bottom: 700;
}
#footer .footer-top .footer-links{
    margin-bottom: 30px;
}
#footer .footer-top .footer-links ul{
    list-style: none;
    padding: 0;
    margin: 0;
}
#footer .footer-top .footer-links ul
    padding-right: 10px 0;
    display: flex;
    align-items: center;
}
```

```
#footer .footer-top .footer-links ul
{
    text-decoration: none;
    color: white;
    line-height: 2;
    transition: 0.5s ease;
}
#footer .footer-top .footer-links
                                    u l
:hover{
    color: #ffc800;
}
#footer .footer-top .socail-links a{
    font-size: 18px;
    display: inline-block;
    color: white;
    line-height: 1;
    padding-right: 4px;
    text-align: center;
    width: 36px;
    height: 36px;
    transition: 0.5s
                      ease;
    cursor: pointer;
}
#footer .footer-top .socail-links a:hover
    color: black;
```

```
}
#footer .copyright{
    text-align: center;
    float: left;
}
#footer .credits{
    float: right;
    text-align: center;
}
/ * footer * /
.arrow{
    position: fixed;
    height: 50px;
    bottom: 50px;
    right: 50px;
    text-decoration: none;
    align-items: center;
    line-height: 50px;
}
.arrow i {
```

```
color: black;
    font-size: 30px;
}
/*cart page*/
.page-content {
    margin: 20px
                  0;
}
.cart-table tbody tr td.product-block {
    padding-left: 24px;
    display: flex;
    gap: 24px;
    align-items: center;
}
.cart-table tbody tr td {
    vertical-align: middle;
    padding: 24px 0;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn
    width: 40px;
    height: 40px;
    display: grid;
    align-content: center;
    text-align: center;
    background: #F0F0F0;
    border-radius: 5px;
```

```
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn i {
    font-size: 20px;
}
.cart-table tbody tr td.product-block img
    box-shadow: 0px 4px 8px 0px rgba(0, 0
, 0, 0.12);
    width: 100px;
}
.cart-item-card {
    padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
-card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
  0, 0.04), 6px 3px 14px 0px rgba(0, 0,
 0.04), 23px 12px 26px 0px rgba(0, 0, 0, 0
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2), 94px 48px 42px 0px rgba(0, 0, 0, 0.01)
    width: 100%;
    position: relative;
}
```

```
.cart-item-card .remove-from-cart-btn {
    position: absolute;
    top: 16px;
    right: 16px;
    z - index: 50;
}
.cart-item-card .remove-from-cart-btn i {
    color: #282525;
    font-size: 20px;
}
.cus-btn.primary {
    box-shadow: 0px 5px 20px 0px rgba(255
 92, 0, 0.5);
    background: linear-gradient (99 deg, #f
fc800 -4.71%, #ffc800 93.14%);
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn {
    border-radius: 10px;
    box-shadow: 0px 15px 30px 0px rgba(40
  37, 37, 0.5);
    padding: 0.417vw 1.25vw 0.417vw 0.417
VW;
    transition: all 0.5s ease-in;
    font-size: 0.938vw;
    font-weight: 500;
```

```
line-height: 120%;
    display: flex;
    justify-content: center;
    align-items: center;
    gap: 12px;
    border: none;
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
    transition: all 0.5s ease-in;
    width: fit-content;
}
.cus-btn.primary .icon-wrapper {
    color: #ffc800;
    background: #FCFDFD;
}
.cus-btn .icon-wrapper {
    flex-shrink: 0;
    width: 2.083vw;
    height: 2.083vw;
    position: relative;
    border-radius: 50%;
    display: grid;
    place-items: center;
    overflow: hidden;
```

```
}
.cus-btn.primary .icon-wrapper svg {
    fill: #ffc800;
}
.cus-btn .icon-wrapper .icon-svg {
    width: 1.042vw;
    height: 1.042vw;
}
.cus-btn.primary .icon-wrapper svg path {
    stroke: #ffc800;
}
.cart-summary {
    padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
- card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
   0.04), 6px 3px 14px 0px rgba(0, 0,
 0.04), 23px 12px 26px 0px rgba(0, 0, 0,
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2), 94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
}
```

```
.cart-summary .title {
    border-bottom: 1px solid #F0F0F0;
   padding-bottom: 24px;
}
.cart-summary .cart-summary-detail {
    border-bottom: 1px solid #F0F0F0;
}
.color-primary {
   color: #ffc800 !important;
}
.cus-btn.dark {
    background-color: #282525;
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn.dark .icon-wrapper {
   background: #FCFDFD;
   color: #282525;
}
.cus-btn.dark .icon-wrapper svg {
   fill: #282525;
}
.cus-btn.dark .icon-wrapper svg path {
   stroke: #282525;
}
```

```
a:hover {
   color: #ffc800;
    transition: all 0.5s ease-in;
}
.product-block a{
    color: #282525;
}
a {
    text-decoration: none !important;
    color: #282525;
}
.quantity {
    background: #F0F0F0;
    display: flex;
    gap: 8px;
    width: fit-content;
    border-radius: 5px;
    padding: 0.833vw;
    height: 2.917vw;
}
.quantity .decrement, .quantity .incremen
    display: grid;
    align-content: center;
    cursor: pointer;
}
```

```
.quantity input {
    border: none !important;
    font-family: "Oswald", sans-serif;
    font-size: 1.25vw;
    font-weight: 400;
    line-height: 125%;
    width: 1.563vw;
    text-align: center;
    color: #282525 !important;
    padding: 0 !important;
    background: transparent;
}
.quantity .decrement i, .quantity .increm
ent
    font-size: 0.938vw;
    color: #282525;
}
.page-content {
    margin: 20px 0;
}
/*checkout*/
.form-group {
    position: relative;
    width: 100%;
```

```
}
.form-group label
    color: #282525;
    font-weight: 500;
    display: block;
    text-align: left;
}
input[type=date], input[type=text], input
[type=email], input[type=file], input[type
= number], input[type=password], input[type
= search], input[type = submit], input[type = t
el], textarea, .cus-form-control {
    width: 100%;
    background: transparent;
    padding: 0.833vw;
    padding-left: 0;
    color: #BDBCBC;
    border: none;
    border-bottom: 1px solid #282525;
}
.billing-checkbox input {
    padding: 0;
    display: none;
    cursor: pointer;
}
.billing-checkbox label
    position: relative;
```

```
cursor: pointer;
    color: #282525;
}
.billing-checkbox label:before {
    content: "";
    background: transparent;
    border: 1px solid #F0F0F0;
    width: 20px;
    height: 20px;
    display: inline-block;
    position: relative;
    vertical-align: middle;
    cursor: pointer;
    border-radius: 4px;
    margin-right: 8px;
    margin-top: -3px;
}
.billing-checkbox input:checked + label:a
fter {
    content: "";
    display: block;
    position: absolute;
    top: 2px;
    left: 6px;
    width: 6px;
    height: 15px;
```

```
z-index: 10;
    border: solid #282525;
    border-width: 0 2px 2px 0;
    transform: rotate(45deg);
}
/*estilos carrito*/
.carrito{
    background-color: transparent;
    padding: 5px 10px;
    border-radius: 50%;
    position: relative;
}
.contar-pro{
    position: absolute;
    top: 0;
    right:0;
    background-color: yellow;
    padding: 2px 5px;
    border-radius: 50%;
    font-size: 10px;
}
.icons{
    display: flex;
    justify-content: center;
    align-items: center;
```

```
}
.btn-product{
      padding: 17px 37px;
      background-color: #ffc800;
      border-radius: 10px;
      border: 2px solid black;
}
.list-cart{
      position: absolute;
      top: 62px;
      right: 0;
      width: 200px !important;
      background-color: #fff;
}
.ocultar{
      display: none;
}
        \label{eq:defD} \textbf{D}: \backslash \, \textbf{D} \, \text{ocuments} \, \backslash \, \textbf{3} \, . \quad \textbf{CESDE} \; - \; \, \textbf{Caso} \quad \textbf{cambio}
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Muestra\style.css --
* {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
}
```

```
.home-section{
     width: 100%;
     height: 100vh;
     background: linear-gradient(110deg, w
hite 68%, #ffc800 32%);
}
/ * navbar * /
# n a v b a r {
     position: sticky;
     top: 0;
     background-color: #fff;
     z - index: 99;
     border-bottom: 2px solid black;
}
# 1 o g o {
     font-size: 30px;
     margin-left: 30px;
     color: black;
     font-weight: bold;
    text-shadow: 1px 1px 1px black;
}
#logo img{
     margin-bottom: 10px;
}
#logo span{
```

```
color: #ffc800;
}
.nav-item{
   margin-left: 30px;
}
.nav-item .nav-link{
   color: black;
    font-weight: bold;
    transition: 0.5s ease;
}
#first-child{
   color: #ffc800;
   text-shadow: 1px 1px 1px black;
}
.nav-item .nav-link:hover{
   color: #ffc800;
   text-shadow: 1px 1px 1px black;
}
.icons{
   margin-right: 30px;
}
.icons i{
    margin-left: 10px;
   cursor: pointer;
}
```

```
@media screen and (max-width:982px) {
    .icons{
        margin-left: 25px;
    }
}
   navbar */
/ *
/* home content */
.home{
    display: flex;
    align-items: center;
    justify-content: center;
    flex-wrap: wrap;
    position: relative;
    z-index: 0;
    font-family: 'Roboto Slab', serif;
}
.home .img{
    flex: 1 1 300px;
}
.home .img img{
    width: 92%;
   animation: c 5s linear infinite;
}
@keyframes c{
    0%, 100% {
```

```
transform: translateY(0px);
    }
    5 0 % {
        transform: translateY(30px);
    }
}
.home .content{
    flex: 1 1 400px;
    margin-top: 30px;
}
.content h1{
    margin-left: 42px;
    font-size: 65px;
    font-weight: bold;
    text-shadow: -1px 0px 0px black;
}
.content h1 span{
    color: #ffc800;
    text-shadow: 1px 1px black;
    font-size: 100px;
    font-weight: bold;
}
.content p{
    margin-left: 42px;
}
```

```
# b t n {
    margin-left: 42px;
}
#btn button{
    width: 150px;
    height: 32px;
    letter-spacing: 3px;
    background-color: black;
    color: white;
    border-radius: 5px;
    transition: 0.5s ease;
    cursor: pointer;
}
#btn button:hover{
    background-color: #ffc800;
    color: black;
    border: none;
}
#btn span{
    margin-left: 10px;
    font-size: 20px;
    font-weight: bold;
}
@media screen and (max-width:1200px) {
    . home-section {
```

```
height: 90vh;
    }
}
@media screen and (max-width:799px) {
    . home-section {
        height: 140 vh;
    }
}
@media screen and (max-width:550px) {
    .home-section{
        height: 110 vh;
    }
}
@media screen and (max-width:420px){
    .content h1 span{
        font-size: 80px;
    }
}
@media screen and (max-width:320px){
    .content h1{
        font-size: 50px;
    }
    .content h1 span{
        font-size: 60px;
    }
```

```
}
/* home content */
/* top icons */
#top-icons{
    margin-top: 50px;
}
#top-icons h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#top-icons i img{
    width: 100px;
}
#top-icons h3{
    font-size: 18px;
    font-family: 'Roboto Slab', serif;
    margin-left: 20px;
}
/* top icons */
/ * cards * /
#cards{
```

```
margin-top: 100px;
    font-family: 'Roboto Slab', serif;
}
#cards .card h3{
   color: #ffc800;
    font-weight: bold;
}
#cards .card p{
   color: #ffc800;
    font-weight: bold;
}
# r n {
    width: 150px;
    height: 32px;
    border: none;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px black;
    transition: 0.5s ease;
    cursor: pointer;
}
#rn:hover{
    background-color: #ffc800;
```

```
color: white;
}
/ * cards * /
/ * burger * /
#burger{
    margin-top: 100px;
    font-family: 'Roboto Slab', serif;
}
#burger h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#burger .card{
    transition: 0.5s ease;
    cursor: pointer;
}
#burger .card:hover{
    background-color: #ffc800;
}
#burger .card h3{
```

```
font-weight: bold;
    text-shadow:
                  0px 0px 1px black;
}
#burger .card h5 span{
    color: black;
    float: right;
}
/ *
   burger */
/ * banner * /
.banner{
    margin-top: 100px;
    width: 100%;
    height: 60 vh;
    background-image:linear-gradient(rgba
(0,0,0,0.5), rgba(0,0,0.5)), url(./images
/banner.png);
    background-size: cover;
    text-align: center;
    font-family: 'Roboto Slab', serif;
}
.banner h3{
    padding-top: 132px;
    color: #ffc800;
```

```
font-size: 32px;
}
.banner p {
   color: #ffc800;
}
# b t n o r d e r {
    width: 200px;
    height: 32px;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    transition: 0.5s ease;
}
#btnorder:hover{
    background-color: #ffc800;
    color: white;
    text-shadow: 1px 1px black;
}
/ * banner * /
/* top cards */
#topcards{
    margin-top: 50px;
}
#topcards .card{
```

```
background-color: #ffc800;
    transition: 0.5s ease;
    cursor: pointer;
}
#topcards .card:hover{
    transform: translateY(-10px);
}
/* top cards */
/ * about * /
#about {
    margin-top: 100px;
}
#about h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#about h2{
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
```

```
border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px black;
}
#about p{
    font-family: 'Roboto Slab', serif;
}
#readmorebtn button{
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
    color: #ffc800;
    font-weight: bold;
    letter-spacing: 3px;
    transition: 0.5s ease;
}
#about .card{
    background-color: #ffc800;
}
#readmorebtn button:hover{
    background-color: #ffc800;
   color: white;
}
/ * about * /
```

```
/* contact */
#contact{
    margin-top: 10px;
    border: 2px solid #ffc800;
}
# h 2 {
    margin-top: 100px;
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#contact h3{
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
```

```
}
#contact p{
    font-family: 'Roboto Slab', serif;
}
#contact input{
    width: 500px;
    height: 42px;
    margin-top: 20px;
    background-color: #ffc800;
    border: none;
    border-radius: 5px;
}
#contact ::placeholder{
    color: black;
    font-family: 'Roboto Slab', serif;
    padding-left: 10px;
    font-weight: bold;
}
#btnmessage{
    margin-top: 20px;
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
    letter-spacing: 3px;
```

```
font-weight: bold;
    transition: 0.5s ease;
}
#btnmessage:hover{
    background-color: #ffc800;
    color: white;
}
#contact i{
    color: #ffc800;
    font-size: 20px;
    margin-top: 30px;
}
#contact i span{
    font-family: 'Dancing Script', cursiv
e ;
}
@media screen and (max-width:1200px) {
    #contact input{
        width: 350px;
    }
}
@media screen and (max-width:385px) {
    #contact input{
        width: 250px;
    }
}
```

```
/ * footer * /
#footer{
    padding: 0 0 30px 0;
    font-family: 'Roboto Slab', serif;
    color: white;
    font-size: 14px;
    background: #ffc800;
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
#footer .footer-top{
    padding: 60px 030px;
    border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px 1px black;
    background: linear-gradient(110deg, b
lack 67%, #ffc800 32%);
```

/* contact */

color: white;

```
}
# 1 o g o 2 {
   font-size: 30px;
   color: white;
   font-weight: bold;
   text-shadow: 1px 1px 1px black;
}
#logo2 img{
   margin-bottom: 10px;
}
font-size: 22px;
   margin: 0 0 300px 0;
   padding: 2px 0 2px 0;
   line-height: 1;
   font-weight: 700;
}
#footer .footer-top .footer-contact p{
   font-size: 16px;
   margin: 0;
   color: white;
    line-height: 1;
   font-weight: 700;
}
#footer .footer-top h4{
```

```
font-size: 16px;
    font-weight: bold;
    position: relative;
    padding-bottom: 700;
}
#footer .footer-top .footer-links{
    margin-bottom: 30px;
}
#footer .footer-top .footer-links ul{
    list-style: none;
    padding: 0;
    margin: 0;
}
#footer .footer-top .footer-links ul li{
    padding-right: 10px 0;
    display: flex;
    align-items: center;
}
#footer .footer-top .footer-links
                                    u l
    text-decoration: none;
    color: white;
    line-height: 2;
    transition: 0.5s ease;
}
#footer .footer-top .footer-links
                                    u l
```

```
:hover{
    color: #ffc800;
}
#footer .footer-top .socail-links a{
    font-size: 18px;
    display: inline-block;
    color: white;
    line-height: 1;
    padding-right: 4px;
    text-align: center;
    width: 36px;
    height: 36px;
    transition: 0.5s ease;
    cursor: pointer;
}
#footer .footer-top .socail-links a:hover
{
    color: black;
}
#footer .copyright{
    text-align: center;
    float: left;
}
#footer .credits{
    float: right;
    text-align: center;
```

```
}
/ * footer * /
.arrow {
    position: fixed;
    height: 50px;
    bottom: 50px;
    right: 50px;
    text-decoration: none;
    align-items: center;
    line-height: 50px;
}
.arrow i{
    color: black;
    font-size: 30px;
}
/*cart page*/
.page-content {
   margin: 20px 0;
}
.cart-table tbody tr td.product-block {
```

```
padding-left: 24px;
    display: flex;
    gap: 24px;
    align-items: center;
}
.cart-table tbody tr td {
    vertical-align: middle;
    padding: 24px 0;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn {
    width: 40px;
    height: 40px;
    display: grid;
    align-content: center;
    text-align: center;
    background: #F0F0F0;
    border-radius: 5px;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn i {
    font-size: 20px;
}
.cart-table tbody tr td.product-block img
    box-shadow: 0px 4px 8px 0px rgba(0, 0
 0, 0.12);
```

```
width: 100px;
}
.cart-item-card {
    padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
-card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
  0, 0.04), 6px 3px 14px 0px rgba(0, 0, 0,
 0.04), 23px 12px 26px 0px rgba(0, 0, 0, 0
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2),
   94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
    position: relative;
}
.cart-item-card .remove-from-cart-btn {
    position: absolute;
    top: 16px;
    right: 16px;
    z - i n d e x : 50;
}
.cart-item-card .remove-from-cart-btn i {
    color: #282525;
```

```
font-size: 20px;
}
.cus-btn.primary {
    box-shadow: 0px 5px 20px 0px rgba(255
, 92, 0, 0.5);
    background: linear-gradient(99deg,
fc800 -4.71%, #ffc800 93.14%);
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn {
    border-radius: 10px;
    box-shadow: 0px 15px 30px 0px rgba(40
, 37, 37, 0.5);
    padding: 0.417vw 1.25vw 0.417vw 0.417
V W ;
    transition: all 0.5s ease-in;
    font-size: 0.938vw;
    font-weight: 500;
    line-height: 120%;
    display: flex;
    justify-content: center;
    align-items: center;
    gap: 12px;
    border: none;
    white-space: nowrap;
    overflow: hidden;
```

```
text-overflow: ellipsis;
    transition: all 0.5s ease-in;
    width: fit-content;
}
.cus-btn.primary .icon-wrapper {
    color: #ffc800;
    background: #FCFDFD;
}
.cus-btn .icon-wrapper {
    flex-shrink: 0;
    width: 2.083vw;
    height: 2.083vw;
    position: relative;
    border-radius: 50%;
    display: grid;
    place-items: center;
    overflow: hidden;
}
.cus-btn.primary .icon-wrapper svg {
    fill: #ffc800;
}
.cus-btn .icon-wrapper .icon-svg {
    width: 1.042vw;
    height: 1.042vw;
}
```

```
.cus-btn.primary .icon-wrapper svg path {
    stroke: #ffc800;
}
.cart-summary {
    padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
- card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
   0.04), 6px 3px 14px 0px rgba(0, 0,
0.04), 23px 12px 26px 0px rgba(0, 0, 0,
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2), 94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
}
.cart-summary .title {
    border-bottom: 1px solid #F0F0F0;
    padding-bottom: 24px;
}
.cart-summary .cart-summary-detail {
    border-bottom: 1px solid #F0F0F0;
}
.color-primary {
```

```
color: #ffc800 !important;
}
.cus-btn.dark {
    background-color: #282525;
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn.dark .icon-wrapper {
    background: #FCFDFD;
   color: #282525;
}
.cus-btn.dark .icon-wrapper svg {
   fill: #282525;
}
.cus-btn.dark .icon-wrapper svg path {
   stroke: #282525;
}
a:hover {
   color: #ffc800;
   transition: all 0.5s ease-in;
}
.product-block a{
   color: #282525;
}
a {
```

```
text-decoration: none !important;
    color: #282525;
}
.quantity {
    background: #F0F0F0;
    display: flex;
    gap: 8px;
    width: fit-content;
    border-radius: 5px;
    padding: 0.833vw;
    height: 2.917vw;
}
.quantity .decrement, .quantity .incremen
    display: grid;
    align-content: center;
    cursor: pointer;
}
.quantity input {
    border: none !important;
    font-family: "Oswald", sans-serif;
    font-size: 1.25vw;
    font-weight: 400;
    line-height: 125%;
    width: 1.563 vw;
```

```
text-align: center;
    color: #282525 !important;
    padding: 0 !important;
    background: transparent;
}
.quantity .decrement i, .quantity .increm
ent
   i {
    font-size: 0.938vw;
    color: #282525;
}
.page-content {
    margin: 20px 0;
}
/*checkout*/
.form-group {
    position: relative;
    width: 100%;
}
.form-group label {
    color: #282525;
    font-weight: 500;
    display: block;
    text-align: left;
}
input[type=date], input[type=text], input
```

```
[type=email], input[type=file], input[type
= number], input[type=password], input[type
= search], input[type=submit], input[type=t
el], textarea, .cus-form-control {
    width: 100%;
    background: transparent;
    padding: 0.833vw;
    padding-left: 0;
    color: #BDBCBC;
    border: none;
    border-bottom: 1px solid #282525;
}
.billing-checkbox input {
    padding: 0;
    display: none;
    cursor: pointer;
}
.billing-checkbox label
    position: relative;
    cursor: pointer;
    color: #282525;
}
.billing-checkbox label:before {
    content: "";
    background: transparent;
    border: 1px solid #F0F0F0;
    width: 20px;
```

```
height: 20px;
    display: inline-block;
    position: relative;
    vertical-align: middle;
    cursor: pointer;
    border-radius: 4px;
    margin-right: 8px;
    margin-top: -3px;
}
.billing-checkbox input:checked + label:a
fter {
    content: "";
    display: block;
    position: absolute;
    top: 2px;
    left: 6px;
    width: 6px;
    height: 15px;
    z-index: 10;
    border: solid #282525;
    border-width: 0 2px 2px 0;
    transform: rotate(45deg);
}
/*estilos carrito*/
.carrito{
```

```
background-color: transparent;
    padding: 5px 10px;
    border-radius: 50%;
    position: relative;
}
.contar-pro{
    position: absolute;
    top: 0;
    right:0;
    background-color: yellow;
    padding: 2px 5px;
    border-radius: 50%;
    font-size: 10px;
}
.icons{
    display: flex;
    justify-content: center;
    align-items: center;
}
.btn-product{
    padding: 17px 37px;
    background-color: #ffc800;
    border-radius: 10px;
    border: 2px solid black;
}
```

```
.list-cart{
    position: absolute;
    top: 62px;
    right: 0;
    width: 200px !important;
    background-color: #fff;
}
.ocultar{
    display: none;
}
==== JS =====
      D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde_Frontend-I\Carrito_Comida
s\archivos-plantilla-Mio\js\borrar_product
o. is ----
// borrar-producto.js
import { borrarProducto as bp } from './c
antidades.js';
import { renderCartDropdown } from './inf
o_carrito.js';
import { calcularResumen } from './resume
n compra.js';
export function borrarProducto(id){
  bp(id);
  renderCartDropdown();
  calcularResumen();
}
```

```
---- D:\Documents\3. CESDE - Caso cambio de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\cantidades.js
// cantidades.js
import { loadCarrito, saveCarrito } from
'./pro_localstorage.js';
console.log('cantidades cargado');
export function cambiarCantidad(id, delta
) {
  const carrito = loadCarrito();
  const idx = carrito.findIndex(p => p.id
= = = String(id));
  if(idx === -1) return;
  carrito[idx].cantidad = Math.max(0, (ca
rrito[idx].cantidad | | 0) + Number(delta))
  if (carrito [idx].cantidad = = = 0) carrito
.splice(idx,1);
  saveCarrito(carrito);
}
export function borrarProducto(id){
  const carrito = loadCarrito().filter(p
=> p.id ! = = String(id));
  saveCarrito(carrito);
}
```

```
export function obtenerSubtotal(){
  const carrito = loadCarrito();
  return carrito.reduce((s,p)=> s + (Numb
er(p.precio||0) * Number(p.cantidad||0)),
0);
}
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla-Mio\js\configuracion
es. is ----
// configuraciones.js
export const CONFIG = {
  PROMO UMBRAL: 100000,
  PROMO_PORC: 0.10
} ;
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\guardar resum
en_compra.js ----
// guardar-resumen-compra.js
import { loadCarrito, pushCompra } from '
./pro localstorage.js';
import { calcularResumen } from './resume
n_compra.js';
import { saveCarrito } from './pro_locals
torage.js';
console.log('guardar-resumen-compra carga
do');
```

```
function validarCampos(formSelector = '#f
orm - pago') {
  const form = document.querySelector(for
m Selector);
  if(!form) return { ok: false, faltantes
: ['Formulario no encontrado'] };
  const required = form.querySelectorAll(
'[data-required]');
  const faltantes = [];
  required.forEach(inp => {
    if(!inp.value || String(inp.value).tr
im() = = = '') {
       faltantes.push(inp.dataset.label ||
inp.name || inp.id || 'campo');
    }
  });
  return { ok: faltantes.length === 0, fa
ltantes };
}
export function procesarCompra(formSelect
or = '#form-pago') {
 const valid = validarCampos(formSelecto
r ) ;
  if(!valid.ok){
alert('Faltan datos obligatorios: ' +
valid.faltantes.join(', '));
    return false;
  }
  const carrito = loadCarrito();
```

```
if(!carrito | | carrito.length === 0){
    alert ('No hay productos en el carrito
');
    return false;
  }
  const resumen = calcularResumen();
  const form = document.querySelector(for
m Selector);
  const datos = {};
  new FormData(form).forEach((v,k)=> dato
s[k]=v);
  const compra = { resumen, datos, fechaR
egistro: new Date().toISOString(), product
os: carrito };
  pushCompra(compra);
  // vaciar carrito
  saveCarrito([]);
  // actualizar UI: recarga tabla y conta
dor si existen
  document.querySelectorAll('.contar-pro'
).forEach(e = > e.textContent = '0');
  const tbody = document.getElementById('
body-cart');
  if(tbody) tbody.innerHTML = `<td co
lspan="6" class="text-center">No hay produ
ctos para mostrar
;
  alert('Compra registrada correctamente
['');
  return true;
}
```

```
---- D:\Documents\3. CESDE - Caso cambio de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\info carrito.
is ----
// info-carrito.js
// ========== info_carrito.js
console.log("info-carrito cargado");
// = 9 Renderiza la tabla del carrito dent
ro de cart.html
------------------
export function renderCartTable(carrito =
[]) {
  console.log("> Renderizando tabla del
carrito...");
 // Buscar el cuerpo de la tabla seg n l
a estructura real del HTML
 const tbody =
    document.querySelector(".cart-table t
document.querySelector(".list-cart tb
ody") || // compatibilidad
    document.querySelector("#list-cart tb
ody"); // fallback por id
```

```
if (!tbody) {
   console.warn("&INo se encontr <tbod
  para renderizar los productos del carri
ío.");
   return;
  }
  tbody.innerHTML = "";
  if (!carrito | | carrito.length === 0) {
    tbody.innerHTML = `
     r text-muted py-4">
        = Tu carrito est vac o
       < / t d >
     `;
    return;
  }
 carrito.forEach((producto, index) => {
    const subtotal = (producto.precio * p
roducto.cantidad).toFixed(2);
   const fila = document.createElement("
tr");
    fila.innerHTML = `
```

```
<div class="d-flex align-items-ce</pre>
nter">
         <img src="images/${producto.id}</pre>
.png"
              onerror = "this.src = 'images/
default.png'"
              width = "60" height = "60"
              class="me-3 rounded"
              alt="${producto.nombre}">
         <span>${producto.nombre}
       < / d i v >
     < / t d >
     $${product
o.precio.toFixed(2)}
     ${producto
.cantidad \ 
     $$
{ subtotal } 
   `;
    tbody.appendChild(fila);
  });
  console.log(`['Tabla renderizada con ${
carrito.length    productos.`);
}
```

```
// = 9 Renderiza el men desplegable del c
arrito en la barra superior
export function renderCartDropdown(carrit
o = []) {
  const listaCarrito = document.getElemen
tById("listaCarrito");
  if (!listaCarrito) return;
  listaCarrito.innerHTML = "";
  if (!carrito | | carrito.length === 0) {
    listaCarrito.innerHTML = `<li class="
text-center text-muted small">Carrito vac
o < / l i > `;
    return;
  }
  carrito.forEach(producto => {
    const li = document.createElement("li
");
    li.className = "dropdown-item d-flex
align-items-center justify-content-between
" ;
    li.innerHTML = `
      <div class="d-flex align-items-cent</pre>
er">
        <img src="images/${producto.id}.p</pre>
```

```
ng"
              onerror="this.src='images/de
fault.png'"
              alt = " $ { producto.nombre } "
             width="40" height="40" class
= "me-2 rounded">
        < d i v >
          <span class="fw-bold d-block">$
{producto.nombre} < / span>
          <small > Cant: ${producto.cantida
} < / s m a l l >
        < / d i v >
      < / d i v >
      <button class="btn btn-sm btn-outli</pre>
ne-danger ms-2" data-id="${producto.id}">
        <i class="fa-solid fa-trash"></i></i></or>
      `;
    listaCarrito.appendChild(li);
  });
  // A adir bot n final para ir al carrit
  listaCarrito.innerHTML += `
    <hr class="dropdown-divider">
>
    <a class="dropdown-item text-cent">-cent</a>
   fw-bold text-primary" href="cart.html">
e r
   al carrito</a>
```

```
}
______
// = 9 Actualiza el contador visual del ca
rrito
-------
export function updateCartCount(carrito =
[]) {
 const contador = document.getElementByI
d("contadorCarrito");
 if (!contador) return;
 const total = carrito.reduce((acc, p) =
> acc + Number(p.cantidad | | 0), 0);
 contador.textContent = total;
}
-------
// =9 Inicializaci n autom tica (si el ca
rrito est en localStorage)
______
document.addEventListener("DOMContentLoad
ed", () = > {
 try {
  const carrito = JSON.parse(localStora
ge.getItem("carrito")) || [];
```

```
renderCartDropdown(carrito);
     renderCartTable(carrito);
    updateCartCount(carrito);
    console.log(" info_carrito inicializa
do con datos del localStorage: ", carrito);
  } catch (e) {
    console.error("L' Error al inicializar
info_carrito:", e);
  }
});
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\pro_carrito.j
// pro-carrito.js
import { sincronizarCarritoLS, guardarCar
ritoLS, loadCarrito, saveCarrito } from '.
/pro_localstorage.js';
import { renderCartDropdown, renderCartTa
ble, updateCartCount } from './info_carrit
o.js';
import { calcularResumen } from './resume
n_compra.js';
console.log('pro-carrito cargado');
function ensureWindowCarrito(){
  if(!window.carrito) {
    window.carrito = loadCarrito();
```

```
}
}
// Agrega 1 unidad del producto (obj: {id
, nombre, precio } )
export function agregarAlCarrito(producto
) {
  ensureWindowCarrito();
  const idx = window.carrito.findIndex(p
=> p.id === producto.id);
  if(idx > = 0){
    window.carrito[idx].cantidad = (windo
w.carrito[idx].cantidad | | 0) + 1;
  } else {
    window.carrito.push({...producto, can
tidad: 1 } );
  }
  saveCarrito(window.carrito);
  guardar Carrito LS();
  renderCartDropdown();
  renderCartTable();
  updateCartCount();
  calcularResumen();
}
// Inicializa listeners en botones (sopor
ta varias formas)
export function initAddButtons(selectorLi
```

```
s t ) {
  ensureWindowCarrito();
  const selectors = selectorList |  ['.bt
n-add-carrito','[data-add-cart]','.agregar
-carrito'];
  const elems = new Set();
  selectors.forEach(s => document.querySe
lectorAll(s).forEach(e=> elems.add(e)));
  elems.forEach(btn=>{
    btn.addEventListener('click', (ev) => {
      ev.preventDefault();
      const el = ev.currentTarget;
      // soporta data attributes o atribu
tos personalizados
      const id = el.dataset.id | el.getA
ttribute('data-id') || el.getAttribute('id
') || (el.closest('[data-id]') && el.close
st('[data-id]').dataset.id);
      const nombre = el.dataset.nombre | |
el.getAttribute('data-nombre') || el.getA
ttribute('aria-label') | | el.textContent.t
rim();
      const precioRaw = el.dataset.precio
|| el.getAttribute('data-precio') || el.g
etAttribute('data-price');
      const precio = precioRaw ? Number(p
recioRaw): 0;
      if(!id){
        console.warn('bot n agregar sin d
ata-id', el);
        return;
      }
```

```
agregarAlCarrito({id: String(id), n
ombre: String(nombre||'Producto'), precio:
Number(precio | | 0 ) } );
    });
  });
}
// utilidad para vaciar carrito (debug)
export function vaciarCarrito(){
  window.carrito = [];
  saveCarrito(window.carrito);
  guardarCarritoLS();
  renderCartDropdown();
  renderCartTable();
  updateCartCount();
  calcularResumen();
}
// export default no usado
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\pro_localstor
age. is ----
_ = = = = = = = = = = = =
// = pro-localstorage.js [ Gestin del
almacenamiento
```

```
export const LS_KEYS = {
  CARRITO: 'pro-carrito',
  RESUMEN: 'pro-resumen',
  COMPRAS: 'compra'
} ;
// =9 Guardar y cargar carrito
// ------
export function saveCarrito(carrito) {
  localStorage.setItem(LS_KEYS.CARRITO, J
SON.stringify(carrito | []));
}
export function loadCarrito() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.CARRITO)) | | []; }
  catch(e) { return []; }
}
/ /
// = 9 Guardar y cargar resumen
export function saveResumen(resumen) {
  localStorage.setItem(LS_KEYS.RESUMEN,
```

```
SON.stringify(resumen | | { } ));
}
export function loadResumen() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.RESUMEN)) | | { }; }
  catch(e) { return {}; }
}
// -----
// = 9 Registro de compras hist ricas
// -----
export function pushCompra(compra) {
  const arr = (JSON.parse(localStorage.ge
tItem(LS_KEYS.COMPRAS)) || []);
  arr.unshift(compra);
  local Storage.set I tem (LS KEYS.COMPRAS, J
SON.stringify(arr));
}
export function loadCompras() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.COMPRAS)) || []; }
  catch(e) { return []; }
}
```

```
// =9 Limpieza de datos
// -----
export function clearAll() {
  local Storage.remove I tem (LS KEYS.CARRITO
);
  local Storage.remove I tem (LS_KEYS.RESUMEN
);
  // Se mantiene COMPRAS hist ricas
}
// = lacksquare Compatibilidad con import del HTML
// Sincroniza el carrito entre localStora
ge y variable global
export function sincronizarCarritoLS() {
  const carrito = loadCarrito();
  window.carrito = carrito;
  console.log("= [ Carrito sincronizado de
sde localStorage:", carrito);
 return carrito;
}
// Guarda el carrito actual (si existe en
window.carrito)
export function guardarCarritoLS() {
```

```
if (window.carrito && Array.isArray(win
dow.carrito)) {
    saveCarrito(window.carrito);
    console.log("=ق Carrito guardado nuev
amente en localStorage.");
  }
}
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\resumen_compr
a.js ----
// resumen-compra.js
import { loadCarrito, saveResumen } from
'./pro_localstorage.js';
const PROMO_UMBRAL = 100000;
const PROMO PORC = 0.10;
console.log('resumen-compra cargado');
export function calcularResumen(){
  const carrito = loadCarrito();
  const subtotal = carrito.reduce((s,p)=>
s + (Number(p.precio||0) * Number(p.canti
dad | | 0 ) ) , 0 ) ;
 const descuento = subtotal >= PROMO UMB
RAL ? Math.round(subtotal * PROMO_PORC) :
0;
  const total = subtotal - descuento;
  const resumen = { subtotal, descuento,
total, fecha: new Date().toISOString(), ca
```

```
ntidadProductos: carrito.reduce((s,p)=> s
+ (p.cantidad | | 0), 0) };
 // usar la funci n importada saveResume
n para persistir
  try { saveResumen(resumen); } catch(e){
localStorage.setItem('pro-resumen', JSON.
stringify(resumen)); }
  // actualizar UI si existen ids
  const subEl = document.getElementById('
res-subtotal');
  const descEl = document.getElementById(
'res-descuento');
  const totEl = document.getElementById('
res-total');
  if (subEl) subEl.textContent = subtotal.
toLocaleString();
  if (descEl) descEl.textContent = descuen
to.toLocaleString();
  if (totEl) totEl.textContent = total.toL
ocaleString();
  return resumen;
}
```