```
===== HTML =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde Frontend-I\Carrito Comida
s\archivos-plantilla\cart.html ----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent="IE=edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  k rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
  link rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  k rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
```

```
k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
    <nav class="navbar navbar-expand-lg"</pre>
id = "navbar">
       <div class="container-fluid">
         <a class="navbar-brand" href="ind</pre>
ex.html" id="logo"> < img src="./images/logo.png" alt="" width="30px"> BUR < span>GER < / sp
an > \langle /a \rangle
         <button class="navbar-toggler" ty</pre>
pe="button" data-bs-toggle="collapse" data
-bs-target="#navbarSupportedContent" aria-
controls = "navbarSupportedContent" aria-exp
anded = "false" aria-label = "Toggle navigatio
n " >
           <span><i class="fa-solid fa-bar</pre>
s"></i></span>
         /button>
         <div class="collapse navbar-colla</pre>
pse" id = "navbarSupportedContent">
            b-2 mb-lg-0">
              class="nav-item">
               <a class="nav-link active"</pre>
aria-current="page" href="#" id="first-chi
ld">Home</a>
              < / l i >
```

class="nav-item">

< / l i >

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

< / u 1 >

< / l i >

< / l i >

class="nav-item">

```
< / u 1 >
             <form class = "d-flex">
               <div class="icons">
                  <i class="fa-regular fa-use</pre>
r " > < / i >
                  <i class="fa-solid fa-cart-</pre>
shopping"></i>
              < / div >
             < / f o r m >
          < / d i v >
        < / d i v >
     < / n a v >
     <!-- nav section -->
      <!-- cart section -->
          <h2 class="page-title text-center"</pre>
my-5 py-3" style="background-color: #ffc8
00; " > Cart < / h 2 >
          <div class="page-content">
               <!-- Cart Star -->
               <section class="pt-80 pb-40">
                    <div class="container-flu</pre>
i d " >
                         <div class="row">
                             <div class="col-1</pre>
g-8 mb-64 mb-lg-0 px-5">
```

< / l i >

```
<div class="</pre>
mb-64">
                               <table cl
ass="table cart-table">
                                   < t h e a</pre>
d >
                                        <
tr>
  PRODUCTO
  PRECIO
   CANTIDAD 
  SUBTOTAL
                                        <
/ t r >
                                    < / t h e</pre>
a d >
                                    < t b o d
y >
-aqui van los productos de localstorage-->
                                    < / t b o
dy>
                                < / d i v >
                            <a href="inde</pre>
x.html" class="cus-btn primary">
                               <span cla</pre>
ss="icon-wrapper">
```

```
class="icon-svg icon-svg-copy" xmlns="http
://www.w3.org/2000/svg" width="20" height=
"20" viewBox="0 0 20 20" fill="none">
path d="M16.2522 11.9789C14.4658 10.1925 1
3.7513 6.14339 15.6567 4.23792M15.6567 4.2
3792C14.565 5.3296 11.4885 7.21521 7.91576
                                     15.5516"
3 . 6 4 2 4 6 M 1 5 . 6 5 6 7 4 . 2 3 7 9 2 L 4 . 3 4 3 0 1
stroke="#FCFDFD" stroke-width="2" stroke-1
inecap="round" stroke-linejoin="round"></p
ath>
                                         < / s v g
>
                                     / s p a n >
                                     Continuar
Comprando
                                < / a >
                            < / d i v >
                            <div class="col-1</pre>
g - 4 " >
                                <div class="c</pre>
art-summary">
                                     <h6 class</pre>
= "title mb-24" > RESUMEN ORDEN < / h6 >
                                     <div clas
s = "cart-summary-detail mb-24">
class="d-flex justify-content-between alig
n-items-center mb-24">
 class="lead color-black">SUBTOTAL
                                              <
 class="lead res-sub-total">560.00
                                         </div
```

```
class="d-flex justify-content-between alig
n-items-center mb-3">
class = "lead color-black mb-0" > DESTINO 
                                          < s e
lect class="destino">
option selected value = "Medellin" > Medellin
- $0</option>
option value = "Bello" > Bello - $10.000 < /opti
on >
option value="Itagui">Itagui - $15.000</op
tion>
option value="Envigado">Envigado - $15.000
/option>
option value="Sabaneta">Sabaneta - $15.000
/option>
option value="La Estrella">La Estrella
20.000</option>
option value = "Caldas" > Caldas - $20.000 < /op
tion>
option value = "Copacabana" > Copacabana -
.000</option>
                                          < / s
elect>
                                     < / d i v >
class="d-flex justify-content-between alig
```

< div

```
p class="lead color-black">VALOR DOMICILIO
<
p class="lead valor-domi">$10.000
                                        / div
>
                                        < div
class="d-flex justify-content-between alig
n-items-center mb-24">
p class="lead color-black">DESCUENTO PROMO
<
p class="lead promo">$5.000
                                        < / d i v
>
                                   < / d i v >
                                   <div clas
s="d-flex justify-content-between align-it
ems-center mb-48">
                                        < h 5 c
lass="color-primary">TOTAL</h5>
                                        < h 5 c
lass="color-primary total">$420.00</h5>
                                   < / d i v >
                                   <button t</pre>
ype="button" class="cus-btn dark btn-resum
e n " >
                                        < s p a n
class="icon-wrapper">
```

<

n-items-center mb-24">

```
svg class="icon-svg icon-svg-copy" xmlns="
http://www.w3.org/2000/svg" width="20" hei
ght="20" viewBox="0 0 20 20" fill="none">
  <path d = "M16.2522 11.9789C14.4658 10.19</pre>
25 13.7513 6.14339 15.6567 4.23792M15.6567
4.23792C14.565 5.3296 11.4885 7.21521 7.9
1576 3.64246M15.6567 4.23792L4.34301 15.55
16" stroke="#FCFDFD" stroke-width="2" stro
ke-linecap="round" stroke-linejoin="round"
> < / path>
                                              <
/ s v g >
                                          < / s p a</pre>
n >
                                          Ir a
pagar
                                     </button>
                                < / d i v >
                            < / d i v >
                       < / d i v >
                   < / d i v >
              </section>
              <!-- Cart End -->
         < / d i v >
     <!-- cart section -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
     <div class="footer-top">
```

```
<div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt = " " width = " 3 0 p x " > Burger < / a >
             Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
             >
               Karachi <br>
               Sindh <br><br>
               Pakistan <br> <br>
             <strong><i class="fa-solid fa</pre>
000</strong></strong><br>
             <strong><i class="fa-solid fa</pre>
-envelope"></i> Email: <strong>example@gma
il.com</strong></strong>
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Useful Links/h4>
             < u 1 >
               < a href = " # " > Home < / a > < / l</pre>
i >
               < a href = " # " > About < / a > < /</pre>
1 i >
               < a href="#">Contact</a>
```

```
\langle / 1 i \rangle
                 < a href = " # " > Services < / a</pre>
> < / l i >
                 <a href="#">Privacy pol</a>
icay</a>
               < / u l >
            < / d i v >
            <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
               <h4>Our Services
               Lorem ipsum dolor sit amet
consectetur adipisicing elit. Quas, aperi
am.
               u 1 >
                 < a href="#">Pizza</a>/
li \rightarrow
                         href="#">Fried chick
                 < l i > < a</pre>
en</a>
                 < a href = " # " > Fries < / a > < /</pre>
li \rightarrow
               < / u 1 >
            < / d i v >
            <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
               <h4>Our Socail Links/h4>
               Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
               <div class="socail-links mt-3</pre>
```

```
" >
                  <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                  <a href="#"><i class="fa-br</pre>
ands fa-facebook">\langle /i \rangle \langle /a \rangle
                  <a href="#"><i</pre>
                                    class="fa-br
ands fa-google-plus"></i></a>
                 <a href="#"><i class="fa-br</pre>
      fa-instagram"></i></a>
ands
                  <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i>
               < / d i v >
             < / d i v >
          < / d i v >
        < / d i v >
     < / d i v >
   <hr><hr>>
   <div class="container py-4">
     <div class="copyright">
        © Copyright <strong>Burger</st
rong>.All Rights reserved
     < / d i v >
     <div class="credits">
        Designed By <a href="#">SA coding</
a >
     < / d i v >
```

< / d i v >

```
</footer>
  <!-- footer -->
     href="#" class="arrow"><i class="fa-
solid fa-arrow-up"></i></a>
    <script src="https://cdn.jsdelivr.net</pre>
/npm/bootstrap@5.0.2/dist/js/bootstrap.bun
dle.min.js" integrity="sha384-MrcW6ZMFYlzc
LA8N1+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn
/tWtIaxVXM" crossorigin="anonymous"></scri</pre>
pt>
     <script src="js/detalleCarrito.js">
script>
/ b o d y >
/ h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla\checkout.html -----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel = "shortcut icon" type = "image"
href="./images/logo.png">
```

```
k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  k rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
m/css2?family=Dancing+Script:wght@600&disp
lav=swap" rel="stylesheet">
  <!-- fonts links -->
/ head>
< b o d y >
  <!-- nav section -->
  < nav class = "navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
      <a class="navbar-brand" href="index</pre>
.html" id="logo"> < img src="./images/logo.p
ng" alt="" width="30px">BUR<span>GER</span
> < / a >
      <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
```

s - target = " # navbarSupportedContent" aria - co
ntrols = " navbarSupportedContent" aria - expan
ded = " false" aria - label = " Toggle navigation"
>

</button>

class="nav-item">

 $\langle / 1 i \rangle$

class="nav-item">

< / l i >

class="nav-item dropdown">

0 ther

< / a >

```
< a class = "dropdown-item</pre>
" href="index.html#top-icons">Fries</a></l
                 < a class = "dropdown-item</pre>
" href="index.html#top-icons">Fried Chicke
n < / a > < / l i >
               < / u 1 >
             < / l i >
             class="nav-item">
              <a class="nav-link" href="ind</pre>
ex.html#about">About Us</a>
             < / l i >
             class="nav-item">
               <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
             < / l i >
          < / u 1 >
          <form class="d-flex">
             <div class="icons">
               <i class="fa-regular fa-user"</pre>
> < / i >
               <i class="fa-solid fa-cart-sh</pre>
opping"></i>
            < / d i v >
          < / f o r m >
       < / d i v >
     < / d i v >
   < / n a v >
```

```
<!-- nav section -->
      <!-- cart section -->
      <h2 class="page-title text-center my</pre>
-5 py-3" style="background-color: #ffc800;
" > C h e c k o u t < / h 2 >
      <div class="page-content">
          <section class="pt-80 pb-40">
               <div class="container-fluid">
                   < form >
                        <div class="row">
                             <div class="col-l</pre>
g-8 mb-64 mb-1g-0 px-5">
                                  < h 5 class = "mb"
-32">DATOS DE ENTREGA</h5>
                                  <div class="r</pre>
o w " >
                                       <div clas
s = "col-sm-6" >
                                             <div
class="form-group mb-32">
                                                <
label>Nombres*</label>
input id="nombres-input" type="text" name=
"f-name" autocomplete="off" placeholder="M
r. John">
                                            < div
data-lastpass-icon-root="" style="position
: relative !important; height: 0px !import
ant; width: 0px !important; float: left !i
mportant; "></div></div>
                                       < / d i v >
```

<div clas

```
s = "col-sm-6" >
                                              < div
class="form-group mb-32">
                                                  <
label>Apellidos*</label>
input id="apellidos-input" type="text" nam
e="l-name" autocomplete="off" placeholder=
" D e o " >
                                             < / d i v
>
                                        < / d i v >
                                        <div clas
s = "col-sm-6" >
                                             < div
class="form-group mb-32">
                                                  <
label>Email*</label>
input id="email-input" type="email" name="
email" autocomplete="off" placeholder="ema
il@example.com">
                                             / div
>
                                        < / d i v >
                                        <div clas
s = "col-sm-6" >
                                             < div
class="form-group mb-32">
                                                  <
label>Celular * < / label>
input id="celular-input" type="tel" name="
phone" autocomplete="off" placeholder="123
45679">
```

```
/ div
                                        < / d i v >
                                        <div clas
s = " c o 1 - 1 2 " >
                                            < div
class = "form - group mb - 32" >
                                                 <
label>Direccion*</label>
input id="direccion-input" type="text" nam
e="address" autocomplete="off" placeholder
= "Your Address">
                                            < / d i v
>
                                       < / d i v >
                                        <div clas
s = "col-12" >
                                            < div
class="form-group mb-32">
                                                 <
label>Direccion (optional) </label>
input id="direccion-2-input" type="text" n
ame="address2" autocomplete="off" placehol
der="Apartment, Suite, Unit etc.">
                                            < / d i v
                                        < / d i v >
                                   < / d i v >
                                   <div class="m</pre>
t - 6 4 " >
                                        < h 5 class</pre>
```

```
= " m b - 3 2 " > I N F O R M A C I O N A D I C I O N A L < / h 5 >
                                        <div clas
s = "form - group" >
                                             < l a b e</pre>
1 > Notas de orden (opcional) < /label>
                                             < t e x t
area name="noe" id="additiona-note" rows="
5" placeholder="Note About Your Order, e.g
. special notes for delivery."></textarea>
                                        < / d i v >
                                   < / d i v >
                              < / d i v >
                              <div class="col-1</pre>
g - 4 " >
                                   <div class="c</pre>
art-summary">
                                        <h6 class</pre>
= "title mb-24" > RESUMEN DE ORDEN < / h6 >
                                        <div clas
s = "cart-summary-detail mb-24">
                                             < d i v
class = "productos border-bottom" >
                                                <! -
  aqui van productos -->
                                             </div
>
class="d-flex justify-content-between alig
n-items-center mb-24">
p class="lead color-black">VALOR DOMICILIO
```

<

```
p class="lead valor-domi">$5.00
                                      < / d i v
>
class="d-flex justify-content-between alig
n-items-center mb-24">
                                         < p
class = "lead color-black" > Ciudad DOMICILIO <
/ p >
                                         < p
class="lead destino">$5.00
                                    < / d i v >
                                      < div
class="d-flex justify-content-between alig
n-items-center mb-24">
                                           <
p class="lead color-black">DESCUENTO PROMO
<
p class = "lead promo">$5.00
                                      </div
>
class="d-flex justify-content-between alig
n-items-center mb-32">
p class="lead color-black">SUBTOTAL
p class="lead color-black res-sub-total">$
560.00
                                      / div
>
                                  < / d i v >
                                  <div clas
s="d-flex justify-content-between align-it
```

```
< h 5 c
lass = "color-primary" > TOTAL < / h5 >
                                           < h 5 c
lass="color-primary total">$420.00</h5>
                                       < / d i v >
                                       <div clas
s="payment-method mb-24">
                                           ul
lass="nav flex-column mb-3">
                                                <
li \rightarrow
  <label class="lead" for="cod">
     <input id="cod" type="radio" class="f</pre>
orm-check-input" name="radio" class="radio
"value="1" checked="checked">
     Contraentrega + (5%) < /label>
                                                <
/ 1 i >
                                                <
li \rightarrow
  <label class="lead" for="cp">
    <input id="cp" type="radio" class="fo</pre>
rm-check-input" name="radio" class="radio"
 v a l u e = " 2 " >
     PSE + (3%) < /label>
                                                <
/ 1 i >
```

ems-center mb-32">

```
<
1 i >
  <label class="lead" for="bt">
value="3">
    Transferencia</label>
                                          <
/ l i >
                                      < / u l >
                                  < / d i v >
                                  <button t</pre>
ype="button" class="btn-checkout cus-btn d
ark w-100">
                                      < s p a n
class="icon-wrapper">
svg class="icon-svg icon-svg-copy" xmlns="
http://www.w3.org/2000/svg" width="20" hei
ght="20" viewBox="0 0 20 20" fill="none">
  <path d = "M16.2522 11.9789C14.4658 10.19</pre>
25 13.7513 6.14339 15.6567 4.23792M15.6567
4.23792C14.565 5.3296 11.4885 7.21521 7.9
1576 3.64246M15.6567 4.23792L4.34301 15.55
16" stroke="#FCFDFD" stroke-width="2" stro
ke-linecap="round" stroke-linejoin="round"
> < / path>
                                           <
/ s v g >
                                      < / s p a</pre>
n >
                                      Place
```

0 r d e r

```
/ button>
                              < / d i v >
                         < / d i v >
                     < / div >
                 < / f o r m >
             < / d i v >
        </section>
     < / d i v >
     <!-- cart section -->
   <!-- footer -->
    <footer id="footer" style="margin-top</pre>
: 50px;">
     <div class="footer-top">
       <div class="container">
          <div class="row">
            <div class="col-lg-3 col-md-6</pre>
footer-contact">
             <a class="navbar-brand" href</pre>
g" alt = " " width = " 3 0 p x " > Burger < / a >
              Lorem, ipsum dolor sit am
et consectetur adipisicing elit. Perspicia
tis, libero.
              Karachi <br>
                Sindh <br><br>
```

Pakistan

 <i class="fa-solid f</pre> a-phone"></i> Phone: +00000000000 0000
 <i class="fa-solid f</pre> a-envelope"></i> Email: example@gm ail.com < / d i v > <div class="col-lg-3 col-md-6</pre> footer-links"> <h4>Useful Links/h4> u l > < a href = " # " > Home < / a > < /</pre> $li \rightarrow$ href = " # " > A b o u t < / a > < < l i > < a</pre> / l i > href="#">Contact</a < l i > < a</pre> > < / l i > href = " # " > Services < / < l i > < a</pre> $a > \langle / l i \rangle$ < a href="#">Privacy po licay < / u 1 > < / d i v > <div class="col-lg-3 col-md-6</pre> footer-links"> <h4>Our Services/h4>

t consectetur adipisicing elit. Quas, aper

Lorem ipsum dolor sit ame

```
iam.
               < u 1 >
                 < a href="#">Pizza</a>
/ l i >
                         href="#">Fried chic
                 < l i > < a</pre>
ken</a>
                 < a href="#">Fries</a>
/ 1 i >
               < / u 1 >
             < / d i v >
             <div class="col-lg-3 col-md-6</pre>
footer-links">
               <h4>Our Socail Links/h4>
               Lorem ipsum dolor, sit am
et consectetur adipisicing elit. Perferend
is, minus.
              <div class="socail-links mt-</pre>
3 " >
                 <a href="#"><i class="fa-b</pre>
rands fa-twitter"></i></a>
                 <a href="#"><i class="fa-b</pre>
rands
      fa-facebook"></i>
                 <a href="#"><i</pre>
                                   class = "fa-b
rands
      fa-google-plus"></i></a>
                 <a href="#"><i</pre>
                                   class = "fa - b
      fa-instagram"></i></a>
                 <a href="#"><i class="fa-b</pre>
rands fa-linkedin-in"></i>
               < / d i v >
```

< / d i v >

```
< / d i v >
        < / d i v >
      < / d i v >
    \langle h r \rangle
    <div class="container py-4">
      <div class="copyright">
        © Copyright <strong>Burger</s
trong>. All Rights reserved
      < / d i v >
      <div class="credits">
        Designed By <a href="#">SA coding <
/ a >
      < / d i v >
    < / d i v >
    </footer>
    <!-- footer -->
    <a href="#" class="arrow"><i class="fa</pre>
-solid fa-arrow-up"></i></a>
    <script src="https://cdn.jsdelivr.net/</pre>
npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-MrcW6ZMFY1zcL
A8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
tWtIaxVXM" crossorigin="anonymous"></scrip
t >
     <script src="js/checkout.js"></script</pre>
>
```

```
\langle / b o d y \rangle
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla\index.html ---
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  k rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
    integrity = "sha384-EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC" crossorigin="anonymous">
  <!-- bootstrap links -->
```

```
<!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay = swap " rel = "stylesheet" >
  <!-- fonts links -->
  <!-- [' M dulos de carrito -->
/ head>
\langle body \rangle
  <!-- home section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
     <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"> < img src="./images/logo.p
ng" alt=""
           width="30px">BUR<span>GER</span
> < / a >
       <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s - target = " # navbar Supported Content "
         aria-controls="navbarSupportedCon
tent" aria-expanded="false" aria-label="To
ggle navigation">
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / s p a n >
```

</button>

```
<div class="collapse navbar-collaps</pre>
e" id = "navbarSupportedContent">
        m b - l g - 0 " >
          class="nav-item">
            <a class="nav-link active" ar</pre>
ia-current="page" href="#" id="first-child
" > H o m e < / a >
          < / l i >
          class="nav-item">
            <a class="nav-link" href="ind</pre>
ex.html#burger">Burger</a>
          < / l i >
          class="nav-item dropdown">
button data-bs-toggle="dropdown"
              aria-expanded="false">
              0 ther
            < / a >
            a-labelledby="navbarDropdown" style="backg
round-color: #ffc800;">
              < a class = "dropdown-item</pre>
" href="index.html#top-icons">Pizza</a></l
i >
              < a class = "dropdown-item</pre>
" href="index.html#top-icons">Fries</a></l
i >
              < a class = "dropdown-item</pre>
" href="index.html#top-icons">Fried Chicke
n < / a > < / l i >
```

```
< / u l >
           < / l i >
           class="nav-item">
             <a class="nav-link" href="ind</pre>
ex.html#about">About Us</a>
           < / l i >
           class="nav-item">
            <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
           < / l i >
         < / u 1 >
         <form class = "d-flex">
           <div class="icons">
             <i class="fa-regular fa-user"</pre>
> < / i >
             <div class="carrito">
               <i class="fa-solid fa-cart-</pre>
shopping"></i>
                <span class="contar-pro">0 <</pre>
/span>
                rt ocultar">
                  <thead>
                    < t r >
                      < t h > # < / t h >
                      Imagen
                      Nombre
```

```
>Precio
                    Cant.
                    Acci n
                  / thead>
                </t</pre>
body>
                < t f o o t >
                  < t r >
                    = " t e x t - c e n t e r " >
                       <a href="cart.html"</pre>
class="btn-cart btn btn-primary">Ver Carr
ito</a>
                    < / t d >
                  < / t f o o t >
              / table>
            < / d i v >
          < / d i v >
        < / f o r m >
      < / d i v >
    < / d i v >
    <table class="table list-cart ocultar
" >
      < thead>
        < t r >
           #
```

```
Imagen
                                                                                  scope = "col" > Nombre 
                                                           < t h
                                                           Precio
                                                </thead>
                                     < t b o d y >
                                                <!-- aqui va la info del producto
- - >
                                    / t b o d y >
                                     < t f o o t >
                                                < t r >
                                                           ter">
                                                                      <a href="cart.html" class="bt</pre>
n-cart btn btn-primary">Ver Carrito</a>
                                                           < / t d >
                                                < / t r >
                                    < / t a b l e >
              < / n a v >
              <div id = "Home" class = "home-section">
                         <!-- home content -->
                         <section class="home">
                                    <div class="content">
                                                <h1>Super Delicious
                                                           <br> <br> <br > <br
```

```
< / h 1 >
         Lorem ipsum dolor sit amet con
sectetur adipisicing elit. Voluptatum, ist
e! 
         <button class="btn-add-carrito" d</pre>
ata-id="h001" data-nombre="Hamburguesa dob
le" data-precio="100.50">Agregar al
            carrito</button>
       < / d i v >
       <div class="img">
         <img src="./images/burger.png" al</pre>
t = " " >
       < / d i v >
    </section>
     <!-- home content -->
  < / d i v >
  <!-- home section -->
  <!-- top icons -->
  <div class="container" id="top-icons">
     < h 1 > 0 F F E R S < / h 1 >
     <div class="row">
       <div class="col-md-3 py-3 py-md-0">
```

```
<i><i><i><images/offer1.png"</pre>
alt = " " > < / i >
          <h3>Burger 50% off</h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer2.png"</pre>
alt = " " > < / i >
          <h3>Free Delivery/h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer3.png"</pre>
alt = " " > < / i >
          <h3>Burger free fries/h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer4.png"</pre>
alt = " " > < / i >
          <h3>Burger with free cold drink
h 3 >
        < / d i v >
     < / d i v >
   < / d i v >
   <!-- top icons -->
```

```
<!-- cards -->
  <div class="container" id="cards">
     <div class="row">
       <div class="col-md-6 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards1.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>HamBurger/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id="rn">Order Now</bu</pre>
tton>
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-6 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards2.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              < h 3 > P i z z a < / h 3 >
              Lorem ipsum dolor sit amet
. 
              <button id="rn">Order Now</bu</pre>
```

```
tton>
            < / d i v >
          < / d i v >
       < / d i v >
     < / d i v >
     <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards3.png"</pre>
alt = " " >
            <div class="card-img-overlay">
               <h3>Italian pizza/h3>
               Lorem ipsum dolor sit amet
\cdot 
              <button id="rn">Order Now</bu</pre>
tton>
            < / d i v >
          < / d i v >
       < / d i v >
        <div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards4.png"</pre>
a 1 t = " " >
            <div class="card-img-overlay">
               <h3>Fried Chicken/h3>
               Lorem ipsum dolor sit amet
```

```
. 
               <button id="rn">Order Now</bu</pre>
tton>
             < / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-4 py-3 py-md-0">
           <div class="card">
             <img src="./images/cards5.png"</pre>
a l t = " " >
             <div class="card-img-overlay">
                < h 3 > C h e s s e B u r g e r < / h 3 >
               Lorem ipsum dolor sit amet
. 
               <button id="rn">Order Now</bu</pre>
tton>
             < / d i v >
          < / d i v >
        < / d i v >
     < / div >
   < / d i v >
   <!-- cards -->
```

```
<!-- burger -->
  <div class="container" id="burger">
     <h1>Delicious Burger/h1>
     <div class="row content-pro" style="m</pre>
argin-top: 30px;">
       <!-- aqui van los productos-->
       <div class = "col-md-3 py-3 py-md-0">
         <div class="card">
           <img src="./images/b1.png" alt=</pre>
" " >
           <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$6.50 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
           <img src="./images/b2.png" alt=</pre>
" " >
           <div class="card-body">
              <h3>Fried Chicken/h3>
```

```
Lorem ipsum dolor sit amet
\cdot 
              <h5>$20.30 <span class="btn-p"</pre>
roduct"> <i class="fa-solid fa-basket-shopp
ing"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b3.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$1.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b4.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice/h3>
              Lorem ipsum dolor sit amet
\cdot
```

```
<h5>$3.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b5.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$6.50 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b6.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
. 
              <h5>$20.30 <span class="btn-p"</pre>
```

```
roduct"> <i class="fa-solid fa-basket-shopp
ing"></i></span></h5>
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b7.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$1.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b8.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$3.20 <span class="btn-pr</pre>
oduct"> <i class="fa-solid fa-basket-shoppi
ng"></i></span></h5>
```

```
< / d i v >
         < / d i v >
       < / d i v >
    < / d i v >
  < / d i v >
  <!-- burger -->
  <!-- banner -->
  <div class="banner">
    <h3>0ther Product/h3>
     Lorem ipsum dolor, sit amet consec
tetur adipisicing elit. Architecto, volupt
atibus?
    <button id="btnorder">Order Now</butt</pre>
on>
  < / d i v >
  <!-- banner -->
```

```
<!-- top cards -->
 <div class="container" id="topcards">
   <div class="row">
      <div class="col-md-4 py-3 py-md-0">
        <div class="card">
          <img src="./images/topcard1.png</pre>
alt="">
        < / div >
      < / d i v >
      <div class="col-md-4 py-3 py-md-0">
        <div class="card">
           <img src="./images/topcard2.png</pre>
alt="">
        < / d i v >
      < / d i v >
      <div class="col-md-4 py-3 py-md-0">
        <div class="card">
          <img src="./images/topcard3.png</pre>
alt = " " >
        < / div >
      < / d i v >
    < / d i v >
 < / d i v >
 <!-- top cards -->
```

```
<!-- burger -->
  <div class="container" id="burger">
    <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p1.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
. 
              <h5>$6.50 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
           < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p2.png" alt=</pre>
" " >
           <div class="card-body">
              <h3>Fried Chicken/h3>
```

```
Lorem ipsum dolor sit amet
\cdot 
              <h5>$20.30 <span><i class="fa</pre>
-solid
      fa-basket-shopping"></i></span></h5
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p3.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$1.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p4.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice</h3>
              Lorem ipsum dolor sit amet
```

```
. 
              <h5>$3.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
            < / d i v >
          < / d i v >
       < / d i v >
     < / div >
   < / d i v >
   <!-- burger -->
  <!-- about -->
   <div class="container" id="about">
     < h 1 > A B 0 U T < / h 1 >
     <div class="row">
       <div class="col-md-6 py-3 py-md-0">
          <div class="card">
            <img src="./images/about.png" a</pre>
1 t = " " >
```

< / d i v >

nihil tempore minima consequatu r corrupti numquam quia dolorum laborum praesentium vero commodi ex velit

expedita, omnis adipisci? Exerc itationem consequatur ducimus praesentium dolores rerum voluptatibus, nam illo

quas modi deleniti iusto labori osam adipisci enim excepturi, cupiditate quidem neque tempora sunt animi natus

aliquid. Fugiat eligendi molest iae magnam vero dicta est praesentium unde ducimus eveniet commodi alias,

pariatur quis quod saepe sed ac cusamus porro nemo doloribus cumque quos quo nihil! Numquam explicabo odit

accusamus laudantium molestiae. Ipsum culpa dolor sequi dolore doloribus aperiam, earum maxime alias

voluptates magni.

< / d i v >

< / d i v >

< / d i v >

<!-- about -->

```
<div class="container">
     < h 2    i d = " h 2 " > C 0 N T A C T < / h 2 >
   < / d i v >
   <div class="container" id="contact">
     <div class="row">
       <div class="col-md-6 py-3 py-md-0">
          < h 3 > C 0 N T A C T < / h 3 >
          Lorem ipsum dolor sit amet con
sectetur adipisicing elit. Voluptas dolore
m sit excepturi, nemo reiciendis
            animi?
         <input type="text" placeholder="N</pre>
ame"><br/>br>
          <input type="email" placeholder="</pre>
Email"><br>
         <input type="number" placeholder=</pre>
" P h o n e " > < b r >
          <button id="btnmessage">Send</but</pre>
ton>
       < / d i v >
        <div class="col-md-6 py-3 py-md-0">
          < h 3 > I N F O < / h 3 >
```

<!-- contact -->

```
nsectetur adipisicing elit. Itaque, odio a
ssumenda nostrum commodi at corporis!
         <i class="fas fa-phone"> <span>+0
00000000000000</span></i>
         <i class="fa-solid fa-envelope">
<span>example@gmail.com</span></i><br>
         <i class="fa-solid fa-location-do</pre>
t"> <span>Pakistan sindh Karachi</span></i
> < b r >
      < / d i v >
    < / d i v >
  < / d i v >
  <!-- contact -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
       <div class="container">
         < div class = "row">
```

Lorem ipsum dolor sit amet, co

```
<div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt="" width="30px">Burger</a>
              Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
             >
                Karachi <br>
                Sindh <br><br>
                Pakistan <br><br>
             <strong><i class="fa-solid fa</pre>
000</strong></strong><br>
             <strong><i class="fa-solid fa</pre>
-envelope"></i> Email: <strong>example@gma
il.com</strong></strong>
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Useful Links/h4>
              \langle u 1 \rangle
                < a href = " # " > Home < / a > < / 1</pre>
i >
                < a href = " # " > About < / a > < /</pre>
1 i >
                < a href="#">Contact</a>
\langle / 1 i \rangle
                < a href="#">Services</a</pre>
> < / l i >
```

```
< a href="#">Privacy pol
icay</a>
             < / u 1 >
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Our Services
             Lorem ipsum dolor sit amet
consectetur adipisicing elit. Quas, aperi
am.
             < u 1 >
               < a href="#">Pizza</a>/
li \rightarrow
               < a href="#">Fried chick
en</a>
               < a href="#">Fries</a>/
1 i >
             < / u 1 >
           < / d i v >
           <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
             <h4>Our Socail Links/h4>
             Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
             <div class="socail-links mt-3</pre>
" >
               <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
```

```
<a href="#"><i class="fa-br</pre>
ands fa-facebook"></i></a>
                 <a href="#"><i class="fa-br</pre>
     fa-google-plus"></i></a>
ands
                 <a href="#"><i class="fa-br</pre>
ands fa-instagram"></i></a>
                 <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i>
              < / d i v >
            < / d i v >
          < / d i v >
       < / d i v >
     < / d i v >
     <hr><hr>>
     <div class="container py-4">
       <div class="copyright">
         © Copyright <strong>Burger</
strong>. All Rights reserved
       < / d i v >
       <div class="credits">
          Designed By <a href="#">SA coding
< / a >
       < / d i v >
     < / d i v >
   </footer>
```

```
<!-- footer -->
```

<script type="module">

import { sincronizarCarritoLS } from
'./js/pro_localstorage.js';

import { initAddButtons } from './js/
pro_carrito.js';

```
import { renderCartDropdown, renderCa
rtTable, updateCartCount } from './js/info
_carrito.js';
    import { calcularResumen } from './js
/resumen compra.js';
    document.addEventListener('DOMContent
Loaded', () => {
      sincronizarCarritoLS(); // carga
window.carrito desde localStorage
      initAddButtons();
                                   // conect
a botones "Agregar"
      renderCartTable();
                                   // muestr
a tabla del carrito si existe
      updateCartCount();
                                   // actual
iza contador en nav
                                  // calcul
       calcular Resumen();
a resumen inicial
    });
  /script>
  <!--archivo de carrito-->
\langle / b o d y \rangle
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
```

```
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla\thankyou.html -----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet" integrity="sha384-EVS
TQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3
yD65VohhpuuCOmLASjC" crossorigin="anonymou
s " >
  <!-- bootstrap links -->
  <!-- fonts links -->
  link rel="preconnect" href="https://fo
nts.googleapis.com">
  k rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
```

```
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"> < img src="./images/logo.p
ng" alt="" width="30px">BUR<span>GER</span
> < / a >
      <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s-target="#navbarSupportedContent" aria-co
ntrols = "navbarSupportedContent" aria-expan
ded="false" aria-label="Toggle navigation"
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / s p a n >
       /button>
      <div class="collapse navbar-collaps</pre>
e" id="navbarSupportedContent">
         2 mb-lg-0">
           class="nav-item">
             <a class="nav-link active" ar</pre>
ia-current="page" href="#" id="first-child
" > H o m e < / a >
           </1i>
           class="nav-item">
             <a class="nav-link" href="ind</pre>
```

ex.html#burger">Burger

< / l i >

class="nav-item dropdown">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$

< / u 1 >

< / 1 i >

class="nav-item">

< / l i >

class="nav-item">

< / l i >

< / u 1 >

```
<form class = "d-flex">
           <div class="icons">
             <i class="fa-regular fa-user"</pre>
> < / i >
             <i class="fa-solid fa-cart-sh</pre>
opping"></i>
           < / d i v >
         < / f o r m >
       < / d i v >
     < / d i v >
  < / n a v >
     <!-- nav section -->
     <!-- cart section -->
     <h2 class="page-title text-center my</pre>
-5 py-3" style="background-color: #ffc800;
">PEDIDO EN PROCESO</h2>
     <div class="page-content">
         <div class="resumen-compra col-xx</pre>
1-8 col-lg-8 col-md-8 col-sm-10 offset-xxl
-2 offset-lg-2 offset-md-2 offset-sm-1">
             <h5 class="mb-16"><span>Clien
te!</span>Muchas Gracias por tu compra</h5
             0 r d e n # 0 0 0 
             Estamos prep
arando tu pedido, pronto nos comunicaremos
 contigo para realizar la entrega.
             <div class="card my-5">
                <div class="card-header">Re
```

```
sumen de tu compra</div>
               <div class="row">
                  <div class="col-sm-6 mb-3</pre>
m b - s m - 0 " >
                    <div class="card">
                      <div class="card-body</pre>
" >
                        <h5 class="card-tit</pre>
le">Special title treatment</h5>
                        ">With supporting text below as a natural
lead-in to additional content.
                        <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                      < / d i v >
                    < / d i v >
                  < / d i v >
                  <div class="col-sm-6">
                    <div class="card">
                      <div class="card-body</pre>
" >
                        <h5 class="card-tit</pre>
le">Special title treatment</h5>
                        ">With supporting text below as a natural
lead-in to additional content.
                        <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                      < / d i v >
                    < / d i v >
```

< / d i v >

```
< / d i v >
                <div class="card-footer">
                  Card footer
                < / d i v >
              < / d i v >
              <button type="button" class="</pre>
btn-gracias cus-btn dark w-100 mb-32">
                  <span class="icon-wrapper"</pre>
" >
                       <svg class="icon-svg</pre>
icon-svg-copy" xmlns="http://www.w3.org/20
00/svg" width="20" height="20" viewBox="0
0 20 20" fill="none">
                           <path d = "M16.2522</pre>
11.9789614.4658 10.1925 13.7513 6.14339 1
5.6567 4.23792M15.6567 4.23792C14.565 5.32
96 11.4885 7.21521 7.91576 3.64246M15.6567
4.23792L4.34301 15.5516" stroke="#FCFDFD"
 stroke-width="2" stroke-linecap="round" s
troke-linejoin="round"></path>
                      < / s v g >
                  / span>
                 Realizar otra compra?
              / button>
         < / d i v >
      < / d i v >
      <!-- cart section -->
    <!-- footer -->
    <footer id="footer" style="margin-top</pre>
  50px;">
      <div class="footer-top">
```

```
<div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6</pre>
footer-contact">
             <a class="navbar-brand" href</pre>
= " # " id = "logo2" > < img src = "./images/logo.pn
g" alt="" width="30px">Burger</a>
             Lorem, ipsum dolor sit am
et consectetur adipisicing elit. Perspicia
tis, libero.<br>
              >
                Karachi <br>
                Sindh <br><br>
                Pakistan <br> <br>
             <strong><i class="fa-solid f</pre>
0000</strong></strong><br/>br>
             <strong><i class="fa-solid f</pre>
a-envelope"></i> Email: <strong>example@gm
ail.com</strong></strong>
           < / d i v >
           <div class="col-lg-3 col-md-6</pre>
footer-links">
              <h4>Useful Links/h4>
              < u 1 >
                < a href="#">Home</a>/
1 i >
                < a href="#">About</a>
/ 1 i >
                < a href="#">Contact</a</pre>
```

```
> < / l i >
                   < a href = " # " > Services < /</pre>
a > \langle / l i \rangle
                           href="#">Privacy po
                   < l i > < a</pre>
licay</a>
                < / u l >
              < / d i v >
              <div class="col-lg-3 col-md-6</pre>
footer-links">
                <h4>Our Services/h4>
                Lorem ipsum dolor sit ame
t consectetur adipisicing elit. Quas, aper
iam.
                < u 1 >
                  < a href="#">Pizza</a>
/ l i >
                           href="#">Fried chic
                   < l i > < a</pre>
ken</a>
                   < a href = " # " > Fries < / a > <</pre>
/ l i >
                < / u 1 >
              < / d i v >
              <div class="col-lg-3 col-md-6</pre>
footer-links">
                <h4>Our Socail Links/h4>
                Lorem ipsum dolor, sit am
et consectetur adipisicing elit. Perferend
is, minus.
                <div class="socail-links mt-</pre>
```

```
3 " >
                  <a href="#"><i class="fa-b</pre>
rands fa-twitter"></i></a>
                   <a href="#"><i</pre>
                                     class = "fa-b
rands fa-facebook"></i>
                  <a href="#"><i</pre>
                                     class="fa-b
      fa-google-plus"></i></a>
rands
                  <a href="#"><i</pre>
                                     class = "fa-b
       fa-instagram"></i></a>
rands
                  <a href="#"><i class="fa-b</pre>
rands fa-linkedin-in"></i>
                < / d i v >
              < / d i v >
           < / d i v >
         < / d i v >
      < / d i v >
    <hr><hr>></hr></hr>
    <div class="container py-4">
      <div class="copyright">
         © Copyright <strong>Burger</s
trong>. All Rights reserved
      < / d i v >
      <div class="credits">
         Designed By <a href="#">SA coding <
/ a >
      < / d i v >
    < / d i v >
```

```
</footer>
    <!-- footer -->
      href="#" class="arrow"><i class="fa
-solid fa-arrow-up"></i></a>
    <script src="https://cdn.jsdelivr.net/</pre>
npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity = "sha384-MrcW6ZMFYlzcL
A 8 N 1 + N t U V F Ø s A 7 M s X s P 1 U y J o M p 4 Y L E u N S f A P + J c X n /
tWtIaxVXM" crossorigin="anonymous"></scrip
t >
     <script src="js/thankyou.js"></script</pre>
>
  / b o d y >
< / h t m l >
==== CSS =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde_Frontend-I\Carrito_Comida
s\archivos-plantilla\style.css ----
* {
     margin: 0;
     padding: 0;
     box-sizing: border-box;
}
.home-section{
     width: 100%;
     height: 100vh;
     background: linear-gradient(110deg, w
hite 68%, #ffc800 32%);
```

```
}
/ * navbar * /
# n a v b a r {
    position: sticky;
    top: 0;
    background-color: #fff;
    z-index: 99;
    border-bottom: 2px solid black;
}
# 1 o g o {
    font-size: 30px;
    margin-left: 30px;
    color: black;
    font-weight: bold;
    text-shadow: 1px 1px 1px black;
}
#logo img{
    margin-bottom: 10px;
}
#logo span{
   color: #ffc800;
}
. nav-item {
    margin-left: 30px;
}
```

```
.nav-item .nav-link{
    color: black;
    font-weight: bold;
    transition: 0.5s ease;
}
#first-child{
   color: #ffc800;
   text-shadow: 1px 1px 1px black;
}
.nav-item .nav-link:hover{
   color: #ffc800;
   text-shadow: 1px 1px 1px black;
}
.icons{
    margin-right: 30px;
}
.icons i {
    margin-left: 10px;
   cursor: pointer;
}
@media screen and (max-width:982px) {
    .icons{
        margin-left: 25px;
    }
}
```

```
/ * navbar * /
/* home content */
.home{
    display: flex;
    align-items: center;
    justify-content: center;
    flex-wrap: wrap;
    position: relative;
    z-index: 0;
    font-family: 'Roboto Slab', serif;
}
.home .img{
   flex: 1 1 300px;
}
.home .img img{
    width: 92%;
    animation: c 5s linear infinite;
}
@keyframes c{
    0%, 100% {
        transform: translateY(0px);
    }
    5 0 % {
        transform: translateY(30px);
    }
```

```
}
.home .content{
    flex: 1 1 400px;
   margin-top: 30px;
}
.content h1{
    margin-left: 42px;
    font-size: 65px;
    font-weight: bold;
    text-shadow: -1px 0px 0px black;
}
.content h1 span{
    color: #ffc800;
    text-shadow: 1px 1px black;
    font-size: 100px;
    font-weight: bold;
}
.content p{
   margin-left: 42px;
}
#btn{
   margin-left: 42px;
}
#btn button{
    width: 150px;
```

```
height: 32px;
    letter-spacing: 3px;
    background-color: black;
    color: white;
    border-radius: 5px;
    transition: 0.5s ease;
    cursor: pointer;
}
#btn button:hover{
    background-color: #ffc800;
    color: black;
    border: none;
}
#btn span{
    margin-left: 10px;
    font-size: 20px;
    font-weight: bold;
}
@media screen and (max-width:1200px) {
    . home-section {
        height: 90vh;
    }
}
@media screen and (max-width:799px) {
    .home-section{
```

```
height: 140 vh;
    }
}
@media screen and (max-width:550px) {
    . home-section {
        height: 110 vh;
    }
}
@media screen and (max-width:420px) {
    .content h1 span{
        font-size: 80px;
    }
}
@media screen and (max-width:320px){
    .content h1{
        font-size: 50px;
    }
    .content h1 span{
        font-size: 60px;
    }
}
/* home content */
/* top icons */
#top-icons{
    margin-top: 50px;
```

```
}
#top-icons h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#top-icons i img{
    width: 100px;
}
#top-icons h3{
    font-size: 18px;
    font-family: 'Roboto Slab', serif;
    margin-left: 20px;
}
/* top icons */
/ * cards * /
# c a r d s {
    margin-top: 100px;
    font-family: 'Roboto Slab', serif;
}
#cards .card h3{
```

```
color: #ffc800;
    font-weight: bold;
}
#cards .card p{
    color: #ffc800;
    font-weight: bold;
}
# r n {
    width: 150px;
    height: 32px;
    border: none;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px black;
    transition: 0.5s
                      ease;
    cursor: pointer;
}
#rn:hover{
    background-color: #ffc800;
    color: white;
}
/ * cards * /
```

```
/ * burger * /
#burger{
    margin-top: 100px;
    font-family: 'Roboto Slab', serif;
}
#burger h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#burger .card{
    transition: 0.5s ease;
    cursor: pointer;
}
#burger .card:hover{
    background-color: #ffc800;
}
#burger .card h3{
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
#burger .card h5 span{
    color: black;
```

```
float: right;
}
/ * burger * /
/ * banner * /
.banner{
    margin-top: 100px;
    width: 100%;
    height: 60vh;
    background-image: linear-gradient (rgba
(0,0,0,0.5), rgba(0,0,0.5)), url(./images
/banner.png);
    background-size: cover;
    text-align: center;
    font-family: 'Roboto Slab', serif;
}
.banner h3{
    padding-top: 132px;
    color: #ffc800;
    font-size: 32px;
}
.banner p{
    color: #ffc800;
}
```

```
#btnorder{
    width: 200px;
    height: 32px;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    transition: 0.5s ease;
}
#btnorder:hover{
    background-color: #ffc800;
    color: white;
    text-shadow: 1px 1px 1px black;
}
/ * banner * /
/* top cards */
#topcards{
   margin-top: 50px;
}
#topcards .card{
    background-color: #ffc800;
    transition: 0.5s ease;
    cursor: pointer;
}
#topcards .card:hover{
```

```
transform: translateY(-10px);
}
/* top cards */
/ * about * /
#about{
    margin-top: 100px;
}
#about h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#about h2{
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#about p{
    font-family: 'Roboto Slab', serif;
```

```
}
#readmorebtn button{
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
    color: #ffc800;
    font-weight: bold;
    letter-spacing: 3px;
    transition: 0.5s ease;
}
#about .card{
    background-color: #ffc800;
}
#readmorebtn button:hover{
    background-color: #ffc800;
    color: white;
}
/ * about * /
```

```
/* contact */
#contact{
    margin-top: 10px;
    border: 2px solid #ffc800;
}
# h 2 {
    margin-top: 100px;
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px black;
}
#contact h3{
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#contact p{
    font-family: 'Roboto Slab', serif;
}
#contact input{
```

```
width: 500px;
    height: 42px;
    margin-top: 20px;
    background-color: #ffc800;
    border: none;
    border-radius: 5px;
}
#contact ::placeholder{
    color: black;
    font-family: 'Roboto Slab', serif;
    padding-left: 10px;
    font-weight: bold;
}
#btnmessage{
    margin-top: 20px;
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
    letter-spacing: 3px;
    font-weight: bold;
    transition: 0.5s ease;
}
#btnmessage:hover{
    background-color: #ffc800;
```

```
color: white;
}
#contact i{
    color: #ffc800;
    font-size: 20px;
    margin-top: 30px;
}
#contact i span{
    font-family: 'Dancing Script', cursiv
e ;
}
@media screen and (max-width:1200px) {
    #contact input{
        width: 350px;
    }
}
@media screen and (max-width:385px){
    #contact input{
        width: 250px;
    }
}
/* contact */
```

```
/ * footer * /
#footer{
    padding: 0 0 30px 0;
    font-family: 'Roboto Slab', serif;
    color: white;
    font-size: 14px;
    background: #ffc800;
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
#footer .footer-top{
    padding: 60px 030px;
    border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px 1px black;
    background: linear-gradient(110deg, b
lack 67%, #ffc800 32%);
    color: white;
}
# 1 o g o 2 {
    font-size: 30px;
    color: white;
    font-weight: bold;
```

```
text-shadow: 1px 1px 1px black;
}
#logo2 img{
   margin-bottom: 10px;
}
font-size: 22px;
   margin: 0 0 300px 0;
   padding: 2px 0 2px 0;
   line-height: 1;
   font-weight: 700;
}
#footer .footer-top .footer-contact p{
   font-size: 16px;
   margin: 0;
   color: white;
   line-height: 1;
   font-weight: 700;
}
#footer .footer-top h4{
   font-size: 16px;
   font-weight: bold;
   position: relative;
   padding-bottom: 700;
}
```

```
#footer .footer-top .footer-links{
    margin-bottom: 30px;
}
#footer .footer-top .footer-links ul{
    list-style: none;
    padding: 0;
    margin: 0;
}
#footer .footer-top .footer-links ul li{
    padding-right: 10px 0;
    display: flex;
    align-items: center;
}
#footer .footer-top .footer-links ul
                                       li a
    text-decoration: none;
    color: white;
    line-height: 2;
    transition: 0.5s ease;
}
#footer .footer-top .footer-links ul li a
:hover{
    color: #ffc800;
}
#footer .footer-top .socail-links a{
    font-size: 18px;
```

```
display: inline-block;
    color: white;
    line-height: 1;
    padding-right: 4px;
    text-align: center;
    width: 36px;
    height: 36px;
    transition: 0.5s ease;
    cursor: pointer;
}
#footer .footer-top .socail-links a:hover
{
    color: black;
}
#footer .copyright{
    text-align: center;
    float: left;
}
#footer .credits{
    float: right;
    text-align: center;
}
/ * footer * /
```

```
.arrow{
    position: fixed;
    height: 50px;
    bottom: 50px;
    right: 50px;
    text-decoration: none;
    align-items: center;
    line-height: 50px;
}
.arrow i {
    color: black;
    font-size: 30px;
}
/*cart page*/
.page-content {
    margin: 20px 0;
}
.cart-table tbody tr td.product-block {
    padding-left: 24px;
    display: flex;
    gap: 24px;
    align-items: center;
```

```
}
.cart-table tbody tr td {
    vertical-align: middle;
    padding: 24px 0;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn {
    width: 40px;
    height: 40px;
    display: grid;
    align-content: center;
    text-align: center;
    background: #F0F0F0;
    border-radius: 5px;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn i {
    font-size: 20px;
}
.cart-table tbody tr td.product-block img
    box-shadow: 0px 4px 8px 0px rgba(0, 0
  0, 0.12);
    width: 100px;
}
.cart-item-card {
    padding: 1.667vw 1.25vw;
```

```
border-radius: 30px;
    background: url(../media/vector/doots
- card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
 0, 0.04), 6px 3px 14px 0px rgba(0, 0,
0.04), 23px 12px 26px 0px rgba(0, 0, 0,
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2), 94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
    position: relative;
}
.cart-item-card .remove-from-cart-btn {
    position: absolute;
    top: 16px;
    right: 16px;
    z-index: 50;
}
.cart-item-card .remove-from-cart-btn i {
    color: #282525;
    font-size: 20px;
}
.cus-btn.primary {
   box-shadow: 0px 5px 20px 0px rgba(255
, 92, 0, 0.5);
```

```
background: linear-gradient(99deg, #f
fc800 - 4.71%, #ffc800 93.14%);
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn {
    border-radius: 10px;
    box-shadow: 0px 15px 30px 0px rgba(40
 37, 37, 0.5);
    padding: 0.417vw 1.25vw 0.417vw 0.417
v w ;
    transition: all 0.5s ease-in;
    font-size: 0.938vw;
    font-weight: 500;
    line-height: 120%;
    display: flex;
    justify-content: center;
    align-items: center;
    gap: 12px;
    border: none;
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
    transition: all 0.5s ease-in;
    width: fit-content;
}
```

```
.cus-btn.primary .icon-wrapper {
    color: #ffc800;
    background: #FCFDFD;
}
.cus-btn .icon-wrapper {
    flex-shrink: 0;
    width: 2.083vw;
    height: 2.083vw;
    position: relative;
    border-radius: 50%;
    display: grid;
    place-items: center;
    overflow: hidden;
}
.cus-btn.primary .icon-wrapper svg {
   fill: #ffc800;
}
.cus-btn .icon-wrapper .icon-svg {
    width: 1.042vw;
    height: 1.042vw;
}
.cus-btn.primary .icon-wrapper svg path {
    stroke: #ffc800;
}
.cart-summary {
```

```
padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
- card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
 0, 0.04), 6px 3px 14px 0px rgba(0, 0,
0.04), 23px 12px 26px 0px rgba(0, 0, 0,
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2), 94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
}
.cart-summary .title {
    border-bottom: 1px solid #F0F0F0;
    padding-bottom: 24px;
}
.cart-summary .cart-summary-detail {
    border-bottom: 1px solid #F0F0F0;
}
.color-primary {
    color: #ffc800 !important;
}
.cus-btn.dark {
    background-color: #282525;
```

```
color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn.dark .icon-wrapper {
    background: #FCFDFD;
   color: #282525;
}
.cus-btn.dark .icon-wrapper svg {
   fill: #282525;
}
.cus-btn.dark .icon-wrapper svg path {
   stroke: #282525;
}
a:hover {
   color: #ffc800;
   transition: all 0.5s ease-in;
}
.product-block a{
   color: #282525;
}
a {
   text-decoration: none !important;
    color: #282525;
}
.quantity {
```

```
background: #F0F0F0;
    display: flex;
    gap: 8px;
    width: fit-content;
    border-radius: 5px;
    padding: 0.833vw;
    height: 2.917vw;
}
.quantity .decrement, .quantity .incremen
t {
    display: grid;
    align-content: center;
    cursor: pointer;
}
.quantity input {
    border: none !important;
    font-family: "Oswald", sans-serif;
    font-size: 1.25vw;
    font-weight: 400;
    line-height: 125%;
    width: 1.563vw;
    text-align: center;
    color: #282525 !important;
    padding: 0 !important;
    background: transparent;
}
```

```
.quantity .decrement i, .quantity .increm
ent i {
    font-size: 0.938vw;
    color: #282525;
}
.page-content {
    margin: 20px 0;
}
/*checkout*/
.form-group {
    position: relative;
    width: 100%;
}
.form-group label {
    color: #282525;
    font-weight: 500;
    display: block;
    text-align: left;
}
input[type=date], input[type=text], input
[type=email], input[type=file], input[type
=number], input[type=password], input[type
= search], input[type = submit], input[type = t
el], textarea, .cus-form-control {
    width: 100%;
    background: transparent;
```

```
padding: 0.833vw;
    padding-left: 0;
    color: #BDBCBC;
    border: none;
    border-bottom: 1px solid #282525;
}
.billing-checkbox input
    padding: 0;
    display: none;
    cursor: pointer;
}
.billing-checkbox label
    position: relative;
    cursor: pointer;
    color: #282525;
}
.billing-checkbox label:before
    content: "";
    background: transparent;
    border: 1px solid #F0F0F0;
    width: 20px;
    height: 20px;
    display: inline-block;
    position: relative;
    vertical-align: middle;
```

```
cursor: pointer;
    border-radius: 4px;
    margin-right: 8px;
    margin-top: -3px;
}
.billing-checkbox input:checked + label:a
fter {
    content: "";
    display: block;
    position: absolute;
    top: 2px;
    left: 6px;
    width: 6px;
    height: 15px;
    z-index: 10;
    border: solid #282525;
    border-width: 0 2px 2px 0;
    transform: rotate(45deg);
}
/*estilos carrito*/
.carrito{
    background-color: transparent;
    padding: 5px 10px;
    border-radius: 50%;
    position: relative;
}
```

```
.contar-pro{
    position: absolute;
    top: 0;
    right:0;
    background-color: yellow;
    padding: 2px 5px;
    border-radius: 50%;
    font-size: 10px;
}
.icons{
    display: flex;
    justify-content: center;
    align-items: center;
}
.btn-product{
    padding: 17px 37px;
    background-color: #ffc800;
    border-radius: 10 px;
    border: 2px solid black;
}
.list-cart{
    position: absolute;
    top: 62px;
    right: 0;
    width: 200px !important;
```

```
background-color: #fff;
}
.ocultar{
    display: none;
}
===== JS =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde_Frontend-I\Carrito_Comida
s\archivos-plantilla\js\borrar_producto.js
// borrar-producto.js
import { borrarProducto as bp } from './c
antidades.js';
import { renderCartDropdown } from './inf
o_carrito.js';
import { calcularResumen } from './resume
n_compra.js';
export function borrarProducto(id){
  bp(id);
  renderCartDropdown();
  calcularResumen();
}
      D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
ackslash Frontend - I ackslash Carrito ackslash Comid
as\archivos-plantilla\js\cantidades.js
- -
// cantidades.js
import { loadCarrito, saveCarrito } from
```

```
'./pro_localstorage.js';
console.log('cantidades cargado');
export function cambiarCantidad(id, delta
) {
  const carrito = loadCarrito();
  const idx = carrito.findIndex(p => p.id
= = = String(id));
  if(idx === -1) return;
  carrito[idx].cantidad = Math.max(0, (ca)
rrito[idx].cantidad || 0) + Number(delta))
  if (carrito [idx].cantidad === 0) carrito
.splice(idx,1);
  saveCarrito(carrito);
}
export function borrarProducto(id){
  const carrito = loadCarrito().filter(p
=> p.id !== String(id));
  saveCarrito(carrito);
}
export function obtenerSubtotal(){
  const carrito = loadCarrito();
  return carrito.reduce((s,p)=> s + (Numb
er(p.precio||0) * Number(p.cantidad||0)),
0);
```

```
}
---- D:\Documents\3. CESDE - Caso cambio
   programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla\js\configuraciones.j
// configuraciones.js
export const CONFIG = {
  PROMO UMBRAL: 100000,
  PROMO_PORC: 0.10
} ;
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla\js\guardar_resumen_c
ompra.js ----
// guardar-resumen-compra.js
import { loadCarrito, pushCompra } from '
./pro localstorage.js';
import { calcularResumen } from './resume
n_compra.js';
import { saveCarrito } from './pro_locals
torage.js';
console.log('guardar-resumen-compra carga
do');
function validarCampos(formSelector = '#f
orm-pago'){
  const form = document.querySelector(for
m Selector);
  if(!form) return { ok: false, faltantes
: ['Formulario no encontrado'] };
```

```
const required = form.querySelectorAll(
'[data-required]');
  const faltantes = [];
  required.forEach(inp => {
    if(!inp.value || String(inp.value).tr
im() = = = '') {
       faltantes.push(inp.dataset.label ||
inp.name || inp.id || 'campo');
    }
  });
  return { ok: faltantes.length === 0, fa
ltantes };
}
export function procesarCompra(formSelect
or = '#form-pago') {
 const valid = validarCampos(formSelecto
r ) ;
  if(!valid.ok){
alert('Faltan datos obligatorios: ' +
valid.faltantes.join(', '));
    return false;
  }
  const carrito = loadCarrito();
  if(!carrito | | carrito.length === 0){
    alert ('No hay productos en el carrito
');
    return false;
  }
```

```
const resumen = calcularResumen();
  const form = document.querySelector(for
m Selector);
  const datos = {};
  new FormData(form).forEach((v,k)=> dato
s[k]=v);
  const compra = { resumen, datos, fechaR
egistro: new Date().toISOString(), product
os: carrito };
  pushCompra(compra);
  // vaciar carrito
  saveCarrito([]);
  // actualizar UI: recarga tabla y conta
dor si existen
  document.querySelectorAll('.contar-pro'
).forEach(e = > e.textContent = '0');
  const tbody = document.getElementById('
body-cart');
  if(tbody) tbody.innerHTML = `<td co
lspan="6" class="text-center">No hay produ
ctos para mostrar
;
 alert ('Compra registrada correctamente
['');
  return true;
}
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla\js\info_carrito.js
// info-carrito.js
import { loadCarrito, saveCarrito } from
```

```
'./pro_localstorage.js';
import { cambiarCantidad, borrarProducto
} from './cantidades.js';
import { calcularResumen } from './resume
n compra.js';
console.log('info-carrito cargado');
function getCarrito(){
  return loadCarrito() || [];
}
// Actualiza contador peque o en nav (ele
mento con clase .contar-pro)
export function updateCartCount(){
  const carrito = getCarrito();
  document.querySelectorAll('.contar-pro'
).forEach(el => el.textContent = String(ca
rrito.reduce((s,p)=>s+(p.cantidad||0),0
)));
}
// Render del men desplegable simple (ta
bla con id body-cart expected)
export function renderCartTable(){
  const carrito = getCarrito();
  const tbody = document.getElementById('
body-cart');
  if(!tbody) return;
```

```
tbody.innerHTML = '';
  if (carrito.length = = = 0) {
    tbody.innerHTML = `
  class="text-center">No hay productos par
 mostrar
;
    updateCartCount();
    return;
  }
  carrito.forEach((p, i) => {
    const tr = document.createElement('tr
');
    tr.innerHTML = `
      $ { i + 1 } < / t d >
      <img src="${p.imagen||''}" alt=</td>
"$ { p . nombre } " style = "width: 50 px; height: 40 p
x; object-fit:cover">
      $ { p . nombre } 
      $ { Number(p.precio).toLocaleStri
ng()}
      < t d >
        <button class="btn-qty-decrease"</pre>
data-id="${p.id}">-</button>
        <span class="qty">${p.cantidad}
span>
        <button class="btn-qty-increase"</pre>
data-id="${p.id}">+</button>
      < / t d >
      remove data
-id = "${p.id}" > Eliminar < / button > 
    `;
```

```
tbody.appendChild(tr);
  });
  // bind botones
  tbody.querySelectorAll('.btn-qty-increa
se').forEach(b => b.addEventListener('clic
k', e \Rightarrow \{
    cambiarCantidad(b.dataset.id, +1);
    renderCartTable(); updateCartCount();
calcularResumen();
  } ) ) ;
  tbody.querySelectorAll('.btn-qty-decrea
se').forEach(b => b.addEventListener('clic
k', e \Rightarrow \{
    cambiarCantidad(b.dataset.id, -1);
    renderCartTable(); updateCartCount();
calcularResumen();
  }));
  tbody.querySelectorAll('.btn-remove').f
orEach(b => b.addEventListener('click', e=
> {
    borrarProducto(b.dataset.id);
    renderCartTable(); updateCartCount();
calcularResumen();
  }));
  updateCartCount();
}
// Render (peque o) para dropdown que use
```

```
s (opcional)
export function renderCartDropdown(){
  // siten s otro contenedor para dropdo
wn, adapt aqu
  renderCartTable();
}
// Exports de utilidad
export { updateCartCount as renderCount }
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla\js\pro carrito.js
// pro-carrito.js
import { sincronizarCarritoLS, guardarCar
ritoLS, loadCarrito, saveCarrito } from '.
/pro localstorage.js';
import { renderCartDropdown, renderCartTa
ble, updateCartCount } from './info_carrit
o.js';
import { calcularResumen } from './resume
n_compra.js';
console.log('pro-carrito cargado');
function ensureWindowCarrito(){
  if(!window.carrito) {
    window.carrito = loadCarrito();
  }
```

```
// Agrega 1 unidad del producto (obj: {id
, nombre, precio } )
export function agregarAlCarrito(producto
) {
  ensureWindowCarrito();
  const idx = window.carrito.findIndex(p
=> p.id === producto.id);
  if(idx > = 0){
    window.carrito[idx].cantidad = (window)
w.carrito[idx].cantidad | | 0) + 1;
  } else {
    window.carrito.push({...producto, can
tidad: 1 } );
  }
  saveCarrito(window.carrito);
  guardarCarritoLS();
  renderCartDropdown();
  renderCartTable();
  updateCartCount();
  calcularResumen();
}
// Inicializa listeners en botones (sopor
ta varias formas)
export function initAddButtons(selectorLi
s t ) {
```

}

```
ensureWindowCarrito();
  n-add-carrito','[data-add-cart]','.agregar
-carrito'l;
  const elems = new Set();
  selectors.forEach(s => document.querySe
lectorAll(s).forEach(e=> elems.add(e)));
  elems.forEach(btn=>{
    btn.addEventListener('click', (ev)=>{
      ev.preventDefault();
      const el = ev.currentTarget;
      // soporta data attributes o atribu
tos personalizados
      const id = el.dataset.id | el.getA
ttribute('data-id') || el.getAttribute('id
') || (el.closest('[data-id]') && el.close
st('[data-id]').dataset.id);
      const nombre = el.dataset.nombre | |
el.getAttribute('data-nombre') || el.getA
ttribute('aria-label') | | el.textContent.t
rim();
      const precioRaw = el.dataset.precio
| | el.getAttribute('data-precio') | | el.g
etAttribute('data-price');
      const precio = precioRaw ? Number(p
recioRaw): 0;
      if(!id){
       console.warn('bot n agregar sin d
ata-id', el);
        return;
      }
      agregarAlCarrito({id: String(id), n
ombre: String(nombre||'Producto'), precio:
```

```
Number(precio | | 0 ) } );
   });
  });
}
// utilidad para vaciar carrito (debug)
export function vaciarCarrito(){
  window.carrito = [];
  saveCarrito(window.carrito);
  guardarCarritoLS();
  renderCartDropdown();
  renderCartTable();
  updateCartCount();
  calcularResumen();
}
// export default no usado
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla\js\pro_localstorage.
js ----
   // = pro-localstorage.js [ Gestin del
almacenamiento
```

```
export const LS_KEYS = {
  CARRITO: 'pro-carrito',
  RESUMEN: 'pro-resumen',
  COMPRAS: 'compra'
};
// -----
// =9 Guardar y cargar carrito
// -----
export function saveCarrito(carrito) {
  local Storage.set I tem (LS KEYS.CARRITO, J
SON.stringify(carrito | []));
}
export function loadCarrito() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.CARRITO)) || []; }
  catch(e) { return []; }
}
// ------
// = 9 Guardar y cargar resumen
// -----
export function saveResumen(resumen) {
  localStorage.setItem(LS_KEYS.RESUMEN, J
SON.stringify(resumen | | {}));
```

```
}
export function loadResumen() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.RESUMEN)) | | { }; }
  catch(e) { return { }; }
}
// = 9 Registro de compras hist ricas
// ------
export function pushCompra(compra) {
  const arr = (JSON.parse(localStorage.ge
tItem(LS_KEYS.COMPRAS)) || []);
  arr.unshift(compra);
  localStorage.setItem(LS_KEYS.COMPRAS, J
SON.stringify(arr));
}
export function loadCompras() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.COMPRAS)) | [ ]; }
  catch(e) { return []; }
}
/ /
// =9 Limpieza de datos
```

```
export function clearAll() {
  local Storage.remove I tem (LS KEYS.CARRITO
);
  local Storage.remove I tem (LS_KEYS.RESUMEN
);
  // Se mantiene COMPRAS hist ricas
}
_ = = = = = = = = = = = =
// = Compatibilidad con import del HTML
// -----------
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
// Sincroniza el carrito entre localStora
ge y variable global
export function sincronizarCarritoLS() {
  const carrito = loadCarrito();
  window.carrito = carrito;
  console.log("= [ Carrito sincronizado de
sde localStorage:", carrito);
  return carrito;
}
// Guarda el carrito actual (si existe en
window.carrito)
export function guardarCarritoLS() {
  if (window.carrito && Array.isArray(win
```

```
dow.carrito)) {
    saveCarrito(window.carrito);
    Carrito guardado nuev
amente en localStorage.");
  }
}
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla\js\resumen_compra.js
// resumen-compra.js
import { loadCarrito, saveResumen } from
'./pro localstorage.js';
const PROMO_UMBRAL = 100000;
const PROMO_PORC = 0.10;
console.log('resumen-compra cargado');
export function calcularResumen(){
  const carrito = loadCarrito();
 const subtotal = carrito.reduce((s,p)=>
s + (Number(p.precio||0) * Number(p.canti
dad | | 0 ) ) , 0 ) ;
 const descuento = subtotal >= PROMO_UMB
RAL ? Math.round(subtotal * PROMO_PORC) :
0;
  const total = subtotal - descuento;
  const resumen = { subtotal, descuento,
total, fecha: new Date().toISOString(), ca
ntidadProductos: carrito.reduce((s,p)=> s
+ (p.cantidad | | 0), 0) };
```

```
// usar la funci n importada saveResume
n para persistir
  try { saveResumen(resumen); } catch(e){
localStorage.setItem('pro-resumen', JSON.
stringify(resumen)); }
  // actualizar UI si existen ids
  const subEl = document.getElementById('
res-subtotal');
  const descEl = document.getElementById(
'res-descuento');
  const totEl = document.getElementById('
res-total');
  if (subEl) subEl.textContent = subtotal.
toLocaleString();
  if (descEl) descEl.textContent = descuen
to.toLocaleString();
  if (totEl) totEl.textContent = total.toL
ocaleString();
  return resumen;
}
```