```
===== HTML =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde Frontend-I\Carrito Comida
s\archivos-plantilla-Mio\cart.html ----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent = "IE = edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  <link href="https://cdn.jsdelivr.net/np</pre>
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
    integrity = "sha384 - EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC" crossorigin="anonymous">
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
```

nts.googleapis.com">

```
k rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"><img src="./images/logo.p
ng" alt=""
           width="30px">BUR<span>GER</span
> < / a >
      <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s - target = " # navbar Supported Content "
         aria-controls="navbarSupportedCon
tent" aria-expanded="false" aria-label="To
ggle navigation">
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / s p a n >
       </button>
       <div class="collapse navbar-collaps</pre>
e" id = "navbarSupportedContent">
        m b - 1 g - 0 " >
           class="nav-item">
```

< / l i >

class="nav-item">

< / l i >

class="nav-item dropdown">

aria-expanded="false">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$ 

< / u 1 >

< / l i >

class="nav-item">

```
< / l i >
            class="nav-item">
              <a class="nav-link" href="ind</pre>
ex.html#contact">Contact Us</a>
            < / l i >
         < / u 1 >
         <form class="d-flex align-items-c</pre>
enter position-relative">
            <div class="icons d-flex align-</pre>
items-center gap-3">
              <i class="fa-regular fa-user"</pre>
> < / i >
              <div class="dropdown">
                 <i class="fa-solid fa-cart-</pre>
shopping dropdown-toggle position-relative
" id="iconoCarrito" role="button"
                   data-bs-toggle="dropdown"
aria-expanded="false">
                   <span id="contadorCarrito"</pre>
                    class="position-absolut
e top-0 start-100 translate-middle badge r
ounded-pill bg-warning text-dark"
                     style = "font-size: 0.7re
m ; " >
                     0
                   / s p a n >
                < / i >
```

```
opdown-menu-end p-3 shadow" id="listaCarri
to "style = "min-width: 280px;">
                 class="text-center te
xt-muted small">Carrito vac o
               < / u l >
             < / d i v >
           < / d i v >
        < / f o r m >
      < / d i v >
    < / d i v >
  < / n a v >
  <!-- nav section -->
  <!-- cart section -->
  <h2 class="page-title text-center my-5</pre>
py-3" style="background-color: #ffc800;">C
art < / h 2 >
  <div class="page-content">
    <!-- Cart Star -->
    <section class="pt-80 pb-40">
      <div class="container-fluid">
        <div class="row">
           <div class="col-lg-8 mb-64 mb-1</pre>
g - 0 px - 5" >
             <div class=" mb-64">
               b 1 e " >
```

```
<thead>
                    < t r >
                      PRODUC
T 0 < / t h >
                      PRECIO
< / t h >
                      CANTID
AD
                      SUBTOT
AL
                    < / t r >

< / thead>
                  < t b o d y >
                    <!--aqui van los produc
tos de localstorage -->
                  < / t b o d y >
                < / d i v >
             <a href="index.html" class="c</pre>
us-btn primary">
                <span class="icon-wrapper">
                  <svg class="icon-svg icon</pre>
-svg-copy" xmlns="http://www.w3.org/2000/s
vg" width="20" height="20"
                    viewBox="0 0 20 20" fil
1 = " n o n e " >
                    d = " M 1 6 . 2 5 2 2 1 1 . 9 7 8 9 C 1
4.4658 10.1925 13.7513 6.14339 15.6567 4.2
3 7 9 2 M 1 5 . 6 5 6 7 4 . 2 3 7 9 2 C 1 4 . 5 6 5 5 . 3 2 9 6 1 1 . 4 8 8 5
 7.21521 7.91576 3.64246M15.6567 4.23792L4
```

.34301 15.5516"

stroke="#FCFDFD" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"></path>

< / s v g >

/ s p a n >

Continuar Comprando

< / a >

< / d i v >

<div class="col-lg-4">

<div class="cart-summary">

\$<\$h6\$ class="title mb-24">RESUMEN DE ORDEN</hd>

 $$\rm < p\ class = "lead\ color-black" > SUBTOTAL$ 

< / d i v >

<select class="destino"
>

```
> Bello - $10.000
                   <option value="Itagui</pre>
">Itagui - $15.000</option>
                   <option value = "Enviga</pre>
do">Envigado - $15.000</option>
                    <option value = "Sabane</pre>
ta">Sabaneta - $15.000</option>
                   <option value="La Est</pre>
rella">La Estrella - $20.000</option>
                   <option value = "Caldas</pre>
" > Caldas - $20.000 < / option >
                   <option value = "Copaca</pre>
bana" > Copacabana - $20.000 < /option >
                  / select>
                < / d i v >
                <div class="d-flex justif</pre>
y-content-between align-items-center mb-24
" >
                  ack">VALOR DOMICILIO
                  mi">$10.000
                < / d i v >
                <div class="d-flex justif</pre>
y-content-between align-items-center mb-24
" >
                  ack">DESCUENTO PROMO
                  $
5.000
```

<option value="Bello"</pre>

< / d i v >

< / d i v >

< / d i v >

stroke = "#FCFDFD" st
roke - width = "2" stroke - linecap = "round" stro
ke - linejoin = "round" > < / path >

 $\langle / s v g \rangle$ 

/ span>

Ir a pagar

</button>

< / d i v >

```
< / d i v >
         < / d i v >
       < / d i v >
    </section>
    <!-- Cart End -->
  < / d i v >
  <!-- cart section -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
       <div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
             <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt="" width="30px">Burger</a>
             Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.
             >
               Karachi <br>
               Sindh <br><br>
               Pakistan <br> <br>
```

< / d i v >

<h4>Useful Links/h4>

u 1 >

< l i > < a h r e f = " # " > H o m e < / a > < / l</pre>

i >

< a href="#">About</a>

1 i >

< a href = " # " > Contact < / a >

< / l i >

< a href="#">Services</a>

> < / l i >

< / u l >

< / d i v >

<h4>Our Services</h4>

 $$\langle p \rangle$ Lorem ipsum dolor sit amet consectetur adipisicing elit. Quas, aperiam. <math display="inline"><\!/p \,>$ 

< u 1 >

```
< a href = " # " > Pizza < / a > < /</pre>
li \rightarrow
                 < a href="#">Fried chick
en</a>
                 < a href="#">Fries</a>/
li \rightarrow
              < / u l >
            < / d i v >
            <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
              <h4>Our Socail Links/h4>
              Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
             <div class="socail-links mt-3</pre>
" >
                 <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                <a href="#"><i class="fa-br</pre>
     fa-facebook"></i>
ands
                 <a href="#"><i</pre>
                                  class="fa-br
ands fa-google-plus"></i>
                 <a href="#"><i class="fa-br</pre>
ands fa-instagram"></i></a>
                <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i></a>
              < / d i v >
            < / d i v >
```

< / d i v >

```
< / d i v >
     < / d i v >
     \langle h r \rangle
     <div class="container py-4">
       <div class="copyright">
         © Copyright <strong>Burger</
strong>. All Rights reserved
       < / d i v >
       <div class="credits">
         Designed By <a href="#">SA coding
< / a >
       < / d i v >
     < / d i v >
  </footer>
  <!-- footer -->
  <a href="#" class="arrow"><i class="fa-</pre>
solid fa-arrow-up"></i></a>
  <script src="https://cdn.jsdelivr.net/n</pre>
pm/bootstrap@5.0.2/dist/js/bootstrap.bundl
e.min.js"
     integrity="sha384-MrcW6ZMFY1zcLA8N1+N
tUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIax
V X M "
     crossorigin = "anonymous"></script>
  <script type="module" src="js/pro_local</pre>
storage.js"></script>
```

```
<script type="module" src="js/info_carr</pre>
ito.js"></script>
  <script type="module" src="js/pro_carri</pre>
to.js"></script>
  <script type="module" src="js/resumen c</pre>
ompra.js"></script>
 <script type="module">
    import { loadCarrito, sincronizarCarr
itoLS } from './js/pro_localstorage.js';
    import { renderCartDropdown, renderCa
rtTable, updateCartCount } from './js/info
_carrito.js';
    import { calcularResumen } from './js
/resumen_compra.js';
    document.addEventListener('DOMContent
Loaded', () => {
      console.log("=_, Iniciando cart.html
con m dulos...");
      // 1 Sincronizar carrito desde lo
calStorage
      sincronizarCarritoLS();
      const carrito = loadCarrito(); //
I' trae los 4 productos
      console.log("= Carrito cargado:",
carrito);
```

```
// 2 Renderizar men desplegable
y contador del carrito (navbar)
      renderCartDropdown(carrito);
      updateCartCount(carrito);
      // 3 🛮 Renderizar tabla de producto
 en cart.html
      renderCartTable(carrito);
      // 40 Calcular resumen de la compr
 (subtotal, total)
      calcular Resumen (carrito);
    });
  </script>
</body>
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\checkout.html --
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" cont</pre>
ent="IE=edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  link rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
>
  k rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  k href="https://cdn.jsdelivr.net/np
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
    integrity = "sha384 - EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC" crossorigin="anonymous">
  <!-- bootstrap links -->
  <!-- fonts links -->
  link rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co
m/css2?family=Dancing+Script:wght@600&disp
lay = swap " rel = "stylesheet" >
  <!-- fonts links -->
< / h e a d >
```

< b o d y >

<!-- nav section --> <nav class="navbar navbar-expand-lg" id</pre> = " n a v b a r " > <div class="container-fluid"> <a class="navbar-brand" href="index</pre> .html" id="logo"> < img src="./images/logo.p ng" alt="" width="30px">BUR<span>GER</span > < / a > <button class="navbar-toggler" type</pre> = "button" data-bs-toggle="collapse" data-b s - target = " # navbar Supported Content " aria-controls="navbarSupportedCon tent" aria-expanded="false" aria-label="To ggle navigation"> <span><i class="fa-solid fa-bars"</pre> > < / i > < / s p a n > /button> <div class="collapse navbar-collaps</pre> e" id = "navbarSupportedContent"> 2 mb-lg-0"> class="nav-item"> <a class="nav-link active" ar</pre> ia-current="page" href="#" id="first-child " > H o m e < / a >  $\langle / 1 i \rangle$ class="nav-item"> <a class="nav-link" href="ind</pre> ex.html#burger">Burger</a>  $\langle / 1 i \rangle$ 

class="nav-item dropdown">

aria-expanded="false">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){0.05cm}} \put(0,0){\line(0,0$ 

< / u 1 >

 $\langle / 1 i \rangle$ 

class="nav-item">

< / 1 i >

class="nav-item">

< / l i >

< / u 1 >

<form class="d-flex align-items-c</pre>

```
enter position-relative">
           <div class="icons d-flex align-</pre>
items-center gap-3">
             <i class="fa-regular fa-user"</pre>
> < / i >
             <div class="dropdown">
               <i class="fa-solid fa-cart-</pre>
shopping dropdown-toggle position-relative
" id="iconoCarrito" role="button"
                 data-bs-toggle="dropdown"
aria-expanded="false">
                 <span id = "contadorCarrito</pre>
                   class = "position - absolut
e top-0 start-100 translate-middle badge r
ounded-pill bg-warning text-dark"
                    style="font-size: 0.7re
m ; " >
                    0
                 / s p a n >
               < / i >
               opdown-menu-end p-3 shadow" id="listaCarri
to "style = "min-width: 280px;">
                 class="text-center te
xt-muted small">Carrito vac o
               < / u 1 >
             < / d i v >
           < / d i v >
```

```
< / f o r m >
       < / d i v >
     < / d i v >
   < / n a v >
   <!-- nav section -->
   <!-- cart section -->
   <h2 class="page-title text-center my-5</pre>
py-3" style="background-color: #ffc800;">C
heckout</h2>
   <div class="page-content">
     <section class="pt-80 pb-40">
        <div class="container-fluid">
          < form >
            <div class="row">
               <div class="col-lg-8 mb-64 mb</pre>
-1g-0px-5">
                 < h 5      c l a s s = " m b - 3 2 " > D A T O S      D E
ENTREGA</h>
                 <div class="row">
                    <div class="col-sm-6">
                      <div class="form-group</pre>
m b - 3 2 " >
                         <label>Nombres*
1 >
                        <input id="nombres-in</pre>
put "type="text" name="f-name" autocomplet
e = "off" placeholder = "Mr. John">
                        <div data-lastpass-ic</pre>
on - root = " "
                           style = "position: re
```

```
lative !important; height: 0px !important;
 width: 0px !important; float: left !impor
tant; ">
                         < / d i v >
                       < / d i v >
                    < / d i v >
                    <div class = "col-sm-6">
                       <div class="form-group</pre>
m b - 3 2 " >
                         <label>Apellidos*</la>
hel>
                         <input id="apellidos-</pre>
input" type="text" name="l-name" autocompl
ete="off" placeholder="Deo">
                       \langle / div \rangle
                    < / d i v >
                    <div class="col-sm-6">
                       <div class="form-group</pre>
m b - 3 2 " >
                         <label>Email*</label>
                         <input id="email-inpu</pre>
t" type="email" name="email" autocomplete=
" o f f "
                            placeholder = "email@
example.com">
                       < / d i v >
                    < / d i v >
                    <div class="col-sm-6">
                       <div class="form-group</pre>
m b - 3 2 " >
                         <label>Celular*/labe
```

```
1 >
```

<input id="celular-in"</pre> put" type="tel" name="phone" autocomplete= "off" placeholder="12345679"> < / d i v > < / d i v > <div class="col-12"> <div class="form-group</pre> m b - 3 2 " > <label>Direccion\*</la</pre> hel> <input id="direccion-</pre> input" type="text" name="address" autocomp lete="off" placeholder = "Your A ddress"> < / d i v > < / d i v > <div class = "col-12"> <div class="form-group</pre> m b - 3 2 " > <label>Direction (opt ional)</label> <input id="direccion-</pre> 2-input" type="text" name="address2" autoc omplete="off" placeholder="Apartm ent, Suite, Unit etc."> < / d i v > < / d i v > < / d i v >

```
<div class="mt-64">
                  < h 5     c l a s s = " m b - 3 2 " > I N F O R M A
CION ADICIONAL < / h 5 >
                  <div class="form-group">
                    <label>Notas de orden (
opcional)</label>
                   <textarea name="noe" id</pre>
= "additiona-note" rows = "5"
                     placeholder="Note Abo
ut Your Order, e.g. special notes for deli
very."></textarea>
                  < / d i v >
                < / d i v >
             < / d i v >
             <div class="col-lg-4">
                <div class="cart-summary">
                  <h6 class="title mb-24">R
ESUMEN DE ORDEN</h6>
                  <div class="cart-summary-</pre>
detail mb-24">
                    <div class="productos b</pre>
order-bottom">
                      <!-- aqui van product
os -->
                    < / d i v >
                    <div class="d-flex just</pre>
ify-content-between align-items-center mb-
2 4 " >
                      black">VALOR DOMICILIO
                      domi">$5.00
```

< / d i v >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

```
< / d i v >
                   <div class="payment-metho</pre>
d mb-24">
                      umn mb-3">
                        < 1 i >
                          <label class="lead"</pre>
for = " c o d " >
                            <input id="cod" t</pre>
ype="radio" class="form-check-input" name=
"radio" class="radio" value="1"
                               checked = "checke
d " >
                             Contraentrega + (5
%) < / label>
                        < / l i >
                        < 1 i >
                         <label class="lead"</pre>
for = "cp">
                             <input id="cp" ty</pre>
pe="radio" class="form-check-input" name="
radio" class="radio" value="2">
                             PSE + (3%) < /label>
                        \langle / 1 i \rangle
                        < 1 i >
                          <label class="lead"</pre>
for = "bt">
                            <input id="bt" ty</pre>
pe="radio" class="form-check-input" name="
radio" class="radio" value="3">
                             Transferencia</la
b e 1 >
```

```
\langle / 1 i \rangle
                         < / u 1 >
                      < / d i v >
                      <button type="button" cla</pre>
ss="btn-checkout cus-btn dark w-100">
                        <span class="icon-wrapp</pre>
er">
                           <svg class="icon-svg</pre>
icon-svg-copy" xmlns="http://www.w3.org/20
00/svg" width="20" height="20"
                              viewBox="0 0 20 20"
fill="none">
                              t h
                                 d = " M 1 6 . 2 5 2 2 1 1 . 9 7
8 9 C 1 4 . 4 6 5 8 1 0 . 1 9 2 5 1 3 . 7 5 1 3 6 . 1 4 3 3 9 1 5 . 6 5 6 7
 4.23792M15.6567 4.23792C14.565 5.3296 11.
4 8 8 5 7 . 2 1 5 2 1 7 . 9 1 5 7 6 3 . 6 4 2 4 6 M 1 5 . 6 5 6 7 4 . 2 3 7
9 2 L 4 . 3 4 3 0 1 1 5 . 5 5 1 6 "
                                 stroke="#FCFDFD"
stroke-width="2" stroke-linecap="round" st
roke-linejoin="round"></path>
                            < / s v g >
                         < / s p a n >
                         Place Order
                      /button>
                    < / d i v >
                 < / d i v >
              < / d i v >
           < / f o r m >
        < / d i v >
```

```
< / d i v >
  <!-- cart section -->
  <!-- footer -->
  <footer id="footer" style="margin-top:</pre>
50px;">
    <div class="footer-top">
      <div class="container">
        <div class="row">
          <div class="col-lg-3 col-md-6 f</pre>
ooter-contact">
            <a class="navbar-brand" href=</pre>
"#" id="logo2"><img src="./images/logo.png
" alt="" width="30px">Burger</a>
            Lorem, ipsum dolor sit ame
t consectetur adipisicing elit. Perspiciat
is, libero.<br>
            Karachi <br>
              Sindh <br><br>
              Pakistan <br><br>
            <strong><i class="fa-solid fa</pre>
000</strong></strong><br>
            <strong><i class="fa-solid fa</pre>
-envelope"></i> Email: <strong>example@gma
```

</section>

il.com</strong></strong>

```
< / d i v >
             <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
                <h4>Useful Links/h4>
                u 1 >
                  < a href = " # " > Home < / a > < / l</pre>
i >
                           href="#">About</a></
                   < l i > < a</pre>
li \rightarrow
                  < l i > < a</pre>
                           href="#">Contact</a>
< / l i >
                           href="#">Services</a
                  < l i > < a</pre>
> < / l i >
                  < a href="#">Privacy pol
icay</a>
                < / u 1 >
             < / d i v >
             <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
                <h4>Our Services/h4>
                Lorem ipsum dolor sit amet
consectetur
                adipisicing elit. Quas, aperi
am.
                < u 1 >
                  < a href = " # " > Pizza < / a > < /</pre>
li \rightarrow
                  < l i > < a
                           href="#">Fried chick
en</a>
                  < a href="#">Fries</a>/
1 i >
```

< / u l > < / d i v >

<h4>Our Socail Links/h4>

 $$\langle p \rangle$ Lorem ipsum dolor, sit ame t consectetur adipisicing elit. Perferendis, minus. <math display="inline"><\!/p >$ 

< / d i v >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

<hr><hr><

<div class="container py-4">

```
<div class="copyright">
         © Copyright <strong>Burger</
strong>. All Rights reserved
       < / d i v >
       <div class="credits">
         Designed By <a href="#">SA coding
< / a >
       < / d i v >
     < / d i v >
  </footer>
  <!-- footer -->
  <a href="#" class="arrow"><i class="fa-</pre>
solid fa-arrow-up"></i></a>
  <script src="https://cdn.jsdelivr.net/n</pre>
pm/bootstrap@5.0.2/dist/js/bootstrap.bundl
e.min.js"
     integrity="sha384-MrcW6ZMFY1zcLA8N1+N
tUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIax
V X M "
     crossorigin="anonymous"></script>
  <script type="module" src="js/checkout.</pre>
js"></script>
  <script type="module" src="js/pro_local</pre>
storage.js"></script>
  <script type="module" src="js/info_carr</pre>
ito.js"></script>
  <script type="module" src="js/pro_carri</pre>
to.js"></script>
```

```
<script type="module" src="js/resumen_c</pre>
ompra.js"></script>
</body>
< / h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla-Mio\index.html -----
<!DOCTYPE html>
<html lang="en">
< h e a d >
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" cont</pre>
ent="IE=edge">
  <meta name="viewport" content="width=de</pre>
vice-width, initial-scale=1.0">
  <title>Burger</title>
  k rel="shortcut icon" type="image"
href="./images/logo.png">
  k rel="stylesheet" href="style.css"
  link rel="stylesheet" href="https://cd
njs.cloudflare.com/ajax/libs/font-awesome/
6.2.0/css/all.min.css">
  <!-- bootstrap links -->
  k href="https://cdn.jsdelivr.net/np
m/bootstrap@5.0.2/dist/css/bootstrap.min.c
ss" rel="stylesheet"
```

```
integrity = "sha384 - EVSTQN3/azprG1Anm3Q
DgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLA
SjC " crossorigin = "anonymous" >
  <!-- bootstrap links -->
  <!-- fonts links -->
  k rel="preconnect" href="https://fo
nts.googleapis.com">
  link rel="preconnect" href="https://fo
nts.gstatic.com" crossorigin>
  k href="https://fonts.googleapis.co"
m/css2?family=Dancing+Script:wght@600&disp
lay=swap" rel="stylesheet">
  <!-- fonts links -->
  <!-- I' M dulos de carrito -->
< / h e a d >
< b o d y >
  <!-- home section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
     <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"> < img src="./images/logo.p
ng" alt=""
           width="30px">BUR<span>GER</span
> < / a >
       <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s - target = " # navbar Supported Content "
         aria-controls="navbarSupportedCon
```

tent" aria-expanded="false" aria-label="To
ggle navigation">

class="nav-item">

 $\langle / 1 i \rangle$ 

class="nav-item">

< / l i >

aria-expanded="false">

0 ther

< / a >

< a class = "dropdown-item</pre>

" href="index.html#top-icons">Fries</a></l</pre> i > < a class = "dropdown-item</pre> " href="index.html#top-icons">Fried Chicke n < / a > < / l i > < / u l > < / l i > class="nav-item"> <a class="nav-link" href="ind</pre> ex.html#about">About Us</a>  $\langle / 1 i \rangle$ class="nav-item"> <a class="nav-link" href="ind</pre> ex.html#contact">Contact Us</a> < / l i > < / u 1 > <form class="d-flex align-items-c</pre> enter position-relative"> <div class="icons d-flex align-</pre> items-center gap-3"> <i class="fa-regular fa-user"</pre> > < / i > <div class="dropdown"> <i class="fa-solid fa-cart-</pre> shopping dropdown-toggle position-relative " id="iconoCarrito" role="button"

aria-expanded="false">

data-bs-toggle="dropdown"

<span id="contadorCarrito"</pre>

```
ш
```

```
class="position-absolut
e top-0 start-100 translate-middle badge r
ounded-pill bg-warning text-dark"
                  style="font-size: 0.7re
m ; " >
                  0
                / span>
              < / i >
              opdown-menu-end p-3 shadow" id="listaCarri
to "style = "min-width: 280px;">
               class="text-center te
xt-muted small">Carrito vac o
              < / u l >
            < / d i v >
          < / d i v >
        < / f o r m >
      < / d i v >
    < / d i v >
    <table class="table list-cart ocultar"
" >
      < thead>
        < t r >
          #
           I magen
```

```
Nombre
                                                                                     scope = "col" > Precio 
                                                              < t h
                                                  < / t r >
                                       / thead>
                                       < t b o d y >
                                                  <!-- aqui va la info del producto
 - - >
                                       < t f o o t >
                                                  < t r >
                                                              ter">
                                                                         <a href="cart.html" class="bt</pre>
n-cart btn btn-primary">Ver Carrito</a>
                                                              < / t d >
                                                  < / t r >
                                      / t f o o t >
                           < / n a v >
               <div id = "Home" class = "home - section" >
                          <!-- home content -->
                           <section class="home">
                                       <div class="content">
                                                  <h1>Super Delicious
                                                               <br> <br> <br > <br
                                                  < / h 1 >
```

```
Lorem ipsum dolor sit amet con
sectetur adipisicing elit. Voluptatum, ist
e! 
          < div id = "btn" >
            <button class="btn-add-carrito"</pre>
data-id="burger" data-nombre="Hamburguesa
BBQ " data-precio = "120.00">
              Order Now
            / button>
            <span>$120.00</span>
         < / d i v >
       < / d i v >
       <div class="img">
          <img src="./images/burger.png" al</pre>
t = " " >
       < / d i v >
    </section>
     <!-- home content -->
   < / d i v >
  <!-- home section -->
   <!-- top icons -->
   <div class="container" id="top-icons">
    < h 1 > 0 F F E R S < / h 1 >
```

```
<div class="row">
        <div class="col-md-3 py-3 py-md-0">
          <i><i><io><img src="./images/offer1.png"</pre>
alt = " " > < / i >
          <h3>Burger 50% off</h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><img src="./images/offer2.png"</pre>
alt = " " > < / i >
          <h3>Free Delivery/h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><i><img src="./images/offer3.png"</pre>
alt = " " > < / i >
          <h3>Burger free fries/h3>
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <i><i><i><img src="./images/offer4.png"</pre>
alt = " " > < / i >
          <h3>Burger with free cold drink/
h 3 >
        < / d i v >
     < / d i v >
   < / d i v >
   <!-- top icons -->
```

```
<!-- cards -->
   <div class="container" id="cards">
     <div class="row">
       <div class="col-md-6 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards1.png"</pre>
alt = " " >
            <div class="card-img-overlay">
               < h 3 > H a m B u r g e r < / h 3 >
              Lorem ipsum dolor sit amet
\cdot 
               < d i v i d = " b t n " >
                 <button id="rn" class="btn-</pre>
add-carrito" data-id="cards1" data-nombre=
"Hamburguesa" data-precio="120.00">
                   Order Now
                 / button>
              < / d i v >
            < / d i v >
          < / d i v >
       < / d i v >
       <div class="col-md-6 py-3 py-md-0">
```

```
<div class="card">
            <img src="./images/cards2.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Pizza</h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id = "rn" class = "btn-ad</pre>
d-carrito" data-id="cards2" data-nombre="P
izza" data-precio="120.00">Order
                Now</button>
            < / d i v >
         < / d i v >
       < / d i v >
     < / d i v >
     <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class="col-md-4 py-3 py-md-0">
         <div class="card">
            <img src="./images/cards3.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Italian pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id = "rn" class = "btn-ad</pre>
d-carrito" data-id="cards3" data-nombre="I
talian pizza"
                data-precio = "120.00"> Order
```

```
Now</button>
           < / d i v >
          < / d i v >
       < / d i v >
       <div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards4.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id = "rn" class = "btn-ad</pre>
d-carrito" data-id="cards4" data-nombre="F
ried Chicken"
                data-precio = "120.00" > 0 rder
Now</button>
            < / d i v >
          < / d i v >
       < / d i v >
       <div class="col-md-4 py-3 py-md-0">
          <div class="card">
            <img src="./images/cards5.png"</pre>
alt = " " >
            <div class="card-img-overlay">
              <h3>Chesse Burger/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <button id = "rn" class = "btn-ad</pre>
```

```
d-carrito" data-id="cards5" data-nombre="C
hesse Burguer"
                data-precio = "120.00"> Order
Now</button>
           < / div >
         < / d i v >
       < / d i v >
    < / div >
  < / d i v >
  <!-- cards -->
  <!-- burger -->
  <div class="container" id="burger">
    <h1>Delicious Burger/h1>
     <div class="row content-pro" style="m</pre>
argin-top: 30px;">
       <!-- aqui van los productos-->
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b1.png" alt=</pre>
" " >
```

```
<div class="card-body">
             <h3>Italian Pizza/h3>
             Lorem ipsum dolor sit amet
\cdot 
             < h 5 >
               $6.50
talian Pizza" data-precio="6.50">
                <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
               / span>
             < / h 5 >
           < / d i v >
         < / d i v >
      < / d i v >
      <div class="col-md-3 py-3 py-md-0">
         <div class="card">
           <img src="./images/b2.png" alt=</pre>
" " >
           <div class="card-body">
             <h3>Fried Chicken/h3>
             Lorem ipsum dolor sit amet
\cdot 
             < h 5 >
               $ 2 0 . 3 0
              <span class="btn-product bt</pre>
n-add-carrito" data-id="b2" data-nombre="F
```

```
ried Chicken" data-precio="20.30">
                   <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                 / s p a n >
               < / h 5 >
            < / d i v >
          < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
          <div class="card">
            <img src="./images/b3.png" alt=</pre>
" " >
            <div class="card-body">
               <h3>Tasty Fries/h3>
               Lorem ipsum dolor sit amet
\cdot 
               < h 5 >
                 $1.20
                 <span class="btn-product bt</pre>
n-add-carrito" data-id="b3" data-nombre="T
asty Fried" data-precio="1.20">
                   <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                 / span>
               < / h 5 >
            < / d i v >
          < / d i v >
       < / d i v >
```

```
<div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b4.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice</h3>
              Lorem ipsum dolor sit amet
\cdot 
              < h 5 >
                $3.20
                <span class="btn-product bt</pre>
n-add-carrito" data-id="b4" data-nombre="P
zza Slice data-precio = "3.20">
                  <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                < / s p a n >
              < / h 5 >
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b5.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
. 
              < h 5 >
```

\$6.50

 $\mbox{$\mbox{$<$}$ i class = "fa-solid fa-basket-shopping"></ix}$ 

/ s p a n >

< / h 5 >

< / d i v >

< / d i v >

< / d i v >

<div class="col-md-3 py-3 py-md-0">

<div class="card">

<h3>Fried Chicken/h3>

 $$\langle p \rangle$ Lorem ipsum dolor sit amet . <math display="inline"><\!/p \rangle$ 

< h 5 >

\$ 2 0 . 3 0

/ span>

< / h 5 >

< / d i v >

```
< / div >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b7.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
. 
              < h 5 >
                $1.20
                 <span class="btn-product bt</pre>
n-add-carrito" data-id="b7" data-nombre="T
asty Fries data-precio = "1.20">
                  <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                / span>
              < / h 5 >
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/b8.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Pizza Slice/h3>
```

```
Lorem ipsum dolor sit amet
. 
              < h 5 >
                $ 3 . 2 0
                <span class="btn-product bt</pre>
n-add-carrito" data-id="b8" data-nombre="P
izza Slice" data-precio="3.20">
                  <i class="fa-solid fa-bas</pre>
ket-shopping"></i>
                / span>
              < / h 5 >
            < / d i v >
         < / d i v >
       < / d i v >
    < / div >
  < / d i v >
  <!-- burger -->
  <!-- banner -->
  <div class="banner">
     <h3>0ther Product/h3>
     Lorem ipsum dolor, sit amet consec
tetur adipisicing elit. Architecto, volupt
```

atibus?

```
<button id="btnorder">Order Now</butt</pre>
on>
  < / d i v >
  <!-- banner -->
  <!-- top cards -->
  <div class="container" id="topcards">
     <div class="row">
       <div class="col-md-4 py-3 py-md-0">
         <div class="card">
           <img src="./images/topcard1.png</pre>
" alt="">
        < / d i v >
       < / div >
       <div class="col-md-4 py-3 py-md-0">
         <div class="card">
           <img src="./images/topcard2.png</pre>
 alt="">
         < / div >
       < / d i v >
       <div class="col-md-4 py-3 py-md-0">
```

```
<img src="./images/topcard3.png</pre>
 alt="">
        < / div>
       < / div >
    < / div >
  < / d i v >
  <!-- top cards -->
  <!-- burger -->
  <div class="container" id="burger">
    <div class="row" style="margin-top: 3</pre>
0 p x ; " >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p1.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Italian Pizza/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$6.50 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
```

<div class="card">

```
< / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p2.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Fried Chicken/h3>
              Lorem ipsum dolor sit amet
\cdot 
              <h5>$20.30 <span><i class="fa</pre>
-solid fa-basket-shopping"></i></span></h5
            < / d i v >
         < / d i v >
       < / d i v >
       <div class="col-md-3 py-3 py-md-0">
         <div class="card">
            <img src="./images/p3.png" alt=</pre>
" " >
            <div class="card-body">
              <h3>Tasty Fries/h3>
              Lorem ipsum dolor sit amet
. 
              <h5>$1.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></span></h5>
```

```
< / d i v >
          < / d i v >
        < / d i v >
        <div class="col-md-3 py-3 py-md-0">
          <div class="card">
             <img src="./images/p4.png" alt=</pre>
" " >
             <div class="card-body">
               <h3>Pizza Slice/h3>
               Lorem ipsum dolor sit amet
\cdot 
               <h5>$3.20 <span><i class="fa-</pre>
solid fa-basket-shopping"></i></i></span></h5>
            < / d i v >
          < / d i v >
        < / d i v >
     < / d i v >
   < / d i v >
   <!-- burger -->
```

```
<!-- about -->
  <div class="container" id="about">
    < h 1 > A B O U T < / h 1 >
    <div class="row">
       <div class="col-md-6 py-3 py-md-0">
         <div class="card">
           <img src="./images/about.png" a</pre>
1 t = " " >
         < / d i v >
      < / d i v >
      <div class="col-md-6 py-3 py-md-0">
         <h2>Delicious Burger
        Lorem ipsum dolor sit amet, co
nsectetur adipisicing elit. Totam accusamu
s exercitationem ut. Non assumenda
           nihil tempore minima consequatu
r corrupti numquam quia dolorum laborum pr
aesentium vero commodi ex velit
          expedita, omnis adipisci? Exerc
itationem consequatur ducimus praesentium
dolores rerum voluptatibus, nam illo
           quas modi deleniti iusto labori
osam adipisci enim excepturi, cupiditate q
uidem neque tempora sunt animi natus
           aliquid. Fugiat eligendi molest
iae magnam vero dicta est praesentium unde
 ducimus eveniet commodi alias,
           pariatur quis quod saepe sed ac
cusamus porro nemo doloribus cumque quos q
uo nihil! Numquam explicabo odit
```

accusamus laudantium molestiae.

```
Ipsum culpa dolor sequi dolore doloribus
aperiam, earum maxime alias
            voluptates magni.
          <div id="readmorebtn"><button>Rea
d More.../button></div>
       < / d i v >
     < / d i v >
  < / d i v >
   <!-- about -->
  <!-- contact -->
   <div class="container">
     < h 2    i d = " h 2 " > C O N T A C T < / h 2 >
  < / d i v >
   <div class="container" id="contact">
     <div class="row">
```

<div class="col-md-6 py-3 py-md-0">

animi?

< h 3 > C 0 N T A C T < / h 3 >

```
<input type="text" placeholder="N</pre>
ame"><br/>br>
         <input type="email" placeholder="</pre>
Email"><br>
         <input type="number" placeholder=</pre>
" P h o n e " > < b r >
         <button id = "btnmessage" > Send < / but</pre>
ton>
       < / d i v >
       <div class="col-md-6 py-3 py-md-0">
         < h 3 > I N F O < / h 3 >
         Lorem ipsum dolor sit amet, co
nsectetur adipisicing elit. Itaque, odio a
ssumenda nostrum commodi at corporis!
         <i class="fas fa-phone"> <span>+0
00000000000000</span></i>
         <i class="fa-solid fa-envelope">
<span>example@gmail.com</span></i><br>
         <i class="fa-solid fa-location-do</pre>
t"> <span>Pakistan sindh Karachi</span></i
> < b r >
       < / d i v >
     < / d i v >
   < / d i v >
  <!-- contact -->
```

<!-- footer --> <footer id="footer" style="margin-top:</pre> 50px;"> <div class="footer-top"> <div class="container"> <div class="row"> <div class="col-lg-3 col-md-6 f</pre> ooter-contact"> <a class="navbar-brand" href=</pre> "#" id="logo2"><img src="./images/logo.png " alt="" width="30px">Burger</a> Lorem, ipsum dolor sit ame t consectetur adipisicing elit. Perspiciat is, libero.<br> Karachi <br> Sindh <br><br> Pakistan <br> <br> <strong><i class="fa-solid fa</pre> 000</strong></strong><br/>br> <strong><i class="fa-solid fa</pre> -envelope"></i> Email: <strong>example@gma

il.com</strong></strong>

< / d i v >

```
<div class="col-lg-3 col-md-6 f</pre>
ooter-links">
                 < h 4 > U s e f u l Links < / h 4 >
                 u 1 >
                   < l i > < a h r e f = " # " > H o m e < / a > < / 1</pre>
i >
                            href="#">About</a></
                   < l i > < a</pre>
1 i >
                            href="#">Contact</a>
                   < l i > < a</pre>
< / l i >
                   < l i > < a</pre>
                            href="#">Services</a
> < / l i >
                   < a href="#">Privacy pol
icay</a>
                < / u 1 >
              < / d i v >
              <div class="col-lg-3 col-md-6 f</pre>
ooter-links">
                 <h4>Our Services</h4>
                 Lorem ipsum dolor sit amet
                adipisicing elit. Quas, aperi
consectetur
am.
                 < u 1 >
                   < a href = " # " > Pizza < / a > < /</pre>
1 i >
                            href="#">Fried chick
                   < l i > < a</pre>
en</a>
                   < a href="#">Fries</a>/
li \rightarrow
                < / u l >
```

```
<div class="col-lg-3 col-md-6 f</pre>
ooter-links">
              <h4>Our Socail Links/h4>
              Lorem ipsum dolor, sit ame
t consectetur adipisicing elit. Perferendi
s, minus.
             <div class="socail-links mt-3</pre>
" >
                <a href="#"><i class="fa-br</pre>
ands fa-twitter"></i></a>
                <a href="#"><i class="fa-br</pre>
     fa-facebook"></i>
ands
                <a href="#"><i</pre>
                                  class="fa-br
ands
     fa-google-plus"></i></a>
                <a href="#"><i class="fa-br</pre>
ands
    fa-instagram"></i></a>
                <a href="#"><i class="fa-br</pre>
ands fa-linkedin-in"></i>
              < / d i v >
            < / d i v >
         < / d i v >
       < / d i v >
     < / d i v >
     <hr >
     <div class="container py-4">
```

<div class="copyright">

```
© Copyright <strong>Burger</
strong>.All Rights reserved
       < / d i v >
       <div class="credits">
         Designed By <a href="#">SA coding
< / a >
       < / d i v >
     < / d i v >
  </footer>
  <!-- footer -->
  <a href="#" class="arrow"><i class="fa-</pre>
solid fa-arrow-up"></i></a>
  <script src="https://cdn.jsdelivr.net/n</pre>
pm/bootstrap@5.0.2/dist/js/bootstrap.bundl
e.min.js"
     integrity = "sha384-MrcW6ZMFY1zcLA8N1+N
tUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIax
VXM"
    crossorigin="anonymous"></script>
  <script type="module" src="js/pro_local</pre>
storage.js"></script>
```

```
<script type="module" src="js/info_carr</pre>
ito.js"></script>
  <script type="module" src="js/pro_carri</pre>
to.js"></script>
  <script type="module" src="js/resumen_c</pre>
ompra.js"></script>
  <script type="module">
     import { loadCarrito, sincronizarCarr
itoLS } from './js/pro_localstorage.js';
import { renderCartDropdown, renderCa
rtTable, updateCartCount } from './js/info
carrito.js';
     import { calcularResumen } from './js
/resumen_compra.js';
     document.addEventListener('DOMContent
Loaded', () => {
      console.log("=_, Iniciando cart.html
con m dulos...");
      // 1 Sincronizar carrito desde lo
calStorage
      sincronizarCarritoLS();
      const carrito = loadCarrito(); //
I' trae los 4 productos
      console.log("= Carrito cargado:",
carrito);
```

```
// 2 🛮 Renderizar men desplegable
y contador del carrito (navbar)
      renderCartDropdown(carrito);
      updateCartCount(carrito);
      // 3 Renderizar tabla de producto
 en cart.html
      renderCartTable(carrito);
      // 4 🛮 Calcular resumen de la compr
  (subtotal, total)
      calcularResumen(carrito);
    });
  / script>
</body>
/ h t m l >
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\thankyou.html --
```

- - -<!DOCTYPE html> <html lang="en"> < h e a d > <meta charset="UTF-8"> <meta http-equiv="X-UA-Compatible" cont</pre> ent="IE=edge"> <meta name="viewport" content="width=de</pre> vice-width, initial-scale=1.0"> <title>Burger</title> link rel="shortcut icon" type="image" href="./images/logo.png"> k rel="stylesheet" href="style.css" > link rel="stylesheet" href="https://cd njs.cloudflare.com/ajax/libs/font-awesome/ 6.2.0/css/all.min.css"> <!-- bootstrap links --> <link href="https://cdn.jsdelivr.net/np</pre> m/bootstrap@5.0.2/dist/css/bootstrap.min.c ss" rel="stylesheet" integrity="sha384-EVS TON3/azprG1Anm3ODgpJLIm9Nao0Yz1ztcOTwFspd3 yD65VohhpuuC0mLASjC" crossorigin="anonymou s " > <!-- bootstrap links --> <!-- fonts links --> k rel="preconnect" href="https://fo nts.googleapis.com"> link rel="preconnect" href="https://fo nts.gstatic.com" crossorigin> link href="https://fonts.googleapis.co" m / css2?family = Dancing + Script: wght@600&disp lay = swap " rel = "stylesheet" >

```
<!-- fonts links -->
< / h e a d >
< b o d y >
  <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id</pre>
= " n a v b a r " >
    <div class="container-fluid">
       <a class="navbar-brand" href="index</pre>
.html" id="logo"><img src="./images/logo.p
ng" alt="" width="30px">BUR<span>GER</span
> < / a >
       <button class="navbar-toggler" type</pre>
= "button" data-bs-toggle="collapse" data-b
s-target="#navbarSupportedContent" aria-co
ntrols = "navbarSupportedContent" aria - expan
ded="false" aria-label="Toggle navigation"
>
         <span><i class="fa-solid fa-bars"</pre>
> < / i > < / s p a n >
      <div class="collapse navbar-collaps</pre>
e" id = "navbarSupportedContent">
         2 mb-lg-0">
           class="nav-item">
             <a class="nav-link active" ar</pre>
ia-current="page" href="#" id="first-child
" > H o m e < / a >
           < / l i >
           class="nav-item">
             <a class="nav-link" href="ind</pre>
ex.html#burger">Burger</a>
```

< / l i >

class="nav-item dropdown">

0 ther

< / a >

 $\label{eq:class} \begin{picture}(20,0) \put(0,0){\line(0,0){100}} \put(0,$ 

< / u 1 >

< / l i >

class="nav-item">

< / 1 i >

class="nav-item">

< / l i >

< / u 1 >

```
<form class="d-flex">
           <div class="icons">
             <i class="fa-regular fa-user"</pre>
> < / i >
             <div class="dropdown">
  <i class="fa-solid fa-cart-shopping dro</pre>
pdown-toggle" id="iconoCarrito"
      role = "button" data-bs-toggle = "dropdo
wn" aria-expanded="false"></i>
  end p-2" id="listaCarrito" style="min-widt
h: 250px; ">
    class="text-center text-muted">Ca
rrito vac o
 < / u l >
< / d i v >
           < / d i v >
         < / f o r m >
       < / d i v >
    < / d i v >
  < / n a v >
    <!-- nav section -->
     <!-- cart section -->
     <h2 class="page-title text-center my</pre>
-5 py-3" style="background-color: #ffc800;
" > PEDIDO EN PROCESO < / h 2 >
      <div class="page-content">
         <div class="resumen-compra col-xx</pre>
```

```
1-8 col-lg-8 col-md-8 col-sm-10 offset-xxl
-2 offset-lg-2 offset-md-2 offset-sm-1">
            <h5 class="mb-16"><span>Clien
te!</span>Muchas Gracias por tu compra</h5
            Estamos prep
arando tu pedido, pronto nos comunicaremos
contigo para realizar la entrega.
            <div class="card my-5">
               <div class="card-header">Re
sumen de tu compra</div>
              <div class="row">
                <div class="col-sm-6 mb-3</pre>
m b - s m - 0 " >
                   <div class="card">
                    <div class="card-body</pre>
" >
                       <h5 class="card-tit</pre>
le">Special title treatment/h5>
                      ">With supporting text below as a natural
lead-in to additional content.
                      <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                    < / d i v >
                   < / d i v >
                 < / d i v >
                 <div class="col-sm-6">
                   <div class="card">
                     <div class="card-body</pre>
" >
```

```
<h5 class="card-tit</pre>
le">Special title treatment</h5>
                        ">With supporting text below as a natural
lead-in to additional content.
                        <a href="#" class="</pre>
btn btn-primary">Go somewhere</a>
                     < / d i v >
                    < / d i v >
                  < / d i v >
                < / d i v >
                <div class="card-footer">
                  Card footer
               < / d i v >
             < / d i v >
             <button type="button" class="</pre>
btn-gracias cus-btn dark w-100 mb-32">
                 <span class="icon-wrapper</pre>
" >
                      <svg class="icon-svg</pre>
icon-svg-copy" xmlns="http://www.w3.org/20
00/svg" width="20" height="20" viewBox="0
0 20 20" fill="none">
                          <path d = "M16.2522</pre>
11.9789614.4658 10.1925 13.7513 6.14339 1
5.6567 4.23792M15.6567 4.23792C14.565 5.32
96 11.4885 7.21521 7.91576 3.64246M15.6567
4.23792L4.34301 15.5516" stroke="#FCFDFD"
stroke-width="2" stroke-linecap="round" s
troke-linejoin="round"></path>
```

< / s v g >

< / s p a n >

```
Realizar otra compra?
             /button>
         < / d i v >
     < / d i v >
     <!-- cart section -->
   <!-- footer -->
    <footer id="footer" style="margin-top</pre>
  50px;">
     <div class="footer-top">
        <div class="container">
          <div class="row">
            <div class="col-lg-3 col-md-6</pre>
footer-contact">
             <a class="navbar-brand" href</pre>
= " # " id = "logo2" > < img src = "./images/logo.pn
g" alt="" width="30px">Burger</a>
             Lorem, ipsum dolor sit am
et consectetur adipisicing elit. Perspicia
tis, libero.
              Karachi <br>
                Sindh <br><br>
                <strong><i class="fa-solid f</pre>
a-phone"></i> Phone: <strong>+000000000000
0000</strong></strong><br>
              <strong><i class="fa-solid f</pre>
a-envelope"></i> Email: <strong>example@gm
ail.com</strong></strong>
```

```
< / d i v >
              <div class="col-lg-3 col-md-6</pre>
footer-links">
                <h4>Useful Links/h4>
                < u 1 >
                   < a href="#">Home</a>/
li \rightarrow
                            href="#">About</a><
                   < l i > < a</pre>
/ 1 i >
                   < l i > < a</pre>
                            href="#">Contact</a
> < / l i >
                           href="#">Services</
                   < l i > < a</pre>
a > \langle / l i \rangle
                   < a href="#">Privacy po
licay</a>
                < / u 1 >
              < / d i v >
              <div class="col-lg-3 col-md-6</pre>
footer-links">
                <h4>Our Services</h4>
                Lorem ipsum dolor sit ame
t consectetur adipisicing elit. Quas, aper
iam.
                < u 1 >
                   < a href="#">Pizza</a>
/ l i >
                   < l i > < a
                           href="#">Fried chic
ken</a>
                   < a href="#">Fries</a>
/ l i >
```

< / u 1 >

< / d i v >

<h4>Our Socail Links/h4>

 $$\langle p \rangle$ Lorem ipsum dolor, sit am et consectetur adipisicing elit. Perferend is, minus. <math display="inline"><\!/p >$ 

 $\hspace{1cm} < a \hspace{0.2cm} \text{href="#"} > < i \hspace{0.2cm} \text{class="fa-brands fa-twitter"} > < / i > < / a >$ 

 $\hspace{1cm} < a \hspace{0.2cm} \text{href="#"} > < i \hspace{0.2cm} \text{class="fa-b} \\ \text{rands} \hspace{0.2cm} \text{fa-facebook"} > < / \hspace{0.2cm} i > < / \hspace{0.2cm} a > \\ \end{array}$ 

< / d i v >

< / d i v >

< / d i v >

< / d i v >

< / d i v >

<hr><hr>>

<div class="container py-4">

```
<div class="copyright">
        © Copyright <strong>Burger</s
trong>. All Rights reserved
      < / d i v >
      <div class="credits">
        Designed By <a href="#">SA coding <
/ a >
      < / d i v >
    < / d i v >
     </footer>
   <!-- footer -->
    <a href="#" class="arrow"><i class="fa</pre>
-solid fa-arrow-up"></i></a>
    <script src="https://cdn.jsdelivr.net/</pre>
npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-MrcW6ZMFYlzcL
A8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
tWtIaxVXM" crossorigin="anonymous"></scrip
t >
     <script src="js/thankyou.js"></script</pre>
>
  \langle / b o d y \rangle
< / h t m l >
==== CSS =====
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde_Frontend-I\Carrito_Comida
s\archivos-plantilla-Mio\style.css ----
* {
```

```
margin: 0;
     padding: 0;
     box-sizing: border-box;
}
.home-section{
    width: 100%;
     height: 100vh;
     background: linear-gradient(110deg, w
hite 68%, #ffc800 32%);
}
/ * navbar * /
# n a v b a r {
     position: sticky;
     top: 0;
     background-color: #fff;
     z-index: 99;
     border-bottom: 2px solid black;
}
# 1 o g o {
     font-size: 30px;
     margin-left: 30px;
     color: black;
     font-weight: bold;
    text-shadow: 1px 1px black;
}
#logo img{
```

```
margin-bottom: 10px;
}
#logo span{
   color: #ffc800;
}
. nav-item {
   margin-left: 30px;
}
.nav-item .nav-link{
    color: black;
    font-weight: bold;
    transition: 0.5s ease;
}
#first-child{
    color: #ffc800;
    text-shadow: 1px 1px 1px black;
}
.nav-item .nav-link:hover{
   color: #ffc800;
    text-shadow: 1px 1px 1px black;
}
.icons{
   margin-right: 30px;
}
.icons i {
```

```
margin-left: 10px;
    cursor: pointer;
}
@media screen and (max-width:982px) {
    .icons{
        margin-left: 25px;
    }
}
/ * navbar * /
/* home content */
.home{
    display: flex;
    align-items: center;
    justify-content: center;
    flex-wrap: wrap;
    position: relative;
    z-index: 0;
    font-family: 'Roboto Slab', serif;
}
.home .img{
    flex: 1 1 300px;
}
.home .img img{
    width: 92%;
    animation: c 5s linear infinite;
```

```
}
@keyframes c{
    0%, 100% {
        transform: translateY(0px);
    }
    5 0 % {
        transform: translateY(30px);
    }
}
.home .content{
    flex: 1 1 400px;
    margin-top: 30px;
}
.content h1{
    margin-left: 42px;
    font-size: 65px;
    font-weight: bold;
    text-shadow: -1px 0px 0px black;
}
.content h1 span{
    color: #ffc800;
    text-shadow: 1px 1px black;
    font-size: 100px;
    font-weight: bold;
}
```

```
.content p{
    margin-left: 42px;
}
# b t n {
   margin-left: 42px;
}
#btn button{
    width: 150px;
    height: 32px;
    letter-spacing: 3px;
    background-color: black;
    color: white;
    border-radius: 5px;
    transition: 0.5s ease;
    cursor: pointer;
}
#btn button:hover{
    background-color: #ffc800;
    color: black;
    border: none;
}
#btn span{
    margin-left: 10px;
    font-size: 20px;
    font-weight: bold;
```

```
}
@media screen and (max-width:1200px){
    .home-section{
        height: 90vh;
    }
}
@media screen and (max-width:799px) {
    .home-section{
        height: 140vh;
    }
}
@media screen and (max-width:550px) {
    .home-section{
        height: 110vh;
    }
}
@media screen and (max-width:420px) {
    .content h1 span{
        font-size: 80px;
    }
}
@media screen and (max-width:320px) {
    .content h1{
        font-size: 50px;
    }
```

```
.content h1 span{
         font-size: 60px;
    }
}
/* home content */
/* top icons */
#top-icons{
    margin-top: 50px;
}
#top-icons h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#top-icons i img{
    width: 100px;
}
#top-icons h3{
    font-size: 18px;
    font-family: 'Roboto Slab', serif;
    margin-left: 20px;
}
```

```
/* top icons */
/ * cards * /
#cards{
    margin-top: 100px;
   font-family: 'Roboto Slab', serif;
}
#cards .card h3{
   color: #ffc800;
   font-weight: bold;
}
#cards .card p{
    color: #ffc800;
    font-weight: bold;
}
# r n {
    width: 150px;
    height: 32px;
    border: none;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    font-weight: bold;
    text-shadow: 1px 1px black;
    transition: 0.5s ease;
```

```
cursor: pointer;
}
#rn:hover{
    background-color: #ffc800;
    color: white;
}
/ * cards * /
/ * burger * /
#burger{
    margin-top: 100px;
    font-family: 'Roboto Slab', serif;
}
#burger h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#burger .card{
    transition: 0.5s ease;
    cursor: pointer;
}
#burger .card:hover{
```

```
background-color: #ffc800;
}
#burger .card h3{
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
#burger .card h5 span{
    color: black;
    float: right;
}
/ * burger * /
/ * banner * /
.banner{
    margin-top: 100px;
    width: 100%;
    height: 60 vh;
    background-image: linear-gradient (rgba
(0,0,0,0.5), rgba(0,0,0.5)), url(./images
/banner.png);
    background-size: cover;
    text-align: center;
    font-family: 'Roboto Slab', serif;
}
```

```
.banner h3{
    padding-top: 132px;
    color: #ffc800;
    font-size: 32px;
}
.banner p {
   color: #ffc800;
}
#btnorder{
    width: 200px;
    height: 32px;
    background: transparent;
    color: #ffc800;
    border: 2px solid #ffc800;
    transition: 0.5s ease;
}
#btnorder:hover{
    background-color: #ffc800;
    color: white;
    text-shadow: 1px 1px 1px black;
}
/ * banner * /
/* top cards */
#topcards{
```

```
margin-top: 50px;
}
#topcards .card{
    background-color: #ffc800;
    transition: 0.5s ease;
    cursor: pointer;
}
#topcards .card:hover{
    transform: translateY(-10px);
}
/* top cards */
/ * about * /
#about {
    margin-top: 100px;
}
#about h1{
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px black;
}
```

```
#about h2{
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#about p{
    font-family: 'Roboto Slab', serif;
}
#readmorebtn button{
    width: 200px;
    height: 32px;
    background: transparent;
    border: 2px solid #ffc800;
    color: #ffc800;
    font-weight: bold;
    letter-spacing: 3px;
    transition: 0.5s ease;
}
#about .card{
    background-color: #ffc800;
}
#readmorebtn button:hover{
    background-color: #ffc800;
    color: white;
```

```
/ * about * /
/* contact */
#contact{
    margin-top: 10px;
    border: 2px solid #ffc800;
}
# h 2 {
    margin-top: 100px;
    text-align: center;
    font-weight: bold;
    font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px 1px black;
}
#contact h3{
    font-weight: bold;
```

}

```
font-family: 'Dancing Script', cursiv
e ;
    border-bottom: 2px solid #ffc800;
    text-shadow: 1px 1px black;
}
#contact p{
    font-family: 'Roboto Slab', serif;
}
#contact input{
    width: 500px;
    height: 42px;
    margin-top: 20px;
    background-color: #ffc800;
    border: none;
    border-radius: 5px;
}
#contact ::placeholder{
    color: black;
    font-family: 'Roboto Slab', serif;
    padding-left: 10px;
    font-weight: bold;
}
#btnmessage{
    margin-top: 20px;
    width: 200px;
    height: 32px;
```

```
background: transparent;
    border: 2px solid #ffc800;
    letter-spacing: 3px;
    font-weight: bold;
    transition: 0.5s ease;
}
#btnmessage:hover{
    background-color: #ffc800;
    color: white;
}
#contact i{
    color: #ffc800;
    font-size: 20px;
    margin-top: 30px;
}
#contact i span{
    font-family: 'Dancing Script', cursiv
e ;
}
@media screen and (max-width:1200px) {
    #contact input{
         width: 350px;
    }
}
@media screen and (max-width:385px){
```

```
#contact input{
        width: 250px;
    }
}
/* contact */
/ * footer * /
#footer{
    padding: 0 0 30px 0;
    font-family: 'Roboto Slab', serif;
    color: white;
    font-size: 14px;
    background: #ffc800;
    font-weight: bold;
    text-shadow: 0px 0px 1px black;
}
#footer .footer-top{
    padding: 60px 030px;
    border: 2px solid #ffc800;
```

font-weight: bold;

```
text-shadow: 1px 1px black;
    background: linear-gradient(110deg, b
lack 67%, #ffc800 32%);
    color: white;
}
# 1 o g o 2 {
    font-size: 30px;
    color: white;
    font-weight: bold;
    text-shadow: 1px 1px black;
}
#logo2 img{
    margin-bottom: 10px;
}
#footer .footer-top .footer-contact h4{
    font-size: 22px;
    margin: 0 0 300px 0;
    padding: 2px 0 2px 0;
    line-height: 1;
    font-weight: 700;
}
#footer .footer-top .footer-contact p{
    font-size: 16px;
    margin: 0;
    color: white;
    line-height: 1;
```

```
font-weight: 700;
}
#footer .footer-top h4{
    font-size: 16px;
    font-weight: bold;
    position: relative;
    padding-bottom: 700;
}
#footer .footer-top .footer-links{
    margin-bottom: 30px;
}
#footer .footer-top .footer-links ul{
    list-style: none;
    padding: 0;
    margin: 0;
}
#footer .footer-top .footer-links ul li{
    padding-right: 10px 0;
    display: flex;
    align-items: center;
}
#footer .footer-top .footer-links ul
    text-decoration: none;
    color: white;
```

```
line-height: 2;
    transition: 0.5s ease;
}
#footer .footer-top .footer-links ul
                                        li a
:hover{
    color: #ffc800;
}
#footer .footer-top .socail-links a{
    font-size: 18px;
    display: inline-block;
    color: white;
    line-height: 1;
    padding-right: 4px;
    text-align: center;
    width: 36px;
    height: 36px;
    transition: 0.5s
                      ease;
    cursor: pointer;
}
#footer .footer-top .socail-links a:hover
    color: black;
}
#footer .copyright{
    text-align: center;
    float: left;
```

```
}
#footer .credits{
    float: right;
    text-align: center;
}
/ * footer * /
.arrow{
    position: fixed;
    height: 50px;
    bottom: 50px;
    right: 50px;
    text-decoration: none;
    align-items: center;
    line-height: 50px;
}
.arrow i{
    color: black;
    font-size: 30px;
}
/*cart page*/
```

```
.page-content {
    margin: 20px 0;
}
.cart-table tbody tr td.product-block {
    padding-left: 24px;
    display: flex;
    gap: 24px;
    align-items: center;
}
.cart-table tbody tr td {
    vertical-align: middle;
    padding: 24px 0;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn {
    width: 40px;
    height: 40px;
    display: grid;
    align-content: center;
    text-align: center;
    background: #F0F0F0;
    border-radius: 5px;
}
.cart-table tbody tr td.product-block .re
move-from-cart-btn i
    font-size: 20px;
```

```
}
.cart-table tbody tr td.product-block img
    box-shadow: 0px 4px 8px 0px rgba(0, 0
, 0, 0.12);
    width: 100px;
}
.cart-item-card {
    padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
- card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0, 0
 0, 0.04), 6px 3px 14px 0px rgba(0, 0,
0.04), 23px 12px 26px 0px rgba(0, 0, 0,
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2), 94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
    position: relative;
}
.cart-item-card .remove-from-cart-btn {
    position: absolute;
    top: 16px;
    right: 16px;
```

```
z - index: 50;
}
.cart-item-card .remove-from-cart-btn i {
    color: #282525;
    font-size: 20px;
}
.cus-btn.primary {
    box-shadow: 0px 5px 20px 0px rgba(255
, 92, 0, 0.5);
    background: linear-gradient (99 deg, #f
fc800 -4.71%, #ffc800 93.14%);
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn {
    border-radius: 10px;
    box-shadow: 0px 15px 30px 0px rgba(40
  37, 37, 0.5);
    padding: 0.417vw 1.25vw 0.417vw 0.417
V W ;
    transition: all 0.5s ease-in;
    font-size: 0.938vw;
    font-weight: 500;
    line-height: 120%;
    display: flex;
    justify-content: center;
    align-items: center;
```

```
gap: 12px;
    border: none;
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
    transition: all 0.5s ease-in;
    width: fit-content;
}
.cus-btn.primary .icon-wrapper {
    color: #ffc800;
    background: #FCFDFD;
}
.cus-btn .icon-wrapper {
    flex-shrink: 0;
    width: 2.083vw;
    height: 2.083vw;
    position: relative;
    border-radius: 50%;
    display: grid;
    place-items: center;
    overflow: hidden;
}
.cus-btn.primary .icon-wrapper svg {
    fill: #ffc800;
}
```

```
.cus-btn .icon-wrapper .icon-svg {
    width: 1.042vw;
    height: 1.042vw;
}
.cus-btn.primary .icon-wrapper svg path {
    stroke: #ffc800;
}
.cart-summary {
    padding: 1.667vw 1.25vw;
    border-radius: 30px;
    background: url(../media/vector/doots
- card.png);
    background-position: top center;
    background-repeat: no-repeat;
    background-size: cover;
    border: 1px solid #F0F0F0;
    box-shadow: 0px 0px 0px rgba(0,
 0, 0.04), 6px 3px 14px 0px rgba(0, 0,
0.04), 23px 12px 26px 0px rgba(0, 0, 0,
.03), 53px 27px 35px 0px rgba(0, 0, 0.0
2),
   94px 48px 42px 0px rgba(0, 0, 0, 0.01)
;
    width: 100%;
}
.cart-summary .title {
    border-bottom: 1px solid #F0F0F0;
    padding-bottom: 24px;
}
```

```
.cart-summary .cart-summary-detail {
    border-bottom: 1px solid #F0F0F0;
}
.color-primary {
    color: #ffc800 !important;
}
.cus-btn.dark {
    background-color: #282525;
    color: #FCFDFD;
    transition: all 0.5s ease-in;
}
.cus-btn.dark .icon-wrapper {
    background: #FCFDFD;
    color: #282525;
}
.cus-btn.dark .icon-wrapper svg {
   fill: #282525;
}
.cus-btn.dark .icon-wrapper svg path {
   stroke: #282525;
}
a:hover {
    color: #ffc800;
   transition: all 0.5s ease-in;
}
```

```
.product-block a{
   color: #282525;
}
a {
    text-decoration: none !important;
    color: #282525;
}
.quantity {
    background: #F0F0F0;
    display: flex;
    gap: 8px;
    width: fit-content;
    border-radius: 5px;
    padding: 0.833vw;
    height: 2.917vw;
}
.quantity .decrement, .quantity .incremen
    display: grid;
    align-content: center;
    cursor: pointer;
}
.quantity input {
    border: none !important;
    font-family: "Oswald", sans-serif;
    font-size: 1.25vw;
```

```
font-weight: 400;
    line-height: 125%;
    width: 1.563vw;
    text-align: center;
    color: #282525 !important;
    padding: 0 !important;
    background: transparent;
}
.quantity .decrement i, .quantity .increm
ent
    font-size: 0.938vw;
    color: #282525;
}
.page-content {
    margin: 20px 0;
}
/*checkout*/
.form-group {
    position: relative;
    width: 100%;
}
.form-group label {
    color: #282525;
    font-weight: 500;
```

```
display: block;
    text-align: left;
}
input[type=date], input[type=text], input
[type=email], input[type=file], input[type
=number], input[type=password], input[type
= search], input[type = submit], input[type = t
el], textarea, .cus-form-control {
    width: 100%;
    background: transparent;
    padding: 0.833vw;
    padding-left: 0;
    color: #BDBCBC;
    border: none;
    border-bottom: 1px solid #282525;
}
.billing-checkbox input {
    padding: 0;
    display: none;
    cursor: pointer;
}
.billing-checkbox label {
    position: relative;
    cursor: pointer;
    color: #282525;
}
.billing-checkbox label:before {
```

```
background: transparent;
    border: 1px solid #F0F0F0;
    width: 20px;
    height: 20px;
    display: inline-block;
    position: relative;
    vertical-align: middle;
    cursor: pointer;
    border-radius: 4px;
    margin-right: 8px;
    margin-top: -3px;
}
.billing-checkbox input:checked + label:a
fter {
    content: "";
    display: block;
    position: absolute;
    top: 2px;
    left: 6px;
    width: 6px;
    height: 15px;
    z-index: 10;
    border: solid #282525;
    border-width: 0 2px 2px 0;
    transform: rotate(45deg);
```

content: "";

```
}
/*estilos carrito*/
.carrito{
    background-color: transparent;
    padding: 5px 10px;
    border-radius: 50%;
    position: relative;
}
.contar-pro{
    position: absolute;
    top: 0;
    right:0;
    background-color: yellow;
    padding: 2px 5px;
    border-radius: 50%;
    font-size: 10px;
}
.icons{
    display: flex;
    justify-content: center;
    align-items: center;
}
.btn-product{
    padding: 17px 37px;
    background-color: #ffc800;
```

```
border-radius: 10px;
     border: 2px solid black;
}
.list-cart{
     position: absolute;
     top: 62px;
     right: 0;
     width: 200px !important;
     background-color: #fff;
}
.ocultar{
     display: none;
}
===== JS =====
---- D:\Documents\3. CESDE - Caso cambio de programa\Tecnica - Proyecto\Semestre 2\
Frontend I\Cesde_Frontend-I\Carrito_Comida
s\archivos-plantilla-Mio\js\borrar_product
o.js ----
// borrar-producto.js
import { borrarProducto as bp } from './c
antidades.js';
import { renderCartDropdown } from './inf
o_carrito.js';
import { calcularResumen } from './resume
n_compra.js';
export function borrarProducto(id){
  bp(id);
```

```
renderCartDropdown();
  calcularResumen();
}
---- D:\Documents\3. CESDE - Caso cambio de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\cantidades.js
// cantidades.js
import { loadCarrito, saveCarrito } from
'./pro_localstorage.js';
console.log('cantidades cargado');
export function cambiarCantidad(id, delta
) {
  const carrito = loadCarrito();
  const idx = carrito.findIndex(p => p.id
= = = String(id));
  if(idx === -1) return;
  carrito[idx].cantidad = Math.max(0, (ca)
rrito[idx].cantidad | | 0) + Number(delta))
  if (carrito [idx].cantidad = = = 0) carrito
.splice(idx,1);
  saveCarrito(carrito);
}
export function borrarProducto(id){
  const carrito = loadCarrito().filter(p
```

```
=> p.id ! == String(id));
 saveCarrito(carrito);
}
export function obtenerSubtotal(){
  const carrito = loadCarrito();
 return carrito.reduce((s,p)=> s + (Numb
er(p.precio||0) * Number(p.cantidad||0)),
0);
}
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\checkout.js
// ['checkout.js [ Integraci n checkout +
carrito + resumen
-------
import { loadCarrito, saveCarrito } from
'./pro_localstorage.js';
import { calcularResumen } from './resume
n_compra.js';
import { renderCartDropdown } from './inf
o_carrito.js';
console.log("checkout.js cargado correcta
mente > ");
```

// = Cargar resumen guardado desde cart. h t m l -----document.addEventListener("DOMContentLoad  $ed", () = > {$ const resumenPrevio = JSON.parse(localS torage.getItem('pro-resumen') | | '{}'); if (Object.keys(resumenPrevio).length) { console.log("= Cargando resumen prev io desde cart:", resumenPrevio); const subEl = document.querySelector( ".res-sub-total"); const valorDomiEl = document.querySel ector(".valor-domi"); const promoEl = document.querySelecto r(".promo"); const totalEl = document.querySelecto r(".total"); const destinoEl = document.querySelec tor(".destino-select"); if (subEl) subEl.textContent = `\$\${re sumenPrevio.subtotal.toLocaleString()}` if (valorDomiEl) valorDomiEl.textCont ent = `\$\${resumenPrevio.valorDomicilio.toL ocaleString() } `;

```
if (promoEl) promoEl.textContent = `-
$${resumenPrevio.descuento.toLocaleString(
) } `;
    if (totalEl) totalEl.textContent =
${resumenPrevio.total.toLocaleString()}`;
    if (destinoEl && resumenPrevio.destin
0)
  destinoEl.value = resumenPrevio.destino
  }
  // Luego ejecutas tus funciones normale
  renderCheckout();
  initCheckoutEvents();
  console.log("> checkout inicializado c
orrectamente.");
});
// =9 Renderiza los productos del carrito
en checkout.html
-------
function renderCheckout() {
  const carrito = loadCarrito() || [];
  const contenedor Productos = document.qu
erySelector(".cart-summary .productos");
  if (!contenedorProductos) {
```

```
console.warn("& No se encontr conte
nedor .productos en checkout.html");
    return;
  }
  contenedorProductos.innerHTML = "";
  if (carrito.length = = 0) {
    contenedor Productos.inner HTML = `<p c
lass="text-muted text-center">= Tu carrit
o est vac o.`;
    return;
  }
  carrito.forEach((p) => {
    const subtotal = (p.precio * p.cantid
ad).toFixed(2);
    const item = document.createElement("
div");
    item.className = "d-flex justify-cont
ent-between align-items-center mb-2 border
-bottom pb-2";
    item.innerHTML = `
       <div class="d-flex align-items-cent</pre>
er">
         <img src="images/${p.id}.png" one</pre>
rror="this.src='images/default.png'" width
= "50" height = "50" class = "me-2 rounded" alt
= " $ { p . nombre } " >
         < d i v >
```

```
 $ {p.nomb}
re } 
         <small>$${p.precio.toFixed(2)}
 $ { p . cantidad } < / small >
       < / d i v >
     < / d i v >
     <div class="text-end">
       $${subtota
1 } 
     < / d i v >
   `;
    contenedor Productos.append Child (item)
;
  } );
  calcularTotales();
}
// =9 C lculo total con domicilio + descu
ento
function calcularTotales() {
 const carrito = loadCarrito() || [];
 const subtotal = carrito.reduce((acc,
) => acc + (p.precio * p.cantidad), 0);
```

```
// Ciudades y tarifas de env o
  const ciudadSelect = document.querySele
ctor(".destino-select");
  const valorDomiEl = document.querySelec
tor(".valor-domi");
 const promoEl = document.querySelector(
".promo");
 const subEl = document.querySelector(".
res-sub-total");
 const totalEl = document.querySelector(
".total");
  if (!ciudadSelect) return;
  const valor Envio = Number (ciudad Select.
const descuento = subtotal >= 100000 ?
subtotal * 0.1 : 0; // regla igual que res
umen compra.js
  const total = subtotal + valorEnvio - d
escuento;
  valorDomiEl.textContent = `$${valorEnvi
o.toLocaleString()}`;
  promoEl.textContent = `-$${descuento.to
LocaleString() } `;
  subEl.textContent = `$${subtotal.toLoca
leString()}`;
  totalEl.textContent = `$${total.toLocal
eString()}`;
```

// Actualiza localStorage (para coheren

```
cia entre pantallas)
 calcularResumen();
}
// =9 Eventos [ cambio de ciudad, bot n "
Place Order"
function initCheckoutEvents() {
  const ciudadSelect = document.querySele
ctor(".destino-select");
 const botonPagar = document.querySelect
or (".btn-checkout");
  if (ciudadSelect) {
   ciudadSelect.addEventListener("change
", () => calcularTotales());
  }
  if (botonPagar) {
   botonPagar.addEventListener("click",
( ) = > {
     const carrito = loadCarrito();
     if (!carrito.length) {
       alert (" & Tu carrito est vac o."
);
       return;
```

}

```
// Aqu podras guardar los datos d
  formulario o simular pago
e l
      alert("" Pedido realizado con xito
  Gracias por tu compra!");
      localStorage.removeItem("carrito");
      saveCarrito([]);
      renderCartDropdown([]);
      renderCheckout();
      calcularTotales();
    } );
  }
}
// =9 Inicializaci n
document.addEventListener("DOMContentLoad
ed", () = > {
  renderCheckout();
  initCheckoutEvents();
  console.log("> checkout inicializado c
orrectamente.");
});
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
```

```
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\configuracion
es. is ----
// configuraciones.js
export const CONFIG = {
  PROMO_UMBRAL: 100000,
  PROMO_PORC: 0.10
};
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\guardar_resum
en_compra.js
// guardar-resumen-compra.js
import { loadCarrito, pushCompra } from '
./pro_localstorage.js';
import { calcularResumen } from './resume
n_compra.js';
import { saveCarrito } from './pro_locals
torage.js';
console.log('guardar-resumen-compra carga
do');
function validarCampos(formSelector = '#f
orm - pago') {
  const form = document.querySelector(for
m Selector);
  if(!form) return { ok: false, faltantes
: ['Formulario no encontrado'] };
  const required = form.querySelectorAll(
'[data-required]');
```

```
const faltantes = [];
  required.forEach(inp => {
    if(!inp.value | | String(inp.value).tr
im() = = = ''){
      faltantes.push(inp.dataset.label ||
inp.name || inp.id || 'campo');
    }
  } );
  return { ok: faltantes.length === 0, fa
ltantes };
}
export function procesarCompra(formSelect
or = '#form-pago') {
 const valid = validarCampos(formSelecto
r);
  if(!valid.ok){
    alert('Faltan datos obligatorios: ' +
valid.faltantes.join(', '));
    return false;
  }
  const carrito = loadCarrito();
  if (!carrito \mid | carrito.length === 0) {
    alert ('No hay productos en el carrito
');
    return false;
  }
  const resumen = calcularResumen();
  const form = document.querySelector(for
```

```
m Selector);
  const datos = {};
  new FormData(form).forEach((v,k)=> dato
s[k]=v);
  const compra = { resumen, datos, fechaR
egistro: new Date().toISOString(), product
os: carrito };
  pushCompra(compra);
  // vaciar carrito
  saveCarrito([]);
  // actualizar UI: recarga tabla y conta
dor si existen
  document.querySelectorAll('.contar-pro'
).forEach(e=> e.textContent = '0');
  const tbody = document.getElementById('
body-cart');
  if(tbody) tbody.innerHTML = `<td co
lspan="6" class="text-center">No hay produ
ctos para mostrar
;
  alert('Compra registrada correctamente
['');
  return true;
}
---- D:\Documents\3. CESDE - Caso cambio de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde Frontend-I\Carrito Comid
as\archivos-plantilla-Mio\js\info_carrito.
// ============ info_carrito.js
-------
/ *
  Archivo unificado y robusto para:
```

```
renderCartDropdown(carrito)
   updateCartCount(carrito)
   - manejo de botones + / - / eliminar (
delegaci n)

    escucha evento 'actualizarCarrito'

  Mantiene tu l gica: usa loadCarrito/sav
eCarrito/guardarCarritoLS si existen.
* /
console.log("info-carrito cargado");
import { loadCarrito, saveCarrito, guarda
rCarritoLS } from "./pro localstorage.js";
import { calcularResumen } from "./resume
n_compra.js";
// ----- Render tabla -----
- - - - - - - - - - -
export function renderCartTable(carrito =
[]) {
  console.log("> Renderizando tabla del
carrito...");
  const tbody =
    document.querySelector(".cart-table t
b o d y " ) | |
    document.querySelector(".list-cart tb
ody") ||
    document.querySelector("#list-cart tb
ody") ||
    document.querySelector("table tbody")
```

renderCartTable(carrito)

```
;
 if (!tbody) {
   console.warn("&| No se encontr <tbod
y> para renderizar los productos del carri
to.");
   return;
  }
  tbody.innerHTML = "";
  if (!carrito | | carrito.length = = = 0) {
    tbody.innerHTML = `
     < t r >
        r text-muted py-4">= Tu carrito est vac
o < / t d >
      `;
   console.log("> Tabla renderizada: ca
rrito vac o");
   return;
  }
 carrito.forEach((producto, index) => {
   const subtotal = (Number(producto.pre
cio | | 0) * Number(producto.cantidad | | 0)
).toFixed(2);
   const fila = document.createElement("
tr");
```

```
fila.innerHTML = `
      <div class="d-flex align-items-ce</pre>
nter">
          <img src="images/${producto.id}</pre>
.png" onerror="this.src='images/default.pn
g'" width="60" height="60" class="me-3 rou
nded" alt="${producto.nombre}">
          <span>${producto.nombre}
        < / d i v >
      < / t d >
      $${Number(
producto.precio | | 0 ).toFixed(2) } 
      <div class="d-flex align-items-ce</pre>
nter">
          <button class="btn btn-sm btn-o</pre>
utline-secondary btn-restar" data-id="${pr
oducto.id} " aria-label = "Restar" > ["</button>
          <span class="mx-2 cantidad-item</pre>
" data-id="${producto.id}">${producto.cant
<button class="btn btn-sm btn-o</pre>
utline-secondary btn-sumar" data-id="${pro
ducto.id} " aria-label="Sumar">+</button>
        < / d i v >
      < / t d >
      $$
{Number(subtotal).toFixed(2)}
    `;
```

```
tbody.appendChild(fila);
  });
  console.log(`" Tabla renderizada con ${
carrito.length } productos.`);
}
// ----- Render dropdown ---
export function renderCartDropdown(carrit
o = []) {
  const listaCarrito = document.getElemen
tById("listaCarrito");
  if (!listaCarrito) return;
  listaCarrito.innerHTML = "";
  if (!carrito | | carrito.length === 0) {
    listaCarrito.innerHTML = `<li class="
text-center text-muted small">Carrito vac
o < / l i > `;
    return;
  }
  carrito.forEach(producto => {
    const li = document.createElement("li
");
    li.className = "dropdown-item d-flex
```

```
align-items-center justify-content-between
";
     li.innerHTML = `
       <div class="d-flex align-items-cent</pre>
er">
         <img src="images/${producto.id}.p</pre>
ng" onerror="this.src='images/default.png'
"alt="${producto.nombre}" width="40" heig
ht="40" class="me-2 rounded">
         < d i v >
           <span class="fw-bold d-block">$
{producto.nombre} < / span >
           <small>Cant: ${producto.cantida
d} | $${Number(producto.precio).toFixed(2)
} < / s m a l l >
         < / d i v >
       < / d i v >
       <button class="btn btn-sm btn-outli</pre>
ne-danger ms-2 btn-eliminar" data-id="${pr
oducto.id} " aria-label="Eliminar">
         <i class="fa-solid fa-trash"></i></i></i>
       </button>
     `;
     listaCarrito.appendChild(li);
  });
  listaCarrito.innerHTML += `
     <hr class="dropdown-divider"></li</pre>
>
```

```
< a class = "dropdown-item text-cent</pre>
er fw-bold text-primary" href="cart.html">
Ir al carrito</a>
  `;
}
export function updateCartCount(carrito =
[]) {
 const contador = document.getElementByI
d("contadorCarrito");
  if (!contador) return;
 const total = (carrito || []).reduce((a
(c, p) = acc + Number(p.cantidad | | 0), 0
);
  contador.textContent = total;
}
// ----- Helpers de persiste
ncia segura -----
function persistirCarrito(carrito) {
 try {
    if (typeof saveCarrito = = = "function"
) {
     saveCarrito(carrito);
    } else {
      localStorage.setItem("carrito", JSO
N. stringify(carrito));
    }
```

```
} catch (e) {
    localStorage.setItem("carrito", JSON.
stringify(carrito));
  }
  // actualizar referencia global para ev
itar sobrescrituras
  window.carrito = carrito;
  // sincronizar copia si existe funci n
  try { if (typeof guardarCarritoLS === "
function") guardarCarritoLS(); } catch(e){
/* no cr tico */ }
}
                ----- Delegated clicks: s
umar / restar / eliminar ----
document.addEventListener("click", (e) =>
 // sumar
  const btnSumar = e.target.closest(".btn
- sumar");
  const btnRestar = e.target.closest(".bt
n-restar");
  const btnEliminar = e.target.closest(".
btn-eliminar");
  if (!btnSumar && !btnRestar && !btnElim
inar) return;
  // cargar carrito desde la fuente nica
(preferir window.carrito, fallback loadCa
```

```
rrito/localStorage)
  let carrito = window.carrito || (typeof
loadCarrito === "function" ? loadCarrito(
) : JSON.parse(localStorage.getItem("carri
to") || "[]")) || [];
  // ELIMINAR
  if (btnEliminar) {
   const id = String(btnEliminar.dataset
. id);
    console.log("= [ Click eliminar recib
ido para id: ", id);
    if (!carrito.some(p => String(p.id) =
= = id))
      console.warn(" & lid no encontrado
ara eliminar:", id);
      return;
    }
    const nuevo = carrito.filter(p => Str
ing(p.id) ! = = id);
    persistirCarrito(nuevo);
    // re-render y resumen
    renderCartDropdown(nuevo);
    renderCartTable(nuevo);
    updateCartCount(nuevo);
    try { calcularResumen(); } catch(e){/
* fallback * / }
```

```
document.dispatchEvent(new CustomEven
t("actualizarCarrito", { detail: { carrito
: nuevo } }));
console.log("\ensuremath{\mathbb{I}}' Producto eliminado. It ems restantes:", nuevo.length);
    return;
  }
  // SUMAR / RESTAR
  const btn = btnSumar | | btnRestar;
  const id = String(btn.dataset.id);
  const idx = carrito.findIndex(p => Stri
ng(p.id) = = = id);
  if (idx = = = -1) {
     console.warn(" & Producto no encontra
do para +/-:", id);
    return;
  }
  if (btnSumar) {
     carrito[idx].cantidad = Number(carrit
o[idx].cantidad | | 0) + 1;
  } else { // restar
     carrito[idx].cantidad = Number(carrit
o[idx].cantidad | | 0) - 1;
     if (carrito[idx].cantidad <= 0) {</pre>
       carrito.splice(idx, 1);
```

```
}
  }
  // persistir y re-render
  persistirCarrito(carrito);
  renderCartDropdown(carrito);
  renderCartTable(carrito);
  updateCartCount(carrito);
  try { calcularResumen(); } catch(e){/*f
allback*/}
  document.dispatchEvent(new CustomEvent(
"actualizarCarrito", { detail: { carrito }
} ) );
 console.log(`{&|| Cantidad actualizada pa
ra ${id}. Nuevo carrito:`, carrito);
});
              ----- Evento externo
refrescar (si otro m dulo emite) ----
document.addEventListener("actualizarCarr
ito", (e) = > \{
  const carritoActualizado = e?.detail?.c
arrito | | window.carrito | | (typeof loadCa
rrito = = = "function" ? loadCarrito() : JSO
N.parse(localStorage.getItem("carrito") | |
 "[]")) || [];
  console.log("{&D Evento actualizarCarrit
o recibido. Refrescando con:", carritoActu
alizado);
```

```
try {
    renderCartDropdown(carritoActualizado
);
    renderCartTable(carritoActualizado);
    updateCartCount(carritoActualizado);
    try { calcularResumen(); } catch(e){}
  } catch (err) {
    console.error(" & Error refrescando t
    evento actualizarCarrito: ", err);
 }
});
             ----- Inicializaci n al c
argar p gina -----
document.addEventListener("DOMContentLoad
ed", () = > {
  try {
    const carrito = window.carrito || (ty
peof loadCarrito === "function" ? loadCarr
ito(): JSON.parse(localStorage.getItem("c
arrito") || "[]")) || [];
    renderCartDropdown(carrito);
    renderCartTable(carrito);
    updateCartCount(carrito);
    try { calcularResumen(); } catch(e){}
    console.log("info_carrito inicializad
 con datos del localStorage: ", carrito);
  } catch (e) {
    console.error("L' Error inicializando
```

```
info_carrito:", e);
 }
});
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\pro carrito.j
// pro-carrito.js
import { sincronizarCarritoLS, guardarCar
ritoLS, loadCarrito, saveCarrito } from '.
/pro_localstorage.js';
import { renderCartDropdown, renderCartTa
ble, updateCartCount } from './info_carrit
o. js';
import { calcularResumen } from './resume
n_compra.js';
console.log('pro-carrito cargado');
function ensureWindowCarrito(){
  if(!window.carrito) {
    window.carrito = loadCarrito();
  }
}
export function agregarAlCarrito(producto
) {
  ensureWindowCarrito();
  const idx = window.carrito.findIndex(p
=> p.id === producto.id);
```

```
if(idx > = 0){
    window.carrito[idx].cantidad = (windo
w.carrito[idx].cantidad || 0) + 1;
  } else {
    window.carrito.push({...producto, can
tidad: 1 } );
  }
  saveCarrito(window.carrito);
  guardarCarritoLS();
  // [' CAMBIO AQU : pasar el carrito actu
alizado como argumento
  renderCartDropdown(window.carrito);
  renderCartTable(window.carrito);
  updateCartCount(window.carrito);
  calcularResumen();
  console.log(`=
                   Producto agregado: ${pr
oducto.nombre } `);
}
// Inicializa listeners en botones (sopor
ta varias formas)
export function initAddButtons(selectorLi
s t ) {
  ensureWindowCarrito();
```

```
const selectors = selectorList | ['.bt
n-add-carrito','[data-add-cart]','.agregar
-carrito'];
  const elems = new Set();
  selectors.forEach(s => document.querySe
lectorAll(s).forEach(e=> elems.add(e)));
  elems.forEach(btn=>{
    btn.addEventListener('click', (ev) = > {
      ev.preventDefault();
      const el = ev.currentTarget;
     // soporta data attributes o atribu
tos personalizados
      const id = el.dataset.id | el.getA
ttribute('data-id') || el.getAttribute('id
st('[data-id]').dataset.id);
      const nombre = el.dataset.nombre ||
ttribute('aria-label') | | el.textContent.t
rim();
      const precioRaw = el.dataset.precio
|| el.getAttribute('data-precio') || el.g
etAttribute('data-price');
      const precio = precioRaw ? Number(p
recioRaw): 0;
      if(!id){
       console.warn('bot n agregar sin d
ata-id', el);
       return;
      }
      agregarAlCarrito({id: String(id), n
ombre: String(nombre||'Producto'), precio:
 Number(precio | | 0 ) } );
```

```
});
  });
}
// utilidad para vaciar carrito (debug)
export function vaciarCarrito(){
  window.carrito = [];
  saveCarrito(window.carrito);
  guardarCarritoLS();
  renderCartDropdown();
  renderCartTable();
  updateCartCount();
  calcularResumen();
}
// export default no usado
   document.addEventListener('DOMContentLoad
ed', () => {
  try {
   initAddButtons();
                             // ['activ
 los botones agregar
    renderCartDropdown();
                             // actuali
  men desplegable
z a
                             // actuali
    updateCartCount();
  contador
z a
```

```
// actuali
   renderCartTable();
za tabla si existe
                          // actuali
   calcularResumen();
 subtotal y totales
   console.log("> pro_carrito inicializ
ado correctamente.");
 } catch (e) {
   console.error("L' Error al inicializar
pro_carrito:", e);
 }
});
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
as\archivos-plantilla-Mio\js\pro_localstor
age. is ----
// = pro-localstorage.js [ Gestin del
almacenamiento
export const LS_KEYS = {
  CARRITO: 'pro-carrito',
  RESUMEN: 'pro-resumen',
  COMPRAS: 'compra'
};
```

```
// =9 Guardar y cargar carrito
export function saveCarrito(carrito) {
  localStorage.setItem(LS_KEYS.CARRITO, J
SON.stringify(carrito | []));
}
export function loadCarrito() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.CARRITO)) || []; }
  catch(e) { return []; }
}
// ------
// =9 Guardar y cargar resumen
// -----
export function saveResumen(resumen) {
  localStorage.setItem(LS_KEYS.RESUMEN, J
SON.stringify(resumen | | { } ));
}
export function loadResumen() {
  try { return JSON.parse(localStorage.ge
tItem(LS_KEYS.RESUMEN)) | | { }; }
  catch(e) { return { }; }
}
```

```
// = 9 Registro de compras hist ricas
// -----
export function pushCompra(compra) {
  const arr = (JSON.parse(localStorage.ge
arr.unshift(compra);
  localStorage.setItem(LS_KEYS.COMPRAS, J
SON.stringify(arr));
}
export function loadCompras() {
  try { return JSON.parse(localStorage.ge
catch(e) { return []; }
}
// ------
// =9 Limpieza de datos
// -----
export function clearAll() {
  localStorage.removeItem(LS_KEYS.CARRITO
);
  localStorage.removeItem(LS_KEYS.RESUMEN
);
  // Se mantiene COMPRAS hist ricas
}
```

```
------
// = [ Compatibilidad con import del HTML
// Sincroniza el carrito entre localStora
ge y variable global
export function sincronizarCarritoLS() {
  const carrito = loadCarrito();
  window.carrito = carrito;
  console.log("=[ Carrito sincronizado de
sde localStorage:", carrito);
  return carrito;
}
// Guarda el carrito actual (si existe en
window.carrito)
export function guardarCarritoLS() {
 if (window.carrito && Array.isArray(win
dow.carrito)) {
   saveCarrito(window.carrito);
    Carrito guardado nuev ت= " Carrito guardado console.
amente en localStorage.");
 }
}
---- D:\Documents\3. CESDE - Caso cambio
de programa\Tecnica - Proyecto\Semestre 2
\Frontend I\Cesde_Frontend-I\Carrito_Comid
```

```
as\archivos-plantilla-Mio\js\resumen_compr
a.js ----
import { loadCarrito, saveResumen } from
'./pro_localstorage.js';
console.log('resumen-compra cargado');
const PROMO UMBRAL = 100000;
const PROMO_PORC = 0.10;
export function calcularResumen() {
 const carrito = loadCarrito();
 const subtotal = carrito.reduce((s, p)
= > s + (Number(p.precio | | 0) * Number(p.c
antidad | | 0)), 0);
 const descuento = subtotal >= PROMO UMB
RAL ? Math.round(subtotal * PROMO PORC) :
0;
  const total = subtotal - descuento;
  const resumen = {
    subtotal,
    descuento,
    total,
   fecha: new Date().toISOString(),
   cantidadProductos: carrito.reduce((s,
(p) = s + (p.cantidad | | 0), 0)
  } ;
```

```
try {
   saveResumen(resumen);
   console.log("=ت Resumen actualizado
                                   У
guardado en localStorage: ", resumen);
  } catch (e) {
   localStorage.setItem('pro-resumen', J
SON.stringify(resumen));
  }
  actualizarUIResumen(resumen);
  return resumen;
}
-------
// =9 Actualiza los elementos visuales de
resumen
-------
function actualizarUIResumen({ subtotal,
descuento, total }) {
  const subEl = document.querySelector('.
res-sub-total');
  const descEl = document.querySelector('
.promo');
  const to tEl = document.querySelector('.
total');
  if (subEl) subEl.textContent = `$${subt
otal.toLocaleString() } `;
```

```
if (descEl) descEl.textContent = `$${de
scuento.toLocaleString() } `;
 if (totEl) totEl.textContent = `$${tota
1.toLocaleString()}`;
}
// = 9 Escucha cambios del selector de des
tino y actualiza resumen
document.addEventListener('DOMContentLoad
ed', () => {
  const selectDestino = document.querySel
ector('.destino');
 const valorDomi = document.querySelecto
r('.valor-domi');
 const totalEl = document.querySelector(
'.total');
  if (selectDestino && valorDomi) {
   selectDestino.addEventListener('chang
e ' , ( ) = > {
     const texto = selectDestino.options
[selectDestino.selectedIndex].text;
     const match = texto.match(/\$(\d+(?
: \ . \ d + ) ? ) / );
     const costo = match ? parseFloat(ma
tch[1].replace('.', ''')) : 0;
```

// Actualiza en pantalla

```
valorDomi.textContent = `$${costo.t
oLocaleString() } `;
       // Recalcula total sumando el costo
de domicilio
       const resumen = calcularResumen();
       const totalFinal = resumen.total +
costo;
       totalEl.textContent = `$${totalFina
1.toLocaleString()}`;
       // Guarda tambi n el valor del domi
cilio y el destino en el objeto resumen
       const resumenExtendido = {
          ...resumen,
          valorDomicilio: costo,
          destino: selectDestino.value,
          total: totalFinal,
       };
       localStorage.setItem('pro-resumen',
JSON.stringify(resumenExtendido));
       Resumen actualizado عناد د ماه د
     domicilio y destino:', resumenExtendi
con
do);
     });
  }
```

```
// = 9 Bot n Ira pagar 🛮 guarda resumen
completo antes del checkout
  -------
  const btnPagar = document.querySelector
('.btn-resumen');
 if (btnPagar) {
   btnPagar.addEventListener('click', ()
= > {
     const resumenActual = calcularResum
en();
     const subTotalEl = document.querySe
lector('.res-sub-total');
      const valorDomiEl = document.queryS
elector('.valor-domi');
     const promoEl = document.querySelec
tor('.promo');
     const totalEl = document.querySelec
tor('.total');
     const destinoEl = document.querySel
ector('.destino');
      // Construye el objeto resumen comp
leto con todos los campos visibles
     const resumenfinal = {
       subtotal: Number(subTotalEl.textC
ontent.replace(/[^\d.]/g, "")) || 0,
       valorDomicilio: Number(valorDomiE
l.textContent.replace(/[^{\wedge}\d.]/g, "")) || 0
```

```
descuento: Number (promo El. text Con
tent.replace(/[^\d.]/g, "")) || 0,
         total: Number (total El. text Content
.replace(/[^\d.]/g, "")) || 0,
         destino: destinoEl ? destinoEl.va
lue : "Medellin",
         fecha: new Date().toISOString(),
       };
       // Guarda bajo una sola clave coher
ente
       localStorage.setItem('pro-resumen',
JSON.stringify(resumenFinal));
console.log("\[ \]' Resumen guardado ant es del checkout:", resumen\[ \]inal);
       window.location.href = 'checkout.ht
m 1 ';
     });
  }
});
```