CARRITO.JS

```
const API_URL = 'http://localhost:3000/api';

function obtenerCarrito() {
  return JSON.parse(localStorage.getItem('carrito')) || [];
}

function guardarCarrito(carrito) {
  localStorage.setItem('carrito', JSON.stringify(carrito));
  actualizarContadorVisual();
}

function actualizarContadorVisual() {
  const carrito = obtenerCarrito();
  const totalItems = carrito.reduce((acc, item) => acc + item.cantidad, 0);
  const contador = document.querySelector('.contar-pro');
  if (contador) contador.innerText = totalItems;
}

function limpiarCarrito() {
  localStorage.removeItem('carrito');
}

// Inicializar contador al cargar cualquier página
document.addEventListener('DOMContentLoaded', actualizarContadorVisual);
```

CART.JS

```
document.addEventListener('DOMContentLoaded', cargarCarrito);

function cargarCarrito() {
  const carrito = obtenerCarrito();
  const tabla = document.getElementById('carrito-items');
  if (!tabla) return;

  tabla.innerHTML = '';
  let subtotalGeneral = 0;

  carrito.forEach((item, index) => {
    const subtotal = item.precio * item.cantidad;
    subtotalGeneral += subtotal;

    const fila = document.createElement('tr');
    fila.innerHTML = `
      <td>
```

```
        <button class="btn btn-sm btn-danger me-2" onclick="eliminarDelCarrito('$
{item.id}')">✕</button>
        <img src="${item.imagen}" width="50" alt="">
        <span>${item.nombre}</span>
      </td>
      <td>$${item.precio.toFixed(2)}</td>
      <td>
        <input type="number" value="${item.cantidad}" min="1"
            class="form-control w-50"
            onchange="actualizarCantidad('${item.id}', this.value)">
      </td>
      <td>$${subtotal.toFixed(2)}</td>
    `;
    tabla.appendChild(fila);
  });

  // Totales
  const domicilio = subtotalGeneral > 0 ? 5.00 : 0;
  const descuento = subtotalGeneral > 50 ? 5.00 : 0; // Descuento si compra > 50
  const total = subtotalGeneral + domicilio - descuento;

  document.getElementById('subtotal-resumen').innerText = `$$
{subtotalGeneral.toFixed(2)}`;
  document.getElementById('domicilio-resumen').innerText = `$${domicilio.toFixed(2)}`;
  document.getElementById('descuento-resumen').innerText = `-$${descuento.toFixed(2)}
`;
  document.getElementById('total-resumen').innerText = `$${total.toFixed(2)}`;
}

function actualizarCantidad(id, nuevaCantidad) {
  let carrito = obtenerCarrito();
  const item = carrito.find(p => p.id === id);
  if (item) {
    item.cantidad = parseInt(nuevaCantidad);
    guardarCarrito(carrito);
    cargarCarrito();
  }
}

function eliminarDelCarrito(id) {
  let carrito = obtenerCarrito();
  carrito = carrito.filter(p => p.id !== id);
  guardarCarrito(carrito);
  cargarCarrito();
}
```

CART.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Burger</title>
 <link rel="shortcut icon" type="image" href="./images/logo.png">
 <link rel="stylesheet" href="style.css">
 <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css">
 <!-- bootstrap links -->
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
 <!-- bootstrap links -->
 <!-- fonts links -->
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Dancing+Script:wght@600&display=swap" rel="stylesheet">
 <!-- fonts links -->
</head>
<body>
 <!-- nav section -->
  <nav class="navbar navbar-expand-lg" id="navbar">
   <div class="container-fluid">
    <a class="navbar-brand" href="#" id="logo"><img src="./images/logo.png" alt=""
width="30px">BUR<span>GER</span></a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
     <span><i class="fa-solid fa-bars"></i></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
     <ul class="navbar-nav me-auto mb-2 mb-lg-0">
      <li class="nav-item">
       <a class="nav-link active" aria-current="page" href="#" id="first-
child">Home</a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">Burger</a>
      </li>
      <li class="nav-item dropdown">
```

```html
        <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button"
data-bs-toggle="dropdown" aria-expanded="false">
         Other
        </a>
        <ul class="dropdown-menu" aria-labelledby="navbarDropdown" style="background-
color: #ffc800;">
         <li><a class="dropdown-item" href="#">Pizza</a></li>
         <li><a class="dropdown-item" href="#">Fries</a></li>
         <li><a class="dropdown-item" href="#">Fried Chicken</a></li>
        </ul>
       </li>
       <li class="nav-item">
        <a class="nav-link" href="#">About Us</a>
       </li>
       <li class="nav-item">
        <a class="nav-link" href="#">Contact Us</a>
       </li>
      </ul>

      <form class="d-flex">
       <div class="icons">
        <i class="fa-regular fa-user"></i>
        <i class="fa-solid fa-cart-shopping"></i>
       </div>
      </form>
     </div>
    </div>
   </nav>
   <!-- nav section -->
   <!-- cart section -->
     <h2 class="page-title text-center my-5 py-3" style="background-color:
#ffc800;">Cart</h2>
     <div class="page-content">

       <!-- Cart Star -->
       <section class="pt-80 pb-40">
         <div class="container-fluid">
           <div class="row">
             <div class="col-lg-8 mb-64 mb-lg-0 px-5">
               <div class=" mb-64">
                 <table class="table cart-table" id="tabla-carrito">
                   <thead>
                     <tr>
                       <th class="h6">PRODUCTO</th>
                       <th class="h6">PRECIO</th>
                       <th class="h6">CANTIDAD</th>
                       <th class="h6">SUBTOTAL</th>
```

```
                    </tr>
                  </thead>
                  <tbody id="carrito-items">
                    <tr>
                      <td class="product-block">
                        <a href="#" class="remove-from-cart-btn"><i class="fa-solid
fa-x"></i></a>
                        <img src="images/b1.png" alt="">
                        <a href="product-detail.html" class="h6">Crunch Grillhouse
Burger</a>
                      </td>
                      <td>
                        <p class="lead color-black">$240.00</p>
                      </td>
                      <td>
                        <div class="quantity quantity-wrap">
                          <div class="decrement"><i class="fa-solid fa-
minus"></i></div>
                          <input type="text" name="quantity" value="1" maxlength="2"
size="1" class="number">
                          <div class="increment"><i class="fa-solid fa-
plus"></i></div>
                        </div>
                      </td>
                      <td>
                        <h6>$240.00</h6>
                      </td>
                    </tr>
                    <tr>
                      <td class="product-block">
                        <a href="#" class="remove-from-cart-btn"><i class="fa-solid
fa-x"></i></i></a>
                        <img src="images/b2.png" alt="">
                        <a href="product-detail.html" class="h6">Sizzle Snap
Burgers</a>
                      </td>
                      <td>
                        <p class="lead color-black">$240.00</p>
                      </td>
                      <td>
                        <div class="quantity quantity-wrap">
                          <div class="decrement"><i class="fa-solid fa-
minus"></i></div>
                          <input type="text" name="quantity" value="1" maxlength="2"
size="1" class="number">
                          <div class="increment"><i class="fa-solid fa-
plus"></i></div>
```

```
                    </div>
                  </td>
                  <td>
                    <h6>$240.00</h6>
                  </td>
                </tr>
              </tbody>
            </table>
          </div>
          <!-- <div class=" d-xl-none d-block mb-32">
            <div class="row">
              <div class="col-lg-6 col-sm-6">
                <div class="cart-item-card text-center mb-32">
                  <a href="#" class="remove-from-cart-btn"><i class="fa-light fa-
xmark"></i></a>
                  <div class="product-img mb-16">
                    <img src="images/b1.png" alt="" class="mx-auto">
                  </div>
                  <a href="product-detail.html" class="h5 title mb-24">Crunch
Grillhouse</a>
                  <div class="d-flex justify-content-between align-items-center
mb-16">
                    <h6>Price:</h6>
                    <p class="lead color-black">$240.00</p>
                  </div>
                  <div class="d-flex justify-content-between align-items-center
mb-16">
                    <h6>Quantity:</h6>
                    <div class="quantity quantity-wrap">
                      <div class="decrement"><i class="fa-solid
fa-dash"></i></div>
                      <input type="text" name="quantity" value="1" maxlength="2"
size="1" class="number">
                      <div class="increment"><i class="fa-solid fa-plus-
large"></i></div>
                    </div>
                  </div>
                  <div class="d-flex justify-content-between align-items-center">
                    <h6>Total:</h6>
                    <h6>$240.00</h6>
                  </div>
                </div>
              </div>
              <div class="col-lg-6 col-sm-6">
                <div class="cart-item-card text-center mb-32">
                  <a href="#" class="remove-from-cart-btn"><i class="fa-light fa-
xmark"></i></a>
```

```
                        <div class="product-img mb-16">
                          <img src="images/b2.png" alt="" class="mx-auto">
                        </div>
                        <a href="product-detail.html" class="h5 title mb-24">Crunch
Grillhouse</a>
                        <div class="d-flex justify-content-between align-items-center
mb-16">
                          <h6>Price:</h6>
                          <p class="lead color-black">$240.00</p>
                        </div>
                        <div class="d-flex justify-content-between align-items-center
mb-16">
                          <h6>Quantity:</h6>
                          <div class="quantity quantity-wrap">
                            <div class="decrement"><i class="fa-solid
fa-dash"></i></div>
                            <input type="text" name="quantity" value="1" maxlength="2"
size="1" class="number">
                            <div class="increment"><i class="fa-solid fa-plus-
large"></i></div>
                          </div>
                        </div>
                        <div class="d-flex justify-content-between align-items-center">
                          <h6>Total:</h6>
                          <h6>$240.00</h6>
                        </div>
                      </div>
                    </div>
                  </div>
                </div> -->
                <a href="index.html" class="cus-btn primary">
                  <span class="icon-wrapper">
                    <svg class="icon-svg icon-svg-copy"
xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 20 20"
fill="none">
                      <path d="M16.2522 11.9789C14.4658 10.1925 13.7513 6.14339 15.6567
4.23792M15.6567 4.23792C14.565 5.3296 11.4885 7.21521 7.91576 3.64246M15.6567
4.23792L4.34301 15.5516" stroke="#FCFDFD" stroke-width="2" stroke-linecap="round"
stroke-linejoin="round"></path>
                    </svg>
                  </span>
                  Continuar Comprando
                </a>
              </div>
              <div class="col-lg-4 ">
                <div class="cart-summary">
                  <h6 class="title mb-24">RESUMEN ORDEN</h6>
```

```
                <div class="cart-summary-detail mb-24">
                  <div class="d-flex justify-content-between align-items-center
mb-24">
                    <p class="lead color-black">SUBTOTAL</p>
                    <p class="lead" id="subtotal-resumen">$0.00</p>
                  </div>
                  <div class="d-flex justify-content-between align-items-center
mb-24">
                    <p class="lead color-black">VALOR DOMICILIO</p>
                    <p class="lead" id="domicilio-resumen">$0.00</p>
                  </div>
                  <div class="d-flex justify-content-between align-items-center
mb-24">
                    <p class="lead color-black">DESCUENTO PROMO</p>
                    <p class="lead" id="descuento-resumen">-$0.00</p>
                  </div>
                </div>
                <div class="d-flex justify-content-between align-items-center mb-48">
                  <h5 class="color-primary">TOTAL</h5>
                  <h5 class="color-primary" id="total-resumen">$0.00</h5>
                </div>
                <a href="checkout.html" class="cus-btn dark">
                  <span class="icon-wrapper">
                    <svg class="icon-svg icon-svg-copy"
xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 20 20"
fill="none">
                      <path d="M16.2522 11.9789C14.4658 10.1925 13.7513 6.14339
15.6567 4.23792M15.6567 4.23792C14.565 5.3296 11.4885 7.21521 7.91576 3.64246M15.6567
4.23792L4.34301 15.5516" stroke="#FCFDFD" stroke-width="2" stroke-linecap="round"
stroke-linejoin="round"></path>
                    </svg>
                  </span>
                  Ir a pagar
                </a>
              </div>
            </div>
          </div>
        </div>

      </section>
      <!-- Cart End -->

    </div>
  <!-- cart section -->
 <!-- footer -->
 <footer id="footer" style="margin-top: 50px;">
  <div class="footer-top">
```

```
    <div class="container">
     <div class="row">
      <div class="col-lg-3 col-md-6 footer-contact">
       <a class="navbar-brand" href="#" id="logo2"><img src="./images/logo.png" alt="" 
width="30px">Burger</a>
       <p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Perspiciatis, 
libero.</p><br>
       <p>
        Karachi <br><br>
        Sindh <br><br>
        Pakistan <br><br>
       </p>
       <strong><i class="fa-solid fa-phone"></i> Phone: 
<strong>+0000000000000000</strong></strong><br>
       <strong><i class="fa-solid fa-envelope"></i> Email: 
<strong>example@gmail.com</strong></strong>
      </div>
      <div class="col-lg-3 col-md-6 footer-links">
       <h4>Useful Links</h4>
       <ul>
        <li><a href="#">Home</a></li>
        <li><a href="#">About</a></li>
        <li><a href="#">Contact</a></li>
        <li><a href="#">Services</a></li>
        <li><a href="#">Privacy policay</a></li>
       </ul>
      </div>

      <div class="col-lg-3 col-md-6 footer-links">
       <h4>Our Services</h4>
       <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quas, aperiam.</p>
       <ul>
        <li><a href="#">Pizza</a></li>
        <li><a href="#">Fried chicken</a></li>
        <li><a href="#">Fries</a></li>
       </ul>
      </div>

      <div class="col-lg-3 col-md-6 footer-links">
       <h4>Our Socail Links</h4>
       <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Perferendis, 
minus.</p>
       <div class="socail-links mt-3">
        <a href="#"><i class="fa-brands fa-twitter"></i></a>
        <a href="#"><i class="fa-brands fa-facebook"></i></a>
        <a href="#"><i class="fa-brands fa-google-plus"></i></a>
        <a href="#"><i class="fa-brands fa-instagram"></i></a>
```

```
        <a href="#"><i class="fa-brands fa-linkedin-in"></i></a>
       </div>
      </div>

     </div>
    </div>
   </div>

 <hr>
 <div class="container py-4">
  <div class="copyright">
   &copy; Copyright <strong>Burger</strong>.All Rights reserved
  </div>
  <div class="credits">
   Designed By <a href="#">SA coding</a>
  </div>
 </div>
</footer>

 <!-- footer -->
```

CHECKOUT.TS

```
 <a href="#" class="arrow"><i class="fa-solid fa-arrow-up"></i></a>

  <script src="js/carrito.js"></script>
  <script src="js/cart.js"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
  <script>
    let btnDecrement = document.querySelectorAll(".decrement i");
    let btnIncrement = document.querySelectorAll(".increment i");
    let countProduct = document.querySelectorAll(".quantity input.number");
    btnIncrement.forEach((btnI, pos)=>{
      btnI.addEventListener('click', () => {
        const currentValue = parseInt(countProduct[pos].value);
        countProduct[pos].value = currentValue + 1;
      });
    })
    btnDecrement.forEach((btnD, pos)=>{
      btnD.addEventListener('click', () => {
        const currentValue = parseInt(countProduct[pos].value);
```

```
        if (currentValue > 1) {
          countProduct[pos].value = currentValue - 1;
        }
      })
    });
  </script>
</body>
</html>

document.addEventListener('DOMContentLoaded', () => {
  cargarCarritoEnCheckout();
  const form = document.getElementById('form-checkout');
  if (form) form.addEventListener('submit', procesarPedido);
});

function cargarCarritoEnCheckout() {
  const carrito = obtenerCarrito();
  const detalle = document.getElementById('detalle-productos-checkout');
  const labelTotal = document.getElementById('total-checkout');

  let subtotal = 0;
  detalle.innerHTML = '';

  carrito.forEach(p => {
    subtotal += (p.precio * p.cantidad);
    detalle.innerHTML += `<p class="mb-1">${p.nombre} x${p.cantidad} - $${(p.precio *
p.cantidad).toFixed(2)}</p>`;
  });

  const totalFinal = subtotal + (subtotal * 0.05); // +5% si es contra-entrega
  labelTotal.innerText = `$${totalFinal.toFixed(2)}`;
}

async function procesarPedido(e) {
  e.preventDefault();
  const carrito = obtenerCarrito();
  const total = document.getElementById('total-checkout').innerText.replace('$', '');

  const pedido = {
    id_cliente: 1, // Simulado, debería venir de auth
    metodo_pago: document.querySelector('[name="metodo-pago"]:checked').value,
    estado: 'pendiente',
    total: parseFloat(total),
    notas: document.getElementById('notas-checkout').value,
    productos: carrito
  };
```

```
  try {
    const res = await fetch('http://localhost:3000/api/pedidos', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify(pedido)
    });

    if (res.ok) {
      const data = await res.json();
      localStorage.setItem('numeroPedido', data.id_pedido || '001');
      limpiarCarrito();
      window.location.href = 'thankyou.html';
    }
  } catch (error) {
    alert('Error al conectar con el servidor');
  }
}
```

CHECKOUT.HTML

```
<!DOCTYPE html>
<html lang="en">

<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Burger</title>
 <link rel="shortcut icon" type="image" href="./images/logo.png">
 <link rel="stylesheet" href="style.css">
 <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css">
 <!-- bootstrap links -->
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
 <!-- bootstrap links -->
 <!-- fonts links -->
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Dancing+Script:wght@600&display=swap" rel="stylesheet">
 <!-- fonts links -->
</head>

<body>
```

```html
<!-- nav section -->
<nav class="navbar navbar-expand-lg" id="navbar">
  <div class="container-fluid">
    <a class="navbar-brand" href="#" id="logo"><img src="./images/logo.png" alt=""
      width="30px">BUR<span>GER</span></a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
     aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
     <span><i class="fa-solid fa-bars"></i></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
     <ul class="navbar-nav me-auto mb-2 mb-lg-0">
      <li class="nav-item">
       <a class="nav-link active" aria-current="page" href="#" id="first-
child">Home</a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">Burger</a>
      </li>
      <li class="nav-item dropdown">
       <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button"
data-bs-toggle="dropdown"
        aria-expanded="false">
        Other
       </a>
       <ul class="dropdown-menu" aria-labelledby="navbarDropdown" style="background-
color: #ffc800;">
        <li><a class="dropdown-item" href="#">Pizza</a></li>
        <li><a class="dropdown-item" href="#">Fries</a></li>
        <li><a class="dropdown-item" href="#">Fried Chicken</a></li>
       </ul>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">About Us</a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">Contact Us</a>
      </li>
     </ul>

     <form class="d-flex">
      <div class="icons">
       <i class="fa-regular fa-user"></i>
       <i class="fa-solid fa-cart-shopping"></i>
      </div>
     </form>
```

```
    </div>
   </div>
  </nav>
  <!-- nav section -->
  <!-- cart section -->
  <h2 class="page-title text-center my-5 py-3" style="background-color:
#ffc800;">Checkout</h2>
  <div class="page-content">
   <section class="pt-80 pb-40">
    <div class="container-fluid">
     <form id="form-checkout">
      <div class="row">
       <div class="col-lg-8 mb-64 mb-lg-0 px-5">
        <h5 class="mb-32">DATOS DE ENTREGA</h5>
        <div class="row">
         <div class="col-sm-6">
          <div class="form-group mb-32">
           <label>Nombres</label>
           <input type="text" id="nombres-checkout" name="f-name" autocomplete="off"
placeholder="Mr. John"
            required>
           <div data-lastpass-icon-root=""
            style="position: relative !important; height: 0px !important; width: 0px !
important; float: left !important;">
           </div>
          </div>
         </div>
         <div class="col-sm-6">
          <div class="form-group mb-32">
           <label>Apellidos</label>
           <input type="text" id="apellidos-checkout" name="l-name" autocomplete="off"
placeholder="Deo"
            required>
          </div>
         </div>
         <div class="col-sm-6">
          <div class="form-group mb-32">
           <label>Email</label>
           <input type="email" id="email-checkout" name="email" autocomplete="off"
            placeholder="email@example.com" required>
          </div>
         </div>
         <div class="col-sm-6">
          <div class="form-group mb-32">
           <label>Celular</label>
           <input type="tel" id="celular-checkout" name="phone" autocomplete="off"
placeholder="12345679"
```

```
            required>
          </div>
        </div>
        <div class="col-12">
          <div class="form-group mb-32">
            <label>Direccion</label>
            <input type="text" id="direccion-checkout" name="address" autocomplete="off"
              placeholder="Your Address" required>
          </div>
        </div>
        <div class="col-12">
          <div class="form-group mb-32">
            <label>Direccion (optional)</label>
            <input type="text" id="direccion2-checkout" name="address2"
autocomplete="off"
              placeholder="Apartment, Suite, Unit etc.">
          </div>
        </div>
      </div>
      <div class="mt-64">
        <h5 class="mb-32">INFORMACION ADICIONAL</h5>
        <div class="form-group">
          <label>Notas de orden (opcional)</label>
          <textarea id="notas-checkout" name="noe" rows="5"
            placeholder="Note About Your Order, e.g. special notes for
delivery."></textarea>
        </div>
      </div>
    </div>
    <div class="col-lg-4 ">
      <div class="cart-summary">
        <h6 class="title mb-24">RESUMEN DE ORDEN</h6>
        <div class="cart-summary-detail mb-24" id="detalle-productos-checkout">
          <!-- Los productos se cargarán aquí dinámicamente -->
        </div>
        <div class="d-flex justify-content-between align-items-center mb-32">
          <h5 class="color-primary">TOTAL</h5>
          <h5 class="color-primary" id="total-checkout">$0.00</h5>
        </div>
        <div class="payment-method mb-24">
          <ul class="unstyled">
            <li>
              <label class="lead" for="cod"><input id="cod" type="radio" name="metodo-
pago" class="radio"
                value="contra-entrega" checked="checked">Contraentrga +(5%)</label>
            </li>
            <li>
```

```
            <label class="lead" for="pse"><input id="pse" type="radio" name="metodo-
pago" class="radio"
              value="pse">PSE</label>
          </li>
          <li>
            <label class="lead" for="transferencia"><input id="transferencia"
type="radio" name="metodo-pago"
              class="radio" value="transferencia">Transferencia</label>
          </li>
        </ul>
      </div>
      <button type="submit" class="cus-btn dark w-100">
        <span class="icon-wrapper">
          <svg class="icon-svg icon-svg-copy" xmlns="http://www.w3.org/2000/svg"
width="20" height="20"
            viewBox="0 0 20 20" fill="none">
            <path
              d="M16.2522 11.9789C14.4658 10.1925 13.7513 6.14339 15.6567
4.23792M15.6567 4.23792C14.565 5.3296 11.4885 7.21521 7.91576 3.64246M15.6567
4.23792L4.34301 15.5516"
              stroke="#FCFDFD" stroke-width="2" stroke-linecap="round" stroke-
linejoin="round"></path>
          </svg>
        </span>
        Place Order
      </button>
    </div>
  </div>
 </form>
</div>

</section>

</div>
<!-- cart section -->
<!-- footer -->
<footer id="footer" style="margin-top: 50px;">
 <div class="footer-top">
  <div class="container">
   <div class="row">
    <div class="col-lg-3 col-md-6 footer-contact">
     <a class="navbar-brand" href="#" id="logo2"><img src="./images/logo.png" alt=""
width="30px">Burger</a>
     <p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Perspiciatis,
libero.</p><br>
     <p>
```

```
        Karachi <br><br>
        Sindh <br><br>
        Pakistan <br><br>
      </p>
      <strong><i class="fa-solid fa-phone"></i> Phone:
<strong>+0000000000000000</strong></strong><br>
      <strong><i class="fa-solid fa-envelope"></i> Email:
<strong>example@gmail.com</strong></strong>
     </div>
     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Useful Links</h4>
      <ul>
        <li><a href="#">Home</a></li>
        <li><a href="#">About</a></li>
        <li><a href="#">Contact</a></li>
        <li><a href="#">Services</a></li>
        <li><a href="#">Privacy policay</a></li>
      </ul>
     </div>

     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Our Services</h4>
      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quas, aperiam.</p>
      <ul>
        <li><a href="#">Pizza</a></li>
        <li><a href="#">Fried chicken</a></li>
        <li><a href="#">Fries</a></li>
      </ul>
     </div>

     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Our Socail Links</h4>
      <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Perferendis,
minus.</p>
      <div class="socail-links mt-3">
        <a href="#"><i class="fa-brands fa-twitter"></i></a>
        <a href="#"><i class="fa-brands fa-facebook"></i></a>
        <a href="#"><i class="fa-brands fa-google-plus"></i></a>
        <a href="#"><i class="fa-brands fa-instagram"></i></a>
        <a href="#"><i class="fa-brands fa-linkedin-in"></i></a>
      </div>
     </div>

    </div>
   </div>
  </div>
```

```
  <hr>
  <div class="container py-4">
    <div class="copyright">
      &copy; Copyright <strong>Burger</strong>.All Rights reserved
    </div>
    <div class="credits">
      Designed By <a href="#">SA coding</a>
    </div>
  </div>
 </footer>

 <!-- footer -->
 <a href="#" class="arrow"><i class="fa-solid fa-arrow-up"></i></a>
 <script src="js/carrito.js"></script>
 <script src="js/checkout.js"></script>
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>
</body>

</html>
```

INDEX.JS

```
document.addEventListener('DOMContentLoaded', () => {
  const productos = document.querySelectorAll('.card.producto');

  productos.forEach(producto => {
    const boton = producto.querySelector('.btn-product');
    // Usamos el icono o el botón según la estructura HTML
    const targetClick = boton || producto.querySelector('.fa-basket-shopping');

    if (targetClick) {
      targetClick.addEventListener('click', (e) => {
        e.preventDefault();
        const id = producto.dataset.id;
        agregarAlCarrito(id);
      });
    }
  });
});

function agregarAlCarrito(idProducto) {
  const card = document.querySelector(`[data-id="${idProducto}"]`);
  const productoNuevo = {
    id: card.dataset.id,
```

```
    nombre: card.dataset.name,
    precio: parseFloat(card.dataset.price),
    imagen: card.dataset.image,
    cantidad: 1
  };

  let carrito = obtenerCarrito();
  const existe = carrito.find(item => item.id === productoNuevo.id);

  if (existe) {
    existe.cantidad++;
  } else {
    carrito.push(productoNuevo);
  }

  guardarCarrito(carrito);
  alert(`¡${productoNuevo.nombre} añadido! 🍔`);
}
```

INDEX.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Burger</title>
 <link rel="shortcut icon" type="image" href="./images/logo.png">
 <link rel="stylesheet" href="style.css">
 <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css">
 <!-- bootstrap links -->
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
 <!-- bootstrap links -->
 <!-- fonts links -->
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Dancing+Script:wght@600&display=swap" rel="stylesheet">
 <!-- fonts links -->
</head>
<body>
```

```html
<!-- home section -->
<nav class="navbar navbar-expand-lg" id="navbar">
  <div class="container-fluid">
    <a class="navbar-brand" href="#" id="logo"><img src="./images/logo.png" alt="" width="30px">BUR<span>GER</span></a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span><i class="fa-solid fa-bars"></i></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a class="nav-link active" aria-current="page" href="#" id="first-child">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Burger</a>
        </li>
        <li class="nav-item dropdown">
          <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-expanded="false">
            Other
          </a>
          <ul class="dropdown-menu" aria-labelledby="navbarDropdown" style="background-color: #ffc800;">
            <li><a class="dropdown-item" href="#">Pizza</a></li>
            <li><a class="dropdown-item" href="#">Fries</a></li>
            <li><a class="dropdown-item" href="#">Fried Chicken</a></li>
          </ul>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">About Us</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#">Contact Us</a>
        </li>
      </ul>

      <form class="d-flex">
        <div class="icons">
          <i class="fa-regular fa-user"></i>
          <div class="carrito">
            <i class="fa-solid fa-cart-shopping"></i>
            <span class="contar-pro">0</span>
          </div>
        </div>
```

```html
    </form>
   </div>
  </div>
  <table class="table list-cart">
   <thead>
    <tr>
     <th scope="col">#</th>
     <th scope="col">Imagen</th>
     <th scope="col">Nombre</th>
     <th scope="col">Precio</th>
    </tr>
   </thead>
   <tbody>
   </tbody>
  </table>
 </nav>
 <div class="home-section">
  <!-- home content -->
  <section class="home">
   <div class="content">
    <h1>Super Delicious
     <br> <span>Burger</span>
    </h1>
    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptatum, iste!</p>
    <div id="btn"><button>Order Now</button> <span>$100.50</span></div>
   </div>
   <div class="img">
    <img src="./images/burger.png" alt="">
   </div>
  </section>
  <!-- home content -->
 </div>
 <!-- home section -->
```

```html
 <!-- top icons -->
 <div class="container" id="top-icons">
  <h1>OFFERS</h1>
  <div class="row">
   <div class="col-md-3 py-3 py-md-0">
    <i><img src="./images/offer1.png" alt=""></i>
    <h3>Burger 50% off</h3>
   </div>
   <div class="col-md-3 py-3 py-md-0">
```

```html
    <i><img src="./images/offer2.png" alt=""></i>
    <h3>Free Delivery</h3>
   </div>
   <div class="col-md-3 py-3 py-md-0">
    <i><img src="./images/offer3.png" alt=""></i>
    <h3>Burger free fries</h3>
   </div>
   <div class="col-md-3 py-3 py-md-0">
    <i><img src="./images/offer4.png" alt=""></i>
    <h3>Burger with free cold drink</h3>
   </div>
  </div>
 </div>
 <!-- top icons -->
```

```html
 <!-- cards -->
 <div class="container" id="cards">
  <div class="row">
   <div class="col-md-6 py-3 py-md-0">
    <div class="card">
     <img src="./images/cards1.png" alt="">
     <div class="card-img-overlay">
      <h3>HamBurger</h3>
      <p>Lorem ipsum dolor sit amet.</p>
      <button id="rn">Order Now</button>
     </div>
    </div>
   </div>
   <div class="col-md-6 py-3 py-md-0">
    <div class="card">
     <img src="./images/cards2.png" alt="">
     <div class="card-img-overlay">
      <h3>Pizza</h3>
      <p>Lorem ipsum dolor sit amet.</p>
      <button id="rn">Order Now</button>
     </div>
    </div>
   </div>
  </div>

  <div class="row" style="margin-top: 30px;">
```

```html
    <div class="col-md-4 py-3 py-md-0">
     <div class="card">
      <img src="./images/cards3.png" alt="">
      <div class="card-img-overlay">
       <h3>Italian pizza</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <button id="rn">Order Now</button>
      </div>
     </div>
    </div>
    <div class="col-md-4 py-3 py-md-0">
     <div class="card">
      <img src="./images/cards4.png" alt="">
      <div class="card-img-overlay">
       <h3>Fried Chicken</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <button id="rn">Order Now</button>
      </div>
     </div>
    </div>
    <div class="col-md-4 py-3 py-md-0">
     <div class="card">
      <img src="./images/cards5.png" alt="">
      <div class="card-img-overlay">
       <h3>Chesse Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <button id="rn">Order Now</button>
      </div>
     </div>
    </div>
   </div>
  </div>
  <!-- cards -->
```

```html
  <!-- burger -->
  <div class="container" id="burger">
   <h1>Delicious Burger</h1>
   <div class="row" style="margin-top: 30px;">
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="1" data-price="10.50" data-name="Tasty Burger"
data-image="./images/b1.png">
```

```
      <img src="./images/b1.png" alt="">
      <div class="card-body">
       <h3>Tasty Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$10.50 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="2" data-price="5.60" data-name="Onion burger"
data-image="./images/b2.png">
      <img src="./images/b2.png" alt="">
      <div class="card-body">
       <h3>Onion burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$5.60 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="3" data-price="3.20" data-name="Classic
Burger" data-image="./images/b3.png">
      <img src="./images/b3.png" alt="">
      <div class="card-body">
       <h3>Classic Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$3.20 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="4" data-price="1.50" data-name="Best Burger"
data-image="./images/b4.png">
      <img src="./images/b4.png" alt="">
      <div class="card-body">
       <h3>Best Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$1.50 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
   </div>
```

```
  <div class="row" style="margin-top: 30px;">
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="5" data-price="6.50" data-name="Chesse Burger"
data-image="./images/b5.png">
      <img src="./images/b5.png" alt="">
      <div class="card-body">
       <h3>Chesse Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$6.50 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="6" data-price="2.30" data-name="Tasty Burger
Deluxe" data-image="./images/b6.png">
      <img src="./images/b6.png" alt="">
      <div class="card-body">
       <h3>Tasty Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$2.30 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="7" data-price="1.20" data-name="Chesse Burger
Premium" data-image="./images/b7.png">
      <img src="./images/b7.png" alt="">
      <div class="card-body">
       <h3>Chesse Burger</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$1.20 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
     </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
     <div class="card producto" data-id="8" data-price="10.50" data-name="Delicious B"
data-image="./images/b8.png">
      <img src="./images/b8.png" alt="">
      <div class="card-body">
       <h3>Delicious B</h3>
       <p>Lorem ipsum dolor sit amet.</p>
       <h5>$10.50 <span class="btn-product"><i class="fa-solid fa-basket-
shopping"></i></span></h5>
      </div>
```

```
    </div>
   </div>
  </div>
 </div>
 <!-- burger -->
```

```
 <!-- banner -->
 <div class="banner">
  <h3>Other Product</h3>
  <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Architecto,
voluptatibus?</p>
  <button id="btnorder">Order Now</button>
 </div>
 <!-- banner -->
```

```
 <!-- top cards -->
 <div class="container" id="topcards">
  <div class="row">
   <div class="col-md-4 py-3 py-md-0">
    <div class="card">
     <img src="./images/topcard1.png" alt="">
    </div>
   </div>
   <div class="col-md-4 py-3 py-md-0">
    <div class="card">
     <img src="./images/topcard2.png" alt="">
    </div>
   </div>
   <div class="col-md-4 py-3 py-md-0">
    <div class="card">
     <img src="./images/topcard3.png" alt="">
    </div>
   </div>
  </div>
 </div>
 <!-- top cards -->
```

```
<!-- burger -->
<div class="container" id="burger">
  <div class="row" style="margin-top: 30px;">
    <div class="col-md-3 py-3 py-md-0">
      <div class="card producto" data-id="9" data-price="6.50" data-name="Italian Pizza"
data-image="./images/p1.png">
        <img src="./images/p1.png" alt="">
        <div class="card-body">
          <h3>Italian Pizza</h3>
          <p>Lorem ipsum dolor sit amet.</p>
          <h5>$6.50 <span><i class="fa-solid fa-basket-shopping"></i></span></h5>
        </div>
      </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
      <div class="card producto" data-id="10" data-price="20.30" data-name="Fried
Chicken" data-image="./images/p2.png">
        <img src="./images/p2.png" alt="">
        <div class="card-body">
          <h3>Fried Chicken</h3>
          <p>Lorem ipsum dolor sit amet.</p>
          <h5>$20.30 <span><i class="fa-solid fa-basket-shopping"></i></span></h5>
        </div>
      </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
      <div class="card producto" data-id="11" data-price="1.20" data-name="Tasty Fries"
data-image="./images/p3.png">
        <img src="./images/p3.png" alt="">
        <div class="card-body">
          <h3>Tasty Fries</h3>
          <p>Lorem ipsum dolor sit amet.</p>
          <h5>$1.20 <span><i class="fa-solid fa-basket-shopping"></i></span></h5>
        </div>
      </div>
    </div>
    <div class="col-md-3 py-3 py-md-0">
      <div class="card producto" data-id="12" data-price="3.20" data-name="Pizza Slice"
data-image="./images/p4.png">
        <img src="./images/p4.png" alt="">
        <div class="card-body">
          <h3>Pizza Slice</h3>
          <p>Lorem ipsum dolor sit amet.</p>
```

```html
      <h5>$3.20 <span><i class="fa-solid fa-basket-shopping"></i></span></h5>
     </div>
    </div>
   </div>
  </div>
 </div>
 <!-- burger -->
```

```html
 <!-- about -->
 <div class="container" id="about">
  <h1>ABOUT</h1>
  <div class="row">
   <div class="col-md-6 py-3 py-md-0">
    <div class="card">
     <img src="./images/about.png" alt="">
    </div>
   </div>
   <div class="col-md-6 py-3 py-md-0">
    <h2>Delicious Burger</h2>
    <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Totam accusamus exercitationem ut. Non assumenda nihil tempore minima consequatur corrupti numquam quia dolorum laborum praesentium vero commodi ex velit expedita, omnis adipisci? Exercitationem consequatur ducimus praesentium dolores rerum voluptatibus, nam illo quas modi deleniti iusto laboriosam adipisci enim excepturi, cupiditate quidem neque tempora sunt animi natus aliquid. Fugiat eligendi molestiae magnam vero dicta est praesentium unde ducimus eveniet commodi alias, pariatur quis quod saepe sed accusamus porro nemo doloribus cumque quos quo nihil! Numquam explicabo odit accusamus laudantium molestiae. Ipsum culpa dolor sequi dolore doloribus aperiam, earum maxime alias voluptates magni.</p>
    <div id="readmorebtn"><button>Read More...</button></div>
   </div>
  </div>
 </div>
 <!-- about -->
```

```html
<!-- contact -->
<div class="container">
  <h2 id="h2">CONTACT</h2>
</div>
  <div class="container" id="contact">
  <div class="row">
    <div class="col-md-6 py-3 py-md-0">
      <h3>CONTACT</h3>
      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptas dolorem sit
excepturi, nemo reiciendis animi?</p>
      <input type="text" placeholder="Name"><br>
      <input type="email" placeholder="Email"><br>
      <input type="number" placeholder="Phone"><br>
      <button id="btnmessage">Send</button>
    </div>
    <div class="col-md-6 py-3 py-md-0">
      <h3>INFO</h3>
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Itaque, odio
assumenda nostrum commodi at corporis!</p>
      <i class="fas fa-phone"> <span>+000000000000000</span></i><br>
      <i class="fa-solid fa-envelope"> <span>example@gmail.com</span></i><br>
      <i class="fa-solid fa-location-dot"> <span>Pakistan sindh Karachi</span></i><br>
    </div>
  </div>
</div>

<!-- contact -->
```

```html
<!-- footer -->
<footer id="footer" style="margin-top: 50px;">
  <div class="footer-top">
    <div class="container">
      <div class="row">
        <div class="col-lg-3 col-md-6 footer-contact">
          <a class="navbar-brand" href="#" id="logo2"><img src="./images/logo.png" alt=""
width="30px">Burger</a>
          <p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Perspiciatis,
libero.</p><br>
          <p>
            Karachi <br><br>
            Sindh <br><br>
```

```
        Pakistan <br><br>
       </p>
       <strong><i class="fa-solid fa-phone"></i> Phone:
<strong>+0000000000000000</strong></strong><br>
       <strong><i class="fa-solid fa-envelope"></i> Email:
<strong>example@gmail.com</strong></strong>
      </div>
      <div class="col-lg-3 col-md-6 footer-links">
       <h4>Useful Links</h4>
       <ul>
        <li><a href="#">Home</a></li>
        <li><a href="#">About</a></li>
        <li><a href="#">Contact</a></li>
        <li><a href="#">Services</a></li>
        <li><a href="#">Privacy policay</a></li>
       </ul>
      </div>

      <div class="col-lg-3 col-md-6 footer-links">
       <h4>Our Services</h4>
       <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quas, aperiam.</p>
       <ul>
        <li><a href="#">Pizza</a></li>
        <li><a href="#">Fried chicken</a></li>
        <li><a href="#">Fries</a></li>
       </ul>
      </div>

      <div class="col-lg-3 col-md-6 footer-links">
       <h4>Our Socail Links</h4>
       <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Perferendis,
minus.</p>
       <div class="socail-links mt-3">
        <a href="#"><i class="fa-brands fa-twitter"></i></a>
        <a href="#"><i class="fa-brands fa-facebook"></i></a>
        <a href="#"><i class="fa-brands fa-google-plus"></i></a>
        <a href="#"><i class="fa-brands fa-instagram"></i></a>
        <a href="#"><i class="fa-brands fa-linkedin-in"></i></a>
       </div>
      </div>

     </div>
    </div>
   </div>

 <hr>
 <div class="container py-4">
```

```
  <div class="copyright">
   &copy; Copyright <strong>Burger</strong>.All Rights reserved
  </div>
  <div class="credits">
   Designed By <a href="#">SA coding</a>
  </div>
 </div>
</footer>

 <!-- footer -->

 <a href="#" class="arrow"><i class="fa-solid fa-arrow-up"></i></a>

 <script src="js/carrito.js"></script>
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</body>
</html>
```

THANKYOU.JS

```
document.addEventListener('DOMContentLoaded', () => {
  // 1. Intentar obtener el ID real desde la URL (ej: thankyou.html?id=25)
  const urlParams = new URLSearchParams(window.location.search);
  const idPedidoReal = urlParams.get('id');

  const labelNumero = document.getElementById('numero-pedido-final');
  const labelTiempo = document.getElementById('tiempo-entrega');

  // 2. Lógica de visualización del Número de Pedido
  if (idPedidoReal) {
    // Si la API nos devolvió un ID, lo formateamos profesionalmente
    labelNumero.textContent = `#PED-${idPedidoReal.padStart(6, '0')}`;
  } else {
    // Si no hay ID en la URL, generamos uno temporal basado en tiempo para no dejar
vacío
    const temporal = Math.floor(Math.random() * 900000) + 100000;
    labelNumero.textContent = `#PED-${temporal}`;
  }

  // 3. Simulación de tiempo de entrega aleatorio para dinamismo
  const tiempos = ["25-35 minutos", "30-45 minutos", "40-50 minutos"];
  const tiempoAleatorio = tiempos[Math.floor(Math.random() * tiempos.length)];
```

```
  labelTiempo.textContent = tiempoAleatorio;

  // 4. LIMPIEZA TOTAL: Asegurar que el carrito no exista más en esta sesión
  localStorage.removeItem('carrito');

  // Opcional: Actualizar el contador del navbar a 0 si existe el elemento
  const contador = document.querySelector(".contar-pro");
  if (contador) contador.innerText = "0";

  console.log("¡Pedido confirmado y carrito vaciado con éxito! 🍔");
});
```

THANKYOU.HTML

```
<!DOCTYPE html>
<html lang="en">

<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Burger</title>
 <link rel="shortcut icon" type="image" href="./images/logo.png">
 <link rel="stylesheet" href="style.css">
 <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css">
 <!-- bootstrap links -->
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
 <!-- bootstrap links -->
 <!-- fonts links -->
 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Dancing+Script:wght@600&display=swap" rel="stylesheet">
 <!-- fonts links -->
</head>

<body>
 <!-- nav section -->
 <nav class="navbar navbar-expand-lg" id="navbar">
  <div class="container-fluid">
   <a class="navbar-brand" href="#" id="logo"><img src="./images/logo.png" alt=""
     width="30px">BUR<span>GER</span></a>
```

```
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent"
     aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
     <span><i class="fa-solid fa-bars"></i></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
     <ul class="navbar-nav me-auto mb-2 mb-lg-0">
      <li class="nav-item">
       <a class="nav-link active" aria-current="page" href="#" id="first-child">Home</a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">Burger</a>
      </li>
      <li class="nav-item dropdown">
       <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-bs-toggle="dropdown"
        aria-expanded="false">
        Other
       </a>
       <ul class="dropdown-menu" aria-labelledby="navbarDropdown" style="background-color: #ffc800;">
        <li><a class="dropdown-item" href="#">Pizza</a></li>
        <li><a class="dropdown-item" href="#">Fries</a></li>
        <li><a class="dropdown-item" href="#">Fried Chicken</a></li>
       </ul>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">About Us</a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="#">Contact Us</a>
      </li>
     </ul>

     <form class="d-flex">
      <div class="icons">
       <i class="fa-regular fa-user"></i>
       <i class="fa-solid fa-cart-shopping"></i>
      </div>
     </form>
    </div>
   </div>
  </nav>
  <!-- nav section -->
  <!-- cart section -->
```

```
 <h2 class="page-title text-center my-5 py-3" style="background-color:
#ffc800;">¡PEDIDO CONFIRMADO!</h2>
 <div class="page-content">
  <div class="col-xxl-4 col-lg-6 col-md-8 col-sm-10 offset-xxl-4 offset-lg-3 offset-
md-2 offset-sm-1">
   <div style="text-align: center; padding: 30px; background: #f8f9fa; border-radius:
10px; margin: 20px auto;">
    <h2 style="color: #28a745; margin-bottom: 20px;"><i class="fas fa-check-
circle"></i></h2>
    <h5 class="mb-16">¡Gracias por tu compra!</h5>
    <p class="mb-32">Tu pedido ha sido confirmado. Recibirás una confirmación por
correo electrónico.</p>

    <div
     style="background: white; padding: 20px; border-radius: 8px; margin: 20px 0;
border-left: 4px solid #ffc800;">
     <p style="color: #999; margin: 0; font-size: 12px;">Número de Pedido</p>
     <h3 id="numero-pedido-final" style="color: #ffc800; margin: 10px
0;">#PED-000001</h3>
    </div>

    <div
     style="background: white; padding: 20px; border-radius: 8px; margin: 20px 0;
border-left: 4px solid #667eea;">
     <p style="color: #999; margin: 0; font-size: 12px;">Tiempo de Entrega
Estimado</p>
     <h4 id="tiempo-entrega" style="color: #667eea; margin: 10px 0;">30-45
minutos</h4>
    </div>

    <p style="color: #666; font-size: 14px;">Puedes hacer seguimiento a tu pedido en
tu cuenta o usando tu número de
     pedido.</p>
   </div>

   <a href="index.html" class="cus-btn dark w-100 mb-32" style="margin-top: 20px;">
    <span class="icon-wrapper">
     <svg class="icon-svg icon-svg-copy" xmlns="http://www.w3.org/2000/svg" width="20"
height="20"
      viewBox="0 0 20 20" fill="none">
      <path
       d="M16.2522 11.9789C14.4658 10.1925 13.7513 6.14339 15.6567 4.23792M15.6567
4.23792C14.565 5.3296 11.4885 7.21521 7.91576 3.64246M15.6567 4.23792L4.34301 15.5516"
       stroke="#FCFDFD" stroke-width="2" stroke-linecap="round" stroke-
linejoin="round"></path>
     </svg>
    </span>
```

```
    Volver al Inicio
   </a>
  </div>
 </div>
 <!-- cart section -->
 <!-- footer -->
 <footer id="footer" style="margin-top: 50px;">
  <div class="footer-top">
   <div class="container">
    <div class="row">
     <div class="col-lg-3 col-md-6 footer-contact">
      <a class="navbar-brand" href="#" id="logo2"><img src="./images/logo.png" alt="" 
width="30px">Burger</a>
      <p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Perspiciatis, 
libero.</p><br>
      <p>
       Karachi <br><br>
       Sindh <br><br>
       Pakistan <br><br>
      </p>
      <strong><i class="fa-solid fa-phone"></i> Phone: 
<strong>+0000000000000000</strong></strong><br>
      <strong><i class="fa-solid fa-envelope"></i> Email: 
<strong>example@gmail.com</strong></strong>
     </div>
     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Useful Links</h4>
      <ul>
       <li><a href="#">Home</a></li>
       <li><a href="#">About</a></li>
       <li><a href="#">Contact</a></li>
       <li><a href="#">Services</a></li>
       <li><a href="#">Privacy policay</a></li>
      </ul>
     </div>

     <div class="col-lg-3 col-md-6 footer-links">
      <h4>Our Services</h4>
      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quas, aperiam.</p>
      <ul>
       <li><a href="#">Pizza</a></li>
       <li><a href="#">Fried chicken</a></li>
       <li><a href="#">Fries</a></li>
      </ul>
     </div>

     <div class="col-lg-3 col-md-6 footer-links">
```

```
      <h4>Our Socail Links</h4>
      <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Perferendis,
minus.</p>
      <div class="socail-links mt-3">
        <a href="#"><i class="fa-brands fa-twitter"></i></a>
        <a href="#"><i class="fa-brands fa-facebook"></i></a>
        <a href="#"><i class="fa-brands fa-google-plus"></i></a>
        <a href="#"><i class="fa-brands fa-instagram"></i></a>
        <a href="#"><i class="fa-brands fa-linkedin-in"></i></a>
      </div>
     </div>

    </div>
   </div>
  </div>

  <hr>
  <div class="container py-4">
   <div class="copyright">
    &copy; Copyright <strong>Burger</strong>.All Rights reserved
   </div>
   <div class="credits">
    Designed By <a href="#">SA coding</a>
   </div>
  </div>
 </footer>

 <!-- footer -->
 <a href="#" class="arrow"><i class="fa-solid fa-arrow-up"></i></a>

 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>
 <script src="js/carrito.js"></script>
 <script src="js/thankyou.js"></script>
 <script>
  // TODO: Obtener datos del pedido y mostrarlos en la página
  // Los datos pueden venir de:
  // 1. localStorage (carrito previo guardado)
  // 2. Respuesta de la API después de crear el pedido
  // 3. Parámetros de URL

  document.addEventListener('DOMContentLoaded', () => {
   // Generar número de pedido (en producción viene de la base de datos)
   const numeroPedido = '#PED-' + Date.now().toString().slice(-6);
   document.getElementById('numero-pedido-final').textContent = numeroPedido;
```

```
    localStorage.setItem('numeroPedido', numeroPedido);

    // Limpiar el carrito después de confirmar
    localStorage.removeItem('carrito');
  });
 </script>
</body>

</html>
```