

ПР3. Сбор логов

1. Создать 2 виртуальные машины на базе ОС Debian 12
<https://www.virtualbox.org/wiki/Downloads> <https://cdimage.debian.org/debian-cd/current/amd64/iso-cd/debian-12.1.0-amd64-netinst.iso>
2. Обеспечить между ними сетевой обмен <https://www.virtualbox.org/manual/ch06.html>
3. Включить на 1й из VM передачу логов по протоколу rsyslog на 2ю VM
<https://www.tecmint.com/install-rsyslog-centralized-logging-in-centos-ubuntu/>
4. Установить и настроить получение логов на сервер с использованием Loki
<https://github.com/grafana/loki> https://docs.google.com/document/d/11tjK_lvp1-SVsFZjgOTr1vV3-q6vBAsZYIQ5ZeYBkyM/view (источник можно выбрать самостоятельно)
5. Установить и настроить получение логов на сервер с использованием Signoz <https://signoz.io/>
<https://signoz.io/blog/loki-vs-elasticsearch/> (источник можно выбрать самостоятельно)

Рис. 1 – Виртуальные машины на базе ОС Debian 12.




Рис. 2 – Настройки сетевого адаптера для Log-Sender




Рис. 3 – Настройки сетевого адаптера для Log-Receiver




Рис. 4 – IP-адреса каждой машины

logsender@vbox: ~

```
logsender@vbox:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:de:a5:1f brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.87/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 7023sec preferred_lft 7023sec
    inet6 fe80::a00:27ff:fe8e:a51f/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
logsender@vbox:~$
```

logreceiver@vbox: ~

```
logreceiver@vbox:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:8c:e6:e6 brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.3/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 7028sec preferred_lft 7028sec
    inet6 fe80::a00:27ff:fe8c:e6e6/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
logreceiver@vbox:~$
```

Рис. 5 – Пинг Log-Receiver и Log-Sender

logsender@vbox: ~

```
logsender@vbox:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:de:a5:1f brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.87/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 6579sec preferred_lft 6579sec
    inet6 fe80::a00:27ff:fe8e:a51f/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
logsender@vbox:~$ ping 192.168.0.3
PING 192.168.0.3 (192.168.0.3): 56(84) bytes of data.
64 bytes from 192.168.0.3: icmp_seq=1 ttl=64 time=0.556 ms
64 bytes from 192.168.0.3: icmp_seq=2 ttl=64 time=0.646 ms
64 bytes from 192.168.0.3: icmp_seq=3 ttl=64 time=0.548 ms
64 bytes from 192.168.0.3: icmp_seq=4 ttl=64 time=0.768 ms
64 bytes from 192.168.0.3: icmp_seq=5 ttl=64 time=0.637 ms
64 bytes from 192.168.0.3: icmp_seq=6 ttl=64 time=0.639 ms
64 bytes from 192.168.0.3: icmp_seq=7 ttl=64 time=0.685 ms
64 bytes from 192.168.0.3: icmp_seq=8 ttl=64 time=0.586 ms
64 bytes from 192.168.0.3: icmp_seq=9 ttl=64 time=0.631 ms
64 bytes from 192.168.0.3: icmp_seq=10 ttl=64 time=0.613 ms
64 bytes from 192.168.0.3: icmp_seq=11 ttl=64 time=0.671 ms
64 bytes from 192.168.0.3: icmp_seq=12 ttl=64 time=0.605 ms
64 bytes from 192.168.0.3: icmp_seq=13 ttl=64 time=0.825 ms
64 bytes from 192.168.0.3: icmp_seq=14 ttl=64 time=0.797 ms
64 bytes from 192.168.0.3: icmp_seq=15 ttl=64 time=0.578 ms
64 bytes from 192.168.0.3: icmp_seq=16 ttl=64 time=0.358 ms
64 bytes from 192.168.0.3: icmp_seq=17 ttl=64 time=0.719 ms
64 bytes from 192.168.0.3: icmp_seq=18 ttl=64 time=0.457 ms
64 bytes from 192.168.0.3: icmp_seq=19 ttl=64 time=0.609 ms
```

logreceiver@vbox: ~

```
logreceiver@vbox:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:8c:e6:e6 brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.3/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 7028sec preferred_lft 7028sec
    inet6 fe80::a00:27ff:fe8c:e6e6/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
logreceiver@vbox:~$ ping 192.168.0.87
PING 192.168.0.87 (192.168.0.87): 56(84) bytes of data.
64 bytes from 192.168.0.87: icmp_seq=1 ttl=64 time=0.555 ms
64 bytes from 192.168.0.87: icmp_seq=2 ttl=64 time=0.565 ms
64 bytes from 192.168.0.87: icmp_seq=3 ttl=64 time=0.568 ms
64 bytes from 192.168.0.87: icmp_seq=4 ttl=64 time=0.529 ms
64 bytes from 192.168.0.87: icmp_seq=5 ttl=64 time=0.618 ms
64 bytes from 192.168.0.87: icmp_seq=6 ttl=64 time=0.638 ms
64 bytes from 192.168.0.87: icmp_seq=7 ttl=64 time=0.545 ms
64 bytes from 192.168.0.87: icmp_seq=8 ttl=64 time=0.565 ms
64 bytes from 192.168.0.87: icmp_seq=9 ttl=64 time=0.652 ms
64 bytes from 192.168.0.87: icmp_seq=10 ttl=64 time=0.653 ms
64 bytes from 192.168.0.87: icmp_seq=11 ttl=64 time=0.551 ms
64 bytes from 192.168.0.87: icmp_seq=12 ttl=64 time=0.545 ms
64 bytes from 192.168.0.87: icmp_seq=13 ttl=64 time=0.656 ms
64 bytes from 192.168.0.87: icmp_seq=14 ttl=64 time=0.643 ms
64 bytes from 192.168.0.87: icmp_seq=15 ttl=64 time=0.552 ms
64 bytes from 192.168.0.87: icmp_seq=16 ttl=64 time=0.582 ms
64 bytes from 192.168.0.87: icmp_seq=17 ttl=64 time=0.548 ms
64 bytes from 192.168.0.87: icmp_seq=18 ttl=64 time=0.616 ms
64 bytes from 192.168.0.87: icmp_seq=19 ttl=64 time=0.654 ms
```

Рис. 6 – Установка rsyslog

```
logsender@box:~$ su
Password:
root@box:/home/logsender# sudo apt update
Hit:1 http://deb.debian.org/debian bookworm InRelease
Hit:2 http://security.debian.org/debian-security bookworm-security InRelease
Hit:3 http://deb.debian.org/debian bookworm-updates InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
All packages are up to date.
root@box:/home/logsender# sudo apt install rsyslog -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libestr libfastjson4 liblognorm5
Suggested packages:
  rsyslog-mysql | rsyslog-pgsql rsyslog-mongodb rsyslog-doc rsyslog-openssl | rsyslog-grutils rsyslog-gstapi rsyslog-relp
The following NEW packages will be installed:
  libestr libfastjson4 liblognorm5 rsyslog
0 upgraded, 4 newly installed, 0 to remove and 0 not upgraded.
Need to get 829 kB of archives.
After this operation, 2.288 kB of additional disk space will be used.
Get:1 http://deb.debian.org/debian bookworm/main amd64 libestr0 amd64 0.1.11-1 [9,284 B]
Get:2 http://deb.debian.org/debian bookworm/main amd64 libfastjson4 amd64 1.2304.0-1 [28.9 kB]
Get:3 http://deb.debian.org/debian bookworm/main amd64 liblognorm5 amd64 2.0.6-4 [67.2 kB]
Get:4 http://deb.debian.org/debian bookworm/main amd64 rsyslog amd64 8.2302.0-1 [723 kB]
Fetched 829 kB in 0s (2,245 kB/s)
Selecting previously unselected package libestr0:amd64.
(Reading database ... 151152 files and directories currently installed.)
Preparing to unpack .../libestr0_0.1.11-1_amd64.deb ...
Unpacking libestr0:amd64 (0.1.11-1) ...
Selecting previously unselected package libfastjson4:amd64.
Preparing to unpack .../libfastjson4_1.2304.0-1_amd64.deb ...
Unpacking libfastjson4:amd64 (1.2304.0-1) ...
Selecting previously unselected package liblognorm5:amd64.
Preparing to unpack .../liblognorm5_2.0.6-4_amd64.deb ...
Unpacking liblognorm5:amd64 (2.0.6-4) ...
Selecting previously unselected package rsyslog.
Preparing to unpack .../rsyslog_8.2302.0-1_amd64.deb ...
Unpacking rsyslog (8.2302.0-1) ...
Setting up libestr0:amd64 (0.1.11-1) ...
Setting up libfastjson4:amd64 (1.2304.0-1) ...
Setting up liblognorm5:amd64 (2.0.6-4) ...
Setting up rsyslog (8.2302.0-1) ...
Created symlink /etc/systemd/system/rsyslog.service - /lib/systemd/system/rsyslog.service.
Created symlink /etc/systemd/system/multi-user.target.wants/rsyslog.service - /lib/systemd/system/rsyslog.service.
Processing triggers for libc-bin (2.36-9+deb12u9) ...
Processing triggers for man-db (2.11.2-2) ...
root@box:/home/logreceiver# sudo systemctl start rsyslog
root@box:/home/logreceiver# sudo systemctl enable rsyslog
root@box:/home/logreceiver#
```

Рис. 7 – Настройка отправки логов по UDP

```
#
# Log anything besides private authentication messages to a single log file
#
*. *;auth,authpriv.none          -/var/log/syslog

*. * @192.168.0.3:514           # Для отправки через UDP
```

Рис. 8 – Настройка приема логов по UDP

```
# provides UDP syslog reception
module(load="imudp")
input(type="imudp" port="514")

# provides TCP syslog reception
module(load="imtcp")
input(type="imtcp" port="514")
```

Рис. 9 – Тестирование передачи логов

```
logsender@vbox:~$ su
Password:
root@vbox:/home/logsender# logger "Test message from logsender"
root@vbox:/home/logsender# logger "Sometimes I think about you "
root@vbox:/home/logsender# logger "This is the end of my passion"
root@vbox:/home/logsender# logger "I think I'm falling for you"
root@vbox:/home/logsender#

logreceiver@vbox:~$ su
Password:
root@vbox:/home/logreceiver# sudo netstat -tulnp | grep 514
tcp        0      0 0.0.0.0:514          0.0.0.0:*            LISTEN     520/rsyslogd
tcp6       0      0 :::514              :::*                  LISTEN     520/rsyslogd
udp        0      0 0.0.0.0:514          0.0.0.0:*            520/rsyslogd
udp6       0      0 :::514              :::*                  520/rsyslogd

root@vbox:/home/logreceiver# sudo tail -f /var/log/syslog
2024-11-26T00:48:19.937229+03:00 vbox gnome-shell[1252]: JS ERROR: TypeError: this.actor is null#012_syncEnabled@resource:///org/gnome/shell/ui/windowManager.js:138:25#012onStopped@resource:///org/gnome/shell/ui/windowManager.js:150:35#012_makeEaseCallback/@resource:///org/gnome/shell/ui/environment.js:150:22#012_easeActorProperty/@resource:///org/gnome/shell/ui/environment.js:316:60#012_destroyWindowDone@resource:///org/gnome/shell/ui/windowManager.js:1596:21#012onStopped@resource:///org/gnome/shell/ui/windowManager.js:1564:39#012_makeEaseCallback/@resource:///org/gnome/shell/ui/environment.js:150:22#012_easeActor/@resource:///org/gnome/shell/ui/environment.js:239:64
2024-11-26T00:48:19.970537+03:00 vbox systemd[1091]: gnome-terminal-server.service: Consumed 11.168s CPU time.
2024-11-26T00:48:23.895101+03:00 vbox systemd[1091]: Started app-gnome-org.gnome.Terminal-2704.scope - Application launched by gnome-shell.
2024-11-26T00:48:23.946835+03:00 vbox dbus-daemon[1119]: [session uid=1000 pid=1119] Activating via systemd: service name='org.gnome.Terminal' unit='gnome-terminal-server.service' requested by ':1.114' (uid=1000 pid=2704 com=org.gnome.Terminal)
2024-11-26T00:48:23.970468+03:00 vbox systemd[1091]: Starting gnome-terminal-server.service - GNOME Terminal Server...
2024-11-26T00:48:24.079434+03:00 vbox dbus-daemon[1119]: [session uid=1000 pid=1119] Successfully activated service 'org.gnome.Terminal'
2024-11-26T00:48:24.079609+03:00 vbox systemd[1091]: Started gnome-terminal-server.service - GNOME Terminal Server.
2024-11-26T00:48:24.138694+03:00 vbox gnome-shell[1252]: meta_window_set_stack_position_no_sync: assertion 'window->stack_position >= 0' failed
2024-11-26T00:48:24.164645+03:00 vbox systemd[1091]: Started vte-spawn-885fceb2-f29c-479b-95d3-209876f34d7f.scope - VTE child process 2737 launched by gnome-terminal-server process 2711.
2024-11-26T00:48:50.170851+03:00 vbox systemd[1091]: Started vte-spawn-0cdf3033-4a79-42bc-830a-f77962f9d66f.scope - VTE child process 2755 launched by gnome-terminal-server process 2711.
2024-11-26T00:49:16+03:00 vbox systemd[1091]: Started vte-spawn-30cf8776-327d-45f6-be31-843cda37dbce.scope - VTE child process 2411 launched by gnome-terminal-server process 2000.
2024-11-26T00:49:39+03:00 vbox root: Test message from logsender
2024-11-26T00:49:44+03:00 vbox root: Sometimes I think about you
2024-11-26T00:49:49+03:00 vbox root: This is the end of my passion
2024-11-26T00:49:53+03:00 vbox root: I think I'm falling for you
```

Рис. 10 – Установка Loki

```
--2024-11-26 01:10:44-- https://objects.githubusercontent.com/github-production-release-asset-2e65be/129717717/95f60514-9b6d-4c66-9cc5-fcfa9efc5207X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=releaseassetproduction%2F20241125%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20241125T221044Z&X-Amz-Expires=300&X-Amz-Signature=16ae354197fe540e4f7e3e1221733c1c6c5f46d03d92ab87eb7aebb2faf7c0f8&X-Amz-SignedHeaders=host&response-content-disposition=attachment%3B%20filename%3Dloki-linux-amd64.zip&response-content-type=application%2Foctet-stream
Resolving objects.githubusercontent.com (objects.githubusercontent.com)... 185.199.110.133, 185.199.109.133, 185.199.108.133, ...
Connecting to objects.githubusercontent.com (objects.githubusercontent.com)|185.199.110.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 20717061 (20M) [application/octet-stream]
Saving to: 'loki-linux-amd64.zip'

loki-linux-amd64.zip      100%[=====] 19.76M  34.1MB/s   in 0.6s

2024-11-26 01:10:46 (34.1 MB/s) - 'loki-linux-amd64.zip' saved [20717061/20717061]

root@vbox:/home/logreceiver# sudo apt install unzip -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
unzip is already the newest version (6.0-28).
unzip set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
root@vbox:/home/logreceiver# unzip loki-linux-amd64.zip
Archive:  loki-linux-amd64.zip
  inflating: loki-linux-amd64
root@vbox:/home/logreceiver# sudo mv loki-linux-amd64 /usr/local/bin/loki
root@vbox:/home/logreceiver# loki --version
loki, version 2.9.1 (branch: HEAD, revision: d9d5ed4a1)
  build user:   root@21ab03f17324
  build date:   2023-09-14T16:24:53Z
  go version:   go1.20.6
  platform:     linux/amd64
  tags:         netgo
root@vbox:/home/logreceiver# sudo nano /etc/loki-config.yml
root@vbox:/home/logreceiver#
```

Рис. 11 – Базовая конфигурация Loki

```
GNU nano 7.2 /etc/loki-config.yml *
server:
  http_listen_port: 3100

ingester:
  lifecycler:
    ring:
      kvstore:
        store: inmemory
      replication_factor: 1

schema_config:
  configs:
    - from: 2020-10-24
      store: boltdb
      object_store: filesystem
      schema: v11
      index:
        prefix: index_
        period: 168h

storage_config:
  boltdb:
    directory: /tmp/loki/index
  filesystem:
    directory: /tmp/loki/chunks

limits_config:
  enforce_metric_name: false
  reject_old_samples: true
  reject_old_samples_max_age: 168h

Ⓜ Help      Ⓜ Write Out Ⓜ Where Is  Ⓜ Cut       Ⓜ Execute   Ⓜ Location  Ⓜ Undo      Ⓜ Set Mark  Ⓜ To Bracket
Ⓜ Exit      Ⓜ Read File Ⓜ Replace   Ⓜ Paste      Ⓜ Justify    Ⓜ Go To Line Ⓜ Redo      Ⓜ Copy      Ⓜ Where Was
```

Рис. 12 – Loki запущен и работает

```
level=info ts=2024-11-25T22:16:18.35729895Z caller=module_service.go:82 msg=initialising module=ring
level=info ts=2024-11-25T22:16:18.35731443Z caller=ring.go:273 msg="ring doesn't exist in KV store yet"
level=info ts=2024-11-25T22:16:18.357337394Z caller=module_service.go:82 msg=initialising module=ingester-querier
level=info ts=2024-11-25T22:16:18.357344376Z caller=module_service.go:82 msg=initialising module=analytics
level=info ts=2024-11-25T22:16:18.35848604Z caller=basic_lifecycle.go:297 msg="instance not found in the ring" instance=vbox ring=scheduler
level=info ts=2024-11-25T22:16:18.35849633Z caller=basic_lifecycle_delegates.go:63 msg="not loading tokens from file, tokens file path is empty"
level=info ts=2024-11-25T22:16:18.35906234Z caller=ringmanager.go:201 msg="waiting until scheduler is JOINING in the ring"
level=info ts=2024-11-25T22:16:18.359239075Z caller=module_service.go:82 msg=initialising module=distributor
level=info ts=2024-11-25T22:16:18.359286776Z caller=module_service.go:82 msg=initialising module=ingester
level=info ts=2024-11-25T22:16:18.359298808Z caller=ingester.go:431 msg="recovering from checkpoint"
level=info ts=2024-11-25T22:16:18.359459562Z caller=recovery.go:40 msg="no checkpoint found, treating as no-op"
level=info ts=2024-11-25T22:16:18.359568463Z caller=basic_lifecycle.go:297 msg="instance not found in the ring" instance=vbox ring=distributor
level=info ts=2024-11-25T22:16:18.359830163Z caller=ring.go:273 msg="ring doesn't exist in KV store yet"
level=info ts=2024-11-25T22:16:18.359791069Z caller=ingester.go:447 msg="recovered WAL checkpoint recovery finished" elapsed=497.491µs error=false
level=info ts=2024-11-25T22:16:18.359985386Z caller=ingester.go:453 msg="recovering from WAL"
level=info ts=2024-11-25T22:16:18.360246831Z caller=ingester.go:469 msg="WAL segment recovery finished" elapsed=953.353µs errors=false
level=info ts=2024-11-25T22:16:18.360257321Z caller=ingester.go:417 msg="closing recoverer"
level=info ts=2024-11-25T22:16:18.360261779Z caller=ingester.go:425 msg="WAL recovery finished" time=968.712µs
level=info ts=2024-11-25T22:16:18.360414548Z caller=lifecycle.go:614 msg="not loading tokens from file, tokens file path is empty"
level=info ts=2024-11-25T22:16:18.360457565Z caller=wal.go:156 msg=started component=wal
level=info ts=2024-11-25T22:16:18.360437942Z caller=lifecycle.go:643 msg="instance not found in ring, adding with no tokens" ring=ingester
level=info ts=2024-11-25T22:16:18.360478148Z caller=lifecycle.go:483 msg="auto-joining cluster after timeout" ring=ingester
level=info ts=2024-11-25T22:16:18.545006668Z caller=ringmanager.go:205 msg="scheduler is JOINING in the ring"
level=info ts=2024-11-25T22:16:18.545271169Z caller=ringmanager.go:214 msg="waiting until scheduler is ACTIVE in the ring"
level=info ts=2024-11-25T22:16:18.545578826Z caller=ringmanager.go:218 msg="scheduler is ACTIVE in the ring"
level=info ts=2024-11-25T22:16:18.54565001Z caller=module_service.go:82 msg=initialising module=query-scheduler
level=info ts=2024-11-25T22:16:18.545701467Z caller=module_service.go:82 msg=initialising module=query-frontend
level=info ts=2024-11-25T22:16:18.545942283Z caller=module_service.go:82 msg=initialising module=querier
level=info ts=2024-11-25T22:16:18.546020672Z caller=loki.go:505 msg="Loki started"
level=info ts=2024-11-25T22:16:21.546579205Z caller=scheduler.go:615 msg="this scheduler is in the ReplicationSet, will now accept requests."
```

Рис. 13 – Просмотр логов, отправленных от Log-Sender




Рис. 13 – Signoz установка

```
Setting up python3-rfc3987 (1.3.8-2) ...
Setting up python3-pyrsistent:amd64 (0.18.1-1+b3) ...
Setting up python3-json-pointer (2.3-2) ...
Setting up python3-lib2to3 (3.11.2-3) ...
Setting up python3-websocket (1.2.3-1) ...
Setting up python3-dockerpty (0.4.1-4) ...
Setting up python3-distutils (3.11.2-3) ...
Setting up python3-docker (5.0.3-1) ...
Setting up python3-jschema (4.10.3-1) ...
Setting up docker-compose (1.29.2-3) ...
Processing triggers for man-db (2.11.2-2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@vbox:/home/logsender# docker-compose --version
docker-compose version 1.29.2, build unknown
root@vbox:/home/logsender# git clone https://github.com/SigNoz/signoz.git
Cloning into 'signoz'...
remote: Enumerating objects: 63646, done.
remote: Counting objects: 100% (379/379), done.
remote: Compressing objects: 100% (263/263), done.
remote: Total 63646 (delta 170), reused 263 (delta 114), pack-reused 63267 (from 1)
Receiving objects: 100% (63646/63646), 44.10 MiB | 15.55 MiB/s, done.
Resolving deltas: 100% (41834/41834), done.
root@vbox:/home/logsender#
```

Рис. 14 – Signoz запущен и работает

```
[+] Running 59/39
✓ query-service 7 layers [#####] 0B/0B Pulled
✓ zookeeper-1 1 layers [##] 0B/0B Pulled
✓ alertmanager 6 layers [#####] 0B/0B Pulled
✓ load-hotrod 7 layers [#####] 0B/0B Pulled
✓ hotrod 1 layers [##] 0B/0B Pulled
✓ otel-collector-migrator-async 2 layers [###] 0B/0B Pulled
✓ frontend 11 layers [#####] 0B/0B Pulled
✓ otel-collector 3 layers [###] 0B/0B Pulled
✓ otel-collector-migrator-sync Pulled
✓ clickhouse 7 layers [#####] 0B/0B Pulled
✓ logspout 3 layers [###] 0B/0B Pulled

[+] Running 12/12
✓ Network clickhouse-setup_default Created
✓ Container signoz-zookeeper-1 Started
✓ Container hotrod Started
✓ Container load-hotrod Started
✓ Container signoz-clickhouse Healthy
✓ Container otel-migrator-sync Exited
✓ Container signoz-query-service Healthy
✓ Container otel-migrator-async Started
✓ Container signoz-otel-collector Started
✓ Container signoz-alertmanager Started
✓ Container signoz-logspout Started
✓ Container signoz-frontend Started
```


Рис. 15 – Signoz проверка работоспособности

