METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAR26	MAR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27
COO OPT	03/31		04/30		05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26
ECG10 OP		03/31		04/01										
ECG11 OP		03/31		04/01										
ECG13 OP		03/31		04/01										
ECG15 OP		03/31		04/01										
ECG16 OP		03/31		04/01										
ECGC OOF		03/31		04/01										
ECHG OOF		03/31		04/01										
ECSI OOF		03/31		04/01										
EHO OPT			04/30		05/29	06/30	07/31	08/28	09/30					
FMG OPT			04/17											
FSO OPT			04/30		05/29	06/30								
GMW MON			04/20		05/04									
GWR THU			04/16											
GWT TUE	03/31		04/21											
GWW WED			04/22											
HMW MON			04/13											
HRO OPT			04/28		05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29		
HWR THU			04/23											
HWT TUE	03/31		04/14											
HWW WED			04/22		05/06	06/03	07/01							
HX CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
HX PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
HXE CALL			04/24											
HXE PUT			04/17											
LHO OPT	03/31		04/30		05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26
OG CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG1 CALL					05/01									
OG1 PUT					05/01									
OG2 CALL			04/10											
OG2 PUT			04/10											
OG3 CALL			04/17											
OG3 PUT			04/17											
OG4 CALL			04/24											
OG4 PUT			04/24											
OMG OPT					04/27	05/26	06/25							
PAO CALL					04/15	05/20			08/19			11/18		
PAO PUT					04/15	05/20			08/19					
PAW OOF			04/17											
PLW OOF			04/24											
PO CALL					04/15	05/20	06/17			09/16			12/16	
PO PUT					04/15	05/20	06/17			09/16			12/16	
RWS THU			04/23											
SMW MON			04/13											
SO CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
SO PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
SO1 CALL					05/01									
SO2 CALL			04/10											
SO2 PUT			04/10											
SO3 CALL			04/17											
SO3 PUT			04/17											
SO4 CALL			04/24											
SO4 PUT			04/24											
SWW WED			04/22											
TWS TUE	03/31		04/14											
WMG WED			04/08											

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
APR26												
4500	11.90	11.90	#11.90/*11.90	#11.90/*11.90	----	14.00 NEW	.0925	----	----	1	----	1 + 1
4540	----	----	----	----	----	273.10 + 27.40	----	----	----	----	----	0 - 1
4600	----	----	----	----	----	213.10 + 19.40	----	----	----	----	----	0 - 4
4750	----	----	----	----	----	63.10 + 48.20	----	----	----	----	----	0 - 1
TOTAL										1		1 - 5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	3.50 - 2.80	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	4.40 - 3.80	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	6.40 - 6.30	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	7.40 - 7.40	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	9.90 - 10.30	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	19.20 - 18.90	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	584.90 + 12.40	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	451.50 + 01.00	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	409.20 + 96.10	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	46.90 - 38.10	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	368.40 + 90.80	----	----	----	----	----	1 UNCH
4500	65.00	65.00	71.50/65.00	71.50/65.00	----	56.00 - 43.40	----	----	----	2	----	1 UNCH
4600	----	----	----	----	----	79.30 - 55.60	----	----	----	----	----	2 UNCH
4725	----	----	----	#124.00B/----	----	120.20 - 73.10	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	152.20 - 84.10	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	204.30 - 98.30	----	----	----	----	----	1 UNCH
4900	98.00	98.00	#98.00/98.00	#98.00/92.00A	----	117.60 + 35.90	----	----	----	1	----	2 + 1
4920	----	----	----	----	----	216.10 - 00.90	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	97.90 + 29.40	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	80.90 + 23.60	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	302.80 - 15.80	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	35.80 + 7.10	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	4.50 - 0.40	----	----	----	----	----	1 UNCH
TOTAL										3		41 + 1
JUN26												
2500	----	----	----	----	----	1.40 - 0.50	----	----	----	----	----	2 UNCH
4050	43.80	43.80	43.80/*43.80	44.40B/*43.80	----	31.70 - 19.80	----	----	----	1	----	0 - 1
4260	----	----	----	----	----	56.10 - 31.10	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	106.20 - 49.50	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	286.50 + 64.60	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	185.30 + 44.10	----	----	----	----	----	2 UNCH
5200	----	----	----	----	----	88.80 + 19.10	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	53.50 + 8.90	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	19.00 + 0.60	----	----	----	----	----	1 UNCH
TOTAL										1		13 - 1
JUL26												
3400	----	----	----	----	----	1455.00 + 30.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1396.40 + 29.80	----	----	----	----	----	1 UNCH
TOTAL												2 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4100	----	----	----/*14.40A	19.40B/*14.40A	----	12.50 - 13.90	.0525	----	----	----	----	1 UNCH
4175	29.00	29.00	29.20/*17.50A	29.20/*17.50A	----	16.20 - 17.30	.0681	----	----	2	----	2 UNCH
4300	----	----	----/*26.70A	39.40B/*26.70A	----	25.40 - 24.90	.1052	----	----	----	----	2 UNCH
4315	----	----	----/*28.00A	41.70B/*28.00A	----	26.80 NEW	.1107	----	----	1	----	1 + 1
4350	----	----	----/*31.60A	47.50B/*31.60A	----	30.50 - 28.60	.1250	----	----	----	----	0 UNCH
4375	----	----	----/*34.30A	52.10B/*34.30A	----	33.40 NEW	.1360	----	----	1	----	1 + 1
4400	63.00	63.00	63.00/*37.90A	63.00/*37.90A	----	36.60 - 32.90	.1480	----	----	8	----	7 + 1
4450	----	----	----/*45.20A	68.40B/*45.20A	----	44.00 - 37.60	.1749	----	----	----	----	1 UNCH
4500	62.00	62.00	64.00/*54.00	81.50B/*54.00	----	52.80 - 42.90	.2056	----	----	11	----	7 + 6
4600	90.00	90.00	90.00/*76.50A	114.50B/*76.50A	----	75.20 NEW	.2789	----	----	1	----	1 + 1
4695	120.10	120.10	120.10/*105.30A	154.40B/*105.30A	----	104.10 NEW	.3635	----	----	1	----	1 + 1
4700	----	----	----/*107.20A	156.80B/*107.20A	----	105.80 - 70.50	.3682	----	----	----	----	50 UNCH
5075	343.80	343.80	#343.80/*320.00	#408.10B/*320.00A	----	316.90 NEW	.7465	----	----	1	----	1 + 1
TOTAL										26		75 + 12

OG4 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4540	----	----	#328.20B/----	#328.20B/267.90A	----	333.50 NEW	.7664	----	----	1	----	1 + 1
4550	----	----	#320.50B/----	#320.50B/261.10A	----	325.70 + 85.30	.7592	----	----	----	----	4 UNCH
4600	----	----	#282.90B/----	#282.90B/229.00A	----	287.90 + 78.60	.7205	----	----	----	----	4 UNCH
4800	----	----	#161.80B/----	#161.80B/126.00A	----	159.50 NEW	.5291	----	----	1	----	1 + 1
4850	109.00	109.00	#136.10B/107.00	#136.10B/107.00A	----	134.10 NEW	.4756	----	----	10	----	10 + 10
4900	103.00	103.00	#113.40B/103.00	#113.40B/90.80A	----	111.70 + 33.50	.4220	----	----	2	----	20 UNCH
4925	78.00	78.00	#103.10B/77.80	#103.10B/77.80	----	101.60 + 30.20	.3957	----	----	2	----	0 UNCH
TOTAL										16		40 + 12

OG3 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3350	----	----	----	0.90B/*1.70A	----	0.80 - 0.80	.0029	----	----	----	----	2 UNCH
3500	----	----	----/*2.10A	1.40B/*2.10A	----	1.50 - 1.20	.0056	----	----	----	----	4 UNCH
3550	----	----	----/*2.30A	1.60B/*2.30A	----	1.70 - 1.40	.0065	----	----	----	----	3 UNCH
3600	----	----	----/*2.50A	2.30B/*2.50A	----	1.90 - 1.70	.0074	----	----	----	----	6 UNCH
3700	----	----	----/*2.90A	2.70B/*2.90A	----	2.50 - 2.40	.0101	----	----	----	----	1 UNCH
3750	3.30	3.30	3.30/*3.20A	3.30/*3.20A	----	2.90 - 2.80	.0119	----	----	2	----	4 UNCH
3800	----	----	----/*3.60A	3.60B/*3.60A	----	3.30 - 3.30	.0138	----	----	----	----	2 UNCH
3850	----	----	----/*4.10A	4.10B/*4.10A	----	3.80 - 4.00	.0162	----	----	----	----	7 UNCH
3900	----	----	----/*4.60A	5.40B/*4.60A	----	4.40 - 4.70	.0191	----	----	7	----	11 + 5
3950	----	----	----/*5.30A	6.70B/*5.30A	----	5.10 - 5.60	.0225	----	----	2	----	4 - 1
4000	10.50	10.50	10.50/*6.10A	10.50/*6.10A	----	5.90 - 6.60	.0265	----	----	7	----	159 + 6
4050	8.00	8.00	8.00/*7.10A	10.20B/*7.10A	----	6.90 - 7.90	.0315	----	----	4	----	57 + 2
4100	10.50	10.50	10.50/*8.10	13.90B/*8.10	----	8.10 - 9.40	.0375	----	----	6	----	31 + 2
4200	17.50	17.50	17.50/*11.70A	20.50B/*11.70A	----	11.40 - 13.50	.0540	----	----	2	----	19 UNCH
4220	15.50	15.50	16.10/*12.90A	21.30B/*12.90A	----	12.30 NEW	.0584	----	----	150	----	150 + 150
4225	----	----	----/*12.80A	21.40B/*12.80A	----	12.50 - 14.80	.0594	----	----	----	----	2 UNCH
4250	18.00	18.00	18.00/*14.00A	24.70B/*14.00A	----	13.70 - 16.20	.0653	----	----	14	----	141 - 4
4295	23.00	23.00	23.00/*16.60A	28.70B/*16.60A	----	16.30 NEW	.0779	----	----	1	----	1 + 1
4300	21.20	21.20	21.20/*16.90A	29.30B/*16.90A	----	16.70 - 19.30	.0796	----	----	9	----	28 + 9
4350	----	----	----/*20.50A	36.10B/*20.50A	----	20.30 - 23.20	.0968	----	----	6	----	8 + 2
4375	37.00	37.00	37.00/*22.60A	40.00B/*22.60A	----	22.50 - 25.30	.1069	----	----	3	----	26 + 2
4400	38.50	38.50	38.50/*24.80A	44.20B/*24.80A	----	24.90 - 27.70	.1179	----	----	18	----	9 - 10
4425	----	----	----/*27.60A	48.50B/*27.60A	----	27.60 - 30.20	.1301	----	----	----	----	1 UNCH
4440	----	----	----/*29.20A	51.50B/*29.20A	----	29.40 - 31.70	.1380	----	----	----	----	1 UNCH
4450	----	----	----/*30.40A	53.60B/*30.40A	----	30.60 - 32.80	.1434	----	----	5	----	170 + 4
4480	----	----	----/*34.40A	60.40B/*34.40A	----	34.70 - 36.30	.1612	----	----	----	----	10 UNCH
4500	----	----	----/*37.40A	65.30B/*37.40A	----	37.70 - 38.70	.1739	----	----	3	----	103 + 1
4540	----	----	----/*44.00A	76.30B/*44.00A	----	44.50 - 43.90	.2022	----	----	1	----	2 + 1
4550	----	----	----/*45.80A	79.30B/45.80A	----	46.30 - 45.40	.2096	----	----	4	----	175 + 4
4600	74.00	74.00	74.00/*56.30A	95.80B/56.30A	----	56.90 - 52.60	.2512	----	----	50	----	54 + 50
4625	----	----	----/*62.20A	104.60B/62.20A	----	63.00 - 56.40	.2742	----	----	5	----	8 + 5
4630	----	----	----/*63.40A	106.60B/*63.40A	----	64.30 NEW	.2789	----	----	5	----	5 + 5
4640	----	----	----/*66.10A	110.50B/*66.10A	----	66.90 - 58.70	.2886	----	----	----	----	1 UNCH
4650	----	----	----/68.80A	114.80B/68.80A	----	69.60 - 60.40	.2984	----	----	4	----	92 - 2
4675	----	----	----/*75.90A	125.90B/75.90A	----	76.90 - 64.40	.3242	----	----	4	----	12 UNCH
4680	----	----	----/*77.40A	127.60B/*77.40A	----	78.40 - 65.30	.3294	----	----	----	----	15 UNCH
4690	----	----	----/*80.50A	132.20B/*80.50A	----	81.60 NEW	.3402	----	----	1	----	1 + 1
4700	121.00	121.00	121.00/83.70A	136.80B/83.70A	----	84.80 - 68.60	.3512	----	----	3	----	11 + 2
4710	----	----	----/*87.10A	141.70B/*87.10A	----	88.20 NEW	.3623	----	----	1	----	1 + 1
4720	----	----	----/*90.50A	146.60B/*90.50A	----	91.70 NEW	.3737	----	----	1	----	1 + 1
4725	----	----	----/92.30A	149.20B/92.30A	----	93.50 - 72.80	.3795	----	----	----	----	1 UNCH
4750	----	----	----/101.50A	162.30B/101.50A	----	102.80 - 77.20	.4088	----	----	----	----	1 UNCH
4800	----	----	----/122.20A	190.80B/122.20A	----	123.90 - 85.90	.4702	----	----	----	----	1 UNCH
4825	----	----	----/133.80A	206.30B/133.80A	----	135.70 - 90.30	.5018	----	----	----	----	1 UNCH
4850	----	----	----/146.40A	222.50B/146.40A	----	148.30 - 94.60	.5336	----	----	----	----	1 UNCH
4975	----	----	----/222.60A	314.20B/222.60A	----	224.20 - 13.30	.6879	----	----	----	----	1 UNCH
5000	----	----	----/240.00A	334.30B/240.00A	----	241.80 - 16.30	.7158	----	----	----	----	1 UNCH
5050	----	----	----/286.70A	376.10B/286.70A	----	279.30 - 21.30	.7674	----	----	----	----	1 UNCH
5150	----	----	----/369.40A	464.10B/369.40A	----	361.90 - 28.40	.8489	----	----	----	----	1 UNCH
5180	----	----	----/395.70A	491.50B/395.70A	----	388.30 - 29.70	.8681	----	----	----	----	1 UNCH
TOTAL										318		1348 + 237

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	#526.80B/----	#526.80B/442.60A	----	529.10 + 15.00	.9200	----	----	----	----	1 UNCH
4375	----	----	#458.70B/----	#458.70B/378.60A	----	460.00 + 09.00	.8927	----	----	----	----	74 UNCH
4415	----	----	#422.50B/----	#422.50B/345.60A	----	424.10 + 05.20	.8744	----	----	----	----	6 UNCH
4435	----	----	#404.70B/----	#404.70B/329.70A	----	406.40 + 03.20	.8642	----	----	----	----	10 UNCH
4450	----	----	#390.80B/----	#390.80B/317.70A	----	393.20 + 01.50	.8561	----	----	----	----	1 UNCH
4500	----	----	#347.80B/----	#347.80B/279.50A	----	350.40 + 95.70	.8256	----	----	----	----	1 UNCH
4550	----	----	#306.50B/----	306.50B/243.70A	----	309.10 + 89.00	.7899	----	----	----	----	1 UNCH
4575	----	----	#287.00B/----	287.00B/226.70A	----	289.10 + 85.40	.7697	----	----	----	----	3 UNCH
4600	210.00	210.00	#274.10B/204.60	274.10B/204.60A	----	269.70 + 81.80	.7483	----	----	1	----	25 - 1
4610	----	----	#259.30B/----	#259.30B/204.80A	----	262.10 + 80.30	.7393	----	----	----	----	1 UNCH
4625	----	----	#248.50B/----	248.50B/194.60A	----	250.80 + 77.90	.7254	----	----	----	----	3 UNCH
4650	----	----	#232.90B/----	232.90B/180.70A	----	232.50 + 74.00	.7011	----	----	----	----	7 UNCH
4675	----	----	#216.80B/----	216.80B/160.20A	----	214.80 + 69.90	.6754	----	----	5	----	3 - 2
4680	----	----	#213.40B/----	#213.40B/157.20A	----	211.30 + 69.00	.6701	----	----	----	----	15 UNCH
4690	----	----	#206.50B/----	#206.50B/153.00A	----	204.50 + 67.40	.6593	----	----	----	----	1 UNCH
4700	150.00	150.00	201.60B/146.00A	201.60B/146.00A	----	197.80 + 65.80	.6484	----	----	1	----	17 UNCH
4710	----	----	#193.00B/----	#193.00B/142.80A	----	191.10 + 64.00	.6372	----	----	----	----	1 UNCH
4725	----	----	183.20B/----	183.20B/134.10A	----	181.40 + 61.40	.6201	----	----	----	----	1 UNCH
4730	154.70	154.70	#180.00B/154.70	#180.00B/132.50A	----	178.30 NEW	.6143	----	----	1	----	1 + 1
4750	140.50	140.50	169.30B/140.50	169.30B/120.90A	----	165.80 + 57.10	.5907	----	----	3	----	35 UNCH
4755	----	----	#165.00B/----	165.00B/120.70A	----	162.80 + 56.30	.5847	----	----	----	----	2 UNCH
4765	----	----	#160.20B/----	160.20B/113.90A	----	156.90 + 54.60	.5727	----	----	----	----	74 UNCH
4785	----	----	#148.00B/----	148.00B/107.70A	----	145.30 + 51.00	.5481	----	----	----	----	2 UNCH
4800	137.00	137.00	140.00B/137.00	140.00B/98.70A	----	137.00 + 48.40	.5294	----	----	10	----	15 + 7
4805	----	----	#136.90B/----	136.90B/98.90A	----	134.30 NEW	.5231	----	----	1	----	1 + 1
4810	----	----	#134.20B/----	134.20B/96.40A	----	131.60 + 46.60	.5168	----	----	----	----	2 UNCH
4825	----	----	126.60B/----	126.60B/88.90A	----	123.80 + 44.00	.4978	----	----	4	----	44 UNCH
4845	94.80	94.80	#116.60B/94.80	116.60B/83.80A	----	113.90 NEW	.4723	----	----	10	----	10 + 10
4850	----	----	114.10B/----	114.10B/80.20A	----	111.50 + 39.80	.4659	----	----	2	----	6 - 1
4875	73.30	73.30	102.50B/72.00A	102.50B/72.00A	----	100.00 + 35.60	.4340	----	----	10	----	10 + 10
4890	----	----	#95.90B/----	95.90B/67.50A	----	93.50 + 33.10	.4150	----	----	1	----	25 UNCH
4900	74.30	74.30	91.80B/74.30	91.80B/64.60A	----	89.40 + 31.60	.4024	----	----	26	----	51 + 20
4905	----	----	89.40B/----	89.40B/64.70A	----	87.30 + 30.80	.3960	----	----	----	----	1 UNCH
4925	----	----	81.90B/----	81.90B/57.90A	----	79.60 + 27.80	.3713	----	----	6	----	6 + 2
4945	52.00	52.00	74.60B/52.00	74.60B/52.00	----	72.40 NEW	.3470	----	----	5	----	3 + 3
4950	65.00	65.00	72.90B/65.00	72.90B/51.80A	----	70.60 + 24.20	.3409	----	----	1	----	4 + 1
4955	----	----	70.80B/----	70.80B/52.20A	----	69.00 + 23.70	.3351	----	----	----	----	1 UNCH
4975	59.70	59.70	64.30B/59.70	64.30B/47.50A	----	62.50 + 21.00	.3116	----	----	7	----	7 + 6
5000	44.00	44.00	57.20B/44.00	57.20B/42.10A	----	55.20 + 18.10	.2837	----	----	14	----	56 + 8
5005	----	----	55.50B/----	55.50B/41.80A	----	53.80 + 17.50	.2782	----	----	----	----	1 UNCH
5015	----	----	53.00B/----	53.00B/39.70A	----	51.10 NEW	.2675	----	----	4	----	4 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5020	----	----	51.50B/----	51.50B/38.50A	----	49.80 + 15.80	.2622	----	----	----	----	1 UNCH
5025	----	----	50.50B/----	50.50B/38.00A	----	48.60 + 15.40	.2571	----	----	2	----	3 + 2
5050	38.00	38.00	44.50B/38.00	44.50B/33.70A	----	42.70 + 13.00	.2322	----	----	1	----	2 UNCH
5080	----	----	38.10B/----	38.10B/29.30A	----	36.60 + 10.50	.2047	----	----	----	----	3 UNCH
5085	----	----	37.10B/----	37.10B/28.60A	----	35.60 + 10.00	.2002	----	----	----	----	1 UNCH
5095	----	----	35.30B/----	35.30B/27.30A	----	33.80 NEW	.1918	----	----	2	----	2 + 2
5100	34.00	34.00	34.60B/32.10	34.60B/26.80A	----	33.00 + 9.00	.1879	----	----	2	----	100 UNCH
5105	----	----	33.60B/----	33.60B/25.90A	----	32.10 + 8.60	.1836	----	----	----	----	1 UNCH
5150	21.90	21.90	26.60B/21.90	26.60B/21.10A	----	25.50 + 6.00	.1507	----	----	3	----	4 + 2
5160	----	----	25.30B/----	25.30B/20.20A	----	24.20 + 5.50	.1440	----	----	----	----	3 UNCH
5170	23.70	23.70	24.10B/23.70	24.10B/19.30A	----	23.00 NEW	.1377	----	----	10	----	10 + 10
5175	----	----	23.40B/----	23.40B/18.90A	----	22.40 + 4.70	.1346	----	----	2	----	2 + 1
5200	17.30	17.30	20.00B/17.30	20.00B/16.70A	----	19.70 + 3.70	.1201	----	----	282	----	285 + 274
5245	----	----	16.40B/----	16.40B/13.80A	----	15.70 + 2.30	.0977	----	----	----	----	6 UNCH
5250	----	----	16.00B/----	16.00B/13.50A	----	15.30 + 2.20	.0955	----	----	----	----	200 UNCH
5265	----	----	15.00B/----	15.00B/12.70A	----	14.30 + 1.90	.0895	----	----	----	----	3 UNCH
5300	11.60	11.60	12.60B/11.00A	12.60B/11.00A	----	12.10 + 1.30	.0765	----	----	1	----	8 - 1
5325	----	----	11.30B/----	11.30B/9.90A	----	10.80 + 1.00	.0686	----	----	----	----	1 UNCH
5350	----	----	10.10B/----	10.10B/9.20A	----	9.60 + 0.70	.0613	----	----	1	----	11 + 1
5375	7.70	7.70	9.10B/*7.70	9.10B/*7.70	----	8.60 + 0.50	.0551	----	----	1	----	2 UNCH
5400	----	----	8.20B/----	8.20B/7.50A	----	7.70 + 0.40	.0494	----	----	1	----	6 - 1
5425	----	----	7.40B/----	7.40B/7.00A	----	6.90 + 0.20	.0444	----	----	----	----	2 UNCH
5450	5.40	5.40	6.60/*5.40	6.60/*5.40	----	6.20 NEW	.0399	----	----	2	----	1 + 1
5500	----	----	5.40B/----	5.40B/5.50A	----	5.00 - 0.10	.0322	----	----	25	----	19 + 10
5550	----	----	4.50B/----	4.50B/*4.70A	----	4.10 - 0.20	.0263	----	----	----	----	1 UNCH
TOTAL										447		1209 + 370

OG2 PUT GOLD OPTIONS
APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2800	----	----	----	----/0.60A	----	0.10 - 0.10	.0002	----	----	----	----	18 UNCH
3200	----	----	----	----/0.90A	----	0.30 - 0.20	.0009	----	----	----	----	1 UNCH
3250	----	----	----/*0.30A	----/*0.30A	----	0.40 - 0.20	.0012	----	----	----	----	15 UNCH
3300	----	----	----/*0.30A	----/*0.30A	----	0.40 - 0.20	.0012	----	----	----	----	1 UNCH
3350	----	----	----/*0.40A	0.20B/*0.40A	----	0.50 - 0.20	.0016	----	----	----	----	17 UNCH
3400	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.60 - 0.20	.0019	----	----	5	----	13 + 5
3500	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.80 - 0.40	.0027	----	----	2	----	30 UNCH
3550	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.90 - 0.40	.0032	----	----	1	----	2 + 1
3600	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.50	.0036	----	----	----	----	4 UNCH
3650	1.10	1.10	1.10/*1.10	1.10/*1.10	----	1.10 NEW	.0041	----	----	20	----	20 + 20
3700	----	----	----/*1.10A	1.30B/*1.10A	----	1.30 - 0.80	.0050	----	----	----	----	5 UNCH
3750	2.00	2.00	2.00/*1.50A	2.00/*1.50A	----	1.40 - 1.00	.0056	----	----	1	----	51 UNCH
3800	1.80	1.80	1.80/*1.70A	1.80/*1.70A	----	1.60 - 1.20	.0066	----	----	2	----	17 + 1
3850	2.10	2.10	2.10/*1.80A	2.30B/*1.80A	----	1.80 - 1.50	.0077	----	----	8	----	25 + 5
3900	2.20	2.20	2.50/*2.00A	2.90B/*2.00A	----	2.10 - 1.90	.0093	----	----	28	----	123 + 17
3950	----	----	----/*2.30A	3.80B/*2.30A	----	2.40 - 2.40	.0110	----	----	1	----	41 - 1
4000	----	----	----/*2.80A	4.70B/*2.80A	----	2.80 - 3.00	.0132	----	----	4	----	177 UNCH
4025	5.20	5.20	5.80/*3.00A	5.80/*3.00A	----	3.00 NEW	.0144	----	----	10	----	10 + 10
4050	----	----	----/*3.30A	5.20B/*3.30A	----	3.30 - 3.80	.0160	----	----	2	----	9 - 1
4075	----	----	----/*3.60A	5.60B/*3.60A	----	3.60 - 4.30	.0177	----	----	----	----	26 UNCH
4100	6.80	6.80	6.80/*4.00A	7.10B/*4.00A	----	3.90 - 4.80	.0195	----	----	4	----	245 + 1
4150	----	----	----/*4.80A	8.00B/*4.80A	----	4.70 - 6.10	.0242	----	----	----	----	44 UNCH
4175	6.70	6.70	6.70/*5.30A	9.00B/*5.30A	----	5.10 - 6.90	.0266	----	----	206	----	231 + 181
4200	11.80	11.80	11.80/*5.60	11.80/*5.60	----	5.60 - 7.80	.0297	----	----	68	----	76 + 60
4210	----	----	----/*6.00A	11.50B/*6.00A	----	5.80 - 8.20	.0309	----	----	----	----	8 UNCH
4220	----	----	----/*6.20A	11.90B/*6.20A	----	6.10 - 8.50	.0326	----	----	----	----	3 UNCH
4225	12.00	12.00	13.10B/*6.30A	13.10B/*6.30A	----	6.20 - 8.70	.0332	----	----	157	----	151 + 51
4230	8.00	8.00	8.00/*6.40A	12.60B/*6.40A	----	6.30 NEW	.0339	----	----	42	----	42 + 42
4235	8.10	8.10	8.10/*6.60A	12.90B/*6.60A	----	6.40 NEW	.0345	----	----	89	----	89 + 89
4240	7.00	7.00	8.30/*6.70A	13.20B/*6.70A	----	6.60 - 9.40	.0356	----	----	86	----	83 + 81
4245	7.20	7.20	7.20/*6.80A	13.50B/*6.80A	----	6.70 NEW	.0363	----	----	19	----	19 + 19
4250	14.70	14.70	14.70/*6.90	14.70/*6.90	----	6.80 - 9.90	.0369	----	----	81	----	245 + 17
4255	7.50	7.50	7.50/*7.10A	14.00B/*7.10A	----	7.00 NEW	.0380	----	----	22	----	22 + 22
4260	7.80	7.80	8.90/*7.20A	14.40B/*7.20A	----	7.10 - 10.30	.0387	----	----	55	----	69 + 55
4265	9.10	9.10	9.10/*7.40A	14.70B/*7.40A	----	7.30 - 10.50	.0398	----	----	42	----	44 + 42
4275	8.00	8.00	8.00/*7.60	15.40B/*7.60	----	7.60 - 11.00	.0417	----	----	47	----	48 + 41
4280	15.90	15.90	15.90/*7.80A	16.00B/*7.80A	----	7.70 - 11.40	.0424	----	----	14	----	14 + 12
4285	9.90	9.90	10.10/*8.00A	16.20B/*8.00A	----	7.90 NEW	.0435	----	----	24	----	24 + 24
4295	----	----	----/*8.30A	17.00B/*8.30A	----	8.20 - 12.20	.0454	----	----	----	----	5 UNCH
4300	12.10	12.10	12.10/*8.50A	17.40B/8.50A	----	8.40 - 12.50	.0466	----	----	86	----	417 + 55
4310	11.50	11.50	11.50/*8.80A	18.10B/*8.80A	----	8.80 - 13.00	.0490	----	----	3	----	12 + 3
4315	----	----	----/*9.00A	18.40B/*9.00A	----	8.90 - 13.40	.0498	----	----	----	----	1 UNCH
4330	----	----	----/*9.60A	19.90B/*9.60A	----	9.50 - 14.40	.0534	----	----	----	----	10 UNCH
4345	17.50	17.50	17.50/*10.20A	21.60B/*10.20A	----	10.20 NEW	.0576	----	----	4	----	2 + 2
4350	10.80	10.80	11.00/*10.50A	22.20B/*10.50A	----	10.40 - 15.80	.0589	----	----	2	----	122 UNCH
4355	----	----	----/*10.70A	22.60B/*10.70A	----	10.60 - 16.20	.0602	----	----	----	----	50 UNCH
4375	----	----	----/*11.60A	25.00B/*11.60A	----	11.60 - 17.70	.0662	----	----	----	----	1 UNCH
4400	17.10	17.10	17.10/*13.00A	28.40B/13.00A	----	13.00 - 19.90	.0748	----	----	14	----	75 + 7
4405	----	----	----/*13.30A	28.90B/*13.30A	----	13.30 - 20.40	.0766	----	----	----	----	21 UNCH
4410	----	----	----/*13.60A	29.60B/*13.60A	----	13.60 - 20.80	.0784	----	----	----	----	10 UNCH
4415	----	----	----/*13.90A	30.30B/*13.90A	----	13.90 - 21.30	.0803	----	----	----	----	4 UNCH
4420	----	----	----/*14.30A	31.00B/*14.30A	----	14.20 - 21.80	.0822	----	----	----	----	1 UNCH
4425	----	----	----/*14.60A	31.80B/*14.60A	----	14.50 - 22.40	.0841	----	----	2	----	4 UNCH
4435	----	----	----/*15.30A	33.50B/*15.30A	----	15.20 - 23.40	.0883	----	----	----	----	2 UNCH
4445	----	----	----/*16.00A	35.10B/*16.00A	----	15.90 - 24.50	.0926	----	----	----	----	1 UNCH
4450	23.70	23.70	23.70/*16.40A	35.90B/*16.40A	----	16.30 - 25.10	.0950	----	----	3	----	34 + 3
4460	----	----	----/*17.20A	37.80B/*17.20A	----	17.10 - 26.20	.0998	----	----	----	----	1 UNCH
4465	22.50	22.50	22.50/*17.60A	38.50B/*17.60A	----	17.50 - 26.80	.1022	----	----	1	----	2 + 1
4470	24.20	24.20	24.20/*18.00A	39.70B/*18.00A	----	18.00 - 27.30	.1051	----	----	2	----	27 + 1
4475	----	----	----/*18.40A	40.60B/*18.40A	----	18.40 - 28.00	.1075	----	----	3	----	16 - 1
4480	----	----	----/*18.80A	41.60B/*18.80A	----	18.80 - 28.60	.1101	----	----	----	----	56 UNCH
4500	41.00	41.00	44.00/*20.70A	45.50B/20.70A	----	20.80 - 31.20	.1217	----	----	110	----	287 + 56
4515	----	----	----/*22.30A	48.80B/*22.30A	----	22.40 - 33.20	.1311	----	----	----	----	4 UNCH
4520	----	----	----/*22.80A	50.30B/*22.80A	----	22.90 - 34.00	.1342	----	----	----	----	1 UNCH
4525	----	----	----/*23.40A	51.20B/*23.40A	----	23.50 - 34.70	.1376	----	----	----	----	2 UNCH
4535	----	----	----/*24.60A	54.10B/*24.60A	----	24.70 - 36.20	.1446	----	----	----	----	1 UNCH
4540	----	----	----/*25.20A	55.40B/*25.20A	----	25.40 - 36.90	.1484	----	----	----	----	8 UNCH
4545	----	----	----/*25.90A	56.80B/*25.90A	----	26.00 - 37.70	.1520	----	----	1	----	7 UNCH
4550	33.00	33.00	33.00/*26.50A	57.80B/*26.50A	----	26.70 - 38.50	.1559	----	----	56	----	62 + 44
4555	----	----	----/*27.20A	58.90B/*27.20A	----	27.40 - 39.20	.1598	----	----	----	----	10 UNCH
4560	----	----	----/*27.90A	60.60B/*27.90A	----	28.10 - 40.00	.1638	----	----	3	----	3 + 2
4570	----	----	----/*29.40A	63.30B/*29.40A	----	29.60 - 41.70	.1721	----	----	2	----	4 UNCH
4575	----	----	----/*30.10A	65.30B/*30.10A	----	30.30 - 42.60	.1761	----	----	26	----	26 + 15
4590	----	----	----/*32.50A	69.60B/*32.50A	----	32.80 - 45.10	.1897	----	----	----	----	3 UNCH
4595	----	----	----/*33.30A	71.20B/*33.30A	----	33.60 - 46.00	.1942	----	----	----	----	2 UNCH
4600	69.50	69.50	69.50/*34.20A	72.90B/*34.20A	----	34.50 - 46.90	.1990	----	----	164	----	174 + 157
4610	----	----	----/*36.00A	76.20B/*36.00A	----	36.40 NEW	.2090	----	----	2	----	2 + 2
4620	----	----	----/*37.90A	79.70B/*37.90A	----	38.30 - 50.50	.2191	----	----	3	----	11 - 1
4625	----	----	----/*38.80A	81.60B/*38.80A	----	39.30 - 51.50	.2244	----	----	50	----	32 + 20
4645	----	----	----/*43.00A	89.60B/*43.00A	----	43.60 - 55.30	.2465	----	----	----	----	2 UNCH
4650	78.00	78.00	78.00/*44.20A	91.70B/44.20A	----	44.70 - 56.40	.2521	----	----	79	----	125 + 3
4660	57.30	57.30	57.30/*46.50A	96.00B/*46.50A	----	47.10 NEW	.2641	----	----	2	----	0 UNCH
4670	66.40	66.40	66.40/*49.00A	99.80B/*49.00A	----	49.50 NEW	.2761	----	----	1	----	1 + 1
4675	64.40	64.40	65.10/*50.10A	102.50B/50.10A	----	50.80 - 61.50	.2825	----	----	26	----	30 + 26
4700	85.00	85.00	85.60/56.80A	114.00B/56.80A	----	57.70 - 66.90	.3153	----	----	110	----	88 + 80
4720	----	----	----/*62.70A	123.70B/*62.70A	----	63.90 - 71.20	.3434	----	----	----	----	4 UNCH
4725	----	----	----/64.30A	126.50B/64.30A	----	65.50 - 72.40	.3506	----	----	1	----	1 UNCH
4750	108.00	108.00	108.00/72.80A	140.40B/72.80A	----	74.20 - 77.90	.3881	----	----	4	----	7 + 3
4780	94.60	94.60	94.60/*84.20A	158.20B/*84.20A	----	85.90 NEW	.4354	----	----	20	----	20 + 20
4785	97.60	97.60	97.60/*86.30A	159.40B/*86.30A	----	87.90 - 85.90	.4435	----	----	57	----	48 + 39
4790	99.90	99.90	99.90/*88.30A	159.90B/*88.30A	----	90.10 NEW	.4517	----	----	23	----	23 + 23
4795	102.30	102.30	102.30/*90.40A	162.10B/*90.40A	----	92.30 NEW	.4599	----	----	30	----	30 + 30
4800	122.60	122.60	122.60/92.60A	165.00B/92.60A	----	94.50 - 89.10	.4681	----	----	14	----	9 - 4
4805	110.80	110.80	110.80/*94.80A	168.50B/*94.80A	----	96.70 NEW	.4764	----	----	7	----	7 + 7
4810	101.00	101.00	101.00/*97.00A	171.70B/*97.00A	----	99.10 NEW	.4848	----	----	1	----	1 + 1
4825	----	----	----/104.00A	181.50B/104.00A	----	106.20 - 94.60	.5099	----	----	----	----	6 UNCH
4840	----	----	----/*111.50A	192.10B/111.50A	----	113.80 - 97.70	.5352	----	----	----	----	1 UNCH
4850	117.30	117.30	117.30/116.60A	199.50B/116.60A	----	119.10 - 99.80	.5521	----	----	2	----	3 + 2
4875	----	----	----/130.40A	218.20B/130.40A	----	133.10 - 04.60	.5939	----	----	----	----	4 UNCH
4900	----	----	----/146.40A	237.80B/146.40A	----	148.20 - 09.20	.6350	----	----	1	----	16 + 1
4910	230.00	230.00	230.00/152.80A	245.50B/152.80A	----	154.50 NEW	.6511	----	----	1	----	1 + 1
4925	202.00	202.00	202.00/162.40A	257.60B/162.40A	----	164.40 - 13.30	.6745	----	----	2	----	5 + 2
4935	----	----	----/169.10A	265.90B/169.10A	----	171.10 - 14.80	.6900	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4945	----	----	----/175.80A	274.20B/175.80A	----	178.10 - 16.20	.7048	----	----	3	----	3 - 1
4950	----	----	----/179.20A	278.80B/179.20A	----	181.60 - 17.00	.7122	----	----	1	----	2 UNCH
4955	----	----	----/182.80A	282.60B/182.80A	----	185.20 - 17.60	.7194	----	----	3	----	2 - 1
4975	----	----	----/197.30A	299.70B/197.30A	----	199.80 - 20.20	.7475	----	----	1	----	2 + 1
4995	----	----	----/212.20A	317.20B/212.20A	----	215.00 - 22.50	.7734	----	----	----	----	1 UNCH
5000	----	----	----/214.70A	322.30B/214.70A	----	218.90 - 23.10	.7796	----	----	----	----	103 UNCH
5015	----	----	----/227.80A	334.90B/227.80A	----	230.80 - 24.50	.7980	----	----	----	----	2 UNCH
5020	----	----	----/231.70A	339.40B/231.70A	----	234.80 - 25.00	.8034	----	----	----	----	8 UNCH
5025	----	----	----/235.70A	343.00B/235.70A	----	238.90 - 25.40	.8093	----	----	----	----	2 UNCH
5050	----	----	----/256.00A	363.40B/256.00A	----	259.60 - 27.40	.8357	----	----	----	----	4 UNCH
5065	----	----	----/267.90A	377.00B/267.90A	----	272.30 - 28.50	.8498	----	----	----	----	20 UNCH
5070	----	----	----/273.00A	381.60B/273.00A	----	276.60 - 28.80	.8544	----	----	----	----	4 UNCH
5075	----	----	----/277.40A	386.20B/277.40A	----	280.90 - 29.10	.8589	----	----	----	----	1 UNCH
5100	----	----	----/299.50A	409.20B/299.50A	----	302.90 - 30.40	.8791	----	----	----	----	12 UNCH
5120	----	----	----/317.50A	427.90B/317.50A	----	320.80 - 31.30	.8936	----	----	----	----	3 UNCH
5125	----	----	----/322.00A	432.60B/322.00A	----	325.30 - 31.50	.8965	----	----	----	----	3 UNCH
5130	----	----	----/326.50A	437.30B/326.50A	----	329.90 - 31.70	.9000	----	----	----	----	4 UNCH
5200	----	----	----/391.20A	504.00B/391.20A	----	395.10 - 33.30	.9353	----	----	----	----	20 UNCH
5230	----	----	----/420.00A	532.90B/420.00A	----	423.70 - 33.70	.9455	----	----	----	----	2 UNCH
5235	----	----	----/424.70A	537.70B/424.70A	----	428.50 - 33.70	.9471	----	----	----	----	2 UNCH
5260	----	----	----/448.60A	562.00B/448.60A	----	452.60 - 33.90	.9541	----	----	----	----	31 UNCH
5360	----	----	----/546.10A	660.00B/546.10A	----	550.10 - 34.40	.9733	----	----	----	----	1 UNCH
5400	----	----	----/585.30A	699.40B/585.30A	----	589.50 - 34.40	.9781	----	----	----	----	1 UNCH
TOTAL										1966		4241 + 1394

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	#819.70B/----	#819.70B/708.10A	----	815.40 + 31.50	.9867	----	----	----	----	1 UNCH
4150	----	----	#671.50B/----	#671.50B/562.60A	----	667.30 + 28.30	.9756	----	----	----	----	1 UNCH
4200	----	----	#622.50B/----	#622.50B/515.10A	----	618.30 + 26.70	.9701	----	----	----	----	3 UNCH
4350	----	----	#477.10B/----	#477.10B/373.70A	----	473.20 + 18.70	.9409	----	----	----	----	2 UNCH
4375	----	----	#453.30B/----	#453.30B/352.40A	----	449.40 + 16.70	.9335	----	----	----	----	3 UNCH
4400	----	----	#429.80B/----	429.80B/330.60A	----	425.80 + 14.50	.9250	----	----	----	----	6 UNCH
4415	----	----	#415.60B/----	#415.60B/318.40A	----	411.70 + 13.10	.9194	----	----	----	----	5 UNCH
4450	----	----	#383.70B/----	#383.70B/289.10A	----	379.20 + 09.40	.9047	----	----	----	----	2 UNCH
4475	----	----	#361.00B/----	#361.00B/269.00A	----	356.20 + 06.40	.8922	----	----	----	----	20 UNCH
4480	----	----	#356.40B/----	#356.40B/265.10A	----	351.70 + 05.80	.8897	----	----	----	----	16 UNCH
4500	----	----	#339.40B/----	339.40B/249.30A	----	333.60 + 03.20	.8780	----	----	1	----	188 UNCH
4505	----	----	#333.80B/----	#333.80B/246.50A	----	329.20 + 02.60	.8750	----	----	----	----	1 UNCH
4510	----	----	#329.30B/----	#329.30B/242.70A	----	324.70 NEW	.8720	----	----	1	----	1 + 1
4525	----	----	#316.00B/----	#316.00B/231.30A	----	311.40 + 99.70	.8621	----	----	----	----	1 UNCH
4530	----	----	#312.70B/----	#312.70B/227.40A	----	307.00 + 99.00	.8586	----	----	----	----	100 UNCH
4535	----	----	#307.20B/----	#307.20B/223.80A	----	302.60 + 98.20	.8551	----	----	----	----	1 UNCH
4540	----	----	#302.80B/----	#302.80B/220.10A	----	298.30 + 97.50	.8513	----	----	----	----	2 UNCH
4545	----	----	#298.50B/----	#298.50B/216.40A	----	293.90 + 96.70	.8477	----	----	----	----	6 UNCH
4550	----	----	#295.30B/----	295.30B/212.60A	----	289.60 + 96.00	.8438	----	----	----	----	106 UNCH
4555	----	----	#289.80B/----	#289.80B/209.10A	----	285.30 + 95.20	.8399	----	----	----	----	10 UNCH
4560	----	----	#285.50B/----	#285.50B/205.20A	----	281.00 + 94.40	.8359	----	----	7	----	9 UNCH
4570	----	----	#276.90B/----	#276.90B/198.30A	----	272.50 + 92.70	.8276	----	----	----	----	4 UNCH
4575	----	----	#272.60B/----	272.60B/194.80A	----	268.30 NEW	.8236	----	----	1	----	1 + 1
4580	227.00	227.00	#269.50B/214.00	#269.50B/190.80A	----	264.10 + 91.10	.8192	----	----	80	----	65 - 15
4600	242.60	242.60	#252.90B/242.60	252.90B/173.60A	----	247.50 + 87.60	.8007	----	----	1	----	391 UNCH
4610	----	----	#243.40B/----	#243.40B/167.30A	----	239.30 + 85.70	.7907	----	----	----	----	3 UNCH
4625	----	----	#231.20B/----	231.20B/157.90A	----	227.20 + 82.90	.7753	----	----	1	----	5 UNCH
4635	----	----	#223.10B/----	#223.10B/151.80A	----	219.30 + 81.00	.7645	----	----	----	----	9 UNCH
4640	----	----	#220.50B/----	#220.50B/144.70A	----	215.40 + 80.00	.7589	----	----	2	----	30 - 2
4650	170.40	170.40	#212.90B/138.70	212.90B/138.70A	----	207.70 + 78.00	.7475	----	----	20	----	108 - 17
4655	----	----	#207.40B/----	#207.40B/135.90A	----	203.80 + 77.00	.7416	----	----	----	----	6 UNCH
4660	----	----	#203.60B/----	#203.60B/133.00A	----	200.00 + 75.90	.7356	----	----	----	----	4 UNCH
4665	----	----	#199.70B/----	#199.70B/130.00A	----	196.30 + 75.00	.7296	----	----	----	----	15 UNCH
4670	----	----	#195.80B/----	#195.80B/127.20A	----	192.50 + 73.90	.7235	----	----	----	----	1 UNCH
4675	----	----	#192.00B/----	192.00B/124.40A	----	188.80 + 72.90	.7172	----	----	----	----	2 UNCH
4680	----	----	#188.40B/----	#188.40B/121.70A	----	185.10 + 71.80	.7107	----	----	----	----	11 UNCH
4685	----	----	#184.60B/----	#184.60B/119.00A	----	181.50 + 70.80	.7043	----	----	----	----	1 UNCH
4695	----	----	#177.10B/----	#177.10B/113.70A	----	174.30 + 68.60	.6911	----	----	----	----	2 UNCH
4700	142.10	142.10	175.50B/111.20A	175.50B/111.20A	----	170.80 + 67.60	.6844	----	----	39	----	303 + 5
4710	----	----	#166.60B/----	#166.60B/105.80A	----	163.80 + 65.40	.6705	----	----	8	----	16 + 6
4715	126.50	126.50	#163.40B/126.50	#163.40B/103.70A	----	160.30 + 64.20	.6634	----	----	1	----	3 UNCH
4720	----	----	#160.80B/----	#160.80B/100.90A	----	156.90 NEW	.6562	----	----	8	----	8 + 8
4725	----	----	157.50B/----	157.50B/98.60A	----	153.50 + 62.00	.6490	----	----	1	----	5 UNCH
4735	----	----	#150.70B/----	150.70B/93.90A	----	146.90 + 59.80	.6344	----	----	----	----	3 UNCH
4740	----	----	#147.30B/----	147.30B/91.60A	----	143.60 + 58.60	.6268	----	----	----	----	1 UNCH
4745	----	----	#144.10B/----	144.10B/89.40A	----	140.40 + 57.50	.6192	----	----	----	----	5 UNCH
4750	101.00	101.00	140.90B/87.20A	140.90B/87.20A	----	137.20 + 56.40	.6116	----	----	17	----	21 + 8
4760	121.00	121.00	#134.90B/121.00	134.90B/83.00A	----	131.00 + 54.20	.5961	----	----	2	----	16 UNCH
4765	----	----	#131.60B/----	131.60B/80.90A	----	127.90 NEW	.5883	----	----	1	----	1 + 1
4775	----	----	125.50B/----	125.50B/76.90A	----	121.90 + 50.80	.5723	----	----	----	----	4 UNCH
4780	----	----	#122.50B/----	122.50B/75.00A	----	118.90 + 49.60	.5642	----	----	25	----	12 + 7
4785	----	----	#119.40B/----	119.40B/73.10A	----	116.00 NEW	.5562	----	----	22	----	12 + 12
4790	99.00	99.00	#116.50B/99.00	116.50B/71.20A	----	113.20 NEW	.5480	----	----	1	----	1 + 1
4800	72.00	72.00	111.00B/67.60A	111.00B/67.60A	----	107.60 + 45.30	.5315	----	----	90	----	210 - 2
4805	----	----	#108.10B/----	108.10B/65.90A	----	104.80 + 44.10	.5232	----	----	1	----	1 UNCH
4810	82.30	82.30	#105.40B/82.30	105.40B/64.20A	----	102.20 + 43.10	.5149	----	----	1	----	3 + 1
4815	----	----	#102.80B/----	102.80B/62.50A	----	99.50 NEW	.5066	----	----	1	----	1 + 1
4825	86.20	86.20	97.30B/86.20	97.30B/59.30A	----	94.40 NEW	.4898	----	----	3	----	3 + 3
4830	----	----	94.90B/----	94.90B/57.80A	----	91.80 + 38.70	.4814	----	----	8	----	5 + 4
4835	----	----	92.60B/----	92.60B/56.30A	----	89.40 + 37.70	.4730	----	----	----	----	4 UNCH
4840	----	----	90.10B/----	90.10B/54.80A	----	87.00 + 36.70	.4645	----	----	----	----	1 UNCH
4850	55.00	55.00	85.30B/50.00	85.30B/50.00	----	82.20 + 34.60	.4476	----	----	20	----	73 + 4
4855	80.90	80.90	82.80B/77.30	82.80B/50.50A	----	80.00 NEW	.4393	----	----	4	----	4 + 4
4860	----	----	80.60B/----	80.60B/49.60A	----	77.70 + 32.60	.4308	----	----	4	----	4 + 3
4865	76.90	76.90	78.30B/76.90	78.30B/47.90A	----	75.50 NEW	.4224	----	----	2	----	2 + 2
4870	62.70	62.70	76.10B/62.70	76.10B/46.70A	----	73.40 NEW	.4141	----	----	1	----	1 + 1
4875	58.10	58.10	73.90B/58.10	73.90B/45.80A	----	71.30 + 29.80	.4058	----	----	6	----	25 + 5
4880	60.60	60.60	71.80B/60.60	71.80B/44.60A	----	69.20 NEW	.3974	----	----	1	----	1 + 1
4885	54.70	54.70	69.70B/54.70	69.70B/43.40A	----	67.20 NEW	.3892	----	----	4	----	4 + 4
4890	----	----	67.70B/----	67.70B/42.00A	----	65.20 + 27.00	.3810	----	----	----	----	3 UNCH
4895	51.50	51.50	65.70B/51.50	65.70B/41.00A	----	63.30 NEW	.3729	----	----	4	----	3 + 3
4900	51.00	51.00	63.80B/39.60A	63.80B/39.60A	----	61.40 + 25.30	.3647	----	----	30	20	149 + 33
4905	57.20	57.20	61.80B/57.20	61.80B/38.60A	----	59.50 NEW	.3566	----	----	2	----	2 + 2
4910	47.00	47.00	60.00B/47.00	60.00B/37.50A	----	57.70 + 23.50	.3486	----	----	8	----	7 + 4
4915	----	----	58.20B/----	58.20B/36.40A	----	56.00 + 22.70	.3408	----	----	----	----	1 UNCH
4920	55.50	55.50	56.40B/49.90	56.40B/35.40A	----	54.20 NEW	.3328	----	----	3	----	2 + 2
4925	----	----	54.70B/----	54.70B/34.30A	----	52.60 + 21.10	.3251	----	----	----	----	3 UNCH
4930	52.00	52.00	53.00B/52.00	53.00B/33.30A	----	50.90 + 20.30	.3173	----	----	3	----	10 UNCH
4935	----	----	51.40B/----	51.40B/32.50A	----	49.30 + 19.50	.3097	----	----	----	----	1 UNCH
4945	47.40	47.40	48.30B/47.40	48.30B/30.60A	----	46.30 + 18.10	.2949	----	----	2	----	18 + 2
4950	32.50	32.50	46.80B/32.50	46.80B/29.80A	----	44.80 + 17.40	.2875	----	----	6	----	73 UNCH
4955	----	----	45.30B/----	45.30B/29.10A	----	43.40 + 16.70	.2803	----	----	----	----	1 UNCH
4960	----	----	43.90B/----	43.90B/28.20A	----	42.00 NEW	.2731	----	----	1	----	1 + 1
4970	29.30	29.30	41.10B/29.30	41.10B/26.70A	----	39.30 + 14.80	.2591	----	----	1	----	3 + 1
4975	40.00	40.00	40.00/40.00	40.00/25.90A	----	38.00 + 14.10	.2522	----	----	2	----	4 + 2
4985	----	----	37.30B/----	37.30B/24.50A	----	35.60 + 13.00	.2391	----	----	----	----	1 UNCH
4990	----	----	36.10B/----	36.10B/23.90A	----	34.40 + 12.40	.2325	----	----	68	----	67 + 66
4995	----	----	34.90B/----	34.90B/23.10A	----	33.30 + 11.90	.2263	----	----	----	----	2 UNCH
5000	26.00	26.00	33.80B/22.60A	33.80B/22.60A	----	32.20 + 11.40	.2200	----	----	138	----	283 + 72
5005	26.50	26.50	32.70B/26.50	32.70B/22.00A	----	31.10 + 10.80	.2138	----	----	1	----	2 + 1
5015	26.80	26.80	30.60B/26.80	30.60B/20.60A	----	29.00 + 9.80	.2017	----	----	2	----	27 + 2
5020	----	----	29.60B/----	29.60B/19.90A	----	28.10 + 9.40	.1963	----	----	----	----	1 UNCH
5025	----	----	28.70B/----	28.70B/19.30A	----	27.10 + 8.90	.1904	----	----	1	----	3 + 1
5030	----	----	27.70B/----	27.70B/18.60A	----	26.20 + 8.50	.1850	----	----	----	----	16 UNCH
5040	24.80	24.80	25.90B/24.80	25.90B/17.50A	----	24.50 + 7.70	.1744	----	----	17	----	19 + 17
5045	17.70	17.70	25.10B/16.90A	25.10B/16.90A	----	23.60 + 7.20	.1690	----	----	4	----	5 + 4
5050	20.00	20.00	24.30B/20.00	24.30B/16.40A	----	22.80 + 6.90	.1640	----	----	20	----	85 + 8
5055	----	----	23.50B/----	23.50B/15.90A	----	22.10 + 6.60	.1594	----	----	----	----	1 UNCH
5060	----	----	22.60B/----	22.60B/15.40A	----	21.30 + 6.20	.1544	----	----	----	----	4 UNCH
5090	----	----	18.50B/12.70A	18.50B/12.70A	----	17.30 + 4.40	.1282	----	----	----	----	10 UNCH
5100	16.00	16.00	17.30B/12.00A	17.30B/12.00A	----	16.20 + 3.90	.1206	----	----	11	----	40 + 1
5120	----	----	15.10B/10.60A	15.10B/10.60A	----	14.10 + 3.00	.1062	----	----	----	----	3 UNCH
5135	----	----	13.70B/9.70A	13.70B/9.70A	----	12.80 + 2.50	.0968	----	----	----	----	2 UNCH
5150	12.10	12.10	12.40B/8.90A	12.40B/8.90A	----	11.60 + 2.10	.0882	----	----	16	----	23 + 6
5160	12.50	12.50	12.50/8.40A	12.50/8.40A	----	10.80 NEW	.0825	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS
APR26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5170 ----	----	10.90B/7.90A	10.90B/7.90A	----	10.20 + 1.60	.0779	----	----	----	----	5 UNCH
5185 ----	----	10.00B/7.30A	10.00B/7.30A	----	9.20 + 1.20	.0705	----	----	----	----	1 UNCH
5200 7.10	7.10	9.10B/6.70A	9.10B/6.70A	----	8.40 + 1.00	.0644	----	----	7	----	68 + 5
5205 ----	----	8.80B/6.50A	8.80B/6.50A	----	8.20 + 1.00	.0628	----	----	----	----	11 UNCH
5210 ----	----	8.60B/6.30A	8.60B/6.30A	----	7.90 + 0.80	.0606	----	----	----	----	3 UNCH
5215 7.70	7.70	8.40B/6.20A	8.40B/6.20A	----	7.70 NEW	.0590	----	----	1	----	1 + 1
5220 7.20	7.20	8.10B/6.00A	8.10B/6.00A	----	7.50 + 0.80	.0574	----	----	2	----	13 UNCH
5230 ----	----	7.60B/5.70A	7.60B/5.70A	----	7.10 + 0.70	.0542	----	----	----	----	11 UNCH
5250 6.40	6.40	6.80B/5.00A	6.80B/5.00A	----	6.30 + 0.50	.0481	----	----	1	----	36 + 1
5255 6.00	6.00	6.60B/5.00A	6.60B/5.00A	----	6.10 NEW	.0466	----	----	5	----	5 + 5
5265 ----	----	6.30B/4.70A	6.30B/4.70A	----	5.80 + 0.40	.0441	----	----	----	----	2 UNCH
5270 ----	----	6.10B/4.60A	6.10B/4.60A	----	5.70 + 0.40	.0432	----	----	----	----	1 UNCH
5280 ----	----	5.70B/4.40A	5.70B/4.40A	----	5.40 + 0.40	.0409	----	----	----	----	2 UNCH
5290 ----	----	5.40B/4.10A	5.40B/4.10A	----	5.10 + 0.30	.0385	----	----	----	----	2 UNCH
5300 ----	----	5.10B/3.90A	5.10B/3.90A	----	4.90 + 0.30	.0368	----	----	----	----	17 UNCH
5305 ----	----	5.00B/3.80A	5.00B/3.80A	----	4.80 + 0.30	.0360	----	----	----	----	1 UNCH
5330 ----	----	4.40B/3.40A	4.40B/3.40A	----	4.20 + 0.10	.0313	----	----	----	----	1 UNCH
5340 ----	----	4.20B/3.20A	4.20B/3.20A	----	4.00 + 0.10	.0297	----	----	----	----	2 UNCH
5350 ----	----	4.00B/3.10A	4.00B/3.10A	----	3.80 UNCH	.0281	----	----	----	----	8 UNCH
5395 ----	----	3.30B/2.50A	3.30B/2.50A	----	3.00 - 0.10	.0219	----	----	----	----	9 UNCH
5400 ----	----	3.30B/2.50A	3.30B/2.50A	----	3.00 UNCH	.0218	----	----	----	----	150 UNCH
5410 ----	----	3.10B/2.40A	3.10B/2.40A	----	2.80 - 0.10	.0203	----	----	----	----	1 UNCH
5415 ----	----	3.10B/2.30A	3.10B/2.30A	----	2.80 NEW	.0202	----	----	1	----	1 + 1
5420 ----	----	3.00B/2.30A	3.00B/2.30A	----	2.70 - 0.10	.0195	----	----	----	----	1 UNCH
5450 ----	----	2.60B/2.00A	2.60B/2.00A	----	2.40 - 0.10	.0170	----	----	----	----	3 UNCH
5460 2.20	2.20	2.60B/1.90A	2.60B/1.90A	----	2.30 NEW	.0162	----	----	1	----	1 + 1
5475 ----	----	2.50B/1.80A	2.50B/1.80A	----	2.20 - 0.10	.0154	----	----	----	----	1 UNCH
5500 2.10	2.10	2.20B/1.50A	2.20B/1.50A	----	2.00 - 0.10	.0138	----	----	8	----	49 + 2
5575 ----	----	1.60B/1.20A	1.60B/1.20A	----	1.60 + 0.10	.0105	----	----	----	----	1 UNCH
5600 1.00	1.00	1.50B/1.00	1.50B/1.00	----	1.50 + 0.20	.0097	----	----	10	----	19 + 10
5750 ----	----	0.90B/*0.60A	0.90B/*0.60A	----	0.90 + 0.20	.0054	----	----	264	----	255 + 246
5800 ----	----	0.80B/*0.50A	0.80B/*0.50A	----	0.70 + 0.10	.0041	----	----	264	----	255 + 246
6300 ----	----	----	----/0.80A	----	0.10 UNCH	.0002	----	----	----	----	6 UNCH
6500 ----	----	----	----/0.70A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
TOTAL									1290	20	3725 + 794

OG1 PUT — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4150 ----	----	----/*29.80A	31.50B/*29.80A	----	22.80 - 17.90	.0832	----	----	----	----	2 UNCH
4300 ----	----	----/*39.60A	52.40B/*39.60A	----	34.70 - 28.70	.1268	----	----	----	----	1 UNCH
4325 60.00	60.00	#60.00/*42.70A	60.00/*42.70A	----	37.30 NEW	.1361	----	----	2	----	2 + 2
4350 47.40	47.40	47.40/*46.00A	61.90B/*46.00A	----	40.40 NEW	.1466	----	----	5	----	5 + 5
4450 ----	----	----/*63.00A	85.90B/*63.00A	----	57.10 NEW	.1984	----	----	1	----	1 + 1
4485 100.00	100.00	100.00/*70.60A	100.00/*70.60A	----	64.60 NEW	.2199	----	----	1	----	1 + 1
4500 ----	----	----/*73.50A	100.70B/*73.50A	----	68.00 - 45.80	.2295	----	----	1	----	2 + 1
4535 ----	----	----/*82.20A	111.30B/*82.20A	----	76.70 - 49.20	.2531	----	----	----	----	1 UNCH
4610 ----	----	----/*102.60A	139.50B/*102.60A	----	98.00 - 57.40	.3081	----	----	----	----	10 UNCH
4675 ----	----	----/*123.20A	169.20B/*123.20A	----	119.90 NEW	.3603	----	----	1	----	1 + 1
4715 ----	----	----/*138.60A	182.70B/*138.60A	----	134.90 NEW	.3941	----	----	1	----	1 + 1
TOTAL									12		27 + 12

OG1 CALL — GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4625 ----	----	#226.60B/----	#226.60B/251.70A	----	290.40 + 75.00	.6794	----	----	----	----	1 UNCH
4715 ----	----	#219.80B/----	#219.80B/185.40A	----	232.70 + 63.50	.6051	----	----	----	----	1 UNCH
4800 ----	----	#179.80B/----	#179.80B/146.90A	----	184.10 + 51.70	.5296	----	----	----	----	1 UNCH
4950 ----	----	#111.30B/----	#111.30B/95.80A	----	114.10 + 32.00	.3914	----	----	----	----	27 UNCH
5000 ----	----	----	#93.60B/*82.50A	----	96.20 NEW	.3472	----	----	1	----	1 + 1
5050 68.00	68.00	#78.10B/*68.00	#78.10B/*68.00	----	80.30 NEW	.3049	----	----	2	----	1 + 1
TOTAL									3		32 + 2

OG PUT — COMEX GOLD OPTIONS
MAY26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1000 ----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2046 UNCH
1500 ----	----	----	0.10B/0.20A	----	0.10 UNCH	----	----	----	----	----	761 UNCH
1600 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
1700 ----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1800 ----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
1900 ----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2000 ----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	149 UNCH
2175 ----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	25 UNCH
2200 ----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	129 UNCH
2225 ----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	271 UNCH
2250 ----	----	----/0.40A	0.10B/0.40A	----	0.20 - 0.30	.0004	----	----	----	----	8 UNCH
2275 ----	----	----/0.40A	0.10B/0.40A	----	0.30 - 0.20	.0007	----	----	----	----	1 UNCH
2300 ----	----	----/0.40A	0.10B/0.40A	----	0.30 - 0.20	.0007	----	----	----	----	155 UNCH
2325 ----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.20	.0007	----	----	----	----	7 UNCH
2350 ----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.30	.0007	----	----	----	----	122 UNCH
2400 ----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.30	.0007	----	----	----	----	3 UNCH
2420 ----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.40	.0007	----	----	----	----	16 UNCH
2450 ----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.30	.0010	----	----	----	----	15 UNCH
2485 ----	----	----/0.50A	0.20B/0.50A	----	0.40 - 0.40	.0010	----	----	----	----	20 UNCH
2495 ----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.40	.0010	----	----	45	----	75 UNCH
2500 ----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.40	.0010	----	----	----	----	53 UNCH
2505 ----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.40	.0010	----	----	----	----	5 UNCH
2520 ----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.40	.0010	----	----	----	----	2 UNCH
2525 ----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.40	.0010	----	----	----	----	102 UNCH
2540 ----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.40	.0010	----	----	----	----	5 UNCH
2550 ----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.50	.0010	----	----	----	----	1 UNCH
2560 ----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.40	.0013	----	----	----	----	6 UNCH
2580 ----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.40	.0013	----	----	----	----	35 UNCH
2590 ----	----	----/0.60A	0.30B/0.60A	----	0.50 - 0.40	.0013	----	----	----	----	1 UNCH
2600 0.40	0.40	0.40/0.40	0.40/0.40	----	0.50 - 0.40	.0013	----	----	1	----	33 + 1
2615 ----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.50	.0013	----	----	----	----	1 UNCH
2620 ----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.50	.0013	----	----	----	----	1 UNCH
2650 ----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.50	.0013	----	----	2	----	3 + 2
2660 ----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.50	.0013	----	----	----	----	1 UNCH
2685 ----	----	----/0.70A	0.40B/0.70A	----	0.60 - 0.50	.0016	----	----	----	----	1 UNCH
2700 0.60	0.60	0.60/0.60	0.60/0.60	----	0.60 - 0.50	.0016	----	----	2	----	33 + 2
2705 ----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.50	.0016	----	----	----	----	1 UNCH
2715 ----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.50	.0016	----	----	----	----	2 UNCH
2730 ----	----	----/0.90A	0.40B/0.90A	----	0.60 - 0.60	.0016	----	----	----	----	2 UNCH
2750 ----	----	----/0.90A	0.40B/0.90A	----	0.60 - 0.60	.0017	----	----	----	----	1 UNCH
2755 ----	----	----/0.90A	0.40B/0.90A	----	0.70 - 0.50	.0019	----	----	----	----	6 UNCH
2770 ----	----	----/1.00A	0.50B/1.00A	----	0.70 - 0.50	.0019	----	----	----	----	4 UNCH
2785 ----	----	----/1.00A	0.50B/1.00A	----	0.70 - 0.60	.0019	----	----	----	----	20 UNCH
2790 ----	----	----/1.00A	0.50B/1.00A	----	0.70 - 0.60	.0019	----	----	----	----	5 UNCH
2800 ----	----	----/1.00A	0.60B/1.00A	----	0.70 - 0.60	.0020	----	----	----	----	81 UNCH
2815 ----	----	----/1.10A	0.60B/1.10A	----	0.80 - 0.50	.0022	----	----	----	----	35 UNCH
2820 ----	----	----/1.10A	0.60B/1.10A	----	0.80 - 0.50	.0022	----	----	----	----	73 UNCH
2845 ----	----	----/1.10A	0.60B/1.10A	----	0.80 - 0.60	.0023	----	----	----	----	5 UNCH
2870 0.70	0.70	0.70/0.70	0.70/0.70	----	0.90 - 0.60	.0025	----	----	2	----	22 + 2
2895 ----	----	----/1.20A	0.70B/1.20A	----	0.90 - 0.60	.0026	----	----	----	----	39 UNCH
2900 0.80	0.80	0.80/0.80	0.80/0.80	----	0.90 - 0.60	.0026	----	----	3	----	348 + 3
2905 ----	----	----/1.20A	0.70B/1.20A	----	0.90 - 0.60	.0026	----	----	----	----	4 UNCH
2910 ----	----	----/1.20A	0.80B/1.20A	----	0.90 - 0.60	.0026	----	----	----	----	20 UNCH
2930 ----	----	----/1.30A	0.80B/1.30A	----	1.00 - 0.60	.0029	----	----	----	----	28 UNCH
2940 ----	----	----/1.30A	0.80B/1.30A	----	1.00 - 0.60	.0029	----	----	----	----	8 UNCH
2950 ----	----	----/1.30A	0.90B/1.30A	----	1.00 - 0.60	.0029	----	----	----	----	299 UNCH
2980 ----	----	----/1.40A	1.00B/1.40A	----	1.10 - 0.60	.0032	----	----	----	----	1 UNCH
2995 ----	----	----/1.40A	1.00B/1.40A	----	1.10 - 0.70	.0033	----	----	----	----	4 UNCH
3000 1.10	1.10	1.10/1.10	1.10/1.10	----	1.20 - 0.60	.0035	----	----	1	----	141 UNCH
3005 ----	----	----/1.40A	1.00B/1.40A	----	1.20 - 0.60	.0035	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3010	----	----	----/1.40A	1.00B/1.40A	----	1.20 - 0.60	.0035	----	----	----	----	1 UNCH
3020	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.60	.0036	----	----	----	----	1 UNCH
3040	----	----	----/1.40A	1.10B/1.40A	----	1.30 - 0.60	.0039	----	----	----	----	52 UNCH
3045	----	----	----/1.40A	1.10B/1.40A	----	1.30 - 0.60	.0039	----	----	----	----	2 UNCH
3050	----	----	----/1.40A	1.10B/1.40A	----	1.30 - 0.60	.0039	----	----	----	----	18 UNCH
3055	----	----	----/1.40A	1.10B/1.40A	----	1.30 - 0.60	.0039	----	----	----	----	5 UNCH
3065	----	----	----/1.40A	1.20B/1.40A	----	1.30 - 0.70	.0039	----	----	----	----	5 UNCH
3070	----	----	----/1.40A	1.20B/1.40A	----	1.30 - 0.70	.0039	----	----	----	----	1 UNCH
3075	----	----	----/1.40A	1.20B/1.40A	----	1.30 - 0.70	.0040	----	----	----	----	66 UNCH
3080	----	----	----/1.40A	1.20B/1.40A	----	1.40 - 0.60	.0042	----	----	----	----	1 UNCH
3090	----	----	----/1.50A	1.20B/1.50A	----	1.40 - 0.60	.0043	----	----	----	----	5 UNCH
3095	----	----	----/1.50A	1.20B/1.50A	----	1.40 - 0.70	.0043	----	----	----	----	3 UNCH
3100	----	----	----/1.50A	1.30B/1.50A	----	1.40 - 0.70	.0043	----	----	----	----	306 UNCH
3105	----	----	----/1.50A	1.30B/1.50A	----	1.40 - 0.70	.0043	----	----	----	----	5 UNCH
3115	----	----	----/1.50A	1.30B/1.50A	----	1.50 - 0.60	.0046	----	----	----	----	5 UNCH
3120	----	----	----/1.60A	1.30B/1.60A	----	1.50 - 0.60	.0046	----	----	----	----	41 UNCH
3125	----	----	----/1.60A	1.30B/1.60A	----	1.50 - 0.70	.0046	----	----	----	----	1 UNCH
3130	1.30	1.30	1.30/1.30	1.40B/1.30	----	1.50 - 0.70	.0046	----	----	7	----	8 + 7
3135	----	----	----/1.60A	1.40B/1.60A	----	1.50 - 0.70	.0046	----	----	----	----	2 UNCH
3140	----	----	----/1.60A	1.40B/1.60A	----	1.50 - 0.70	.0047	----	----	----	----	3 UNCH
3150	----	----	----/1.60A	1.50B/1.60A	----	1.60 - 0.70	.0049	----	----	----	----	10 UNCH
3155	----	----	----/1.70A	1.50B/1.70A	----	1.60 - 0.70	.0050	----	----	----	----	74 UNCH
3160	----	----	----/1.70A	1.50B/1.70A	----	1.60 - 0.70	.0050	----	----	----	----	15 UNCH
3170	----	----	----/1.70A	1.50B/1.70A	----	1.60 - 0.80	.0050	----	----	----	----	5 UNCH
3175	----	----	----/1.70A	1.60B/1.70A	----	1.60 - 0.80	.0050	----	----	----	----	10 UNCH
3185	----	----	----/1.70A	1.60B/1.70A	----	1.70 - 0.70	.0053	----	----	----	----	18 UNCH
3200	1.60	1.60	1.80/1.60	1.80/1.60	----	1.70 - 0.80	.0054	----	----	26	----	253 + 24
3205	----	----	----/1.80A	1.70B/1.80A	----	1.70 - 0.80	.0054	----	----	----	----	10 UNCH
3210	----	----	----/1.80A	1.70B/1.80A	----	1.70 - 0.80	.0054	----	----	----	----	10 UNCH
3220	----	----	----/1.80A	1.80B/1.80A	----	1.80 - 0.80	.0057	----	----	----	----	8 UNCH
3225	----	----	----/1.90A	1.80B/1.90A	----	1.80 - 0.80	.0057	----	----	1	----	5 - 1
3235	----	----	----/1.90A	1.80B/1.90A	----	1.80 - 0.90	.0058	----	----	----	----	5 UNCH
3245	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.80	.0061	----	----	----	----	5 UNCH
3250	----	----	----/1.90A	1.90B/1.90A	----	1.90 - 0.80	.0061	----	----	----	----	81 UNCH
3255	----	----	----/2.00A	1.90B/2.00A	----	1.90 - 0.90	.0061	----	----	----	----	8 UNCH
3260	----	----	----/2.00A	2.00B/2.00A	----	1.90 - 0.90	.0061	----	----	----	----	8 UNCH
3265	----	----	----/2.00A	2.00B/2.00A	----	1.90 - 0.90	.0062	----	----	----	----	16 UNCH
3270	----	----	----/2.00A	2.00B/2.00A	----	1.90 - 1.00	.0062	----	----	----	----	2 UNCH
3275	----	----	----/1.90A	2.10B/1.90A	----	2.00 - 0.90	.0065	----	----	----	----	22 UNCH
3280	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.90	.0065	----	----	----	----	1 UNCH
3295	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 1.00	.0066	----	----	----	----	1 UNCH
3300	2.20	2.20	2.40/1.70	2.40/1.70	----	2.00 - 1.00	.0066	----	----	45	----	596 - 10
3305	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 1.00	.0069	----	----	----	----	60 UNCH
3310	----	----	----/2.10A	2.30B/2.10A	----	2.10 - 1.00	.0069	----	----	----	----	1 UNCH
3315	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 1.00	.0069	----	----	----	----	3 UNCH
3320	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 1.10	.0070	----	----	----	----	1 UNCH
3325	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 1.10	.0070	----	----	----	----	10 UNCH
3330	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 1.10	.0073	----	----	----	----	2 UNCH
3335	----	----	----/2.30A	2.40B/2.30A	----	2.20 - 1.10	.0073	----	----	----	----	20 UNCH
3340	----	----	----/2.30A	2.50B/2.30A	----	2.20 - 1.10	.0073	----	----	----	----	1 UNCH
3345	----	----	----/2.30A	2.50B/2.30A	----	2.20 - 1.20	.0074	----	----	----	----	1 UNCH
3350	----	----	----/2.30A	2.70B/2.30A	----	2.20 - 1.20	.0074	----	----	----	----	54 UNCH
3360	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 1.20	.0077	----	----	----	----	4 UNCH
3370	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 1.30	.0078	----	----	----	----	13 UNCH
3375	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 1.30	.0078	----	----	----	----	54 UNCH
3380	----	----	----/2.50A	2.70B/2.50A	----	2.30 - 1.30	.0078	----	----	----	----	5 UNCH
3385	----	----	----/2.50A	2.80B/2.50A	----	2.40 - 1.30	.0081	----	----	----	----	5 UNCH
3390	----	----	----/2.50A	2.80B/2.50A	----	2.40 - 1.30	.0082	----	----	----	----	5 UNCH
3395	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 1.40	.0082	----	----	----	----	35 UNCH
3400	3.40	3.40	3.40/2.60A	3.40/2.60A	----	2.40 - 1.40	.0082	----	----	1	----	201 - 1
3405	----	----	----/2.60A	2.90B/2.60A	----	2.50 - 1.40	.0085	----	----	----	----	5 UNCH
3415	2.60	2.60	2.60/2.60	3.00B/2.60	----	2.50 - 1.40	.0086	----	----	1	----	118 - 1
3420	----	----	----/2.60A	3.10B/2.60A	----	2.50 - 1.50	.0086	----	----	----	----	1 UNCH
3425	----	----	----/2.70A	3.10B/2.70A	----	2.50 - 1.50	.0087	----	----	----	----	11 UNCH
3430	----	----	----/2.60A	3.10B/2.60A	----	2.60 - 1.50	.0090	----	----	----	----	18 UNCH
3435	----	----	----/2.70A	3.20B/2.70A	----	2.60 - 1.50	.0090	----	----	----	----	101 UNCH
3440	----	----	----/2.80A	3.20B/2.80A	----	2.60 - 1.60	.0090	----	----	----	----	1 UNCH
3445	----	----	----/2.80A	3.30B/2.80A	----	2.60 - 1.60	.0091	----	----	----	----	33 UNCH
3450	----	----	----/2.80A	3.50B/2.80A	----	2.70 - 1.60	.0094	----	----	1	----	59 UNCH
3455	----	----	----/2.90A	3.40B/2.90A	----	2.70 - 1.60	.0094	----	----	----	----	44 UNCH
3460	----	----	----/2.80A	3.40B/2.80A	----	2.70 - 1.70	.0095	----	----	----	----	148 UNCH
3465	----	----	----/2.90A	3.40B/2.90A	----	2.70 - 1.70	.0095	----	----	----	----	17 UNCH
3470	----	----	----/2.90A	3.50B/2.90A	----	2.80 - 1.70	.0098	----	----	----	----	76 UNCH
3475	----	----	----/3.00A	3.50B/3.00A	----	2.80 - 1.80	.0098	----	----	----	----	94 UNCH
3480	----	----	----/2.90A	3.60B/2.90A	----	2.80 - 1.80	.0099	----	----	----	----	84 UNCH
3485	----	----	----/3.00A	3.60B/3.00A	----	2.80 - 1.90	.0099	----	----	----	----	61 UNCH
3490	----	----	----/3.10A	3.70B/3.10A	----	2.90 - 1.80	.0102	----	----	----	----	52 UNCH
3495	----	----	----/3.10A	3.70B/3.10A	----	2.90 - 1.90	.0103	----	----	----	----	54 UNCH
3500	3.80	3.80	3.90/2.90	3.90/2.90	----	2.90 - 1.90	.0103	----	----	21	----	1418 - 11
3505	----	----	----/3.10A	4.00B/3.10A	----	2.90 - 2.00	.0104	----	----	----	----	14 UNCH
3510	3.20	3.20	3.20/3.20	3.90B/3.20	----	3.00 - 2.00	.0107	----	----	1	----	35 + 1
3515	----	----	----/3.20A	3.90B/3.20A	----	3.00 - 2.00	.0107	----	----	----	----	82 UNCH
3520	----	----	----/3.20A	4.10B/3.20A	----	3.00 - 2.10	.0108	----	----	----	----	8 UNCH
3525	----	----	----/3.20A	4.00B/3.20A	----	3.10 - 2.10	.0111	----	----	----	----	119 UNCH
3530	----	----	----/3.30A	4.10B/3.30A	----	3.10 - 2.10	.0111	----	----	----	----	102 UNCH
3535	----	----	----/3.30A	4.20B/3.30A	----	3.10 - 2.20	.0112	----	----	----	----	160 UNCH
3540	----	----	----/3.40A	4.20B/3.40A	----	3.10 - 2.30	.0112	----	----	----	----	10 UNCH
3545	----	----	----/3.30A	4.40B/3.30A	----	3.20 - 2.20	.0116	----	----	----	----	66 UNCH
3550	----	----	----/3.30A	4.50B/3.30A	----	3.20 - 2.30	.0116	----	----	1	----	340 - 1
3555	----	----	----/3.40A	4.60B/3.40A	----	3.20 - 2.40	.0116	----	----	----	----	45 UNCH
3560	----	----	----/3.40A	4.60B/3.40A	----	3.30 - 2.30	.0120	----	----	----	----	8 UNCH
3565	----	----	----/3.40A	4.70B/3.40A	----	3.30 - 2.40	.0120	----	----	----	----	7 UNCH
3570	----	----	----/3.50A	4.80B/3.50A	----	3.30 - 2.50	.0121	----	----	----	----	11 UNCH
3575	----	----	----/3.50A	4.80B/3.50A	----	3.40 - 2.50	.0124	----	----	----	----	95 UNCH
3580	----	----	----/3.60A	4.90B/3.60A	----	3.40 - 2.50	.0125	----	----	----	----	12 UNCH
3585	----	----	----/3.60A	5.00B/3.60A	----	3.40 - 2.60	.0125	----	----	----	----	9 UNCH
3590	----	----	----/3.60A	5.00B/3.60A	----	3.50 - 2.60	.0128	----	----	----	----	33 UNCH
3595	----	----	----/3.70A	5.10B/3.70A	----	3.50 - 2.70	.0129	----	----	----	----	39 UNCH
3600	4.90	4.90	5.00/3.60	5.20B/3.60	----	3.50 - 2.80	.0130	----	----	12	----	978 UNCH
3605	----	----	----/3.70A	5.20B/3.70A	----	3.60 - 2.80	.0133	----	----	----	----	56 UNCH
3610	----	----	----/3.80A	5.30B/3.80A	----	3.60 - 2.80	.0133	----	----	----	----	23 UNCH
3615	4.10	4.10	4.10/3.80A	5.40B/3.80A	----	3.70 - 2.80	.0137	----	----	1	----	120 + 1
3620	----	----	----/3.90A	5.50B/3.90A	----	3.70 - 2.90	.0137	----	----	----	----	128 UNCH
3625	----	----	----/3.90A	5.50B/3.90A	----	3.70 - 3.00	.0138	----	----	----	----	45 UNCH
3630	----	----	----/4.00A	5.60B/4.00A	----	3.80 - 3.00	.0142	----	----	----	----	13 UNCH
3635	----	----	----/4.00A	5.70B/4.00A	----	3.80 - 3.10	.0142	----	----	----	----	26 UNCH
3640	----	----	----/4.10A	5.70B/4.10A	----	3.90 - 3.10	.0146	----	----	1	----	42 UNCH
3645	----	----	----/4.10A	5.90B/4.10A	----	3.90 - 3.20	.0146	----	----	----	----	15 UNCH
3650	6.00	6.00	6.00/4.10A	6.00/4.10A	----	3.90 - 3.30	.0147	----	----	17	----	416 - 3
3655	----	----	----/4.20A	6.00B/4.20A	----	4.00 - 3.30	.0150	----	----	----	----	24 UNCH
3660	----	----	----/4.20A	6.10B/4.20A	----	4.00 - 3.40	.0151	----	----	----	----	47 UNCH
3665	----	----	----/4.30A	6.20B/4.30A	----	4.10 - 3.40	.0155	----	----	----	----	35 UNCH
3670	----	----	----/4.30A	6.30B/4.30A	----	4.10 - 3.50	.0155	----	----	----	----	35 UNCH
3675	----	----	----/4.40A	6.40B/4.40A	----	4.20 - 3.50	.0159	----	----	----	----	68 UNCH
3680	4.70	4.70	5.20/4.40A	6.50B/4.40A	----	4.20 - 3.60	.0159	----	----	29	----	94 + 17
3685	----	----	----/4.50A	6.60B/4.50A	----	4.30 - 3.60	.0163	----	----	----	----	25 UNCH
3690	----	----	----/4.50A	6.80B/4.50A	----	4.30 - 3.70	.0164	----	----	----	----	25 UNCH
3695	----	----	----/4.60A	6.90B/4.60A	----	4.40 - 3.70	.0167	----	----	----	----	73 UNCH
3700	5.60	5.60	5.60/4.60A	7.00B/4.60A	----	4.40 - 3.80	.0168	----	----	301	----	983 + 249
3705	----	----	----/4.70A	7.20B/4.70A	----	4.50 - 3.90	.0172	----	----	----	----	39 UNCH
3710	5.40	5.40	5.40/4.70A	7.30B/4.70A	----	4.50 - 4.00	.0172	----	----	17	----	35 + 15
3715	----	----	----/4.80A	7.50B/4.80A	----	4.60 - 4.00	.0176	----	----	----	----	33 UNCH
3720	5.50	5.50	5.50/4.80A	7.60B/4.80A	----	4.60 - 4.10	.0177	----	----	16	----	35 + 13
3725	----	----	----/4.90A	7.70B/4.90A	----	4.70 - 4.10	.0181	----	----	2	----	37 - 2
3730	----	----	----/5.00A	7.80B/5.00A	----	4.70 - 4.30	.0181	----	----	----	----	66 UNCH
3735	----	----	----/5.00A	8.00B/5.00A	----	4.80 - 4.30	.0185	----	----	----	----	21 UNCH
3740	----	----	----/5.10A	8.10B/5.10A	----	4.80 - 4.40	.0186	----	----	----	----	13 UNCH
3745	----	----	----/5.10A	8.20B/5.10A	----	4.90 - 4.50	.0190	----	----	----	----	39 UNCH
3750	6.50	6.50	6.50/5.20A	8.40B/5.20A	----	5.00 - 4.50	.0194	----	----	61	----	326 + 21
3755	----	----	----/5.30A	8.50B/5.30A	----	5.00 - 4.60	.0194	----	----	----	----	10 UNCH
3760	----	----	----/5.30A	8.60B/5.30A	----	5.10 - 4.70	.0198	----	----	----	----	49 UNCH
3765	----	----	----/5.40A	8.90B/5.40A	----	5.10 - 4.80	.0199	----	----	1	----	104 - 1
3770	----	----	----/5.50A	9.00B/5.50A	----	5.20 - 4.90	.0203	----	----	----	----	25 UNCH
3775	6.30	6.30	6.30/5.50A	9.00B/5.50A	----	5.30 - 4.90	.0207	----	----	2	----	277 - 2
3780	----	----	----/5.60A	9.20B/5.60A	----	5.30 - 5.00	.0208	----	----	----	----	33 UNCH
3785	5.40	5.40	5.40/5.40	9.30B/5.40	----	5.40 - 5.10	.0212	----	----	4	----	27 UNCH
3790	----	----	----/5.80A	9.30B/5.80A	----	5.50 - 5.20	.0215	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3795	----	----	----/5.80A	9.50B/5.80A	----	5.50 - 5.30	.0216	----	----	----	----	25 UNCH
3800	6.20	6.20	6.80/5.90	9.70B/5.90	----	5.60 - 5.40	.0220	----	----	78	----	1327 + 16
3805	----	----	----/6.00A	9.80B/6.00A	----	5.70 - 5.40	.0224	----	----	----	----	75 UNCH
3810	6.10	6.10	6.10/6.00A	9.90B/6.00A	----	5.80 - 5.50	.0228	----	----	4	----	20 UNCH
3815	----	----	----/6.10A	10.20B/6.10A	----	5.80 - 5.70	.0229	----	----	----	----	40 UNCH
3820	----	----	----/6.20A	10.30B/6.20A	----	5.90 - 5.70	.0233	----	----	----	----	788 UNCH
3825	----	----	----/6.30A	10.20B/6.30A	----	6.00 - 5.80	.0237	----	----	2	----	104 UNCH
3830	----	----	----/6.30A	10.60B/6.30A	----	6.10 - 5.90	.0241	----	----	----	----	18 UNCH
3835	----	----	----/6.40A	10.70B/6.40A	----	6.20 - 6.00	.0246	----	----	----	----	32 UNCH
3840	----	----	----/6.50A	11.00B/6.50A	----	6.20 - 6.10	.0247	----	----	2	----	46 - 2
3845	----	----	----/6.60A	11.00B/6.60A	----	6.30 - 6.20	.0251	----	----	----	----	30 UNCH
3850	10.70	10.70	10.70/6.60A	11.40B/6.60A	----	6.40 - 6.30	.0255	----	----	46	----	709 - 26
3855	9.00	9.00	9.00/6.70A	11.60B/6.70A	----	6.50 - 6.40	.0259	----	----	1	----	34 - 1
3860	----	----	----/6.80A	11.50B/6.80A	----	6.60 - 6.50	.0263	----	----	----	----	42 UNCH
3865	----	----	----/6.90A	11.90B/6.90A	----	6.70 - 6.60	.0267	----	----	----	----	21 UNCH
3870	----	----	----/7.00A	12.00B/7.00A	----	6.80 - 6.70	.0272	----	----	----	----	42 UNCH
3875	----	----	----/7.10A	11.90B/7.10A	----	6.90 - 6.80	.0276	----	----	----	----	35 UNCH
3880	9.20	9.20	9.20/7.20A	12.10B/7.20A	----	7.00 - 6.90	.0280	----	----	1	----	40 - 1
3885	----	----	----/7.30A	12.30B/7.30A	----	7.10 - 7.00	.0284	----	----	----	----	79 UNCH
3890	----	----	----/7.40A	12.50B/7.40A	----	7.20 - 7.20	.0289	----	----	----	----	12 UNCH
3895	----	----	----/7.50A	12.70B/7.50A	----	7.30 - 7.30	.0293	----	----	----	----	75 UNCH
3900	14.00	14.00	14.00/7.60A	14.00/7.60A	----	7.40 - 7.40	.0297	----	----	265	----	1777 - 81
3905	----	----	----/7.70A	13.20B/7.70A	----	7.50 - 7.50	.0302	----	----	----	----	27 UNCH
3910	----	----	----/7.80A	13.40B/7.80A	----	7.60 - 7.70	.0306	----	----	----	----	137 UNCH
3915	----	----	----/7.90A	13.50B/7.90A	----	7.70 - 7.80	.0311	----	----	----	----	38 UNCH
3920	----	----	----/8.00A	13.90B/8.00A	----	7.80 - 7.90	.0315	----	----	----	----	10 UNCH
3925	----	----	----/8.10A	14.30B/8.10A	----	7.90 - 8.10	.0320	----	----	----	----	63 UNCH
3930	----	----	----/8.30A	14.20B/8.30A	----	8.10 - 8.10	.0327	----	----	----	----	57 UNCH
3935	----	----	----/8.40A	14.60B/8.40A	----	8.20 - 8.30	.0331	----	----	----	----	16 UNCH
3940	----	----	----/8.50A	14.80B/8.50A	----	8.30 - 8.40	.0336	----	----	----	----	21 UNCH
3945	----	----	----/8.60A	15.00B/8.60A	----	8.40 - 8.60	.0341	----	----	----	----	22 UNCH
3950	12.70	12.70	12.70/8.70A	15.20B/8.70A	----	8.50 - 8.80	.0345	----	----	46	----	132 - 4
3955	13.00	13.00	13.00/8.90A	15.50B/8.90A	----	8.70 - 8.80	.0353	----	----	1	----	60 UNCH
3960	----	----	----/9.00A	15.80B/9.00A	----	8.80 - 9.00	.0357	----	----	----	----	9 UNCH
3965	----	----	----/9.20A	16.10B/9.20A	----	8.90 - 9.20	.0362	----	----	----	----	85 UNCH
3970	----	----	----/9.30A	16.40B/9.30A	----	9.10 - 9.30	.0370	----	----	----	----	38 UNCH
3975	----	----	----/9.40A	16.60B/9.40A	----	9.20 - 9.50	.0375	----	----	3	----	38 - 2
3980	11.90	11.90	11.90/9.60A	16.80B/9.60A	----	9.40 - 9.60	.0382	----	----	15	----	133 + 15
3985	----	----	----/9.70A	17.10B/9.70A	----	9.50 - 9.80	.0387	----	----	----	----	41 UNCH
3990	11.60	11.60	11.60/9.80A	17.40B/9.80A	----	9.60 - 10.00	.0392	----	----	10	----	20 + 10
3995	12.10	12.10	12.10/10.00A	17.70B/10.00A	----	9.80 - 10.10	.0400	----	----	6	----	29 + 6
4000	18.00	18.00	18.00/10.00	18.00/10.00	----	9.90 - 10.30	.0405	----	----	832	----	3752 + 198
4005	13.30	13.30	13.30/10.30A	18.50B/10.30A	----	10.10 - 10.40	.0413	----	----	25	----	228 + 22
4010	13.50	13.50	13.50/10.50A	18.80B/10.50A	----	10.30 - 10.50	.0420	----	----	36	----	61 + 36
4015	13.70	13.70	13.70/10.60A	19.10B/10.60A	----	10.40 - 10.80	.0425	----	----	30	----	51 + 16
4020	12.20	12.20	14.00/10.80A	19.20B/10.80A	----	10.60 - 10.90	.0433	----	----	31	----	93 + 24
4025	13.20	13.20	14.20/10.90A	19.60B/10.90A	----	10.70 - 11.10	.0439	----	----	53	----	89 + 25
4030	14.40	14.40	14.40/11.10A	19.90B/11.10A	----	10.90 - 11.30	.0447	----	----	20	----	40 + 10
4035	14.00	14.00	14.60/11.30A	20.30B/11.30A	----	11.10 - 11.40	.0455	----	----	28	----	30 + 24
4040	14.90	14.90	14.90/11.30	20.70B/11.30	----	11.30 - 11.60	.0463	----	----	34	----	69 + 21
4045	14.30	14.30	14.30/11.60A	21.00B/11.60A	----	11.40 - 11.80	.0468	----	----	10	----	175 + 4
4050	14.50	14.50	14.50/11.80A	21.30B/11.80A	----	11.60 - 12.00	.0476	----	----	80	----	1531 - 13
4055	14.60	14.60	14.60/12.00A	21.70B/12.00A	----	11.80 - 12.20	.0484	----	----	13	----	143 + 7
4060	12.90	12.90	13.50/12.20A	21.90B/12.20A	----	12.00 - 12.40	.0493	----	----	11	----	36 UNCH
4065	13.10	13.10	14.00/12.40A	22.30B/12.40A	----	12.20 - 12.60	.0501	----	----	11	----	26 + 11
4070	13.30	13.30	14.10/12.60A	22.80B/12.60A	----	12.40 - 12.80	.0509	----	----	20	----	134 + 5
4075	13.50	13.50	13.50/12.80A	23.10B/12.80A	----	12.60 - 13.00	.0518	----	----	7	----	125 - 1
4080	13.70	13.70	13.70/13.00A	23.40B/13.00A	----	12.80 - 13.20	.0526	----	----	18	----	94 + 4
4085	13.90	13.90	13.90/13.00	23.80B/13.00	----	13.00 - 13.40	.0535	----	----	31	----	699 + 22
4090	14.10	14.10	14.10/13.40	24.40B/13.40	----	13.20 - 13.60	.0543	----	----	20	----	121 + 12
4095	----	----	----/13.60A	24.70B/13.60A	----	13.40 - 13.80	.0552	----	----	----	----	159 UNCH
4100	20.70	20.70	20.70/13.70	25.00B/13.70	----	13.70 - 14.00	.0563	----	----	140	----	1035 - 37
4105	----	----	----/14.10A	25.40B/14.10A	----	13.90 - 14.20	.0572	----	----	2	----	208 - 2
4110	24.60	24.60	24.60/14.30A	26.00B/14.30A	----	14.10 - 14.50	.0580	----	----	5	----	55 - 1
4115	----	----	----/14.50A	26.40B/14.50A	----	14.40 - 14.60	.0592	----	----	----	----	55 UNCH
4120	----	----	----/14.80A	26.70B/14.80A	----	14.60 - 14.90	.0601	----	----	----	----	129 UNCH
4125	19.00	19.00	19.10/15.00A	27.10B/15.00A	----	14.80 - 15.20	.0609	----	----	19	----	214 - 4
4130	15.80	15.80	15.90/15.30A	27.60B/15.30A	----	15.10 - 15.40	.0621	----	----	11	----	841 + 10
4135	16.40	16.40	16.40/15.50A	28.10B/15.50A	----	15.40 - 15.60	.0633	----	----	1	----	94 UNCH
4140	----	----	----/15.80A	28.50B/15.80A	----	15.60 - 15.90	.0642	----	----	----	----	27 UNCH
4145	19.30	19.30	19.30/16.10A	29.00B/16.10A	----	15.90 - 16.10	.0654	----	----	5	----	127 + 1
4150	29.40	29.40	29.60/16.30A	29.60/16.30A	----	16.20 - 16.30	.0665	----	----	43	150	585 - 14
4155	----	----	----/16.60A	30.00B/16.60A	----	16.40 - 16.60	.0675	----	----	----	----	42 UNCH
4160	----	----	----/16.90A	30.50B/16.90A	----	16.70 - 16.80	.0687	----	----	----	----	24 UNCH
4165	----	----	----/17.20A	31.00B/17.20A	----	17.00 - 17.10	.0698	----	----	----	----	68 UNCH
4170	23.30	23.30	24.10/17.50A	31.60B/17.50A	----	17.30 - 17.30	.0711	----	----	8	----	75 + 3
4175	----	----	----/17.80A	32.10B/17.80A	----	17.60 - 17.60	.0723	----	----	----	----	194 UNCH
4180	18.40	18.40	18.40/18.10A	32.60B/18.10A	----	17.90 - 17.90	.0735	----	----	2	----	289 UNCH
4185	----	----	----/18.40A	33.10B/18.40A	----	18.20 - 18.10	.0747	----	----	----	----	355 UNCH
4190	----	----	----/18.70A	33.60B/18.70A	----	18.50 - 18.40	.0759	----	----	4	----	85 UNCH
4195	19.10	19.10	19.10/18.90	34.20B/18.90	----	18.90 - 18.60	.0774	----	----	11	----	109 - 1
4200	34.30	34.30	34.60/19.30A	34.90B/19.30A	----	19.20 - 18.90	.0787	----	----	675	----	2099 + 272
4205	20.20	20.20	20.20/19.70A	35.40B/19.70A	----	19.50 - 19.30	.0799	----	----	2	----	210 + 2
4210	----	----	----/20.00A	35.90B/20.00A	----	19.90 - 19.50	.0814	----	----	----	----	77 UNCH
4215	20.60	20.60	20.60/20.40A	36.50B/20.40A	----	20.20 - 19.80	.0827	----	----	6	----	203 - 4
4220	----	----	----/20.70A	37.20B/20.70A	----	20.60 - 20.10	.0842	----	----	4	----	22 + 2
4225	22.00	22.00	22.00/21.10A	37.80B/21.10A	----	20.90 - 20.40	.0855	----	----	10	----	235 - 4
4230	26.50	26.50	26.80/21.50A	38.50B/21.50A	----	21.30 - 20.70	.0870	----	----	10	----	144 UNCH
4235	----	----	----/21.80A	39.10B/21.80A	----	21.70 - 21.00	.0886	----	----	1	----	53 UNCH
4240	22.60	22.60	22.60/22.20A	39.80B/22.20A	----	22.10 - 21.30	.0901	----	----	3	----	157 + 1
4245	----	----	----/22.60A	40.60B/22.60A	----	22.50 - 21.60	.0917	----	----	11	----	56 + 9
4250	38.40	38.40	39.40/23.00A	41.20B/23.00A	----	22.90 - 21.90	.0932	----	----	726	----	945 - 522
4255	----	----	----/23.40A	41.90B/23.40A	----	23.30 - 22.20	.0948	----	----	1	----	41 UNCH
4260	32.00	32.00	32.00/23.80A	42.60B/23.80A	----	23.70 - 22.60	.0964	----	----	5	----	108 UNCH
4265	29.50	29.50	29.50/24.30A	43.30B/24.30A	----	24.10 - 22.90	.0980	----	----	2	----	83 - 1
4270	31.40	31.40	31.40/24.70A	44.10B/24.70A	----	24.60 - 23.20	.0998	----	----	7	----	110 + 1
4275	----	----	----/25.20A	44.90B/25.20A	----	25.00 - 23.60	.1014	----	----	5	----	145 + 3
4280	36.00	36.00	36.00/25.60A	45.60B/25.60A	----	25.50 - 23.90	.1032	----	----	20	----	140 - 5
4285	----	----	----/26.10A	46.40B/26.10A	----	25.90 - 24.30	.1049	----	----	----	----	30 UNCH
4290	----	----	----/26.50A	47.20B/26.50A	----	26.40 - 24.60	.1067	----	----	5	----	118 + 2
4295	----	----	----/27.00A	48.10B/27.00A	----	26.90 - 24.90	.1086	----	----	11	----	34 + 6
4300	50.00	50.00	50.00/27.50A	50.00/27.50A	----	27.40 - 25.30	.1105	----	----	372	----	2065 + 36
4305	44.50	44.50	44.50/28.00A	49.70B/28.00A	----	27.90 - 25.60	.1124	----	----	4	----	48 - 4
4310	----	----	----/28.50A	50.60B/28.50A	----	28.40 - 26.00	.1143	----	----	----	----	53 UNCH
4315	----	----	----/29.00A	51.40B/29.00A	----	28.90 - 26.40	.1162	----	----	----	----	19 UNCH
4320	----	----	----/29.50A	52.30B/29.50A	----	29.40 - 26.80	.1181	----	----	----	----	68 UNCH
4325	40.60	40.60	40.60/30.00A	53.20B/30.00A	----	29.90 - 27.20	.1200	----	----	3	----	159 - 3
4330	37.70	37.70	37.70/30.60A	54.10B/30.60A	----	30.50 - 27.50	.1222	----	----	11	----	278 + 3
4335	----	----	----/31.00A	55.00B/31.00A	----	31.00 - 27.90	.1241	----	----	----	----	40 UNCH
4340	----	----	----/31.70A	55.90B/31.70A	----	31.60 - 28.30	.1263	----	----	1	----	142 UNCH
4345	----	----	----/32.20A	56.80B/32.20A	----	32.20 - 28.70	.1284	----	----	----	----	336 UNCH
4350	52.70	52.70	53.60/32.70A	57.90B/32.70A	----	32.80 - 29.00	.1306	----	----	75	200	970 - 3
4355	----	----	----/33.30A	58.70B/33.30A	----	33.40 - 29.40	.1328	----	----	----	----	91 UNCH
4360	45.40	45.40	45.40/33.90A	59.70B/33.90A	----	34.00 - 29.90	.1350	----	----	6	----	371 - 4
4365	----	----	----/34.50A	60.70B/34.50A	----	34.60 - 30.30	.1373	----	----	----	----	39 UNCH
4370	----	----	----/35.10A	61.70B/35.10A	----	35.20 - 30.70	.1395	----	----	----	----	202 UNCH
4375	46.30	46.30	46.60/35.80A	62.80B/35.80A	----	35.80 - 31.20	.1417	----	----	28	----	106 - 8
4380	----	----	----/36.40A	63.80B/36.40A	----	36.50 - 31.60	.1442	----	----	10	----	82 + 2
4385	54.00	54.00	54.00/37.00A	64.90B/37.00A	----	37.20 - 32.00	.1466	----	----	2	----	400 - 1
4390	----	----	----/37.70A	65.90B/37.70A	----	37.80 - 32.50	.1489	----	----	57	----	88 + 30
4395	----	----	----/38.40A	67.00B/38.40A	----	38.50 - 32.90	.1514	----	----	----	----	24 UNCH
4400	64.40	64.40	65.60/39.10A	68.20B/39.10A	----	39.20 - 33.40	.1539	----	----	1044	----	2669 + 222
4405	----	----	----/39.80A	69.30B/39.80A	----	39.90 - 33.80	.1564	----	----	----	----	24 UNCH
4410	60.00	60.00	60.00/40.50A	70.40B/40.50A	----	40.70 - 34.20	.1591	----	----	38	----	98 - 18
4415	42.90	42.90	42.90/41.30A	71.60B/41.30A	----	41.40 - 34.70	.1616	----	----	2	----	167 - 1
4420	58.50	58.50	58.50/42.00A	72.80B/42.00A	----	42.10 - 35.20	.1642	----	----	7	----	111 - 1
4425	----	----	----/42.70A	74.00B/42.70A	----	42.90 - 35.70	.1669	----	----	19	----	558 + 3
4430	69.50	69.50	69.50/43.50A	75.20B/43.50A	----	43.70 - 36.10	.1697	----	----	23	----	99 UNCH
4435	45.30	45.30	47.00/44.30A	76.40B/44.30A	----	44.50 - 36.60	.1724	----	----	386	----	451 + 350
4440	45.90	45.90	45.90/45.00A	77.70B/45.00A	----	45.30 - 37.10	.1752	----	----	5	----	299 + 3
4445	57.90	57.90	57.90/45.90A	78.90B/45.90A	----	46.10 - 37.60	.1780	----	----	4	----	120 - 1
4450	74.40	74.40	78.50/46.50	80.30B/46.50	----	46.90 - 38.10	.1808	----	----	95	150	660 - 17
4455	49.40	49.40	49.40/47.50A	81.50B/47.50A	----	47.80 - 38.60	.1838	----	----	3	----	261 + 1
4460	----	----	----/48.40A	82.80B/48.40A	----	48.60 - 39.20	.1866	----	----	1	----	55 UNCH
4465	53.00	53.00	53.00/49.20A	84.10B/49.20A	----	49.50 - 39.60	.1896	----	----	2	----	37 UNCH
4470	67.50	67.50	67.50/50.00	85.50B/50.00	----	50.40 - 40.10	.1926	----	----	100	----	76 + 7
4475	64.50	64.50	64.50/50.40	86.90B/50.40	----	51.30 - 40.70	.1957	----	----	80	----	974 + 38

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4480	----	----	----/51.90A	88.20B/51.90A	----	52.20 - 41.20	.1987	----	----	----	----	174 UNCH
4485	----	----	----/52.90A	89.70B/52.90A	----	53.10 - 41.80	.2018	----	----	39	----	43 + 8
4490	----	----	----/53.80A	91.10B/53.80A	----	54.10 - 42.30	.2050	----	----	88	----	223 - 22
4495	----	----	----/54.80A	92.50B/54.80A	----	55.00 - 42.90	.2081	----	----	----	----	25 UNCH
4500	90.50	90.50	90.50/55.70A	94.10B/55.70A	----	56.00 - 43.40	.2114	----	----	656	110	2308 - 7
4505	----	----	----/56.60A	95.50B/56.60A	----	57.00 - 44.00	.2147	----	----	----	----	32 UNCH
4510	66.20	66.20	66.20/57.70A	97.10B/57.70A	----	58.00 - 44.60	.2179	----	----	5	----	101 + 4
4515	----	----	----/58.70A	98.60B/58.70A	----	59.00 - 45.20	.2212	----	----	----	----	57 UNCH
4520	70.50	70.50	70.50/59.70A	100.20B/59.70A	----	60.10 - 45.70	.2247	----	----	2	----	167 + 1
4525	----	----	----/60.80A	101.80B/60.80A	----	61.10 - 46.30	.2280	----	----	22	----	96 + 14
4530	80.60	80.60	80.60/61.80A	103.40B/61.80A	----	62.20 - 46.90	.2315	----	----	1	----	46 UNCH
4535	----	----	----/62.90A	105.10B/62.90A	----	63.30 - 47.50	.2350	----	----	----	----	218 UNCH
4540	----	----	----/64.00A	106.70B/64.00A	----	64.40 - 48.10	.2386	----	----	2	----	45 + 2
4545	----	----	----/65.10A	108.40B/65.10A	----	65.60 - 48.60	.2422	----	----	1	----	88 + 1
4550	95.00	95.00	95.00/66.20A	110.30B/66.20A	----	66.70 - 49.30	.2458	----	----	16	----	656 + 1
4555	68.40	68.40	68.40/67.40A	111.90B/67.40A	----	67.90 - 49.90	.2495	----	----	3	----	15 + 3
4560	70.00	70.00	70.00/68.60A	113.60B/68.60A	----	69.10 - 50.50	.2532	----	----	3	----	91 - 2
4565	71.30	71.30	71.30/69.80A	115.40B/69.80A	----	70.30 - 51.10	.2569	----	----	4	----	134 UNCH
4570	----	----	----/70.90A	117.20B/70.90A	----	71.50 - 51.80	.2606	----	----	----	----	179 UNCH
4575	111.50	111.50	112.50/72.20A	119.00B/72.20A	----	72.80 - 52.30	.2645	----	----	20	----	56 - 4
4580	113.00	113.00	113.00/73.40A	120.90B/73.40A	----	74.00 - 53.00	.2683	----	----	6	----	119 - 2
4585	114.00	114.00	114.00/74.70A	122.70B/74.70A	----	75.30 - 53.70	.2722	----	----	2	----	18 UNCH
4590	----	----	----/75.90A	124.60B/75.90A	----	76.60 - 54.30	.2761	----	----	7	----	95 - 5
4595	89.70	89.70	89.70/77.20A	126.60B/77.20A	----	77.90 - 55.00	.2801	----	----	1	----	61 - 1
4600	120.00	120.00	121.50/78.60A	128.60B/78.60A	----	79.30 - 55.60	.2841	----	----	275	----	2283 - 11
4605	107.50	107.50	107.50/79.90A	130.50B/79.90A	----	80.70 - 56.20	.2882	----	----	12	----	77 + 10
4610	107.00	107.00	107.00/81.30A	132.50B/81.30A	----	82.00 - 57.00	.2922	----	----	71	----	157 - 1
4615	106.00	106.00	106.00/82.70A	134.50B/82.70A	----	83.40 - 57.60	.2963	----	----	6	----	104 + 2
4620	96.00	96.00	104.50/84.10A	136.50B/84.10A	----	84.90 - 58.20	.3005	----	----	34	----	142 + 27
4625	85.60	85.60	86.90/85.40A	138.60B/85.40A	----	86.30 - 59.00	.3046	----	----	35	----	293 + 18
4630	111.60	111.60	111.60/86.90A	140.70B/86.90A	----	87.80 - 59.60	.3089	----	----	5	----	38 + 2
4635	92.20	92.20	92.20/88.40A	142.80B/88.40A	----	89.30 - 60.30	.3132	----	----	14	----	515 + 14
4640	99.00	99.00	108.00/89.90A	145.00B/89.90A	----	90.80 - 61.00	.3174	----	----	4	----	141 + 1
4645	94.10	94.10	94.10/91.30A	147.20B/91.30A	----	92.40 - 61.60	.3218	----	----	14	----	56 - 4
4650	135.00	135.00	135.00/92.70A	149.50B/92.70A	----	93.90 - 62.40	.3261	----	----	53	----	1073 + 2
4655	98.60	98.60	98.60/94.50A	151.60B/94.50A	----	95.50 - 63.00	.3305	----	----	3	----	32 UNCH
4660	102.30	102.30	102.30/96.10A	153.90B/96.10A	----	97.10 - 63.80	.3350	----	----	2	----	204 - 1
4665	129.70	129.70	129.70/97.70A	156.20B/97.70A	----	98.70 - 64.50	.3394	----	----	16	----	55 + 9
4670	118.10	118.10	118.10/99.30A	158.50B/99.30A	----	100.40 - 65.20	.3439	----	----	19	----	139 + 17
4675	121.00	121.00	122.70/100.90A	160.80B/100.90A	----	102.10 - 65.80	.3485	----	----	12	----	348 + 2
4680	----	----	----/102.60A	163.20B/102.60A	----	103.80 - 66.60	.3530	----	----	----	----	207 UNCH
4685	106.80	106.80	106.80/104.30A	165.60B/104.30A	----	105.50 - 67.30	.3576	----	----	11	----	167 + 6
4690	135.00	135.00	135.20/106.00A	168.00B/106.00A	----	107.20 - 68.10	.3622	----	----	7	----	221 + 1
4695	133.30	133.30	133.30/107.60A	170.50B/107.60A	----	109.00 - 68.80	.3669	----	----	2	----	81 UNCH
4700	150.00	150.00	158.00/109.30A	173.10B/109.30A	----	110.80 - 69.50	.3715	----	----	301	----	1892 + 48
4705	115.50	115.50	116.50/111.10A	175.40B/111.10A	----	112.60 - 70.20	.3762	----	----	9	----	34 - 5
4710	173.80	173.80	173.80/113.00A	178.00B/113.00A	----	114.50 - 70.90	.3810	----	----	20	----	200 - 6
4715	----	----	----/114.80A	180.50B/114.80A	----	116.40 - 71.60	.3858	----	----	----	----	75 UNCH
4720	152.70	152.70	152.70/116.50A	183.10B/116.50A	----	118.30 - 72.30	.3906	----	----	22	----	549 + 8
4725	----	----	----/118.60A	185.70B/118.60A	----	120.20 - 73.10	.3954	----	----	----	----	69 UNCH
4730	137.00	137.00	146.00/120.50A	188.30B/120.50A	----	122.10 - 73.90	.4002	----	----	12	----	105 + 3
4735	160.10	160.10	160.10/122.30A	191.00B/122.30A	----	124.10 - 74.60	.4051	----	----	1	----	23 + 1
4740	124.70	124.70	125.60/124.40A	193.70B/124.40A	----	126.10 - 75.30	.4099	----	----	11	----	64 + 10
4745	156.90	156.90	156.90/126.20A	196.40B/126.20A	----	128.10 - 76.10	.4148	----	----	8	----	37 - 1
4750	151.70	151.70	158.10/128.30A	199.20B/128.30A	----	130.20 - 76.80	.4198	----	----	11	----	428 - 2
4755	----	----	----/130.20A	201.90B/130.20A	----	132.30 - 77.50	.4247	----	----	1	----	144 UNCH
4760	145.40	145.40	145.40/132.30A	204.70B/132.30A	----	134.40 - 78.20	.4297	----	----	4	----	95 + 2
4765	----	----	----/134.40A	207.50B/134.40A	----	136.50 - 79.00	.4347	----	----	----	----	63 UNCH
4770	165.60	165.60	165.60/136.50A	210.40B/136.50A	----	138.70 - 79.70	.4397	----	----	2	----	68 - 2
4775	----	----	----/138.60A	213.20B/138.60A	----	140.90 - 80.40	.4447	----	----	----	----	253 UNCH
4780	144.40	144.40	156.20/140.90A	216.10B/140.90A	----	143.10 - 81.10	.4498	----	----	4	----	109 + 2
4785	----	----	----/143.00A	219.00B/143.00A	----	145.30 - 81.90	.4548	----	----	----	----	89 UNCH
4790	186.50	186.50	186.50/145.20A	222.00B/145.20A	----	147.60 - 82.60	.4599	----	----	50	----	365 + 36
4795	160.40	160.40	160.40/147.40A	225.00B/147.40A	----	149.90 - 83.30	.4650	----	----	1	----	38 + 1
4800	200.00	200.00	200.00/149.60A	228.10B/149.60A	----	152.20 - 84.10	.4701	----	----	468	----	1608 + 193
4805	151.50	151.50	151.50/151.50	231.00B/151.50	----	154.50 - 84.90	.4752	----	----	5	----	53 + 2
4810	----	----	----/154.30A	234.00B/154.30A	----	156.90 - 85.60	.4803	----	----	----	----	262 UNCH
4815	170.00	170.00	170.00/156.80A	237.10B/156.80A	----	159.30 - 86.30	.4854	----	----	1	----	23 + 1
4820	----	----	----/159.10A	237.20B/159.10A	----	161.70 - 87.00	.4906	----	----	1	----	259 UNCH
4825	----	----	----/161.50A	240.30B/161.50A	----	164.20 - 87.70	.4957	----	----	----	----	196 UNCH
4830	----	----	----/164.00A	243.50B/164.00A	----	166.70 - 88.40	.5009	----	----	2	----	67 - 2
4835	----	----	----/166.50A	243.60B/166.50A	----	169.20 - 89.20	.5060	----	----	----	----	135 UNCH
4840	----	----	----/168.90A	246.60B/168.90A	----	171.70 - 89.90	.5112	----	----	----	----	56 UNCH
4845	----	----	----/171.60A	250.00B/171.60A	----	174.30 - 90.60	.5163	----	----	----	----	39 UNCH
4850	183.00	183.00	183.00/174.20A	253.00B/174.20A	----	176.90 - 91.30	.5215	----	----	6	----	1061 - 5
4855	----	----	----/176.70A	256.50B/176.70A	----	179.50 - 92.00	.5266	----	----	----	----	35 UNCH
4860	----	----	----/179.30A	259.80B/179.30A	----	182.20 - 92.70	.5318	----	----	----	----	38 UNCH
4865	187.80	187.80	187.80/182.00A	263.10B/182.00A	----	184.80 - 93.50	.5370	----	----	1	----	26 + 1
4870	----	----	----/184.60A	266.50B/184.60A	----	187.50 - 94.20	.5421	----	----	----	----	234 UNCH
4875	----	----	----/187.30A	269.80B/187.30A	----	190.30 - 94.80	.5473	----	----	----	----	150 UNCH
4880	----	----	----/189.90A	272.90B/189.90A	----	193.00 - 95.60	.5524	----	----	2	----	90 UNCH
4885	----	----	----/192.70A	276.60B/192.70A	----	195.80 - 96.20	.5575	----	----	----	----	21 UNCH
4890	----	----	----/195.50A	279.90B/195.50A	----	198.60 - 96.90	.5626	----	----	----	----	66 UNCH
4895	251.70	251.70	251.70/198.20A	283.50B/198.20A	----	201.50 - 97.50	.5677	----	----	10	----	96 - 2
4900	242.00	242.00	242.00/201.00A	286.80B/201.00A	----	204.30 - 98.30	.5729	----	----	39	----	1070 - 5
4905	----	----	----/203.90A	290.30B/203.90A	----	207.20 - 99.00	.5780	----	----	----	----	54 UNCH
4910	245.60	245.60	245.60/206.80A	294.10B/206.80A	----	210.20 - 99.50	.5830	----	----	2	----	90 UNCH
4915	246.90	246.90	246.90/209.70A	297.40B/209.70A	----	213.10 - 00.30	.5881	----	----	2	----	29 + 2
4920	268.10	268.10	268.10/212.60A	301.00B/212.60A	----	216.10 - 00.90	.5932	----	----	10	----	150 + 10
4925	----	----	----/215.60A	304.60B/215.60A	----	219.10 - 01.50	.5982	----	----	----	----	47 UNCH
4930	----	----	----/219.60A	308.20B/219.60A	----	222.10 - 02.20	.6032	----	----	1	----	52 UNCH
4935	----	----	----/222.10A	312.10B/222.10A	----	225.20 - 02.80	.6082	----	----	----	----	54 UNCH
4940	----	----	----/225.90A	315.50B/225.90A	----	228.30 - 03.50	.6132	----	----	----	----	15 UNCH
4945	----	----	----/228.30A	319.30B/228.30A	----	231.40 - 04.10	.6182	----	----	----	----	48 UNCH
4950	----	----	----/230.90A	322.90B/230.90A	----	234.50 - 04.80	.6232	----	----	----	----	754 UNCH
4955	----	----	----/233.90A	327.00B/233.90A	----	237.70 - 05.30	.6281	----	----	----	----	86 UNCH
4960	----	----	----/237.30A	330.50B/237.30A	----	240.90 - 06.00	.6330	----	----	----	----	132 UNCH
4965	----	----	----/240.40A	334.40B/240.40A	----	244.10 - 06.60	.6378	----	----	----	----	25 UNCH
4970	----	----	----/245.30A	338.10B/245.30A	----	247.40 - 07.10	.6427	----	----	----	----	4 UNCH
4975	----	----	----/246.80A	341.90B/246.80A	----	250.70 - 07.70	.6475	----	----	----	----	89 UNCH
4980	----	----	----/250.00A	345.70B/250.00A	----	253.90 - 08.40	.6523	----	----	----	----	56 UNCH
4985	----	----	----/253.40A	349.60B/253.40A	----	257.30 - 08.90	.6570	----	----	----	----	124 UNCH
4990	----	----	----/256.80A	353.60B/256.80A	----	260.60 - 09.50	.6618	----	----	----	----	36 UNCH
4995	----	----	----/260.10A	357.50B/260.10A	----	264.00 - 10.10	.6665	----	----	----	----	222 UNCH
5000	327.00	327.00	361.30B/263.40A	361.30B/263.40A	----	267.40 - 10.60	.6712	----	----	68	----	1127 + 19
5005	----	----	----/266.70A	365.10B/266.70A	----	270.80 - 11.20	.6759	----	----	----	----	43 UNCH
5010	----	----	----/272.00A	369.30B/272.00A	----	274.30 - 11.70	.6805	----	----	----	----	14 UNCH
5015	----	----	----/273.60A	373.00B/273.60A	----	277.80 - 12.20	.6851	----	----	----	----	23 UNCH
5020	----	----	----/277.40A	377.00B/277.40A	----	281.30 - 12.70	.6896	----	----	----	----	23 UNCH
5025	----	----	----/280.90A	381.00B/280.90A	----	284.80 - 13.30	.6942	----	----	----	----	154 UNCH
5030	----	----	----/284.10A	385.00B/284.10A	----	288.30 - 13.90	.6986	----	----	----	----	24 UNCH
5035	----	----	----/289.40A	389.20B/289.40A	----	291.90 - 14.40	.7031	----	----	----	----	13 UNCH
5040	----	----	----/291.40A	393.10B/291.40A	----	295.50 - 14.90	.7075	----	----	----	----	135 UNCH
5045	----	----	----/294.90A	397.20B/294.90A	----	299.10 - 15.40	.7119	----	----	----	----	28 UNCH
5050	----	----	----/298.40A	401.40B/298.40A	----	302.80 - 15.80	.7162	----	----	3	----	438 - 2
5055	----	----	----/302.30A	405.40B/302.30A	----	306.40 - 16.40	.7204	----	----	----	----	107 UNCH
5060	----	----	----/305.70A	409.50B/305.70A	----	310.10 - 16.80	.7247	----	----	----	----	84 UNCH
5065	----	----	----/309.50A	413.70B/309.50A	----	313.80 - 17.30	.7290	----	----	----	----	54 UNCH
5070	----	----	----/313.20A	417.80B/313.20A	----	317.60 - 17.70	.7332	----	----	----	----	175 UNCH
5075	----	----	----/316.80A	422.10B/316.80A	----	321.30 - 18.20	.7373	----	----	----	----	47 UNCH
5080	----	----	----/320.80A	426.20B/320.80A	----	325.10 - 18.70	.7414	----	----	----	----	85 UNCH
5085	----	----	----/324.30A	430.40B/324.30A	----	328.90 - 19.10	.7455	----	----	----	----	116 UNCH
5090	----	----	----/328.10A	434.60B/328.10A	----	332.70 - 19.60	.7496	----	----	----	----	23 UNCH
5095	----	----	----/332.10A	438.80B/332.10A	----	336.60 - 19.90	.7535	----	----	----	----	17 UNCH
5100	----	----	----/335.80A	443.10B/335.80A	----	340.50 - 20.30	.7573	----	----	5	----	391 - 2
5105	----	----	----/339.80A	447.30B/339.80A	----	344.30 - 20.80	.7612	----	----	----	----	58 UNCH
5110	----	----	----/343.60A	451.60B/343.60A	----	348.30 - 21.10	.7651	----	----	----	----	286 UNCH
5115	----	----	----/347.50A	455.90B/347.50A	----	352.20 - 21.50	.7690	----	----	----	----	24 UNCH
5120	----	----	----/353.80A	460.20B/353.80A	----	356.10 - 22.00	.7727	----	----	----	----	18 UNCH
5125	----	----	----/357.80A	464.50B/357.80A	----	360.10 - 22.30	.7763	----	----	----	----	89 UNCH
5130	----	----	----/361.80A	468.80B/361.80A	----	364.10 - 22.70	.7800	----	----	----	----	120 UNCH
5135	----	----	----/365.80A	473.20B/365.80A	----	368.10 - 23.10	.7837	----	----	----	----	95 UNCH
5140	----	----	----/369.80A	477.50B/369.80A	----	372.10 - 23.40	.7873	----	----	----	----	23 UNCH
5145	----	----	----/373.80A	481.90B/373.80A	----	376.20 - 23.70	.7907	----	----	----	----	44 UNCH
5150	----	----	----/377.90A	486.30B/377.90A	----	380.30 - 24.00	.7942	----	----	2	----	374 UNCH
5155	----	----	----/382.00A	490.60B/382.00A	----	384.30 - 24.50	.7976	----	----	----	----	9 UNCH
5160	459.70	459.70	459.70/386.10A	495.00B/386.10A	----	388.40 - 24.80	.8010	----	----	2	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5165	----	----	----/390.20A	499.40B/390.20A	----	392.60 - 25.00	.8044	----	----	----	----	47 UNCH
5170	----	----	----/394.30A	503.90B/394.30A	----	396.70 - 25.40	.8076	----	----	----	----	155 UNCH
5175	----	----	----/398.50A	508.30B/398.50A	----	400.90 - 25.60	.8110	----	----	----	----	30 UNCH
5180	----	----	----/402.70A	512.70B/402.70A	----	405.00 - 26.00	.8142	----	----	----	----	76 UNCH
5185	----	----	----/406.80A	517.20B/406.80A	----	409.20 - 26.30	.8174	----	----	----	----	2 UNCH
5190	----	----	----/411.00A	521.60B/411.00A	----	413.40 - 26.60	.8205	----	----	----	----	10 UNCH
5195	----	----	----/415.30A	526.10B/415.30A	----	417.70 - 26.80	.8234	----	----	----	----	25 UNCH
5200	456.90	456.90	456.90/419.50A	530.60B/419.50A	----	421.90 - 27.10	.8266	----	----	3	----	425 - 1
5205	----	----	----/423.80A	535.10B/423.80A	----	426.20 - 27.30	.8295	----	----	----	----	19 UNCH
5210	----	----	----/428.00A	539.60B/428.00A	----	430.40 - 27.60	.8324	----	----	----	----	9 UNCH
5215	----	----	----/432.30A	544.10B/432.30A	----	434.70 - 27.90	.8352	----	----	----	----	6 UNCH
5220	----	----	----/436.60A	548.60B/436.60A	----	439.00 - 28.10	.8381	----	----	----	----	9 UNCH
5225	----	----	----/440.90A	553.10B/440.90A	----	443.30 - 28.40	.8410	----	----	----	----	59 UNCH
5230	----	----	----/445.30A	557.70B/445.30A	----	447.70 - 28.50	.8439	----	----	----	----	10 UNCH
5235	----	----	----/449.60A	562.20B/449.60A	----	452.00 - 28.80	.8465	----	----	----	----	71 UNCH
5240	----	----	----/454.00A	566.80B/454.00A	----	456.40 - 29.00	.8490	----	----	----	----	43 UNCH
5245	----	----	----/458.40A	571.30B/458.40A	----	460.80 - 29.20	.8516	----	----	----	----	15 UNCH
5250	----	----	----/462.70A	575.90B/462.70A	----	465.20 - 29.40	.8542	----	----	3	----	431 - 2
5255	----	----	----/467.10A	580.50B/467.10A	----	469.60 - 29.60	.8568	----	----	----	----	4 UNCH
5260	----	----	----/471.50A	585.10B/471.50A	----	474.00 - 29.80	.8593	----	----	----	----	11 UNCH
5265	----	----	----/475.90A	589.70B/475.90A	----	478.40 - 30.00	.8619	----	----	----	----	7 UNCH
5270	----	----	----/480.40A	594.30B/480.40A	----	482.90 - 30.10	.8641	----	----	----	----	30 UNCH
5275	----	----	----/484.80A	598.90B/484.80A	----	487.30 - 30.30	.8664	----	----	----	----	206 UNCH
5280	----	----	----/489.30A	603.50B/489.30A	----	491.80 - 30.50	.8690	----	----	----	----	33 UNCH
5290	----	----	----/498.20A	612.80B/498.20A	----	500.80 - 30.80	.8734	----	----	----	----	2 UNCH
5295	----	----	----/502.70A	617.40B/502.70A	----	505.30 - 30.90	.8757	----	----	----	----	5 UNCH
5300	----	----	----/507.30A	622.00B/507.30A	----	509.80 - 31.10	.8776	----	----	----	----	109 UNCH
5305	----	----	----/511.80A	626.70B/511.80A	----	514.30 - 31.30	.8798	----	----	----	----	40 UNCH
5310	----	----	----/516.30A	631.40B/516.30A	----	518.80 - 31.40	.8820	----	----	----	----	32 UNCH
5315	----	----	----/520.90A	636.00B/520.90A	----	523.40 - 31.50	.8839	----	----	----	----	1 UNCH
5320	----	----	----/525.40A	640.70B/525.40A	----	528.00 - 31.60	.8858	----	----	----	----	26 UNCH
5325	----	----	----/530.00A	645.40B/530.00A	----	532.50 - 31.80	.8880	----	----	----	----	51 UNCH
5330	----	----	----/534.60A	650.10B/534.60A	----	537.10 - 31.90	.8899	----	----	----	----	27 UNCH
5335	----	----	----/539.20A	654.80B/539.20A	----	541.70 - 32.00	.8918	----	----	----	----	1 UNCH
5340	----	----	----/543.80A	659.50B/543.80A	----	546.30 - 32.10	.8937	----	----	----	----	14 UNCH
5350	----	----	----/553.00A	668.90B/553.00A	----	555.50 - 32.30	.8971	----	----	----	----	43 UNCH
5360	----	----	----/562.20A	678.30B/562.20A	----	564.80 - 32.50	.9008	----	----	----	----	11 UNCH
5365	----	----	----/566.90A	683.00B/566.90A	----	569.40 - 32.60	.9023	----	----	----	----	11 UNCH
5370	----	----	----/571.50A	687.80B/571.50A	----	574.10 - 32.70	.9041	----	----	----	----	32 UNCH
5375	----	----	----/576.20A	692.50B/576.20A	----	578.70 - 32.80	.9056	----	----	----	----	32 UNCH
5380	----	----	----/580.80A	697.30B/580.80A	----	583.40 - 32.90	.9071	----	----	----	----	4 UNCH
5385	----	----	----/585.50A	702.00B/585.50A	----	588.00 - 33.00	.9086	----	----	----	----	15 UNCH
5390	----	----	----/590.20A	706.70B/590.20A	----	592.70 - 33.10	.9105	----	----	----	----	1 UNCH
5400	----	----	----/599.60A	716.30B/599.60A	----	602.10 - 33.20	.9134	----	----	----	----	96 UNCH
5410	----	----	----/609.00A	725.80B/609.00A	----	611.50 - 33.30	.9160	----	----	----	----	55 UNCH
5420	----	----	----/618.40A	735.30B/618.40A	----	621.00 - 33.40	.9189	----	----	----	----	7 UNCH
5425	----	----	----/623.10A	740.10B/623.10A	----	625.70 - 33.50	.9204	----	----	----	----	32 UNCH
5435	----	----	----/632.60A	749.70B/632.60A	----	635.20 - 33.60	.9229	----	----	----	----	2 UNCH
5445	----	----	----/642.10A	759.30B/642.10A	----	644.70 - 33.70	.9254	----	----	----	----	1 UNCH
5450	----	----	----/646.90A	764.10B/646.90A	----	649.40 - 33.80	.9265	----	----	----	----	20 UNCH
5475	----	----	----/670.70A	788.10B/670.70A	----	673.30 - 34.00	.9322	----	----	----	----	1 UNCH
5490	----	----	----/685.10A	802.60B/685.10A	----	687.60 - 34.10	.9353	----	----	----	----	3 UNCH
5500	----	----	----/694.70A	812.30B/694.70A	----	697.30 - 34.10	.9374	----	----	1	----	34 UNCH
5515	----	----	----/709.10A	826.80B/709.10A	----	711.70 - 34.20	.9401	----	----	----	----	10 UNCH
5520	----	----	----/714.00A	831.60B/714.00A	----	716.50 - 34.30	.9411	----	----	----	----	1 UNCH
5530	----	----	----/723.60A	841.30B/723.60A	----	726.20 - 34.30	.9427	----	----	----	----	10 UNCH
5535	----	----	----/728.40A	846.10B/728.40A	----	731.00 - 34.40	.9437	----	----	----	----	10 UNCH
5540	----	----	----/733.30A	851.00B/733.30A	----	735.80 - 34.40	.9447	----	----	----	----	5 UNCH
5550	----	----	----/743.00A	860.70B/743.00A	----	745.50 - 34.40	.9464	----	----	----	----	5 UNCH
5565	----	----	----/757.50A	875.30B/757.50A	----	760.10 - 34.40	.9486	----	----	----	----	10 UNCH
5575	----	----	----/767.20A	885.00B/767.20A	----	769.80 - 34.50	.9502	----	----	----	----	12 UNCH
5590	----	----	----/781.80A	899.70B/781.80A	----	784.40 - 34.50	.9523	----	----	----	----	25 UNCH
5600	----	----	----/791.60A	909.40B/791.60A	----	794.10 - 34.60	.9535	----	----	----	----	11 UNCH
5625	877.50	877.50	877.50/816.00A	933.90B/816.00A	----	818.50 - 34.60	.9567	----	----	6	----	2 - 4
5640	----	----	----/830.60A	948.50B/830.60A	----	833.20 - 34.60	.9584	----	----	----	----	1 UNCH
5890	----	----	----/1,078.60A	1187.00B/1078.60A	----	1079.70 - 34.60	.9772	----	----	----	----	4 UNCH
5910	----	----	----/1,101.50A	1206.80B/1101.50A	----	1099.50 - 34.60	.9783	----	----	----	----	1 UNCH
5960	----	----	----/1,151.30A	1256.40B/1151.30A	----	1149.10 - 34.60	.9806	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1169.00 - 34.60	.9812	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1188.90 - 34.60	.9819	----	----	----	----	2 UNCH
6025	----	----	----/1,211.70A	1303.70B/1211.70A	----	1213.70 - 34.60	.9829	----	----	----	----	3 UNCH
6100	----	----	----/1,286.30A	1378.30B/1286.30A	----	1288.30 - 34.60	.9853	----	----	----	----	7 UNCH
TOTAL										9121	610	81958 + 1416
JUN26												
1325	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1375	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1500	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
1525	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	8 UNCH
1575	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1580	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1590	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	175 UNCH
1600	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	18 UNCH
1610	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1615	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1620	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	31 UNCH
1625	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
1650	----	----	----	----/0.50A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
1670	----	----	----	----/0.50A	----	0.10 - 0.10	.0001	----	----	----	----	10 UNCH
1675	----	----	----	----/0.50A	----	0.10 - 0.10	.0002	----	----	----	----	10 UNCH
1685	----	----	----	----/0.50A	----	0.10 - 0.20	.0002	----	----	----	----	5 UNCH
1690	----	----	----	----/0.50A	----	0.10 - 0.20	.0002	----	----	----	----	1 UNCH
1695	----	----	----	----/0.50A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1700	----	----	----	----/0.50A	----	0.20 - 0.10	.0004	----	----	----	----	2 UNCH
1725	----	----	----	----/0.50A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1735	----	----	----	----/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1740	----	----	----	----/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1745	----	----	----	----/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1750	----	----	----	----/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	4 UNCH
1755	----	----	----	----/0.50A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1775	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0005	----	----	----	----	1 UNCH
1780	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0006	----	----	----	----	2 UNCH
1785	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0006	----	----	----	----	2 UNCH
1795	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0006	----	----	----	----	11 UNCH
1800	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0006	----	----	----	----	6 UNCH
1815	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0006	----	----	----	----	1 UNCH
1820	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0006	----	----	----	----	2 UNCH
1855	----	----	----/*0.50A	0.10B/0.50A	----	0.30 - 0.30	.0006	----	----	----	----	1 UNCH
1875	----	----	----/0.50A	0.20B/0.50A	----	0.30 - 0.30	.0006	----	----	----	----	3 UNCH
1900	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0008	----	----	----	----	3 UNCH
1905	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0008	----	----	----	----	7 UNCH
1915	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0008	----	----	----	----	10 UNCH
1920	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0008	----	----	----	----	2 UNCH
1950	----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.30	.0008	----	----	----	----	1 UNCH
1955	----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.30	.0008	----	----	----	----	2 UNCH
1965	----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.30	.0008	----	----	----	----	10 UNCH
2000	----	----	----	0.30B/0.80A	----	0.50 - 0.30	.0010	----	----	----	----	603 UNCH
2005	----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.30	.0010	----	----	----	----	1 UNCH
2010	----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.30	.0010	----	----	----	----	1 UNCH
2015	----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.30	.0010	----	----	----	----	7 UNCH
2020	----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.30	.0010	----	----	----	----	1 UNCH
2025	----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.30	.0010	----	----	----	----	10 UNCH
2030	----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.30	.0010	----	----	----	----	13 UNCH
2050	----	----	----/0.70A	0.40B/0.70A	----	0.50 - 0.40	.0010	----	----	----	----	20 UNCH
2085	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.30	.0012	----	----	----	----	15 UNCH
2100	----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.30	.0012	----	----	----	----	90 UNCH
2105	----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.30	.0012	----	----	----	----	1 UNCH
2170	----	----	----/0.90A	0.60B/0.90A	----	0.70 - 0.40	.0015	----	----	----	----	5 UNCH
2180	----	----	----/0.90A	0.60B/0.90A	----	0.70 - 0.40	.0015	----	----	----	----	6 UNCH
2195	----	----	----/1.00A	0.60B/1.00A	----	0.70 - 0.40	.0015	----	----	----	----	5 UNCH
2200	----	----	----/1.00A	0.60B/1.00A	----	0.70 - 0.40	.0015	----	----	----	----	9 UNCH
2205	----	----	----/1.00A	0.60B/1.00A	----	0.80 - 0.30	.0017	----	----	----	----	7 UNCH
2220	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.40	.0017	----	----	----	----	1 UNCH
2230	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.40	.0017	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2235	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.40	.0017	----	----	----	----	21 UNCH
2240	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.40	.0017	----	----	----	----	6 UNCH
2250	----	----	----/1.10A	0.70B/1.10A	----	0.80 - 0.40	.0017	----	----	----	----	5 UNCH
2300	----	----	----/1.20A	0.80B/1.20A	----	0.90 - 0.50	.0020	----	----	----	----	11 UNCH
2315	----	----	----/1.20A	0.90B/1.20A	----	0.90 - 0.50	.0020	----	----	----	----	40 UNCH
2330	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.40	.0022	----	----	----	----	1 UNCH
2350	----	----	----/1.30A	1.00B/1.30A	----	1.00 - 0.50	.0022	----	----	----	----	1 UNCH
2380	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.40	.0024	----	----	----	----	1 UNCH
2385	----	----	----/1.40A	1.00B/1.40A	----	1.10 - 0.50	.0024	----	----	----	----	1 UNCH
2390	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.50	.0025	----	----	----	----	1 UNCH
2395	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.50	.0025	----	----	----	----	1 UNCH
2400	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.50	.0025	----	----	----	----	72 UNCH
2405	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.50	.0025	----	----	----	----	1 UNCH
2410	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.40	.0027	----	----	----	----	6 UNCH
2415	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.40	.0027	----	----	----	----	1 UNCH
2420	----	----	----/1.50A	1.10B/1.50A	----	1.20 - 0.40	.0027	----	----	----	----	5 UNCH
2425	----	----	----/1.50A	1.10B/1.50A	----	1.20 - 0.50	.0027	----	----	----	----	2 UNCH
2430	----	----	----/1.50A	1.20B/1.50A	----	1.20 - 0.50	.0027	----	----	----	----	1 UNCH
2445	----	----	----/1.50A	1.20B/1.50A	----	1.30 - 0.40	.0029	----	----	----	----	5 UNCH
2450	----	----	----/1.50A	1.20B/1.50A	----	1.30 - 0.40	.0029	----	----	----	----	2 UNCH
2460	----	----	----/1.60A	1.20B/1.60A	----	1.30 - 0.40	.0029	----	----	----	----	1 UNCH
2465	----	----	----/1.60A	1.30B/1.60A	----	1.30 - 0.50	.0029	----	----	----	----	7 UNCH
2475	----	----	----/1.60A	1.30B/1.60A	----	1.40 - 0.40	.0031	----	----	----	----	1 UNCH
2495	----	----	----/1.70A	1.40B/1.70A	----	1.40 - 0.40	.0032	----	----	----	----	1 UNCH
2500	----	----	----/1.40A	1.40B/1.40A	----	1.40 - 0.50	.0032	----	----	----	----	1819 UNCH
2535	----	----	----/1.80A	1.50B/1.80A	----	1.60 - 0.40	.0036	----	----	----	----	5 UNCH
2540	----	----	----/1.80A	1.50B/1.80A	----	1.60 - 0.40	.0037	----	----	----	----	5 UNCH
2550	----	----	----/1.80A	1.50B/1.80A	----	1.60 - 0.40	.0037	----	----	----	----	50 UNCH
2565	----	----	----/1.90A	1.60B/1.90A	----	1.70 - 0.40	.0039	----	----	----	----	5 UNCH
2580	----	----	----/1.90A	1.60B/1.90A	----	1.70 - 0.40	.0039	----	----	----	----	5 UNCH
2590	----	----	----/1.90A	1.70B/1.90A	----	1.70 - 0.50	.0039	----	----	----	----	8 UNCH
2600	----	----	----/2.00A	1.70B/2.00A	----	1.80 - 0.40	.0042	----	----	----	----	157 UNCH
2650	----	----	----/2.00A	1.90B/2.00A	----	1.90 - 0.60	.0045	----	----	----	----	1 UNCH
2695	----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.70	.0048	----	----	----	----	0 UNCH
2700	----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.70	.0048	----	----	----	----	433 UNCH
2730	----	----	----/2.30A	2.20B/2.30A	----	2.10 - 0.80	.0051	----	----	----	----	5 UNCH
2750	----	----	----/2.40A	2.30B/2.40A	----	2.20 - 0.80	.0053	----	----	----	----	1 UNCH
2800	2.60	2.60	2.80B/2.50A	2.80B/2.50A	----	2.30 - 1.00	.0057	----	----	25	----	749 + 25
2805	----	----	----/2.50A	2.50B/2.50A	----	2.40 - 0.90	.0059	----	----	----	----	223 UNCH
2810	----	----	----/2.50A	2.60B/2.50A	----	2.40 - 1.00	.0059	----	----	----	----	39 UNCH
2825	----	----	----/2.60A	2.70B/2.60A	----	2.40 - 1.10	.0060	----	----	----	----	48 UNCH
2830	----	----	----/2.60A	2.70B/2.60A	----	2.40 - 1.10	.0060	----	----	----	----	25 UNCH
2850	----	----	----/2.70A	2.80B/2.70A	----	2.50 - 1.10	.0063	----	----	----	----	22 UNCH
2875	----	----	----/2.80A	2.90B/2.80A	----	2.60 - 1.20	.0066	----	----	----	----	7 UNCH
2900	----	----	----/2.90A	3.10B/2.90A	----	2.80 - 1.20	.0071	----	----	----	----	154 UNCH
2905	----	----	----/3.00A	3.10B/3.00A	----	2.80 - 1.20	.0071	----	----	----	----	5 UNCH
2915	----	----	----/3.00A	3.20B/3.00A	----	2.80 - 1.30	.0072	----	----	----	----	1 UNCH
2930	----	----	----/3.10A	3.30B/3.10A	----	2.90 - 1.30	.0074	----	----	----	----	1 UNCH
2935	----	----	----/3.10A	3.30B/3.10A	----	2.90 - 1.30	.0075	----	----	----	----	3 UNCH
2950	----	----	----/3.20A	3.40B/3.20A	----	3.00 - 1.30	.0077	----	----	----	----	24 UNCH
2970	4.00	4.00	4.00/3.30A	4.00/3.30A	----	3.10 NEW	.0080	----	----	1	----	1 + 1
2975	----	----	----/3.30A	3.60B/3.30A	----	3.20 - 1.30	.0083	----	----	----	----	9 UNCH
2990	----	----	----/3.40A	3.70B/3.40A	----	3.20 - 1.40	.0083	----	----	----	----	5 UNCH
2995	----	----	----/3.40A	3.70B/3.40A	----	3.30 - 1.40	.0086	----	----	----	----	6 UNCH
3000	3.40	3.40	3.60/3.40	3.80B/3.40	----	3.30 - 1.40	.0086	----	----	52	----	1576 + 51
3005	----	----	----/3.50A	3.80B/3.50A	----	3.30 - 1.50	.0086	----	----	----	----	10 UNCH
3010	----	----	----/3.50A	3.80B/3.50A	----	3.40 - 1.40	.0089	----	----	----	----	8 UNCH
3015	----	----	----/3.50A	3.90B/3.50A	----	3.40 - 1.40	.0089	----	----	----	----	215 UNCH
3020	----	----	----/3.60A	3.90B/3.60A	----	3.40 - 1.50	.0089	----	----	----	----	35 UNCH
3035	----	----	----/3.70A	4.00B/3.70A	----	3.50 - 1.50	.0092	----	----	----	----	1 UNCH
3050	----	----	----/3.80A	4.10B/3.80A	----	3.60 - 1.60	.0095	----	----	----	----	389 UNCH
3065	----	----	----/3.90A	4.30B/3.90A	----	3.70 - 1.60	.0098	----	----	----	----	7 UNCH
3070	----	----	----/3.90A	4.30B/3.90A	----	3.70 - 1.70	.0098	----	----	----	----	6 UNCH
3075	----	----	----/3.90A	4.30B/3.90A	----	3.70 - 1.70	.0099	----	----	----	----	10 UNCH
3080	----	----	----/3.90A	4.40B/3.90A	----	3.80 - 1.70	.0101	----	----	----	----	8 UNCH
3095	----	----	----/4.10A	4.50B/4.10A	----	3.90 - 1.70	.0104	----	----	----	----	41 UNCH
3100	----	----	----/4.10A	4.60B/4.10A	----	3.90 - 1.80	.0104	----	----	----	----	365 UNCH
3105	----	----	----/4.10A	4.60B/4.10A	----	3.90 - 1.80	.0105	----	----	----	----	11 UNCH
3110	----	----	----/4.20A	4.70B/4.20A	----	4.00 - 1.80	.0107	----	----	----	----	10 UNCH
3120	----	----	----/4.20A	4.80B/4.20A	----	4.00 - 1.90	.0108	----	----	----	----	6 UNCH
3125	----	----	----/4.30A	4.80B/4.30A	----	4.10 - 1.80	.0110	----	----	----	----	10 UNCH
3130	----	----	----/4.30A	4.90B/4.30A	----	4.10 - 1.90	.0111	----	----	----	----	26 UNCH
3140	----	----	----/4.40A	5.00B/4.40A	----	4.20 - 1.90	.0113	----	----	----	----	5 UNCH
3150	----	----	----/4.40A	5.10B/4.40A	----	4.20 - 2.00	.0114	----	----	----	----	142 UNCH
3155	----	----	----/4.50A	5.10B/4.50A	----	4.30 - 2.00	.0117	----	----	----	----	16 UNCH
3160	----	----	----/4.50A	5.20B/4.50A	----	4.30 - 2.10	.0117	----	----	----	----	5 UNCH
3170	----	----	----/4.60A	5.30B/4.60A	----	4.40 - 2.10	.0120	----	----	----	----	6 UNCH
3175	----	----	----/4.60A	5.40B/4.60A	----	4.40 - 2.10	.0120	----	----	----	----	12 UNCH
3180	----	----	----/4.70A	5.40B/4.70A	----	4.50 - 2.10	.0123	----	----	----	----	5 UNCH
3185	----	----	----/4.70A	5.50B/4.70A	----	4.50 - 2.20	.0123	----	----	----	----	6 UNCH
3190	----	----	----/4.80A	5.50B/4.80A	----	4.50 - 2.20	.0124	----	----	----	----	18 UNCH
3200	----	----	----/4.80A	5.80B/4.80A	----	4.60 - 2.30	.0126	----	----	2	----	287 - 2
3205	----	----	----/4.90A	5.70B/4.90A	----	4.60 - 2.30	.0127	----	----	----	----	42 UNCH
3210	----	----	----/4.90A	5.80B/4.90A	----	4.70 - 2.30	.0129	----	----	----	----	15 UNCH
3215	----	----	----/5.00A	5.80B/5.00A	----	4.70 - 2.40	.0130	----	----	----	----	22 UNCH
3220	----	----	----/5.00A	5.90B/5.00A	----	4.80 - 2.40	.0132	----	----	----	----	7 UNCH
3225	----	----	----/5.10A	6.00B/5.10A	----	4.80 - 2.40	.0133	----	----	----	----	41 UNCH
3235	----	----	----/5.20A	6.10B/5.20A	----	4.90 - 2.50	.0136	----	----	----	----	24 UNCH
3250	----	----	----/5.30A	6.30B/5.30A	----	5.00 - 2.60	.0139	----	----	----	----	148 UNCH
3255	----	----	----/5.30A	6.40B/5.30A	----	5.00 - 2.70	.0140	----	----	----	----	110 UNCH
3260	----	----	----/5.40A	6.40B/5.40A	----	5.10 - 2.70	.0142	----	----	----	----	1 UNCH
3265	----	----	----/5.40A	6.50B/5.40A	----	5.10 - 2.70	.0143	----	----	----	----	20 UNCH
3270	----	----	----/5.50A	6.60B/5.50A	----	5.20 - 2.70	.0145	----	----	----	----	7 UNCH
3280	----	----	----/5.50A	6.70B/5.50A	----	5.30 - 2.80	.0149	----	----	----	----	13 UNCH
3290	----	----	----/5.70A	6.90B/5.70A	----	5.40 - 2.90	.0152	----	----	----	----	37 UNCH
3300	----	----	----/5.80A	7.10B/5.80A	----	5.50 - 2.90	.0155	----	----	4	----	373 UNCH
3305	----	----	----/5.80A	7.10B/5.80A	----	5.50 - 3.00	.0155	----	----	----	----	1 UNCH
3310	----	----	----/5.80A	7.20B/5.80A	----	5.60 - 3.00	.0158	----	----	----	----	7 UNCH
3320	----	----	----/5.90A	7.40B/5.90A	----	5.70 - 3.10	.0161	----	----	----	----	4 UNCH
3325	----	----	----/6.00A	7.40B/6.00A	----	5.70 - 3.20	.0162	----	----	----	----	46 UNCH
3335	----	----	----/6.20A	7.60B/6.20A	----	5.80 - 3.30	.0165	----	----	----	----	46 UNCH
3340	7.60	7.60	7.60/6.20A	7.70B/6.20A	----	5.90 - 3.30	.0168	----	----	1	----	22 UNCH
3345	6.90	6.90	6.90/6.20A	7.80B/6.20A	----	5.90 - 3.40	.0168	----	----	1	----	12 UNCH
3350	----	----	----/6.30A	7.90B/6.30A	----	6.00 - 3.40	.0171	----	----	49	----	407 + 36
3355	----	----	----/6.40A	8.00B/6.40A	----	6.00 - 3.50	.0172	----	----	----	----	1 UNCH
3360	7.70	7.70	7.70/6.40A	8.10B/6.40A	----	6.10 - 3.50	.0175	----	----	1	----	8 UNCH
3365	----	----	----/6.50A	8.20B/6.50A	----	6.10 - 3.60	.0175	----	----	----	----	29 UNCH
3370	7.60	7.60	7.60/6.50A	8.20B/6.50A	----	6.20 - 3.60	.0178	----	----	1	----	26 + 1
3375	----	----	----/6.60A	8.30B/6.60A	----	6.30 - 3.60	.0181	----	----	----	----	98 UNCH
3380	----	----	----/6.60A	8.40B/6.60A	----	6.30 - 3.70	.0181	----	----	----	----	46 UNCH
3385	----	----	----/6.70A	8.50B/6.70A	----	6.40 - 3.70	.0184	----	----	----	----	6 UNCH
3390	----	----	----/6.80A	8.60B/6.80A	----	6.40 - 3.80	.0185	----	----	----	----	40 UNCH
3395	----	----	----/6.80A	8.70B/6.80A	----	6.50 - 3.80	.0188	----	----	----	----	1 UNCH
3400	----	----	----/6.90A	8.80B/6.90A	----	6.60 - 3.90	.0190	----	----	----	----	732 UNCH
3405	----	----	----/6.90A	8.90B/6.90A	----	6.60 - 4.00	.0191	----	----	----	----	66 UNCH
3410	----	----	----/7.00A	9.00B/7.00A	----	6.70 - 4.00	.0194	----	----	----	----	7 UNCH
3415	----	----	----/7.10A	9.20B/7.10A	----	6.80 - 4.00	.0197	----	----	----	----	1 UNCH
3420	----	----	----/7.20A	9.30B/7.20A	----	6.80 - 4.10	.0197	----	----	----	----	18 UNCH
3425	----	----	----/7.20A	9.40B/7.20A	----	6.90 - 4.20	.0200	----	----	----	----	25 UNCH
3430	----	----	----/7.30A	9.50B/7.30A	----	7.00 - 4.20	.0203	----	----	----	----	4 UNCH
3435	----	----	----/7.40A	9.60B/7.40A	----	7.00 - 4.30	.0204	----	----	----	----	20 UNCH
3450	8.30	8.30	8.30/7.60A	10.20B/7.60A	----	7.30 - 4.40	.0212	----	----	3	----	426 - 3
3455	----	----	----/7.70A	10.10B/7.70A	----	7.30 - 4.50	.0213	----	----	----	----	51 UNCH
3460	----	----	----/7.70A	10.20B/7.70A	----	7.40 - 4.60	.0216	----	----	----	----	50 UNCH
3465	----	----	----/7.80A	10.30B/7.80A	----	7.50 - 4.60	.0219	----	----	----	----	89 UNCH
3470	----	----	----/7.90A	10.40B/7.90A	----	7.60 - 4.60	.0222	----	----	----	----	28 UNCH
3475	----	----	----/8.00A	10.60B/8.00A	----	7.60 - 4.80	.0223	----	----	----	----	241 UNCH
3480	----	----	----/8.10A	10.70B/8.10A	----	7.70 - 4.80	.0226	----	----	----	----	171 UNCH
3485	----	----	----/8.10A	11.00B/8.10A	----	7.80 - 4.90	.0229	----	----	----	----	2 UNCH
3490	----	----	----/8.20A	11.00B/8.20A	----	7.90 - 4.90	.0232	----	----	----	----	21 UNCH
3495	12.10	12.10	12.10/8.30A	12.10/8.30A	----	8.00 NEW	.0235	----	----	1	----	1 + 1
3500	12.50	12.50	12.50/8.40A	12.50/8.40A	----	8.10 - 5.00	.0238	----	----	33	----	1597 UNCH
3505	----	----	----/8.50A	11.40B/8.50A	----	8.20 - 5.10	.0241	----	----	----	----	65 UNCH
3510	----	----	----/8.60A	11.50B/8.60A	----	8.20 - 5.20	.0242	----	----	----	----	61 UNCH
3515	----	----	----/8.70A	11.70B/8.70A	----	8.30 - 5.30	.0245	----	----	----	----	16 UNCH
3520	----	----	----/8.70A	11.80B/8.70A	----	8.40 - 5.30	.0248	----	----	----	----	248 UNCH
3525	----	----	----/8.80A	12.00B/8.80A	----	8.50 - 5.40	.0251	----	----	----	----	301 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3530	----	----	----/8.90A	12.10B/8.90A	----	8.60 - 5.50	.0254	----	----	----	----	5 UNCH
3535	----	----	----/9.00A	12.30B/9.00A	----	8.70 - 5.50	.0257	----	----	----	----	100 UNCH
3540	----	----	----/9.10A	12.40B/9.10A	----	8.80 - 5.60	.0260	----	----	----	----	5 UNCH
3545	----	----	----/9.20A	12.80B/9.20A	----	8.90 - 5.70	.0263	----	----	----	----	20 UNCH
3550	10.50	10.50	10.50/9.30A	13.30B/9.30A	----	9.00 - 5.70	.0266	----	----	3	----	412 - 1
3555	----	----	----/9.40A	13.50B/9.40A	----	9.10 - 5.80	.0269	----	----	----	----	2 UNCH
3560	----	----	----/9.50A	13.60B/9.50A	----	9.20 - 5.90	.0273	----	----	----	----	86 UNCH
3565	----	----	----/9.60A	13.80B/9.60A	----	9.30 - 6.00	.0276	----	----	----	----	41 UNCH
3570	----	----	----/9.70A	13.90B/9.70A	----	9.40 - 6.10	.0279	----	----	----	----	60 UNCH
3575	11.10	11.10	11.10/9.80A	13.90B/9.80A	----	9.50 - 6.20	.0282	----	----	2	----	43 + 2
3580	----	----	----/9.90A	14.20B/9.90A	----	9.60 - 6.20	.0285	----	----	----	----	77 UNCH
3585	----	----	----/10.00A	14.30B/10.00A	----	9.70 - 6.30	.0288	----	----	----	----	2 UNCH
3590	----	----	----/10.10A	14.50B/10.10A	----	9.90 - 6.30	.0294	----	----	----	----	1 UNCH
3595	----	----	----/10.20A	14.60B/10.20A	----	10.00 - 6.40	.0297	----	----	----	----	23 UNCH
3600	15.00	15.00	15.00/10.40A	15.20B/10.40A	----	10.10 - 6.50	.0300	----	----	16	----	1656 + 2
3610	----	----	----/10.60A	15.40B/10.60A	----	10.30 - 6.70	.0307	----	----	----	----	5 UNCH
3615	----	----	----/10.70A	15.20B/10.70A	----	10.40 - 6.80	.0310	----	----	----	----	37 UNCH
3620	12.40	12.40	12.40/10.80A	15.40B/10.80A	----	10.60 - 6.80	.0316	----	----	3	----	12 UNCH
3625	11.50	11.50	11.50/11.00A	15.60B/11.00A	----	10.70 - 7.00	.0319	----	----	1	----	67 + 1
3630	----	----	----/11.00A	15.80B/11.00A	----	10.80 - 7.10	.0322	----	----	----	----	86 UNCH
3635	12.70	12.70	12.70/11.20A	16.10B/11.20A	----	10.90 - 7.20	.0326	----	----	2	----	107 + 2
3640	13.30	13.30	13.30/11.30A	16.40B/11.30A	----	11.10 - 7.20	.0331	----	----	1	----	25 - 1
3645	----	----	----/11.40A	16.80B/11.40A	----	11.20 - 7.30	.0335	----	----	----	----	8 UNCH
3650	16.20	16.20	16.40/11.50A	16.50B/11.50A	----	11.30 - 7.50	.0338	----	----	7	----	506 + 2
3660	----	----	----/11.90A	17.10B/11.90A	----	11.60 - 7.60	.0347	----	----	----	----	1 UNCH
3665	----	----	----/12.00A	17.20B/12.00A	----	11.70 - 7.80	.0350	----	----	----	----	14 UNCH
3670	----	----	----/12.10A	17.40B/12.10A	----	11.90 - 7.80	.0356	----	----	----	----	31 UNCH
3675	----	----	----/12.30A	17.70B/12.30A	----	12.00 - 8.00	.0359	----	----	----	----	55 UNCH
3680	----	----	----/12.40A	18.10B/12.40A	----	12.20 - 8.00	.0365	----	----	----	----	17 UNCH
3685	----	----	----/12.60A	18.10B/12.60A	----	12.30 - 8.20	.0369	----	----	----	----	51 UNCH
3690	14.40	14.40	14.40/12.70A	18.60B/12.70A	----	12.50 - 8.20	.0374	----	----	1	----	6 + 1
3695	----	----	----/12.80A	18.60B/12.80A	----	12.60 - 8.40	.0378	----	----	----	----	19 UNCH
3700	----	----	----/13.00A	18.90B/13.00A	----	12.80 - 8.40	.0383	----	----	11	----	787 UNCH
3705	----	----	----/13.10A	19.10B/13.10A	----	12.90 - 8.60	.0387	----	----	----	----	119 UNCH
3710	----	----	----/13.30A	19.60B/13.30A	----	13.10 - 8.70	.0393	----	----	----	----	79 UNCH
3715	----	----	----/13.50A	19.70B/13.50A	----	13.30 - 8.70	.0398	----	----	1	----	45 - 1
3720	----	----	----/13.60A	20.10B/13.60A	----	13.40 - 8.90	.0402	----	----	----	----	1 UNCH
3725	----	----	----/13.80A	20.30B/13.80A	----	13.60 - 9.00	.0408	----	----	6	----	90 + 4
3730	----	----	----/14.00A	20.80B/14.00A	----	13.80 - 9.10	.0414	----	----	----	----	19 UNCH
3740	----	----	----/14.30A	21.70B/14.30A	----	14.10 - 9.40	.0423	----	----	----	----	67 UNCH
3745	----	----	----/14.50A	21.90B/14.50A	----	14.30 - 9.50	.0429	----	----	----	----	18 UNCH
3750	17.00	17.00	17.00/14.60A	22.20B/14.60A	----	14.50 - 9.60	.0435	----	----	36	----	1292 - 13
3755	----	----	----/14.80A	22.50B/14.80A	----	14.60 - 9.80	.0439	----	----	----	----	2 UNCH
3760	----	----	----/15.00A	22.70B/15.00A	----	14.80 - 9.90	.0445	----	----	----	----	15 UNCH
3765	----	----	----/15.20A	23.00B/15.20A	----	15.00 - 10.00	.0450	----	----	----	----	46 UNCH
3770	24.40	24.40	24.40/15.40A	24.40/15.40A	----	15.20 - 10.10	.0456	----	----	5	----	10 - 1
3775	----	----	----/15.60A	23.60B/15.60A	----	15.40 - 10.20	.0462	----	----	----	----	39 UNCH
3780	----	----	----/15.80A	23.90B/15.80A	----	15.60 - 10.40	.0468	----	----	----	----	12 UNCH
3785	----	----	----/16.00A	24.30B/16.00A	----	15.80 - 10.50	.0474	----	----	----	----	6 UNCH
3790	----	----	----/16.20A	24.50B/16.20A	----	16.00 - 10.60	.0480	----	----	1	----	255 + 1
3795	----	----	----/16.40A	24.90B/16.40A	----	16.20 - 10.80	.0486	----	----	----	----	55 UNCH
3800	24.00	24.00	24.30/16.60A	25.20B/16.60A	----	16.40 - 10.90	.0492	----	----	105	----	1338 - 8
3805	----	----	----/16.80A	25.60B/16.80A	----	16.60 - 11.00	.0498	----	----	----	----	67 UNCH
3810	----	----	----/17.00A	25.90B/17.00A	----	16.80 - 11.20	.0505	----	----	----	----	16 UNCH
3815	----	----	----/17.20A	26.20B/17.20A	----	17.00 - 11.40	.0511	----	----	----	----	38 UNCH
3820	----	----	----/17.40A	26.50B/17.40A	----	17.30 - 11.40	.0519	----	----	1	----	11 - 1
3825	----	----	----/17.70A	26.90B/17.70A	----	17.50 - 11.60	.0525	----	----	----	----	41 UNCH
3830	----	----	----/17.90A	27.20B/17.90A	----	17.70 - 11.70	.0531	----	----	----	----	184 UNCH
3835	----	----	----/18.10A	27.60B/18.10A	----	17.90 - 11.90	.0537	----	----	----	----	55 UNCH
3840	----	----	----/18.40A	28.00B/18.40A	----	18.20 - 12.00	.0546	----	----	1	----	3 + 1
3850	19.00	19.00	20.40/18.80A	28.60B/18.80A	----	18.60 - 12.40	.0558	----	----	8	----	686 - 4
3855	----	----	----/19.10A	29.10B/19.10A	----	18.90 - 12.50	.0567	----	----	----	----	71 UNCH
3860	22.30	22.30	22.30/19.30A	29.40B/19.30A	----	19.10 - 12.70	.0573	----	----	3	----	19 - 3
3865	----	----	----/19.60A	29.80B/19.60A	----	19.40 - 12.80	.0581	----	----	4	----	16 + 4
3870	----	----	----/19.80A	30.20B/19.80A	----	19.60 - 13.00	.0588	----	----	4	----	15 - 2
3875	----	----	----/20.10A	30.70B/20.10A	----	19.90 - 13.10	.0596	----	----	----	----	163 UNCH
3880	----	----	----/20.30A	30.90B/20.30A	----	20.20 - 13.20	.0604	----	----	----	----	14 UNCH
3885	----	----	----/20.60A	31.30B/20.60A	----	20.40 - 13.50	.0611	----	----	----	----	12 UNCH
3890	----	----	----/20.90A	31.80B/20.90A	----	20.70 - 13.60	.0619	----	----	----	----	43 UNCH
3895	----	----	----/21.10A	32.20B/21.10A	----	21.00 - 13.70	.0628	----	----	----	----	15 UNCH
3900	23.50	23.50	26.00/21.40A	32.60B/21.40A	----	21.20 - 14.00	.0635	----	----	29	----	579 - 1
3905	----	----	----/21.70A	33.00B/21.70A	----	21.50 - 14.10	.0643	----	----	----	----	38 UNCH
3910	----	----	----/22.00A	33.50B/22.00A	----	21.80 - 14.30	.0652	----	----	1	----	8 - 1
3915	26.30	26.30	26.30/22.30A	33.90B/22.30A	----	22.10 - 14.40	.0660	----	----	2	----	9 + 2
3920	----	----	----/22.60A	34.40B/22.60A	----	22.40 - 14.60	.0669	----	----	2	----	38 UNCH
3925	----	----	----/22.90A	34.90B/22.90A	----	22.70 - 14.80	.0678	----	----	----	----	48 UNCH
3930	----	----	----/23.20A	35.20B/23.20A	----	23.00 - 15.00	.0686	----	----	----	----	24 UNCH
3935	----	----	----/23.50A	35.80B/23.50A	----	23.30 - 15.10	.0695	----	----	1	----	18 - 1
3940	----	----	----/23.80A	36.40B/23.80A	----	23.60 - 15.30	.0704	----	----	----	----	104 UNCH
3945	----	----	----/24.10A	36.70B/24.10A	----	23.90 - 15.50	.0712	----	----	----	----	5 UNCH
3950	----	----	----/24.40A	37.20B/24.40A	----	24.20 - 15.70	.0721	----	----	11	----	238 + 1
3955	----	----	----/24.70A	37.70B/24.70A	----	24.60 - 15.80	.0732	----	----	----	----	6 UNCH
3960	----	----	----/25.10A	38.20B/25.10A	----	24.90 - 16.10	.0741	----	----	3	----	32 + 3
3965	----	----	----/25.40A	38.50B/25.40A	----	25.20 - 16.30	.0750	----	----	1	----	13 - 1
3970	----	----	----/25.70A	39.00B/25.70A	----	25.60 - 16.40	.0761	----	----	----	----	64 UNCH
3975	----	----	----/26.10A	39.60B/26.10A	----	25.90 - 16.70	.0770	----	----	----	----	337 UNCH
3980	----	----	----/26.40A	40.20B/26.40A	----	26.30 - 16.80	.0780	----	----	3	----	32 + 1
3985	----	----	----/26.80A	40.70B/26.80A	----	26.60 - 17.00	.0790	----	----	----	----	27 UNCH
3990	----	----	----/27.10A	41.20B/27.10A	----	27.00 - 17.20	.0800	----	----	----	----	17 UNCH
3995	----	----	----/27.50A	41.70B/27.50A	----	27.30 - 17.50	.0810	----	----	----	----	150 UNCH
4000	40.00	40.00	40.00/27.90A	42.30B/27.90A	----	27.70 - 17.60	.0821	----	----	31	----	3649 UNCH
4005	36.00	36.00	36.00/28.20A	42.80B/28.20A	----	28.10 - 17.80	.0832	----	----	1	----	19 UNCH
4010	----	----	----/28.60A	43.40B/28.60A	----	28.50 - 18.00	.0843	----	----	----	----	44 UNCH
4015	----	----	----/29.00A	44.10B/29.00A	----	28.80 - 18.30	.0852	----	----	----	----	5 UNCH
4020	29.30	29.30	29.30/29.20	44.70B/29.20	----	29.20 - 18.50	.0863	----	----	25	----	99 + 8
4025	----	----	----/29.80A	45.30B/29.80A	----	29.60 - 18.70	.0874	----	----	10	----	205 UNCH
4030	----	----	----/30.20A	45.80B/30.20A	----	30.00 - 18.90	.0885	----	----	----	----	8 UNCH
4035	----	----	----/30.60A	46.50B/30.60A	----	30.40 - 19.10	.0897	----	----	1	----	46 UNCH
4040	----	----	----/31.00A	47.30B/31.00A	----	30.80 - 19.40	.0908	----	----	1	----	72 - 1
4045	----	----	----/31.40A	47.80B/31.40A	----	31.30 - 19.50	.0921	----	----	----	----	1 UNCH
4050	----	----	----/31.90A	48.30B/31.90A	----	31.70 - 19.80	.0932	----	----	6	----	1263 - 5
4055	----	----	----/32.30A	49.10B/32.30A	----	32.10 - 20.00	.0944	----	----	----	----	9 UNCH
4060	----	----	----/32.80A	49.80B/32.80A	----	32.60 - 20.20	.0957	----	----	1	----	87 - 1
4065	----	----	----/33.20A	50.30B/33.20A	----	33.00 - 20.50	.0968	----	----	----	----	119 UNCH
4070	----	----	----/33.60A	51.00B/33.60A	----	33.50 - 20.60	.0981	----	----	----	----	61 UNCH
4075	----	----	----/34.10A	51.50B/34.10A	----	33.90 - 20.90	.0993	----	----	----	----	249 UNCH
4080	----	----	----/34.60A	52.50B/34.60A	----	34.40 - 21.10	.1006	----	----	----	----	97 UNCH
4085	----	----	----/35.00A	53.10B/35.00A	----	34.80 - 21.40	.1018	----	----	----	----	22 UNCH
4090	----	----	----/35.50A	53.80B/35.50A	----	35.30 - 21.60	.1031	----	----	1	----	113 + 1
4095	----	----	----/36.00A	54.50B/36.00A	----	35.80 - 21.90	.1045	----	----	----	----	46 UNCH
4100	52.20	52.20	53.70/36.50A	55.20B/36.50A	----	36.30 - 22.10	.1058	----	----	53	----	1329 + 16
4105	----	----	----/37.00A	56.00B/37.00A	----	36.80 - 22.30	.1072	----	----	5	----	95 - 3
4110	----	----	----/37.50A	56.60B/37.50A	----	37.30 - 22.60	.1085	----	----	1	----	143 + 1
4115	----	----	----/38.00A	57.30B/38.00A	----	37.80 - 22.90	.1099	----	----	----	----	456 UNCH
4120	----	----	----/38.60A	58.30B/38.60A	----	38.30 - 23.10	.1112	----	----	----	----	29 UNCH
4125	44.30	44.30	44.30/39.10A	58.90B/39.10A	----	38.90 - 23.30	.1128	----	----	16	----	368 + 4
4130	----	----	----/39.60A	59.60B/39.60A	----	39.40 - 23.60	.1141	----	----	2	----	21 + 2
4135	----	----	----/40.10A	60.40B/40.10A	----	39.90 - 23.90	.1155	----	----	----	----	23 UNCH
4140	----	----	----/40.70A	61.20B/40.70A	----	40.50 - 24.10	.1170	----	----	1	----	15 + 1
4145	----	----	----/41.20A	62.00B/41.20A	----	41.00 - 24.40	.1184	----	----	50	----	212 UNCH
4150	----	----	----/41.80A	62.90B/41.80A	----	41.60 - 24.60	.1200	----	----	131	----	483 + 7
4155	----	----	----/42.30A	63.80B/42.30A	----	42.20 - 24.90	.1215	----	----	1	----	20 + 1
4160	----	----	----/42.90A	64.40B/42.90A	----	42.70 - 25.20	.1229	----	----	----	----	61 UNCH
4165	----	----	----/43.50A	65.20B/43.50A	----	43.30 - 25.50	.1245	----	----	----	----	27 UNCH
4170	----	----	----/44.10A	66.10B/44.10A	----	43.90 - 25.80	.1261	----	----	----	----	45 UNCH
4175	----	----	----/44.70A	67.00B/44.70A	----	44.50 - 26.00	.1276	----	----	----	----	901 UNCH
4180	----	----	----/45.30A	67.90B/45.30A	----	45.10 - 26.30	.1292	----	----	----	----	114 UNCH
4185	----	----	----/45.90A	68.80B/45.90A	----	45.80 - 26.50	.1309	----	----	----	----	14 UNCH
4190	47.80	47.80	47.80/46.50A	69.70B/46.50A	----	46.40 - 26.80	.1325	----	----	4	----	23 + 3
4195	----	----	----/47.10A	70.60B/47.10A	----	47.00 - 27.20	.1341	----	----	----	----	33 UNCH
4200	59.50	59.50	59.50/47.80A	71.40B/47.80A	----	47.70 - 27.40	.1358	----	----	44	100	2788 + 11
4205	----	----	----/48.40A	72.40B/48.40A	----	48.30 - 27.70	.1374	----	----	----	----	58 UNCH
4210	50.80	50.80	50.80/49.10	73.30B/49.10	----	49.00 - 28.00	.1392	----	----	5	----	386 + 1
4215	----	----	----/49.70A	74.40B/49.70A	----	49.70 - 28.30	.1410	----	----	1	----	9 UNCH
4220	----	----	----/50.40A	75.20B/50.40A	----	50.30 - 28.60	.1426	----	----	----	----	192 UNCH
4225	53.40	53.40	54.10/51.10A	76.20B/51.10A	----	51.00 - 28.90	.1443	----	----	204	----	255 + 143
4230	----	----	----/51.80A	77.30B/51.80A	----	51.70 - 29.20	.1461	----	----	----	----	57 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 12

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4235	54.50	54.50	54.50/52.50A	78.10B/52.50A	----	52.40 - 29.60	.1479	----	----	2	----	47 + 2
4240	----	----	----/53.20A	79.20B/53.20A	----	53.20 - 29.80	.1498	----	----	1	----	53 UNCH
4245	----	----	----/53.90A	80.20B/53.90A	----	53.90 - 30.10	.1516	----	----	----	----	37 UNCH
4250	62.20	62.20	64.80/54.60A	81.30B/54.60A	----	54.60 - 30.50	.1534	----	----	64	----	704 + 30
4255	----	----	----/55.40A	82.30B/55.40A	----	55.40 - 30.70	.1553	----	----	----	----	10 UNCH
4260	57.80	57.80	57.80/56.10A	83.30B/56.10A	----	56.10 - 31.10	.1571	----	----	2	----	20 UNCH
4265	----	----	----/56.90A	84.40B/56.90A	----	56.90 - 31.40	.1591	----	----	----	----	35 UNCH
4270	----	----	----/57.60A	85.40B/57.60A	----	57.70 - 31.70	.1610	----	----	----	----	49 UNCH
4275	61.20	61.20	61.20/58.40A	86.50B/58.40A	----	58.50 - 32.00	.1630	----	----	11	----	109 UNCH
4280	----	----	----/59.20A	87.70B/59.20A	----	59.30 - 32.30	.1650	----	----	3	----	76 - 3
4285	----	----	----/60.00A	88.90B/60.00A	----	60.10 - 32.70	.1669	----	----	----	----	13 UNCH
4290	----	----	----/60.80A	89.80B/60.80A	----	60.90 - 33.00	.1689	----	----	----	----	70 UNCH
4295	61.70	61.70	61.70/61.60A	91.10B/61.60A	----	61.70 - 33.40	.1709	----	----	2	----	22 UNCH
4300	86.50	86.50	89.10/62.40A	92.40B/62.40A	----	62.60 - 33.70	.1730	----	----	40	----	2472 + 16
4305	----	----	----/63.30A	93.50B/63.30A	----	63.40 - 34.10	.1750	----	----	----	----	72 UNCH
4310	----	----	----/64.10A	94.80B/64.10A	----	64.30 - 34.40	.1771	----	----	----	----	53 UNCH
4315	----	----	----/65.00A	95.90B/65.00A	----	65.20 - 34.70	.1792	----	----	----	----	43 UNCH
4320	----	----	----/65.90A	96.90B/65.90A	----	66.00 - 35.10	.1812	----	----	----	----	81 UNCH
4325	----	----	----/66.70A	98.20B/66.70A	----	66.90 - 35.50	.1834	----	----	----	----	58 UNCH
4330	77.00	77.00	77.00/67.60A	99.70B/67.60A	----	67.80 - 35.80	.1855	----	----	25	----	220 + 22
4335	----	----	----/68.50A	100.90B/68.50A	----	68.80 - 36.10	.1878	----	----	----	----	38 UNCH
4340	----	----	----/69.50A	102.10B/69.50A	----	69.70 - 36.50	.1900	----	----	48	----	114 + 46
4345	----	----	----/70.40A	103.10B/70.40A	----	70.60 - 36.90	.1921	----	----	----	----	46 UNCH
4350	101.00	101.00	101.00/71.30A	104.50B/71.30A	----	71.60 - 37.20	.1944	----	----	12	----	545 + 10
4355	----	----	----/72.30A	106.00B/72.30A	----	72.60 - 37.60	.1967	----	----	----	----	79 UNCH
4360	----	----	----/73.30A	107.10B/73.30A	----	73.50 - 38.00	.1989	----	----	1	----	84 + 1
4365	----	----	----/74.20A	108.50B/74.20A	----	74.50 - 38.40	.2012	----	----	----	----	66 UNCH
4370	87.30	87.30	87.30/75.20A	109.80B/75.20A	----	75.50 - 38.80	.2035	----	----	11	----	19 + 11
4375	----	----	----/76.20A	111.10B/76.20A	----	76.50 - 39.20	.2058	----	----	----	----	452 UNCH
4380	90.00	90.00	90.00/77.30A	112.70B/77.30A	----	77.60 - 39.50	.2083	----	----	1	----	436 - 1
4385	----	----	----/78.30A	114.00B/78.30A	----	78.60 - 39.90	.2106	----	----	----	----	22 UNCH
4390	----	----	----/79.30A	115.40B/79.30A	----	79.70 - 40.20	.2130	----	----	1	----	57 + 1
4395	----	----	----/80.40A	117.00B/80.40A	----	80.70 - 40.70	.2154	----	----	----	----	70 UNCH
4400	96.90	96.90	97.40/81.40A	118.20B/81.40A	----	81.80 - 41.10	.2178	----	----	868	----	4210 + 233
4405	----	----	----/82.50A	119.90B/82.50A	----	82.90 - 41.40	.2203	----	----	----	----	130 UNCH
4410	----	----	----/83.60A	121.40B/83.60A	----	84.00 - 41.80	.2228	----	----	49	----	89 + 34
4415	----	----	----/84.70A	122.70B/84.70A	----	85.10 - 42.30	.2252	----	----	----	----	85 UNCH
4420	97.00	97.00	97.50/85.80A	124.30B/85.80A	----	86.30 - 42.60	.2278	----	----	13	----	28 + 12
4425	----	----	----/87.00A	126.00B/87.00A	----	87.40 - 43.00	.2303	----	----	----	----	64 UNCH
4430	----	----	----/88.10A	127.40B/88.10A	----	88.60 - 43.40	.2329	----	----	----	----	97 UNCH
4435	89.20	89.20	89.20/89.20	128.80B/89.20	----	89.70 - 43.90	.2354	----	----	1	----	71 UNCH
4440	----	----	----/90.40A	130.50B/90.40A	----	90.90 - 44.30	.2380	----	----	----	----	33 UNCH
4445	----	----	----/91.60A	132.30B/91.60A	----	92.10 - 44.70	.2406	----	----	----	----	49 UNCH
4450	108.90	108.90	108.90/92.80A	133.60B/92.80A	----	93.30 - 45.10	.2432	----	----	7	----	884 + 5
4455	94.60	94.60	95.50/94.00A	135.40B/94.00A	----	94.50 - 45.60	.2458	----	----	3	----	68 + 3
4460	118.30	118.30	118.30/95.30A	137.00B/95.30A	----	95.80 - 46.00	.2486	----	----	13	----	34 UNCH
4465	----	----	----/96.50A	138.90B/96.50A	----	97.00 - 46.40	.2512	----	----	----	----	26 UNCH
4470	----	----	----/97.80A	140.60B/97.80A	----	98.30 - 46.80	.2539	----	----	----	----	29 UNCH
4475	99.60	99.60	100.60/99.10A	142.00B/99.10A	----	99.60 - 47.30	.2567	----	----	2	----	157 + 1
4480	----	----	----/100.30A	143.70B/100.30A	----	100.90 - 47.70	.2594	----	----	----	----	84 UNCH
4485	102.20	102.20	103.70/101.70A	145.30B/101.70A	----	102.20 - 48.20	.2622	----	----	2	----	27 UNCH
4490	----	----	----/103.00A	147.10B/103.00A	----	103.50 - 48.60	.2649	----	----	----	----	81 UNCH
4495	----	----	----/104.30A	148.90B/104.30A	----	104.90 - 49.00	.2678	----	----	----	----	80 UNCH
4500	150.00	150.00	150.00/105.70A	150.90B/105.70A	----	106.20 - 49.50	.2705	----	----	105	----	2427 + 7
4505	----	----	----/107.00A	152.40B/107.00A	----	107.60 - 49.90	.2734	----	----	----	----	28 UNCH
4510	----	----	----/108.40A	154.50B/108.40A	----	109.00 - 50.40	.2763	----	----	----	----	17 UNCH
4515	120.40	120.40	120.40/109.80A	156.20B/109.80A	----	110.40 - 50.80	.2791	----	----	1	----	243 - 1
4520	----	----	----/111.20A	157.90B/111.20A	----	111.80 - 51.30	.2820	----	----	----	----	159 UNCH
4525	----	----	----/112.70A	160.00B/112.70A	----	113.30 - 51.70	.2850	----	----	----	----	132 UNCH
4530	----	----	----/114.10A	162.00B/114.10A	----	114.70 - 52.20	.2879	----	----	1	----	11 UNCH
4535	----	----	----/115.60A	163.60B/115.60A	----	116.20 - 52.70	.2908	----	----	----	----	25 UNCH
4540	----	----	----/117.00A	165.70B/117.00A	----	117.70 - 53.10	.2938	----	----	----	----	157 UNCH
4545	119.30	119.30	119.30/118.50A	167.60B/118.50A	----	119.20 - 53.60	.2968	----	----	4	----	83 - 1
4550	158.00	158.00	158.00/120.00A	169.50B/120.00A	----	120.70 - 54.10	.2998	----	----	49	----	594 - 33
4555	----	----	----/121.60A	171.60B/121.60A	----	122.20 - 54.60	.3028	----	----	8	----	56 - 3
4560	----	----	----/123.10A	173.60B/123.10A	----	123.70 - 55.10	.3058	----	----	----	----	28 UNCH
4565	----	----	----/124.60A	175.70B/124.60A	----	125.30 - 55.50	.3088	----	----	----	----	199 UNCH
4570	126.80	126.80	128.00/126.20A	177.60B/126.20A	----	126.90 - 56.00	.3119	----	----	12	----	73 - 4
4575	----	----	----/127.80A	179.40B/127.80A	----	128.50 - 56.50	.3150	----	----	2	----	167 - 1
4580	----	----	----/129.40A	181.80B/129.40A	----	130.10 - 57.00	.3181	----	----	1	----	209 UNCH
4585	130.80	130.80	130.80/130.80	183.80B/130.80	----	131.70 - 57.50	.3212	----	----	9	----	27 + 9
4590	----	----	----/132.70A	186.00B/132.70A	----	133.40 - 57.90	.3243	----	----	----	----	79 UNCH
4595	----	----	----/134.30A	187.50B/134.30A	----	135.00 - 58.50	.3274	----	----	----	----	19 UNCH
4600	168.70	168.70	168.70/136.00A	189.80B/136.00A	----	136.70 - 59.00	.3306	----	----	192	----	1635 + 17
4605	----	----	----/137.70A	191.80B/137.70A	----	138.40 - 59.50	.3338	----	----	----	----	12 UNCH
4610	----	----	----/139.40A	194.00B/139.40A	----	140.10 - 60.00	.3370	----	----	----	----	10 UNCH
4615	----	----	----/141.10A	196.20B/141.10A	----	141.80 - 60.50	.3402	----	----	----	----	51 UNCH
4620	146.40	146.40	146.40/142.80A	198.40B/142.80A	----	143.60 - 61.00	.3434	----	----	2	----	186 + 2
4625	145.20	145.20	152.00/144.60A	200.70B/144.60A	----	145.30 - 61.50	.3466	----	----	5	----	178 + 1
4630	----	----	----/146.40A	202.90B/146.40A	----	147.10 - 62.00	.3499	----	----	----	----	119 UNCH
4635	----	----	----/148.20A	205.20B/148.20A	----	148.90 - 62.50	.3531	----	----	----	----	16 UNCH
4640	150.80	150.80	152.00/150.00A	207.50B/150.00A	----	150.70 - 63.10	.3564	----	----	3	----	37 + 2
4645	----	----	----/151.80A	209.80B/151.80A	----	152.60 - 63.50	.3597	----	----	----	----	32 UNCH
4650	208.00	208.00	208.00/153.60A	212.20B/153.60A	----	154.40 - 64.10	.3630	----	----	30	----	1145 - 18
4655	----	----	----/155.50A	214.50B/155.50A	----	156.30 - 64.60	.3663	----	----	1	----	48 - 1
4660	158.20	158.20	158.20/157.40A	216.90B/157.40A	----	158.20 - 65.10	.3697	----	----	8	----	105 - 2
4665	----	----	----/159.30A	219.30B/159.30A	----	160.10 - 65.60	.3730	----	----	----	----	13 UNCH
4670	161.80	161.80	163.30/161.20A	221.70B/161.20A	----	162.00 - 66.10	.3763	----	----	2	----	153 UNCH
4675	166.60	166.60	166.90/163.10A	224.10B/163.10A	----	164.00 - 66.60	.3797	----	----	4	----	300 + 1
4680	----	----	----/165.10A	226.60B/165.10A	----	165.90 - 67.20	.3831	----	----	----	----	54 UNCH
4685	----	----	----/167.10A	229.00B/167.10A	----	167.90 - 67.70	.3865	----	----	----	----	10 UNCH
4690	172.30	172.30	172.30/169.00A	231.50B/169.00A	----	169.90 - 68.20	.3899	----	----	2	----	13 + 2
4695	----	----	----/171.10A	234.00B/171.10A	----	171.90 - 68.80	.3933	----	----	----	----	31 UNCH
4700	231.00	231.00	231.00/173.10A	236.70B/173.10A	----	174.00 - 69.20	.3967	----	----	20	----	1335 UNCH
4705	----	----	----/175.10A	239.10B/175.10A	----	176.00 - 69.80	.4001	----	----	----	----	93 UNCH
4710	----	----	----/177.20A	241.70B/177.20A	----	178.10 - 70.30	.4036	----	----	3	----	17 + 3
4715	179.20	179.20	179.20/178.90	244.30B/178.90	----	180.20 - 70.80	.4070	----	----	6	----	38 + 4
4720	227.20	227.20	240.10/181.40A	246.90B/181.40A	----	182.30 - 71.40	.4105	----	----	4	----	101 - 1
4725	----	----	----/183.50A	249.50B/183.50A	----	184.40 - 71.90	.4140	----	----	----	----	17 UNCH
4730	195.00	195.00	196.60/185.60A	252.20B/185.60A	----	186.60 - 72.40	.4174	----	----	10	----	61 + 10
4735	209.00	209.00	209.00/187.20	254.90B/187.20	----	188.80 - 72.90	.4209	----	----	7	----	52 + 1
4740	239.80	239.80	239.80/190.00A	257.60B/190.00A	----	191.00 - 73.40	.4244	----	----	5	----	86 + 1
4745	242.30	242.30	242.30/192.10A	260.30B/192.10A	----	193.20 - 74.00	.4279	----	----	1	----	2 + 1
4750	242.20	242.20	242.20/194.40A	263.10B/194.40A	----	195.40 - 74.50	.4314	----	----	16	----	787 - 8
4755	----	----	----/196.60A	265.80B/196.60A	----	197.70 - 75.00	.4349	----	----	1	----	19 + 1
4760	226.30	226.30	226.30/198.80A	268.50B/198.80A	----	199.90 - 75.60	.4385	----	----	5	----	57 + 3
4765	209.60	209.60	209.60/201.10A	271.30B/201.10A	----	202.20 - 76.10	.4420	----	----	7	----	44 + 4
4770	209.30	209.30	212.80/203.40A	274.10B/203.40A	----	204.50 - 76.70	.4455	----	----	5	----	49 + 2
4775	----	----	----/205.70A	276.90B/205.70A	----	206.90 - 77.10	.4491	----	----	1	----	109 - 1
4780	----	----	----/208.00A	279.80B/208.00A	----	209.20 - 77.70	.4526	----	----	----	----	10 UNCH
4785	----	----	----/210.30A	282.60B/210.30A	----	211.60 - 78.20	.4561	----	----	----	----	47 UNCH
4790	----	----	----/212.70A	285.50B/212.70A	----	214.00 - 78.70	.4597	----	----	----	----	44 UNCH
4795	----	----	----/215.10A	288.40B/215.10A	----	216.40 - 79.30	.4632	----	----	----	----	13 UNCH
4800	220.00	220.00	231.20/217.50A	291.40B/217.50A	----	218.80 - 79.80	.4668	----	----	18	----	2158 + 4
4805	----	----	----/219.90A	294.30B/219.90A	----	221.30 - 80.30	.4704	----	----	----	----	84 UNCH
4810	224.10	224.10	224.10/222.30A	297.20B/222.30A	----	223.80 - 80.80	.4739	----	----	11	----	9 - 7
4815	226.60	226.60	226.60/224.80A	300.20B/224.80A	----	226.30 - 81.30	.4775	----	----	52	----	71 + 36
4820	----	----	----/227.30A	303.20B/227.30A	----	228.80 - 81.80	.4810	----	----	----	----	19 UNCH
4825	----	----	----/229.80A	306.20B/229.80A	----	231.30 - 82.40	.4846	----	----	----	----	164 UNCH
4830	----	----	----/232.40A	309.30B/232.40A	----	233.90 - 82.80	.4882	----	----	2	----	136 UNCH
4835	----	----	----/234.90A	312.30B/234.90A	----	236.50 - 83.30	.4917	----	----	----	----	29 UNCH
4840	----	----	----/237.50A	315.40B/237.50A	----	239.10 - 83.80	.4953	----	----	----	----	18 UNCH
4845	----	----	----/239.90A	318.40B/239.90A	----	241.70 - 84.40	.4989	----	----	----	----	10 UNCH
4850	----	----	----/242.40A	321.60B/242.40A	----	244.30 - 84.90	.5024	----	----	2	----	536 UNCH
4855	----	----	----/245.20A	324.60B/245.20A	----	247.00 - 85.40	.5060	----	----	----	----	359 UNCH
4860	----	----	----/247.90A	327.80B/247.90A	----	249.70 - 85.80	.5095	----	----	----	----	44 UNCH
4865	----	----	----/250.60A	330.90B/250.60A	----	252.40 - 86.30	.5131	----	----	----	----	17 UNCH
4870	----	----	----/253.30A	334.10B/253.30A	----	255.10 - 86.90	.5166	----	----	----	----	42 UNCH
4875	----	----	----/255.90A	337.30B/255.90A	----	257.80 - 87.40	.5202	----	----	----	----	74 UNCH
4880	----	----	----/258.70A	340.50B/258.70A	----	260.60 - 87.80	.5237	----	----	2	----	3 UNCH
4885	----	----	----/261.40A	343.70B/261.40A	----	263.40 - 88.30	.5272	----	----	----	----	6 UNCH
4890	----	----	----/264.10A	343.30B/264.10A	----	266.20 - 88.80	.5308	----	----	----	----	46 UNCH
4895	----	----	----/266.90A	344.70B/266.90A	----	269.00 - 89.30	.5343	----	----	----	----	211 UNCH
4900	303.60	303.60	303.60/269.60A	347.90B/269.60A	----	271.80 - 89.80	.5378	----	----	9	----	1803 UNCH
4905	----	----	----/272.50A	350.70B/272.50A	----	274.70 - 90.30	.5413	----	----	----	----	10 UNCH
4910	----	----	----/275.30A	354.50B/275.30A	----	277.60 - 90.70	.5448	----	----	----	----	57 UNCH
4915	----	----	----/278.10A	357.60B/278.10A	----	280.40 - 91.30	.5483	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4920	----	----	----/281.00A	361.10B/281.00A	----	283.40 - 91.70	.5518	----	----	----	----	91 UNCH
4925	----	----	----/283.90A	364.30B/283.90A	----	286.30 - 92.20	.5553	----	----	----	----	73 UNCH
4930	----	----	----/286.80A	367.20B/286.80A	----	289.20 - 92.70	.5588	----	----	----	----	199 UNCH
4940	----	----	----/292.70A	374.50B/292.70A	----	295.20 - 93.60	.5657	----	----	----	----	64 UNCH
4945	----	----	----/295.70A	377.30B/295.70A	----	298.20 - 94.10	.5692	----	----	----	----	2 UNCH
4950	----	----	----/298.60A	380.70B/298.60A	----	301.20 - 94.60	.5726	----	----	----	----	287 UNCH
4955	----	----	----/301.60A	384.70B/301.60A	----	304.20 - 95.10	.5761	----	----	----	----	31 UNCH
4960	----	----	----/304.60A	388.00B/304.60A	----	307.30 - 95.50	.5795	----	----	----	----	23 UNCH
4965	----	----	----/307.70A	390.80B/307.70A	----	310.40 - 96.00	.5829	----	----	----	----	24 UNCH
4970	----	----	----/310.70A	394.90B/310.70A	----	313.50 - 96.40	.5863	----	----	----	----	44 UNCH
4975	----	----	----/313.80A	398.50B/313.80A	----	316.60 - 96.90	.5897	----	----	----	----	153 UNCH
4980	----	----	----/316.90A	401.90B/316.90A	----	319.70 - 97.40	.5932	----	----	----	----	28 UNCH
4985	----	----	----/320.00A	405.40B/320.00A	----	322.80 - 97.90	.5965	----	----	----	----	9 UNCH
4990	----	----	----/323.00A	408.90B/323.00A	----	326.00 - 98.30	.5999	----	----	----	----	292 UNCH
4995	----	----	----/326.30A	412.60B/326.30A	----	329.20 - 98.80	.6033	----	----	----	----	11 UNCH
5000	395.30	395.30	395.30/329.40A	416.00B/329.40A	----	332.40 - 99.20	.6066	----	----	14	----	1892 - 9
5005	----	----	----/333.00A	419.20B/333.00A	----	335.60 - 99.70	.6100	----	----	----	----	304 UNCH
5010	----	----	----/336.10A	423.30B/336.10A	----	338.80 - 00.20	.6133	----	----	----	----	11 UNCH
5015	----	----	----/339.40A	426.40B/339.40A	----	342.00 - 00.70	.6167	----	----	----	----	49 UNCH
5020	----	----	----/342.60A	430.50B/342.60A	----	345.30 - 01.10	.6199	----	----	----	----	31 UNCH
5025	----	----	----/345.90A	434.00B/345.90A	----	348.60 - 01.50	.6232	----	----	----	----	55 UNCH
5030	----	----	----/349.10A	437.80B/349.10A	----	351.90 - 02.00	.6265	----	----	----	----	68 UNCH
5035	----	----	----/352.60A	441.40B/352.60A	----	355.20 - 02.40	.6298	----	----	----	----	13 UNCH
5040	----	----	----/355.90A	444.60B/355.90A	----	358.50 - 02.90	.6331	----	----	----	----	18 UNCH
5045	----	----	----/359.10A	448.90B/359.10A	----	361.90 - 03.30	.6363	----	----	----	----	6 UNCH
5050	----	----	----/362.70A	452.40B/362.70A	----	365.20 - 03.80	.6395	----	----	----	----	804 UNCH
5055	----	----	----/366.10A	456.30B/366.10A	----	368.60 - 04.20	.6427	----	----	----	----	63 UNCH
5060	----	----	----/369.30A	460.00B/369.30A	----	372.00 - 04.60	.6459	----	----	----	----	64 UNCH
5065	----	----	----/372.60A	463.80B/372.60A	----	375.50 - 04.90	.6490	----	----	----	----	9 UNCH
5070	----	----	----/376.00A	467.00B/376.00A	----	378.90 - 05.40	.6523	----	----	----	----	52 UNCH
5075	----	----	----/379.40A	471.40B/379.40A	----	382.40 - 05.80	.6554	----	----	----	----	27 UNCH
5080	----	----	----/383.10A	475.20B/383.10A	----	385.80 - 06.20	.6585	----	----	----	----	29 UNCH
5085	----	----	----/386.50A	479.00B/386.50A	----	389.30 - 06.60	.6616	----	----	----	----	123 UNCH
5090	----	----	----/390.00A	482.60B/390.00A	----	392.80 - 07.00	.6647	----	----	----	----	109 UNCH
5095	----	----	----/393.50A	486.00B/393.50A	----	396.40 - 07.40	.6678	----	----	----	----	111 UNCH
5100	----	----	----/396.90A	490.40B/396.90A	----	399.90 - 07.80	.6708	----	----	----	----	457 UNCH
5105	----	----	----/400.50A	494.30B/400.50A	----	403.50 - 08.10	.6739	----	----	----	----	38 UNCH
5110	----	----	----/404.20A	498.20B/404.20A	----	407.10 - 08.50	.6769	----	----	----	----	74 UNCH
5115	----	----	----/407.60A	502.10B/407.60A	----	410.70 - 08.90	.6799	----	----	----	----	14 UNCH
5120	----	----	----/411.20A	506.00B/411.20A	----	414.30 - 09.20	.6829	----	----	----	----	25 UNCH
5125	----	----	----/414.80A	509.90B/414.80A	----	417.90 - 09.60	.6858	----	----	----	----	192 UNCH
5130	----	----	----/418.50A	513.80B/418.50A	----	421.50 - 10.00	.6889	----	----	----	----	26 UNCH
5135	----	----	----/422.00A	517.60B/422.00A	----	425.20 - 10.40	.6918	----	----	----	----	37 UNCH
5140	----	----	----/425.70A	521.70B/425.70A	----	428.90 - 10.70	.6947	----	----	----	----	14 UNCH
5145	----	----	----/429.30A	525.50B/429.30A	----	432.60 - 11.00	.6976	----	----	----	----	39 UNCH
5150	520.00	520.00	529.60B/433.00A	529.60B/433.00A	----	436.30 - 11.40	.7005	----	----	2	----	390 UNCH
5155	----	----	----/436.70A	533.60B/436.70A	----	440.00 - 11.80	.7033	----	----	----	----	38 UNCH
5160	----	----	----/440.40A	537.60B/440.40A	----	443.70 - 12.10	.7062	----	----	1	----	70 - 1
5165	----	----	----/444.10A	541.60B/444.10A	----	447.50 - 12.40	.7090	----	----	----	----	47 UNCH
5170	----	----	----/448.10A	545.60B/448.10A	----	451.20 - 12.80	.7118	----	----	----	----	504 UNCH
5175	----	----	----/451.70A	549.70B/451.70A	----	455.00 - 13.10	.7146	----	----	----	----	15 UNCH
5180	----	----	----/455.40A	553.70B/455.40A	----	458.80 - 13.50	.7173	----	----	1	----	19 - 1
5185	----	----	----/459.20A	557.60B/459.20A	----	462.60 - 13.80	.7201	----	----	----	----	22 UNCH
5190	----	----	----/463.00A	561.80B/463.00A	----	466.40 - 14.20	.7229	----	----	----	----	5 UNCH
5195	----	----	----/466.90A	565.90B/466.90A	----	470.20 - 14.50	.7256	----	----	----	----	8 UNCH
5200	----	----	----/470.60A	569.80B/470.60A	----	474.10 - 14.80	.7283	----	----	----	----	612 UNCH
5205	----	----	----/474.50A	574.00B/474.50A	----	477.90 - 15.20	.7310	----	----	----	----	36 UNCH
5210	----	----	----/478.30A	578.00B/478.30A	----	481.80 - 15.50	.7336	----	----	1	----	68 - 1
5215	----	----	----/482.20A	582.10B/482.20A	----	485.70 - 15.80	.7363	----	----	----	----	42 UNCH
5220	----	----	----/486.10A	586.40B/486.10A	----	489.60 - 16.10	.7389	----	----	----	----	188 UNCH
5225	----	----	----/490.00A	590.50B/490.00A	----	493.50 - 16.40	.7416	----	----	----	----	200 UNCH
5230	----	----	----/494.00A	594.70B/494.00A	----	497.40 - 16.70	.7441	----	----	----	----	7 UNCH
5235	----	----	----/498.10A	598.90B/498.10A	----	501.30 - 17.10	.7467	----	----	----	----	160 UNCH
5245	----	----	----/505.80A	607.20B/505.80A	----	509.20 - 17.70	.7517	----	----	----	----	9 UNCH
5250	584.30	584.30	584.30/510.00A	611.20B/510.00A	----	513.20 - 17.90	.7542	----	----	2	----	332 + 1
5255	----	----	----/514.00A	615.40B/514.00A	----	517.20 - 18.20	.7567	----	----	----	----	9 UNCH
5260	----	----	----/518.00A	619.60B/518.00A	----	521.20 - 18.50	.7592	----	----	----	----	11 UNCH
5265	----	----	----/521.70A	624.00B/521.70A	----	525.20 - 18.80	.7617	----	----	----	----	5 UNCH
5270	----	----	----/526.00A	628.00B/526.00A	----	529.20 - 19.10	.7640	----	----	----	----	24 UNCH
5275	----	----	----/529.90A	632.30B/529.90A	----	533.20 - 19.40	.7665	----	----	----	----	170 UNCH
5280	----	----	----/534.00A	636.70B/534.00A	----	537.30 - 19.70	.7689	----	----	----	----	67 UNCH
5285	----	----	----/538.00A	641.00B/538.00A	----	541.30 - 20.00	.7712	----	----	----	----	27 UNCH
5290	----	----	----/542.00A	645.00B/542.00A	----	545.40 - 20.20	.7735	----	----	----	----	2 UNCH
5300	----	----	----/550.50A	653.60B/550.50A	----	553.60 - 20.80	.7782	----	----	----	----	161 UNCH
5305	----	----	----/554.30A	657.90B/554.30A	----	557.70 - 21.00	.7805	----	----	----	----	104 UNCH
5320	606.90	606.90	606.90/566.80A	670.80B/566.80A	----	570.10 - 21.80	.7872	----	----	2	----	108 UNCH
5325	----	----	----/570.90A	675.20B/570.90A	----	574.30 - 22.00	.7893	----	----	----	----	1 UNCH
5335	----	----	----/579.30A	683.80B/579.30A	----	582.60 - 22.50	.7938	----	----	----	----	5 UNCH
5340	----	----	----/583.60A	688.40B/583.60A	----	586.80 - 22.70	.7958	----	----	----	----	52 UNCH
5345	----	----	----/587.80A	692.70B/587.80A	----	591.00 - 22.90	.7979	----	----	----	----	1 UNCH
5350	----	----	----/591.90A	697.10B/591.90A	----	595.20 - 23.20	.8001	----	----	----	----	108 UNCH
5365	----	----	----/604.60A	710.20B/604.60A	----	607.90 - 23.80	.8062	----	----	----	----	4 UNCH
5370	----	----	----/608.90A	714.60B/608.90A	----	612.20 - 24.00	.8083	----	----	----	----	37 UNCH
5375	----	----	----/613.20A	719.00B/613.20A	----	616.50 - 24.10	.8103	----	----	----	----	1 UNCH
5380	----	----	----/617.40A	723.40B/617.40A	----	620.70 - 24.40	.8122	----	----	----	----	2 UNCH
5385	----	----	----/621.60A	727.80B/621.60A	----	625.00 - 24.60	.8142	----	----	----	----	10 UNCH
5390	----	----	----/626.00A	732.30B/626.00A	----	629.30 - 24.80	.8162	----	----	----	----	2 UNCH
5395	----	----	----/630.10A	736.60B/630.10A	----	633.60 - 25.00	.8179	----	----	----	----	156 UNCH
5400	712.80	712.80	712.80/634.50A	741.10B/634.50A	----	637.90 - 25.20	.8199	----	----	2	----	444 + 2
5420	----	----	----/652.00A	758.90B/652.00A	----	655.30 - 25.80	.8273	----	----	----	----	10 UNCH
5425	----	----	----/656.20A	763.20B/656.20A	----	659.70 - 25.90	.8291	----	----	----	----	1 UNCH
5430	----	----	----/660.70A	767.90B/660.70A	----	664.00 - 26.20	.8308	----	----	1	----	31 + 1
5435	----	----	----/664.80A	772.30B/664.80A	----	668.40 - 26.30	.8326	----	----	----	----	10 UNCH
5440	----	----	----/669.20A	776.90B/669.20A	----	672.80 - 26.50	.8343	----	----	----	----	20 UNCH
5470	----	----	----/695.80A	803.90B/695.80A	----	699.30 - 27.40	.8444	----	----	----	----	1 UNCH
5490	----	----	----/713.60A	822.00B/713.60A	----	717.10 - 27.90	.8509	----	----	----	----	166 UNCH
5500	----	----	----/722.50A	831.20B/722.50A	----	726.10 - 28.20	.8540	----	----	1	----	52 + 1
5525	----	----	----/745.10A	854.00B/745.10A	----	748.60 - 28.80	.8613	----	----	----	----	2 UNCH
5575	----	----	----/790.40A	900.20B/790.40A	----	794.10 - 30.00	.8749	----	----	----	----	2 UNCH
5590	----	----	----/804.30A	914.10B/804.30A	----	807.90 - 30.20	.8787	----	----	----	----	77 UNCH
5595	----	----	----/809.00A	918.70B/809.00A	----	812.50 - 30.30	.8800	----	----	----	----	1 UNCH
5600	----	----	----/813.50A	923.40B/813.50A	----	817.10 - 30.40	.8810	----	----	----	----	8 UNCH
5640	----	----	----/850.60A	960.50B/850.60A	----	854.20 - 31.10	.8904	----	----	----	----	9 UNCH
5700	----	----	----/906.70A	1017.20B/906.70A	----	910.30 - 32.00	.9025	----	----	----	----	0 UNCH
5800	----	----	----/1,001.70A	1112.10B/1001.70A	----	1005.20 - 33.00	.9194	----	----	----	----	6 UNCH
6000	----	----	----/1,194.50A	1305.00B/1194.50A	----	1198.20 - 34.00	.9433	----	----	----	----	4 UNCH
6100	----	----	----/1,292.20A	1402.50B/1292.20A	----	1295.80 NEW	.9519	----	----	3	----	3 + 3
6675	----	----	----	----	----	1863.70 - 34.80	.9788	----	----	----	----	2 UNCH
10000	----	----	----	----	----	5186.90 - 34.50	1.0000	----	----	24	----	0 UNCH
TOTAL										2908	100	81013 + 736
JUL26												
2275	2.00	2.00	2.00/1.70A	2.00/1.70A	----	1.40 - 0.40	.0028	----	----	2	----	35 UNCH
2300	----	----	----/1.80A	1.50B/1.80A	----	1.50 - 0.60	.0030	----	----	6	----	96 UNCH
2400	----	----	----/2.10A	1.80B/2.10A	----	1.90 - 0.70	.0039	----	----	----	----	2 UNCH
2500	----	----	----/2.40A	2.20B/2.40A	----	2.20 - 0.80	.0047	----	----	3	----	192 UNCH
2575	----	----	----/2.80A	2.60B/2.80A	----	2.50 - 0.90	.0054	----	----	----	----	1 UNCH
2600	----	----	----/2.90A	2.70B/2.90A	----	2.60 - 0.90	.0056	----	----	----	----	12 UNCH
2620	----	----	----/3.00A	2.80B/3.00A	----	2.60 - 1.00	.0057	----	----	----	----	1 UNCH
2650	----	----	----/3.10A	3.00B/3.10A	----	2.80 - 1.00	.0061	----	----	----	----	52 UNCH
2670	----	----	----/3.20A	3.10B/3.20A	----	2.80 - 1.10	.0062	----	----	----	----	10 UNCH
2675	----	----	----/3.20A	3.20B/3.20A	----	2.90 - 1.10	.0064	----	----	----	----	10 UNCH
2680	----	----	----/3.20A	3.20B/3.20A	----	2.90 - 1.10	.0064	----	----	----	----	10 UNCH
2700	----	----	----/3.30A	3.30B/3.30A	----	3.00 - 1.10	.0067	----	----	----	----	3 UNCH
2730	----	----	----/3.50A	3.50B/3.50A	----	3.10 - 1.30	.0070	----	----	----	----	1 UNCH
2750	----	----	----/3.60A	3.70B/3.60A	----	3.30 - 1.20	.0074	----	----	----	----	19 UNCH
2785	----	----	----/3.80A	4.00B/3.80A	----	3.50 - 1.30	.0079	----	----	----	----	2 UNCH
2800	----	----	----/3.90A	4.10B/3.90A	----	3.50 - 1.40	.0080	----	----	----	----	5 UNCH
2850	----	----	----/4.20A	4.50B/4.20A	----	3.90 - 1.50	.0089	----	----	----	----	1 UNCH
2860	----	----	----/4.30A	4.60B/4.30A	----	3.90 - 1.60	.0090	----	----	----	----	4 UNCH
2890	----	----	----/4.50A	4.90B/4.50A	----	4.20 - 1.60	.0097	----	----	----	----	60 UNCH
2895	----	----	----/4.60A	5.00B/4.60A	----	4.20 - 1.70	.0097	----	----	----	----	18 UNCH
2900	----	----	----/4.60A	5.00B/4.60A	----	4.20 - 1.70	.0098	----	----	----	----	6 UNCH
2905	----	----	----/4.60A	5.10B/4.60A	----	4.30 - 1.70	.0100	----	----	----	----	19 UNCH
2950	----	----	----/5.00A	5.60B/5.00A	----	4.70 - 1.80	.0110	----	----	----	----	32 UNCH
2995	----	----	----/5.40A	6.20B/5.40A	----	5.10 - 2.00	.0120	----	----	----	----	16 UNCH
3000	----	----	----/5.40A	6.20B/5.40A	----	5.10 - 2.10	.0120	----	----	----	----	57 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3015	----	----	----/5.60A	6.40B/5.60A	----	5.30 - 2.10	.0125	----	----	----	----	5 UNCH
3025	----	----	----/5.70A	6.60B/5.70A	----	5.40 - 2.10	.0128	----	----	----	----	1 UNCH
3035	----	----	----/5.80A	6.70B/5.80A	----	5.50 - 2.20	.0130	----	----	----	----	5 UNCH
3100	----	----	----/6.50A	7.80B/6.50A	----	6.20 - 2.60	.0148	----	----	----	----	43 UNCH
3105	----	----	----/6.50A	7.80B/6.50A	----	6.20 - 2.70	.0149	----	----	----	----	1 UNCH
3125	----	----	----/6.80A	8.20B/6.80A	----	6.50 - 2.70	.0156	----	----	----	----	44 UNCH
3140	----	----	----/7.00A	8.50B/7.00A	----	6.70 - 2.80	.0161	----	----	----	----	1 UNCH
3150	----	----	----/7.10A	8.70B/7.10A	----	6.80 - 2.90	.0164	----	----	----	----	12 UNCH
3155	----	----	----/7.20A	8.70B/7.20A	----	6.90 - 2.90	.0166	----	----	----	----	1 UNCH
3200	----	----	----/7.80A	9.70B/7.80A	----	7.50 - 3.30	.0182	----	----	----	----	111 UNCH
3210	----	----	----/7.90A	9.90B/7.90A	----	7.60 - 3.40	.0185	----	----	----	----	1 UNCH
3220	----	----	----/8.10A	10.10B/8.10A	----	7.80 - 3.50	.0190	----	----	----	----	1 UNCH
3225	10.10	10.10	10.20B/8.20A	10.20B/8.20A	----	7.80 - 3.60	.0190	----	----	2	----	70 UNCH
3250	----	----	----/8.60A	10.80B/8.60A	----	8.20 - 3.80	.0200	----	----	----	----	65 UNCH
3275	----	----	----/9.00A	11.40B/9.00A	----	8.60 - 4.10	.0211	----	----	----	----	10 UNCH
3290	----	----	----/9.30A	11.80B/9.30A	----	8.90 - 4.20	.0218	----	----	----	----	10 UNCH
3300	----	----	----/9.50A	12.10B/9.50A	----	9.10 - 4.30	.0223	----	----	----	----	55 UNCH
3320	----	----	----/9.90A	12.70B/9.90A	----	9.40 - 4.60	.0232	----	----	----	----	1 UNCH
3325	----	----	----/10.00A	12.80B/10.00A	----	9.50 - 4.70	.0234	----	----	----	----	147 UNCH
3335	----	----	----/10.20A	13.10B/10.20A	----	9.70 - 4.80	.0239	----	----	----	----	86 UNCH
3340	----	----	----/10.30A	13.30B/10.30A	----	9.80 - 4.90	.0242	----	----	----	----	1 UNCH
3350	----	----	----/10.50A	13.60B/10.50A	----	10.00 - 5.00	.0247	----	----	2	----	22 + 2
3355	----	----	----/10.60A	13.70B/10.60A	----	10.10 - 5.00	.0250	----	----	----	----	69 UNCH
3360	10.70	10.70	10.70/10.70	13.90B/10.70	----	10.20 - 5.10	.0252	----	----	2	----	3 - 2
3370	----	----	----/10.90A	14.20B/10.90A	----	10.40 - 5.30	.0258	----	----	----	----	9 UNCH
3380	----	----	----/11.20A	14.50B/11.20A	----	10.60 - 5.40	.0263	----	----	----	----	2 UNCH
3385	----	----	----/11.20A	14.70B/11.20A	----	10.80 - 5.40	.0267	----	----	----	----	4 UNCH
3390	----	----	----/11.40A	14.90B/11.40A	----	10.90 - 5.50	.0270	----	----	----	----	1 UNCH
3395	----	----	----/11.40A	15.00B/11.40A	----	11.00 - 5.60	.0273	----	----	----	----	31 UNCH
3400	11.50	11.50	11.50/11.50	15.30B/11.50	----	11.10 - 5.60	.0275	----	----	1	----	47 - 1
3410	----	----	----/11.90A	15.50B/11.90A	----	11.30 - 5.80	.0281	----	----	----	----	5 UNCH
3425	----	----	----/12.30A	16.10B/12.30A	----	11.70 - 6.00	.0291	----	----	----	----	56 UNCH
3435	----	----	----/12.50A	16.50B/12.50A	----	11.90 - 6.20	.0296	----	----	----	----	5 UNCH
3445	----	----	----/12.80A	16.80B/12.80A	----	12.20 - 6.30	.0303	----	----	----	----	1 UNCH
3450	----	----	----/12.90A	17.00B/12.90A	----	12.30 - 6.40	.0306	----	----	----	----	140 UNCH
3455	----	----	----/13.00A	17.20B/13.00A	----	12.50 - 6.40	.0311	----	----	----	----	10 UNCH
3460	----	----	----/13.20A	17.40B/13.20A	----	12.60 - 6.50	.0314	----	----	----	----	10 UNCH
3465	----	----	----/13.30A	17.60B/13.30A	----	12.70 - 6.70	.0316	----	----	----	----	142 UNCH
3475	----	----	----/13.60A	18.00B/13.60A	----	13.00 - 6.80	.0324	----	----	----	----	132 UNCH
3480	----	----	----/13.60A	18.20B/13.60A	----	13.20 - 6.80	.0328	----	----	----	----	36 UNCH
3495	----	----	----/14.20A	18.90B/14.20A	----	13.60 - 7.10	.0339	----	----	----	----	5 UNCH
3500	17.00	17.00	17.00/14.30A	19.20B/14.30A	----	13.80 - 7.20	.0344	----	----	7	----	573 UNCH
3505	----	----	----/14.40A	19.30B/14.40A	----	13.90 - 7.30	.0346	----	----	----	----	6 UNCH
3510	----	----	----/14.60A	19.60B/14.60A	----	14.10 - 7.30	.0351	----	----	----	----	5 UNCH
3515	----	----	----/14.80A	19.80B/14.80A	----	14.20 - 7.50	.0354	----	----	----	----	6 UNCH
3525	----	----	----/15.10A	20.20B/15.10A	----	14.50 - 7.70	.0362	----	----	----	----	3 UNCH
3530	----	----	----/15.30A	20.40B/15.30A	----	14.70 - 7.70	.0366	----	----	----	----	168 UNCH
3535	----	----	----/15.50A	20.70B/15.50A	----	14.90 - 7.80	.0371	----	----	----	----	31 UNCH
3545	----	----	----/15.60A	21.20B/15.60A	----	15.20 - 8.00	.0379	----	----	8	----	262 - 2
3550	----	----	----/15.80A	21.50B/15.80A	----	15.40 - 8.10	.0384	----	----	----	----	149 UNCH
3580	----	----	----/16.90A	23.00B/16.90A	----	16.50 - 8.60	.0411	----	----	----	----	5 UNCH
3590	----	----	----/17.30A	23.50B/17.30A	----	16.90 - 8.80	.0421	----	----	----	----	16 UNCH
3600	21.00	21.00	21.00/17.70A	24.10B/17.70A	----	17.20 - 9.10	.0429	----	----	3	----	55 UNCH
3605	----	----	----/17.90A	24.40B/17.90A	----	17.40 - 9.20	.0434	----	----	----	----	5 UNCH
3620	----	----	----/18.50A	25.20B/18.50A	----	18.10 - 9.40	.0450	----	----	1	----	12 UNCH
3625	----	----	----/18.70A	25.40B/18.70A	----	18.30 - 9.50	.0455	----	----	----	----	11 UNCH
3630	----	----	----/18.90A	25.70B/18.90A	----	18.50 - 9.60	.0460	----	----	----	----	3 UNCH
3635	----	----	----/19.20A	26.10B/19.20A	----	18.70 - 9.70	.0465	----	----	----	----	3 UNCH
3640	----	----	----/19.40A	26.40B/19.40A	----	18.90 - 9.90	.0470	----	----	----	----	5 UNCH
3645	----	----	----/19.60A	26.80B/19.60A	----	19.10 - 10.00	.0475	----	----	----	----	1 UNCH
3650	23.90	23.90	23.90/19.80A	27.00B/19.80A	----	19.40 - 10.00	.0482	----	----	1	----	98 - 1
3655	----	----	----/20.00A	27.40B/20.00A	----	19.60 - 10.20	.0487	----	----	----	----	6 UNCH
3660	----	----	----/20.20A	27.60B/20.20A	----	19.80 - 10.30	.0492	----	----	----	----	22 UNCH
3665	----	----	----/20.50A	28.00B/20.50A	----	20.10 - 10.30	.0499	----	----	----	----	2 UNCH
3670	----	----	----/20.70A	28.40B/20.70A	----	20.30 - 10.50	.0504	----	----	----	----	110 UNCH
3675	----	----	----/20.90A	28.70B/20.90A	----	20.50 - 10.60	.0509	----	----	----	----	3 UNCH
3680	----	----	----/21.20A	29.00B/21.20A	----	20.80 - 10.70	.0516	----	----	----	----	5 UNCH
3685	----	----	----/21.40A	29.40B/21.40A	----	21.00 - 10.80	.0521	----	----	----	----	10 UNCH
3690	----	----	----/21.60A	29.70B/21.60A	----	21.30 - 10.90	.0528	----	----	----	----	50 UNCH
3695	----	----	----/21.90A	30.10B/21.90A	----	21.50 - 11.10	.0533	----	----	----	----	141 UNCH
3700	24.80	24.80	24.90/22.10A	30.30B/22.10A	----	21.80 - 11.10	.0540	----	----	6	----	421 + 6
3705	----	----	----/22.40A	30.80B/22.40A	----	22.00 - 11.30	.0545	----	----	----	----	20 UNCH
3715	----	----	----/22.90A	31.50B/22.90A	----	22.50 - 11.60	.0557	----	----	----	----	30 UNCH
3720	----	----	----/23.20A	31.90B/23.20A	----	22.80 - 11.70	.0564	----	----	1	----	18 UNCH
3725	----	----	----/23.40A	32.30B/23.40A	----	23.10 - 11.70	.0571	----	----	----	----	5 UNCH
3730	----	----	----/23.70A	32.60B/23.70A	----	23.30 - 11.90	.0576	----	----	----	----	3 UNCH
3735	----	----	----/24.00A	33.00B/24.00A	----	23.60 - 12.00	.0583	----	----	----	----	30 UNCH
3740	----	----	----/24.30A	33.40B/24.30A	----	23.90 - 12.10	.0590	----	----	----	----	20 UNCH
3750	----	----	----/24.80A	34.10B/24.80A	----	24.50 - 12.40	.0604	----	----	----	----	549 UNCH
3760	----	----	----/25.40A	34.90B/25.40A	----	25.10 - 12.60	.0618	----	----	----	----	2 UNCH
3765	----	----	----/25.70A	35.40B/25.70A	----	25.30 - 12.80	.0624	----	----	----	----	32 UNCH
3770	----	----	----/26.00A	35.80B/26.00A	----	25.60 - 13.00	.0631	----	----	----	----	120 UNCH
3775	----	----	----/26.30A	36.30B/26.30A	----	25.90 - 13.10	.0638	----	----	----	----	61 UNCH
3780	----	----	----/26.60A	36.70B/26.60A	----	26.30 - 13.10	.0647	----	----	----	----	1 UNCH
3785	----	----	----/26.90A	37.10B/26.90A	----	26.60 - 13.30	.0654	----	----	----	----	5 UNCH
3790	----	----	----/27.20A	37.50B/27.20A	----	26.90 - 13.40	.0661	----	----	----	----	40 UNCH
3795	----	----	----/27.60A	38.00B/27.60A	----	27.20 - 13.60	.0668	----	----	----	----	36 UNCH
3800	----	----	----/27.90A	38.40B/27.90A	----	27.50 - 13.70	.0675	----	----	4	----	687 - 4
3810	----	----	----/28.60A	39.40B/28.60A	----	28.20 - 14.00	.0691	----	----	----	----	16 UNCH
3815	----	----	----/28.90A	39.80B/28.90A	----	28.50 - 14.10	.0699	----	----	----	----	14 UNCH
3820	----	----	----/29.20A	40.30B/29.20A	----	28.80 - 14.30	.0706	----	----	1	----	5 + 1
3825	----	----	----/29.60A	40.70B/29.60A	----	29.20 - 14.40	.0715	----	----	----	----	9 UNCH
3830	----	----	----/29.90A	41.20B/29.90A	----	29.50 - 14.60	.0722	----	----	----	----	24 UNCH
3835	----	----	----/30.30A	41.70B/30.30A	----	29.90 - 14.70	.0731	----	----	----	----	1 UNCH
3840	36.50	36.50	36.50/30.70A	42.20B/30.70A	----	30.20 - 14.90	.0738	----	----	1	----	32 - 1
3845	----	----	----/31.00A	42.70B/31.00A	----	30.60 - 15.00	.0747	----	----	----	----	13 UNCH
3850	----	----	----/31.40A	43.20B/31.40A	----	31.00 - 15.10	.0756	----	----	3	----	206 + 3
3860	----	----	----/32.10A	44.20B/32.10A	----	31.70 - 15.50	.0773	----	----	----	----	27 UNCH
3875	----	----	----/33.30A	45.80B/33.30A	----	32.80 - 16.00	.0798	----	----	----	----	108 UNCH
3880	----	----	----/33.70A	46.30B/33.70A	----	33.20 - 16.10	.0807	----	----	----	----	13 UNCH
3885	----	----	----/34.10A	46.80B/34.10A	----	33.60 - 16.30	.0816	----	----	----	----	5 UNCH
3890	----	----	----/34.50A	47.40B/34.50A	----	34.00 - 16.50	.0825	----	----	----	----	4 UNCH
3895	----	----	----/34.90A	47.90B/34.90A	----	34.40 - 16.60	.0835	----	----	----	----	1 UNCH
3900	39.80	39.80	39.80/35.30A	48.50B/35.30A	----	34.80 - 16.80	.0844	----	----	17	----	331 + 13
3905	----	----	----/35.80A	49.20B/35.80A	----	35.20 - 17.00	.0853	----	----	----	----	10 UNCH
3910	----	----	----/36.20A	49.80B/36.20A	----	35.70 - 17.10	.0864	----	----	----	----	54 UNCH
3920	----	----	----/37.00A	50.90B/37.00A	----	36.50 - 17.50	.0882	----	----	----	----	1 UNCH
3925	----	----	----/37.50A	51.40B/37.50A	----	36.90 - 17.70	.0891	----	----	----	----	48 UNCH
3930	----	----	----/37.90A	52.00B/37.90A	----	37.40 - 17.80	.0902	----	----	----	----	34 UNCH
3935	----	----	----/38.30A	52.70B/38.30A	----	37.80 - 18.00	.0911	----	----	----	----	7 UNCH
3940	----	----	----/38.80A	53.40B/38.80A	----	38.30 - 18.10	.0922	----	----	----	----	20 UNCH
3945	----	----	----/39.30A	54.00B/39.30A	----	38.70 - 18.40	.0932	----	----	----	----	20 UNCH
3950	----	----	----/39.70A	54.60B/39.70A	----	39.20 - 18.50	.0942	----	----	1	----	604 + 1
3955	----	----	----/40.10A	55.10B/40.10A	----	39.60 - 18.80	.0952	----	----	----	----	25 UNCH
3960	----	----	----/40.60A	55.80B/40.60A	----	40.10 - 18.90	.0963	----	----	----	----	16 UNCH
3965	----	----	----/41.10A	56.50B/41.10A	----	40.60 - 19.10	.0974	----	----	----	----	5 UNCH
3970	----	----	----/41.50A	57.20B/41.50A	----	41.10 - 19.30	.0985	----	----	----	----	1 UNCH
3975	----	----	----/41.90A	57.90B/41.90A	----	41.60 - 19.50	.0996	----	----	----	----	21 UNCH
3980	----	----	----/42.50A	58.40B/42.50A	----	42.00 - 19.70	.1005	----	----	----	----	3 UNCH
3985	----	----	----/43.00A	59.20B/43.00A	----	42.50 - 19.90	.1016	----	----	----	----	136 UNCH
3990	----	----	----/43.50A	59.90B/43.50A	----	43.00 - 20.10	.1027	----	----	----	----	40 UNCH
3995	----	----	----/44.00A	60.60B/44.00A	----	43.60 - 20.30	.1040	----	----	----	----	13 UNCH
4000	58.80	58.80	58.80/44.30	61.10B/44.30	----	44.10 - 20.50	.1051	----	----	25	----	676 + 3
4005	44.40	44.40	44.40/44.40	61.80B/44.40	----	44.60 - 20.70	.1062	----	----	19	----	84 + 16
4010	----	----	----/45.50A	62.60B/45.50A	----	45.10 - 20.90	.1073	----	----	----	----	3 UNCH
4015	53.00	53.00	53.00/46.10A	63.40B/46.10A	----	45.60 - 21.20	.1084	----	----	1	----	34 UNCH
4020	----	----	----/46.70A	64.20B/46.70A	----	46.20 - 21.30	.1097	----	----	----	----	90 UNCH
4025	----	----	----/47.20A	64.90B/47.20A	----	46.70 - 21.60	.1108	----	----	----	----	17 UNCH
4030	----	----	----/47.80A	65.60B/47.80A	----	47.30 - 21.80	.1121	----	----	----	----	32 UNCH
4035	----	----	----/48.20A	66.20B/48.20A	----	47.80 - 22.00	.1132	----	----	----	----	2 UNCH
4040	----	----	----/48.80A	67.10B/48.80A	----	48.40 - 22.20	.1145	----	----	----	----	1 UNCH
4045	----	----	----/49.40A	67.80B/49.40A	----	49.00 - 22.40	.1157	----	----	----	----	20 UNCH
4050	----	----	----/50.00A	68.70B/50.00A	----	49.50 - 22.70	.1169	----	----	----	----	46 UNCH
4055	----	----	----/50.60A	69.40B/50.60A	----	50.10 - 22.90	.1181	----	----	----	----	31 UNCH
4065	----	----	----/51.70A	71.00B/51.70A	----	51.30 - 23.40	.1207	----	----	----	----	3 UNCH
4070	----	----	----/52.30A	71.80B/52.30A	----	51.90 - 23.60	.1220	----	----	----	----	12 UNCH
4075	----	----	----/52.90A	72.60B/52.90A	----	52.50 - 23.90	.1233	----	----	6	----	7 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4080	64.20	64.20	64.20/53.60A	73.30B/53.60A	----	53.10 - 24.10	.1246	----	----	1	----	5 UNCH
4095	----	----	----/55.50A	76.00B/55.50A	----	55.00 - 24.80	.1286	----	----	----	----	1 UNCH
4100	----	----	----/56.10A	76.80B/56.10A	----	55.70 - 25.00	.1300	----	----	7	----	318 + 1
4105	----	----	----/56.80A	77.70B/56.80A	----	56.30 - 25.30	.1313	----	----	----	----	9 UNCH
4110	----	----	----/57.40A	78.60B/57.40A	----	57.00 - 25.50	.1327	----	----	----	----	11 UNCH
4115	63.90	63.90	63.90/58.10A	79.50B/58.10A	----	57.60 - 25.80	.1340	----	----	10	----	5 - 1
4120	----	----	----/58.80A	80.40B/58.80A	----	58.30 - 26.10	.1355	----	----	1	----	6 UNCH
4125	----	----	----/59.50A	81.20B/59.50A	----	59.00 - 26.30	.1369	----	----	----	----	72 UNCH
4130	----	----	----/60.10A	82.00B/60.10A	----	59.70 - 26.50	.1384	----	----	----	----	65 UNCH
4140	----	----	----/61.70A	83.90B/61.70A	----	61.10 - 27.10	.1413	----	----	----	----	4 UNCH
4145	----	----	----/62.40A	84.80B/62.40A	----	61.80 - 27.30	.1427	----	----	----	----	258 UNCH
4150	----	----	----/63.10A	85.80B/63.10A	----	62.50 - 27.60	.1442	----	----	----	----	132 UNCH
4155	----	----	----/63.80A	86.90B/63.80A	----	63.30 - 27.80	.1458	----	----	1	----	5 + 1
4160	----	----	----/64.50A	87.80B/64.50A	----	64.00 - 28.10	.1472	----	----	----	----	4 UNCH
4165	----	----	----/65.30A	88.80B/65.30A	----	64.70 - 28.40	.1487	----	----	----	----	51 UNCH
4170	----	----	----/66.10A	89.90B/66.10A	----	65.50 - 28.60	.1503	----	----	----	----	1 UNCH
4175	----	----	----/66.90A	90.80B/66.90A	----	66.20 - 29.00	.1517	----	----	----	----	40 UNCH
4190	----	----	----/69.10A	93.60B/69.10A	----	68.60 - 29.70	.1565	----	----	----	----	129 UNCH
4195	----	----	----/69.90A	94.70B/69.90A	----	69.40 - 30.00	.1581	----	----	----	----	65 UNCH
4200	72.50	72.50	72.50/70.70A	96.00B/70.70A	----	70.20 - 30.20	.1597	----	----	107	----	385 + 62
4205	----	----	----/71.60A	97.00B/71.60A	----	71.00 - 30.50	.1614	----	----	----	----	4 UNCH
4210	74.60	74.60	74.60/72.30A	97.80B/72.30A	----	71.80 - 30.80	.1630	----	----	67	----	67 + 67
4215	----	----	----/73.10A	99.00B/73.10A	----	72.60 - 31.10	.1646	----	----	----	----	33 UNCH
4220	----	----	----/74.00A	100.30B/74.00A	----	73.50 - 31.30	.1663	----	----	----	----	75 UNCH
4225	----	----	----/74.80A	101.40B/74.80A	----	74.30 - 31.70	.1679	----	----	----	----	33 UNCH
4230	----	----	----/75.60A	102.50B/75.60A	----	75.20 - 31.90	.1697	----	----	----	----	8 UNCH
4235	----	----	----/76.50A	103.70B/76.50A	----	76.00 - 32.20	.1713	----	----	----	----	42 UNCH
4240	----	----	----/77.40A	104.40B/77.40A	----	76.90 - 32.50	.1730	----	----	----	----	33 UNCH
4245	----	----	----/78.20A	105.70B/78.20A	----	77.80 - 32.70	.1748	----	----	----	----	1 UNCH
4250	----	----	----/79.20A	106.80B/79.20A	----	78.70 - 33.00	.1765	----	----	1	----	809 UNCH
4255	----	----	----/80.00A	108.00B/80.00A	----	79.60 - 33.30	.1783	----	----	----	----	2 UNCH
4260	----	----	----/80.90A	109.00B/80.90A	----	80.50 - 33.60	.1800	----	----	----	----	4 UNCH
4265	----	----	----/81.90A	110.30B/81.90A	----	81.40 - 33.90	.1818	----	----	----	----	12 UNCH
4270	----	----	----/82.90A	111.30B/82.90A	----	82.40 - 34.10	.1837	----	----	1	----	2 + 1
4275	----	----	----/83.80A	112.80B/83.80A	----	83.30 - 34.40	.1854	----	----	----	----	74 UNCH
4280	----	----	----/84.80A	113.90B/84.80A	----	84.30 - 34.60	.1873	----	----	----	----	38 UNCH
4285	----	----	----/85.70A	115.30B/85.70A	----	85.20 - 35.00	.1891	----	----	----	----	101 UNCH
4290	----	----	----/86.70A	116.50B/86.70A	----	86.20 - 35.20	.1909	----	----	----	----	33 UNCH
4295	----	----	----/87.70A	117.70B/87.70A	----	87.20 - 35.50	.1928	----	----	----	----	20 UNCH
4300	----	----	----/88.60A	118.90B/88.60A	----	88.20 - 35.80	.1947	----	----	220	----	2193 UNCH
4305	----	----	----/89.70A	120.50B/89.70A	----	89.20 - 36.10	.1966	----	----	----	----	2 UNCH
4310	----	----	----/90.70A	121.90B/90.70A	----	90.20 - 36.30	.1985	----	----	----	----	4 UNCH
4315	----	----	----/91.70A	123.10B/91.70A	----	91.20 - 36.70	.2004	----	----	----	----	24 UNCH
4320	110.50	110.50	110.50/92.80A	123.60B/92.80A	----	92.30 - 36.90	.2024	----	----	2	----	1 - 1
4325	103.60	103.60	103.60/93.80A	125.40B/93.80A	----	93.30 - 37.20	.2043	----	----	2	----	71 + 2
4330	----	----	----/94.80A	127.00B/94.80A	----	94.40 - 37.50	.2063	----	----	----	----	1 UNCH
4335	----	----	----/95.90A	128.40B/95.90A	----	95.50 - 37.70	.2083	----	----	----	----	111 UNCH
4340	----	----	----/97.00A	129.30B/97.00A	----	96.50 - 38.10	.2102	----	----	----	----	114 UNCH
4345	----	----	----/98.10A	130.80B/98.10A	----	97.60 - 38.40	.2122	----	----	----	----	2 UNCH
4350	----	----	----/99.10A	132.50B/99.10A	----	98.70 - 38.70	.2142	----	----	----	----	304 UNCH
4355	----	----	----/100.20A	133.30B/100.20A	----	99.80 - 39.00	.2162	----	----	----	----	123 UNCH
4360	----	----	----/101.40A	134.70B/101.40A	----	101.00 - 39.30	.2183	----	----	----	----	104 UNCH
4365	----	----	----/102.50A	135.80B/102.50A	----	102.10 - 39.60	.2204	----	----	----	----	1 UNCH
4370	----	----	----/103.70A	138.10B/103.70A	----	103.20 - 40.00	.2224	----	----	----	----	140 UNCH
4375	----	----	----/104.80A	139.00B/104.80A	----	104.40 - 40.30	.2245	----	----	1	----	27 + 1
4380	----	----	----/106.00A	140.80B/106.00A	----	105.60 - 40.60	.2266	----	----	----	----	2 UNCH
4385	----	----	----/107.20A	142.20B/107.20A	----	106.70 - 41.00	.2287	----	----	----	----	52 UNCH
4390	----	----	----/108.30A	144.00B/108.30A	----	107.90 - 41.30	.2308	----	----	----	----	2 UNCH
4395	----	----	----/109.60A	145.40B/109.60A	----	109.10 - 41.70	.2329	----	----	----	----	13 UNCH
4400	136.00	136.00	136.00/110.70A	147.40B/110.70A	----	110.40 - 41.90	.2351	----	----	116	----	2409 - 5
4405	----	----	----/111.90A	148.90B/111.90A	----	111.60 - 42.30	.2373	----	----	----	----	1 UNCH
4410	----	----	----/113.10A	150.70B/113.10A	----	112.80 - 42.70	.2394	----	----	----	----	14 UNCH
4415	----	----	----/114.40A	152.10B/114.40A	----	114.10 - 43.00	.2416	----	----	----	----	4 UNCH
4420	----	----	----/115.60A	153.70B/115.60A	----	115.30 - 43.50	.2438	----	----	----	----	15 UNCH
4425	----	----	----/116.90A	155.00B/116.90A	----	116.60 - 43.80	.2460	----	----	----	----	36 UNCH
4430	----	----	----/118.20A	156.70B/118.20A	----	117.90 - 44.20	.2482	----	----	----	----	156 UNCH
4435	----	----	----/119.60A	158.30B/119.60A	----	119.20 - 44.60	.2505	----	----	----	----	1 UNCH
4440	----	----	----/120.80A	159.80B/120.80A	----	120.50 - 45.00	.2527	----	----	----	----	3 UNCH
4445	----	----	----/122.10A	161.40B/122.10A	----	121.80 - 45.40	.2550	----	----	----	----	152 UNCH
4450	----	----	----/123.50A	163.10B/123.50A	----	123.20 - 45.70	.2573	----	----	----	----	575 UNCH
4455	----	----	----/124.90A	165.00B/124.90A	----	124.50 - 46.20	.2595	----	----	----	----	18 UNCH
4460	----	----	----/126.10A	167.10B/126.10A	----	125.90 - 46.50	.2619	----	----	----	----	93 UNCH
4465	----	----	----/127.50A	168.40B/127.50A	----	127.30 - 46.90	.2642	----	----	----	----	14 UNCH
4475	----	----	----/130.30A	172.10B/130.30A	----	130.10 - 47.70	.2689	----	----	2	----	27 UNCH
4480	----	----	----/131.70A	173.40B/131.70A	----	131.50 - 48.10	.2712	----	----	----	----	136 UNCH
4485	----	----	----/133.20A	175.30B/133.20A	----	132.90 - 48.50	.2735	----	----	----	----	50 UNCH
4490	----	----	----/134.60A	177.20B/134.60A	----	134.30 - 48.90	.2759	----	----	----	----	16 UNCH
4495	----	----	----/136.00A	179.00B/136.00A	----	135.80 - 49.30	.2783	----	----	----	----	2 UNCH
4500	150.50	150.50	150.50/137.50A	180.60B/137.50A	----	137.20 - 49.70	.2807	----	----	30	----	380 - 7
4505	150.80	150.80	150.80/139.00A	182.60B/139.00A	----	138.70 - 50.10	.2831	----	----	3	----	5 + 3
4510	----	----	----/140.50A	184.40B/140.50A	----	140.20 - 50.50	.2855	----	----	----	----	7 UNCH
4515	----	----	----/141.90A	186.10B/141.90A	----	141.70 - 50.90	.2879	----	----	----	----	3 UNCH
4520	----	----	----/143.50A	188.10B/143.50A	----	143.20 - 51.30	.2904	----	----	----	----	4 UNCH
4525	----	----	----/144.90A	190.10B/144.90A	----	144.80 - 51.60	.2929	----	----	----	----	74 UNCH
4535	----	----	----/148.00A	193.80B/148.00A	----	147.90 - 52.40	.2978	----	----	----	----	1 UNCH
4540	----	----	----/149.50A	195.60B/149.50A	----	149.40 - 52.80	.3003	----	----	----	----	89 UNCH
4545	----	----	----/151.10A	197.80B/151.10A	----	151.00 - 53.20	.3028	----	----	----	----	20 UNCH
4550	----	----	----/152.70A	199.50B/152.70A	----	152.60 - 53.60	.3053	----	----	----	----	73 UNCH
4555	----	----	----/154.40A	202.10B/154.40A	----	154.20 - 54.00	.3078	----	----	----	----	7 UNCH
4560	----	----	----/155.90A	203.70B/155.90A	----	155.90 - 54.30	.3104	----	----	----	----	17 UNCH
4565	----	----	----/157.60A	206.10B/157.60A	----	157.50 - 54.70	.3129	----	----	----	----	104 UNCH
4570	----	----	----/159.20A	207.70B/159.20A	----	159.20 - 55.10	.3155	----	----	----	----	8 UNCH
4575	----	----	----/160.90A	209.80B/160.90A	----	160.90 - 55.50	.3180	----	----	----	----	11 UNCH
4580	----	----	----/162.50A	212.00B/162.50A	----	162.50 - 55.90	.3206	----	----	----	----	2 UNCH
4585	----	----	----/164.20A	213.90B/164.20A	----	164.20 - 56.30	.3232	----	----	----	----	4 UNCH
4590	----	----	----/165.90A	216.00B/165.90A	----	166.00 - 56.60	.3258	----	----	----	----	5 UNCH
4595	167.90	167.90	167.90/167.70A	218.50B/167.70A	----	167.70 - 57.10	.3284	----	----	6	----	28 UNCH
4600	193.30	193.30	193.30/169.40A	220.80B/169.40A	----	169.40 - 57.50	.3310	----	----	13	----	1072 - 3
4605	----	----	----/171.10A	222.30B/171.10A	----	171.20 - 57.90	.3336	----	----	----	----	1 UNCH
4610	----	----	----/172.90A	224.50B/172.90A	----	173.00 - 58.30	.3363	----	----	----	----	143 UNCH
4615	189.40	189.40	189.40/174.70A	226.50B/174.70A	----	174.80 - 58.70	.3389	----	----	1	----	2 + 1
4620	----	----	----/176.50A	228.10B/176.50A	----	176.60 - 59.10	.3416	----	----	----	----	42 UNCH
4625	----	----	----/178.30A	230.30B/178.30A	----	178.40 - 59.50	.3442	----	----	----	----	25 UNCH
4635	----	----	----/181.90A	234.70B/181.90A	----	182.10 - 60.40	.3496	----	----	----	----	127 UNCH
4640	----	----	----/183.90A	237.10B/183.90A	----	184.00 - 60.80	.3523	----	----	----	----	51 UNCH
4645	----	----	----/185.70A	239.40B/185.70A	----	185.80 - 61.30	.3550	----	----	----	----	10 UNCH
4650	----	----	----/187.50A	241.60B/187.50A	----	187.70 - 61.70	.3577	----	----	----	----	112 UNCH
4655	----	----	----/189.50A	243.70B/189.50A	----	189.60 - 62.20	.3604	----	----	----	----	2 UNCH
4660	----	----	----/191.40A	246.20B/191.40A	----	191.60 - 62.50	.3631	----	----	----	----	58 UNCH
4665	----	----	----/193.30A	248.70B/193.30A	----	193.50 - 63.00	.3659	----	----	----	----	20 UNCH
4670	----	----	----/195.20A	251.10B/195.20A	----	195.50 - 63.40	.3686	----	----	----	----	100 UNCH
4675	----	----	----/197.20A	253.30B/197.20A	----	197.50 - 63.80	.3714	----	----	----	----	69 UNCH
4680	----	----	----/199.20A	255.70B/199.20A	----	199.50 - 64.30	.3741	----	----	----	----	8 UNCH
4685	201.50	201.50	201.50/201.10A	258.30B/201.10A	----	201.50 NEW	.3769	----	----	6	----	6 + 6
4695	----	----	----/205.20A	263.10B/205.20A	----	205.50 - 65.70	.3824	----	----	----	----	162 UNCH
4700	243.70	243.70	243.70/207.20A	265.80B/207.20A	----	207.60 - 66.10	.3852	----	----	3	----	429 - 3
4705	----	----	----/209.20A	268.10B/209.20A	----	209.70 - 66.50	.3880	----	----	----	----	6 UNCH
4710	----	----	----/211.30A	270.40B/211.30A	----	211.80 - 66.90	.3908	----	----	----	----	120 UNCH
4715	----	----	----/213.40A	272.90B/213.40A	----	213.90 - 67.40	.3936	----	----	----	----	1 UNCH
4720	----	----	----/215.50A	275.60B/215.50A	----	216.00 - 67.80	.3964	----	----	1	----	9 + 1
4725	----	----	----/217.50A	278.20B/217.50A	----	218.10 - 68.30	.3992	----	----	----	----	205 UNCH
4730	----	----	----/219.70A	280.40B/219.70A	----	220.30 - 68.70	.4020	----	----	1	----	289 UNCH
4735	----	----	----/221.80A	283.00B/221.80A	----	222.40 - 69.20	.4048	----	----	----	----	11 UNCH
4740	226.50	226.50	227.20/224.00A	285.60B/224.00A	----	224.60 - 69.70	.4077	----	----	95	----	163 - 33
4745	----	----	----/226.10A	288.20B/226.10A	----	226.80 - 70.10	.4105	----	----	----	----	115 UNCH
4750	----	----	----/228.30A	291.30B/228.30A	----	229.00 - 70.60	.4133	----	----	2	----	381 - 1
4755	----	----	----/230.50A	293.80B/230.50A	----	231.30 - 71.00	.4162	----	----	----	----	6 UNCH
4760	----	----	----/232.70A	296.50B/232.70A	----	233.50 - 71.50	.4190	----	----	----	----	28 UNCH
4765	----	----	----/235.00A	299.30B/235.00A	----	235.80 - 71.90	.4219	----	----	----	----	30 UNCH
4770	----	----	----/237.20A	302.00B/237.20A	----	238.10 - 72.30	.4247	----	----	----	----	1 UNCH
4775	239.70	239.70	239.70/239.50A	304.40B/239.50A	----	240.40 - 72.80	.4276	----	----	4	----	43 + 3
4780	----	----	----/241.80A	307.10B/241.80A	----	242.70 - 73.20	.4305	----	----	----	----	30 UNCH
4785	----	----	----/244.10A	310.10B/244.10A	----	245.00 - 73.70	.4333	----	----	----	----	15 UNCH
4790	----	----	----/246.50A	312.50B/246.50A	----	247.40 - 74.10	.4362	----	----	----	----	1 UNCH
4795	----	----	----/248.80A	314.80B/248.80A	----	249.70 - 74.60	.4391	----	----	3	----	7 + 1
4800	----	----	----/251.00A	317.70B/251.00A	----	252.10 - 75.00	.4419	----	----	4	----	1278 + 1
4805	----	----	----/253.60A	317.10B/253.60A	----	254.50 - 75.50	.4448	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4810	----	----	----/255.90A	316.70B/255.90A	----	256.90 - 75.90	.4477	----	----	----	----	6 UNCH
4815	----	----	----/258.30A	319.60B/258.30A	----	259.30 - 76.40	.4506	----	----	----	----	1 UNCH
4820	----	----	----/260.70A	321.50B/260.70A	----	261.80 - 76.80	.4535	----	----	----	----	101 UNCH
4825	----	----	----/263.10A	324.20B/263.10A	----	264.30 - 77.20	.4563	----	----	----	----	1 UNCH
4840	----	----	----/270.50A	332.70B/270.50A	----	271.70 - 78.60	.4650	----	----	----	----	8 UNCH
4845	----	----	----/273.10A	335.60B/273.10A	----	274.30 - 79.00	.4679	----	----	----	----	69 UNCH
4850	----	----	----/275.50A	339.90B/275.50A	----	276.80 - 79.50	.4708	----	----	5	----	214 + 3
4860	----	----	----/280.60A	344.00B/280.60A	----	281.90 - 80.40	.4765	----	----	----	----	1 UNCH
4865	298.50	298.50	298.50/283.20A	346.90B/283.20A	----	284.50 NEW	.4794	----	----	2	----	2 + 2
4870	301.20	301.20	301.20/285.70A	349.80B/285.70A	----	287.10 - 81.20	.4823	----	----	1	----	318 UNCH
4875	----	----	----/288.30A	352.80B/288.30A	----	289.80 - 81.60	.4852	----	----	----	----	70 UNCH
4880	----	----	----/290.90A	355.70B/290.90A	----	292.40 - 82.10	.4881	----	----	----	----	11 UNCH
4890	----	----	----/296.20A	361.80B/296.20A	----	297.70 - 83.00	.4938	----	----	----	----	3 UNCH
4895	----	----	----/298.80A	364.80B/298.80A	----	300.40 - 83.40	.4967	----	----	----	----	61 UNCH
4900	----	----	----/301.40A	367.80B/301.40A	----	303.10 - 83.80	.4995	----	----	----	----	261 UNCH
4905	----	----	----/304.10A	370.90B/304.10A	----	305.80 - 84.30	.5024	----	----	----	----	5 UNCH
4910	----	----	----/307.20A	374.00B/307.20A	----	308.60 - 84.60	.5053	----	----	----	----	2 UNCH
4915	----	----	----/309.90A	377.10B/309.90A	----	311.30 - 85.10	.5081	----	----	----	----	6 UNCH
4920	----	----	----/312.70A	380.20B/312.70A	----	314.10 - 85.50	.5110	----	----	----	----	22 UNCH
4925	----	----	----/315.40A	383.30B/315.40A	----	316.90 - 85.90	.5139	----	----	----	----	11 UNCH
4930	----	----	----/318.00A	386.30B/318.00A	----	319.70 - 86.30	.5167	----	----	----	----	272 UNCH
4935	----	----	----/321.00A	389.50B/321.00A	----	322.50 - 86.70	.5196	----	----	----	----	4 UNCH
4940	----	----	----/323.80A	392.40B/323.80A	----	325.30 - 87.20	.5224	----	----	----	----	11 UNCH
4950	----	----	----/329.30A	398.80B/329.30A	----	331.00 - 88.00	.5281	----	----	----	----	106 UNCH
4975	----	----	----/344.20A	415.00B/344.20A	----	345.60 - 90.00	.5422	----	----	----	----	2 UNCH
4980	----	----	----/346.70A	418.20B/346.70A	----	348.50 - 90.50	.5450	----	----	----	----	6 UNCH
4985	----	----	----/349.70A	421.60B/349.70A	----	351.50 - 90.90	.5478	----	----	----	----	104 UNCH
4990	----	----	----/353.80A	424.90B/353.80A	----	354.50 - 91.30	.5506	----	----	----	----	2 UNCH
4995	----	----	----/356.20A	428.20B/356.20A	----	357.50 - 91.70	.5534	----	----	----	----	8 UNCH
5000	----	----	----/359.10A	431.50B/359.10A	----	360.50 - 92.10	.5562	----	----	5	----	553 UNCH
5005	----	----	----/362.50A	434.90B/362.50A	----	363.50 - 92.50	.5589	----	----	----	----	12 UNCH
5010	392.50	392.50	393.00/365.30A	438.20B/365.30A	----	366.60 - 92.90	.5617	----	----	6	----	9 UNCH
5015	369.40	369.40	369.40/367.90	442.20B/367.90	----	369.70 - 93.20	.5645	----	----	6	----	20 UNCH
5020	----	----	----/371.60A	442.90B/371.60A	----	372.70 - 93.70	.5672	----	----	----	----	5 UNCH
5025	----	----	----/374.30A	443.80B/374.30A	----	375.80 - 94.10	.5700	----	----	----	----	150 UNCH
5030	----	----	----/377.70A	447.10B/377.70A	----	378.90 - 94.50	.5728	----	----	----	----	8 UNCH
5035	----	----	----/380.80A	444.90B/380.80A	----	382.10 - 94.80	.5755	----	----	----	----	37 UNCH
5045	----	----	----/387.00A	447.40B/387.00A	----	388.30 - 95.60	.5810	----	----	----	----	5 UNCH
5050	----	----	----/390.10A	450.70B/390.10A	----	391.50 - 96.00	.5837	----	----	----	----	79 UNCH
5055	----	----	----/393.00A	454.30B/393.00A	----	394.70 - 96.30	.5863	----	----	----	----	3 UNCH
5065	----	----	----/399.90A	457.20B/399.90A	----	401.10 - 97.10	.5918	----	----	3	----	10 UNCH
5075	----	----	----/406.00A	461.50B/406.00A	----	407.60 - 97.80	.5971	----	----	----	----	6 UNCH
5080	----	----	----/409.60A	455.40B/409.60A	----	410.80 - 98.20	.5998	----	----	----	----	2 UNCH
5085	----	----	----/412.10A	468.50B/412.10A	----	414.10 - 98.60	.6024	----	----	----	----	21 UNCH
5090	----	----	----/415.80A	472.10B/415.80A	----	417.40 - 98.90	.6050	----	----	----	----	6 UNCH
5095	----	----	----/418.80A	475.70B/418.80A	----	420.70 - 99.30	.6077	----	----	----	----	42 UNCH
5100	----	----	----/422.30A	479.20B/422.30A	----	424.00 - 99.60	.6104	----	----	----	----	106 UNCH
5105	----	----	----/425.50A	482.80B/425.50A	----	427.30 - 00.00	.6130	----	----	----	----	22 UNCH
5110	----	----	----/429.10A	486.40B/429.10A	----	430.60 - 00.40	.6155	----	----	----	----	16 UNCH
5115	----	----	----/431.90A	490.10B/431.90A	----	434.00 - 00.70	.6182	----	----	----	----	37 UNCH
5120	----	----	----/435.20A	493.70B/435.20A	----	437.30 - 01.10	.6208	----	----	----	----	14 UNCH
5125	----	----	----/438.40A	497.30B/438.40A	----	440.70 - 01.50	.6234	----	----	----	----	37 UNCH
5130	----	----	----/441.70A	501.00B/441.70A	----	444.10 - 01.80	.6259	----	----	----	----	23 UNCH
5135	----	----	----/445.40A	504.60B/445.40A	----	447.50 - 02.20	.6285	----	----	----	----	9 UNCH
5140	----	----	----/449.40A	508.30B/449.40A	----	450.90 - 02.50	.6310	----	----	----	----	19 UNCH
5145	----	----	----/452.80A	498.80B/452.80A	----	454.40 - 02.80	.6336	----	----	----	----	2 UNCH
5150	----	----	----/455.30A	515.70B/455.30A	----	457.80 - 03.20	.6361	----	----	----	----	233 UNCH
5155	----	----	----/459.00A	519.40B/459.00A	----	461.30 - 03.50	.6386	----	----	----	----	42 UNCH
5160	----	----	----/463.20A	523.20B/463.20A	----	464.70 - 03.90	.6412	----	----	----	----	42 UNCH
5170	----	----	----/470.10A	530.70B/470.10A	----	471.70 - 04.50	.6461	----	----	----	----	51 UNCH
5175	----	----	----/473.60A	534.40B/473.60A	----	475.20 - 04.90	.6486	----	----	----	----	61 UNCH
5180	----	----	----/477.10A	538.20B/477.10A	----	478.80 - 05.10	.6511	----	----	----	----	10 UNCH
5185	----	----	----/480.60A	542.00B/480.60A	----	482.30 - 05.50	.6536	----	----	----	----	103 UNCH
5190	----	----	----/484.10A	545.80B/484.10A	----	485.90 - 05.80	.6560	----	----	----	----	19 UNCH
5200	----	----	----/491.20A	553.40B/491.20A	----	493.00 - 06.40	.6609	----	----	----	----	64 UNCH
5225	----	----	----/509.20A	572.70B/509.20A	----	511.10 - 08.00	.6729	----	----	----	----	42 UNCH
5230	----	----	----/512.90A	562.20B/512.90A	----	514.70 - 08.30	.6752	----	----	----	----	2 UNCH
5235	----	----	----/516.50A	580.50B/516.50A	----	518.40 - 08.60	.6775	----	----	----	----	23 UNCH
5245	----	----	----/523.90A	573.70B/523.90A	----	525.70 - 09.30	.6822	----	----	----	----	2 UNCH
5250	----	----	----/527.40A	592.30B/527.40A	----	529.40 - 09.50	.6845	----	----	----	----	14 UNCH
5255	----	----	----/531.10A	596.30B/531.10A	----	533.10 - 09.80	.6868	----	----	----	----	14 UNCH
5285	----	----	----/553.60A	605.00B/553.60A	----	555.60 - 11.60	.7003	----	----	----	----	2 UNCH
5290	----	----	----/557.30A	624.20B/557.30A	----	559.40 - 11.80	.7026	----	----	----	----	4 UNCH
5295	----	----	----/561.20A	612.90B/561.20A	----	563.20 - 12.10	.7048	----	----	----	----	2 UNCH
5300	----	----	----/564.90A	632.30B/564.90A	----	567.00 - 12.40	.7069	----	----	----	----	67 UNCH
5315	----	----	----/576.30A	644.40B/576.30A	----	578.50 - 13.20	.7134	----	----	----	----	10 UNCH
5325	----	----	----/584.10A	636.80B/584.10A	----	586.30 - 13.70	.7178	----	----	----	----	1 UNCH
5350	----	----	----/603.40A	673.00B/603.40A	----	605.80 - 14.90	.7282	----	----	----	----	8 UNCH
5375	----	----	----/623.00A	693.80B/623.00A	----	625.50 - 16.20	.7383	----	----	----	----	7 UNCH
5390	----	----	----/635.00A	706.30B/635.00A	----	637.50 - 16.90	.7443	----	----	----	----	5 UNCH
5400	----	----	----/643.00A	719.20B/643.00A	----	645.50 - 17.40	.7482	----	----	----	----	602 UNCH
5410	----	----	----/651.10A	706.50B/651.10A	----	653.60 - 17.80	.7521	----	----	----	----	1 UNCH
5440	----	----	----/675.40A	731.70B/675.40A	----	678.00 - 19.10	.7633	----	----	----	----	1 UNCH
5475	----	----	----/704.10A	778.60B/704.10A	----	706.90 - 20.50	.7758	----	----	----	----	6 UNCH
5500	----	----	----/724.90A	800.20B/724.90A	----	727.80 - 21.50	.7843	----	----	----	----	3 UNCH
5505	----	----	----/729.20A	783.20B/729.20A	----	732.00 - 21.70	.7860	----	----	----	----	1 UNCH
5510	----	----	----/733.40A	785.50B/733.40A	----	736.20 - 21.90	.7877	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1273.10 - 33.60	.9130	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1296.90 - 33.90	.9158	----	----	----	----	2 UNCH
TOTAL										863		29215 + 136
AUG26												
2300	2.10	2.10	2.60/2.10	2.60/2.10	----	2.20 - 0.50	.0042	----	----	4	----	31 + 1
2325	----	----	----	1.40B/3.40A	----	2.60 - 0.50	.0049	----	----	----	----	1 UNCH
2350	----	----	----	1.50B/3.50A	----	2.60 - 0.60	.0049	----	----	----	----	2 UNCH
2375	----	----	----	2.00B/3.40A	----	2.60 - 0.60	.0050	----	----	----	----	7 UNCH
2400	----	----	----	2.10B/3.50A	----	2.80 - 0.60	.0054	----	----	----	----	5 UNCH
2425	----	----	----	2.10B/3.60A	----	2.80 - 0.70	.0055	----	----	----	----	1 UNCH
2475	----	----	----/3.80A	2.40B/3.80A	----	3.10 - 0.80	.0061	----	----	----	----	5 UNCH
2500	----	----	----	2.50B/3.90A	----	3.20 - 0.70	.0063	----	----	----	----	2 UNCH
2570	----	----	----/4.20A	2.90B/4.20A	----	3.70 - 0.80	.0074	----	----	----	----	9 UNCH
2580	----	----	----/4.40A	3.00B/4.40A	----	3.70 - 0.80	.0074	----	----	----	----	1 UNCH
2590	----	----	----/4.30A	3.00B/4.30A	----	3.70 - 0.90	.0075	----	----	----	----	2 UNCH
2600	----	----	----/4.40A	3.10B/4.40A	----	3.70 - 0.90	.0075	----	----	----	----	2 UNCH
2615	----	----	----/4.50A	3.20B/4.50A	----	3.90 - 0.90	.0079	----	----	----	----	1 UNCH
2625	----	----	----	3.20B/4.80A	----	3.90 - 0.90	.0079	----	----	----	----	2 UNCH
2640	----	----	----/4.90A	3.30B/4.90A	----	4.10 - 0.90	.0083	----	----	----	----	1 UNCH
2685	----	----	----/5.00A	3.70B/5.00A	----	4.30 - 1.00	.0089	----	----	----	----	1 UNCH
2690	----	----	----/5.00A	3.70B/5.00A	----	4.30 - 1.00	.0089	----	----	----	----	1 UNCH
2730	----	----	----/5.30A	4.00B/5.30A	----	4.60 - 1.10	.0096	----	----	----	----	1 UNCH
2745	----	----	----/5.40A	4.10B/5.40A	----	4.70 - 1.20	.0098	----	----	----	----	1 UNCH
2750	----	----	----/5.60A	4.20B/5.60A	----	4.80 - 1.10	.0100	----	----	----	----	4 UNCH
2800	----	----	----/5.90A	4.60B/5.90A	----	5.20 - 1.40	.0109	----	----	----	----	30 UNCH
2860	----	----	----/6.70A	5.30B/6.70A	----	5.90 - 1.50	.0125	----	----	----	----	1 UNCH
2950	----	----	----/7.80A	6.30B/7.80A	----	6.90 - 2.00	.0148	----	----	----	----	8 UNCH
3000	7.50	7.50	7.50/7.50	7.50/7.50	----	7.50 - 2.50	.0162	----	----	1	----	262 UNCH
3010	----	----	----/8.70A	7.30B/8.70A	----	7.70 - 2.50	.0166	----	----	----	----	1 UNCH
3015	----	----	----/8.70A	7.40B/8.70A	----	7.70 - 2.60	.0167	----	----	----	----	1 UNCH
3025	----	----	----/8.90A	7.50B/8.90A	----	7.90 - 2.60	.0171	----	----	----	----	5 UNCH
3065	----	----	----/9.20A	8.20B/9.20A	----	8.40 - 3.10	.0183	----	----	----	----	1 UNCH
3090	----	----	----/9.70A	8.80B/9.70A	----	8.80 - 3.30	.0192	----	----	----	----	1 UNCH
3095	----	----	----/9.70A	8.90B/9.70A	----	8.90 - 3.40	.0195	----	----	----	----	1 UNCH
3100	----	----	----/9.80A	9.10B/9.80A	----	9.00 - 3.40	.0197	----	----	----	----	137 UNCH
3110	----	----	----/10.00A	9.20B/10.00A	----	9.20 - 3.50	.0201	----	----	----	----	15 UNCH
3120	----	----	----/10.20A	9.50B/10.20A	----	9.30 - 3.70	.0204	----	----	----	----	30 UNCH
3130	----	----	----/10.40A	9.70B/10.40A	----	9.50 - 3.70	.0208	----	----	----	----	5 UNCH
3150	----	----	----/10.80A	10.40B/10.80A	----	9.90 - 3.90	.0217	----	----	----	----	10 UNCH
3155	----	----	----/10.90A	10.50B/10.90A	----	10.00 - 4.00	.0220	----	----	----	----	3 UNCH
3160	----	----	----/11.10A	10.50B/11.10A	----	10.10 - 4.00	.0222	----	----	----	----	1 UNCH
3170	----	----	----/11.20A	10.80B/11.20A	----	10.30 - 4.20	.0227	----	----	----	----	1 UNCH
3180	----	----	----/11.50A	11.10B/11.50A	----	10.50 - 4.30	.0231	----	----	----	----	25 UNCH
3185	----	----	----/11.60A	11.20B/11.60A	----	10.60 - 4.30	.0233	----	----	----	----	1 UNCH
3190	----	----	----/11.70A	11.40B/11.70A	----	10.70 - 4.40	.0236	----	----	----	----	20 UNCH
3195	----	----	----/11.80A	11.50B/11.80A	----	10.80 - 4.50	.0238	----	----	----	----	1 UNCH
3200	----	----	----/11.90A	11.80B/11.90A	----	10.90 - 4.50	.0240	----	----	----	----	406 UNCH
3250	----	----	----/13.30A	13.40B/13.30A	----	12.00 - 5.20	.0266	----	----	----	----	405 UNCH
3260	----	----	----/13.50A	14.80B/13.50A	----	12.30 - 5.30	.0272	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3300	----	----	----/14.50A	15.20B/14.50A	----	13.40 - 5.80	.0296	----	----	----	----	157 UNCH
3350	----	----	----/16.00A	17.20B/16.00A	----	14.90 - 6.40	.0330	----	----	----	----	334 UNCH
3370	----	----	----/16.80A	17.90B/16.80A	----	15.50 - 6.70	.0343	----	----	----	----	1 UNCH
3375	----	----	----/16.90A	18.10B/16.90A	----	15.70 - 6.80	.0347	----	----	----	----	15 UNCH
3380	----	----	----/17.10A	18.30B/17.10A	----	15.80 - 6.90	.0350	----	----	----	----	1 UNCH
3390	----	----	----/17.40A	18.80B/17.40A	----	16.20 - 7.00	.0358	----	----	----	----	1 UNCH
3400	----	----	----/17.80A	19.40B/17.80A	----	16.60 - 7.10	.0367	----	----	----	----	23 UNCH
3405	----	----	----/18.00A	19.50B/18.00A	----	16.70 - 7.30	.0369	----	----	----	----	4 UNCH
3450	----	----	----/19.70A	21.90B/19.70A	----	18.50 - 7.90	.0408	----	----	----	----	1 UNCH
3465	----	----	----/20.40A	22.60B/20.40A	----	19.10 - 8.10	.0421	----	----	----	----	6 UNCH
3470	----	----	----/20.60A	22.80B/20.60A	----	19.30 - 8.20	.0425	----	----	----	----	1 UNCH
3495	----	----	----/21.60A	24.30B/21.60A	----	20.40 - 8.60	.0449	----	----	----	----	1 UNCH
3500	25.00	25.00	25.00/21.40	25.00/21.40	----	20.60 - 8.70	.0453	----	----	5	----	525 + 1
3510	----	----	----/23.20A	25.40B/23.20A	----	21.10 - 8.90	.0464	----	----	----	----	50 UNCH
3520	----	----	----/23.40A	26.40B/23.40A	----	21.60 - 9.00	.0474	----	----	----	----	210 UNCH
3525	----	----	----/23.20A	27.60B/23.20A	----	21.80 - 9.20	.0479	----	----	----	----	60 UNCH
3545	----	----	----/23.60A	30.00B/23.60A	----	22.80 - 9.50	.0500	----	----	----	----	9 UNCH
3550	----	----	----/23.90A	30.40B/23.90A	----	23.10 - 9.50	.0506	----	----	----	----	115 UNCH
3570	----	----	----/24.90A	32.00B/24.90A	----	24.10 - 10.00	.0527	----	----	----	----	32 UNCH
3575	----	----	----/25.20A	32.30B/25.20A	----	24.40 - 10.00	.0533	----	----	----	----	20 UNCH
3585	----	----	----/25.80A	33.10B/25.80A	----	24.90 - 10.30	.0544	----	----	----	----	50 UNCH
3600	----	----	----/26.60A	34.20B/26.60A	----	25.80 - 10.50	.0562	----	----	----	----	687 UNCH
3610	----	----	----/27.20A	34.90B/27.20A	----	26.40 - 10.70	.0575	----	----	----	----	1 UNCH
3630	----	----	----/28.50A	36.60B/28.50A	----	27.60 - 11.10	.0600	----	----	----	----	8 UNCH
3645	----	----	----/29.40A	37.90B/29.40A	----	28.50 - 11.50	.0618	----	----	----	----	22 UNCH
3650	----	----	----/29.60A	38.20B/29.60A	----	28.80 - 11.60	.0625	----	----	----	----	27 UNCH
3655	----	----	----/30.00A	38.60B/30.00A	----	29.20 - 11.60	.0632	----	----	----	----	26 UNCH
3660	----	----	----/30.30A	39.10B/30.30A	----	29.50 - 11.80	.0639	----	----	----	----	9 UNCH
3665	----	----	----/30.60A	39.50B/30.60A	----	29.80 - 11.90	.0645	----	----	----	----	1 UNCH
3675	----	----	----/31.30A	40.40B/31.30A	----	30.50 - 12.10	.0659	----	----	----	----	24 UNCH
3690	----	----	----/32.40A	41.70B/32.40A	----	31.50 - 12.50	.0680	----	----	----	----	10 UNCH
3700	----	----	----/33.10A	42.70B/33.10A	----	32.20 - 12.70	.0694	----	----	----	----	221 UNCH
3705	----	----	----/33.40A	43.20B/33.40A	----	32.60 - 12.80	.0702	----	----	----	----	20 UNCH
3715	----	----	----/34.20A	44.10B/34.20A	----	33.30 - 13.10	.0716	----	----	----	----	30 UNCH
3725	----	----	----/34.90A	45.20B/34.90A	----	34.10 - 13.30	.0732	----	----	----	----	4 UNCH
3730	----	----	----/35.30A	45.70B/35.30A	----	34.50 - 13.40	.0740	----	----	----	----	10 UNCH
3750	----	----	----/36.90A	47.70B/36.90A	----	36.00 - 14.00	.0770	----	----	----	----	68 UNCH
3765	----	----	----/38.10A	49.30B/38.10A	----	37.20 - 14.40	.0794	----	----	----	----	100 UNCH
3770	----	----	----/38.60A	49.80B/38.60A	----	37.70 - 14.50	.0803	----	----	----	----	4 UNCH
3775	----	----	----/39.00A	50.50B/39.00A	----	38.10 - 14.60	.0811	----	----	----	----	12 UNCH
3795	----	----	----/40.70A	52.70B/40.70A	----	39.80 - 15.20	.0845	----	----	----	----	80 UNCH
3800	----	----	----/41.10A	53.30B/41.10A	----	40.20 - 15.40	.0853	----	----	----	----	317 UNCH
3805	----	----	----/41.60A	53.80B/41.60A	----	40.70 - 15.50	.0863	----	----	----	----	4 UNCH
3810	----	----	----/42.10A	54.40B/42.10A	----	41.10 - 15.70	.0871	----	----	----	----	50 UNCH
3815	----	----	----/42.50A	55.00B/42.50A	----	41.60 - 15.80	.0880	----	----	----	----	150 UNCH
3820	----	----	----/43.00A	55.70B/43.00A	----	42.00 - 16.00	.0888	----	----	----	----	52 UNCH
3825	----	----	----/43.50A	56.30B/43.50A	----	42.50 - 16.10	.0898	----	----	----	----	51 UNCH
3835	----	----	----/44.40A	57.50B/44.40A	----	43.50 - 16.40	.0917	----	----	----	----	10 UNCH
3850	----	----	----/45.90A	59.40B/45.90A	----	44.90 - 16.90	.0944	----	----	50	----	130 + 50
3855	----	----	----/46.40A	60.00B/46.40A	----	45.40 - 17.10	.0954	----	----	----	----	3 UNCH
3875	----	----	----/48.30A	62.60B/48.30A	----	47.40 - 17.80	.0993	----	----	----	----	10 UNCH
3880	----	----	----/48.90A	63.30B/48.90A	----	48.00 - 17.90	.1003	----	----	2	----	297 - 2
3890	----	----	----/49.90A	64.70B/49.90A	----	49.00 - 18.30	.1023	----	----	----	----	73 UNCH
3900	67.20	67.20	67.20/51.00	67.20/51.00	----	50.10 - 18.60	.1044	----	----	5	----	90 - 1
3910	----	----	----/52.10A	67.60B/52.10A	----	51.20 - 19.00	.1064	----	----	----	----	1 UNCH
3925	----	----	----/53.80A	69.80B/53.80A	----	52.90 - 19.50	.1096	----	----	----	----	10 UNCH
3930	----	----	----/54.40A	70.50B/54.40A	----	53.50 - 19.70	.1108	----	----	----	----	38 UNCH
3950	----	----	----/56.70A	73.30B/56.70A	----	55.80 - 20.50	.1151	----	----	----	----	246 UNCH
3965	----	----	----/58.50A	75.60B/58.50A	----	57.70 - 21.10	.1186	----	----	----	----	14 UNCH
3975	----	----	----/59.80A	77.20B/59.80A	----	58.90 - 21.50	.1208	----	----	----	----	267 UNCH
3980	----	----	----/60.40A	78.00B/60.40A	----	59.60 - 21.70	.1221	----	----	----	----	83 UNCH
3985	----	----	----/61.00A	78.80B/61.00A	----	60.20 - 21.90	.1232	----	----	----	----	1 UNCH
3990	----	----	----/61.70A	79.60B/61.70A	----	60.90 - 22.10	.1244	----	----	----	----	44 UNCH
3995	----	----	----/62.30A	80.60B/62.30A	----	61.50 - 22.40	.1256	----	----	----	----	4 UNCH
4000	----	----	----/63.00A	81.30B/63.00A	----	62.20 - 22.50	.1268	----	----	51	250	1494 + 51
4005	----	----	----/63.70A	82.10B/63.70A	----	62.80 - 22.80	.1280	----	----	----	----	3 UNCH
4010	----	----	----/64.30A	83.10B/64.30A	----	63.50 - 23.00	.1292	----	----	----	----	78 UNCH
4025	----	----	----/66.40A	85.70B/66.40A	----	65.60 - 23.60	.1330	----	----	----	----	90 UNCH
4030	----	----	----/67.10A	86.50B/67.10A	----	66.30 - 23.90	.1343	----	----	----	----	50 UNCH
4040	----	----	----/68.50A	88.40B/68.50A	----	67.70 - 24.40	.1368	----	----	----	----	15 UNCH
4045	----	----	----/69.20A	89.20B/69.20A	----	68.50 - 24.50	.1382	----	----	----	----	30 UNCH
4050	----	----	----/69.90A	90.30B/69.90A	----	69.20 - 24.80	.1394	----	----	----	150	302 + 134
4075	----	----	----/73.70A	95.00B/73.70A	----	73.00 - 25.90	.1461	----	----	----	----	5 UNCH
4095	----	----	----/76.90A	99.00B/76.90A	----	76.10 - 26.90	.1516	----	----	----	----	4 UNCH
4100	----	----	----/77.70A	99.90B/77.70A	----	76.90 - 27.20	.1530	----	----	1	----	80 + 1
4110	----	----	----/79.30A	102.00B/79.30A	----	78.60 - 27.60	.1559	----	----	----	----	1 UNCH
4120	----	----	----/81.00A	103.90B/81.00A	----	80.20 - 28.20	.1587	----	----	----	----	1 UNCH
4130	----	----	----/82.70A	106.10B/82.70A	----	81.90 - 28.70	.1617	----	----	----	----	5 UNCH
4135	----	----	----/83.60A	107.10B/83.60A	----	82.80 - 29.00	.1632	----	----	----	----	20 UNCH
4140	----	----	----/84.40A	108.40B/84.40A	----	83.70 - 29.20	.1647	----	----	----	----	1 UNCH
4145	----	----	----/85.30A	109.30B/85.30A	----	84.50 - 29.50	.1661	----	----	----	----	20 UNCH
4150	----	----	----/86.20A	110.50B/86.20A	----	85.40 - 29.80	.1676	----	----	----	----	328 UNCH
4160	96.00	96.00	96.00/88.00A	112.60B/88.00A	----	87.20 - 30.30	.1707	----	----	2	----	48 + 2
4165	----	----	----/88.90A	113.90B/88.90A	----	88.10 - 30.60	.1722	----	----	----	----	100 UNCH
4170	----	----	----/89.80A	114.90B/89.80A	----	89.10 - 30.80	.1738	----	----	----	----	77 UNCH
4175	----	----	----/90.70A	116.20B/90.70A	----	90.00 - 31.10	.1753	----	----	----	----	25 UNCH
4180	----	----	----/91.70A	117.30B/91.70A	----	90.90 - 31.40	.1769	----	----	----	----	91 UNCH
4185	----	----	----/92.70A	118.40B/92.70A	----	91.90 - 31.70	.1785	----	----	----	----	40 UNCH
4190	----	----	----/93.60A	119.70B/93.60A	----	92.80 - 32.00	.1800	----	----	----	----	140 UNCH
4195	----	----	----/94.60A	120.80B/94.60A	----	93.80 - 32.20	.1817	----	----	----	----	143 UNCH
4200	109.50	109.50	109.90/95.50A	122.00B/95.50A	----	94.80 - 32.50	.1833	----	----	6	----	176 + 3
4205	----	----	----/96.60A	123.30B/96.60A	----	95.70 - 32.90	.1849	----	----	----	----	13 UNCH
4215	----	----	----/98.50A	125.70B/98.50A	----	97.70 - 33.40	.1881	----	----	----	----	1 UNCH
4220	----	----	----/99.50A	127.20B/99.50A	----	98.70 - 33.70	.1898	----	----	----	----	9 UNCH
4225	----	----	----/100.50A	128.20B/100.50A	----	99.80 - 34.00	.1915	----	----	----	----	1 UNCH
4230	----	----	----/101.50A	129.50B/101.50A	----	100.80 - 34.30	.1931	----	----	----	----	10 UNCH
4245	----	----	----/104.70A	133.30B/104.70A	----	103.90 - 35.20	.1982	----	----	----	----	32 UNCH
4250	----	----	----/105.80A	134.60B/105.80A	----	105.00 - 35.50	.1999	----	----	2	----	157 + 1
4255	----	----	----/106.90A	135.90B/106.90A	----	106.10 - 35.80	.2017	----	----	----	----	2 UNCH
4260	----	----	----/108.00A	137.30B/108.00A	----	107.10 - 36.10	.2033	----	----	----	----	8 UNCH
4285	----	----	----/113.50A	144.10B/113.50A	----	112.70 - 37.70	.2122	----	----	----	----	170 UNCH
4290	----	----	----/114.60A	145.50B/114.60A	----	113.90 - 37.90	.2140	----	----	----	----	2 UNCH
4295	----	----	----/115.80A	146.90B/115.80A	----	115.00 - 38.30	.2158	----	----	----	----	2 UNCH
4300	147.00	147.00	147.00/116.90A	148.40B/116.90A	----	116.20 - 38.60	.2176	----	----	2	----	427 + 1
4305	----	----	----/118.20A	149.80B/118.20A	----	117.30 - 39.00	.2194	----	----	----	----	100 UNCH
4310	----	----	----/119.30A	151.20B/119.30A	----	118.50 - 39.30	.2212	----	----	----	----	1 UNCH
4320	----	----	----/121.70A	154.10B/121.70A	----	120.90 - 39.90	.2249	----	----	----	----	5 UNCH
4325	----	----	----/122.80A	155.70B/122.80A	----	122.10 - 40.30	.2268	----	----	----	----	275 UNCH
4330	----	----	----/124.10A	157.10B/124.10A	----	123.40 - 40.50	.2287	----	----	----	----	101 UNCH
4340	----	----	----/126.70A	160.20B/126.70A	----	125.80 NEW	.2325	----	----	1	----	1 + 1
4350	----	----	----/129.00A	163.30B/129.00A	----	128.40 - 41.90	.2363	----	----	3	----	632 + 2
4355	----	----	----/130.40A	164.80B/130.40A	----	129.60 - 42.30	.2382	----	----	----	----	2 UNCH
4360	----	----	----/131.70A	166.40B/131.70A	----	130.90 - 42.60	.2401	----	----	----	----	50 UNCH
4365	----	----	----/133.00A	167.90B/133.00A	----	132.20 - 42.90	.2421	----	----	----	----	100 UNCH
4380	----	----	----/136.90A	173.00B/136.90A	----	136.20 - 43.90	.2480	----	----	----	----	1 UNCH
4390	----	----	----/139.60A	176.10B/139.60A	----	138.90 - 44.60	.2520	----	----	----	----	6 UNCH
4395	----	----	----/141.00A	177.80B/141.00A	----	140.20 - 45.00	.2539	----	----	----	----	1 UNCH
4400	----	----	----/142.30A	179.30B/142.30A	----	141.60 - 45.30	.2560	----	----	----	----	814 UNCH
4410	----	----	----/145.10A	182.10B/145.10A	----	144.40 - 46.00	.2600	----	----	----	----	1 UNCH
4420	----	----	----/147.90A	186.20B/147.90A	----	147.20 - 46.70	.2641	----	----	----	----	2 UNCH
4425	----	----	----/149.30A	188.00B/149.30A	----	148.70 - 47.00	.2662	----	----	----	----	3 UNCH
4440	158.50	158.50	158.50/153.70A	192.30B/153.70A	----	153.00 - 48.10	.2724	----	----	1	----	37 UNCH
4450	----	----	----/156.60A	196.00B/156.60A	----	156.00 - 48.80	.2766	----	----	7	----	322 + 2
4455	----	----	----/158.20A	197.90B/158.20A	----	157.50 - 49.10	.2787	----	----	----	----	1 UNCH
4460	----	----	----/159.70A	200.50B/159.70A	----	159.00 - 49.50	.2808	----	----	----	----	4 UNCH
4465	----	----	----/161.20A	202.50B/161.20A	----	160.50 - 49.90	.2829	----	----	----	----	10 UNCH
4470	----	----	----/162.70A	204.20B/162.70A	----	162.00 - 50.20	.2851	----	----	----	----	12 UNCH
4475	----	----	----/164.20A	205.10B/164.20A	----	163.60 - 50.50	.2872	----	----	----	----	15 UNCH
4480	----	----	----/165.80A	207.00B/165.80A	----	165.10 - 51.00	.2894	----	----	6	----	7 + 3
4485	----	----	----/167.40A	209.80B/167.40A	----	166.70 - 51.30	.2915	----	----	----	----	9 UNCH
4490	----	----	----/168.90A	211.90B/168.90A	----	168.30 - 51.60	.2937	----	----	----	----	3 UNCH
4500	197.50	197.50	197.50/172.10A	214.80B/172.10A	----	171.50 - 52.30	.2981	----	----	21	250	1089 + 261
4505	----	----	----/173.70A	215.90B/173.70A	----	173.10 - 52.70	.3003	----	----	----	----	3 UNCH
4535	----	----	----/183.70A	230.00B/183.70A	----	183.00 - 54.90	.3136	----	----	----	----	10 UNCH
4545	----	----	----/187.10A	233.80B/187.10A	----	186.40 - 55.70	.3181	----	----	6	----	21 + 1
4550	----	----	----/188.80A	235.90B/188.80A	----	188.10 - 56.10	.3204	----	----	----	----	2 UNCH
4560	----	----	----/192.30A	240.30B/192.30A	----	191.60 - 56.80	.3249	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4570	----	----	----/195.80A	244.30B/195.80A	----	195.20 - 57.50	.3295	----	----	----	----	2 UNCH
4575	----	----	----/197.60A	246.70B/197.60A	----	197.00 - 57.80	.3318	----	----	----	----	1 UNCH
4580	----	----	----/199.40A	247.80B/199.40A	----	198.80 - 58.20	.3341	----	----	----	----	150 UNCH
4585	----	----	----/201.20A	249.80B/201.20A	----	200.60 - 58.60	.3364	----	----	----	----	2 UNCH
4590	----	----	----/203.10A	253.50B/203.10A	----	202.40 - 59.00	.3388	----	----	----	----	6 UNCH
4600	216.80	216.80	216.80/206.80A	257.90B/206.80A	----	206.10 - 59.70	.3434	----	----	4	----	352 + 2
4620	----	----	----/214.40A	265.30B/214.40A	----	213.70 - 61.20	.3529	----	----	----	----	3 UNCH
4625	----	----	----/216.30A	267.30B/216.30A	----	215.60 - 61.60	.3552	----	----	----	----	100 UNCH
4640	----	----	----/222.00A	274.30B/222.00A	----	221.50 - 62.70	.3624	----	----	----	----	101 UNCH
4645	----	----	----/224.00A	276.90B/224.00A	----	223.50 - 63.00	.3648	----	----	----	----	127 UNCH
4650	----	----	----/226.00A	278.90B/226.00A	----	225.50 - 63.40	.3672	----	----	1	----	298 + 1
4665	----	----	----/232.00A	286.00B/232.00A	----	231.60 - 64.50	.3744	----	----	----	----	1 UNCH
4680	257.00	257.00	257.00/237.30	292.40B/237.30	----	237.80 NEW	.3817	----	----	5	----	5 + 5
4700	----	----	----/246.60A	302.60B/246.60A	----	246.30 - 67.20	.3915	----	----	----	----	447 UNCH
4705	----	----	----/248.80A	305.00B/248.80A	----	248.50 - 67.50	.3939	----	----	----	----	50 UNCH
4710	----	----	----/251.00A	307.50B/251.00A	----	250.70 NEW	.3964	----	----	3	----	3 + 3
4715	----	----	----/253.20A	310.80B/253.20A	----	252.80 - 68.30	.3988	----	----	----	----	1 UNCH
4725	----	----	----/257.40A	314.60B/257.40A	----	257.30 - 69.00	.4038	----	----	20	----	30 + 20
4730	----	----	----/259.60A	316.80B/259.60A	----	259.50 - 69.40	.4062	----	----	----	----	1 UNCH
4740	----	----	----/264.10A	322.00B/264.10A	----	264.10 - 70.10	.4112	----	----	----	----	15 UNCH
4750	----	----	----/268.80A	328.10B/268.80A	----	268.70 - 70.90	.4162	----	----	----	----	25 UNCH
4760	----	----	----/273.30A	333.80B/273.30A	----	273.30 - 71.70	.4211	----	----	----	----	1 UNCH
4775	286.30	286.30	286.30/280.30A	341.20B/280.30A	----	280.40 - 72.80	.4286	----	----	1	----	57 + 1
4785	284.20	284.20	284.20/284.20	346.80B/284.20	----	285.30 NEW	.4336	----	----	2	----	2 + 2
4795	----	----	----/289.70A	350.00B/289.70A	----	290.10 NEW	.4386	----	----	2	----	2 + 2
4800	----	----	----/292.00A	354.90B/292.00A	----	292.60 - 74.70	.4411	----	----	80	----	657 + 40
4805	----	----	----/294.60A	355.80B/294.60A	----	295.10 - 75.00	.4436	----	----	----	----	1 UNCH
4855	343.00	343.00	343.00/319.60A	382.90B/319.60A	----	320.70 NEW	.4686	----	----	10	----	10 + 10
4875	----	----	----/329.90A	394.60B/329.90A	----	331.40 - 80.30	.4786	----	----	----	75	76 + 65
4900	----	----	----/343.30A	409.60B/343.30A	----	344.90 - 82.30	.4910	----	----	----	----	348 UNCH
4905	----	----	----/346.00A	412.60B/346.00A	----	347.70 - 82.60	.4935	----	----	----	----	17 UNCH
4925	----	----	----/358.60A	424.90B/358.60A	----	358.70 - 84.20	.5034	----	----	----	----	50 UNCH
4950	----	----	----/372.80A	440.50B/372.80A	----	372.80 - 86.20	.5157	----	----	----	----	31 UNCH
4955	----	----	----/375.60A	443.70B/375.60A	----	375.70 - 86.60	.5181	----	----	----	----	1 UNCH
4980	----	----	----/390.10A	459.50B/390.10A	----	390.10 - 88.60	.5304	----	----	----	----	1 UNCH
5000	----	----	----/401.90A	472.50B/401.90A	----	401.90 - 90.10	.5401	----	----	----	----	318 UNCH
5010	----	----	----/407.90A	479.10B/407.90A	----	407.90 - 90.80	.5450	----	----	----	----	1 UNCH
5025	----	----	----/417.10A	489.10B/417.10A	----	416.90 - 92.00	.5522	----	----	----	----	25 UNCH
5030	----	----	----/420.20A	492.50B/420.20A	----	420.00 - 92.30	.5546	----	----	----	----	1 UNCH
5045	----	----	----/429.40A	502.60B/429.40A	----	429.20 - 93.40	.5617	----	----	----	----	31 UNCH
5050	----	----	----/432.50A	506.00B/432.50A	----	432.30 - 93.80	.5641	----	----	----	----	351 UNCH
5070	----	----	----/445.00A	521.20B/445.00A	----	444.80 - 95.30	.5736	----	----	----	----	17 UNCH
5080	----	----	----/451.30A	522.90B/451.30A	----	451.10 - 96.00	.5783	----	----	----	----	3 UNCH
5100	----	----	----/464.20A	525.60B/464.20A	----	463.90 - 97.40	.5876	----	----	----	----	81 UNCH
5120	----	----	----/477.20A	535.00B/477.20A	----	477.00 - 98.70	.5968	----	----	----	----	2 UNCH
5180	----	----	----/517.40A	560.20B/517.40A	----	517.40 - 02.40	.6236	----	----	----	----	1 UNCH
5195	----	----	----/527.80A	571.00B/527.80A	----	527.80 - 03.30	.6301	----	----	----	----	2 UNCH
5200	----	----	----/531.20A	574.70B/531.20A	----	531.30 - 03.50	.6323	----	----	----	----	112 UNCH
5265	----	----	----/577.30A	623.00B/577.30A	----	577.70 - 06.90	.6595	----	----	----	----	1 UNCH
5300	----	----	----/602.90A	649.60B/602.90A	----	603.40 - 08.60	.6736	----	----	----	----	3 UNCH
5355	----	----	----/644.00A	666.00B/644.00A	----	644.80 - 11.10	.6948	----	----	----	----	1 UNCH
5400	----	----	----	518.60B/867.70A	----	679.50 - 12.90	.7115	----	----	----	----	76 UNCH
5425	702.50	702.50	702.50/702.50	702.50/702.50	----	699.10 - 13.90	.7203	----	----	1	----	0 - 1
5460	----	----	----	567.40B/914.60A	----	726.90 - 15.20	.7323	----	----	----	----	1 UNCH
5500	----	----	----	600.70B/946.50A	----	759.10 - 16.80	.7456	----	----	----	----	3 UNCH
5530	----	----	----	626.00B/970.60A	----	783.60 - 17.90	.7552	----	----	----	----	1 UNCH
5575	----	----	----	664.50B/1007.20A	----	820.90 - 19.50	.7688	----	----	----	----	2 UNCH
TOTAL										305	725	18257 + 662
SEP26												
2350	3.00	3.00	3.20/3.00	3.20/3.00	----	2.60 - 0.90	.0049	----	----	4	----	52 UNCH
2375	----	----	----	1.10B/4.80A	----	2.70 - 1.00	.0051	----	----	----	----	1 UNCH
2400	----	----	----	1.20B/5.00A	----	2.90 - 1.00	.0055	----	----	----	----	1 UNCH
2500	----	----	----	1.80B/5.70A	----	3.60 - 1.20	.0069	----	----	----	----	4 UNCH
2600	----	----	----	2.50B/6.40A	----	4.30 - 1.60	.0083	----	----	----	----	2 UNCH
3000	----	----	----/12.30A	7.30B/12.30A	----	9.30 - 3.20	.0187	----	----	----	----	2 UNCH
3145	----	----	----/15.80A	10.70B/15.80A	----	12.70 - 4.00	.0255	----	----	----	----	15 UNCH
3150	----	----	----/15.90A	10.80B/15.90A	----	12.90 - 4.00	.0259	----	----	----	----	2 UNCH
3200	----	----	----/17.50A	12.30B/17.50A	----	14.30 - 4.30	.0287	----	----	----	----	1 UNCH
3270	----	----	----/19.80A	14.70B/19.80A	----	16.60 - 4.80	.0332	----	----	----	----	15 UNCH
3300	----	----	----/20.90A	15.80B/20.90A	----	17.60 - 5.10	.0352	----	----	----	----	1 UNCH
3475	----	----	----/28.80A	28.70B/28.80A	----	25.40 - 7.20	.0502	----	----	----	----	2 UNCH
3480	----	----	----/29.20A	29.30B/29.20A	----	25.60 - 7.40	.0507	----	----	----	----	780 UNCH
3500	30.00	30.00	30.00/26.00	30.70B/26.00	----	26.70 - 7.70	.0527	----	----	6	----	19 UNCH
3525	----	----	----/31.70A	32.50B/31.70A	----	28.10 - 8.20	.0554	----	----	----	----	2 UNCH
3565	----	----	----/34.10A	35.50B/34.10A	----	30.60 - 9.00	.0600	----	----	----	----	1 UNCH
3610	----	----	----/35.00A	39.30B/35.00A	----	33.50 - 10.20	.0654	----	----	----	----	1 UNCH
3625	----	----	----/36.20A	40.60B/36.20A	----	34.60 - 10.60	.0674	----	----	----	----	1 UNCH
3650	----	----	----/37.90A	43.00B/37.90A	----	36.40 - 11.40	.0707	----	----	----	----	66 UNCH
3700	----	----	----/41.90A	48.10B/41.90A	----	40.40 - 13.00	.0780	----	----	----	----	2 UNCH
3720	----	----	----/43.80A	50.20B/43.80A	----	42.10 - 13.70	.0810	----	----	----	----	50 UNCH
3755	----	----	----/47.00A	54.20B/47.00A	----	45.30 - 15.00	.0866	----	----	----	----	90 UNCH
3800	----	----	----/52.90A	59.80B/52.90A	----	49.70 - 16.80	.0943	----	----	----	----	1 UNCH
3850	----	----	----/58.10A	66.50B/58.10A	----	55.10 - 18.90	.1036	----	----	----	----	20 UNCH
3880	----	----	----/61.50A	70.80B/61.50A	----	58.60 - 20.10	.1095	----	----	----	----	26 UNCH
3900	----	----	----/63.90A	73.90B/63.90A	----	61.10 - 20.90	.1136	----	----	----	----	211 UNCH
3910	----	----	----/65.00A	75.40B/65.00A	----	62.30 - 21.30	.1156	----	----	----	----	2 UNCH
3930	----	----	----/67.40A	78.60B/67.40A	----	64.90 - 22.10	.1199	----	----	----	----	2 UNCH
3945	----	----	----/69.40A	81.10B/69.40A	----	66.90 - 22.70	.1232	----	----	----	----	230 UNCH
3950	----	----	----/70.10A	81.90B/70.10A	----	67.60 - 22.90	.1243	----	----	----	----	324 UNCH
4000	----	----	----/77.00A	90.70B/77.00A	----	74.80 - 24.70	.1359	----	----	----	----	715 UNCH
4005	----	----	----/77.80A	91.60B/77.80A	----	75.60 - 24.80	.1372	----	----	----	----	1 UNCH
4030	----	----	----/81.70A	96.30B/81.70A	----	79.40 - 25.80	.1432	----	----	----	----	1 UNCH
4050	89.90	89.90	89.90/84.80A	100.20B/84.80A	----	82.60 - 26.60	.1482	----	----	2	----	34 + 2
4080	----	----	----/90.20A	106.30B/90.20A	----	87.70 - 27.60	.1561	----	----	----	----	4 UNCH
4085	----	----	----/90.90A	107.40B/90.90A	----	88.60 - 27.80	.1575	----	----	----	----	76 UNCH
4100	----	----	----/93.70A	110.60B/93.70A	----	91.20 - 28.40	.1615	----	----	----	----	20 UNCH
4130	----	----	----/99.20A	117.20B/99.20A	----	96.70 - 29.60	.1698	----	----	----	----	20 UNCH
4135	----	----	----/100.10A	118.30B/100.10A	----	97.60 - 29.90	.1712	----	----	----	----	3 UNCH
4150	----	----	----/103.10A	121.80B/103.10A	----	100.50 - 30.50	.1755	----	----	----	----	3 UNCH
4185	----	----	----/110.00A	130.20B/110.00A	----	107.40 - 32.20	.1857	----	----	----	----	76 UNCH
4200	----	----	----/113.10A	133.90B/113.10A	----	110.50 - 32.90	.1902	----	----	----	----	106 UNCH
4220	----	----	----/117.50A	139.10B/117.50A	----	114.80 - 33.90	.1964	----	----	----	----	113 UNCH
4225	----	----	----/118.60A	140.40B/118.60A	----	115.90 - 34.10	.1980	----	----	----	----	3 UNCH
4230	----	----	----/119.70A	141.70B/119.70A	----	117.00 - 34.40	.1996	----	----	----	----	1 UNCH
4240	----	----	----/122.00A	144.40B/122.00A	----	119.20 - 34.90	.2027	----	----	----	----	56 UNCH
4250	----	----	----/124.20A	147.10B/124.20A	----	121.40 - 35.50	.2059	----	----	----	----	62 UNCH
4300	----	----	----/136.20A	161.20B/136.20A	----	133.20 - 38.30	.2224	----	----	----	----	84 UNCH
4320	----	----	----/141.20A	167.10B/141.20A	----	138.20 - 39.40	.2292	----	----	----	----	152 UNCH
4350	----	----	----/149.00A	176.40B/149.00A	----	145.90 - 41.30	.2396	----	----	----	----	20 UNCH
4365	----	----	----/153.10A	181.20B/153.10A	----	149.90 - 42.20	.2450	----	----	----	----	5 UNCH
4390	----	----	----/160.00A	189.40B/160.00A	----	156.80 - 43.80	.2540	----	----	----	----	15 UNCH
4400	----	----	----/162.80A	192.70B/162.80A	----	159.60 - 44.50	.2577	----	----	----	----	36 UNCH
4410	----	----	----/165.70A	196.10B/165.70A	----	162.50 - 45.10	.2614	----	----	----	----	7 UNCH
4420	----	----	----/168.70A	199.60B/168.70A	----	165.40 - 45.80	.2652	----	----	----	----	1 UNCH
4430	----	----	----/171.60A	203.10B/171.60A	----	168.30 - 46.50	.2689	----	----	----	----	2 UNCH
4440	----	----	----/174.60A	206.60B/174.60A	----	171.30 - 47.20	.2727	----	----	----	----	7 UNCH
4450	----	----	----/177.70A	210.20B/177.70A	----	174.40 - 47.80	.2765	----	----	----	----	430 UNCH
4475	----	----	----/185.60A	219.40B/185.60A	----	182.10 - 49.60	.2862	----	----	----	----	3 UNCH
4500	----	----	----/193.50A	228.90B/193.50A	----	190.20 - 51.40	.2961	----	----	----	160	457 UNCH
4550	----	----	----/210.50A	248.70B/210.50A	----	207.20 - 54.90	.3163	----	----	----	----	350 UNCH
4560	----	----	----/214.10A	252.80B/214.10A	----	210.80 - 55.60	.3204	----	----	----	----	7 UNCH
4580	----	----	----/221.50A	261.20B/221.50A	----	218.00 - 57.10	.3287	----	----	----	----	1 UNCH
4600	----	----	----/229.00A	269.80B/229.00A	----	225.50 - 58.50	.3371	----	----	----	----	2 UNCH
4620	----	----	----/236.60A	278.60B/236.60A	----	233.10 - 59.90	.3456	----	----	----	----	500 UNCH
4650	----	----	----/248.40A	292.20B/248.40A	----	245.00 - 62.00	.3585	----	----	----	----	3 UNCH
4700	----	----	----/269.00A	315.90B/269.00A	----	265.80 - 65.60	.3803	----	----	----	----	8 UNCH
4725	----	----	----/279.70A	328.20B/279.70A	----	276.70 - 67.30	.3913	----	----	----	----	1 UNCH
4730	----	----	----/281.90A	330.70B/281.90A	----	278.90 - 67.60	.3935	----	----	----	----	5 UNCH
4750	----	----	----/290.80A	340.80B/290.80A	----	287.90 - 69.00	.4024	----	----	----	----	150 UNCH
4760	----	----	----/295.30A	345.90B/295.30A	----	292.50 - 69.60	.4068	----	----	----	----	100 UNCH
4775	----	----	----/302.20A	353.70B/302.20A	----	299.50 - 70.60	.4135	----	----	----	----	18 UNCH
4800	----	----	----/313.90A	367.00B/313.90A	----	311.40 - 72.20	.4247	----	----	----	----	27 UNCH
4825	----	----	----/326.00A	380.60B/326.00A	----	323.60 - 73.90	.4359	----	----	----	----	2 UNCH
4835	----	----	----/330.90A	386.10B/330.90A	----	328.60 - 74.50	.4404	----	----	----	----	30 UNCH
4900	----	----	----/364.00A	423.10B/364.00A	----	362.30 - 78.40	.4696	----	----	----	----	3 UNCH
4930	----	----	----/380.00A	440.90B/380.00A	----	378.60 - 80.20	.4829	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4950	----	----	----/390.90A	453.00B/390.90A	----	389.70 - 81.30	.4918	----	----	----	----	1 UNCH
4975	----	----	----/405.00A	468.40B/405.00A	----	403.80 - 82.90	.5028	----	----	----	----	210 UNCH
5000	----	----	----/419.20A	484.10B/419.20A	----	418.10 - 84.50	.5138	----	----	----	----	10 UNCH
5005	----	----	----/422.10A	487.20B/422.10A	----	421.00 - 84.80	.5160	----	----	----	----	3 UNCH
5020	----	----	----/430.80A	496.80B/430.80A	----	429.80 - 85.80	.5225	----	----	----	----	3 UNCH
5100	----	----	----/479.10A	549.50B/479.10A	----	478.20 - 91.20	.5569	----	----	----	----	28 UNCH
5105	----	----	----/482.20A	552.90B/482.20A	----	481.40 - 91.40	.5590	----	----	----	----	2 UNCH
5200	----	----	----/543.60A	600.20B/543.60A	----	543.50 - 97.20	.5979	----	----	----	----	47 UNCH
5230	----	----	----/563.80A	603.60B/563.80A	----	563.80 - 99.20	.6098	----	----	----	----	400 UNCH
5300	----	----	----/612.40A	654.30B/612.40A	----	612.60 - 03.60	.6367	----	----	----	----	300 UNCH
5400	----	----	----/684.90A	729.90B/684.90A	----	685.40 - 09.10	.6729	----	----	----	----	100 UNCH
5420	----	----	----/699.90A	745.40B/699.90A	----	700.40 - 10.00	.6798	----	----	----	----	80 UNCH
5450	----	----	----/722.50A	760.00B/722.50A	----	723.20 - 11.20	.6899	----	----	----	----	1 UNCH
5500	----	----	----/761.00A	758.90B/761.00A	----	761.90 - 12.70	.7061	----	----	----	----	3 UNCH
6000	----	----	----	1027.00B/1372.30A	----	1183.80 - 26.30	.8306	----	----	----	----	2 UNCH
TOTAL										12	160	6856 + 2
OCT26												
2700	----	----	----	3.10B/10.00A	----	6.60 - 2.00	.0123	----	----	----	----	1 UNCH
2800	----	----	----	4.40B/11.60A	----	7.80 - 2.50	.0147	----	----	----	----	3 UNCH
3100	----	----	----	11.30B/19.20A	----	14.50 - 4.60	.0273	----	----	----	----	1 UNCH
3200	----	----	----/22.80A	14.60B/22.80A	----	17.80 - 5.80	.0334	----	----	----	----	414 UNCH
3240	----	----	----/24.50A	16.30B/24.50A	----	19.30 - 6.40	.0362	----	----	----	----	5 UNCH
3300	----	----	----/27.10A	19.10B/27.10A	----	21.90 - 7.40	.0409	----	----	----	----	415 UNCH
3340	----	----	----/29.00A	21.20B/29.00A	----	23.80 - 8.10	.0443	----	----	----	----	9 UNCH
3360	----	----	----/30.10A	22.30B/30.10A	----	24.80 - 8.50	.0460	----	----	----	----	1 UNCH
3380	----	----	----/31.20A	23.50B/31.20A	----	25.90 - 8.70	.0480	----	----	----	----	1 UNCH
3390	----	----	----/31.80A	28.60B/31.80A	----	26.40 - 8.80	.0489	----	----	----	----	4 UNCH
3400	----	----	----/32.40A	29.30B/32.40A	----	27.00 - 8.90	.0499	----	----	----	----	150 UNCH
3480	----	----	----/36.90A	35.80B/36.90A	----	31.90 - 9.10	.0584	----	----	----	----	12 UNCH
3500	----	----	----/38.20A	37.40B/38.20A	----	33.20 - 9.10	.0606	----	----	----	----	10 UNCH
3520	----	----	----/37.20A	39.00B/37.20A	----	34.60 - 9.10	.0630	----	----	----	----	12 UNCH
3550	----	----	----/39.70A	41.70B/39.70A	----	36.90 - 9.10	.0668	----	----	----	----	25 UNCH
3600	----	----	----/43.50A	46.50B/43.50A	----	40.90 - 9.60	.0735	----	----	----	----	177 UNCH
3615	----	----	----/45.00A	48.00B/45.00A	----	42.20 - 9.90	.0756	----	----	----	----	1 UNCH
3700	----	----	----/52.10A	57.50B/52.10A	----	50.40 - 12.20	.0888	----	----	114	----	210 + 70
3750	----	----	----/60.10A	63.80B/60.10A	----	55.80 - 14.10	.0973	----	----	----	----	19 UNCH
3785	----	----	----/63.90A	68.70B/63.90A	----	59.80 - 15.50	.1035	----	----	----	----	1 UNCH
3800	----	----	----/65.50A	70.80B/65.50A	----	61.50 - 16.20	.1062	----	----	----	----	19 UNCH
3805	----	----	----/66.20A	71.60B/66.20A	----	62.20 - 16.30	.1072	----	----	----	----	1 UNCH
3865	----	----	----/73.40A	80.80B/73.40A	----	69.70 - 18.90	.1188	----	----	----	----	2 UNCH
3875	----	----	----/74.70A	82.50B/74.70A	----	71.10 - 19.30	.1209	----	----	----	----	12 UNCH
3885	----	----	----/76.30A	84.10B/76.30A	----	72.40 - 19.80	.1229	----	----	----	----	5 UNCH
3890	----	----	----/76.40A	85.00B/76.40A	----	73.10 - 20.00	.1239	----	----	----	----	2 UNCH
3895	----	----	----/77.70A	85.80B/77.70A	----	73.80 - 20.20	.1250	----	----	----	----	2 UNCH
3900	----	----	----/78.10A	86.70B/78.10A	----	74.50 - 20.40	.1260	----	----	----	----	22 UNCH
3920	----	----	----/81.00A	90.20B/81.00A	----	77.30 - 21.20	.1303	----	----	----	----	28 UNCH
3940	----	----	----/83.70A	93.80B/83.70A	----	80.30 - 22.00	.1347	----	----	----	----	65 UNCH
3950	----	----	----/85.20A	95.70B/85.20A	----	81.80 - 22.50	.1369	----	----	----	----	2 UNCH
3975	----	----	----/89.10A	100.40B/89.10A	----	85.70 - 23.50	.1426	----	----	----	----	5 UNCH
4000	----	----	----/92.90A	105.40B/92.90A	----	89.70 - 24.60	.1485	----	----	114	----	406 + 1
4050	----	----	----/102.10A	115.90B/102.10A	----	98.40 - 26.80	.1609	----	----	----	----	5 UNCH
4070	----	----	----/105.90A	120.30B/105.90A	----	102.10 - 27.70	.1660	----	----	----	----	24 UNCH
4075	----	----	----/106.70A	121.40B/106.70A	----	103.10 - 27.80	.1674	----	----	----	----	1 UNCH
4100	----	----	----/111.70A	127.20B/111.70A	----	107.90 - 29.00	.1740	----	----	----	----	314 UNCH
4130	----	----	----/117.80A	134.40B/117.80A	----	114.00 - 30.40	.1823	----	----	----	----	1 UNCH
4150	----	----	----/122.20A	139.40B/122.20A	----	118.30 - 31.20	.1880	----	----	----	----	5 UNCH
4200	138.10	138.10	138.10/133.20A	152.50B/133.20A	----	129.40 - 33.60	.2026	----	----	2	----	121 + 2
4220	----	----	----/138.10A	158.00B/138.10A	----	134.20 - 34.50	.2088	----	----	----	----	5 UNCH
4235	----	----	----/142.00A	162.30B/142.00A	----	137.80 - 35.30	.2134	----	----	----	----	1 UNCH
4250	----	----	----/145.50A	166.60B/145.50A	----	141.50 - 36.10	.2180	----	----	----	----	57 UNCH
4265	----	----	----/149.00A	171.00B/149.00A	----	145.30 - 36.80	.2228	----	----	----	----	200 UNCH
4270	----	----	----/150.50A	172.50B/150.50A	----	146.60 - 37.10	.2244	----	----	----	----	226 UNCH
4300	----	----	----/158.60A	181.70B/158.60A	----	154.50 - 38.60	.2342	----	----	----	----	476 UNCH
4355	----	----	----/174.00A	199.40B/174.00A	----	169.80 - 41.60	.2526	----	----	----	----	11 UNCH
4375	----	----	----/179.80A	206.20B/179.80A	----	175.70 - 42.70	.2595	----	----	----	----	10 UNCH
4400	----	----	----/187.10A	214.90B/187.10A	----	183.30 - 44.10	.2683	----	----	----	----	301 UNCH
4430	----	----	----/196.50A	225.80B/196.50A	----	192.70 - 45.80	.2790	----	----	----	----	3 UNCH
4450	----	----	----/203.00A	233.20B/203.00A	----	199.10 - 47.10	.2862	----	----	----	----	26 UNCH
4500	----	----	----/220.20A	252.60B/220.20A	----	216.00 - 50.10	.3048	----	----	----	----	56 UNCH
4600	----	----	----/257.10A	294.80B/257.10A	----	253.00 - 56.50	.3433	----	----	----	----	350 UNCH
4610	----	----	----/261.00A	299.30B/261.00A	----	256.90 - 57.20	.3472	----	----	----	----	5 UNCH
4675	----	----	----/287.80A	329.60B/287.80A	----	283.60 - 61.50	.3732	----	----	----	----	1 UNCH
4700	----	----	----/298.50A	341.70B/298.50A	----	294.40 - 63.20	.3833	----	----	----	----	64 UNCH
4750	340.00	340.00	340.00/320.80A	367.00B/320.80A	----	317.00 - 66.40	.4037	----	----	1	----	173 - 1
4800	----	----	----/344.10A	393.30B/344.10A	----	340.80 - 69.70	.4243	----	----	----	----	126 UNCH
4845	----	----	----/366.40A	418.10B/366.40A	----	363.20 - 72.60	.4429	----	----	----	----	17 UNCH
4850	----	----	----/368.90A	420.90B/368.90A	----	365.80 - 72.90	.4450	----	----	3	----	55 + 3
4875	----	----	----/381.70A	435.10B/381.70A	----	378.80 - 74.40	.4553	----	----	----	----	1 UNCH
4900	----	----	----/394.90A	449.60B/394.90A	----	392.00 - 76.00	.4656	----	----	----	----	110 UNCH
4910	----	----	----/400.30A	455.40B/400.30A	----	397.40 - 76.60	.4698	----	----	----	----	1 UNCH
4920	----	----	----/405.50A	461.30B/405.50A	----	402.90 - 77.20	.4739	----	----	----	----	1 UNCH
4925	----	----	----/408.20A	464.30B/408.20A	----	405.60 - 77.50	.4759	----	----	----	----	25 UNCH
4980	----	----	----/439.10A	497.70B/439.10A	----	436.50 - 80.80	.4983	----	----	----	----	1 UNCH
5000	----	----	----/450.60A	510.20B/450.60A	----	448.00 - 82.00	.5063	----	----	----	----	47 UNCH
5010	----	----	----/456.30A	516.50B/456.30A	----	453.80 - 82.60	.5104	----	----	----	----	1 UNCH
5050	----	----	----/479.90A	542.10B/479.90A	----	477.60 - 84.80	.5263	----	----	----	----	25 UNCH
5200	----	----	----/574.10A	642.20B/574.10A	----	572.40 - 93.60	.5840	----	----	----	----	100 UNCH
5230	----	----	----/594.00A	650.30B/594.00A	----	592.50 - 95.30	.5951	----	----	----	----	2 UNCH
5250	----	----	----/607.60A	660.90B/607.60A	----	606.00 - 96.60	.6023	----	----	----	----	75 UNCH
5300	----	----	----/641.90A	679.10B/641.90A	----	640.60 - 99.50	.6201	----	----	----	----	6 UNCH
5425	----	----	----/731.70A	772.40B/731.70A	----	730.70 - 06.10	.6622	----	----	----	----	1 UNCH
5455	----	----	----/754.00A	795.50B/754.00A	----	753.10 - 07.30	.6718	----	----	----	----	40 UNCH
5600	----	----	----	679.90B/1076.10A	----	865.30 - 11.80	.7149	----	----	----	----	1 UNCH
5700	----	----	----	762.60B/1156.00A	----	946.50 - 14.30	.7412	----	----	----	----	1 UNCH
TOTAL										234		5114 + 75
NOV26												
2750	----	----	----	3.10B/14.40A	----	8.30 - 4.30	.0148	----	----	----	----	1 UNCH
2800	----	----	----	4.20B/15.40A	----	9.20 - 4.70	.0164	----	----	----	----	8 UNCH
2900	----	----	----	6.10B/18.00A	----	11.40 - 5.30	.0202	----	----	----	----	1 UNCH
3000	----	----	----	8.40B/21.10A	----	14.20 - 5.80	.0250	----	----	----	----	95 UNCH
3120	----	----	----	12.50B/25.50A	----	18.20 - 6.60	.0318	----	----	----	----	10 UNCH
3180	----	----	----	15.10B/28.10A	----	20.50 - 7.10	.0357	----	----	----	----	10 UNCH
3200	----	----	----	15.70B/28.90A	----	21.40 - 7.20	.0372	----	----	----	----	93 UNCH
3215	----	----	----	16.60B/29.80A	----	22.00 - 7.40	.0383	----	----	----	----	1 UNCH
3220	----	----	----	16.70B/30.00A	----	22.30 - 7.40	.0387	----	----	----	----	1 UNCH
3225	----	----	----	17.00B/30.30A	----	22.50 - 7.40	.0391	----	----	----	----	1 UNCH
3235	----	----	----	17.40B/30.80A	----	22.90 - 7.60	.0398	----	----	----	----	2 UNCH
3250	----	----	----	18.20B/31.50A	----	23.70 - 7.60	.0410	----	----	----	----	18 UNCH
3255	----	----	----	18.60B/31.70A	----	23.90 - 7.70	.0414	----	----	----	----	18 UNCH
3300	----	----	----/34.20A	21.10B/34.20A	----	26.20 - 8.10	.0452	----	----	----	----	18 UNCH
3310	----	----	----/34.70A	21.70B/34.70A	----	26.70 - 8.30	.0460	----	----	----	----	1 UNCH
3320	----	----	----/35.20A	22.20B/35.20A	----	27.20 - 8.40	.0468	----	----	----	----	16 UNCH
3350	----	----	----/37.00A	27.30B/37.00A	----	28.90 - 8.80	.0496	----	----	----	----	180 UNCH
3455	----	----	----/40.20A	37.10B/40.20A	----	35.70 - 10.30	.0604	----	----	----	----	1 UNCH
3475	----	----	----/41.10A	38.80B/41.10A	----	37.10 - 10.60	.0627	----	----	----	----	1 UNCH
3535	----	----	----/45.50A	44.30B/45.50A	----	41.80 - 11.80	.0700	----	----	----	----	1 UNCH
3690	----	----	----/61.30A	61.50B/61.30A	----	56.70 - 15.50	.0923	----	----	----	----	1 UNCH
3725	----	----	----/64.90A	66.10B/64.90A	----	60.60 - 16.60	.0980	----	----	----	----	1 UNCH
3740	----	----	----/66.80A	68.00B/66.80A	----	62.40 - 17.10	.1005	----	----	----	----	20 UNCH
3750	----	----	----/68.20A	69.30B/68.20A	----	63.60 - 17.40	.1023	----	----	----	----	150 UNCH
3780	----	----	----/72.10A	73.70B/72.10A	----	67.40 - 18.30	.1076	----	----	----	----	1 UNCH
3795	----	----	----/73.70A	75.90B/73.70A	----	69.30 - 18.90	.1103	----	----	----	----	0 UNCH
3800	----	----	----/74.70A	76.70B/74.70A	----	70.00 - 19.00	.1113	----	----	----	----	25 UNCH
3820	----	----	----/77.40A	79.70B/77.40A	----	72.60 - 19.80	.1150	----	----	----	----	20 UNCH
3875	----	----	----/85.20A	88.70B/85.20A	----	80.50 - 21.80	.1258	----	----	----	----	24 UNCH
4000	----	----	----/106.10A	112.20B/106.10A	----	101.10 - 27.10	.1532	----	----	----	----	1 UNCH
4100	----	----	----/125.20A	134.70B/125.20A	----	120.50 - 32.00	.1779	----	----	----	----	1 UNCH
4160	----	----	----/138.60A	149.90B/138.60A	----	133.60 - 35.00	.1938	----	----	----	----	1 UNCH
4170	----	----	----/141.00A	152.60B/141.00A	----	135.90 - 35.60	.1966	----	----	----	----	1 UNCH
4200	----	----	----/148.10A	160.80B/148.10A	----	142.90 - 37.20	.2050	----	----	----	----	4 UNCH
4205	----	----	----/149.30A	162.10B/149.30A	----	144.10 - 37.50	.2064	----	----	----	----	1 UNCH
4215	----	----	----/151.70A	165.00B/151.70A	----	146.60 - 37.90	.2093	----	----	----	----	5 UNCH
4275	----	----	----/167.10A	182.60B/167.10A	----	161.80 - 41.30	.2269	----	----	----	----	3 UNCH
4320	----	----	----/179.40A	196.80B/179.40A	----	174.10 - 43.80	.2407	----	----	----	----	43 UNCH
4350	----	----	----/188.00A	206.70B/188.00A	----	182.60 - 45.60	.2501	----	----	----	----	3 UNCH
4400	----	----	----/203.20A	223.90B/203.20A	----	197.70 - 48.50	.2663	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4425	----	----	----/211.40A	232.90B/211.40A	----	205.50 - 50.10	.2745	----	----	----	----	72 UNCH
4500	----	----	----/236.50A	261.50B/236.50A	----	230.60 - 54.50	.3001	----	----	----	----	40 UNCH
4580	----	----	----/266.00A	294.60B/266.00A	----	259.90 - 59.30	.3284	----	----	----	----	10 UNCH
4640	----	----	----/289.80A	321.20B/289.80A	----	283.60 - 63.00	.3502	----	----	----	----	90 UNCH
4725	----	----	----/326.10A	361.60B/326.10A	----	319.90 - 68.00	.3819	----	----	----	----	2 UNCH
4840	----	----	----/380.00A	421.20B/380.00A	----	374.20 - 74.60	.4256	----	----	----	----	2 UNCH
4900	----	----	----/410.40A	454.40B/410.40A	----	404.90 - 77.80	.4485	----	----	----	----	2 UNCH
4915	----	----	----/418.20A	463.00B/418.20A	----	412.90 - 78.50	.4542	----	----	----	----	3 UNCH
4950	----	----	----/436.90A	483.30B/436.90A	----	431.80 - 80.40	.4674	----	----	----	----	11 UNCH
4960	----	----	----/442.30A	489.20B/442.30A	----	437.30 - 80.90	.4712	----	----	----	----	2 UNCH
5000	490.00	490.00	490.00/464.40A	513.20B/464.40A	----	459.70 - 83.00	.4862	----	----	1	----	253 UNCH
5055	----	----	----/495.80A	547.30B/495.80A	----	491.60 - 85.80	.5066	----	----	----	----	8 UNCH
5200	----	----	----/584.70A	642.40B/584.70A	----	581.40 - 93.20	.5585	----	----	----	----	81 UNCH
5395	----	----	----/716.20A	748.60B/716.20A	----	713.40 - 03.60	.6235	----	----	----	----	6 UNCH
5400	----	----	----/719.70A	752.30B/719.70A	----	717.00 - 03.80	.6251	----	----	----	----	6 UNCH
5760	----	----	----	783.40B/1223.90A	----	991.90 - 16.50	.7253	----	----	----	----	1 UNCH
5975	----	----	----	966.50B/1400.90A	----	1171.00 - 20.70	.7726	----	----	----	----	1 UNCH
6000	----	----	----	988.40B/1422.00A	----	1192.40 - 21.20	.7775	----	----	----	----	1 UNCH
TOTAL										1		1376 0
DEC26												
1350	----	----	----	----/1.20A	----	0.30 + 0.10	.0004	----	----	----	----	16 UNCH
1500	----	----	----	0.10B/2.50A	----	0.80 + 0.10	.0012	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/3.40A	----	1.20 + 0.20	.0017	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.40A	----	1.60 + 0.20	.0023	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/33.00A	----	2.40 + 0.40	.0035	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/33.60A	----	2.60 + 0.40	.0038	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/34.70A	----	3.20 + 0.50	.0048	----	----	----	----	2 UNCH
2400	----	----	----	0.40B/11.00A	----	5.40 + 0.80	.0088	----	----	----	----	1 UNCH
2490	----	----	5.20B/----	5.20B/12.40A	----	6.00 + 0.90	.0101	----	----	----	----	1 UNCH
2750	----	----	----	3.20B/17.80A	----	9.90 + 1.20	.0168	----	----	----	----	1 UNCH
2800	----	----	----	3.80B/15.70A	----	11.00 + 1.30	.0187	----	----	----	----	8 UNCH
2900	----	----	----	6.30B/22.40A	----	13.60 + 1.50	.0230	----	----	----	----	19 UNCH
2925	----	----	----	7.00B/23.20A	----	14.30 + 1.50	.0241	----	----	----	----	300 UNCH
2975	----	----	----	8.20B/25.00A	----	15.80 + 1.50	.0266	----	----	----	----	400 UNCH
3000	----	----	----	9.30B/26.00A	----	16.70 + 1.60	.0280	----	----	----	----	1363 UNCH
3160	----	----	----	15.60B/33.20A	----	23.70 - 0.10	.0390	----	----	----	----	2 UNCH
3175	----	----	----	16.60B/34.00A	----	24.50 - 0.30	.0402	----	----	----	----	1 UNCH
3190	----	----	----	17.00B/34.80A	----	25.30 - 0.50	.0414	----	----	----	----	5 UNCH
3250	----	----	----	20.80B/38.10A	----	28.60 - 1.50	.0464	----	----	----	----	15 UNCH
3300	----	----	----	31.60B/41.20A	----	31.70 - 2.50	.0511	----	----	----	----	6 UNCH
3400	----	----	----	40.50B/44.10A	----	38.70 - 4.80	.0615	----	----	----	----	953 UNCH
3425	----	----	----/45.00A	42.80B/45.00A	----	40.70 - 5.40	.0643	----	----	----	----	350 UNCH
3450	----	----	----/46.80A	45.10B/46.80A	----	42.70 - 6.20	.0673	----	----	----	----	201 UNCH
3460	----	----	----/48.10A	46.10B/48.10A	----	43.50 - 6.50	.0684	----	----	----	----	20 UNCH
3475	----	----	----/49.00A	47.50B/49.00A	----	44.80 - 6.90	.0703	----	----	----	----	152 UNCH
3500	49.00	49.00	49.00/49.00	50.00B/49.00	----	47.00 - 7.70	.0734	----	----	1	----	1456 UNCH
3550	----	----	----/55.90A	55.40B/55.90A	----	51.70 - 9.30	.0801	----	----	----	----	18 UNCH
3565	----	----	----/57.70A	57.10B/57.70A	----	53.20 - 9.80	.0822	----	----	----	----	2 UNCH
3590	----	----	----/59.90A	60.00B/59.90A	----	55.70 - 10.70	.0857	----	----	----	----	1 UNCH
3600	----	----	----/61.00A	61.20B/61.00A	----	56.80 - 11.00	.0872	----	----	----	----	353 UNCH
3610	----	----	----/63.60A	62.50B/63.60A	----	57.90 - 11.30	.0887	----	----	----	----	3 UNCH
3650	----	----	----/68.30A	67.60B/68.30A	----	62.30 - 12.90	.0948	----	----	----	----	201 UNCH
3660	----	----	----/69.40A	68.90B/69.40A	----	63.50 - 13.20	.0964	----	----	----	----	5 UNCH
3670	----	----	----/70.60A	70.20B/70.60A	----	64.60 - 13.70	.0979	----	----	----	----	1 UNCH
3690	----	----	----/73.20A	73.00B/73.20A	----	67.00 - 14.50	.1012	----	----	----	----	1 UNCH
3700	----	----	----/74.50A	74.40B/74.50A	----	68.30 - 14.80	.1029	----	----	----	----	29 UNCH
3710	----	----	----/75.70A	76.00B/75.70A	----	69.50 - 15.30	.1045	----	----	----	----	37 UNCH
3720	----	----	----/77.10A	77.30B/77.10A	----	70.80 - 15.70	.1062	----	----	----	----	1 UNCH
3725	----	----	----/77.70A	78.10B/77.70A	----	71.40 - 15.90	.1071	----	----	----	----	6 UNCH
3750	----	----	----/81.10A	81.90B/81.10A	----	74.70 - 16.90	.1114	----	----	----	----	166 UNCH
3760	----	----	----/82.60A	83.50B/82.60A	----	76.10 - 17.30	.1132	----	----	----	----	184 UNCH
3780	----	----	----/85.50A	86.70B/85.50A	----	78.90 - 18.10	.1169	----	----	----	----	1 UNCH
3800	----	----	----/88.00A	90.10B/88.00A	----	81.70 - 19.10	.1206	----	----	----	----	77 UNCH
3810	----	----	----/89.60A	91.80B/89.60A	----	83.20 - 19.50	.1225	----	----	----	----	56 UNCH
3850	92.00	92.00	93.70/92.00	99.00B/92.00	----	89.30 - 21.20	.1303	----	----	42	----	24 + 6
3880	----	----	----/100.40A	104.60B/100.40A	----	94.10 - 22.60	.1364	----	----	----	----	1 UNCH
3900	----	----	----/103.40A	108.50B/103.40A	----	97.40 - 23.50	.1405	----	----	----	----	805 UNCH
3925	----	----	----/107.30A	113.60B/107.30A	----	101.70 - 24.70	.1458	----	----	----	----	209 UNCH
3930	----	----	----/108.10A	114.60B/108.10A	----	102.60 - 24.90	.1469	----	----	----	----	2 UNCH
3950	----	----	----/111.30A	118.80B/111.30A	----	106.20 - 25.80	.1513	----	----	----	----	27 UNCH
3980	116.70	116.70	116.70/116.70	125.30B/116.70	----	111.80 - 27.20	.1581	----	----	2	----	129 UNCH
4000	123.00	123.00	123.00/121.00A	129.80B/121.00A	----	115.70 - 28.00	.1628	----	----	5	----	1718 UNCH
4025	----	----	----/126.60A	135.60B/126.60A	----	120.60 - 29.30	.1686	----	----	----	----	220 UNCH
4070	----	----	----/135.90A	146.50B/135.90A	----	130.10 - 31.30	.1796	----	----	----	----	5 UNCH
4090	----	----	----/140.40A	151.60B/140.40A	----	134.50 - 32.20	.1847	----	----	----	----	1 UNCH
4100	----	----	----/142.70A	154.20B/142.70A	----	136.70 - 32.70	.1872	----	----	----	----	381 UNCH
4130	----	----	----/149.90A	162.10B/149.90A	----	143.70 - 34.00	.1951	----	----	----	----	2 UNCH
4160	----	----	----/156.90A	170.40B/156.90A	----	150.90 - 35.40	.2031	----	----	----	----	252 UNCH
4170	----	----	----/159.40A	173.20B/159.40A	----	153.30 - 35.90	.2057	----	----	----	----	2 UNCH
4175	----	----	----/160.80A	174.70B/160.80A	----	154.60 - 36.10	.2071	----	----	----	----	60 UNCH
4200	169.10	169.10	169.10/166.80A	181.90B/166.80A	----	160.90 - 37.30	.2140	----	----	5	----	684 UNCH
4215	----	----	----/171.30A	186.40B/171.30A	----	164.80 - 38.00	.2182	----	----	----	----	14 UNCH
4250	----	----	----/180.60A	197.10B/180.60A	----	174.20 - 39.70	.2281	----	----	----	----	202 UNCH
4300	----	----	----/194.80A	213.20B/194.80A	----	188.40 - 42.00	.2428	----	----	4	----	1406 UNCH
4320	----	----	----/200.80A	219.90B/200.80A	----	194.30 - 43.00	.2488	----	----	----	----	100 UNCH
4325	----	----	----/202.40A	221.60B/202.40A	----	195.80 - 43.20	.2504	----	----	----	----	300 UNCH
4340	----	----	----/207.00A	226.80B/207.00A	----	200.40 - 43.90	.2549	----	----	----	----	79 UNCH
4350	----	----	----/210.10A	230.20B/210.10A	----	203.50 - 44.30	.2580	----	----	----	----	101 UNCH
4375	----	----	----/218.00A	239.10B/218.00A	----	211.30 - 45.60	.2657	----	----	----	----	2 UNCH
4385	----	----	----/220.70A	242.70B/220.70A	----	214.60 - 46.00	.2689	----	----	----	----	75 UNCH
4390	----	----	----/222.70A	244.60B/222.70A	----	216.20 - 46.30	.2705	----	----	----	----	14 UNCH
4400	----	----	----/225.40A	248.20B/225.40A	----	219.40 - 46.80	.2736	----	----	----	----	86 UNCH
4425	----	----	----/234.30A	257.60B/234.30A	----	227.80 - 48.00	.2816	----	----	----	----	9 UNCH
4435	----	----	----/237.40A	261.40B/237.40A	----	231.20 - 48.50	.2848	----	----	----	----	14 UNCH
4450	----	----	----/242.50A	267.20B/242.50A	----	236.30 - 49.30	.2896	----	----	----	----	60 UNCH
4475	----	----	----/251.20A	277.10B/251.20A	----	245.10 - 50.60	.2978	----	----	----	----	8 UNCH
4500	----	----	----/260.20A	287.20B/260.20A	----	254.20 - 51.80	.3061	----	----	4	----	516 UNCH
4510	----	----	----/264.00A	291.30B/264.00A	----	257.90 - 52.30	.3094	----	----	----	----	2 UNCH
4515	----	----	----/265.80A	293.30B/265.80A	----	259.70 - 52.60	.3110	----	----	----	----	242 UNCH
4520	----	----	----/267.70A	295.40B/267.70A	----	261.60 - 52.80	.3127	----	----	----	----	25 UNCH
4530	----	----	----/271.40A	299.60B/271.40A	----	265.40 - 53.30	.3161	----	----	----	----	20 UNCH
4535	----	----	----/273.20A	301.70B/273.20A	----	267.30 - 53.60	.3177	----	----	----	----	102 UNCH
4540	----	----	----/275.00A	303.90B/275.00A	----	269.20 - 53.90	.3194	----	----	----	----	1 UNCH
4550	----	----	----/279.00A	308.10B/279.00A	----	273.00 - 54.40	.3228	----	----	----	----	5 UNCH
4580	----	----	----/290.60A	321.20B/290.60A	----	284.80 - 56.00	.3330	----	----	----	----	50 UNCH
4585	----	----	----/292.60A	323.40B/292.60A	----	286.80 - 56.20	.3347	----	----	----	----	325 UNCH
4600	----	----	----/298.80A	330.10B/298.80A	----	292.80 - 57.10	.3398	----	----	----	----	418 UNCH
4620	----	----	----/307.10A	339.20B/307.10A	----	301.00 - 58.20	.3467	----	----	----	----	50 UNCH
4625	----	----	----/309.00A	341.50B/309.00A	----	303.10 - 58.40	.3485	----	----	----	----	22 UNCH
4640	----	----	----/315.30A	348.40B/315.30A	----	309.30 - 59.30	.3537	----	----	----	----	100 UNCH
4650	----	----	----/319.60A	353.10B/319.60A	----	313.60 - 59.80	.3572	----	----	5	----	111 + 5
4680	----	----	----/331.90A	367.30B/331.90A	----	326.50 - 61.60	.3676	----	----	----	----	60 UNCH
4700	----	----	----/340.70A	377.10B/340.70A	----	335.30 - 62.70	.3747	----	----	----	----	522 UNCH
4750	----	----	----/363.30A	402.10B/363.30A	----	358.10 - 65.50	.3923	----	----	5	----	8 + 5
4790	----	----	----/382.20A	422.80B/382.20A	----	377.00 - 67.90	.4066	----	----	----	----	60 UNCH
4800	----	----	----/387.00A	428.00B/387.00A	----	381.80 - 68.50	.4101	----	----	----	----	152 UNCH
4810	----	----	----/391.90A	433.40B/391.90A	----	386.70 - 69.00	.4137	----	----	----	----	56 UNCH
4815	----	----	----/394.20A	436.00B/394.20A	----	389.20 - 69.30	.4155	----	----	----	----	10 UNCH
4820	----	----	----/396.70A	438.70B/396.70A	----	391.60 - 69.60	.4173	----	----	----	----	20 UNCH
4825	----	----	----/399.10A	441.40B/399.10A	----	394.10 - 69.90	.4191	----	----	----	----	100 UNCH
4850	425.00	425.00	428.00/411.50A	455.10B/411.50A	----	406.60 - 71.30	.4280	----	----	6	----	9 + 3
4900	----	----	----/437.40A	483.00B/437.40A	----	432.30 - 74.20	.4459	----	----	----	----	11 UNCH
4925	----	----	----/450.40A	497.40B/450.40A	----	445.60 - 75.60	.4548	----	----	----	----	1 UNCH
4950	----	----	----/463.80A	512.00B/463.80A	----	459.10 - 77.00	.4637	----	----	----	----	1 UNCH
4975	----	----	----/477.50A	526.80B/477.50A	----	472.80 - 78.40	.4725	----	----	----	----	43 UNCH
4980	----	----	----/480.30A	529.80B/480.30A	----	475.60 - 78.70	.4743	----	----	----	----	12 UNCH
4995	----	----	----/488.60A	538.80B/488.60A	----	483.90 - 79.60	.4795	----	----	----	----	32 UNCH
5000	----	----	----/491.40A	541.90B/491.40A	----	486.80 - 79.80	.4813	----	----	----	----	392 UNCH
5020	----	----	----/502.70A	554.10B/502.70A	----	498.10 - 81.00	.4883	----	----	----	----	8 UNCH
5025	----	----	----/505.80A	557.10B/505.80A	----	501.00 - 81.20	.4900	----	----	----	----	15 UNCH
5035	----	----	----/511.50A	563.30B/511.50A	----	506.70 - 81.80	.4935	----	----	----	----	8 UNCH
5050	----	----	----/520.10A	572.70B/520.10A	----	515.40 - 82.60	.4987	----	----	----	----	201 UNCH
5070	----	----	----/531.80A	585.20B/531.80A	----	527.10 - 83.70	.5056	----	----	----	----	1 UNCH
5075	----	----	----/535.00A	588.40B/535.00A	----	530.10 - 84.00	.5074	----	----	----	----	100 UNCH
5095	----	----	----/547.00A	601.10B/547.00A	----	542.00 - 85.00	.5142	----	----	----	----	6 UNCH
5100	----	----	----/549.80A	604.40B/549.80A	----	545.00 - 85.30	.5159	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 21

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS											
DEC26													
5195	----	----	----/608.60A	667.00B/608.60A	----	603.80 - 90.10	.5479	----	----	----	----	5	UNCH
5200	----	----	----/611.70A	670.30B/611.70A	----	607.00 - 90.40	.5495	----	----	----	----	38	UNCH
5250	----	----	----/643.70A	704.60B/643.70A	----	639.30 - 92.80	.5658	----	----	----	----	126	UNCH
5290	----	----	----/670.00A	732.50B/670.00A	----	665.80 - 94.50	.5786	----	----	----	----	1	UNCH
5295	----	----	----/673.30A	736.10B/673.30A	----	669.10 - 94.80	.5802	----	----	----	----	1	UNCH
5360	----	----	----/717.70A	766.30B/717.70A	----	713.40 - 97.60	.6004	----	----	----	----	100	UNCH
5370	----	----	----/724.60A	769.40B/724.60A	----	720.30 - 98.00	.6035	----	----	----	----	20	UNCH
5375	----	----	----/727.70A	770.60B/727.70A	----	723.80 - 98.20	.6050	----	----	----	----	34	UNCH
5400	----	----	----/745.20A	771.70B/745.20A	----	741.30 - 99.20	.6125	----	----	----	----	102	UNCH
5460	----	----	----/787.70A	815.80B/787.70A	----	784.10 - 01.40	.6302	----	----	----	----	200	UNCH
5465	----	----	----/791.70A	819.70B/791.70A	----	787.70 - 01.60	.6316	----	----	----	----	50	UNCH
5480	----	----	----/802.60A	830.70B/802.60A	----	798.60 - 02.10	.6359	----	----	----	----	50	UNCH
5500	----	----	----/817.00A	846.20B/817.00A	----	813.20 - 02.80	.6415	----	----	----	----	31	UNCH
5525	----	----	----/835.40A	865.10B/835.40A	----	831.70 - 03.60	.6485	----	----	----	----	80	UNCH
5600	----	----	----/891.00A	922.90B/891.00A	----	888.00 - 05.80	.6688	----	----	----	----	252	UNCH
5900	----	----	----	899.70B/1374.30A	----	1126.50 - 13.10	.7401	----	----	----	----	125	UNCH
6000	----	----	----	985.30B/1457.20A	----	1209.80 - 16.00	.7606	----	----	----	----	40	UNCH
6500	----	----	----	1436.10B/1892.90A	----	1650.30 - 28.30	.8397	----	----	----	----	4	UNCH
TOTAL										79		18919 +	19
JAN27													
2800	----	----	----	4.90B/19.70A	----	7.50 - 2.50	.0139	----	----	----	----	10	UNCH
3000	----	----	----	10.70B/29.20A	----	15.30 - 4.60	.0259	----	----	----	----	3	UNCH
3520	----	----	----/*59.10A	57.60B/59.10A	----	54.00 - 8.80	.0790	----	----	----	----	1	UNCH
3800	----	----	----/97.10A	97.50B/97.10A	----	89.30 - 15.00	.1234	----	----	----	----	1	UNCH
3825	----	----	----/100.50A	102.10B/100.50A	----	93.30 - 15.90	.1281	----	----	----	----	1	UNCH
3900	111.00	111.00	111.00/111.00	116.70B/111.00	----	105.90 - 18.80	.1429	----	----	1	----	1	UNCH
3980	----	----	----/126.70A	134.00B/126.70A	----	121.00 - 22.10	.1600	----	----	----	----	1	UNCH
4000	----	----	----/130.70A	138.70B/130.70A	----	125.00 - 23.00	.1644	----	----	----	----	1	UNCH
4350	----	----	----/220.70A	240.60B/220.70A	----	215.00 - 38.00	.2552	----	----	----	----	1	UNCH
4400	----	----	----/236.70A	258.60B/236.70A	----	230.90 - 40.50	.2698	----	----	----	----	1	UNCH
4585	----	----	----/303.40A	333.30B/303.40A	----	296.90 - 50.80	.3270	----	----	----	----	1	UNCH
4600	----	----	----/309.10A	339.90B/309.10A	----	302.80 - 51.70	.3318	----	----	----	----	3	UNCH
4630	----	----	----/321.30A	353.40B/321.30A	----	314.80 - 53.40	.3415	----	----	----	----	1	UNCH
4660	----	----	----/333.80A	367.20B/333.80A	----	327.20 - 55.20	.3512	----	----	----	----	4	UNCH
4665	----	----	----/336.20A	369.60B/336.20A	----	329.30 - 55.50	.3529	----	----	----	----	4	UNCH
4760	----	----	----/378.10A	415.70B/378.10A	----	371.10 - 60.90	.3844	----	----	----	----	100	UNCH
4800	----	----	----/396.60A	436.20B/396.60A	----	389.70 - 63.20	.3978	----	----	----	----	6	UNCH
4820	----	----	----/406.00A	446.70B/406.00A	----	399.30 - 64.30	.4045	----	----	----	----	6	UNCH
4860	----	----	----/425.50A	468.00B/425.50A	----	419.00 - 66.40	.4180	----	----	----	----	1	UNCH
4990	----	----	----/493.50A	541.40B/493.50A	----	487.40 - 73.10	.4617	----	----	----	----	1	UNCH
4995	----	----	----/496.40A	544.40B/496.40A	----	490.20 - 73.30	.4633	----	----	----	----	1	UNCH
5000	----	----	----/499.00A	547.30B/499.00A	----	492.90 - 73.60	.4650	----	----	----	----	3	UNCH
5050	----	----	----/527.20A	577.30B/527.20A	----	521.20 - 76.00	.4815	----	----	----	----	100	UNCH
5085	----	----	----/547.00A	598.80B/547.00A	----	541.60 - 77.50	.4929	----	----	----	----	2	UNCH
5150	----	----	----/585.70A	639.80B/585.70A	----	580.50 - 80.50	.5138	----	----	2	----	2	UNCH
5235	----	----	----/638.30A	695.50B/638.30A	----	633.60 NEW	.5405	----	----	2	----	2 +	2
TOTAL										5		258 +	2
FEB27													
4000	----	----	----	49.40B/242.70A	----	135.80 + 9.10	.1702	----	----	----	----	1	UNCH
4600	----	----	----	153.60B/515.40A	----	321.80 - 0.80	.3343	----	----	----	----	17	UNCH
4650	----	----	----	165.10B/546.90A	----	342.80 - 2.40	.3500	----	----	----	----	1	UNCH
4655	----	----	----	166.30B/550.20A	----	345.00 - 2.50	.3515	----	----	----	----	1	UNCH
4660	----	----	----	167.30B/574.00A	----	347.10 - 2.80	.3531	----	----	----	----	435	UNCH
4665	----	----	----	168.80B/557.80A	----	349.30 - 2.90	.3547	----	----	----	----	3	UNCH
5000	----	----	----	263.00B/816.10A	----	516.70 - 16.80	.4616	----	----	----	----	10	UNCH
5005	----	----	----	265.10B/819.00A	----	519.60 - 17.00	.4632	----	----	----	----	2	UNCH
5100	----	----	----	282.70B/886.10A	----	574.90 - 22.60	.4926	----	----	----	----	2	UNCH
5150	----	----	----	290.20B/916.40A	----	605.50 - 25.80	.5077	----	----	----	----	1	UNCH
5175	----	----	----	289.80B/933.40A	----	621.20 - 27.50	.5152	----	----	----	----	125	UNCH
5200	----	----	----	301.30B/954.00A	----	637.10 - 29.30	.5226	----	----	----	----	1	UNCH
5355	----	----	----	361.50B/1105.00A	----	741.70 - 42.30	.5658	----	----	----	----	1	UNCH
5520	----	----	----	475.00B/1231.10A	----	863.20 - 58.20	.6069	----	----	----	----	300	UNCH
5530	----	----	----	482.10B/1238.30A	----	870.80 - 59.10	.6092	----	----	----	----	100	UNCH
5550	----	----	----	496.50B/1252.80A	----	886.10 - 61.10	.6138	----	----	----	----	65	UNCH
5565	----	----	----	507.40B/1263.70A	----	897.70 - 62.40	.6173	----	----	----	----	50	UNCH
TOTAL												1115	0
DEC27													
3700	----	----	----	----	----	28.70 - 9.00	.0541	----	----	----	----	100	UNCH
3715	----	----	----	----	----	30.00 - 9.30	.0562	----	----	----	----	150	UNCH
3820	----	----	----	----	----	41.00 - 11.90	.0728	----	----	----	----	50	UNCH
4130	----	----	----	----	----	99.50 - 22.80	.1440	----	----	----	----	168	UNCH
4500	----	----	----	----	----	235.40 - 39.20	.2567	----	----	----	----	270	UNCH
4630	----	----	----	----	----	297.20 - 44.90	.2965	----	----	----	----	284	UNCH
4860	----	----	----	----	----	422.50 - 54.30	.3642	----	----	----	----	100	UNCH
5000	----	----	----	----	----	508.50 - 59.50	.4027	----	----	----	----	50	UNCH
5650	----	----	----	----	----	957.30 - 79.80	.5498	----	----	----	----	200	UNCH
5880	----	----	----	----	----	1122.80 - 86.00	.5939	----	----	----	----	200	UNCH
TOTAL												1572	0
JAN28													
5000	----	----	----	----	----	486.10 - 58.20	.3938	----	----	----	----	1	UNCH
5100	----	----	----	----	----	526.30 - 62.10	.4219	----	----	----	----	1	UNCH
TOTAL												2	0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS											
MAY26													
3400	----	----	----	----	----	1413.90 + 33.30	.9918	----	----	----	----	1	UNCH
3500	----	----	1,312.40B/----	1312.40B/1208.10A	----	1314.40 + 32.70	.9897	----	----	----	----	1	UNCH
3600	----	----	1,215.50B/----	1215.50B/1109.30A	----	1215.00 + 31.90	.9869	----	----	----	----	10	UNCH
3675	----	----	1,141.20B/----	1141.20B/1027.70A	----	1140.60 + 31.00	.9840	----	----	----	----	8	UNCH
3685	----	----	1,131.30B/----	1131.30B/1017.90A	----	1130.70 + 30.90	.9835	----	----	----	----	8	UNCH
3700	----	----	1,116.40B/----	1116.40B/1003.20A	----	1115.90 + 30.70	.9830	----	----	----	----	31	UNCH
3720	----	----	1,096.60B/----	1096.60B/983.60A	----	1096.10 + 30.50	.9821	----	----	----	----	6	UNCH
3725	----	----	1,091.70B/----	1091.70B/978.70A	----	1091.20 + 30.40	.9817	----	----	----	----	8	UNCH
3735	----	----	1,081.80B/----	1081.80B/969.00A	----	1081.30 + 30.30	.9813	----	----	----	----	15	UNCH
3750	----	----	1,067.00B/----	1067.00B/954.30A	----	1066.50 + 30.10	.9804	----	----	----	----	56	UNCH
3800	----	----	1,017.60B/----	1017.60B/905.70A	----	1017.10 + 29.10	.9777	----	----	----	----	44	UNCH
3820	----	----	998.00B/----	998.00B/886.30A	----	997.50 + 28.90	.9764	----	----	----	----	4	UNCH
3840	----	----	978.30B/----	978.30B/866.90A	----	977.80 + 28.40	.9750	----	----	----	----	20	UNCH
3855	----	----	961.20B/----	961.20B/852.40A	----	963.10 + 28.10	.9738	----	----	----	----	2	UNCH
3875	----	----	943.90B/----	943.90B/833.20A	----	943.40 + 27.60	.9721	----	----	----	----	41	UNCH
3890	----	----	931.00B/----	931.00B/818.70A	----	928.70 + 27.30	.9708	----	----	----	----	1	UNCH
3895	----	----	926.10B/----	926.10B/813.90A	----	923.90 + 27.20	.9703	----	----	----	----	9	UNCH
3900	----	----	921.20B/----	921.20B/809.20A	----	919.00 + 27.10	.9699	----	----	----	----	112	UNCH
3950	----	----	872.50B/----	872.50B/761.40A	----	870.20 + 25.80	.9651	----	----	----	----	223	UNCH
3960	----	----	862.70B/----	862.70B/751.90A	----	860.40 + 25.40	.9639	----	----	----	----	16	UNCH
3975	----	----	848.20B/----	848.20B/737.70A	----	845.90 + 25.00	.9621	----	----	----	----	13	UNCH
3980	----	----	843.30B/----	843.30B/732.80A	----	841.00 + 24.80	.9614	----	----	----	----	97	UNCH
3995	----	----	828.80B/----	828.80B/718.80A	----	826.50 + 24.40	.9596	----	----	----	----	62	UNCH
4000	825.00	825.00	825.00/825.00	825.00/714.10A	----	821.60 + 24.20	.9591	----	----	1	----	143	UNCH
4005	----	----	819.10B/----	819.10B/709.40A	----	816.80 + 24.10	.9583	----	----	----	----	30	UNCH
4015	----	----	809.40B/----	809.40B/700.00A	----	807.10 + 23.70	.9570	----	----	----	----	5	UNCH
4020	----	----	804.60B/----	804.60B/695.30A	----	802.30 + 23.50	.9562	----	----	----	----	15	UNCH
4025	----	----	799.80B/----	799.80B/690.60A	----	797.40 + 23.30	.9557	----	----	1	----	2 +	1
4050	----	----	775.70B/----	775.70B/667.30A	----	773.30 + 22.40	.9519	----	----	----	----	176	UNCH
4070	----	----	756.50B/----	756.50B/648.70A	----	754.10 + 21.60	.9486	----	----	----	----	25	UNCH
4075	----	----	751.80B/----	751.80B/644.10A	----	749.30 + 21.40	.9478	----	----	----	----	22	UNCH
4090	----	----	737.40B/----	737.40B/630.10A	----	735.00 + 20.80	.9452	----	----	----	----	1	UNCH
4100	----	----	727.90B/----	727.90B/620.90A	----	725.40 + 20.30	.9432	----	----	----	----	48	UNCH
4105	----	----	723.10B/----	723.10B/616.50A	----	720.70 + 20.20	.9423	----	----	----	----	10	UNCH
4115	----	----	713.60B/----	713.60B/607.40A	----	711.10 + 19.60	.9403	----	----	----	----	4	UNCH
4120	----	----	708.90B/----	708.90B/602.80A	----	706.40 + 19.50	.9394	----	----	----	----	372	UNCH
4125	----	----	704.10B/----	704.10B/598.20A	----	701.60 + 19.20	.9385	----	----	----	----	1	UNCH
4130	----	----	699.40B/----	699.40B/593.70A	----	696.90 + 19.00	.9374	----	----	----	----	11	UNCH
4135	----	----	694.60B/----	694.60B/589.10A	----	692.20 + 18.80	.9362	----	----	----	----	3	UNCH
4145	----	----	685.20B/----	685.20B/580.10A	----	682.70 + 18.30	.9341	----	----	----	----	1	UNCH
4150	----	----	680.60B/----	680.60B/575.60A	----	678.00 + 18.00	.9329	----	----	----	----	255	UNCH
4155	----	----	675.80B/----	675.80B/571.10A	----	673.30 + 17.80	.9320	----	----	----	----	1	UNCH
4165	----	----	666.30B/----	666.30B/562.10A	----	663.90 + 17.30	.9296	----	----	----	----	3	UNCH
4170	----	----	661.70B/----	661.70B/557.60A	----	659.20 + 17.00	.9284	----	----	----	----	24	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4175	----	----	657.00B/----	657.00B/553.10A	----	654.50 + 16.80	.9272	----	----	----	----	3 UNCH
4180	----	----	652.30B/----	652.30B/548.60A	----	649.80 + 16.50	.9260	----	----	----	----	123 UNCH
4185	----	----	647.60B/----	647.60B/544.20A	----	645.10 + 16.20	.9247	----	----	----	----	3 UNCH
4190	----	----	642.90B/----	642.90B/539.70A	----	640.40 + 15.90	.9235	----	----	----	----	18 UNCH
4200	----	----	634.60B/----	634.60B/530.90A	----	631.10 + 15.40	.9208	----	----	----	----	822 UNCH
4205	----	----	628.90B/----	628.90B/526.40A	----	626.40 + 15.10	.9195	----	----	----	----	4 UNCH
4210	----	----	624.30B/----	624.30B/522.00A	----	621.80 + 14.80	.9180	----	----	----	----	23 UNCH
4220	----	----	615.00B/----	615.00B/513.20A	----	612.50 + 14.20	.9152	----	----	----	----	7 UNCH
4240	----	----	596.50B/----	596.50B/495.80A	----	594.10 + 13.10	.9093	----	----	----	----	21 UNCH
4245	----	----	591.90B/----	591.90B/491.50A	----	589.50 + 12.70	.9077	----	----	----	----	2 UNCH
4250	----	----	587.40B/----	587.40B/487.10A	----	584.90 + 12.40	.9062	----	----	----	----	277 UNCH
4255	----	----	582.80B/----	582.80B/482.80A	----	580.30 + 12.10	.9046	----	----	----	----	103 UNCH
4260	----	----	578.20B/----	578.20B/478.50A	----	575.70 + 11.70	.9030	----	----	----	----	8 UNCH
4265	----	----	573.60B/----	573.60B/474.20A	----	571.10 + 11.40	.9014	----	----	----	----	13 UNCH
4270	----	----	569.10B/----	569.10B/469.90A	----	566.60 + 11.10	.8996	----	----	----	----	29 UNCH
4275	----	----	564.50B/----	564.50B/465.70A	----	562.00 + 10.70	.8980	----	----	----	----	14 UNCH
4280	----	----	560.00B/----	560.00B/461.30A	----	557.50 + 10.40	.8961	----	----	----	----	1 UNCH
4285	----	----	555.40B/----	555.40B/457.20A	----	553.00 + 10.10	.8945	----	----	----	----	4 UNCH
4290	----	----	550.90B/----	550.90B/452.90A	----	548.40 + 09.70	.8927	----	----	----	----	44 UNCH
4295	----	----	546.40B/----	546.40B/448.60A	----	543.90 + 09.30	.8908	----	----	----	----	2 UNCH
4300	500.70	500.70	542.70B/500.70	542.70B/444.50A	----	539.40 + 09.00	.8889	----	----	118	----	1123 - 51
4305	----	----	537.40B/----	537.40B/440.30A	----	534.90 + 08.60	.8870	----	----	----	----	2 UNCH
4315	----	----	528.40B/----	528.40B/432.00A	----	526.00 + 07.90	.8832	----	----	----	----	3 UNCH
4325	----	----	520.30B/----	520.30B/423.70A	----	517.00 + 07.10	.8794	----	----	----	----	560 UNCH
4330	----	----	515.00B/----	515.00B/419.40A	----	512.60 + 06.80	.8772	----	----	----	----	26 UNCH
4335	----	----	510.60B/----	510.60B/415.30A	----	508.20 + 06.40	.8753	----	----	----	----	2 UNCH
4340	----	----	506.10B/----	506.10B/411.20A	----	503.70 + 06.00	.8731	----	----	----	----	4 UNCH
4345	----	----	501.70B/----	501.70B/407.10A	----	499.30 + 05.60	.8709	----	----	----	----	2 UNCH
4350	----	----	497.30B/----	497.30B/403.20A	----	494.90 + 05.20	.8687	----	----	----	----	251 UNCH
4355	----	----	492.90B/----	492.90B/399.10A	----	490.50 + 04.80	.8665	----	----	----	----	40 UNCH
4360	----	----	488.50B/----	488.50B/395.10A	----	486.10 + 04.40	.8643	----	----	----	----	349 UNCH
4365	----	----	484.10B/----	484.10B/390.90A	----	481.80 + 04.00	.8621	----	----	----	----	5 UNCH
4370	----	----	479.80B/----	479.80B/386.90A	----	477.40 + 03.60	.8599	----	----	----	----	75 UNCH
4375	----	----	475.40B/----	475.40B/382.90A	----	473.00 + 03.10	.8576	----	----	1	----	34 UNCH
4380	----	----	471.10B/----	471.10B/378.80A	----	468.70 + 02.70	.8552	----	----	----	----	12 UNCH
4385	----	----	466.70B/----	466.70B/375.10A	----	464.40 + 02.30	.8527	----	----	----	----	4 UNCH
4390	----	----	462.40B/----	462.40B/371.00A	----	460.10 + 01.90	.8504	----	----	----	----	10 UNCH
4395	----	----	458.10B/----	458.10B/367.20A	----	455.70 + 01.30	.8479	----	----	----	----	5 UNCH
4400	395.00	395.00	454.20B/363.30A	454.20B/363.30A	----	451.50 + 01.00	.8455	----	----	7	----	1637 - 3
4405	----	----	449.50B/----	449.50B/359.40A	----	447.20 + 00.50	.8429	----	----	----	----	16 UNCH
4410	----	----	445.20B/----	445.20B/355.50A	----	442.90 + 00.00	.8402	----	----	----	----	44 UNCH
4415	----	----	441.00B/----	441.00B/351.60A	----	438.70 + 99.60	.8377	----	----	----	----	35 UNCH
4420	----	----	436.80B/----	436.80B/347.70A	----	434.40 + 99.00	.8352	----	----	----	----	50 UNCH
4425	----	----	432.50B/----	432.50B/343.60A	----	430.20 + 98.60	.8324	----	----	----	----	67 UNCH
4430	----	----	428.30B/----	428.30B/339.80A	----	426.00 + 98.10	.8297	----	----	----	----	16 UNCH
4435	----	----	424.10B/----	424.10B/336.40A	----	421.80 + 97.70	.8269	----	----	----	----	6 UNCH
4440	----	----	419.90B/----	419.90B/332.30A	----	417.60 + 97.10	.8241	----	----	----	----	62 UNCH
4445	----	----	415.70B/----	415.70B/328.60A	----	413.40 + 96.60	.8213	----	----	----	----	7 UNCH
4450	359.40	359.40	411.60B/348.00	411.60B/325.00A	----	409.20 + 96.10	.8185	----	----	2	----	220 - 1
4455	----	----	407.40B/----	407.40B/321.10A	----	405.10 + 95.60	.8155	----	----	----	----	43 UNCH
4460	----	----	403.30B/----	403.30B/317.40A	----	401.00 + 95.10	.8127	----	----	----	----	27 UNCH
4465	----	----	399.20B/----	399.20B/313.90A	----	396.80 + 94.50	.8097	----	----	----	----	20 UNCH
4470	----	----	395.00B/----	395.00B/310.40A	----	392.70 + 94.00	.8067	----	----	----	----	53 UNCH
4475	----	----	390.90B/----	390.90B/306.60A	----	388.60 + 93.50	.8036	----	----	----	----	38 UNCH
4480	----	----	386.90B/----	386.90B/302.80A	----	384.60 + 93.00	.8006	----	----	----	----	119 UNCH
4485	----	----	382.80B/----	382.80B/299.20A	----	380.50 + 92.40	.7975	----	----	----	----	23 UNCH
4490	----	----	378.80B/----	378.80B/295.90A	----	376.50 + 91.90	.7943	----	----	----	----	19 UNCH
4495	----	----	374.70B/----	374.70B/292.30A	----	372.40 + 91.30	.7912	----	----	----	----	16 UNCH
4500	317.70	317.70	370.80B/288.80A	370.80B/288.80A	----	368.40 + 90.80	.7879	----	----	8	----	1274 - 5
4505	----	----	366.70B/----	366.70B/285.30A	----	364.40 + 90.20	.7847	----	----	1	----	29 UNCH
4510	----	----	362.70B/----	362.70B/281.80A	----	360.50 + 89.70	.7814	----	----	----	----	46 UNCH
4515	340.80	340.80	358.80B/340.80	358.80B/278.40A	----	356.50 + 89.10	.7781	----	----	1	----	17 - 1
4520	----	----	354.80B/----	354.80B/274.60A	----	352.60 + 88.60	.7746	----	----	----	----	20 UNCH
4525	----	----	350.90B/----	350.90B/271.50A	----	348.60 + 87.90	.7713	----	----	----	----	27 UNCH
4530	----	----	349.60B/----	349.60B/268.10A	----	344.70 + 87.30	.7678	----	----	----	----	47 UNCH
4535	----	----	345.80B/----	345.80B/264.70A	----	340.80 + 86.70	.7643	----	----	----	----	30 UNCH
4540	----	----	339.20B/----	339.20B/261.40A	----	336.90 + 86.10	.7608	----	----	----	----	13 UNCH
4545	----	----	335.40B/----	335.40B/258.10A	----	333.10 + 85.60	.7571	----	----	----	----	4 UNCH
4550	328.10	328.10	334.30B/328.10	334.30B/254.70A	----	329.30 + 85.00	.7535	----	----	3	----	300 + 1
4555	----	----	330.40B/----	330.40B/251.40A	----	325.40 + 84.30	.7498	----	----	----	----	31 UNCH
4560	----	----	326.60B/----	326.60B/248.10A	----	321.60 + 83.70	.7461	----	----	----	----	34 UNCH
4565	----	----	322.80B/----	322.80B/244.90A	----	317.90 + 83.20	.7424	----	----	----	----	47 UNCH
4570	----	----	319.00B/----	319.00B/241.70A	----	314.10 + 82.50	.7387	----	----	----	----	202 UNCH
4575	----	----	315.20B/----	315.20B/238.60A	----	310.30 + 81.80	.7348	----	----	----	----	70 UNCH
4580	----	----	308.90B/----	308.90B/235.40A	----	306.60 + 81.20	.7310	----	----	----	----	6 UNCH
4585	----	----	307.80B/----	307.80B/232.20A	----	302.90 + 80.60	.7271	----	----	----	----	101 UNCH
4590	----	----	304.10B/----	304.10B/229.00A	----	299.20 + 79.90	.7232	----	----	----	----	135 UNCH
4595	----	----	300.40B/----	300.40B/225.90A	----	295.60 + 79.30	.7192	----	----	----	----	31 UNCH
4600	240.00	240.00	297.00B/222.90A	297.00B/222.90A	----	291.90 + 78.60	.7152	----	----	63	----	2929 - 26
4605	----	----	293.20B/----	293.20B/219.90A	----	288.30 + 78.00	.7111	----	----	----	----	302 UNCH
4610	----	----	289.40B/----	289.40B/216.90A	----	284.70 + 77.30	.7071	----	----	----	----	83 UNCH
4615	----	----	286.00B/----	286.00B/216.00A	----	281.10 + 76.60	.7030	----	----	----	----	19 UNCH
4620	----	----	282.20B/----	282.20B/210.30A	----	277.60 + 76.00	.6988	----	----	----	----	21 UNCH
4625	268.80	268.80	278.90B/268.80	278.90B/207.40A	----	274.00 + 75.30	.6946	----	----	2	----	28 - 1
4630	----	----	275.30B/----	275.30B/204.20A	----	270.50 + 74.60	.6904	----	----	----	----	40 UNCH
4635	----	----	271.70B/----	271.70B/201.60A	----	267.00 + 73.90	.6861	----	----	----	----	230 UNCH
4640	----	----	268.20B/----	268.20B/198.80A	----	263.50 + 73.20	.6819	----	----	----	----	46 UNCH
4645	----	----	264.70B/----	264.70B/196.00A	----	260.10 + 72.60	.6775	----	----	----	----	6 UNCH
4650	223.00	223.00	261.60B/221.50	261.60B/193.20A	----	256.70 + 71.90	.6732	----	----	116	----	493 - 61
4655	----	----	258.10B/----	258.10B/190.40A	----	253.30 + 71.20	.6688	----	----	----	----	30 UNCH
4660	----	----	254.50B/----	254.50B/187.60A	----	249.90 + 70.50	.6643	----	----	1	----	123 UNCH
4665	----	----	251.20B/----	251.20B/184.90A	----	246.50 + 69.70	.6599	----	----	----	----	26 UNCH
4670	----	----	247.70B/----	247.70B/182.20A	----	243.20 + 69.10	.6554	----	----	1	----	29 UNCH
4675	235.60	235.60	244.40B/235.60	244.40B/179.50A	----	239.90 + 68.40	.6508	----	----	13	----	79 UNCH
4680	232.90	232.90	241.10B/232.90	241.10B/176.70A	----	236.60 + 67.60	.6463	----	----	35	----	142 - 20
4685	229.60	229.60	237.80B/229.60	237.80B/174.20A	----	233.30 + 66.90	.6417	----	----	14	----	160 - 6
4690	225.80	225.80	234.50B/225.70	234.50B/171.60A	----	230.10 + 66.20	.6371	----	----	7	----	41 - 2
4695	223.20	223.20	231.50B/223.20	231.50B/169.00A	----	226.90 + 65.50	.6324	----	----	3	----	51 UNCH
4700	171.00	171.00	228.10B/165.20A	228.10B/165.20A	----	223.70 + 64.80	.6277	----	----	171	----	2334 - 75
4705	216.80	216.80	225.00B/216.80	225.00B/164.00A	----	220.50 + 64.00	.6230	----	----	1	----	299 - 1
4710	213.20	213.20	221.70B/213.20	221.70B/161.50A	----	217.40 + 63.30	.6183	----	----	10	----	219 + 1
4715	210.80	210.80	218.50B/210.80	218.50B/159.00A	----	214.30 + 62.60	.6135	----	----	2	----	60 UNCH
4720	----	----	215.60B/----	215.60B/156.60A	----	211.20 + 61.90	.6087	----	----	----	----	101 UNCH
4725	----	----	212.50B/----	212.50B/153.90A	----	208.10 + 61.10	.6039	----	----	11	----	141 + 1
4730	----	----	209.30B/----	209.30B/151.80A	----	205.10 + 60.40	.5991	----	----	----	----	43 UNCH
4735	----	----	206.30B/----	206.30B/149.40A	----	202.00 + 59.60	.5942	----	----	----	----	31 UNCH
4740	----	----	203.30B/----	203.30B/147.10A	----	199.10 + 59.00	.5893	----	----	2	----	136 UNCH
4745	----	----	200.00B/----	200.00B/144.80A	----	196.10 + 58.20	.5844	----	----	22	----	25 + 21
4750	168.50	168.50	197.60B/141.00A	197.60B/141.00A	----	193.20 + 57.50	.5795	----	----	62	----	1408 - 2
4755	----	----	194.70B/----	194.70B/140.30A	----	190.20 + 56.70	.5745	----	----	----	----	29 UNCH
4760	174.50	174.50	191.70B/174.50	191.70B/138.00A	----	187.40 + 56.00	.5696	----	----	1	----	73 - 1
4765	----	----	188.80B/----	188.80B/135.80A	----	184.50 + 55.20	.5646	----	----	----	----	56 UNCH
4770	155.30	155.30	185.90B/151.80	185.90B/133.70A	----	181.70 + 54.50	.5596	----	----	9	----	74 + 1
4775	----	----	183.10B/----	183.10B/131.50A	----	178.90 + 53.80	.5545	----	----	135	----	187 + 1
4780	----	----	180.30B/----	180.30B/129.40A	----	176.10 + 53.00	.5495	----	----	----	----	34 UNCH
4785	----	----	177.50B/----	177.50B/127.30A	----	173.30 + 52.20	.5444	----	----	----	----	9 UNCH
4790	----	----	174.70B/----	174.70B/125.10A	----	170.60 + 51.50	.5394	----	----	104	----	122 + 94
4795	----	----	172.00B/----	172.00B/123.20A	----	167.90 + 50.80	.5343	----	----	1	----	13 UNCH
4800	134.00	134.00	169.30B/119.70A	169.30B/119.70A	----	165.30 + 50.10	.5292	----	----	341	200	2131 + 259
4805	148.90	148.90	166.60B/148.90	166.60B/119.20A	----	162.60 + 49.30	.5241	----	----	1	----	18 UNCH
4810	134.00	134.00	163.90B/131.00	163.90B/117.20A	----	160.00 + 48.60	.5189	----	----	130	----	596 + 10
4815	----	----	161.30B/----	161.30B/115.30A	----	157.40 + 47.90	.5138	----	----	----	----	17 UNCH
4820	126.00	126.00	158.70B/126.00	158.70B/113.40A	----	154.80 + 47.10	.5087	----	----	78	----	131 - 67
4825	148.50	148.50	156.10B/148.50	156.10B/111.50A	----	152.30 + 46.40	.5035	----	----	1	----	143 + 1
4830	142.40	142.40	153.60B/142.40	153.60B/109.60A	----	149.80 + 45.70	.4984	----	----	35	----	76 + 35
4835	----	----	151.00B/----	151.00B/107.90A	----	147.30 + 45.00	.4932	----	----	----	----	8 UNCH
4840	----	----	148.50B/----	148.50B/106.00A	----	144.90 + 44.30	.4881	----	----	----	----	22 UNCH
4845	123.00	123.00	146.00B/104.20A	146.00B/104.20A	----	142.50 + 43.60	.4830	----	----	1	----	18 UNCH
4850	115.90	115.90	143.70B/100.90A	143.70B/100.90A	----	140.10 + 42.90	.4778	----	----	487	----	763 + 97
4855	----	----	141.20B/----	141.20B/100.70A	----	137.70 + 42.20	.4726	----	----	1	----	15 UNCH
4860	132.40	132.40	138.80B/132.40	138.80B/99.00A	----	135.40 + 41.50	.4675	----	----	1	----	19 UNCH
4865	130.20	130.20	136.50B/130.20	136.50B/97.30A	----	133.00 + 40.70	.4623	----	----	43	----	58 - 4
4870	114.00	114.00	134.10B/111.00	134.10B/95.70A	----	130.80 + 40.10	.4572	----	----	54	----	49 + 22
4875	----	----	131.80B/----	131.80B/94.00A	----	128.50 + 39.40	.4520	----	----	----	----	181 UNCH
4880	102.40	102.40	129.60B/102.40	129.60B/92.40A	----	126.30 + 38.70	.4469	----	----	7	----	52 + 3
4885	100.00	100.00	127.30B/90.90A	127.30B/90.90A	----	124.10 + 38.00	.4418	----	----	3	----	61 + 2
4890	119.00	119.00	125.10B/119.00	125.10B/89.30A	----	121.90 + 37.30	.4366	----	----	3	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4895	116.90	116.90	122.90B/116.90	122.90B/87.70A	----	119.80 + 36.70	.4315	----	----	1	----	72 UNCH
4900	96.50	96.50	120.90B/86.20A	120.90B/86.20A	----	117.60 + 35.90	.4264	----	----	658	----	1642 + 29
4905	112.70	112.70	118.70B/112.70	118.70B/84.80A	----	115.50 + 35.20	.4213	----	----	2	----	37 UNCH
4910	100.00	100.00	116.60B/100.00	116.60B/83.30A	----	113.50 + 34.60	.4162	----	----	27	----	87 - 25
4915	93.60	93.60	114.50B/93.60	114.50B/81.90A	----	111.40 + 33.90	.4111	----	----	21	----	68 - 5
4920	104.60	104.60	112.40B/104.60	112.40B/80.30A	----	109.40 + 33.30	.4061	----	----	112	----	60 - 77
4925	102.80	102.80	110.50/102.80	110.50/79.00A	----	107.50 + 32.70	.4011	----	----	150	----	311 - 48
4930	100.80	100.80	108.40B/100.80	108.40B/77.70A	----	105.50 + 32.00	.3960	----	----	35	----	189 - 8
4935	----	----	106.40B/----	106.40B/76.20A	----	103.60 + 31.40	.3911	----	----	----	----	49 UNCH
4940	90.70	90.70	104.50B/90.70	104.50B/74.90A	----	101.70 + 30.80	.3861	----	----	1	----	26 - 1
4945	----	----	102.60B/----	102.60B/73.60A	----	99.80 + 30.10	.3811	----	----	----	----	33 UNCH
4950	82.20	82.20	100.80B/72.40A	100.80B/72.40A	----	97.90 + 29.40	.3761	----	----	214	----	788 + 7
4955	----	----	98.80B/----	98.80B/71.10A	----	96.10 + 28.80	.3712	----	----	----	----	8 UNCH
4960	76.10	76.10	96.90B/76.10	96.90B/69.90A	----	94.30 + 28.20	.3663	----	----	1	----	34 + 1
4965	----	----	95.10B/----	95.10B/68.70A	----	92.60 + 27.70	.3615	----	----	30	----	64 + 26
4970	----	----	93.40B/----	93.40B/67.50A	----	90.80 + 27.00	.3566	----	----	27	----	29 + 25
4975	72.60	72.60	91.70B/72.60	91.70B/66.30A	----	89.10 + 26.40	.3518	----	----	145	----	285 + 74
4980	----	----	89.90B/----	89.90B/65.30A	----	87.40 + 25.90	.3470	----	----	20	----	237 + 19
4985	----	----	88.20B/----	88.20B/64.00A	----	85.80 + 25.30	.3423	----	----	2	----	148 - 2
4990	----	----	86.50B/----	86.50B/62.90A	----	84.10 + 24.70	.3374	----	----	5	----	42 UNCH
4995	73.40	73.40	84.90B/73.00	84.90B/61.80A	----	82.50 + 24.10	.3328	----	----	312	----	309 + 290
5000	66.00	66.00	83.40B/60.50	83.40B/60.50	----	80.90 + 23.60	.3281	----	----	4407	450	4624 - 1107
5005	64.10	64.10	81.60B/64.10	81.60B/59.50A	----	79.30 + 23.00	.3233	----	----	13	----	24 + 6
5010	67.90	67.90	80.10B/67.90	80.10B/58.50A	----	77.80 + 22.50	.3188	----	----	3	----	105 - 1
5015	68.50	68.50	78.50B/68.50	78.50B/57.40A	----	76.30 + 21.90	.3142	----	----	7	----	49 + 6
5020	----	----	77.00B/----	77.00B/56.30A	----	74.80 + 21.40	.3096	----	----	----	----	38 UNCH
5025	60.20	60.20	75.50B/60.20	75.50B/55.20A	----	73.30 + 20.80	.3051	----	----	13	----	199 UNCH
5030	64.50	64.50	74.00B/64.50	74.00B/54.20A	----	71.90 + 20.40	.3006	----	----	34	----	171 + 21
5035	63.20	63.20	72.60B/63.20	72.60B/53.30A	----	70.50 + 19.90	.2962	----	----	3	----	16 UNCH
5040	----	----	71.20B/----	71.20B/52.30A	----	69.10 + 19.30	.2918	----	----	5	----	145 + 5
5045	60.70	60.70	69.80B/60.70	69.80B/51.30A	----	67.70 + 18.80	.2874	----	----	1532	----	1512 + 1488
5050	59.50	59.50	68.30B/59.50	68.30B/50.10A	----	66.40 + 18.40	.2831	----	----	1592	----	2420 + 1460
5055	----	----	67.00B/----	67.00B/49.20A	----	65.10 + 17.90	.2789	----	----	----	----	107 UNCH
5060	----	----	65.70B/----	65.70B/48.30A	----	63.80 + 17.40	.2746	----	----	----	----	89 UNCH
5065	----	----	64.50B/----	64.50B/47.40A	----	62.50 + 16.90	.2703	----	----	----	----	18 UNCH
5070	62.70	62.70	63.10B/60.70	63.10B/46.50A	----	61.20 + 16.40	.2661	----	----	18	----	47 + 2
5075	----	----	62.00B/----	62.00B/45.70A	----	60.00 + 16.00	.2620	----	----	2	----	51 UNCH
5080	----	----	60.70B/----	60.70B/44.80A	----	58.80 + 15.60	.2579	----	----	1	----	145 + 1
5085	----	----	59.40B/----	59.40B/44.00A	----	57.60 + 15.10	.2538	----	----	80	----	315 + 15
5090	----	----	58.30B/----	58.30B/43.10A	----	56.40 + 14.70	.2497	----	----	5	----	215 + 5
5095	50.10	50.10	57.10B/42.30A	57.10B/42.30A	----	55.30 + 14.30	.2459	----	----	1	----	17 UNCH
5100	42.70	42.70	56.00B/41.60A	56.00B/41.60A	----	54.20 + 13.90	.2420	----	----	706	----	1964 + 37
5105	----	----	54.80B/----	54.80B/40.70A	----	53.10 + 13.50	.2381	----	----	----	----	9 UNCH
5110	----	----	53.70B/----	53.70B/40.10A	----	52.00 + 13.10	.2342	----	----	2	----	414 UNCH
5115	46.60	46.60	52.60B/46.60	52.60B/39.20A	----	50.90 + 12.60	.2303	----	----	105	----	114 + 94
5120	39.60	39.60	51.60B/39.60	51.60B/38.50A	----	49.90 + 12.30	.2267	----	----	2	----	20 + 1
5125	----	----	50.50B/----	50.50B/37.90A	----	48.90 + 11.90	.2230	----	----	44	----	369 + 1
5130	----	----	49.50B/----	49.50B/37.10A	----	47.90 + 11.60	.2193	----	----	1	----	88 UNCH
5135	43.90	43.90	48.40B/43.90	48.40B/36.40A	----	46.90 + 11.20	.2157	----	----	3	----	193 + 3
5140	40.00	40.00	47.50B/35.80A	47.50B/35.80A	----	45.90 + 10.80	.2120	----	----	2	----	118 + 2
5145	----	----	46.50B/----	46.50B/35.00A	----	45.00 + 10.50	.2086	----	----	----	----	43 UNCH
5150	43.90	43.90	45.70B/34.40A	45.70B/34.40A	----	44.10 + 10.20	.2052	----	----	912	----	955 + 203
5155	39.60	39.60	44.70B/39.60	44.70B/33.90A	----	43.20 + 9.80	.2017	----	----	2	----	72 + 2
5160	----	----	43.70B/----	43.70B/33.20A	----	42.30 + 9.50	.1983	----	----	51	----	289 + 51
5165	----	----	42.80B/----	42.80B/32.60A	----	41.40 + 9.10	.1949	----	----	1	----	47 UNCH
5170	----	----	42.00B/----	42.00B/32.00A	----	40.60 + 8.90	.1917	----	----	----	----	178 UNCH
5175	----	----	41.10B/----	41.10B/31.40A	----	39.70 + 8.50	.1883	----	----	2	----	248 + 2
5180	----	----	40.20B/----	40.20B/30.80A	----	38.90 + 8.20	.1851	----	----	1	----	26 UNCH
5185	----	----	39.40B/----	39.40B/30.30A	----	38.10 + 7.90	.1820	----	----	----	----	23 UNCH
5190	36.50	36.50	38.70B/36.40	38.70B/29.70A	----	37.30 + 7.60	.1788	----	----	11	----	346 + 1
5195	29.80	29.80	37.90B/29.80	37.90B/29.20A	----	36.60 + 7.40	.1759	----	----	2	----	21 + 1
5200	29.50	29.50	37.20B/28.60A	37.20B/28.60A	----	35.80 + 7.10	.1728	----	----	1595	200	3034 - 327
5205	33.00	33.00	36.30B/28.10A	36.30B/28.10A	----	35.10 + 6.90	.1699	----	----	3	----	21 + 2
5210	31.70	31.70	35.60B/27.60A	35.60B/27.60A	----	34.40 + 6.70	.1670	----	----	3	----	36 + 1
5215	----	----	35.00B/27.10A	35.00B/27.10A	----	33.70 + 6.40	.1641	----	----	----	----	42 UNCH
5220	----	----	34.30B/26.50A	34.30B/26.50A	----	33.00 + 6.20	.1612	----	----	7	----	262 + 2
5225	----	----	33.60B/26.10A	33.60B/26.10A	----	32.30 + 5.90	.1584	----	----	1	----	171 UNCH
5230	----	----	32.90B/25.60A	32.90B/25.60A	----	31.60 + 5.60	.1555	----	----	----	----	32 UNCH
5235	----	----	32.30B/25.10A	32.30B/25.10A	----	31.00 + 5.40	.1529	----	----	4	----	67 UNCH
5240	----	----	31.70B/24.60A	31.70B/24.60A	----	30.40 + 5.30	.1503	----	----	----	----	94 UNCH
5245	----	----	31.20B/24.20A	31.20B/24.20A	----	29.80 + 5.10	.1478	----	----	----	----	51 UNCH
5250	29.30	29.30	30.70B/23.70A	30.70B/23.70A	----	29.20 + 4.90	.1452	----	----	690	350	2019 - 2
5255	----	----	30.10B/23.30A	30.10B/23.30A	----	28.60 + 4.70	.1426	----	----	----	----	7 UNCH
5260	----	----	29.50B/22.90A	29.50B/22.90A	----	28.00 + 4.40	.1401	----	----	82	----	94 + 70
5265	25.90	25.90	29.10B/22.50A	29.10B/22.50A	----	27.40 + 4.20	.1375	----	----	2	----	55 UNCH
5270	----	----	28.60B/22.10A	28.60B/22.10A	----	26.90 + 4.10	.1352	----	----	----	----	92 UNCH
5275	----	----	28.20B/21.60A	28.20B/21.60A	----	26.40 + 3.90	.1330	----	----	3	----	198 UNCH
5280	26.50	26.50	27.60B/21.20A	27.60B/21.20A	----	25.80 + 3.70	.1304	----	----	15	----	287 + 15
5285	24.20	24.20	27.20B/20.90A	27.20B/20.90A	----	25.30 + 3.50	.1282	----	----	3	----	29 + 2
5290	----	----	26.80B/20.50A	26.80B/20.50A	----	24.80 + 3.40	.1260	----	----	----	----	64 UNCH
5295	22.90	22.90	26.10B/20.10A	26.10B/20.10A	----	24.30 + 3.20	.1237	----	----	6	----	70 - 4
5300	25.00	25.00	25.30/19.80A	25.30/19.80A	----	23.90 + 3.20	.1218	----	----	877	----	2634 - 249
5305	----	----	24.80B/19.40A	24.80B/19.40A	----	23.40 + 3.00	.1196	----	----	----	----	43 UNCH
5310	----	----	24.40B/19.10A	24.40B/19.10A	----	22.90 + 2.80	.1174	----	----	----	----	33 UNCH
5315	21.60	21.60	24.00B/18.70A	24.00B/18.70A	----	22.50 + 2.70	.1155	----	----	1	----	29 + 1
5320	21.20	21.20	23.60B/18.40A	23.60B/18.40A	----	22.10 + 2.60	.1136	----	----	2	----	527 UNCH
5325	20.90	20.90	23.20B/18.10A	23.20B/18.10A	----	21.60 + 2.40	.1114	----	----	2	----	117 + 1
5330	----	----	22.80B/17.80A	22.80B/17.80A	----	21.20 + 2.30	.1095	----	----	----	----	44 UNCH
5335	----	----	22.40B/17.50A	22.40B/17.50A	----	20.80 + 2.20	.1076	----	----	----	----	240 - 217
5340	----	----	22.00B/17.10A	22.00B/17.10A	----	20.40 + 2.10	.1058	----	----	----	----	131 UNCH
5345	19.40	19.40	21.70B/16.80A	21.70B/16.80A	----	20.00 + 2.00	.1039	----	----	25	----	47 + 8
5350	16.90	16.90	21.30B/16.60A	21.30B/16.60A	----	19.70 + 1.90	.1024	----	----	63	----	768 - 8
5355	----	----	21.00B/16.30A	21.00B/16.30A	----	19.30 + 1.80	.1005	----	----	----	----	25 UNCH
5360	----	----	20.60B/16.00A	20.60B/16.00A	----	18.90 + 1.70	.0987	----	----	----	----	105 UNCH
5365	16.40	16.40	20.30B/15.70A	20.30B/15.70A	----	18.60 + 1.60	.0972	----	----	13	----	33 + 13
5370	18.80	18.80	20.00B/15.40A	20.00B/15.40A	----	18.20 + 1.50	.0953	----	----	23	----	123 + 6
5375	18.50	18.50	19.60B/15.20A	19.60B/15.20A	----	17.90 + 1.40	.0938	----	----	36	----	402 + 36
5380	18.20	18.20	19.30B/14.90A	19.30B/14.90A	----	17.60 + 1.40	.0923	----	----	20	----	75 + 19
5385	17.90	17.90	19.00B/14.70A	19.00B/14.70A	----	17.30 + 1.30	.0908	----	----	17	----	116 + 17
5390	17.60	17.60	18.70B/14.40A	18.70B/14.40A	----	16.90 + 1.10	.0890	----	----	21	----	100 + 13
5395	16.80	16.80	18.40B/14.20A	18.40B/14.20A	----	16.60 + 1.10	.0875	----	----	20	----	36 + 2
5400	18.20	18.20	18.20/13.90A	18.20/13.90A	----	16.30 + 1.00	.0861	----	----	809	----	2362 + 485
5405	16.60	16.60	17.80B/13.70A	17.80B/13.70A	----	16.10 + 1.00	.0849	----	----	21	----	47 + 17
5410	13.90	13.90	17.60B/13.50A	17.60B/13.50A	----	15.80 + 0.90	.0835	----	----	35	----	158 + 23
5415	13.20	13.20	17.30B/13.20	17.30B/13.20	----	15.50 + 0.90	.0820	----	----	20	----	39 + 5
5420	15.80	15.80	17.00B/13.10A	17.00B/13.10A	----	15.20 + 0.80	.0806	----	----	23	----	141 + 10
5425	15.50	15.50	16.70B/12.80A	16.70B/12.80A	----	14.90 + 0.70	.0791	----	----	2	----	108 UNCH
5430	12.90	12.90	16.50B/12.60A	16.50B/12.60A	----	14.70 + 0.70	.0780	----	----	15	----	28 + 14
5435	14.40	14.40	16.20B/12.40A	16.20B/12.40A	----	14.40 + 0.60	.0766	----	----	6	----	10 + 6
5440	----	----	15.90B/12.20A	15.90B/12.20A	----	14.20 + 0.60	.0755	----	----	----	----	56 UNCH
5445	----	----	15.70B/12.00A	15.70B/12.00A	----	13.90 + 0.50	.0741	----	----	----	----	113 UNCH
5450	14.40	14.40	15.50B/11.80A	15.50B/11.80A	----	13.70 + 0.40	.0730	----	----	412	----	602 + 176
5455	----	----	15.20B/11.60A	15.20B/11.60A	----	13.50 + 0.40	.0719	----	----	----	----	153 UNCH
5460	13.00	13.00	15.00B/11.40A	15.00B/11.40A	----	13.30 + 0.40	.0709	----	----	1	----	35 + 1
5465	11.20	11.20	14.80B/11.20	14.80B/11.20	----	13.00 + 0.30	.0694	----	----	5	----	41 + 1
5470	13.00	13.00	14.60B/11.00A	14.60B/11.00A	----	12.80 + 0.30	.0684	----	----	51	----	254 + 50
5475	12.80	12.80	14.30B/10.80A	14.30B/10.80A	----	12.60 + 0.20	.0673	----	----	3	----	35 + 2
5480	12.60	12.60	14.10B/10.70A	14.10B/10.70A	----	12.40 + 0.20	.0663	----	----	5	----	28 + 3
5485	12.40	12.40	13.90B/10.50A	13.90B/10.50A	----	12.20 + 0.20	.0653	----	----	1	----	40 UNCH
5490	----	----	13.60B/10.30A	13.60B/10.30A	----	12.00 + 0.10	.0642	----	----	----	----	35 UNCH
5495	12.50	12.50	13.30B/10.20A	13.30B/10.20A	----	11.80 + 0.10	.0632	----	----	1	----	53 + 1
5500	11.50	11.50	13.10B/9.90	13.10B/9.90	----	11.60 + 0.10	.0622	----	----	735	----	4954 + 392
5505	11.70	11.70	12.90B/9.90A	12.90B/9.90A	----	11.40 UNCH	.0611	----	----	1	----	91 UNCH
5510	11.80	11.80	12.70B/9.70A	12.70B/9.70A	----	11.20 UNCH	.0601	----	----	17	----	46 + 1
5515	----	----	12.50B/9.60A	12.50B/9.60A	----	11.10 UNCH	.0595	----	----	----	----	13 UNCH
5520	11.40	11.40	12.30B/9.40A	12.30B/9.40A	----	10.90 UNCH	.0585	----	----	2	----	235 + 1
5525	10.90	10.90	12.10B/9.30A	12.10B/9.30A	----	10.70 - 0.10	.0575	----	----	11	----	83 + 10
5530	11.50	11.50	12.00B/9.10A	12.00B/9.10A	----	10.60 - 0.10	.0568	----	----	20	----	62 - 8
5535	----	----	11.80B/9.00A	11.80B/9.00A	----	10.40 - 0.10	.0558	----	----	----	----	14 UNCH
5540	11.30	11.30	11.60B/8.90A	11.60B/8.90A	----	10.20 - 0.20	.0548	----	----	1	----	28 - 1
5545	----	----	11.40B/8.70A	11.40B/8.70A	----	10.10 - 0.10	.0542	----	----	----	----	6 UNCH
5550	9.50	9.50	11.30B/8.60A	11.30B/8.60A	----	9.90 - 0.20	.0532	----	----	40	----	861 + 22
5555	10.10	10.10	11.10B/8.50A	11.10B/8.50A	----	9.80 - 0.20	.0526	----	----	1	----	19 + 1
5560	----	----	10.90B/8.30A	10.90B/8.30A	----	9.60 - 0.30	.0516	----	----	----	----	30 UNCH
5565	----	----	10.80B/8.20A	10.80B/8.20A	----	9.50 - 0.20	.0510	----	----	----	----	46 UNCH
5570	----	----	10.60B/8.10A	10.60B/8.10A	----	9.40 - 0.20	.0504	----	----	1	----	558 UNCH
5575	9.80	9.80	10.50B/8.00A	10.50B/8.00A	----	9.20 - 0.30	.0495	----	----	12	----	239 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5580	9.30	9.30	10.30B/7.90A	10.30B/7.90A	----	9.10 - 0.30	.0489	----	----	13	----	137 + 11
5585	----	----	10.20B/7.80A	10.20B/7.80A	----	9.00 - 0.30	.0483	----	----	----	----	20 UNCH
5590	8.00	8.00	10.00B/7.70A	10.00B/7.70A	----	8.80 - 0.30	.0473	----	----	5	----	93 - 3
5595	9.20	9.20	9.90B/7.50A	9.90B/7.50A	----	8.70 - 0.30	.0467	----	----	22	----	17 + 5
5600	10.50	10.50	10.50/7.40A	10.50/7.40A	----	8.60 - 0.30	.0461	----	----	397	----	2977 + 236
5610	----	----	9.40B/7.20A	9.40B/7.20A	----	8.30 - 0.40	.0446	----	----	8	----	114 + 7
5620	8.80	8.80	9.20B/7.00A	9.20B/7.00A	----	8.10 - 0.40	.0435	----	----	1	----	137 - 1
5625	----	----	9.00B/6.90A	9.00B/6.90A	----	8.00 - 0.40	.0429	----	----	1	----	268 - 1
5630	----	----	8.90B/6.80A	8.90B/6.80A	----	7.90 - 0.40	.0424	----	----	----	----	120 UNCH
5640	----	----	8.60B/6.70A	8.60B/6.70A	----	7.70 - 0.40	.0412	----	----	----	----	553 UNCH
5650	8.20	8.20	8.40B/6.50A	8.40B/6.50A	----	7.50 - 0.40	.0401	----	----	15	----	719 UNCH
5660	----	----	8.10B/6.30A	8.10B/6.30A	----	7.30 - 0.40	.0390	----	----	----	----	262 UNCH
5670	7.80	7.80	7.90B/6.20A	7.90B/6.20A	----	7.10 - 0.40	.0380	----	----	1	----	41 UNCH
5675	----	----	7.80B/6.10A	7.80B/6.10A	----	7.00 - 0.50	.0374	----	----	----	----	5 UNCH
5680	----	----	7.70B/6.10A	7.70B/6.10A	----	6.90 - 0.50	.0369	----	----	----	----	94 UNCH
5690	----	----	7.60B/5.90A	7.60B/5.90A	----	6.70 - 0.50	.0358	----	----	----	----	180 UNCH
5700	6.60	6.60	7.40B/5.80A	7.40B/5.80A	----	6.60 - 0.40	.0351	----	----	28	----	1883 - 18
5710	----	----	7.20B/5.70A	7.20B/5.70A	----	6.40 - 0.50	.0341	----	----	----	----	49 UNCH
5720	----	----	7.10B/5.50A	7.10B/5.50A	----	6.20 - 0.50	.0331	----	----	----	----	35 UNCH
5725	----	----	7.00B/5.50A	7.00B/5.50A	----	6.20 - 0.50	.0329	----	----	----	----	432 UNCH
5730	----	----	6.90B/5.50A	6.90B/5.50A	----	6.10 - 0.50	.0324	----	----	----	----	113 UNCH
5740	----	----	6.80B/5.30A	6.80B/5.30A	----	6.00 - 0.40	.0318	----	----	----	----	56 UNCH
5750	5.40	5.40	6.60B/5.20A	6.60B/5.20A	----	5.80 - 0.50	.0308	----	----	17	----	321 - 5
5760	5.20	5.20	6.50B/5.10A	6.50B/5.10A	----	5.70 - 0.50	.0301	----	----	3	----	63 + 2
5770	----	----	6.30B/5.00A	6.30B/5.00A	----	5.60 - 0.40	.0295	----	----	----	----	16 UNCH
5775	----	----	6.30B/4.90A	6.30B/4.90A	----	5.50 - 0.50	.0290	----	----	----	----	69 UNCH
5780	----	----	6.20B/4.80A	6.20B/4.80A	----	5.40 - 0.50	.0285	----	----	----	----	22 UNCH
5790	----	----	6.10B/*4.70A	6.10B/*4.70A	----	5.30 - 0.50	.0279	----	----	----	----	41 UNCH
5800	4.80	4.80	6.00B/*4.60A	6.00B/*4.60A	----	5.20 - 0.50	.0273	----	----	39	----	1111 - 16
5810	----	----	5.90B/*4.50A	5.90B/*4.50A	----	5.10 - 0.40	.0268	----	----	----	----	36 UNCH
5820	4.60	4.60	5.70B/*4.40A	5.70B/*4.40A	----	5.00 - 0.40	.0262	----	----	3	----	48 + 1
5825	----	----	5.70B/4.40A	5.70B/4.40A	----	4.90 - 0.50	.0257	----	----	----	----	113 UNCH
5830	----	----	5.60B/4.40A	5.60B/4.40A	----	4.90 - 0.40	.0256	----	----	----	----	139 UNCH
5840	----	----	5.50B/4.30A	5.50B/4.30A	----	4.80 - 0.40	.0250	----	----	----	----	86 UNCH
5850	4.70	4.70	5.40B/4.20A	5.40B/4.20A	----	4.70 - 0.40	.0245	----	----	5	----	328 - 5
5860	----	----	5.30B/4.10A	5.30B/4.10A	----	4.60 - 0.40	.0239	----	----	----	----	68 UNCH
5870	----	----	5.20B/4.00A	5.20B/4.00A	----	4.50 - 0.40	.0234	----	----	----	----	17 UNCH
5875	----	----	5.20B/4.00A	5.20B/4.00A	----	4.50 - 0.40	.0233	----	----	----	----	29 UNCH
5880	----	----	5.10B/3.90A	5.10B/3.90A	----	4.40 - 0.40	.0228	----	----	----	----	25 UNCH
5890	----	----	5.00B/3.90A	5.00B/3.90A	----	4.40 - 0.30	.0227	----	----	----	----	23 UNCH
5900	4.50	4.50	4.90B/3.80A	4.90B/3.80A	----	4.30 - 0.30	.0221	----	----	9	----	856 + 1
5910	----	----	4.90B/3.70A	4.90B/3.70A	----	4.20 - 0.30	.0216	----	----	----	----	61 UNCH
5920	----	----	4.80B/*3.60A	4.80B/*3.60A	----	4.10 - 0.40	.0211	----	----	----	----	64 UNCH
5930	----	----	4.70B/3.60A	4.70B/3.60A	----	4.00 - 0.40	.0205	----	----	----	----	133 UNCH
5940	----	----	4.60B/3.50A	4.60B/3.50A	----	4.00 - 0.30	.0204	----	----	----	----	50 UNCH
5950	----	----	4.50B/*3.40A	4.50B/*3.40A	----	3.90 - 0.30	.0199	----	----	----	----	431 UNCH
5960	----	----	4.50B/3.40A	4.50B/3.40A	----	3.80 - 0.40	.0194	----	----	----	----	45 UNCH
5970	----	----	4.40B/3.30A	4.40B/3.30A	----	3.80 - 0.30	.0193	----	----	----	----	35 UNCH
5980	----	----	4.30B/3.30A	4.30B/3.30A	----	3.70 - 0.30	.0188	----	----	----	----	118 UNCH
5990	----	----	4.20B/3.20A	4.20B/3.20A	----	3.60 - 0.30	.0182	----	----	----	----	59 UNCH
6000	3.00	3.00	4.30/3.00	4.30/3.00	----	3.60 - 0.30	.0181	----	----	739	----	3387 + 392
6025	----	----	4.00B/3.00A	4.00B/3.00A	----	3.40 - 0.30	.0171	----	----	----	----	94 UNCH
6050	3.80	3.80	3.80/2.90A	3.80/2.90A	----	3.30 - 0.30	.0165	----	----	1	----	105 - 1
6075	----	----	3.70B/*2.70A	3.70B/*2.70A	----	3.10 - 0.40	.0154	----	----	----	----	23 UNCH
6100	3.60	3.60	3.60/*2.60A	3.60/*2.60A	----	3.00 - 0.30	.0148	----	----	1	----	606 UNCH
6125	----	----	3.40B/*2.50A	3.40B/*2.50A	----	2.90 - 0.30	.0143	----	----	----	----	48 UNCH
6150	3.00	3.00	3.30B/*2.40A	3.30B/*2.40A	----	2.80 - 0.30	.0137	----	----	2	----	132 - 2
6175	----	----	3.20B/*2.30A	3.20B/*2.30A	----	2.70 - 0.30	.0131	----	----	----	----	131 UNCH
6200	2.40	2.40	3.10B/*2.20A	3.10B/*2.20A	----	2.60 - 0.30	.0126	----	----	1	----	373 - 1
6225	----	----	3.00B/*2.10A	3.00B/*2.10A	----	2.50 - 0.30	.0120	----	----	1	----	138 UNCH
6250	----	----	2.90B/*2.00A	2.90B/*2.00A	----	2.50 - 0.20	.0119	----	----	----	----	261 UNCH
6275	2.40	2.40	2.80B/2.00A	2.80B/2.00A	----	2.40 - 0.20	.0114	----	----	2	----	34 + 2
6300	----	----	2.70B/*1.90A	2.70B/*1.90A	----	2.30 - 0.20	.0108	----	----	----	----	253 UNCH
6325	----	----	2.60B/*1.80A	2.60B/*1.80A	----	2.30 - 0.10	.0107	----	----	----	----	148 UNCH
6350	----	----	2.50B/*1.80A	2.50B/*1.80A	----	2.20 - 0.10	.0102	----	----	----	----	205 UNCH
6375	1.90	1.90	2.40B/*1.70A	2.40B/*1.70A	----	2.20 UNCH	.0101	----	----	15	----	24 + 15
6400	----	----	2.40B/1.70A	2.40B/1.70A	----	2.10 - 0.10	.0096	----	----	----	----	347 UNCH
6425	----	----	2.30B/*1.70A	2.30B/*1.70A	----	2.10 UNCH	.0095	----	----	----	----	42 UNCH
6450	----	----	2.20B/*1.70A	2.20B/*1.70A	----	2.00 UNCH	.0091	----	----	----	----	76 UNCH
6475	----	----	2.20B/*1.50A	2.20B/*1.50A	----	2.00 UNCH	.0090	----	----	----	----	69 UNCH
6500	1.50	1.50	2.10/*1.50	2.10/*1.50	----	2.00 + 0.10	.0089	----	----	26	----	1057 + 19
6525	----	----	2.10B/*1.40A	2.10B/*1.40A	----	1.90 + 0.10	.0084	----	----	----	----	20 UNCH
6550	----	----	2.00B/*1.60A	2.00B/*1.60A	----	1.90 + 0.10	.0083	----	----	----	----	75 UNCH
6575	----	----	2.00B/*1.60A	2.00B/*1.60A	----	1.80 + 0.10	.0079	----	----	----	----	10 UNCH
6600	----	----	1.90B/1.60A	1.90B/1.60A	----	1.80 + 0.10	.0078	----	----	----	----	72 UNCH
6625	----	----	1.90B/*1.40A	1.90B/*1.40A	----	1.80 + 0.20	.0077	----	----	----	----	38 UNCH
6650	----	----	1.80B/----	1.80B/1.60A	----	1.70 + 0.10	.0073	----	----	----	----	57 UNCH
6675	1.50	1.50	1.80B/*1.30A	1.80B/*1.30A	----	1.70 + 0.10	.0072	----	----	8	----	29 + 8
6700	1.80	1.80	1.80/1.80	1.80/1.60A	----	1.60 + 0.10	.0068	----	----	20	----	375 UNCH
6725	----	----	1.70B/----	1.70B/1.60A	----	1.60 + 0.10	.0068	----	----	----	----	101 UNCH
6750	----	----	1.60B/1.20A	1.60B/1.20A	----	1.60 + 0.20	.0067	----	----	----	----	64 UNCH
6775	----	----	1.60B/*1.20A	1.60B/*1.20A	----	1.50 + 0.10	.0063	----	----	----	----	8 UNCH
6800	----	----	1.60B/----	1.60B/1.50A	----	1.50 + 0.10	.0062	----	----	----	----	614 UNCH
6825	----	----	1.50B/----	1.50B/*1.40A	----	1.40 + 0.10	.0058	----	----	----	----	8 UNCH
6850	----	----	1.50B/----	1.50B/*1.40A	----	1.40 + 0.10	.0058	----	----	----	----	32 UNCH
6875	----	----	1.40B/----	1.40B/*1.40A	----	1.40 + 0.10	.0057	----	----	----	----	13 UNCH
6900	----	----	1.40B/----	1.40B/1.30A	----	1.30 UNCH	.0053	----	----	----	----	553 UNCH
6925	----	----	1.40B/----	1.40B/*1.30A	----	1.30 + 0.10	.0053	----	----	----	----	1 UNCH
6950	----	----	1.30B/----	1.30B/*1.30A	----	1.30 + 0.10	.0053	----	----	----	----	33 UNCH
6975	----	----	1.30B/----	1.30B/*1.30A	----	1.20 UNCH	.0049	----	----	----	----	7 UNCH
7000	1.30	1.30	1.30/1.00	1.30/1.00	----	1.20 UNCH	.0048	----	----	2	----	822 + 1
7025	----	----	1.20B/----	1.20B/1.20A	----	1.10 UNCH	.0045	----	----	----	----	402 UNCH
7050	----	----	1.20B/----	1.20B/1.20A	----	1.10 UNCH	.0044	----	----	----	----	33 UNCH
7075	----	----	----/*0.90A	1.10B/*0.90A	----	1.10 UNCH	.0044	----	----	----	----	86 UNCH
7100	0.80	0.80	0.80/*0.80	1.10B/*0.80	----	1.10 UNCH	.0044	----	----	4	----	106 + 4
7125	----	----	1.10B/----	1.10B/1.10A	----	1.00 UNCH	.0040	----	----	----	----	14 UNCH
7150	----	----	----/*0.80A	1.00B/*0.80A	----	1.00 UNCH	.0040	----	----	1	----	25 + 1
7175	----	----	----	1.00B/1.10A	----	1.00 UNCH	.0039	----	----	----	----	37 UNCH
7200	----	----	----/*0.90A	1.00B/*0.90A	----	0.90 - 0.10	.0036	----	----	----	----	97 UNCH
7225	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0035	----	----	----	----	6 UNCH
7250	0.80	0.80	0.80/*0.80	0.90B/*0.80	----	0.90 - 0.10	.0035	----	----	1	----	42 + 1
7275	----	----	----	0.90B/*1.00A	----	0.90 UNCH	.0035	----	----	----	----	15 UNCH
7300	----	----	----	0.90B/1.00A	----	0.80 - 0.10	.0031	----	----	----	----	10 UNCH
7325	----	----	----	0.80B/1.00A	----	0.80 - 0.10	.0031	----	----	----	----	1 UNCH
7350	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0031	----	----	----	----	1 UNCH
7375	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0031	----	----	----	----	10 UNCH
7400	----	----	----	0.80B/0.90A	----	0.70 - 0.20	.0027	----	----	----	----	16 UNCH
7450	----	----	----	0.70B/0.90A	----	0.70 - 0.10	.0027	----	----	----	----	20 UNCH
7475	----	----	----	0.70B/0.90A	----	0.70 - 0.10	.0027	----	----	----	----	11 UNCH
7500	1.00	1.00	1.00/0.70A	1.00/0.70A	----	0.70 - 0.10	.0026	----	----	1	----	351 - 1
7525	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0026	----	----	----	----	42 UNCH
7575	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0023	----	----	----	----	6 UNCH
7600	0.50	0.50	0.50/0.50	0.60B/0.50	----	0.60 - 0.20	.0022	----	----	2	----	89 UNCH
7625	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0022	----	----	----	----	2 UNCH
7650	----	----	----	0.60B/0.80A	----	0.60 - 0.10	.0022	----	----	----	----	2 UNCH
7675	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0022	----	----	----	----	36 UNCH
7700	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0022	----	----	----	----	77 UNCH
7725	----	----	----	0.50B/*0.70A	----	0.60 - 0.10	.0022	----	----	----	----	1 UNCH
7750	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0022	----	----	----	----	20 UNCH
7775	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0022	----	----	----	----	5 UNCH
7800	----	----	----	0.50B/0.80A	----	0.60 - 0.10	.0021	----	----	----	----	23 UNCH
7825	----	----	----	0.50B/0.80A	----	0.50 - 0.20	.0018	----	----	----	----	6 UNCH
7850	----	----	----	0.40B/0.80A	----	0.50 - 0.20	.0018	----	----	----	----	6 UNCH
7875	----	----	----	0.40B/0.80A	----	0.50 - 0.20	.0018	----	----	----	----	5 UNCH
7900	----	----	----	0.40B/0.80A	----	0.50 - 0.10	.0018	----	----	----	----	5 UNCH
7950	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0018	----	----	----	----	39 UNCH
7975	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0018	----	----	----	----	5 UNCH
8000	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0017	----	----	----	----	997 UNCH
8100	----	----	----	0.30B/0.70A	----	0.50 - 0.10	.0017	----	----	----	----	54 UNCH
8200	----	----	----	0.30B/0.70A	----	0.40 - 0.10	.0014	----	----	----	----	980 UNCH
8300	----	----	----	0.20B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	27 UNCH
8400	----	----	----	0.20B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	1 UNCH
8500	----	----	----	0.40B/0.60A	----	0.40 - 0.10	.0013	----	----	----	----	59 UNCH
8600	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	1 UNCH
8700	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0010	----	----	----	----	13 UNCH
8800	----	----	----	----/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
8900	----	----	----	----/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 25

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
9000	----	----	----	----/0.50A	----	0.30 - 0.10	.0009	----	----	----	----	311 UNCH
9100	----	----	----	----/0.40A	----	0.30 UNCH	.0009	----	----	----	----	2 UNCH
9300	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	2 UNCH
9400	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	1 UNCH
9500	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	53 UNCH
9600	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	7 UNCH
9800	----	----	----	----/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
9900	----	----	----	----/0.40A	----	0.20 - 0.10	.0005	----	----	----	----	31 UNCH
10000	0.20	0.20	0.40/0.20	0.40/0.20	----	0.20 UNCH	.0005	----	----	105	----	757 + 94
15000	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	128 UNCH
TOTAL										20725	1,200	98228 + 4187
JUN26												
1995	----	----	----	----	----	2818.10 + 34.50	1.0000	----	----	50	----	0 UNCH
2000	----	----	2,813.40B/----	2813.40B/2726.20A	----	2813.10 + 34.50	1.0000	----	----	140	----	412 UNCH
2005	----	----	----	----	----	2808.10 + 34.50	1.0000	----	----	50	----	0 UNCH
2200	----	----	----	----	----	2613.10 + 34.50	1.0000	----	----	----	----	0 UNCH
2300	----	----	----	----	----	2513.10 + 34.50	1.0000	----	----	----	----	0 UNCH
2400	----	----	----	----	----	2413.10 + 34.50	.9992	----	----	----	----	0 UNCH
2500	----	----	----	----	----	2313.10 + 34.50	.9982	----	----	----	----	0 UNCH
2600	----	----	----	----	----	2213.10 + 34.50	.9969	----	----	----	----	0 UNCH
2700	----	----	----	----	----	2113.10 + 34.50	.9962	----	----	----	----	0 UNCH
2750	----	----	2,062.70B/----	2062.70B/2032.40A	----	2063.10 + 34.40	.9955	----	----	150	----	0 UNCH
2800	----	----	2,014.40B/----	2014.40B/1920.60A	----	2013.10 + 34.30	.9951	----	----	----	----	500 UNCH
3000	----	----	1,814.90B/----	1814.90B/1719.00A	----	1813.30 + 33.60	.9918	----	----	150	----	613 + 75
3100	----	----	1,713.90B/----	1713.90B/1624.10A	----	1713.70 + 33.20	.9898	----	----	----	----	0 - 8
3200	----	----	1,614.00B/----	1614.00B/1512.40A	----	1614.20 + 32.60	.9875	----	----	25	----	42 + 25
3300	----	----	1,514.80B/----	1514.80B/1413.80A	----	1515.00 + 31.90	.9845	----	----	----	----	4 UNCH
3310	----	----	1,498.60B/----	1498.60B/1403.90A	----	1505.00 + 31.70	.9841	----	----	----	----	1 UNCH
3400	----	----	1,417.70B/----	1417.70B/1311.70A	----	1416.00 + 30.90	.9808	----	----	----	----	893 UNCH
3500	----	----	1,317.40B/----	1317.40B/1214.10A	----	1317.50 + 29.70	.9759	----	----	----	----	58 UNCH
3525	----	----	1,295.80B/----	1295.80B/1189.80A	----	1292.90 + 29.20	.9745	----	----	----	----	1 UNCH
3550	----	----	1,271.30B/----	1271.30B/1165.60A	----	1268.40 + 28.90	.9730	----	----	----	----	1 UNCH
3580	----	----	1,241.90B/----	1241.90B/1136.60A	----	1239.00 + 28.40	.9710	----	----	----	----	18 UNCH
3585	----	----	1,237.30B/----	1237.30B/1131.80A	----	1234.10 + 28.30	.9707	----	----	----	----	100 UNCH
3600	----	----	1,222.70B/----	1222.70B/1117.30A	----	1219.50 + 28.00	.9695	----	----	----	----	214 UNCH
3635	----	----	1,188.40B/----	1188.40B/1083.70A	----	1185.40 + 27.40	.9669	----	----	----	----	60 UNCH
3650	----	----	1,174.00B/----	1174.00B/1069.30A	----	1170.80 + 27.10	.9657	----	----	----	----	143 UNCH
3665	----	----	1,159.30B/----	1159.30B/1055.00A	----	1156.20 + 26.80	.9644	----	----	----	----	3 UNCH
3700	----	----	1,125.50B/----	1125.50B/1021.70A	----	1122.30 + 26.10	.9610	----	----	----	----	395 UNCH
3715	----	----	1,111.20B/----	1111.20B/1007.40A	----	1107.70 + 25.60	.9595	----	----	----	----	25 UNCH
3725	----	----	1,101.40B/----	1101.40B/993.90A	----	1098.10 + 25.40	.9586	----	----	----	----	212 UNCH
3750	----	----	1,077.30B/----	1077.30B/973.60A	----	1074.00 + 24.80	.9558	----	----	----	----	1112 UNCH
3755	----	----	1,072.50B/----	1072.50B/968.90A	----	1069.20 + 24.70	.9554	----	----	----	----	15 UNCH
3785	----	----	1,044.10B/----	1044.10B/940.80A	----	1040.40 + 23.90	.9518	----	----	----	----	170 UNCH
3790	----	----	1,039.20B/----	1039.20B/936.10A	----	1035.60 + 23.80	.9512	----	----	----	----	1 UNCH
3800	----	----	1,029.80B/----	1029.80B/926.80A	----	1026.00 + 23.50	.9500	----	----	----	----	545 UNCH
3835	----	----	996.40B/----	996.40B/894.20A	----	992.60 + 22.50	.9455	----	----	----	----	1 UNCH
3840	----	----	991.80B/----	991.80B/889.60A	----	987.80 + 22.30	.9446	----	----	----	----	21 UNCH
3850	----	----	982.30B/----	982.30B/880.40A	----	978.30 + 22.00	.9434	----	----	----	----	322 UNCH
3875	----	----	958.70B/----	958.70B/857.40A	----	954.60 + 21.20	.9395	----	----	----	----	60 UNCH
3895	----	----	939.70B/----	939.70B/839.10A	----	935.70 + 20.50	.9363	----	----	----	----	1 UNCH
3900	----	----	935.10B/----	935.10B/834.50A	----	931.00 + 20.30	.9357	----	----	----	----	364 UNCH
3925	----	----	911.70B/----	911.70B/811.80A	----	907.50 + 19.50	.9313	----	----	----	----	4 UNCH
3950	----	----	888.40B/----	888.40B/789.30A	----	884.10 + 18.50	.9269	----	----	----	----	14 UNCH
3975	----	----	865.00B/----	865.00B/766.80A	----	860.80 + 17.50	.9221	----	----	----	----	106 UNCH
3990	----	----	851.20B/----	851.20B/753.50A	----	846.90 + 16.90	.9190	----	----	----	----	1 UNCH
3995	----	----	846.60B/----	846.60B/749.00A	----	842.30 + 16.80	.9181	----	----	----	----	5 UNCH
4000	----	----	841.90B/----	841.90B/744.60A	----	837.70 + 16.60	.9169	----	----	----	----	861 UNCH
4005	----	----	837.40B/----	837.40B/740.20A	----	833.10 + 16.40	.9158	----	----	----	----	10 UNCH
4010	----	----	832.80B/----	832.80B/735.80A	----	828.50 + 16.20	.9147	----	----	----	----	1 UNCH
4020	----	----	823.60B/----	823.60B/726.90A	----	819.30 + 15.70	.9127	----	----	----	----	2 UNCH
4025	----	----	819.10B/----	819.10B/722.50A	----	814.70 + 15.50	.9116	----	----	----	----	51 UNCH
4040	----	----	805.30B/----	805.30B/709.40A	----	800.90 + 14.80	.9082	----	----	----	----	1 UNCH
4050	----	----	796.40B/----	796.40B/700.70A	----	791.80 + 14.40	.9057	----	----	----	----	185 UNCH
4060	----	----	787.00B/----	787.00B/692.00A	----	782.70 + 13.90	.9033	----	----	----	----	25 UNCH
4070	----	----	778.10B/----	778.10B/683.20A	----	773.60 + 13.40	.9008	----	----	----	----	10 UNCH
4075	----	----	773.60B/----	773.60B/679.00A	----	769.10 + 13.20	.8996	----	----	----	----	64 UNCH
4090	----	----	759.90B/----	759.90B/666.10A	----	755.60 + 12.60	.8958	----	----	----	----	34 UNCH
4100	----	----	751.10B/----	751.10B/657.50A	----	746.60 + 12.10	.8931	----	----	----	----	682 UNCH
4105	----	----	746.70B/----	746.70B/653.30A	----	742.10 + 11.80	.8917	----	----	----	----	50 UNCH
4110	----	----	742.00B/----	742.00B/649.00A	----	737.60 + 11.50	.8904	----	----	----	----	2 UNCH
4115	----	----	737.50B/----	737.50B/644.70A	----	733.10 + 11.30	.8890	----	----	----	----	5 UNCH
4125	----	----	728.80B/----	728.80B/636.30A	----	724.20 + 10.80	.8861	----	----	----	----	95 UNCH
4135	----	----	720.00B/----	720.00B/627.80A	----	715.30 + 10.20	.8834	----	----	----	----	16 UNCH
4150	----	----	706.80B/----	706.80B/615.20A	----	702.00 + 09.40	.8789	----	----	----	----	263 UNCH
4170	----	----	689.20B/----	689.20B/598.60A	----	684.40 + 08.30	.8728	----	----	----	----	51 UNCH
4175	----	----	684.50B/----	684.50B/594.40A	----	680.00 + 08.00	.8712	----	----	----	----	61 UNCH
4195	----	----	667.10B/----	667.10B/578.00A	----	662.60 + 06.90	.8647	----	----	----	----	1 UNCH
4200	----	----	662.80B/----	662.80B/573.70A	----	658.30 + 06.70	.8630	----	----	----	----	2079 UNCH
4210	----	----	654.20B/----	654.20B/565.60A	----	649.60 + 06.00	.8596	----	----	----	----	1582 UNCH
4220	----	----	645.80B/----	645.80B/557.50A	----	641.00 + 05.50	.8562	----	----	----	----	84 UNCH
4225	----	----	641.30B/----	641.30B/553.70A	----	636.70 + 05.20	.8545	----	----	----	----	15 UNCH
4235	----	----	633.00B/----	633.00B/545.50A	----	628.10 + 04.50	.8509	----	----	----	----	6 UNCH
4240	----	----	628.50B/----	628.50B/541.60A	----	623.90 + 04.20	.8490	----	----	----	----	53 UNCH
4245	----	----	624.50B/----	624.50B/537.60A	----	619.60 + 03.90	.8472	----	----	----	----	263 UNCH
4250	----	----	620.00B/----	620.00B/533.70A	----	615.40 + 03.60	.8454	----	----	----	----	922 UNCH
4255	----	----	615.80B/----	615.80B/529.50A	----	611.10 + 03.20	.8434	----	----	----	----	6 UNCH
4260	----	----	611.60B/----	611.60B/525.80A	----	606.90 + 02.90	.8416	----	----	----	----	1 UNCH
4265	----	----	607.40B/----	607.40B/521.70A	----	602.70 + 02.60	.8397	----	----	----	----	87 UNCH
4270	----	----	603.10B/----	603.10B/517.80A	----	598.50 + 02.30	.8377	----	----	----	----	11 UNCH
4280	----	----	594.70B/----	594.70B/510.30A	----	590.10 + 01.60	.8338	----	----	----	----	1 UNCH
4285	----	----	590.70B/----	590.70B/506.10A	----	586.00 + 01.40	.8318	----	----	----	----	1 UNCH
4300	520.00	520.00	578.20B/520.00	578.20B/494.50A	----	573.50 + 00.30	.8258	----	----	1	----	2116 UNCH
4305	----	----	574.10B/----	574.10B/490.80A	----	569.40 + 00.00	.8238	----	----	----	----	1 UNCH
4310	----	----	569.90B/----	569.90B/487.00A	----	565.30 + 99.70	.8216	----	----	----	----	23 UNCH
4315	----	----	565.90B/----	565.90B/483.20A	----	561.10 + 99.20	.8195	----	----	----	----	1 UNCH
4320	----	----	561.70B/----	561.70B/479.40A	----	557.00 + 98.90	.8175	----	----	----	----	62 UNCH
4325	----	----	557.50B/----	557.50B/475.50A	----	553.00 + 98.60	.8153	----	----	----	----	72 UNCH
4335	----	----	549.50B/----	549.50B/468.10A	----	544.80 + 97.80	.8109	----	----	----	----	13 UNCH
4340	----	----	545.70B/----	545.70B/464.40A	----	540.80 + 97.50	.8088	----	----	----	----	17 UNCH
4345	----	----	541.40B/----	541.40B/460.50A	----	536.70 + 97.10	.8066	----	----	----	----	2 UNCH
4350	----	----	537.30B/----	537.30B/456.80A	----	532.70 + 96.70	.8043	----	----	----	----	1451 UNCH
4355	----	----	533.30B/----	533.30B/453.20A	----	528.70 + 96.40	.8020	----	----	----	----	129 UNCH
4360	----	----	529.40B/----	529.40B/449.60A	----	524.70 + 96.00	.7998	----	----	----	----	42 UNCH
4365	----	----	525.30B/----	525.30B/445.80A	----	520.70 + 95.60	.7975	----	----	1	----	4 UNCH
4370	----	----	521.60B/----	521.60B/442.20A	----	516.70 + 95.20	.7952	----	----	----	----	3 UNCH
4375	----	----	517.70B/----	517.70B/438.50A	----	512.80 + 94.90	.7929	----	----	5	----	106 + 4
4380	----	----	513.40B/----	513.40B/434.90A	----	508.80 + 94.50	.7904	----	----	----	----	341 UNCH
4385	----	----	509.80B/----	509.80B/431.30A	----	504.90 + 94.10	.7881	----	----	----	----	3 UNCH
4390	----	----	505.70B/----	505.70B/427.70A	----	500.90 + 93.70	.7857	----	----	----	----	16 UNCH
4395	----	----	501.80B/----	501.80B/424.20A	----	497.00 + 93.30	.7833	----	----	----	----	10 UNCH
4400	455.10	455.10	497.90B/455.10	497.90B/420.80A	----	493.10 + 92.90	.7809	----	----	4	----	1460 - 1
4410	----	----	490.00B/----	490.00B/413.60A	----	485.40 + 92.20	.7759	----	----	----	----	39 UNCH
4415	----	----	486.10B/----	486.10B/410.10A	----	481.50 + 91.70	.7735	----	----	----	----	176 UNCH
4420	----	----	482.30B/----	482.30B/406.60A	----	477.60 + 91.30	.7709	----	----	----	----	3 UNCH
4425	----	----	478.70B/----	478.70B/403.10A	----	473.80 + 90.90	.7684	----	----	----	----	274 UNCH
4430	----	----	474.90B/----	474.90B/399.60A	----	470.00 + 90.50	.7658	----	----	----	----	19 UNCH
4435	----	----	471.10B/----	471.10B/396.20A	----	466.20 + 90.10	.7633	----	----	----	----	20 UNCH
4440	----	----	467.30B/----	467.30B/392.80A	----	462.40 + 89.70	.7607	----	----	----	----	19 UNCH
4445	----	----	463.20B/----	463.20B/389.40A	----	458.60 + 89.20	.7581	----	----	----	----	5 UNCH
4450	400.20	400.20	459.70B/400.20	459.70B/386.00A	----	454.80 + 88.80	.7554	----	----	1	----	497 - 1
4455	----	----	455.90B/----	455.90B/382.60A	----	451.10 + 88.40	.7528	----	----	----	----	6 UNCH
4460	----	----	452.20B/----	452.20B/379.20A	----	447.30 + 87.90	.7501	----	----	----	----	20 UNCH
4465	----	----	448.20B/----	448.20B/375.90A	----	443.60 + 87.50	.7475	----	----	1	----	18 - 1
4470	----	----	444.70B/----	444.70B/372.50A	----	439.90 + 87.10	.7447	----	----	----	----	24 UNCH
4475	----	----	441.00B/----	441.00B/369.20A	----	436.20 + 86.70	.7420	----	----	----	----	22 UNCH
4480	----	----	437.40B/----	437.40B/359.40A	----	432.50 + 86.20	.7392	----	----	----	----	59 UNCH
4485	----	----	433.70B/----	433.70B/356.10A	----	428.90 + 85.80	.7365	----	----	----	----	6 UNCH
4490	----	----	430.00B/----	430.00B/352.90A	----	425.20 + 85.30	.7337	----	----	----	----	51 UNCH
4495	----	----	426.40B/----	426.40B/349.70A	----	421.60 + 84.90	.7309	----	----	----	----	6 UNCH
4500	379.60	379.60	422.50B/379.60	422.50B/346.30A	----	418.00 + 84.50	.7281	----	----	39	----	4503 - 26
4505	----	----	419.20B/----	419.20B/343.30A	----	414.40 + 84.10	.7253	----	----	1	----	49 UNCH
4510	----	----	415.30B/----	415.30B/340.10A	----	410.80 + 83.60	.7224	----	----	----	----	1475 UNCH
4515	----	----	411.70B/----	411.70B/337.00A	----	407.20 + 83.10	.7195	----	----	----	----	93 UNCH
4520	----	----	408.50B/----	408.50B/333.80A	----	403.60 + 82.60	.7166	----	----	----	----	51 UNCH
4525	----	----	404.80B/----	404.80B/330.70A	----	400.10 + 82.20	.7137	----	----	----	----	232 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4530	----	----	401.30B/----	401.30B/327.60A	----	396.60 + 81.80	.7108	----	----	----	----	13 UNCH
4535	----	----	397.80B/----	397.80B/324.60A	----	393.00 + 81.20	.7078	----	----	----	----	12 UNCH
4540	----	----	394.30B/----	394.30B/321.50A	----	389.50 + 80.70	.7048	----	----	----	----	78 UNCH
4545	----	----	390.80B/----	390.80B/318.50A	----	386.10 + 80.30	.7019	----	----	----	----	32 UNCH
4550	380.00	380.00	387.30B/380.00	387.30B/315.30A	----	382.60 + 79.80	.6989	----	----	31	----	219 - 20
4555	350.00	350.00	383.90B/350.00	383.90B/312.50A	----	379.20 + 79.40	.6959	----	----	1	----	9 - 1
4560	----	----	380.50B/----	380.50B/309.50A	----	375.70 + 78.90	.6929	----	----	----	----	160 UNCH
4565	----	----	376.80B/----	376.80B/306.50A	----	372.30 + 78.40	.6898	----	----	1	----	104 UNCH
4570	----	----	373.50B/----	373.50B/303.60A	----	368.90 + 77.90	.6867	----	----	----	----	35 UNCH
4575	----	----	370.30B/----	370.30B/300.70A	----	365.50 + 77.40	.6836	----	----	37	----	65 - 17
4580	----	----	366.80B/----	366.80B/297.80A	----	362.10 + 76.90	.6805	----	----	----	----	5 UNCH
4585	----	----	363.50B/----	363.50B/294.90A	----	358.80 + 76.40	.6774	----	----	----	----	15 UNCH
4590	----	----	360.00B/----	360.00B/292.00A	----	355.50 + 76.00	.6743	----	----	----	----	79 UNCH
4595	----	----	356.80B/----	356.80B/289.00A	----	352.10 + 75.40	.6712	----	----	----	----	13 UNCH
4600	301.60	301.60	353.50B/286.10A	353.50B/286.10A	----	348.80 + 74.90	.6680	----	----	52	----	5235 - 2
4605	305.00	305.00	350.40B/283.00A	350.40B/283.00A	----	345.60 + 74.50	.6648	----	----	4	----	153 - 2
4610	----	----	347.00B/----	347.00B/280.50A	----	342.30 + 73.90	.6616	----	----	----	----	2 UNCH
4615	----	----	343.90B/----	343.90B/277.70A	----	339.00 + 73.40	.6584	----	----	----	----	3 UNCH
4620	----	----	340.60B/----	340.60B/274.20A	----	335.80 + 72.90	.6552	----	----	----	----	15 UNCH
4625	----	----	337.50B/----	337.50B/272.20A	----	332.60 + 72.40	.6520	----	----	1	----	193 + 1
4630	----	----	334.30B/----	334.30B/269.50A	----	329.40 + 71.90	.6487	----	----	25	----	56 - 13
4635	----	----	330.90B/----	330.90B/266.80A	----	326.20 + 71.40	.6455	----	----	----	----	6 UNCH
4640	----	----	328.00B/----	328.00B/264.10A	----	323.10 + 70.90	.6422	----	----	----	----	20 UNCH
4645	----	----	324.50B/----	324.50B/261.20A	----	319.90 + 70.40	.6389	----	----	----	----	9 UNCH
4650	320.00	320.00	321.70B/320.00	321.70B/258.70A	----	316.80 + 69.90	.6356	----	----	128	----	1015 - 33
4655	----	----	318.50B/----	318.50B/256.00A	----	313.70 + 69.40	.6323	----	----	1	----	28 UNCH
4660	----	----	315.20B/----	315.20B/253.40A	----	310.60 + 68.80	.6289	----	----	----	----	7 UNCH
4665	----	----	312.10B/----	312.10B/250.80A	----	307.50 + 68.30	.6256	----	----	----	----	1 UNCH
4670	----	----	309.30B/----	309.30B/248.30A	----	304.50 + 67.80	.6223	----	----	----	----	151 UNCH
4675	----	----	306.40B/----	306.40B/245.70A	----	301.40 + 67.20	.6189	----	----	----	----	476 UNCH
4680	----	----	303.20B/----	303.20B/243.20A	----	298.40 + 66.70	.6155	----	----	----	----	224 UNCH
4685	----	----	300.20B/----	300.20B/240.70A	----	295.40 + 66.20	.6121	----	----	----	----	32 UNCH
4690	----	----	297.20B/----	297.20B/238.20A	----	292.40 + 65.60	.6087	----	----	----	----	19 UNCH
4695	----	----	294.30B/----	294.30B/235.70A	----	289.50 + 65.20	.6053	----	----	----	----	20 UNCH
4700	258.00	258.00	291.40B/257.00	291.40B/233.00A	----	286.50 + 64.60	.6019	----	----	162	----	3338 + 2
4705	----	----	288.00B/----	288.00B/230.70A	----	283.60 + 64.10	.5985	----	----	----	----	3 UNCH
4710	----	----	285.30B/----	285.30B/228.40A	----	280.70 + 63.50	.5950	----	----	3	----	13 + 2
4715	----	----	282.30B/----	282.30B/225.90A	----	277.80 + 63.00	.5916	----	----	----	----	8 UNCH
4720	231.30	231.30	279.70B/223.60A	279.70B/223.60A	----	275.00 + 62.50	.5881	----	----	1	----	220 UNCH
4725	----	----	276.90B/----	276.90B/221.10A	----	272.10 + 61.90	.5846	----	----	----	----	292 UNCH
4730	----	----	273.70B/----	273.70B/218.80A	----	269.30 + 61.40	.5812	----	----	----	----	5 UNCH
4735	240.00	240.00	271.10B/216.50A	271.10B/216.50A	----	266.50 + 60.90	.5777	----	----	3	----	87 + 1
4740	221.70	221.70	268.30B/213.50A	268.30B/213.50A	----	263.70 + 60.40	.5742	----	----	1	----	9 UNCH
4745	----	----	265.50B/----	265.50B/211.40A	----	261.00 + 59.90	.5707	----	----	----	----	12 UNCH
4750	217.00	217.00	262.90B/207.90A	262.90B/207.90A	----	258.20 + 59.30	.5672	----	----	42	----	1515 + 26
4755	----	----	260.00B/----	260.00B/207.00A	----	255.50 + 58.80	.5637	----	----	----	----	101 UNCH
4760	----	----	257.30B/----	257.30B/204.60A	----	252.80 + 58.30	.5601	----	----	4	----	54 + 1
4765	----	----	254.60B/----	254.60B/202.50A	----	250.10 + 57.80	.5566	----	----	1	----	36 UNCH
4770	225.00	225.00	251.90B/225.00	251.90B/200.20A	----	247.40 + 57.20	.5531	----	----	3	----	39 + 3
4775	----	----	249.30B/----	249.30B/198.00A	----	244.80 + 56.70	.5495	----	----	75	----	252 + 75
4780	229.90	229.90	246.60B/229.90	246.60B/195.90A	----	242.20 + 56.20	.5460	----	----	4	----	95 UNCH
4785	220.20	220.20	244.00B/220.20	244.00B/193.80A	----	239.60 + 55.70	.5425	----	----	4	----	24 UNCH
4790	199.00	199.00	241.40B/191.50A	241.40B/191.50A	----	237.00 + 55.20	.5389	----	----	1	----	24 UNCH
4795	215.20	215.20	238.80B/215.20	238.80B/189.50A	----	234.40 + 54.60	.5353	----	----	4	----	30 - 4
4800	211.00	211.00	236.30B/186.20A	236.30B/186.20A	----	231.90 + 54.10	.5318	----	----	200	----	2707 + 55
4805	----	----	233.70B/----	233.70B/185.40A	----	229.40 + 53.60	.5282	----	----	----	----	6 UNCH
4810	198.40	198.40	231.10B/183.20A	231.10B/183.20A	----	226.90 + 53.10	.5247	----	----	7	----	24 + 3
4815	224.20	224.20	228.70B/223.70	228.70B/181.40A	----	224.40 + 52.60	.5211	----	----	41	----	43 + 38
4820	204.40	204.40	226.20B/204.40	226.20B/179.30A	----	221.90 + 52.00	.5175	----	----	9	----	38 + 9
4825	----	----	223.70B/----	223.70B/177.40A	----	219.50 + 51.60	.5140	----	----	2	----	92 + 2
4830	190.00	190.00	221.30B/175.10A	221.30B/175.10A	----	217.10 + 51.10	.5104	----	----	11	----	102 + 1
4835	----	----	218.80B/----	218.80B/173.40A	----	214.70 + 50.60	.5069	----	----	----	----	2 UNCH
4840	213.00	213.00	216.40B/213.00	216.40B/171.50A	----	212.30 + 50.00	.5033	----	----	1	----	37 + 1
4845	----	----	214.00B/----	214.00B/169.60A	----	209.90 + 49.50	.4997	----	----	6	----	11 + 5
4850	179.10	179.10	211.70B/179.10	211.70B/166.30A	----	207.60 + 49.00	.4962	----	----	234	210	548 + 135
4855	----	----	209.30B/----	209.30B/165.80A	----	205.30 + 48.50	.4926	----	----	14	----	142 + 6
4860	186.50	186.50	207.00B/184.20	207.00B/163.90A	----	203.00 + 48.00	.4891	----	----	8	----	47 - 1
4865	205.00	205.00	205.00/205.00	205.00/162.00A	----	200.70 + 47.50	.4855	----	----	4	----	22 UNCH
4870	168.10	168.10	202.40B/160.10A	202.40B/160.10A	----	198.50 + 47.10	.4820	----	----	1	----	10 UNCH
4875	----	----	200.10B/----	200.10B/158.40A	----	196.20 + 46.50	.4784	----	----	----	----	120 UNCH
4880	175.90	175.90	197.80B/175.90	197.80B/156.60A	----	194.00 + 46.00	.4749	----	----	3	----	32 UNCH
4885	----	----	195.60B/----	195.60B/154.90A	----	191.80 + 45.60	.4714	----	----	----	----	246 UNCH
4890	172.00	172.00	193.40B/153.10A	193.40B/153.10A	----	189.60 + 45.00	.4678	----	----	33	----	93 + 33
4895	----	----	191.20B/----	191.20B/151.30A	----	187.50 + 44.60	.4643	----	----	----	----	195 UNCH
4900	152.00	152.00	189.00B/149.60A	189.00B/149.60A	----	185.30 + 44.10	.4608	----	----	476	200	3294 + 373
4905	165.50	165.50	186.80B/165.50	186.80B/147.90A	----	183.20 + 43.60	.4573	----	----	2	----	8 + 2
4910	----	----	184.70B/----	184.70B/146.20A	----	181.10 + 43.10	.4538	----	----	----	----	25 UNCH
4915	----	----	182.50B/----	182.50B/144.60A	----	179.00 + 42.60	.4503	----	----	----	----	40 UNCH
4920	----	----	180.40B/----	180.40B/143.00A	----	176.90 + 42.10	.4468	----	----	29	----	108 + 28
4925	173.80	173.80	178.30B/173.80	178.30B/141.30A	----	174.90 + 41.70	.4433	----	----	1	----	38 + 1
4930	155.50	155.50	176.20B/155.50	176.20B/139.80A	----	172.90 + 41.20	.4398	----	----	8	----	176 - 7
4935	154.10	154.10	174.20B/154.10	174.20B/138.10A	----	170.80 + 40.70	.4363	----	----	1	----	6 + 1
4940	----	----	172.20B/----	172.20B/136.50A	----	168.90 + 40.30	.4329	----	----	29	----	102 UNCH
4945	154.20	154.20	170.20B/154.20	170.20B/135.10A	----	166.90 + 39.80	.4294	----	----	1	----	192 - 1
4950	142.00	142.00	168.20B/142.00	168.20B/133.40A	----	164.90 + 39.30	.4260	----	----	108	----	717 - 44
4955	----	----	166.20B/----	166.20B/132.00A	----	163.00 + 38.80	.4225	----	----	----	----	33 UNCH
4960	162.80	162.80	164.20B/162.80	164.20B/130.50A	----	161.10 + 38.40	.4191	----	----	1	----	188 UNCH
4965	----	----	162.30B/----	162.30B/129.00A	----	159.20 + 37.90	.4157	----	----	----	----	37 UNCH
4970	144.50	144.50	160.40B/144.50	160.40B/127.40A	----	157.30 + 37.40	.4123	----	----	25	----	44 + 1
4975	----	----	158.50B/----	158.50B/125.90A	----	155.40 + 36.90	.4089	----	----	76	----	246 + 75
4980	----	----	156.60B/----	156.60B/124.60A	----	153.50 + 36.40	.4054	----	----	----	----	74 UNCH
4985	138.70	138.70	154.70B/138.70	154.70B/123.00A	----	151.70 + 36.00	.4021	----	----	2	----	114 UNCH
4990	----	----	152.90B/----	152.90B/121.60A	----	149.90 + 35.60	.3987	----	----	516	----	1142 - 306
4995	----	----	151.00B/----	151.00B/120.20A	----	148.10 + 35.10	.3954	----	----	----	----	41 UNCH
5000	132.80	132.80	149.30/116.80	149.30/116.80	----	146.30 + 34.60	.3920	----	----	1688	295	6909 - 455
5005	----	----	147.50B/----	147.50B/117.50A	----	144.50 + 34.10	.3886	----	----	----	----	303 UNCH
5010	141.70	141.70	145.70B/141.70	145.70B/116.10A	----	142.80 + 33.70	.3853	----	----	1	----	89 + 1
5015	140.10	140.10	143.90B/140.10	143.90B/114.80A	----	141.00 + 33.20	.3820	----	----	1	----	67 UNCH
5020	139.10	139.10	142.20B/138.40	142.20B/113.50A	----	139.30 + 32.80	.3787	----	----	5	----	461 + 3
5025	----	----	140.50B/----	140.50B/112.10A	----	137.60 + 32.30	.3754	----	----	----	----	44 UNCH
5030	----	----	138.80B/----	138.80B/110.90A	----	135.90 + 31.90	.3721	----	----	----	----	111 UNCH
5035	137.50	137.50	137.50/134.90	137.50/109.60A	----	134.30 + 31.50	.3689	----	----	3	----	22 UNCH
5040	----	----	135.40B/----	135.40B/108.30A	----	132.60 + 31.00	.3656	----	----	1	----	49 - 1
5045	----	----	133.70B/----	133.70B/107.20A	----	131.00 + 30.60	.3624	----	----	----	----	17 UNCH
5050	128.70	128.70	132.10B/128.70	132.10B/105.80A	----	129.40 + 30.20	.3591	----	----	66	----	999 + 40
5055	127.20	127.20	130.50B/127.20	130.50B/104.60A	----	127.80 + 29.70	.3559	----	----	1	----	3 + 1
5060	----	----	128.90B/----	128.90B/103.40A	----	126.20 + 29.30	.3527	----	----	----	----	84 UNCH
5065	124.10	124.10	127.30B/124.10	127.30B/102.20A	----	124.70 + 28.90	.3496	----	----	1	----	9 + 1
5070	----	----	125.80B/----	125.80B/101.00A	----	123.10 + 28.50	.3464	----	----	----	----	75 UNCH
5075	123.30	123.30	124.20B/121.30	124.20B/99.90A	----	121.60 + 28.10	.3432	----	----	5	----	712 + 3
5080	----	----	122.70B/----	122.70B/98.70A	----	120.10 + 27.70	.3401	----	----	----	----	154 UNCH
5085	----	----	121.20B/----	121.20B/97.60A	----	118.60 + 27.30	.3370	----	----	----	----	129 UNCH
5090	----	----	119.70B/----	119.70B/96.50A	----	117.20 + 26.90	.3340	----	----	----	----	46 UNCH
5095	----	----	118.20B/----	118.20B/95.40A	----	115.70 + 26.50	.3308	----	----	----	----	57 UNCH
5100	105.50	105.50	117.50/105.50	117.50/94.30A	----	114.30 + 26.20	.3278	----	----	436	100	4226 - 334
5105	----	----	115.30B/----	115.30B/93.20A	----	112.90 + 25.80	.3248	----	----	4	----	37 - 4
5110	----	----	113.90B/----	113.90B/92.10A	----	111.50 + 25.40	.3218	----	----	1	----	104 + 1
5115	----	----	112.40B/----	112.40B/91.00A	----	110.10 + 25.00	.3187	----	----	----	----	65 UNCH
5120	----	----	111.00B/----	111.00B/90.00A	----	108.70 + 24.60	.3157	----	----	----	----	53 UNCH
5125	----	----	109.70B/----	109.70B/89.00A	----	107.40 + 24.30	.3128	----	----	3	----	211 UNCH
5130	105.70	105.70	108.30B/105.70	108.30B/88.00A	----	106.00 + 23.90	.3098	----	----	1	----	43 + 1
5135	106.10	106.10	106.90B/106.10	106.90B/86.90A	----	104.70 + 23.50	.3069	----	----	1	----	46 + 1
5140	----	----	105.60B/----	105.60B/85.90A	----	103.40 + 23.20	.3040	----	----	1	----	31 UNCH
5145	101.90	101.90	104.30B/101.90	104.30B/85.00A	----	102.10 + 22.80	.3011	----	----	1	----	9 UNCH
5150	93.40	93.40	103.00B/93.40	103.00B/84.00A	----	100.80 + 22.40	.2982	----	----	249	420	1601 + 396
5155	----	----	101.70B/----	101.70B/83.00A	----	99.60 + 22.20	.2954	----	----	----	----	21 UNCH
5160	----	----	100.40B/----	100.40B/82.10A	----	98.30 + 21.80	.2925	----	----	----	----	89 UNCH
5165	98.40	98.40	99.20B/98.40	99.20B/81.10A	----	97.10 + 21.50	.2897	----	----	1	----	111 + 1
5170	94.30	94.30	97.90B/94.30	97.90B/80.20A	----	95.90 + 21.10	.2869	----	----	1	----	45 UNCH
5175	----	----	96.70B/----	96.70B/79.30A	----	94.70 + 20.80	.2841	----	----	5	----	42 - 2
5180	----	----	95.50B/----	95.50B/78.40A	----	93.50 + 20.50	.2813	----	----	25	----	41 - 12
5185	92.00	92.00	94.30B/92.00	94.30B/77.50A	----	92.30 + 20.10	.2786	----	----	3	----	71 + 2
5190	----	----	93.10B/----	93.10B/76.60A	----	91.10 + 19.70	.2758	----	----	1	----	25 UNCH
5195	79.00	79.00	92.00B/79.00	92.00B/75.70A	----	90.00 + 19.50	.2731	----	----	2	----	18 + 2
5200	85.00	85.00	90.90B/79.00	90.90B/74.60A	----	88.80 + 19.10	.2703	----	----	1278	----	6876 + 142
5205	----	----	89.70B/----	89.70B/73.90A	----	87.70 + 18.80	.2677	----	----	----	----	15 UNCH
5210	----	----	88.60B/----	88.60B/73.00A	----	86.60 + 18.50	.2651	----	----	----	----	3045 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5215	86.90	86.90	87.40B/86.10	87.40B/72.10A	----	85.50 + 18.10	.2624	----	----	2	----	50 + 1
5220	84.30	84.30	86.40B/84.30	86.40B/71.40A	----	84.40 + 17.80	.2598	----	----	3	----	149 UNCH
5225	----	----	85.30B/----	85.30B/70.50A	----	83.30 + 17.50	.2571	----	----	1	----	281 UNCH
5230	----	----	84.20B/----	84.20B/69.70A	----	82.30 + 17.20	.2546	----	----	----	----	105 UNCH
5235	80.90	80.90	83.20B/80.90	83.20B/68.90A	----	81.20 + 16.80	.2520	----	----	4	----	143 + 4
5240	----	----	82.10B/----	82.10B/68.10A	----	80.20 + 16.60	.2495	----	----	----	----	58 UNCH
5245	80.60	80.60	81.10B/80.60	81.10B/67.30A	----	79.20 + 16.30	.2470	----	----	1	----	17 + 1
5250	72.50	72.50	80.10B/71.50	80.10B/66.10A	----	78.20 + 16.00	.2445	----	----	36	226	3523 + 28
5255	72.70	72.70	79.10B/72.70	79.10B/65.60A	----	77.20 + 15.70	.2420	----	----	3	----	69 + 3
5260	77.60	77.60	78.10B/77.60	78.10B/64.70A	----	76.20 + 15.40	.2395	----	----	2	----	368 + 2
5265	----	----	77.10B/----	77.10B/64.20A	----	75.20 + 15.10	.2370	----	----	----	----	28 UNCH
5270	74.50	74.50	76.10B/74.40	76.10B/63.50A	----	74.30 + 14.90	.2347	----	----	3	----	46 UNCH
5275	69.00	69.00	75.20B/62.70A	75.20B/62.70A	----	73.30 + 14.50	.2322	----	----	32	----	29 UNCH
5280	73.70	73.70	74.30B/73.70	74.30B/61.90A	----	72.40 + 14.30	.2299	----	----	1	----	72 + 1
5285	----	----	73.30B/----	73.30B/61.20A	----	71.50 + 14.00	.2275	----	----	----	----	168 UNCH
5290	----	----	72.40B/----	72.40B/60.60A	----	70.60 + 13.80	.2252	----	----	----	----	35 UNCH
5295	----	----	71.50B/----	71.50B/59.80A	----	69.70 + 13.50	.2229	----	----	----	----	83 UNCH
5300	65.80	65.80	70.60B/65.80	70.60B/58.80A	----	68.80 + 13.20	.2206	----	----	93	200	4793 + 260
5305	68.70	68.70	70.00/68.70	70.00/58.40A	----	67.90 + 12.90	.2182	----	----	314	----	449 + 287
5310	----	----	68.90B/----	68.90B/57.70A	----	67.10 + 12.70	.2161	----	----	----	----	103 UNCH
5315	----	----	68.00B/----	68.00B/57.00A	----	66.20 + 12.40	.2137	----	----	----	----	64 UNCH
5320	66.60	66.60	67.20B/66.00	67.20B/56.30A	----	65.40 + 12.20	.2116	----	----	3	----	127 + 1
5325	64.60	64.60	66.40B/64.60	66.40B/55.60A	----	64.60 + 12.00	.2094	----	----	4	----	65 + 4
5330	56.00	56.00	65.50B/55.00A	65.50B/55.00A	----	63.70 + 11.70	.2071	----	----	25	----	50 + 25
5335	64.10	64.10	64.70B/64.10	64.70B/54.30A	----	62.90 + 11.50	.2050	----	----	1	----	2 - 1
5340	58.30	58.30	63.90B/58.30	63.90B/53.60A	----	62.20 + 11.30	.2030	----	----	6	----	66 + 2
5345	----	----	63.10B/----	63.10B/53.00A	----	61.40 + 11.10	.2008	----	----	----	----	12 UNCH
5350	51.80	51.80	62.30B/51.80	62.30B/51.80	----	60.60 + 10.80	.1987	----	----	70	----	1254 + 26
5355	58.90	58.90	61.60B/58.90	61.60B/51.80A	----	59.80 + 10.60	.1965	----	----	1	----	12 UNCH
5360	----	----	60.80B/----	60.80B/51.20A	----	59.10 + 10.40	.1946	----	----	----	----	48 UNCH
5365	----	----	60.10B/----	60.10B/50.50A	----	58.40 + 10.20	.1926	----	----	----	----	6 UNCH
5370	59.40	59.40	59.40/59.40	59.40/50.00A	----	57.60 + 10.00	.1905	----	----	10	----	65 UNCH
5375	54.00	54.00	58.60B/53.90	58.60B/49.40A	----	56.90 + 9.80	.1885	----	----	12	----	54 + 6
5380	----	----	57.90B/----	57.90B/48.80A	----	56.20 + 9.60	.1865	----	----	----	----	93 UNCH
5385	----	----	57.10B/----	57.10B/48.20A	----	55.50 + 9.40	.1846	----	----	----	----	4 UNCH
5390	----	----	56.40B/----	56.40B/47.60A	----	54.80 + 9.20	.1826	----	----	4	----	57 UNCH
5395	55.90	55.90	55.90/53.40	55.90/47.00A	----	54.20 + 9.10	.1809	----	----	16	----	40 + 16
5400	53.40	53.40	55.10B/46.50A	55.10B/46.50A	----	53.50 + 8.90	.1789	----	----	496	----	5101 - 23
5405	----	----	54.40B/----	54.40B/45.90A	----	52.80 + 8.70	.1770	----	----	----	----	73 UNCH
5410	----	----	53.70B/----	53.70B/45.40A	----	52.20 + 8.50	.1752	----	----	----	----	15 UNCH
5415	50.30	50.30	53.10B/44.90A	53.10B/44.90A	----	51.50 + 8.30	.1733	----	----	2	----	15 + 2
5420	50.50	50.50	52.40B/50.50	52.40B/44.40A	----	50.90 + 8.20	.1715	----	----	39	----	41 + 4
5425	49.30	49.30	51.80B/49.30	51.80B/43.80A	----	50.30 + 8.00	.1698	----	----	1	----	125 + 1
5430	47.30	47.30	51.20B/43.30A	51.20B/43.30A	----	49.70 + 7.90	.1680	----	----	6	----	77 + 1
5435	----	----	50.50B/----	50.50B/42.80A	----	49.10 + 7.70	.1663	----	----	----	----	12 UNCH
5440	----	----	50.00B/----	50.00B/42.30A	----	48.50 + 7.50	.1645	----	----	1	----	86 UNCH
5445	----	----	49.40B/----	49.40B/41.90A	----	47.90 + 7.40	.1628	----	----	----	----	27 UNCH
5450	45.40	45.40	48.80B/45.40	48.80B/41.40A	----	47.30 + 7.20	.1610	----	----	152	210	1615 + 219
5455	----	----	48.20B/----	48.20B/40.90A	----	46.70 + 7.00	.1593	----	----	----	----	1 UNCH
5460	----	----	47.60B/----	47.60B/40.50A	----	46.20 + 6.90	.1577	----	----	----	----	91 UNCH
5465	----	----	47.10B/----	47.10B/40.00A	----	45.60 + 6.70	.1560	----	----	----	----	30 UNCH
5470	44.60	44.60	46.50B/44.60	46.50B/39.50A	----	45.10 + 6.70	.1545	----	----	9	----	30 + 2
5475	44.50	44.50	46.00B/44.50	46.00B/39.10A	----	44.50 + 6.40	.1527	----	----	2	----	59 + 2
5480	43.10	43.10	45.40B/43.10	45.40B/38.70A	----	44.00 + 6.30	.1512	----	----	1	----	38 + 1
5485	----	----	44.90B/----	44.90B/38.20A	----	43.50 + 6.20	.1497	----	----	----	----	9 UNCH
5490	----	----	44.40B/----	44.40B/37.80A	----	42.90 + 6.00	.1480	----	----	----	----	172 UNCH
5495	39.30	39.30	43.90B/37.40A	43.90B/37.40A	----	42.40 + 5.90	.1464	----	----	4	----	57 + 4
5500	40.00	40.00	43.50B/36.90A	43.50B/36.90A	----	41.90 + 5.80	.1449	----	----	753	454	6182 + 183
5505	----	----	43.10B/----	43.10B/36.50A	----	41.40 + 5.60	.1434	----	----	----	----	11 UNCH
5510	----	----	42.50B/----	42.50B/36.10A	----	40.90 + 5.50	.1419	----	----	----	----	185 UNCH
5515	36.70	36.70	42.10B/35.70A	42.10B/35.70A	----	40.50 + 5.40	.1406	----	----	20	----	38 + 14
5520	38.40	38.40	41.60B/38.40	41.60B/35.30A	----	40.00 + 5.30	.1391	----	----	10	----	27 + 5
5525	39.10	39.10	41.20B/38.80	41.20B/34.90A	----	39.50 + 5.10	.1376	----	----	5	----	163 + 2
5530	----	----	40.60B/----	40.60B/34.60A	----	39.10 + 5.10	.1363	----	----	----	----	39 UNCH
5535	38.70	38.70	40.30B/38.70	40.30B/34.20A	----	38.60 + 4.90	.1348	----	----	4	----	7 + 4
5540	----	----	39.80B/----	39.80B/33.80A	----	38.20 + 4.90	.1335	----	----	----	----	260 UNCH
5545	35.20	35.20	39.40B/33.50A	39.40B/33.50A	----	37.70 + 4.70	.1320	----	----	1	----	17 + 1
5550	37.20	37.20	39.20B/36.30	39.20B/33.20A	----	37.30 + 4.60	.1307	----	----	6	----	770 UNCH
5555	----	----	38.70B/----	38.70B/32.80A	----	36.90 + 4.50	.1294	----	----	----	----	1 UNCH
5560	36.40	36.40	38.10B/36.40	38.10B/32.50A	----	36.40 + 4.30	.1279	----	----	12	----	32 UNCH
5570	35.20	35.20	37.10B/35.20	37.10B/31.80A	----	35.60 + 4.10	.1254	----	----	5	----	21 + 4
5575	----	----	36.90B/----	36.90B/31.40A	----	35.20 + 4.00	.1241	----	----	----	----	19 UNCH
5580	----	----	36.40B/----	36.40B/31.10A	----	34.80 + 3.90	.1228	----	----	----	----	11 UNCH
5585	----	----	36.20B/----	36.20B/30.80A	----	34.40 + 3.80	.1216	----	----	----	----	11 UNCH
5590	----	----	35.60B/----	35.60B/30.50A	----	34.00 + 3.70	.1203	----	----	----	----	94 UNCH
5595	----	----	35.50B/----	35.50B/30.20A	----	33.60 + 3.60	.1190	----	----	----	----	30 UNCH
5600	32.00	32.00	35.10B/32.00	35.10B/29.80A	----	33.30 + 3.60	.1180	----	----	345	----	2520 - 152
5610	32.40	32.40	34.30B/32.40	34.30B/29.20A	----	32.50 + 3.30	.1155	----	----	7	----	69 UNCH
5620	31.60	31.60	33.60B/31.40	33.60B/28.70A	----	31.80 + 3.20	.1132	----	----	30	----	49 UNCH
5625	----	----	33.30B/----	33.30B/28.40A	----	31.50 + 3.10	.1122	----	----	----	----	402 UNCH
5630	----	----	33.00B/----	33.00B/28.10A	----	31.10 + 3.00	.1109	----	----	----	----	203 UNCH
5640	29.80	29.80	32.30B/27.50A	32.30B/27.50A	----	30.40 + 2.80	.1086	----	----	2	----	70 UNCH
5650	28.20	28.20	31.70B/27.00A	31.70B/27.00A	----	29.80 + 2.70	.1066	----	----	48	----	709 - 3
5660	29.60	29.60	30.90B/26.40A	30.90B/26.40A	----	29.20 + 2.60	.1046	----	----	6	----	41 UNCH
5665	----	----	30.60B/26.20A	30.60B/26.20A	----	28.80 + 2.40	.1034	----	----	----	----	3 UNCH
5670	27.90	27.90	30.30B/27.90	30.30B/26.10A	----	28.50 + 2.40	.1024	----	----	3	----	121 UNCH
5675	----	----	29.90B/25.80A	29.90B/25.80A	----	28.20 + 2.30	.1014	----	----	----	----	21 UNCH
5680	28.50	28.50	29.70B/25.60A	29.70B/25.60A	----	27.90 + 2.20	.1003	----	----	9	----	52 - 4
5690	----	----	29.30B/25.10A	29.30B/25.10A	----	27.30 + 2.10	.0984	----	----	----	----	147 UNCH
5700	27.10	27.10	28.70B/24.40A	28.70B/24.40A	----	26.80 + 2.00	.0966	----	----	259	75	1837 + 132
5710	----	----	28.10B/24.00A	28.10B/24.00A	----	26.20 + 1.90	.0946	----	----	----	----	40 UNCH
5720	----	----	27.60B/23.50A	27.60B/23.50A	----	25.70 + 1.80	.0929	----	----	----	----	17 UNCH
5725	----	----	27.40B/23.30A	27.40B/23.30A	----	25.40 + 1.70	.0919	----	----	----	----	2 UNCH
5730	----	----	27.10B/23.00A	27.10B/23.00A	----	25.20 + 1.70	.0912	----	----	----	----	59 UNCH
5740	----	----	26.50B/22.60A	26.50B/22.60A	----	24.70 + 1.60	.0895	----	----	----	----	51 UNCH
5750	----	----	26.00B/22.20A	26.00B/22.20A	----	24.20 + 1.50	.0877	----	----	20	343	1672 + 85
5760	----	----	25.50B/21.80A	25.50B/21.80A	----	23.70 + 1.40	.0860	----	----	----	----	12 UNCH
5770	22.70	22.70	25.10B/21.40A	25.10B/21.40A	----	23.20 + 1.30	.0844	----	----	1	----	30 + 1
5775	----	----	24.70B/21.20A	24.70B/21.20A	----	23.00 + 1.30	.0836	----	----	100	----	195 + 50
5780	----	----	24.50B/21.00A	24.50B/21.00A	----	22.80 + 1.30	.0829	----	----	----	----	219 UNCH
5790	----	----	24.10B/20.60A	24.10B/20.60A	----	22.30 + 1.10	.0812	----	----	----	----	11 UNCH
5800	22.60	22.60	23.70B/20.20A	23.70B/20.20A	----	21.90 + 1.10	.0798	----	----	20	----	3038 + 19
5810	21.40	21.40	23.20B/19.90A	23.20B/19.90A	----	21.50 + 1.00	.0784	----	----	5	----	258 + 4
5820	----	----	22.80B/19.50A	22.80B/19.50A	----	21.10 + 0.90	.0770	----	----	----	----	18 UNCH
5825	----	----	22.60B/19.40A	22.60B/19.40A	----	20.90 + 0.90	.0763	----	----	----	----	17 UNCH
5830	----	----	22.40B/19.20A	22.40B/19.20A	----	20.70 + 0.90	.0756	----	----	----	----	14 UNCH
5840	20.10	20.10	21.80B/18.80A	21.80B/18.80A	----	20.30 + 0.80	.0742	----	----	1	----	22 + 1
5850	----	----	21.40B/18.50A	21.40B/18.50A	----	19.90 + 0.70	.0728	----	----	----	----	431 UNCH
5860	----	----	21.00B/18.20A	21.00B/18.20A	----	19.50 + 0.60	.0714	----	----	----	----	20 UNCH
5870	19.90	19.90	20.60B/17.90A	20.60B/17.90A	----	19.20 + 0.60	.0703	----	----	2	----	32 + 2
5875	----	----	20.50B/17.70A	20.50B/17.70A	----	19.00 + 0.60	.0696	----	----	----	----	191 UNCH
5880	----	----	20.30B/17.50A	20.30B/17.50A	----	18.80 + 0.50	.0689	----	----	----	----	17 UNCH
5890	----	----	20.00B/17.20A	20.00B/17.20A	----	18.50 + 0.50	.0678	----	----	----	----	127 UNCH
5900	18.50	18.50	19.60B/16.90A	19.60B/16.90A	----	18.10 + 0.40	.0664	----	----	405	----	1373 - 231
5910	----	----	19.30B/16.70A	19.30B/16.70A	----	17.80 + 0.40	.0653	----	----	----	----	10 UNCH
5920	----	----	18.90B/16.40A	18.90B/16.40A	----	17.50 + 0.30	.0642	----	----	2	----	38 - 2
5930	----	----	18.50B/16.10A	18.50B/16.10A	----	17.20 + 0.30	.0631	----	----	----	----	58 UNCH
5940	----	----	18.20B/15.90A	18.20B/15.90A	----	16.90 + 0.30	.0620	----	----	----	----	3 UNCH
5950	----	----	17.90B/15.60A	17.90B/15.60A	----	16.60 + 0.20	.0610	----	----	----	----	165 UNCH
5960	16.10	16.10	17.60B/15.40A	17.60B/15.40A	----	16.30 + 0.20	.0599	----	----	5	----	28 + 5
5970	----	----	17.40B/15.10A	17.40B/15.10A	----	16.10 + 0.20	.0591	----	----	----	----	34 UNCH
5980	----	----	17.10B/14.90A	17.10B/14.90A	----	15.80 + 0.10	.0580	----	----	----	----	6 UNCH
5990	----	----	16.80B/14.70A	16.80B/14.70A	----	15.50 + 0.10	.0569	----	----	----	----	4 UNCH
6000	14.30	14.30	16.40B/14.30	16.40B/14.30	----	15.30 + 0.10	.0562	----	----	189	360	7359 + 89
6010	----	----	16.20B/14.20A	16.20B/14.20A	----	15.00 UNCH	.0551	----	----	----	----	9 UNCH
6020	----	----	15.90B/14.00A	15.90B/14.00A	----	14.80 UNCH	.0543	----	----	----	----	23 UNCH
6030	14.10	14.10	15.60B/13.80A	15.60B/13.80A	----	14.50 - 0.10	.0533	----	----	4	----	26 UNCH
6040	----	----	15.40B/13.60A	15.40B/13.60A	----	14.30 - 0.10	.0525	----	----	----	----	26 UNCH
6050	----	----	15.10B/13.40A	15.10B/13.40A	----	14.10 - 0.10	.0517	----	----	----	----	276 UNCH
6060	----	----	14.90B/13.10A	14.90B/13.10A	----	13.80 - 0.20	.0507	----	----	----	----	31 UNCH
6070	----	----	14.70B/12.90A	14.70B/12.90A	----	13.60 - 0.20	.0499	----	----	----	----	34 UNCH
6080	----	----	14.50B/12.80A	14.50B/12.80A	----	13.40 - 0.20	.0492	----	----	----	----	9 UNCH
6090	----	----	14.20B/12.60A	14.20B/12.60A	----	13.20 - 0.20	.0484	----	----	----	----	17 UNCH
6100	----	----	14.00B/12.40A	14.00B/12.40A	----	13.00 - 0.20	.0477	----	----	----	----	2403 UNCH
6110	----	----	13.70B/12.20A	13.70B/12.20A	----	12.80 - 0.20	.0469	----	----	----	----	65 UNCH
6120	12.30	12.30	13.60B/12.00A	13.60B/12.00A	----	12.60 - 0.20	.0462	----	----	1	----	11 + 1
6125	----	----	13.40B/11.90A	13.40B/11.90A	----	12.50 - 0.30	.0458	----	----	2	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6130	----	----	13.40B/11.90A	13.40B/11.90A	----	12.40 - 0.30	.0455	----	----	----	----	10 UNCH
6140	----	----	13.20B/11.70A	13.20B/11.70A	----	12.20 - 0.30	.0447	----	----	----	----	8 UNCH
6150	11.90	11.90	12.90B/11.50A	12.90B/11.50A	----	12.00 - 0.30	.0440	----	----	5	----	511 + 4
6160	----	----	12.80B/11.40A	12.80B/11.40A	----	11.90 - 0.30	.0435	----	----	----	----	130 UNCH
6170	----	----	12.60B/11.20A	12.60B/11.20A	----	11.70 - 0.30	.0428	----	----	1	----	17 UNCH
6180	----	----	12.30B/11.10A	12.30B/11.10A	----	11.50 - 0.40	.0421	----	----	----	----	75 UNCH
6190	----	----	12.20B/10.90A	12.20B/10.90A	----	11.30 - 0.40	.0414	----	----	----	----	2 UNCH
6200	11.60	11.60	12.00/10.80A	12.00/10.80A	----	11.20 - 0.30	.0409	----	----	177	----	3980 - 78
6210	----	----	11.80B/10.60A	11.80B/10.60A	----	11.00 - 0.40	.0402	----	----	----	----	53 UNCH
6220	----	----	11.60B/10.50A	11.60B/10.50A	----	10.90 - 0.40	.0398	----	----	----	----	7 UNCH
6230	10.30	10.30	11.50B/10.20	11.50B/10.20	----	10.70 - 0.40	.0391	----	----	4	----	63 + 1
6240	9.90	9.90	11.30B/9.90	11.30B/9.90	----	10.50 - 0.50	.0384	----	----	1	----	21 + 1
6250	----	----	11.20B/10.00A	11.20B/10.00A	----	10.40 - 0.40	.0379	----	----	----	----	1304 UNCH
6260	----	----	11.00B/9.90A	11.00B/9.90A	----	10.30 - 0.40	.0375	----	----	----	----	8 UNCH
6270	----	----	10.90B/9.80A	10.90B/9.80A	----	10.10 - 0.50	.0368	----	----	----	----	146 UNCH
6280	----	----	10.70B/9.60A	10.70B/9.60A	----	10.00 - 0.40	.0364	----	----	----	----	12 UNCH
6290	----	----	10.60B/9.50A	10.60B/9.50A	----	9.80 - 0.50	.0357	----	----	----	----	19 UNCH
6300	10.20	10.20	10.40B/9.40A	10.40B/9.40A	----	9.70 - 0.50	.0353	----	----	21	----	2533 - 7
6310	----	----	10.30B/9.30A	10.30B/9.30A	----	9.60 - 0.50	.0349	----	----	----	----	2 UNCH
6320	----	----	10.20B/9.20A	10.20B/9.20A	----	9.40 - 0.50	.0342	----	----	----	----	24 UNCH
6330	9.00	9.00	10.00B/9.00	10.00B/9.00	----	9.30 - 0.50	.0338	----	----	8	----	25 - 2
6340	8.80	8.80	9.90B/8.60	9.90B/8.60	----	9.20 - 0.50	.0334	----	----	3	----	33 + 2
6350	8.70	8.70	9.80B/8.70	9.80B/8.70	----	9.10 - 0.50	.0330	----	----	5	----	20 + 3
6360	----	----	9.60B/8.70A	9.60B/8.70A	----	8.90 - 0.60	.0323	----	----	----	----	2 UNCH
6370	----	----	9.50B/8.60A	9.50B/8.60A	----	8.80 - 0.60	.0319	----	----	----	----	4 UNCH
6380	----	----	9.40B/8.50A	9.40B/8.50A	----	8.70 - 0.60	.0315	----	----	----	----	9 UNCH
6390	----	----	----/8.40A	9.20B/8.40A	----	8.60 - 0.60	.0311	----	----	----	----	1 UNCH
6400	9.50	9.50	9.50/8.30A	9.50/8.30A	----	8.50 - 0.60	.0307	----	----	27	----	413 - 1
6410	----	----	----/8.20A	9.00B/8.20A	----	8.40 - 0.60	.0304	----	----	----	----	8 UNCH
6420	----	----	----/8.10A	8.90B/8.10A	----	8.30 - 0.60	.0300	----	----	----	----	3 UNCH
6430	----	----	----/8.00A	8.80B/8.00A	----	8.20 - 0.60	.0296	----	----	----	----	30 UNCH
6440	----	----	----/7.90A	8.70B/7.90A	----	8.10 - 0.60	.0292	----	----	----	----	2 UNCH
6450	7.60	7.60	7.60/7.50	8.60B/7.50	----	8.00 - 0.60	.0288	----	----	4	----	58 UNCH
6460	7.80	7.80	7.80/7.70	8.50B/7.70	----	7.90 - 0.60	.0284	----	----	9	----	28 + 9
6470	----	----	----/7.70A	8.40B/7.70A	----	7.80 - 0.60	.0281	----	----	----	----	9 UNCH
6480	7.30	7.30	7.30/7.10	8.30B/7.10	----	7.70 - 0.60	.0277	----	----	5	----	21 + 4
6490	8.00	8.00	8.20B/7.40A	8.20B/7.40A	----	7.60 - 0.60	.0273	----	----	2	----	22 + 1
6500	7.90	7.90	8.40/7.40	8.40/7.40	----	7.50 - 0.60	.0269	----	----	37	----	1061 + 18
6525	6.90	6.90	6.90/6.80	7.90B/6.80	----	7.30 - 0.60	.0262	----	----	4	----	18 + 4
6550	----	----	----/6.90A	7.60B/6.90A	----	7.00 - 0.70	.0251	----	----	----	----	209 UNCH
6575	----	----	----/6.70A	7.40B/6.70A	----	6.80 - 0.70	.0243	----	----	----	----	7 UNCH
6600	6.50	6.50	6.50/6.50	7.20B/6.50	----	6.60 - 0.70	.0236	----	----	4	----	851 + 4
6625	6.10	6.10	6.20/6.00	7.00B/6.00	----	6.40 - 0.70	.0228	----	----	4	----	111 + 1
6650	----	----	----/6.20A	6.80B/6.20A	----	6.30 - 0.70	.0224	----	----	----	----	38 UNCH
6675	5.90	5.90	6.00/5.90	6.60B/5.90	----	6.10 - 0.70	.0216	----	----	9	----	34 + 5
6700	6.00	6.00	6.50B/5.90A	6.50B/5.90A	----	5.90 - 0.70	.0209	----	----	1	----	1207 UNCH
6725	----	----	----/5.70A	6.30B/5.70A	----	5.80 - 0.70	.0205	----	----	----	----	111 UNCH
6750	----	----	----/5.60A	6.10B/5.60A	----	5.60 - 0.70	.0198	----	----	----	----	134 UNCH
6775	5.60	5.60	5.60/5.40A	6.00B/5.40A	----	5.50 - 0.70	.0193	----	----	1	----	4 + 1
6800	5.00	5.00	5.10/4.90	5.80B/4.90	----	5.30 - 0.70	.0186	----	----	5	----	246 + 4
6825	----	----	----/5.20A	5.70B/5.20A	----	5.20 - 0.70	.0182	----	----	----	----	10 UNCH
6850	----	----	----/5.10A	5.60B/5.10A	----	5.10 - 0.70	.0178	----	----	----	----	26 UNCH
6875	----	----	----/4.90A	5.40B/4.90A	----	4.90 - 0.70	.0171	----	----	----	----	1 UNCH
6900	----	----	----/4.80A	5.30B/4.80A	----	4.80 - 0.70	.0167	----	----	----	----	157 UNCH
6925	----	----	----/4.70A	5.20B/4.70A	----	4.70 - 0.70	.0163	----	----	----	----	51 UNCH
6950	----	----	----/4.60A	5.10B/4.60A	----	4.60 - 0.70	.0159	----	----	----	----	27 UNCH
6975	----	----	----/4.50A	5.00B/4.50A	----	4.50 - 0.70	.0155	----	----	----	----	17 UNCH
7000	4.50	4.50	4.50/4.40A	4.90B/4.40A	----	4.40 - 0.70	.0152	----	----	32	----	1802 + 19
7025	----	----	----/4.30A	4.70B/4.30A	----	4.30 - 0.70	.0148	----	----	----	----	31 UNCH
7050	----	----	----/4.30A	4.60B/4.30A	----	4.20 - 0.70	.0144	----	----	----	----	5 UNCH
7075	----	----	----/4.20A	4.50B/4.20A	----	4.10 - 0.70	.0140	----	----	----	----	8 UNCH
7100	----	----	----/4.10A	4.40B/4.10A	----	4.00 - 0.70	.0137	----	----	----	----	147 UNCH
7125	----	----	----/4.00A	4.40B/4.00A	----	3.90 - 0.70	.0133	----	----	----	----	52 UNCH
7150	----	----	----/3.90A	4.30B/3.90A	----	3.90 - 0.60	.0132	----	----	----	----	59 UNCH
7200	----	----	----/3.80A	4.10B/3.80A	----	3.70 - 0.60	.0125	----	----	----	----	129 UNCH
7250	----	----	----/3.60A	3.90B/3.60A	----	3.60 - 0.60	.0121	----	----	----	----	91 UNCH
7275	----	----	----/3.50A	3.80B/3.50A	----	3.50 - 0.60	.0117	----	----	----	----	1 UNCH
7300	----	----	----/3.50A	3.70B/3.50A	----	3.40 - 0.60	.0114	----	----	----	----	150 UNCH
7325	----	----	----/3.40A	3.70B/3.40A	----	3.40 - 0.60	.0113	----	----	----	----	14 UNCH
7350	----	----	----/3.40A	3.60B/3.40A	----	3.30 - 0.60	.0110	----	----	----	----	3 UNCH
7375	----	----	----/3.30A	3.50B/3.30A	----	3.20 - 0.60	.0107	----	----	----	----	11 UNCH
7400	----	----	----/3.30A	3.50B/3.30A	----	3.20 - 0.60	.0106	----	----	----	----	46 UNCH
7425	----	----	----/3.20A	3.40B/3.20A	----	3.10 - 0.60	.0103	----	----	----	----	20 UNCH
7450	----	----	----/3.20A	3.40B/3.20A	----	3.10 - 0.50	.0102	----	----	----	----	5 UNCH
7475	----	----	----/3.10A	3.30B/3.10A	----	3.00 - 0.60	.0099	----	----	----	----	8 UNCH
7500	----	----	----/3.10A	3.30B/3.10A	----	3.00 - 0.50	.0098	----	----	----	----	1349 UNCH
7525	----	----	----/3.00A	3.20B/3.00A	----	2.90 - 0.50	.0095	----	----	----	----	20 UNCH
7575	----	----	----/2.90A	3.10B/2.90A	----	2.80 - 0.50	.0091	----	----	----	----	8 UNCH
7600	----	----	----/2.90A	3.10B/2.90A	----	2.80 - 0.50	.0091	----	----	----	----	46 UNCH
7700	3.00	3.00	3.00/2.70A	3.00/2.70A	----	2.60 - 0.40	.0084	----	----	1	----	45 UNCH
7750	----	----	----/2.60A	2.80B/2.60A	----	2.50 - 0.40	.0080	----	----	----	----	12 UNCH
7800	----	----	----/2.60A	2.70B/2.60A	----	2.40 - 0.40	.0077	----	----	----	----	39 UNCH
7875	----	----	----/2.50A	2.60B/2.50A	----	2.30 - 0.40	.0073	----	----	----	----	31 UNCH
7900	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.40	.0073	----	----	----	----	2 UNCH
7950	----	----	----/2.40A	2.50B/2.40A	----	2.20 - 0.40	.0069	----	----	----	----	2 UNCH
8000	2.80	2.80	2.80/2.10	2.80/2.10	----	2.20 - 0.30	.0069	----	----	95	----	978 + 6
8100	----	----	----/2.20A	2.30B/2.20A	----	2.00 - 0.40	.0062	----	----	----	----	3 UNCH
8200	----	----	----/2.10A	2.20B/2.10A	----	1.90 - 0.30	.0058	----	----	----	----	89 UNCH
8300	----	----	----/2.00A	2.10B/2.00A	----	1.80 - 0.30	.0055	----	----	----	----	64 UNCH
8500	2.00	2.00	2.00/1.90A	2.00/1.90A	----	1.70 - 0.30	.0051	----	----	1	----	140 UNCH
8600	----	----	----/1.60A	1.90B/1.60A	----	1.60 - 0.30	.0047	----	----	----	----	50 UNCH
8800	----	----	----/1.60A	1.70B/1.60A	----	1.50 - 0.30	.0043	----	----	----	----	32 UNCH
8900	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.40	.0040	----	----	----	----	15 UNCH
9000	----	----	1.90B/1.50A	1.90B/1.50A	----	1.40 - 0.30	.0040	----	----	----	----	229 UNCH
9100	----	----	----/1.50A	1.50B/1.50A	----	1.30 - 0.40	.0037	----	----	----	----	1 UNCH
9200	----	----	----/1.40A	1.40B/1.40A	----	1.30 - 0.40	.0036	----	----	----	----	51 UNCH
9300	----	----	----/1.40A	1.40B/1.40A	----	1.20 - 0.40	.0034	----	----	----	----	3 UNCH
9400	----	----	----/1.30A	1.30B/1.30A	----	1.20 - 0.40	.0033	----	----	----	----	25 UNCH
9500	----	----	----/*1.30A	1.30B/1.30A	----	1.10 - 0.50	.0030	----	----	----	----	25 UNCH
9600	----	----	----/1.20A	1.20B/1.20A	----	1.00 - 0.50	.0028	----	----	----	----	26 UNCH
9700	----	----	----/1.20A	1.20B/1.20A	----	1.00 - 0.50	.0027	----	----	----	----	20 UNCH
9800	----	----	----/1.10A	1.10B/1.10A	----	0.90 - 0.50	.0025	----	----	----	----	17 UNCH
9900	----	----	----/1.10A	1.10B/1.10A	----	0.90 - 0.50	.0024	----	----	----	----	24 UNCH
10000	1.40	1.40	1.40/1.10A	1.40/1.10A	----	0.80 - 0.60	.0022	----	----	1	----	263 + 1
10100	----	----	----/*1.00A	1.00B/1.00A	----	0.80 - 0.50	.0021	----	----	----	----	2 UNCH
10300	----	----	----/*1.00A	0.90B/1.00A	----	0.70 - 0.50	.0019	----	----	----	----	3 UNCH
10400	----	----	----/*1.00A	0.90B/1.00A	----	0.70 - 0.40	.0018	----	----	----	----	2 UNCH
10500	----	----	----/*0.90A	0.90B/0.90A	----	0.70 - 0.40	.0018	----	----	----	----	1 UNCH
10700	----	----	----/*0.90A	0.80B/0.90A	----	0.60 - 0.40	.0016	----	----	----	----	4 UNCH
11000	----	----	----/*0.80A	0.70B/0.80A	----	0.60 - 0.30	.0015	----	----	----	----	71 UNCH
11300	----	----	----	0.60B/0.80A	----	0.50 - 0.30	.0013	----	----	----	----	11 UNCH
11500	----	----	----	0.60B/0.80A	----	0.50 - 0.30	.0012	----	----	----	----	1 UNCH
11600	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0012	----	----	----	----	5 UNCH
11700	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0012	----	----	----	----	15 UNCH
11900	----	----	----	0.50B/0.70A	----	0.40 - 0.10	.0010	----	----	----	----	1 UNCH
12000	----	----	0.80B/----	0.80B/0.70A	----	0.40 UNCH	.0010	----	----	----	----	350 UNCH
TOTAL										10950	3,093	154049+ 1372
JUL26												
3500	----	----	----	----	----	1357.60 + 29.20	.9650	----	----	----	----	1 UNCH
3600	----	----	1,259.10B/----	1259.10B/1182.90A	----	1261.10 + 27.20	.9563	----	----	----	----	24 UNCH
3650	----	----	1,211.20B/----	1211.20B/1135.60A	----	1213.30 + 26.10	.9508	----	----	----	----	10 UNCH
3670	----	----	1,192.20B/----	1192.20B/1116.80A	----	1194.20 + 25.60	.9486	----	----	----	----	3 UNCH
3700	----	----	1,163.70B/----	1163.70B/1088.80A	----	1165.70 + 24.80	.9450	----	----	----	----	111 UNCH
3735	----	----	----	----	----	1132.70 + 24.00	.9405	----	----	----	----	1 UNCH
3775	----	----	1,093.20B/----	1093.20B/1019.30A	----	1095.10 + 22.90	.9350	----	----	----	----	4 UNCH
3800	----	----	1,072.50B/----	1072.50B/991.60A	----	1071.70 + 22.20	.9312	----	----	----	----	2045 UNCH
3825	----	----	1,046.70B/----	1046.70B/973.70A	----	1048.40 + 21.40	.9272	----	----	----	----	5 UNCH
3850	----	----	1,023.50B/----	1023.50B/950.90A	----	1025.30 + 20.70	.9230	----	----	----	----	66 UNCH
3860	----	----	----	719.70B/1168.60A	----	1016.00 + 20.30	.9214	----	----	----	----	1 UNCH
3865	----	----	1,009.80B/----	1009.80B/937.40A	----	1011.40 + 20.10	.9205	----	----	----	----	7 UNCH
3875	----	----	1,000.60B/----	1000.60B/928.40A	----	1002.20 + 19.80	.9188	----	----	----	----	25 UNCH
3900	----	----	977.80B/----	977.80B/906.10A	----	979.30 + 19.00	.9142	----	----	----	----	18 UNCH
3925	----	----	955.00B/----	955.00B/883.90A	----	956.50 + 18.10	.9094	----	----	----	----	35 UNCH
3950	----	----	936.00B/----	936.00B/857.10A	----	933.80 + 17.10	.9043	----	----	----	----	820 UNCH
3960	----	----	----	750.10B/1068.00A	----	924.80 + 16.80	.9022	----	----	----	----	1 UNCH
4000	----	----	887.70B/----	887.70B/818.30A	----	888.90 + 15.20	.8934	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4020	----	----	----	696.20B/1015.20A	----	871.10 + 14.30	.8887	----	----	----	----	1 UNCH
4030	----	----	----	687.40B/1006.40A	----	862.20 + 13.80	.8863	----	----	----	----	2 UNCH
4040	----	----	----	678.50B/997.70A	----	853.40 + 13.40	.8839	----	----	----	----	1 UNCH
4075	----	----	821.60B/----	821.60B/754.30A	----	822.70 + 11.80	.8751	----	----	----	----	6 UNCH
4095	----	----	804.20B/----	804.20B/737.50A	----	805.30 + 10.80	.8698	----	----	----	----	4 UNCH
4100	----	----	799.90B/----	799.90B/733.30A	----	800.90 + 10.50	.8683	----	----	----	----	194 UNCH
4105	----	----	----	621.70B/941.90A	----	796.60 + 10.30	.8670	----	----	----	----	1 UNCH
4110	----	----	791.30B/----	791.30B/725.00A	----	792.30 + 10.00	.8656	----	----	----	----	3 UNCH
4145	----	----	761.30B/----	761.30B/696.10A	----	762.30 + 08.20	.8556	----	----	----	----	28 UNCH
4150	----	----	757.30B/----	757.30B/692.10A	----	758.00 + 07.90	.8541	----	----	----	----	37 UNCH
4155	----	----	----	578.80B/901.10A	----	753.80 + 07.70	.8525	----	----	----	----	1 UNCH
4160	----	----	----	574.60B/897.10A	----	749.50 + 07.40	.8510	----	----	----	----	1 UNCH
4190	----	----	----	548.30B/873.40A	----	724.30 + 05.80	.8417	----	----	----	----	1 UNCH
4200	----	----	715.30B/----	715.30B/651.70A	----	715.90 + 05.20	.8385	----	----	----	----	8 UNCH
4215	----	----	702.90B/----	702.90B/639.70A	----	703.50 + 04.40	.8336	----	----	----	----	25 UNCH
4220	----	----	----	522.30B/849.90A	----	699.30 + 04.10	.8319	----	----	----	----	1 UNCH
4225	----	----	----	518.00B/846.00A	----	695.20 + 03.80	.8303	----	----	----	----	2 UNCH
4235	----	----	#636.30B/----	636.30B/633.80A	----	687.00 + 03.30	.8269	----	----	----	----	1 UNCH
4240	----	----	682.30B/----	682.30B/620.10A	----	682.90 + 03.00	.8251	----	----	----	----	39 UNCH
4245	----	----	638.10B/----	638.10B/625.90A	----	678.80 + 02.70	.8234	----	----	----	----	1 UNCH
4250	----	----	676.40B/----	676.40B/610.10A	----	674.70 + 02.40	.8216	----	----	----	----	316 UNCH
4255	----	----	#638.60B/----	638.60B/618.00A	----	670.70 + 02.20	.8199	----	----	----	----	1 UNCH
4265	----	----	636.70B/----	636.70B/610.20A	----	662.60 + 01.70	.8164	----	----	----	----	2 UNCH
4270	----	----	658.00B/----	658.00B/596.80A	----	658.50 + 01.30	.8145	----	----	----	----	38 UNCH
4275	----	----	654.00B/----	654.00B/593.00A	----	654.50 + 01.10	.8127	----	----	----	----	76 UNCH
4280	----	----	650.00B/----	650.00B/589.20A	----	650.50 + 00.80	.8109	----	----	----	----	3 UNCH
4300	----	----	638.00B/----	638.00B/574.00A	----	634.50 + 99.70	.8034	----	----	----	----	63 UNCH
4315	----	----	626.30B/----	626.30B/562.70A	----	622.60 + 98.80	.7977	----	----	----	----	21 UNCH
4325	----	----	618.40B/----	618.40B/555.30A	----	614.80 + 98.30	.7938	----	----	----	----	22 UNCH
4335	----	----	#610.50B/----	610.50B/556.70A	----	606.90 + 97.60	.7898	----	----	----	----	1 UNCH
4350	----	----	598.90B/----	598.90B/536.90A	----	595.30 + 96.70	.7839	----	----	----	----	10 UNCH
4360	----	----	591.20B/----	591.20B/529.60A	----	587.60 + 96.10	.7798	----	----	----	----	53 UNCH
4365	----	----	587.40B/----	587.40B/526.00A	----	583.80 + 95.80	.7777	----	----	----	----	45 UNCH
4370	----	----	583.50B/----	583.50B/522.30A	----	579.90 + 95.40	.7757	----	----	----	----	20 UNCH
4375	----	----	579.70B/----	579.70B/518.70A	----	576.10 + 95.10	.7736	----	----	----	----	5 UNCH
4400	----	----	560.80B/----	560.80B/496.70A	----	557.20 + 93.40	.7629	----	----	1	----	2267 UNCH
4410	----	----	553.30B/----	553.30B/493.90A	----	549.80 + 92.70	.7586	----	----	----	----	4 UNCH
4415	----	----	549.60B/----	549.60B/490.40A	----	546.00 + 92.30	.7564	----	----	----	----	39 UNCH
4420	----	----	545.80B/----	545.80B/486.90A	----	542.30 + 91.90	.7543	----	----	----	----	5 UNCH
4425	----	----	542.10B/----	542.10B/483.50A	----	538.60 + 91.50	.7520	----	----	----	----	16 UNCH
4430	----	----	538.30B/----	538.30B/488.00A	----	535.00 + 91.20	.7498	----	----	----	----	1 UNCH
4445	----	----	527.40B/----	527.40B/469.70A	----	524.00 + 90.00	.7431	----	----	----	----	30 UNCH
4450	----	----	523.80B/----	523.80B/464.20A	----	520.40 + 89.70	.7407	----	----	----	----	255 UNCH
4455	----	----	#520.10B/----	520.10B/470.70A	----	516.70 + 89.20	.7385	----	----	----	----	2 UNCH
4460	----	----	#516.40B/----	516.40B/467.20A	----	513.10 + 88.80	.7362	----	----	----	----	2 UNCH
4475	----	----	#505.70B/----	505.70B/457.10A	----	502.40 + 87.60	.7292	----	----	----	----	2 UNCH
4480	----	----	502.20B/----	502.20B/446.20A	----	498.80 + 87.20	.7268	----	----	----	----	25 UNCH
4490	----	----	495.10B/----	495.10B/439.60A	----	491.80 + 86.50	.7221	----	----	----	----	9 UNCH
4500	441.50	441.50	488.10B/441.50	488.10B/428.90A	----	484.70 + 85.60	.7173	----	----	2	----	968 UNCH
4505	----	----	484.50B/----	484.50B/437.10A	----	481.20 + 85.20	.7149	----	----	----	----	2 UNCH
4510	----	----	481.10B/----	481.10B/426.60A	----	477.80 + 84.90	.7125	----	----	----	----	45 UNCH
4515	----	----	477.60B/----	477.60B/423.40A	----	474.30 + 84.50	.7100	----	----	----	----	200 UNCH
4520	----	----	474.10B/----	474.10B/420.20A	----	470.90 + 84.10	.7076	----	----	----	----	188 UNCH
4525	----	----	470.70B/----	470.70B/417.00A	----	467.40 + 83.70	.7051	----	----	----	----	129 UNCH
4530	----	----	467.30B/----	467.30B/399.10A	----	464.00 + 83.30	.7027	----	----	----	----	5 UNCH
4535	----	----	#463.80B/----	463.80B/395.70A	----	460.60 + 82.90	.7002	----	----	----	----	14 UNCH
4540	----	----	460.40B/----	460.40B/395.30A	----	457.20 + 82.50	.6977	----	----	----	----	53 UNCH
4550	----	----	453.70B/----	453.70B/389.40A	----	450.40 + 81.70	.6927	----	----	----	----	10 UNCH
4560	----	----	446.80B/----	446.80B/383.40A	----	443.80 + 81.00	.6876	----	----	----	----	2 UNCH
4565	----	----	443.50B/----	443.50B/380.50A	----	440.40 + 80.60	.6851	----	----	----	----	1 UNCH
4570	----	----	440.20B/----	440.20B/377.50A	----	437.10 + 80.20	.6825	----	----	----	----	2 UNCH
4575	----	----	437.00B/----	437.00B/374.60A	----	433.80 + 79.80	.6799	----	----	----	----	128 UNCH
4600	----	----	420.60B/----	420.60B/360.20A	----	417.60 + 77.80	.6670	----	----	----	----	351 UNCH
4605	----	----	417.40B/----	417.40B/357.30A	----	414.40 + 77.40	.6643	----	----	----	----	10 UNCH
4610	----	----	414.20B/----	414.20B/354.50A	----	411.20 + 77.00	.6617	----	----	----	----	6 UNCH
4635	----	----	398.40B/----	398.40B/333.30A	----	395.40 + 74.90	.6483	----	----	----	----	86 UNCH
4640	----	----	395.30B/----	395.30B/332.00A	----	392.30 + 74.40	.6456	----	----	----	----	242 UNCH
4645	----	----	392.20B/----	392.20B/331.60A	----	389.30 + 74.10	.6430	----	----	----	----	14 UNCH
4650	----	----	389.10B/----	389.10B/329.80A	----	386.20 + 73.60	.6403	----	----	----	----	259 UNCH
4655	----	----	386.00B/----	386.00B/323.80A	----	383.10 + 73.10	.6375	----	----	----	----	18 UNCH
4660	----	----	382.90B/----	382.90B/321.20A	----	380.10 + 72.70	.6348	----	----	----	----	10 UNCH
4665	----	----	379.90B/----	379.90B/318.60A	----	377.10 + 72.30	.6321	----	----	----	----	268 UNCH
4670	----	----	376.90B/----	376.90B/316.00A	----	374.10 + 71.90	.6293	----	----	----	----	62 UNCH
4675	----	----	373.80B/----	373.80B/313.30A	----	371.10 + 71.40	.6266	----	----	----	----	129 UNCH
4680	----	----	370.80B/----	370.80B/310.80A	----	368.10 + 71.00	.6238	----	----	----	----	10 UNCH
4685	----	----	368.20B/----	368.20B/308.20A	----	365.20 + 70.60	.6210	----	----	----	----	10 UNCH
4695	----	----	362.10B/----	362.10B/303.20A	----	359.30 + 69.70	.6155	----	----	----	----	22 UNCH
4700	325.00	325.00	359.00B/325.00	359.00B/300.50A	----	356.40 + 69.20	.6127	----	----	20	----	551 UNCH
4710	----	----	353.50B/----	353.50B/295.70A	----	350.60 + 68.30	.6071	----	----	----	----	100 UNCH
4725	----	----	346.40B/----	346.40B/288.50A	----	342.10 + 67.00	.5987	----	----	----	----	51 UNCH
4730	----	----	341.70B/----	341.70B/286.10A	----	339.30 + 66.60	.5959	----	----	----	----	1 UNCH
4745	----	----	335.20B/----	335.20B/279.00A	----	330.90 + 65.20	.5874	----	----	----	----	177 UNCH
4750	----	----	332.50B/----	332.50B/276.40A	----	328.20 + 64.80	.5846	----	----	----	----	1066 UNCH
4755	----	----	329.40B/----	329.40B/274.30A	----	325.40 + 64.20	.5817	----	----	----	----	12 UNCH
4760	----	----	326.90B/----	326.90B/272.00A	----	322.70 + 63.80	.5789	----	----	----	----	47 UNCH
4770	----	----	321.50B/----	321.50B/267.40A	----	317.30 + 62.90	.5732	----	----	----	----	68 UNCH
4775	----	----	318.70B/----	318.70B/265.20A	----	314.70 + 62.50	.5703	----	----	----	----	150 UNCH
4780	286.00	286.00	316.00B/286.00	316.00B/262.90A	----	312.00 + 62.00	.5675	----	----	2	----	30 UNCH
4785	----	----	313.50B/----	313.50B/260.70A	----	309.40 + 61.60	.5646	----	----	----	----	11 UNCH
4790	----	----	310.00B/----	310.00B/258.50A	----	306.80 + 61.20	.5617	----	----	----	----	1 UNCH
4800	----	----	305.80B/----	305.80B/251.60A	----	301.60 + 60.30	.5560	----	----	1	400	1697 - 400
4810	----	----	299.60B/----	299.60B/247.10A	----	296.50 + 59.40	.5502	----	----	----	----	2 UNCH
4825	----	----	292.80B/----	292.80B/241.10A	----	288.90 + 58.00	.5416	----	----	----	----	41 UNCH
4830	----	----	290.30B/----	290.30B/239.00A	----	286.40 + 57.60	.5387	----	----	----	----	3 UNCH
4835	----	----	287.80B/----	287.80B/236.90A	----	283.90 + 57.10	.5358	----	----	----	----	6 UNCH
4840	----	----	284.60B/----	284.60B/234.60A	----	281.50 + 56.70	.5329	----	----	----	----	1 UNCH
4845	----	----	282.90B/----	282.90B/232.80A	----	279.00 + 56.20	.5300	----	----	----	----	59 UNCH
4850	241.60	241.60	280.40B/230.40A	280.40B/230.40A	----	276.60 + 55.80	.5271	----	----	2	----	328 - 1
4855	----	----	277.40B/----	277.40B/228.00A	----	274.20 + 55.40	.5243	----	----	----	----	1 UNCH
4860	236.00	236.00	275.60B/226.10A	275.60B/226.10A	----	271.80 + 54.90	.5214	----	----	10	----	10 + 9
4870	----	----	270.80B/----	270.80B/222.10A	----	267.10 + 54.10	.5156	----	----	----	----	60 UNCH
4875	----	----	268.40B/----	268.40B/220.10A	----	264.70 + 53.60	.5127	----	----	----	----	12 UNCH
4880	----	----	266.00B/----	266.00B/218.10A	----	262.40 + 53.20	.5099	----	----	----	----	12 UNCH
4885	----	----	262.90B/----	262.90B/216.20A	----	260.10 + 52.80	.5070	----	----	----	----	2 UNCH
4890	----	----	260.80B/----	260.80B/214.20A	----	257.80 + 52.30	.5041	----	----	----	----	2 UNCH
4900	228.90	228.90	256.80B/228.90	256.80B/210.60A	----	253.30 + 51.50	.4984	----	----	38	----	547 + 22
4905	----	----	254.50B/----	254.50B/208.60A	----	251.00 + 51.00	.4955	----	----	----	----	2 UNCH
4910	----	----	252.30B/----	252.30B/206.70A	----	248.80 + 50.70	.4926	----	----	----	----	2 UNCH
4915	----	----	250.10B/----	250.10B/204.90A	----	246.60 + 50.20	.4898	----	----	----	----	3 UNCH
4920	----	----	247.90B/----	247.90B/203.10A	----	244.40 + 49.80	.4869	----	----	----	----	6 UNCH
4925	----	----	245.60B/----	245.60B/201.20A	----	242.20 + 49.40	.4841	----	----	----	----	4 UNCH
4930	----	----	243.40B/----	243.40B/199.40A	----	240.00 + 48.90	.4812	----	----	----	----	3 UNCH
4940	----	----	239.10B/----	239.10B/195.90A	----	235.70 + 48.10	.4755	----	----	----	----	163 UNCH
4950	223.30	223.30	234.80B/223.30	234.80B/192.50A	----	231.50 + 47.30	.4698	----	----	1	----	111 UNCH
4955	----	----	232.70B/----	232.70B/190.80A	----	229.40 + 46.80	.4670	----	----	----	----	72 UNCH
4960	----	----	230.60B/----	230.60B/188.90A	----	227.40 + 46.50	.4642	----	----	----	----	1 UNCH
4965	----	----	228.50B/----	228.50B/187.30A	----	225.30 + 46.00	.4614	----	----	----	----	150 UNCH
4970	----	----	226.50B/----	226.50B/185.60A	----	223.30 + 45.70	.4586	----	----	----	----	13 UNCH
4975	----	----	224.40B/----	224.40B/184.00A	----	221.20 + 45.20	.4557	----	----	----	----	42 UNCH
4980	----	----	222.40B/----	222.40B/182.20A	----	219.20 + 44.80	.4529	----	----	----	----	3 UNCH
4985	----	----	220.40B/----	220.40B/180.60A	----	217.20 + 44.40	.4501	----	----	----	----	27 UNCH
4990	----	----	218.30B/----	218.30B/179.00A	----	215.20 + 44.00	.4473	----	----	----	----	13 UNCH
4995	198.20	198.20	216.40B/198.20	216.40B/177.40A	----	213.30 + 43.60	.4445	----	----	6	----	20 UNCH
5000	187.50	187.50	216.00/187.50	216.00/175.80A	----	211.30 + 43.20	.4417	----	----	378	----	1637 - 65
5005	----	----	212.40B/----	212.40B/174.10A	----	209.40 + 42.80	.4390	----	----	----	----	12 UNCH
5010	190.20	190.20	210.50B/190.20	210.50B/172.70A	----	207.50 + 42.50	.4362	----	----	1	----	12 UNCH
5015	191.70	191.70	208.50B/191.70	208.50B/171.10A	----	205.60 + 42.10	.4335	----	----	1	----	1 UNCH
5020	----	----	206.60B/----	206.60B/169.50A	----	203.70 + 41.70	.4307	----	----	----	----	7 UNCH
5025	170.40	170.40	204.70B/170.40	204.70B/168.00A	----	201.80 + 41.20	.4279	----	----	16	----	21 + 16
5030	203.70	203.70	203.70/203.70	203.70/166.40A	----	199.90 + 40.80	.4252	----	----	2	----	31 UNCH
5035	----	----	201.00B/----	201.00B/164.90A	----	198.10 + 40.50	.4225	----	----	----	----	54 UNCH
5040	----	----	199.10B/----	199.10B/163.40A	----	196.30 + 40.10	.4197	----	----	----	----	2 UNCH
5045	----	----	197.20B/----	197.20B/161.90A	----	194.40 + 39.70	.4170	----	----	----	----	2 UNCH
5050	168.70	168.70	195.50B/160.50A	195.50B/160.50A	----	192.60 + 39.30	.4143	----	----	2	----	20 + 2
5055	----	----	193.60B/----	193.60B/159.00A	----	190.90 + 39.00	.4116	----	----	----	----	8 UNCH
5060	----	----	191.80B/----	191.80B/157.60A	----	189.10 + 38.60	.4089	----	----	----	----	4 UNCH
5065	----	----	190.00B/----	190.00B/156.10A	----	187.30 + 38.20	.4062	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5070	----	----	188.20B/----	188.20B/154.70A	----	185.60 + 37.80	.4035	----	----	----	----	1 UNCH
5075	----	----	186.60B/----	186.60B/153.30A	----	183.90 + 37.50	.4009	----	----	----	----	14 UNCH
5080	----	----	184.80B/----	184.80B/151.90A	----	182.10 + 37.00	.3982	----	----	----	----	65 UNCH
5085	----	----	183.00B/----	183.00B/150.50A	----	180.40 + 36.70	.3955	----	----	----	----	2 UNCH
5090	----	----	181.30B/----	181.30B/149.10A	----	178.80 + 36.40	.3929	----	----	----	----	1 UNCH
5095	----	----	179.70B/----	179.70B/147.90A	----	177.10 + 36.00	.3903	----	----	----	----	45 UNCH
5100	162.00	162.00	178.20B/162.00	178.20B/146.40A	----	175.40 + 35.60	.3876	----	----	135	----	546 + 34
5105	----	----	176.30B/----	176.30B/145.10A	----	173.80 + 35.30	.3850	----	----	----	----	61 UNCH
5110	----	----	174.70B/----	174.70B/143.70A	----	172.20 + 35.00	.3824	----	----	----	----	3 UNCH
5115	----	----	173.00B/----	173.00B/142.60A	----	170.50 + 34.50	.3798	----	----	----	----	35 UNCH
5120	----	----	171.40B/----	171.40B/141.30A	----	168.90 + 34.20	.3772	----	----	----	----	6 UNCH
5125	----	----	169.80B/----	169.80B/140.00A	----	167.30 + 33.80	.3746	----	----	----	----	214 UNCH
5130	----	----	168.20B/----	168.20B/138.60A	----	165.80 + 33.50	.3721	----	----	----	----	12 UNCH
5135	----	----	166.60B/----	166.60B/137.30A	----	164.20 + 33.10	.3695	----	----	----	----	161 UNCH
5140	----	----	165.10B/----	165.10B/136.10A	----	162.70 + 32.90	.3670	----	----	----	----	43 UNCH
5145	158.50	158.50	163.50B/150.40	163.50B/134.80A	----	161.10 + 32.40	.3644	----	----	2	----	16 UNCH
5150	158.70	158.70	162.00B/158.70	162.00B/133.60A	----	159.60 + 32.10	.3619	----	----	4	----	701 UNCH
5155	----	----	160.30B/----	160.30B/132.40A	----	158.10 + 31.80	.3593	----	----	----	----	1 UNCH
5160	----	----	158.90B/----	158.90B/131.20A	----	156.60 + 31.50	.3568	----	----	----	----	9 UNCH
5165	----	----	157.30B/----	157.30B/130.00A	----	155.10 + 31.10	.3543	----	----	----	----	2 UNCH
5170	----	----	155.90B/----	155.90B/129.00A	----	153.70 + 30.80	.3519	----	----	----	----	7 UNCH
5175	----	----	154.50B/----	154.50B/127.70A	----	152.20 + 30.50	.3494	----	----	----	----	50 UNCH
5180	148.30	148.30	153.00B/145.70	153.00B/126.50A	----	150.80 + 30.20	.3469	----	----	2	----	13 + 1
5185	----	----	151.50B/----	151.50B/125.50A	----	149.30 + 29.80	.3444	----	----	----	----	32 UNCH
5190	----	----	150.00B/----	150.00B/124.30A	----	147.90 + 29.50	.3420	----	----	----	----	2 UNCH
5195	----	----	148.60B/----	148.60B/123.20A	----	146.50 + 29.20	.3396	----	----	----	----	7 UNCH
5200	143.80	143.80	147.30B/143.80	147.30B/122.00A	----	145.10 + 28.90	.3371	----	----	44	----	1165 - 4
5205	126.10	126.10	145.80B/126.10	145.80B/121.00A	----	143.70 + 28.50	.3347	----	----	3	----	7 + 3
5210	----	----	144.40B/----	144.40B/119.90A	----	142.40 + 28.30	.3323	----	----	----	----	12 UNCH
5215	----	----	143.00B/----	143.00B/118.70A	----	141.00 + 27.90	.3299	----	----	----	----	9 UNCH
5220	----	----	141.70B/----	141.70B/117.70A	----	139.70 + 27.70	.3276	----	----	----	----	18 UNCH
5225	----	----	140.30B/----	140.30B/116.60A	----	138.30 + 27.30	.3252	----	----	----	----	2 UNCH
5230	----	----	139.00B/----	139.00B/115.60A	----	137.00 + 27.00	.3228	----	----	----	----	9 UNCH
5240	----	----	136.20B/----	136.20B/113.50A	----	134.40 + 26.40	.3181	----	----	----	----	1 UNCH
5245	123.90	123.90	135.00B/123.90	135.00B/112.40A	----	133.10 + 26.10	.3158	----	----	1	----	61 UNCH
5250	130.10	130.10	133.80B/130.10	133.80B/111.40A	----	131.90 + 25.90	.3136	----	----	3	----	363 - 3
5255	----	----	132.50B/----	132.50B/110.40A	----	130.60 + 25.50	.3112	----	----	----	----	13 UNCH
5260	----	----	131.20B/----	131.20B/109.40A	----	129.30 + 25.20	.3089	----	----	1	----	150 UNCH
5265	----	----	130.00B/----	130.00B/108.40A	----	128.10 + 24.90	.3067	----	----	----	----	3 UNCH
5270	----	----	128.70B/----	128.70B/107.50A	----	126.90 + 24.70	.3044	----	----	----	----	10 UNCH
5275	----	----	127.50B/----	127.50B/106.50A	----	125.70 + 24.40	.3022	----	----	----	----	16 UNCH
5280	----	----	126.20B/----	126.20B/105.60A	----	124.50 + 24.10	.2999	----	----	----	----	4 UNCH
5285	----	----	125.10B/----	125.10B/104.60A	----	123.30 + 23.80	.2977	----	----	----	----	13 UNCH
5290	----	----	123.90B/----	123.90B/103.70A	----	122.10 + 23.50	.2955	----	----	----	----	33 UNCH
5295	----	----	122.60B/----	122.60B/102.80A	----	120.90 + 23.20	.2933	----	----	----	----	1 UNCH
5300	118.20	118.20	121.40B/115.00	121.40B/101.80A	----	119.80 + 23.00	.2911	----	----	30	200	797 + 151
5305	109.20	109.20	120.30B/109.20	120.30B/100.90A	----	118.60 + 22.70	.2889	----	----	2	----	29 UNCH
5310	----	----	119.20B/----	119.20B/100.00A	----	117.50 + 22.50	.2868	----	----	----	----	3 UNCH
5315	----	----	118.00B/----	118.00B/99.20A	----	116.40 + 22.20	.2846	----	----	----	----	13 UNCH
5320	----	----	116.90B/----	116.90B/98.30A	----	115.30 + 22.00	.2825	----	----	----	----	7 UNCH
5325	----	----	115.80B/----	115.80B/97.40A	----	114.10 + 21.60	.2803	----	----	2	----	156 UNCH
5330	----	----	114.70B/----	114.70B/96.50A	----	113.10 + 21.50	.2783	----	----	----	----	4 UNCH
5345	----	----	111.40B/----	111.40B/94.00A	----	109.80 + 20.60	.2719	----	----	----	----	8 UNCH
5350	108.00	108.00	110.40B/108.00	110.40B/93.20A	----	108.80 + 20.40	.2699	----	----	4	----	517 + 1
5355	----	----	109.30B/----	109.30B/92.30A	----	107.70 + 20.10	.2678	----	----	----	----	4 UNCH
5360	----	----	108.30B/----	108.30B/91.50A	----	106.70 + 19.90	.2658	----	----	----	----	333 UNCH
5365	----	----	107.20B/----	107.20B/90.70A	----	105.70 + 19.70	.2638	----	----	----	----	13 UNCH
5370	----	----	106.20B/----	106.20B/89.90A	----	104.70 + 19.40	.2618	----	----	----	----	10 UNCH
5375	----	----	105.20B/----	105.20B/89.10A	----	103.70 + 19.20	.2598	----	----	----	----	3 UNCH
5380	----	----	104.10B/----	104.10B/88.40A	----	102.70 + 18.90	.2578	----	----	----	----	5 UNCH
5385	----	----	103.10B/----	103.10B/87.60A	----	101.70 + 18.70	.2558	----	----	----	----	16 UNCH
5390	----	----	102.20B/----	102.20B/86.80A	----	100.70 + 18.40	.2538	----	----	----	----	11 UNCH
5395	----	----	101.20B/----	101.20B/86.10A	----	99.80 + 18.30	.2519	----	----	----	----	18 UNCH
5400	----	----	100.30B/----	100.30B/85.30A	----	98.80 + 18.00	.2499	----	----	17	----	4300 + 4
5405	----	----	99.30B/----	99.30B/84.60A	----	97.90 + 17.80	.2480	----	----	----	----	7 UNCH
5410	----	----	98.40B/----	98.40B/83.80A	----	96.90 + 17.50	.2461	----	----	----	----	26 UNCH
5415	----	----	97.40B/----	97.40B/83.10A	----	96.00 + 17.30	.2442	----	----	----	----	17 UNCH
5420	----	----	96.50B/----	96.50B/82.40A	----	95.10 + 17.10	.2423	----	----	----	----	10 UNCH
5425	----	----	95.50B/----	95.50B/81.70A	----	94.20 + 16.90	.2405	----	----	----	----	7 UNCH
5430	----	----	94.70B/----	94.70B/81.00A	----	93.30 + 16.70	.2386	----	----	----	----	5 UNCH
5435	----	----	93.80B/----	93.80B/80.30A	----	92.40 + 16.50	.2367	----	----	----	----	2 UNCH
5440	----	----	92.80B/----	92.80B/79.60A	----	91.50 + 16.20	.2349	----	----	----	----	2 UNCH
5445	----	----	92.00B/----	92.00B/78.80A	----	90.70 + 16.10	.2331	----	----	----	----	8 UNCH
5450	----	----	91.20B/----	91.20B/78.00A	----	89.80 + 15.80	.2313	----	----	----	----	1186 UNCH
5455	----	----	90.30B/----	90.30B/77.40A	----	88.90 + 15.60	.2294	----	----	----	----	11 UNCH
5460	----	----	89.40B/----	89.40B/76.70A	----	88.10 + 15.40	.2277	----	----	----	----	13 UNCH
5465	----	----	88.60B/----	88.60B/75.90A	----	87.30 + 15.30	.2259	----	----	----	----	16 UNCH
5470	----	----	87.70B/----	87.70B/75.20A	----	86.40 + 15.00	.2241	----	----	----	----	17 UNCH
5475	----	----	86.90B/----	86.90B/74.50A	----	85.60 + 14.80	.2224	----	----	----	----	206 UNCH
5480	----	----	86.00B/----	86.00B/74.00A	----	84.80 + 14.60	.2206	----	----	----	----	5 UNCH
5485	----	----	85.30B/----	85.30B/73.20A	----	84.00 + 14.40	.2189	----	----	----	----	3 UNCH
5490	----	----	84.40B/----	84.40B/72.60A	----	83.20 + 14.30	.2172	----	----	----	----	17 UNCH
5495	----	----	83.60B/----	83.60B/71.90A	----	82.40 + 14.00	.2155	----	----	----	----	1 UNCH
5500	76.50	76.50	82.90B/76.50	82.90B/71.20A	----	81.70 + 13.90	.2139	----	----	7	----	3110 + 2
5505	----	----	82.10B/----	82.10B/70.60A	----	80.90 + 13.70	.2122	----	----	----	----	3 UNCH
5510	----	----	81.30B/----	81.30B/70.00A	----	80.10 + 13.50	.2105	----	----	----	----	2 UNCH
5515	77.70	77.70	80.50B/77.70	80.50B/69.30A	----	79.40 + 13.40	.2089	----	----	2	----	10 + 1
5520	----	----	79.80B/----	79.80B/68.70A	----	78.60 + 13.10	.2072	----	----	----	----	11 UNCH
5530	71.80	71.80	78.30B/71.80	78.30B/67.80A	----	77.20 + 12.90	.2040	----	----	1	----	25 + 1
5535	----	----	77.60B/----	77.60B/66.80A	----	76.40 + 12.60	.2023	----	----	----	----	1 UNCH
5540	----	----	76.90B/----	76.90B/66.30A	----	75.70 + 12.50	.2008	----	----	----	----	16 UNCH
5545	----	----	76.10B/----	76.10B/65.70A	----	75.00 + 12.30	.1992	----	----	----	----	8 UNCH
5550	----	----	75.40B/----	75.40B/65.20A	----	74.30 + 12.10	.1976	----	----	10	----	204 UNCH
5555	----	----	74.70B/----	74.70B/64.60A	----	73.60 + 12.00	.1961	----	----	----	----	23 UNCH
5560	----	----	74.00B/----	74.00B/63.90A	----	72.90 + 11.80	.1945	----	----	----	----	21 UNCH
5565	----	----	73.40B/----	73.40B/63.30A	----	72.30 + 11.70	.1931	----	----	----	----	1 UNCH
5570	----	----	72.70B/----	72.70B/62.90A	----	71.60 + 11.50	.1915	----	----	----	----	2 UNCH
5575	----	----	72.00B/----	72.00B/62.20A	----	70.90 + 11.30	.1900	----	----	----	----	14 UNCH
5580	----	----	71.40B/----	71.40B/61.70A	----	70.30 + 11.20	.1886	----	----	----	----	2 UNCH
5585	----	----	70.70B/----	70.70B/61.20A	----	69.60 + 11.00	.1870	----	----	----	----	19 UNCH
5590	----	----	70.10B/----	70.10B/60.60A	----	69.00 + 10.90	.1856	----	----	----	----	1 UNCH
5595	----	----	69.40B/----	69.40B/60.10A	----	68.30 + 10.70	.1840	----	----	----	----	19 UNCH
5600	----	----	68.80B/----	68.80B/59.60A	----	67.70 + 10.60	.1826	----	----	40	----	2538 UNCH
5605	----	----	68.20B/----	68.20B/59.00A	----	67.10 + 10.40	.1812	----	----	----	----	26 UNCH
5610	----	----	67.60B/----	67.60B/58.60A	----	66.50 + 10.30	.1798	----	----	----	----	1 UNCH
5615	----	----	67.00B/----	67.00B/58.00A	----	65.90 + 10.20	.1784	----	----	----	----	1 UNCH
5625	----	----	65.70B/----	65.70B/57.00A	----	64.70 + 9.90	.1756	----	----	----	----	10 UNCH
5630	----	----	65.10B/----	65.10B/56.50A	----	64.10 + 9.70	.1743	----	----	----	----	5 UNCH
5635	----	----	64.60B/----	64.60B/56.00A	----	63.50 + 9.60	.1729	----	----	----	----	8 UNCH
5640	----	----	64.00B/----	64.00B/55.50A	----	62.90 + 9.40	.1715	----	----	----	----	4 UNCH
5650	----	----	62.90B/----	62.90B/54.50A	----	61.80 + 9.20	.1689	----	----	10	----	313 + 10
5660	----	----	61.80B/----	61.80B/53.70A	----	60.70 + 9.00	.1662	----	----	----	----	1 UNCH
5670	----	----	60.70B/----	60.70B/52.70A	----	59.60 + 8.70	.1636	----	----	----	----	11 UNCH
5675	----	----	60.10B/----	60.10B/52.30A	----	59.10 + 8.60	.1624	----	----	----	----	6 UNCH
5680	58.70	58.70	59.60B/58.70	59.60B/51.80A	----	58.50 + 8.40	.1610	----	----	3	----	6 + 3
5690	----	----	58.50B/----	58.50B/51.00A	----	57.50 + 8.20	.1586	----	----	----	----	2 UNCH
5700	----	----	57.50B/----	57.50B/50.10A	----	56.50 + 8.00	.1562	----	----	97	400	899 UNCH
5710	----	----	56.50B/----	56.50B/49.30A	----	55.50 + 7.80	.1537	----	----	----	----	2 UNCH
5720	----	----	55.50B/----	55.50B/48.40A	----	54.50 + 7.50	.1513	----	----	----	----	280 UNCH
5725	----	----	55.10B/----	55.10B/48.10A	----	54.00 + 7.40	.1501	----	----	----	----	51 UNCH
5730	----	----	54.50B/----	54.50B/47.70A	----	53.60 + 7.40	.1491	----	----	----	----	7 UNCH
5740	----	----	53.60B/----	53.60B/46.90A	----	52.60 + 7.10	.1467	----	----	----	----	3 UNCH
5750	----	----	52.70B/----	52.70B/46.10A	----	51.70 + 6.90	.1444	----	----	----	----	1715 UNCH
5760	----	----	51.80B/----	51.80B/45.40A	----	50.80 + 6.70	.1422	----	----	----	----	168 UNCH
5770	----	----	50.90B/----	50.90B/44.60A	----	50.00 + 6.60	.1401	----	----	----	----	4 UNCH
5775	----	----	50.50B/----	50.50B/44.20A	----	49.50 + 6.40	.1390	----	----	----	----	214 UNCH
5780	----	----	50.00B/----	50.00B/43.90A	----	49.10 + 6.30	.1379	----	----	----	----	2 UNCH
5790	----	----	49.30B/----	49.30B/43.20A	----	48.30 + 6.20	.1359	----	----	----	----	10 UNCH
5800	----	----	48.40B/----	48.40B/42.40A	----	47.50 + 6.00	.1339	----	----	1	----	911 + 1
5810	44.80	44.80	47.50B/44.80	47.50B/41.80A	----	46.70 + 5.90	.1318	----	----	2	----	7 + 1
5820	----	----	46.80B/----	46.80B/41.10A	----	45.90 + 5.70	.1298	----	----	----	----	376 UNCH
5825	----	----	46.40B/----	46.40B/40.90A	----	45.50 + 5.60	.1288	----	----	----	----	15 UNCH
5830	----	----	46.10B/----	46.10B/40.60A	----	45.10 + 5.50	.1278	----	----	----	----	1 UNCH
5840	----	----	45.30B/----	45.30B/39.90A	----	44.40 + 5.40	.1259	----	----	----	----	102 UNCH
5850	----	----	44.70B/----	44.70B/39.30A	----	43.60 + 5.10	.1239	----	----	----	----	110 UNCH
5860	----	----	43.90B/----	43.90B/38.70A	----	42.90 + 5.00	.1221	----	----	----	----	68 UNCH
5870	----	----	43.10B/----	43.10B/38.10A	----	42.20 + 4.80	.1203	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5875	----	----	42.80B/----	42.80B/37.80A	----	41.90 + 4.80	.1195	----	----	----	----	22 UNCH
5880	42.30	42.30	42.40B/42.30	42.40B/37.50A	----	41.50 + 4.70	.1185	----	----	3	----	11 + 2
5890	----	----	41.80B/----	41.80B/37.00A	----	40.90 + 4.60	.1169	----	----	----	----	6 UNCH
5900	----	----	41.10B/----	41.10B/36.40A	----	40.20 + 4.40	.1151	----	----	17	----	538 + 1
5910	----	----	40.50B/----	40.50B/35.90A	----	39.60 + 4.30	.1134	----	----	----	----	6 UNCH
5920	----	----	39.80B/----	39.80B/35.30A	----	38.90 + 4.10	.1117	----	----	2	----	25 + 2
5925	----	----	39.50B/----	39.50B/35.10A	----	38.60 + 4.10	.1109	----	----	----	----	6 UNCH
5940	----	----	38.60B/----	38.60B/34.40A	----	37.70 + 3.90	.1085	----	----	----	----	2 UNCH
5950	----	----	38.00B/----	38.00B/33.90A	----	37.10 + 3.70	.1069	----	----	----	----	3 UNCH
5960	----	----	37.40B/----	37.40B/33.40A	----	36.50 + 3.60	.1053	----	----	----	----	15 UNCH
5970	----	----	36.80B/----	36.80B/32.80A	----	36.00 + 3.50	.1039	----	----	----	----	54 UNCH
5980	----	----	36.30B/----	36.30B/32.40A	----	35.40 + 3.40	.1023	----	----	----	----	3 UNCH
5990	----	----	35.70B/----	35.70B/31.90A	----	34.80 + 3.20	.1007	----	----	----	----	70 UNCH
6000	32.00	32.00	35.20B/31.40A	35.20B/31.40A	----	34.30 + 3.10	.0994	----	----	371	----	2411 + 124
6025	----	----	33.70B/----	33.70B/30.30A	----	33.00 + 2.80	.0958	----	----	----	----	14 UNCH
6050	----	----	32.50B/----	32.50B/29.30A	----	31.80 + 2.60	.0925	----	----	----	----	43 UNCH
6075	28.60	28.60	31.30B/28.20A	31.30B/28.20A	----	30.60 + 2.30	.0893	----	----	10	----	73 + 10
6100	27.30	27.30	30.20B/27.30	30.20B/27.30	----	29.40 + 1.90	.0860	----	----	8	----	253 + 2
6125	27.20	27.20	29.10B/26.50A	29.10B/26.50A	----	28.40 + 1.70	.0832	----	----	14	----	62 + 14
6150	----	----	28.10B/25.60A	28.10B/25.60A	----	27.40 + 1.50	.0804	----	----	----	----	854 UNCH
6175	----	----	27.10B/24.80A	27.10B/24.80A	----	26.40 + 1.30	.0776	----	----	----	----	38 UNCH
6200	----	----	26.20B/24.00A	26.20B/24.00A	----	25.50 + 1.10	.0750	----	----	17	----	539 + 10
6225	----	----	25.30B/23.20A	25.30B/23.20A	----	24.60 + 0.90	.0725	----	----	----	----	19 UNCH
6250	----	----	24.50B/22.50A	24.50B/22.50A	----	23.80 + 0.80	.0702	----	----	----	----	2014 UNCH
6275	----	----	23.70B/21.90A	23.70B/21.90A	----	23.00 + 0.70	.0679	----	----	----	----	2 UNCH
6300	----	----	22.90B/21.20A	22.90B/21.20A	----	22.30 + 0.60	.0659	----	----	----	----	325 UNCH
6325	----	----	22.20B/20.60A	22.20B/20.60A	----	21.60 + 0.50	.0638	----	----	3	----	32 + 3
6350	----	----	21.50B/20.00A	21.50B/20.00A	----	20.90 + 0.40	.0618	----	----	----	----	32 UNCH
6375	----	----	20.80B/19.50A	20.80B/19.50A	----	20.30 + 0.30	.0600	----	----	----	----	37 UNCH
6400	----	----	20.20B/19.00A	20.20B/19.00A	----	19.70 + 0.30	.0582	----	----	18	----	192 + 14
6425	----	----	19.40B/----	19.40B/18.90A	----	19.10 + 0.20	.0565	----	----	3	----	15 + 3
6450	----	----	18.90B/18.30A	18.90B/18.30A	----	18.60 + 0.20	.0549	----	----	----	----	49 UNCH
6475	----	----	18.30B/----	18.30B/17.90A	----	18.00 + 0.10	.0532	----	----	----	----	14 UNCH
6500	----	----	17.90B/----	17.90B/17.40A	----	17.50 + 0.10	.0517	----	----	----	----	1647 UNCH
6525	----	----	17.40B/----	17.40B/17.00A	----	17.00 UNCH	.0502	----	----	----	----	132 UNCH
6575	----	----	16.50B/16.00A	16.50B/16.00A	----	16.10 UNCH	.0475	----	----	----	----	4 UNCH
6600	----	----	16.10B/15.60A	16.10B/15.60A	----	15.70 UNCH	.0463	----	----	----	----	29 UNCH
6650	----	----	15.30B/14.90A	15.30B/14.90A	----	14.90 - 0.10	.0438	----	----	----	----	16 UNCH
6675	----	----	14.90B/14.50A	14.90B/14.50A	----	14.50 - 0.10	.0427	----	----	----	----	1 UNCH
6700	----	----	14.50B/14.10A	14.50B/14.10A	----	14.20 - 0.10	.0417	----	----	40	----	127 + 40
6800	----	----	13.20B/12.80A	13.20B/12.80A	----	12.80 - 0.20	.0375	----	----	----	----	199 UNCH
6825	----	----	12.80B/12.60A	12.80B/12.60A	----	12.50 - 0.20	.0366	----	----	----	----	19 UNCH
6850	----	----	12.60B/12.30A	12.60B/12.30A	----	12.20 - 0.30	.0357	----	----	----	----	201 UNCH
6875	----	----	12.30B/12.10A	12.30B/12.10A	----	11.90 - 0.30	.0348	----	----	----	----	22 UNCH
6900	----	----	12.00B/11.80A	12.00B/11.80A	----	11.70 - 0.20	.0341	----	----	----	----	19 UNCH
6925	----	----	----/11.60A	11.70B/11.60A	----	11.40 - 0.30	.0332	----	----	----	----	1 UNCH
6950	----	----	11.50B/11.30A	11.50B/11.30A	----	11.20 - 0.20	.0325	----	----	----	----	22 UNCH
6975	10.90	10.90	10.90/10.90	11.20B/10.90	----	10.90 - 0.30	.0317	----	----	10	----	10 + 9
7000	----	----	----/10.80A	11.00B/10.80A	----	10.70 - 0.30	.0310	----	----	----	----	790 UNCH
7050	----	----	----/10.30A	10.50B/10.30A	----	10.20 - 0.30	.0295	----	----	----	----	17 UNCH
7075	----	----	----/10.20A	10.30B/10.20A	----	10.00 - 0.30	.0289	----	----	----	----	13 UNCH
7100	----	----	----/9.90A	10.10B/9.90A	----	9.80 - 0.30	.0283	----	----	----	----	21 UNCH
7125	----	----	----/9.70A	9.90B/9.70A	----	9.60 - 0.30	.0277	----	----	----	----	1 UNCH
7150	----	----	----/9.50A	9.70B/9.50A	----	9.40 - 0.30	.0270	----	----	----	----	18 UNCH
7175	----	----	----/9.40A	9.50B/9.40A	----	9.20 - 0.40	.0264	----	----	----	----	1 UNCH
7200	----	----	----/9.10A	9.30B/9.10A	----	9.00 - 0.40	.0258	----	----	----	----	3 UNCH
7225	----	----	----/9.00A	9.10B/9.00A	----	8.80 - 0.40	.0252	----	----	----	----	17 UNCH
7250	----	----	----/8.90A	9.00B/8.90A	----	8.70 - 0.30	.0249	----	----	----	----	2 UNCH
7275	----	----	----/8.70A	8.80B/8.70A	----	8.50 - 0.40	.0243	----	----	----	----	14 UNCH
7300	----	----	----/8.50A	8.60B/8.50A	----	8.30 - 0.40	.0237	----	----	----	----	7 UNCH
7350	----	----	----/8.20A	8.30B/8.20A	----	8.00 - 0.40	.0228	----	----	----	----	6 UNCH
7400	----	----	----/8.00A	8.00B/8.00A	----	7.70 - 0.40	.0219	----	----	----	----	1 UNCH
7425	----	----	----/7.90A	7.80B/7.90A	----	7.60 - 0.40	.0215	----	----	----	----	19 UNCH
7450	----	----	----/7.70A	7.70B/7.70A	----	7.40 - 0.50	.0210	----	----	----	----	16 UNCH
7475	----	----	----/7.60A	7.60B/7.60A	----	7.30 - 0.40	.0206	----	----	----	----	9 UNCH
7500	----	----	----/7.50A	7.40B/7.50A	----	7.20 - 0.40	.0203	----	----	1	----	290 UNCH
7525	----	----	----/7.40A	7.30B/7.40A	----	7.00 - 0.50	.0198	----	----	----	----	33 UNCH
7550	----	----	----/7.20A	7.20B/7.20A	----	6.90 - 0.40	.0194	----	----	----	----	50 UNCH
7575	----	----	----/7.10A	7.00B/7.10A	----	6.80 - 0.40	.0191	----	----	----	----	1 UNCH
7600	----	----	----/7.00A	6.90B/7.00A	----	6.70 - 0.40	.0188	----	----	----	----	10 UNCH
7625	----	----	----/6.90A	6.80B/6.90A	----	6.60 - 0.40	.0185	----	----	----	----	12 UNCH
7700	----	----	----/6.60A	6.50B/6.60A	----	6.20 - 0.50	.0173	----	----	----	----	11 UNCH
7725	----	----	----/6.50A	6.40B/6.50A	----	6.10 - 0.50	.0170	----	----	----	----	11 UNCH
7750	----	----	----/6.40A	6.30B/6.40A	----	6.00 - 0.50	.0167	----	----	----	----	2 UNCH
7775	----	----	----/6.30A	6.20B/6.30A	----	5.90 - 0.50	.0164	----	----	----	----	5 UNCH
7800	----	----	----/6.20A	6.10B/6.20A	----	5.80 - 0.50	.0161	----	----	----	----	5 UNCH
7825	----	----	----/6.10A	6.00B/6.10A	----	5.70 - 0.50	.0158	----	----	----	----	10 UNCH
7875	----	----	----/5.90A	5.80B/5.90A	----	5.50 - 0.50	.0152	----	----	----	----	140 UNCH
7900	----	----	----/5.80A	5.70B/5.80A	----	5.50 - 0.40	.0151	----	----	----	----	1 UNCH
8000	----	----	----/5.50A	5.40B/5.50A	----	5.10 - 0.50	.0140	----	----	----	----	591 UNCH
8300	----	----	----/4.70A	4.50B/4.70A	----	4.30 - 0.50	.0116	----	----	----	----	4 UNCH
8500	----	----	----/4.20A	4.10B/4.20A	----	3.80 - 0.50	.0102	----	----	----	----	6 UNCH
8600	----	----	----	3.90B/4.10A	----	3.60 - 0.50	.0096	----	----	----	----	1 UNCH
8800	----	----	----	3.50B/3.70A	----	3.30 - 0.40	.0087	----	----	----	----	7 UNCH
9000	----	----	----	3.20B/3.40A	----	3.00 - 0.40	.0078	----	----	----	----	223 UNCH
9200	----	----	----/3.10A	2.90B/3.10A	----	2.80 - 0.40	.0072	----	----	----	----	11 UNCH
9300	----	----	----	2.80B/3.00A	----	2.70 - 0.30	.0069	----	----	----	----	4 UNCH
9400	----	----	----	2.70B/2.90A	----	2.50 - 0.40	.0064	----	----	----	----	141 UNCH
9500	----	----	----/2.70A	2.60B/2.70A	----	2.40 - 0.40	.0061	----	----	----	----	66 UNCH
9900	----	----	----/*2.30A	2.20B/2.30A	----	2.10 - 0.30	.0052	----	----	----	----	5 UNCH
10000	----	----	----	2.10B/2.30A	----	2.00 - 0.30	.0049	----	----	----	----	174 UNCH
10100	----	----	----/2.20A	2.10B/2.20A	----	1.90 - 0.40	.0047	----	----	----	----	12 UNCH
11000	----	----	----	1.50B/1.60A	----	1.30 - 0.30	.0031	----	----	----	----	86 UNCH
11200	----	----	----	1.40B/1.50A	----	1.10 - 0.30	.0026	----	----	----	----	13 UNCH
11500	----	----	1.30B/----	1.30B/1.40A	----	0.90 - 0.30	.0022	----	----	----	----	47 UNCH
11600	----	----	1.30B/----	1.30B/1.40A	----	0.90 - 0.30	.0021	----	----	----	----	50 UNCH
12000	----	----	1.10B/----	1.10B/1.20A	----	0.70 - 0.30	.0017	----	----	----	----	216 UNCH
TOTAL										1423	1,000	54192 + 23
AUG26												
3400	----	----	----	----	----	1458.00 + 29.30	.9625	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1362.00 + 27.50	.9536	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1357.20 + 27.30	.9529	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1343.00 + 27.10	.9514	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1314.50 + 26.50	.9482	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1267.30 + 25.50	.9424	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1257.90 + 25.30	.9411	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1220.40 + 24.40	.9360	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1211.10 + 24.10	.9346	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1187.80 + 23.50	.9311	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1173.90 + 23.10	.9290	----	----	----	----	40 UNCH
3715	----	----	----	794.80B/1330.20A	----	1160.10 + 22.80	.9268	----	----	----	----	30 UNCH
3720	----	----	----	797.60B/1324.70A	----	1155.40 + 22.60	.9260	----	----	----	----	1 UNCH
3735	----	----	----	804.00B/1311.50A	----	1141.60 + 22.20	.9236	----	----	----	----	1 UNCH
3750	----	----	----	810.90B/1281.60A	----	1127.90 + 21.80	.9213	----	----	----	----	8 UNCH
3775	----	----	----	838.40B/1259.70A	----	1105.00 + 21.10	.9171	----	----	----	----	4 UNCH
3780	----	----	----	839.20B/1255.40A	----	1100.40 + 20.90	.9163	----	----	----	----	10 UNCH
3790	----	----	----	840.90B/1246.70A	----	1091.30 + 20.60	.9145	----	----	----	----	67 UNCH
3800	----	----	----	844.40B/1238.00A	----	1082.20 + 20.20	.9129	----	----	----	----	303 UNCH
3820	----	----	----	880.90B/1220.80A	----	1064.10 + 19.60	.9093	----	----	----	----	3 UNCH
3840	----	----	----	868.70B/1191.10A	----	1046.10 + 19.00	.9056	----	----	----	----	1 UNCH
3850	----	----	----	859.70B/1182.20A	----	1037.10 + 18.60	.9036	----	----	----	----	12 UNCH
3885	----	----	----	828.40B/1151.40A	----	1005.90 + 17.50	.8967	----	----	----	----	2 UNCH
3890	----	----	----	824.00B/1147.00A	----	1001.40 + 17.20	.8957	----	----	----	----	2 UNCH
3900	----	----	----	815.10B/1138.30A	----	992.50 + 16.80	.8936	----	----	----	----	146 UNCH
3920	----	----	----	797.40B/1120.90A	----	974.90 + 16.20	.8894	----	----	----	----	1 UNCH
3925	----	----	----	793.00B/1116.50A	----	970.50 + 16.00	.8883	----	----	----	----	10 UNCH
3950	----	----	----	771.00B/1094.90A	----	948.50 + 14.90	.8828	----	----	----	----	106 UNCH
3955	----	----	----	766.70B/1090.60A	----	944.20 + 14.80	.8817	----	----	----	----	7 UNCH
3975	----	----	----	749.30B/1073.50A	----	926.80 + 14.00	.8770	----	----	----	----	200 UNCH
3995	----	----	----	732.00B/1056.40A	----	909.50 + 13.10	.8722	----	----	----	----	30 UNCH
4000	----	----	----	727.70B/1052.20A	----	905.20 + 12.90	.8710	----	----	----	----	714 UNCH
4005	----	----	----	723.40B/1048.00A	----	900.90 + 12.70	.8698	----	----	----	----	1 UNCH
4015	----	----	----	714.80B/1039.50A	----	892.30 + 12.20	.8673	----	----	----	----	12 UNCH
4025	----	----	----	706.20B/1031.10A	----	883.70 + 11.70	.8648	----	----	----	----	174 UNCH
4045	----	----	----	689.20B/1014.60A	----	866.70 + 10.80	.8596	----	----	----	----	30 UNCH
4050	----	----	----	685.00B/1010.60A	----	862.50 + 10.60	.8583	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 32

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
4055	----	----	----	680.80B/1006.60A	----	858.20 + 10.30	.8570	----	----	----	----	100 UNCH
4075	----	----	----	664.00B/990.60A	----	841.40 + 09.40	.8515	----	----	----	----	3 UNCH
4080	----	----	----	659.80B/986.70A	----	837.20 + 09.10	.8503	----	----	----	----	1 UNCH
4100	----	----	----	642.50B/970.90A	----	820.50 + 08.10	.8446	----	----	----	----	73 UNCH
4110	----	----	----	633.90B/963.00A	----	812.20 + 07.60	.8417	----	----	----	----	19 UNCH
4135	----	----	----	612.50B/943.60A	----	791.60 + 06.30	.8345	----	----	----	----	20 UNCH
4140	----	----	----	608.20B/939.70A	----	787.50 + 06.00	.8329	----	----	----	----	1 UNCH
4150	----	----	----	599.70B/932.00A	----	779.40 + 05.50	.8300	----	----	----	----	40 UNCH
4165	----	----	----	587.10B/920.40A	----	767.20 + 04.70	.8254	----	----	----	----	1 UNCH
4195	----	----	----	562.00B/897.60A	----	743.00 + 02.90	.8159	----	----	----	----	3 UNCH
4200	----	----	----	557.90B/893.80A	----	739.00 + 02.60	.8142	----	----	----	----	75 UNCH
4215	----	----	----	545.50B/882.50A	----	727.10 + 01.80	.8094	----	----	----	----	1 UNCH
4220	----	----	----	541.40B/878.70A	----	723.20 + 01.50	.8077	----	----	----	----	16 UNCH
4225	----	----	----	537.30B/875.00A	----	719.20 + 01.20	.8060	----	----	----	----	102 UNCH
4235	----	----	----	529.20B/867.60A	----	711.40 + 00.60	.8027	----	----	----	----	1 UNCH
4250	----	----	----	517.00B/856.40A	----	699.60 + 99.60	.7976	----	----	----	----	71 UNCH
4265	----	----	----	505.00B/845.10A	----	688.00 + 98.70	.7924	----	----	----	----	77 UNCH
4285	----	----	----	489.00B/830.80A	----	672.60 + 97.50	.7853	----	----	----	----	8 UNCH
4300	----	----	----	477.20B/819.90A	----	661.20 + 96.50	.7798	----	----	----	----	42 UNCH
4320	----	----	----	461.70B/805.60A	----	646.10 + 95.20	.7725	----	----	----	----	2 UNCH
4325	----	----	----	457.80B/802.00A	----	642.40 + 94.90	.7706	----	----	----	----	6 UNCH
4330	----	----	----	453.90B/798.40A	----	638.60 + 94.50	.7687	----	----	----	----	201 UNCH
4350	----	----	----	438.70B/784.30A	----	623.80 + 93.20	.7611	----	----	----	----	774 UNCH
4360	----	----	----	431.10B/777.30A	----	616.40 + 92.50	.7572	----	----	----	----	1 UNCH
4375	----	----	----	419.80B/766.80A	----	605.50 + 91.50	.7513	----	----	----	----	3 UNCH
4385	----	----	----	412.40B/759.90A	----	598.20 + 90.80	.7474	----	----	----	----	100 UNCH
4390	----	----	----	408.70B/756.10A	----	594.60 + 90.40	.7454	----	----	----	----	1 UNCH
4400	----	----	----	474.40B/749.50A	----	587.50 + 89.80	.7414	----	----	----	----	325 UNCH
4420	----	----	520.40B/----	520.40B/528.60A	----	573.20 + 88.40	.7332	----	----	----	----	50 UNCH
4425	----	----	521.80B/----	521.80B/524.70A	----	569.70 + 88.00	.7311	----	----	----	----	5 UNCH
4440	----	----	524.90B/----	524.90B/514.70A	----	559.20 + 87.00	.7249	----	----	----	----	1 UNCH
4450	----	----	523.30B/----	523.30B/508.10A	----	552.20 + 86.20	.7207	----	----	----	----	6 UNCH
4455	----	----	523.10B/----	523.10B/504.80A	----	548.80 + 85.90	.7186	----	----	----	----	2 UNCH
4460	----	----	524.30B/----	524.30B/501.50A	----	545.30 + 85.50	.7165	----	----	----	----	5 UNCH
4465	----	----	523.40B/----	523.40B/498.30A	----	541.90 + 85.20	.7144	----	----	----	----	9 UNCH
4470	----	----	525.20B/----	525.20B/495.10A	----	538.40 + 84.80	.7122	----	----	----	----	7 UNCH
4475	----	----	523.70B/----	523.70B/491.80A	----	535.00 + 84.40	.7101	----	----	----	----	29 UNCH
4485	----	----	527.40B/----	527.40B/485.40A	----	528.20 + 83.70	.7058	----	----	----	----	5 UNCH
4490	----	----	527.20B/----	527.20B/482.20A	----	524.90 + 83.40	.7036	----	----	----	----	1 UNCH
4500	504.90	504.90	520.70B/504.90	520.70B/475.90A	----	518.10 + 82.60	.6992	----	----	1	----	845 UNCH
4535	----	----	497.60B/----	497.60B/440.30A	----	495.00 + 80.10	.6837	----	----	----	----	10 UNCH
4540	----	----	#494.30B/----	494.30B/437.40A	----	491.70 + 79.70	.6814	----	----	----	----	5 UNCH
4545	----	----	491.10B/----	491.10B/434.40A	----	488.50 + 79.40	.6792	----	----	----	----	1 UNCH
4550	----	----	487.90B/----	487.90B/431.50A	----	485.30 + 79.00	.6769	----	----	----	----	22 UNCH
4555	----	----	484.70B/----	484.70B/428.70A	----	482.00 + 78.60	.6746	----	----	----	----	1 UNCH
4560	----	----	481.50B/----	481.50B/425.80A	----	478.80 + 78.20	.6723	----	----	----	----	5 UNCH
4565	----	----	478.30B/----	478.30B/422.90A	----	475.60 + 77.80	.6700	----	----	----	----	1 UNCH
4575	----	----	471.90B/----	471.90B/417.20A	----	469.30 + 77.10	.6654	----	----	----	----	41 UNCH
4580	----	----	468.80B/----	468.80B/414.40A	----	466.10 + 76.70	.6631	----	----	----	----	200 UNCH
4585	----	----	465.60B/----	465.60B/411.60A	----	463.00 + 76.40	.6608	----	----	----	----	2 UNCH
4590	----	----	462.50B/----	462.50B/408.80A	----	459.90 + 76.00	.6585	----	----	----	----	16 UNCH
4595	----	----	459.40B/----	459.40B/406.10A	----	456.80 + 75.70	.6561	----	----	----	----	2 UNCH
4600	----	----	456.30B/----	456.30B/403.30A	----	453.70 + 75.30	.6538	----	----	----	----	101 UNCH
4605	----	----	453.20B/----	453.20B/400.60A	----	450.60 + 74.90	.6514	----	----	----	----	1 UNCH
4620	----	----	444.00B/----	444.00B/392.40A	----	441.40 + 73.80	.6444	----	----	----	----	4 UNCH
4640	----	----	432.00B/----	432.00B/379.90A	----	429.40 + 72.30	.6348	----	----	----	----	1 UNCH
4650	----	----	426.10B/----	426.10B/376.50A	----	423.50 + 71.60	.6300	----	----	----	----	145 UNCH
4660	----	----	420.30B/----	420.30B/371.30A	----	417.60 + 70.80	.6252	----	----	----	----	2 UNCH
4670	----	----	414.40B/----	414.40B/358.90A	----	411.80 + 70.10	.6204	----	----	----	----	3 UNCH
4675	----	----	411.50B/----	411.50B/358.50A	----	408.90 + 69.70	.6179	----	----	----	----	36 UNCH
4700	368.00	368.00	397.30B/368.00	397.30B/346.90A	----	394.70 + 67.80	.6057	----	----	24	----	1618 UNCH
4705	----	----	394.50B/----	394.50B/344.20A	----	392.00 + 67.50	.6033	----	----	----	----	20 UNCH
4710	----	----	391.70B/----	391.70B/342.10A	----	389.20 + 67.10	.6008	----	----	3	----	17 + 3
4720	----	----	386.10B/----	386.10B/339.60A	----	383.70 + 66.30	.5959	----	----	----	----	23 UNCH
4730	----	----	380.60B/----	380.60B/333.60A	----	378.20 + 65.50	.5909	----	----	----	----	3 UNCH
4750	----	----	369.80B/----	369.80B/320.30A	----	367.60 + 64.10	.5810	----	----	----	----	12 UNCH
4760	----	----	364.50B/----	364.50B/316.20A	----	362.30 + 63.30	.5760	----	----	----	----	10 UNCH
4770	----	----	359.20B/----	359.20B/311.70A	----	357.10 + 62.50	.5711	----	----	----	----	14 UNCH
4775	332.80	332.80	356.60B/332.80	356.60B/309.50A	----	354.60 + 62.20	.5686	----	----	6	----	10 + 4
4780	----	----	354.00B/----	354.00B/307.30A	----	352.00 + 61.80	.5661	----	----	----	----	2 UNCH
4795	----	----	346.80B/----	346.80B/300.70A	----	344.40 NEW	.5586	----	----	2	----	2 + 2
4800	----	----	344.30B/----	344.30B/298.10A	----	342.00 + 60.30	.5561	----	----	70	----	1634 UNCH
4810	----	----	339.30B/----	339.30B/289.60A	----	337.00 + 59.50	.5511	----	----	----	----	1 UNCH
4815	305.50	305.50	336.80B/305.50	336.80B/287.70A	----	334.60 + 59.20	.5486	----	----	2	----	3 + 2
4820	303.20	303.20	334.60B/303.20	334.60B/283.70A	----	332.20 NEW	.5461	----	----	23	----	21 + 21
4825	----	----	332.30B/----	332.30B/280.60A	----	329.80 + 58.40	.5436	----	----	3	----	4 + 3
4830	----	----	330.30B/----	330.30B/278.50A	----	327.40 + 58.10	.5411	----	----	----	----	4 UNCH
4850	----	----	320.50B/----	320.50B/270.40A	----	317.90 + 56.50	.5310	----	----	----	----	4 UNCH
4860	----	----	315.00B/----	315.00B/266.30A	----	313.30 + 55.80	.5261	----	----	----	----	22 UNCH
4875	----	----	308.80B/----	308.80B/260.80A	----	306.40 + 54.60	.5186	----	----	----	75	79 + 75
4880	----	----	305.90B/----	305.90B/258.40A	----	304.10 + 54.20	.5161	----	----	----	----	1 UNCH
4900	275.00	275.00	296.60B/274.00	296.60B/251.00A	----	295.20 + 52.70	.5062	----	----	5	----	482 + 3
4905	273.00	273.00	294.40B/273.00	294.40B/249.10A	----	293.00 + 52.30	.5037	----	----	6	----	9 + 6
4925	----	----	287.00B/----	287.00B/241.30A	----	284.20 + 50.70	.4938	----	----	----	----	123 UNCH
4940	----	----	280.20B/----	280.20B/236.00A	----	277.80 + 49.60	.4864	----	----	----	----	1 UNCH
4950	----	----	276.20B/----	276.20B/232.50A	----	273.60 + 48.80	.4815	----	----	2	----	50 UNCH
4955	----	----	273.80B/----	273.80B/230.70A	----	271.50 + 48.40	.4791	----	----	----	----	1 UNCH
4975	----	----	265.50B/----	265.50B/223.80A	----	263.20 + 46.90	.4693	----	----	----	----	2 UNCH
4995	----	----	257.70B/----	257.70B/216.90A	----	255.10 + 45.30	.4595	----	----	----	----	3 UNCH
5000	230.00	230.00	255.40B/215.30A	255.40B/215.30A	----	253.10 + 44.90	.4571	----	----	35	----	1310 - 33
5005	----	----	253.80B/----	253.80B/213.50A	----	251.10 + 44.50	.4547	----	----	----	----	4 UNCH
5015	----	----	249.60B/----	249.60B/210.20A	----	247.20 + 43.80	.4499	----	----	----	----	3 UNCH
5030	----	----	244.10B/----	244.10B/205.40A	----	241.40 + 42.60	.4426	----	----	----	----	2 UNCH
5045	----	----	238.50B/----	238.50B/200.60A	----	235.70 + 41.50	.4355	----	----	----	----	1 UNCH
5050	211.60	211.60	238.90/211.60	238.90/199.10A	----	233.90 + 41.20	.4331	----	----	5	----	9 + 1
5075	----	----	227.40B/----	227.40B/191.60A	----	224.80 + 39.40	.4213	----	----	----	----	200 UNCH
5100	196.00	196.00	220.90/184.30A	220.90/184.30A	----	216.00 + 37.60	.4097	----	----	24	----	1616 + 4
5105	----	----	216.80B/----	216.80B/182.90A	----	214.30 + 37.30	.4074	----	----	----	----	2 UNCH
5110	----	----	215.20B/----	215.20B/181.40A	----	212.60 + 37.00	.4051	----	----	----	----	4 UNCH
5125	----	----	210.10B/----	210.10B/177.20A	----	207.50 + 35.90	.3982	----	----	20	----	20 + 20
5130	----	----	208.50B/----	208.50B/175.80A	----	205.90 + 35.60	.3959	----	----	----	----	1 UNCH
5145	----	----	203.70B/----	203.70B/171.90A	----	201.00 + 34.60	.3891	----	----	----	----	2 UNCH
5150	----	----	202.20B/----	202.20B/170.50A	----	199.50 + 34.40	.3870	----	----	2	----	19 UNCH
5160	----	----	199.10B/----	199.10B/167.80A	----	196.30 + 33.80	.3825	----	----	----	----	5 UNCH
5200	173.00	173.00	186.70B/157.80A	186.70B/157.80A	----	184.20 + 31.40	.3650	----	----	93	----	3330 + 11
5205	----	----	185.10B/----	185.10B/156.60A	----	182.80 + 31.20	.3629	----	----	----	----	1 UNCH
5215	----	----	182.20B/----	182.20B/154.30A	----	179.90 + 30.60	.3586	----	----	----	----	7 UNCH
5230	----	----	177.80B/----	177.80B/150.60A	----	175.70 + 29.90	.3523	----	----	----	----	2 UNCH
5250	152.70	152.70	172.50B/146.20A	172.50B/146.20A	----	170.20 + 28.80	.3439	----	----	37	----	433 + 34
5255	----	----	170.90B/----	170.90B/145.10A	----	168.80 + 28.50	.3418	----	----	----	----	3 UNCH
5265	----	----	168.10B/----	168.10B/142.70A	----	166.20 + 28.10	.3378	----	----	----	----	1 UNCH
5275	----	----	165.70B/----	165.70B/140.60A	----	163.60 + 27.60	.3337	----	----	----	----	1 UNCH
5285	----	----	163.10B/----	163.10B/138.40A	----	161.00 + 27.10	.3297	----	----	----	----	2 UNCH
5300	----	----	159.10B/----	159.10B/135.30A	----	157.20 + 26.40	.3237	----	----	2	100	536 UNCH
5320	----	----	154.20B/----	154.20B/131.60A	----	152.30 + 25.50	.3159	----	----	----	----	4 UNCH
5325	143.30	143.30	153.00B/143.30	153.00B/130.20A	----	151.10 + 25.30	.3140	----	----	3	----	11 + 3
5330	----	----	151.70B/----	151.70B/129.40A	----	149.90 + 25.10	.3120	----	----	----	----	6 UNCH
5350	----	----	146.90B/----	146.90B/125.50A	----	145.20 + 24.20	.3044	----	----	2	----	3 + 2
5355	----	----	145.70B/----	145.70B/124.40A	----	144.10 + 24.00	.3026	----	----	----	----	1 UNCH
5370	----	----	142.40B/----	142.40B/121.70A	----	140.70 + 23.40	.2970	----	----	----	----	2 UNCH
5375	----	----	141.30B/----	141.30B/120.70A	----	139.60 + 23.20	.2951	----	----	----	----	4 UNCH
5400	----	----	135.70B/----	135.70B/116.40A	----	134.10 + 22.10	.2860	----	----	----	----	3756 UNCH
5410	----	----	133.60B/----	133.60B/114.70A	----	132.00 + 21.80	.2824	----	----	----	----	2 UNCH
5420	----	----	131.50B/----	131.50B/113.00A	----	130.00 + 21.50	.2789	----	----	----	----	5 UNCH
5445	----	----	126.40B/----	126.40B/108.70A	----	124.90 + 20.40	.2702	----	----	----	----	3 UNCH
5450	----	----	125.40B/----	125.40B/108.10A	----	123.90 + 20.20	.2685	----	----	----	----	2 UNCH
5460	----	----	123.50B/----	123.50B/106.40A	----	122.00 + 19.90	.2651	----	----	1	----	3 + 1
5470	----	----	121.50B/----	121.50B/104.80A	----	120.10 + 19.50	.2618	----	----	----	----	1 UNCH
5480	----	----	119.70B/----	119.70B/103.30A	----	118.20 + 19.20	.2585	----	----	----	----	10 UNCH
5485	----	----	118.70B/----	118.70B/102.60A	----	117.30 + 19.00	.2568	----	----	----	----	1 UNCH
5490	----	----	117.70B/----	117.70B/101.80A	----	116.30 + 18.70	.2551	----	----	----	----	2 UNCH
5495	----	----	116.80B/----	116.80B/101.10A	----	115.40 + 18.60	.2535	----	----	----	----	2 UNCH
5500	108.00	108.00	116.00B/108.00	116.00B/100.30A	----	114.50 + 18.40	.2519	----	----	7	----	641 UNCH
5515	----	----	113.20B/----	113.20B/98.10A	----	111.90 + 17.90	.2472	----	----	----	----	2 UNCH
5525	----	----	111.40B/----	111.40B/96.60A	----	110.10 + 17.50	.2440	----	----	----	----	1 UNCH
5535	----	----	109.70B/----	109.70B/95.20A	----	108.40 + 17.10	.2409	----	----	----	----	3 UNCH
5545	----	----	107.90B/----	107.90B/93.90A	----	106.70 + 16.80	.2378	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5550	----	----	107.10B/----	107.10B/93.30A	----	105.90 + 16.60	.2363	----	----	----	----	2 UNCH
5565	----	----	104.60B/----	104.60B/91.20A	----	103.40 + 16.00	.2317	----	----	----	----	2 UNCH
5575	----	----	103.10B/----	103.10B/89.90A	----	101.80 + 15.70	.2287	----	----	----	----	3 UNCH
5580	----	----	102.30B/----	102.30B/89.30A	----	101.00 + 15.50	.2273	----	----	----	----	17 UNCH
5595	----	----	100.00B/----	100.00B/87.40A	----	98.70 + 15.00	.2229	----	----	----	----	2 UNCH
5600	91.00	91.00	99.20B/86.70A	99.20B/86.70A	----	97.90 + 14.80	.2215	----	----	5	----	1767 UNCH
5615	----	----	97.00B/----	97.00B/84.90A	----	95.70 + 14.30	.2173	----	----	----	----	1 UNCH
5635	90.90	90.90	94.00B/90.90	94.00B/82.50A	----	92.80 NEW	.2117	----	----	2	----	2 + 2
5640	----	----	93.40B/----	93.40B/82.00A	----	92.00 + 13.40	.2103	----	----	----	----	3 UNCH
5650	----	----	92.00B/----	92.00B/80.80A	----	90.60 + 13.10	.2076	----	----	----	----	88 UNCH
5660	----	----	90.50B/----	90.50B/79.80A	----	89.30 + 12.80	.2050	----	----	----	----	10 UNCH
5675	----	----	88.50B/----	88.50B/78.00A	----	87.20 + 12.30	.2010	----	----	----	----	3 UNCH
5700	79.00	79.00	85.30B/75.30A	85.30B/75.30A	----	84.00 + 11.60	.1946	----	----	1	----	2138 UNCH
5720	----	----	82.70B/----	82.70B/73.30A	----	81.50 + 11.00	.1897	----	----	----	----	10 UNCH
5725	----	----	82.10B/----	82.10B/72.80A	----	80.80 + 10.80	.1883	----	----	----	----	1 UNCH
5730	----	----	81.30B/----	81.30B/72.30A	----	80.20 + 10.60	.1871	----	----	----	----	12 UNCH
5750	----	----	78.70B/----	78.70B/70.40A	----	77.90 + 10.20	.1825	----	----	----	----	5 UNCH
5800	73.10	73.10	73.40B/73.10	73.40B/65.60A	----	72.30 + 8.90	.1711	----	----	61	----	899 + 9
5825	----	----	70.70B/----	70.70B/63.50A	----	69.70 + 8.40	.1657	----	----	----	----	14 UNCH
5850	----	----	68.30B/----	68.30B/61.30A	----	67.20 + 8.00	.1605	----	----	----	150	165 + 150
5875	----	----	66.00B/----	66.00B/59.20A	----	64.80 + 7.50	.1554	----	----	----	----	7 UNCH
5900	----	----	63.50B/----	63.50B/57.20A	----	62.60 + 7.20	.1507	----	----	1	----	1821 UNCH
5950	----	----	59.20B/----	59.20B/53.50A	----	58.30 + 6.50	.1415	----	----	----	----	1 UNCH
6000	53.80	53.80	55.20B/50.00A	55.20B/50.00A	----	54.50 + 6.00	.1331	----	----	16	----	1099 - 9
6100	----	----	48.30B/----	48.30B/44.10A	----	47.70 + 5.10	.1178	----	----	----	----	329 UNCH
6200	40.20	40.20	42.40B/40.20	42.40B/38.90A	----	42.00 + 4.20	.1047	----	----	2	----	1327 + 2
6300	----	----	37.50B/----	37.50B/34.70A	----	37.20 + 3.40	.0934	----	----	----	----	64 UNCH
6400	32.00	32.00	33.30/31.10A	33.30/31.10A	----	33.20 + 2.60	.0837	----	----	4	----	26 + 1
6500	30.50	30.50	30.50/28.80A	30.50/28.80A	----	29.70 + 1.80	.0752	----	----	1	----	705 UNCH
6600	----	----	----	25.40B/26.00A	----	26.70 + 1.20	.0678	----	----	----	----	129 UNCH
6700	----	----	----	22.80B/23.80A	----	24.20 + 0.80	.0615	----	----	----	----	254 UNCH
6800	----	----	----	20.80B/21.70A	----	22.00 + 0.40	.0559	----	----	----	----	49 UNCH
6900	----	----	----/19.80A	18.90B/19.80A	----	20.10 + 0.10	.0510	----	----	----	----	1 UNCH
7000	----	----	----/18.40A	17.40B/18.40A	----	18.50 UNCH	.0468	----	----	15	----	475 - 15
7500	----	----	----	11.90B/13.20A	----	12.70 - 0.50	.0317	----	----	----	----	737 UNCH
8000	----	----	----	8.80B/10.00A	----	9.40 - 0.30	.0229	----	----	30	----	91 - 30
8500	----	----	----	6.70B/7.90A	----	7.30 - 0.20	.0174	----	----	----	----	73 UNCH
9000	----	----	----	5.50B/6.50A	----	5.90 - 0.20	.0137	----	----	----	----	8 UNCH
9500	----	----	----	4.30B/5.40A	----	4.80 - 0.50	.0109	----	----	----	----	68 UNCH
10000	----	----	----/4.60A	4.00B/4.60A	----	4.10 - 0.70	.0091	----	----	----	----	98 UNCH
TOTAL										516	325	35792 + 272
SEP26												
3875	----	----	----	#873.20B/1209.90A	----	1057.40 + 16.90	.8891	----	----	----	----	1 UNCH
3995	----	----	----	770.10B/1108.20A	----	954.10 + 12.10	.8625	----	----	----	----	10 UNCH
4085	----	----	----	694.30B/1037.00A	----	879.30 + 08.60	.8397	----	----	----	----	37 UNCH
4130	----	----	----	656.40B/1002.30A	----	842.80 + 06.80	.8273	----	----	----	----	10 UNCH
4185	----	----	----	611.10B/960.80A	----	799.00 + 04.20	.8113	----	----	----	----	37 UNCH
4200	----	----	----	599.00B/949.60A	----	787.30 + 03.50	.8067	----	----	----	----	1 UNCH
4220	----	----	----	582.90B/934.90A	----	771.70 + 02.50	.8005	----	----	----	----	162 UNCH
4290	----	----	----	527.90B/884.10A	----	718.30 + 98.60	.7778	----	----	----	----	6 UNCH
4295	----	----	----	524.00B/880.50A	----	714.60 + 98.40	.7762	----	----	----	----	50 UNCH
4300	----	----	----	551.80B/877.00A	----	710.80 + 98.00	.7745	----	----	----	----	13 UNCH
4320	----	----	----	504.90B/862.80A	----	696.00 + 96.80	.7676	----	----	----	----	162 UNCH
4375	----	----	----	464.00B/824.60A	----	656.00 + 93.40	.7482	----	----	----	----	1 UNCH
4390	----	----	----	453.10B/814.40A	----	645.30 + 92.40	.7427	----	----	----	----	200 UNCH
4425	----	----	#574.10B/----	574.10B/576.90A	----	620.70 + 90.00	.7297	----	----	----	----	1 UNCH
4495	----	----	575.70B/----	575.70B/531.80A	----	573.20 + 85.20	.7026	----	----	----	----	18 UNCH
4500	----	----	572.40B/----	572.40B/528.70A	----	569.90 + 84.90	.7006	----	----	----	----	5 UNCH
4505	----	----	569.10B/----	569.10B/525.60A	----	566.60 + 84.50	.6986	----	----	----	----	2 UNCH
4510	----	----	565.80B/----	565.80B/522.50A	----	563.30 + 84.20	.6966	----	----	----	----	2 UNCH
4515	----	----	#562.50B/----	562.50B/519.40A	----	560.00 + 83.80	.6946	----	----	----	----	2 UNCH
4545	----	----	543.10B/----	543.10B/487.10A	----	540.60 + 81.60	.6824	----	----	----	----	16 UNCH
4550	----	----	539.90B/----	539.90B/484.20A	----	537.40 + 81.20	.6804	----	----	----	----	222 UNCH
4560	----	----	#533.60B/----	533.60B/478.50A	----	531.10 + 80.60	.6762	----	----	----	----	2 UNCH
4565	----	----	#530.40B/----	530.40B/475.60A	----	527.90 + 80.20	.6742	----	----	----	----	2 UNCH
4570	----	----	527.30B/----	527.30B/472.80A	----	524.80 + 79.80	.6721	----	----	----	----	2 UNCH
4575	----	----	524.10B/----	524.10B/469.90A	----	521.60 + 79.40	.6700	----	----	----	----	2 UNCH
4580	----	----	521.00B/----	521.00B/467.10A	----	518.50 + 79.10	.6679	----	----	----	----	2 UNCH
4585	----	----	517.90B/----	517.90B/464.30A	----	515.40 + 78.70	.6658	----	----	----	----	2 UNCH
4590	----	----	514.80B/----	514.80B/461.50A	----	512.30 + 78.30	.6637	----	----	----	----	2 UNCH
4600	----	----	508.60B/----	508.60B/456.00A	----	506.20 + 77.70	.6595	----	----	2	----	53 - 2
4650	----	----	478.60B/----	478.60B/429.00A	----	476.20 + 74.00	.6381	----	----	----	----	1 UNCH
4675	----	----	464.00B/----	464.00B/415.90A	----	461.70 + 72.30	.6273	----	----	----	----	1 UNCH
4680	----	----	461.10B/----	461.10B/413.40A	----	458.80 + 71.90	.6251	----	----	----	----	1 UNCH
4700	----	----	449.80B/----	449.80B/403.20A	----	447.50 + 70.50	.6163	----	----	----	----	117 UNCH
4705	----	----	447.00B/----	447.00B/400.70A	----	444.70 + 70.10	.6141	----	----	----	----	10 UNCH
4710	428.30	428.30	444.20B/428.30	444.20B/398.20A	----	442.00 NEW	.6119	----	----	1	----	1 + 1
4720	----	----	438.60B/----	438.60B/393.30A	----	436.40 + 69.10	.6075	----	----	----	----	45 UNCH
4725	----	----	435.90B/----	435.90B/390.80A	----	433.70 + 68.80	.6053	----	----	----	----	2 UNCH
4730	----	----	433.10B/----	433.10B/388.40A	----	431.00 + 68.40	.6031	----	----	----	----	5 UNCH
4750	----	----	422.20B/----	422.20B/378.80A	----	420.20 + 67.10	.5942	----	----	----	----	60 UNCH
4775	----	----	408.90B/----	408.90B/367.00A	----	407.00 + 65.40	.5831	----	----	----	----	9 UNCH
4780	----	----	406.30B/----	406.30B/364.70A	----	404.50 + 65.10	.5808	----	----	----	----	7 UNCH
4800	----	----	395.90B/----	395.90B/355.60A	----	394.20 + 63.80	.5719	----	----	20	----	682 UNCH
4840	----	----	375.80B/----	375.80B/337.90A	----	374.40 + 61.30	.5539	----	----	----	----	2 UNCH
4850	----	----	370.90B/----	370.90B/333.60A	----	369.60 + 60.70	.5494	----	----	----	----	20 UNCH
4875	----	----	358.80B/----	358.80B/322.90A	----	357.80 + 59.20	.5382	----	----	----	----	30 UNCH
4900	----	----	347.10B/----	347.10B/312.70A	----	346.30 + 57.70	.5270	----	----	----	----	260 UNCH
4925	----	----	335.70B/----	335.70B/300.90A	----	335.10 + 56.20	.5159	----	----	----	----	1 UNCH
4975	----	----	314.00B/----	314.00B/283.00A	----	313.60 + 53.20	.4938	----	----	----	----	234 UNCH
5000	280.00	280.00	303.50B/261.70	303.50B/261.70	----	303.20 + 51.60	.4828	----	----	12	----	630 - 1
5005	----	----	301.50B/----	301.50B/271.10A	----	301.10 + 51.20	.4806	----	----	----	----	1 UNCH
5050	----	----	283.30B/----	283.30B/255.70A	----	283.20 + 48.30	.4610	----	----	----	----	1 UNCH
5075	----	----	273.70B/----	273.70B/247.30A	----	273.60 + 46.60	.4503	----	----	----	----	1 UNCH
5100	----	----	264.60B/----	264.60B/239.40A	----	264.40 + 45.00	.4397	----	----	45	----	241 UNCH
5150	----	----	246.80B/----	246.80B/224.00A	----	247.00 + 41.90	.4189	----	----	----	----	3 UNCH
5200	----	----	230.20B/----	230.20B/212.00A	----	230.70 + 38.80	.3987	----	----	5	----	373 UNCH
5230	----	----	220.70B/----	220.70B/203.60A	----	221.40 + 37.00	.3869	----	----	----	----	400 UNCH
5235	----	----	219.20B/----	219.20B/202.20A	----	219.90 + 36.70	.3850	----	----	----	----	1 UNCH
5250	----	----	214.70B/----	214.70B/198.10A	----	215.40 + 35.80	.3791	----	----	----	----	10 UNCH
5300	----	----	200.10B/----	200.10B/185.00A	----	200.90 + 32.60	.3600	----	----	----	----	765 UNCH
5335	----	----	190.50B/----	190.50B/176.40A	----	191.30 + 30.50	.3470	----	----	----	----	1 UNCH
5350	----	----	186.60B/----	186.60B/172.90A	----	187.40 + 29.70	.3416	----	----	----	----	1 UNCH
5375	----	----	180.10B/----	180.10B/167.10A	----	181.00 + 28.40	.3327	----	----	----	----	2 UNCH
5400	----	----	173.90B/----	173.90B/161.50A	----	174.80 + 27.10	.3239	----	----	22	----	430 UNCH
5420	----	----	169.10B/----	169.10B/157.20A	----	170.00 + 26.20	.3170	----	----	----	----	80 UNCH
5450	----	----	162.20B/----	162.20B/150.90A	----	163.10 + 25.10	.3069	----	----	----	----	3 UNCH
5460	----	----	159.90B/----	159.90B/148.90A	----	160.80 + 24.70	.3036	----	----	----	----	1 UNCH
5475	----	----	156.60B/----	156.60B/145.90A	----	157.60 + 24.30	.2987	----	----	----	----	2 UNCH
5500	147.00	147.00	151.30B/147.00	151.30B/141.10A	----	152.30 + 23.60	.2907	----	----	3	----	1249 - 2
5505	----	----	150.20B/----	150.20B/140.10A	----	151.20 + 23.40	.2891	----	----	----	----	3 UNCH
5520	----	----	147.10B/----	147.10B/137.40A	----	148.20 + 23.10	.2845	----	----	----	----	1 UNCH
5525	----	----	146.10B/----	146.10B/136.40A	----	147.20 + 22.90	.2829	----	----	----	----	2 UNCH
5600	----	----	131.70B/----	131.70B/123.50A	----	133.00 + 21.00	.2607	----	----	1	----	559 + 1
5625	----	----	127.20B/----	127.20B/119.50A	----	128.50 + 20.10	.2535	----	----	----	----	2 UNCH
5650	----	----	122.90B/----	122.90B/115.60A	----	124.20 + 19.20	.2465	----	----	----	----	559 UNCH
5700	107.90	107.90	117.20/107.90	117.20/107.90	----	116.00 + 17.20	.2331	----	----	3	----	1051 + 2
5750	----	----	107.20B/----	107.20B/101.60A	----	108.30 + 15.10	.2203	----	----	----	----	237 UNCH
5800	----	----	100.20B/----	100.20B/95.30A	----	101.30 + 13.50	.2082	----	----	1	----	826 UNCH
5850	----	----	93.70B/----	93.70B/89.40A	----	94.90 + 12.40	.1970	----	----	----	----	582 UNCH
5900	----	----	87.70B/----	87.70B/84.00A	----	89.00 + 11.80	.1864	----	----	----	----	503 UNCH
5950	----	----	82.10B/----	82.10B/79.20A	----	83.50 + 11.10	.1764	----	----	----	----	49 UNCH
6000	----	----	77.10B/----	77.10B/74.60A	----	78.40 + 10.30	.1669	----	----	1	----	1046 UNCH
6100	----	----	68.00B/----	68.00B/66.30A	----	69.00 + 8.40	.1493	----	----	----	----	363 UNCH
6200	----	----	60.20B/----	60.20B/59.80A	----	61.20 + 7.30	.1341	----	----	----	----	226 UNCH
6300	----	----	53.00B/----	53.00B/54.20A	----	54.60 + 6.70	.1208	----	----	----	----	105 UNCH
6400	----	----	47.00B/----	47.00B/47.10A	----	48.90 + 6.10	.1091	----	----	----	----	220 UNCH
6500	----	----	43.10B/----	43.10B/42.80A	----	44.00 + 5.60	.0988	----	----	----	----	344 UNCH
6600	----	----	38.60B/----	38.60B/39.00A	----	39.60 + 4.90	.0895	----	----	----	----	45 UNCH
6650	----	----	36.60B/----	36.60B/37.10A	----	37.60 + 4.60	.0853	----	----	----	----	5 UNCH
6750	----	----	33.10B/----	33.10B/35.40A	----	33.80 + 4.10	.0772	----	----	----	----	11 UNCH
6775	33.60	33.60	33.60/33.60	33.60/33.60	----	32.80 + 3.90	.0751	----	----	1	----	1 + 1
6800	----	----	31.60B/----	31.60B/35.20A	----	31.90 + 3.80	.0732	----	----	----	----	127 UNCH
TOTAL										117		13575 0
OCT26												
3600	----	----	----	----	----	1312.00 + 27.40	.9243	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 34

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4300	----	----	----	524.10B/913.90A	----	731.00 + 97.40	.7621	----	----	----	----	102 UNCH
4400	----	----	#614.40B/----	614.40B/618.40A	----	660.90 + 91.80	.7279	----	----	----	----	8 UNCH
4405	----	----	#615.00B/----	615.00B/615.20A	----	657.50 + 91.50	.7261	----	----	----	----	2 UNCH
4480	----	----	#608.00B/----	608.00B/567.70A	----	607.80 + 87.10	.6988	----	----	----	----	1 UNCH
4500	----	----	#595.10B/----	595.10B/555.50A	----	594.90 + 85.80	.6913	----	----	----	----	4 UNCH
4515	----	----	#585.60B/----	585.60B/546.40A	----	585.30 + 84.80	.6856	----	----	----	----	1 UNCH
4550	----	----	563.60B/----	563.60B/511.00A	----	563.40 + 82.50	.6723	----	----	----	----	1 UNCH
4580	----	----	#545.20B/----	545.20B/494.30A	----	545.10 + 80.60	.6606	----	----	----	----	70 UNCH
4600	----	----	533.30B/----	533.30B/483.40A	----	533.10 + 79.30	.6528	----	----	----	----	134 UNCH
4610	----	----	#527.30B/----	527.30B/478.10A	----	527.20 + 78.70	.6488	----	----	----	----	5 UNCH
4620	----	----	#521.40B/----	521.40B/472.70A	----	521.30 + 78.00	.6449	----	----	----	----	1 UNCH
4630	----	----	515.40B/----	515.40B/467.50A	----	515.40 + 77.30	.6409	----	----	----	----	3 UNCH
4650	----	----	503.90B/----	503.90B/457.10A	----	503.90 + 76.00	.6329	----	----	----	----	1 UNCH
4670	----	----	492.60B/----	492.60B/446.80A	----	492.50 + 74.60	.6248	----	----	----	----	1 UNCH
4675	----	----	489.70B/----	489.70B/444.30A	----	489.70 + 74.30	.6228	----	----	----	----	1 UNCH
4690	----	----	481.40B/----	481.40B/436.80A	----	481.40 + 73.40	.6167	----	----	----	----	1 UNCH
4700	----	----	475.80B/----	475.80B/431.80A	----	475.90 + 72.70	.6127	----	----	----	----	5 UNCH
4710	----	----	470.30B/----	470.30B/426.90A	----	470.40 + 72.00	.6086	----	----	----	----	1 UNCH
4715	----	----	467.60B/----	467.60B/424.50A	----	467.70 + 71.70	.6066	----	----	----	----	2 UNCH
4750	----	----	448.90B/----	448.90B/407.80A	----	449.00 + 69.30	.5922	----	----	----	----	1 UNCH
4800	----	----	423.10B/----	423.10B/384.90A	----	423.50 + 66.10	.5716	----	----	----	----	14 UNCH
4845	----	----	401.00B/----	401.00B/365.30A	----	401.50 + 63.20	.5530	----	----	----	----	1 UNCH
4850	----	----	398.60B/----	398.60B/363.20A	----	399.10 + 62.90	.5509	----	----	4	----	54 + 2
4865	----	----	391.30B/----	391.30B/356.90A	----	392.10 + 62.00	.5447	----	----	----	----	2 UNCH
4880	----	----	384.30B/----	384.30B/348.40A	----	385.10 + 61.00	.5385	----	----	----	----	1 UNCH
4900	----	----	375.10B/----	375.10B/340.30A	----	376.10 + 59.80	.5303	----	----	30	200	1188 + 230
4910	----	----	370.70B/----	370.70B/336.30A	----	371.60 + 59.20	.5262	----	----	----	----	1 UNCH
4925	----	----	363.80B/----	363.80B/330.30A	----	365.00 + 58.30	.5200	----	----	----	----	18 UNCH
4950	----	----	352.90B/----	352.90B/320.90A	----	354.10 + 56.70	.5098	----	----	----	----	7 UNCH
5000	----	----	332.00B/----	332.00B/302.30A	----	333.30 + 53.80	.4896	----	----	2	----	1428 + 1
5025	----	----	321.90B/----	321.90B/293.30A	----	323.30 + 52.40	.4796	----	----	----	----	2 UNCH
5050	----	----	311.90B/----	311.90B/287.10A	----	313.50 + 50.90	.4697	----	----	----	----	57 UNCH
5075	----	----	302.30B/----	302.30B/278.70A	----	304.00 + 49.50	.4598	----	----	----	----	1 UNCH
5080	----	----	300.20B/----	300.20B/277.10A	----	302.20 + 49.30	.4579	----	----	----	----	3 UNCH
5085	----	----	298.60B/----	298.60B/275.50A	----	300.30 + 49.00	.4559	----	----	----	----	3 UNCH
5100	----	----	293.00B/----	293.00B/270.60A	----	294.80 + 48.20	.4501	----	----	----	----	415 UNCH
5125	----	----	284.00B/----	284.00B/262.80A	----	285.80 + 46.70	.4404	----	----	----	----	1 UNCH
5160	----	----	271.80B/----	271.80B/252.20A	----	273.60 + 44.70	.4270	----	----	----	----	1 UNCH
5200	258.80	258.80	261.40/258.80	261.40/240.60A	----	260.30 + 42.30	.4120	----	----	5	----	447 UNCH
5250	----	----	242.50B/----	242.50B/226.90A	----	244.50 + 39.30	.3937	----	----	----	----	522 UNCH
5255	----	----	241.00B/----	241.00B/225.60A	----	243.00 + 39.00	.3919	----	----	----	----	2 UNCH
5300	----	----	227.70B/----	227.70B/213.70A	----	229.70 + 36.40	.3760	----	----	----	----	252 UNCH
5325	----	----	220.60B/----	220.60B/207.20A	----	222.60 + 34.90	.3673	----	----	----	----	1 UNCH
5400	----	----	200.50B/----	200.50B/189.10A	----	202.60 + 31.00	.3421	----	----	----	----	168 UNCH
5435	----	----	191.90B/----	191.90B/181.30A	----	193.90 + 29.50	.3307	----	----	----	----	226 UNCH
5450	----	----	188.10B/----	188.10B/178.00A	----	190.30 + 28.90	.3260	----	----	----	----	66 UNCH
5455	----	----	186.90B/----	186.90B/176.90A	----	189.10 + 28.70	.3244	----	----	----	----	175 UNCH
5475	----	----	182.40B/----	182.40B/172.70A	----	184.40 + 27.90	.3181	----	----	----	----	1 UNCH
5500	----	----	176.70B/----	176.70B/167.60A	----	178.80 + 27.20	.3105	----	----	----	----	423 UNCH
5545	----	----	166.80B/----	166.80B/158.80A	----	169.00 + 25.80	.2971	----	----	----	----	5 UNCH
5550	----	----	165.80B/----	165.80B/157.90A	----	168.00 + 25.70	.2957	----	----	----	----	100 UNCH
5590	----	----	157.60B/----	157.60B/150.60A	----	159.90 + 24.60	.2843	----	----	----	----	4 UNCH
5600	----	----	155.80B/----	155.80B/148.80A	----	158.00 + 24.30	.2815	----	----	----	----	110 UNCH
5610	----	----	153.70B/----	153.70B/147.10A	----	156.00 + 24.00	.2787	----	----	----	----	1 UNCH
5615	----	----	152.80B/----	152.80B/146.20A	----	155.10 + 23.90	.2774	----	----	----	----	5 UNCH
5650	----	----	146.20B/----	146.20B/140.30A	----	148.70 + 23.00	.2680	----	----	1	----	201 + 1
5655	----	----	145.40B/----	145.40B/139.50A	----	147.80 + 22.90	.2667	----	----	----	----	2 UNCH
5660	----	----	144.40B/----	144.40B/138.70A	----	146.90 + 22.70	.2654	----	----	----	----	1 UNCH
5700	----	----	137.50B/----	137.50B/132.40A	----	140.20 + 21.80	.2553	----	----	----	----	20 UNCH
5710	----	----	135.70B/----	135.70B/130.90A	----	138.50 + 21.40	.2527	----	----	----	----	5 UNCH
5720	----	----	134.10B/----	134.10B/129.40A	----	136.90 + 21.20	.2503	----	----	----	----	75 UNCH
5750	----	----	129.30B/----	129.30B/124.90A	----	132.20 + 20.40	.2431	----	----	1	----	1 - 1
5775	----	----	125.60B/----	125.60B/121.30A	----	128.40 + 19.80	.2372	----	----	----	----	50 UNCH
5800	----	----	121.50B/----	121.50B/118.00A	----	124.60 + 19.00	.2314	----	----	----	----	414 UNCH
5850	----	----	114.60B/----	114.60B/111.50A	----	117.40 + 17.60	.2201	----	----	----	----	0 UNCH
5875	----	----	111.10B/----	111.10B/108.30A	----	113.90 + 16.90	.2146	----	----	----	----	1 UNCH
5900	----	----	107.80B/----	107.80B/105.30A	----	110.50 + 16.20	.2093	----	----	----	----	34 UNCH
6000	----	----	95.70B/----	95.70B/94.20A	----	98.10 + 13.80	.1892	----	----	----	----	3067 UNCH
6100	----	----	85.10B/----	85.10B/84.60A	----	87.40 + 12.00	.1712	----	----	----	----	66 UNCH
6200	----	----	76.20B/----	76.20B/76.30A	----	78.20 + 10.50	.1553	----	----	----	----	38 UNCH
6300	----	----	68.20B/----	68.20B/69.80A	----	70.30 + 9.50	.1411	----	----	----	----	632 UNCH
6400	----	----	60.40B/----	60.40B/63.40A	----	63.50 + 8.70	.1286	----	----	----	----	1911 UNCH
6500	54.40	54.40	54.40/54.40	54.40/54.40	----	57.60 + 8.00	.1176	----	----	2	----	6940 + 2
6800	----	----	41.50B/----	41.50B/44.10A	----	44.10 + 6.80	.0912	----	----	----	----	1385 UNCH
6900	----	----	37.80B/----	37.80B/40.60A	----	40.70 + 6.20	.0844	----	----	----	----	1 UNCH
7000	----	----	34.70B/----	34.70B/39.20A	----	37.70 + 5.60	.0782	----	----	----	----	2263 UNCH
8000	----	----	----	15.10B/24.10A	----	20.50 + 2.70	.0418	----	----	----	----	211 UNCH
8500	----	----	----	11.40B/19.80A	----	16.50 + 2.10	.0330	----	----	----	----	200 UNCH
9000	----	----	----	9.00B/16.90A	----	13.90 + 1.60	.0271	----	----	----	----	69 UNCH
9500	----	----	----	7.30B/*14.80A	----	11.70 + 1.30	.0225	----	----	----	----	10 UNCH
TOTAL										45	200	23659 + 235
NOV26												
4000	----	----	----	787.50B/1199.70A	----	1007.70 + 10.30	.8430	----	----	----	----	1 UNCH
4100	----	----	----	705.10B/1124.70A	----	928.30 + 05.40	.8181	----	----	----	----	1 UNCH
4275	----	----	----	568.90B/1000.10A	----	796.60 + 95.80	.7688	----	----	----	----	38 UNCH
4300	----	----	----	550.40B/983.10A	----	778.70 + 94.40	.7612	----	----	----	----	1 UNCH
4375	----	----	----	496.50B/932.90A	----	726.20 + 90.00	.7375	----	----	----	----	38 UNCH
4400	----	----	#653.60B/----	653.60B/670.20A	----	709.10 + 88.40	.7293	----	----	----	----	20 UNCH
4440	----	----	#659.50B/----	659.50B/644.80A	----	682.40 + 86.00	.7159	----	----	----	----	1 UNCH
4500	----	----	#642.40B/----	642.40B/608.10A	----	643.50 + 82.40	.6954	----	----	----	----	25 UNCH
4600	----	----	580.90B/----	580.90B/527.10A	----	581.90 + 76.30	.6597	----	----	----	----	1 UNCH
4750	----	----	496.30B/----	496.30B/450.90A	----	497.80 + 67.40	.6039	----	----	----	----	1 UNCH
4775	----	----	483.40B/----	483.40B/439.20A	----	484.70 + 65.90	.5945	----	----	----	----	30 UNCH
4800	----	----	470.40B/----	470.40B/427.70A	----	471.90 + 64.40	.5849	----	----	----	----	2 UNCH
4850	----	----	445.60B/----	445.60B/405.50A	----	447.30 + 61.70	.5659	----	----	----	----	25 UNCH
4900	----	----	421.30B/----	421.30B/384.40A	----	423.70 + 59.00	.5468	----	----	----	----	1 UNCH
4915	----	----	414.70B/----	414.70B/378.30A	----	416.90 + 58.20	.5411	----	----	----	----	1 UNCH
4925	----	----	410.10B/----	410.10B/374.20A	----	412.40 + 57.70	.5373	----	----	----	----	1 UNCH
4950	----	----	398.80B/----	398.80B/363.30A	----	401.30 + 56.30	.5278	----	----	----	----	150 UNCH
5000	----	----	376.90B/----	376.90B/343.90A	----	380.00 + 53.80	.5091	----	----	----	----	29 UNCH
5080	----	----	344.60B/----	344.60B/314.70A	----	348.10 + 49.80	.4796	----	----	----	----	4 UNCH
5085	----	----	342.80B/----	342.80B/312.80A	----	346.20 + 49.60	.4777	----	----	----	----	4 UNCH
5175	----	----	309.40B/----	309.40B/283.10A	----	313.30 + 44.90	.4455	----	----	----	----	2 UNCH
5200	----	----	300.70B/----	300.70B/275.30A	----	304.70 + 43.60	.4368	----	----	----	----	26 UNCH
5250	----	----	283.80B/----	283.80B/260.50A	----	288.10 + 40.90	.4196	----	----	----	----	9 UNCH
5300	----	----	268.10B/----	268.10B/249.60A	----	272.30 + 38.20	.4027	----	----	----	----	27 UNCH
5370	----	----	247.40B/----	247.40B/231.50A	----	251.60 + 34.60	.3799	----	----	----	----	5 UNCH
5400	----	----	239.10B/----	239.10B/224.20A	----	243.20 + 33.00	.3704	----	----	----	----	17 UNCH
5450	----	----	225.70B/----	225.70B/212.70A	----	229.80 + 30.60	.3549	----	----	----	----	925 UNCH
5500	----	----	213.00B/----	213.00B/201.70A	----	217.20 + 28.50	.3399	----	----	----	----	79 UNCH
5550	----	----	201.30B/----	201.30B/191.40A	----	205.30 + 26.50	.3254	----	----	----	----	1 UNCH
5600	----	----	190.10B/----	190.10B/181.20A	----	194.20 + 24.80	.3115	----	----	----	----	43 UNCH
5700	----	----	169.80B/----	169.80B/162.60A	----	173.90 + 22.00	.2853	----	----	----	----	35 UNCH
5710	----	----	167.90B/----	167.90B/161.00A	----	172.00 + 21.80	.2828	----	----	----	----	1 UNCH
5800	----	----	151.50B/----	151.50B/146.30A	----	156.00 + 19.80	.2611	----	----	----	----	25 UNCH
5825	----	----	147.40B/----	147.40B/142.60A	----	151.90 + 19.30	.2554	----	----	----	----	2 UNCH
5900	----	----	135.40B/----	135.40B/131.90A	----	140.20 + 17.90	.2390	----	----	----	----	1 UNCH
5925	----	----	131.70B/----	131.70B/128.60A	----	136.50 + 17.40	.2337	----	----	----	----	4 UNCH
6000	----	----	121.50B/----	121.50B/119.10A	----	126.20 + 16.10	.2187	----	----	----	----	217 UNCH
6100	----	----	109.50B/----	109.50B/107.90A	----	113.80 + 14.40	.2003	----	----	----	----	1 UNCH
6200	----	----	98.50B/----	98.50B/98.00A	----	102.80 + 12.80	.1834	----	----	----	----	3 UNCH
6400	----	----	79.80B/----	79.80B/81.40A	----	84.40 + 9.70	.1542	----	----	----	----	13 UNCH
6500	----	----	72.40B/----	72.40B/74.60A	----	76.80 + 8.30	.1417	----	----	----	----	511 UNCH
8000	----	----	----	19.30B/34.10A	----	26.10 + 0.20	.0502	----	----	----	----	11 UNCH
9000	----	----	----	10.80B/24.30A	----	16.40 - 0.30	.0309	----	----	----	----	3 UNCH
20000	----	----	----	----/2.00A	----	0.60 UNCH	.0011	----	----	----	----	137 UNCH
TOTAL												2472 0
DEC26												
3550	----	----	----	983.30B/1640.20A	----	1403.20 + 28.80	.9169	----	----	----	----	2 UNCH
3570	----	----	----	996.20B/1606.90A	----	1385.30 + 28.10	.9141	----	----	----	----	1 UNCH
3600	----	----	----	#1037.60B/1580.90A	----	1358.50 + 26.90	.9096	----	----	----	----	1 UNCH
3800	----	----	----	#948.00B/1386.50A	----	1184.80 + 18.60	.8756	----	----	----	----	4 UNCH
3900	----	----	----	865.30B/1305.00A	----	1101.40 + 13.90	.8554	----	----	----	----	2 UNCH
4060	----	----	----	733.70B/1184.90A	----	973.70 + 06.30	.8184	----	----	----	----	100 UNCH
4100	----	----	----	701.70B/1155.90A	----	943.00 + 04.40	.8082	----	----	----	----	48 UNCH
4160	----	----	----	654.70B/1113.20A	----	897.90 + 01.50	.7923	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4175	----	----	----	643.20B/1102.70A	----	886.80 + 00.80	.7882	----	----	----	----	37 UNCH
4200	----	----	----	624.10B/1085.30A	----	868.50 + 99.60	.7813	----	----	----	----	150 UNCH
4250	----	----	----	586.70B/1051.00A	----	832.60 + 97.30	.7670	----	----	----	----	293 UNCH
4255	----	----	----	583.00B/1047.60A	----	829.00 + 97.00	.7656	----	----	----	----	50 UNCH
4300	----	----	----	550.20B/1017.50A	----	797.50 + 94.90	.7523	----	----	----	----	436 UNCH
4315	----	----	----	539.50B/1007.60A	----	787.10 + 94.10	.7477	----	----	----	----	1 UNCH
4320	----	----	----	535.90B/1004.30A	----	783.70 + 93.90	.7462	----	----	----	----	100 UNCH
4350	----	----	----	514.80B/984.70A	----	763.30 + 92.50	.7370	----	----	----	----	206 UNCH
4375	----	----	#683.50B/----	683.50B/707.60A	----	746.50 + 91.20	.7293	----	----	----	----	61 UNCH
4400	----	----	691.20B/----	691.20B/691.50A	----	730.00 + 89.90	.7214	----	----	----	----	2 UNCH
4425	----	----	#691.40B/----	691.40B/676.10A	----	713.70 + 88.70	.7134	----	----	----	----	8 UNCH
4450	----	----	692.10B/----	692.10B/660.50A	----	697.70 + 87.50	.7053	----	----	----	----	87 UNCH
4465	----	----	#682.60B/----	682.60B/651.70A	----	688.20 + 86.70	.7004	----	----	----	----	93 UNCH
4490	----	----	#666.70B/----	666.70B/636.50A	----	672.50 + 85.40	.6921	----	----	----	----	7 UNCH
4500	----	----	660.50B/----	660.50B/630.50A	----	666.30 + 84.80	.6888	----	----	----	----	757 UNCH
4525	----	----	645.20B/----	645.20B/616.10A	----	651.00 + 83.50	.6805	----	----	----	----	5 UNCH
4540	----	----	#635.60B/----	635.60B/587.20A	----	641.90 + 82.70	.6754	----	----	----	----	9 UNCH
4550	----	----	629.50B/----	629.50B/583.90A	----	635.90 + 82.20	.6720	----	----	----	----	1 UNCH
4565	----	----	#620.50B/----	620.50B/575.70A	----	627.00 + 81.40	.6669	----	----	----	----	93 UNCH
4580	----	----	#611.90B/----	611.90B/567.50A	----	618.20 + 80.60	.6618	----	----	----	----	150 UNCH
4585	----	----	#609.10B/----	609.10B/564.80A	----	615.30 + 80.40	.6601	----	----	----	----	325 UNCH
4590	----	----	#606.00B/----	606.00B/562.20A	----	612.30 + 80.00	.6584	----	----	----	----	14 UNCH
4600	----	----	600.20B/----	600.20B/556.80A	----	606.50 + 79.50	.6549	----	----	----	----	105 UNCH
4615	----	----	#591.20B/----	591.20B/548.90A	----	597.90 + 78.70	.6498	----	----	----	----	41 UNCH
4625	----	----	585.70B/----	585.70B/543.70A	----	592.20 + 78.10	.6463	----	----	----	----	72 UNCH
4640	----	----	576.90B/----	576.90B/536.00A	----	583.70 + 77.20	.6411	----	----	----	----	100 UNCH
4650	----	----	571.60B/----	571.60B/530.80A	----	578.10 + 76.70	.6376	----	----	----	----	238 UNCH
4700	----	----	545.40B/----	545.40B/505.80A	----	550.70 + 73.90	.6201	----	----	----	----	97 UNCH
4750	----	----	518.90B/----	518.90B/481.80A	----	524.30 + 71.00	.6024	----	----	----	----	147 UNCH
4780	----	----	503.50B/----	503.50B/467.90A	----	509.00 + 69.30	.5917	----	----	----	----	2 UNCH
4800	499.00	499.00	499.00/499.00	499.00/458.80A	----	498.90 + 68.10	.5846	----	----	1	----	146 + 1
4810	----	----	488.50B/----	488.50B/454.30A	----	494.00 + 67.60	.5810	----	----	----	----	56 UNCH
4820	----	----	483.50B/----	483.50B/449.90A	----	489.00 + 66.90	.5774	----	----	----	----	49 UNCH
4825	----	----	481.10B/----	481.10B/447.70A	----	486.60 + 66.70	.5756	----	----	----	----	100 UNCH
4850	450.00	450.00	469.00B/445.00	469.00B/436.80A	----	474.50 + 65.20	.5667	----	----	3	----	291 + 2
4875	----	----	457.10B/----	457.10B/426.10A	----	462.70 + 63.80	.5577	----	----	----	----	1 UNCH
4880	----	----	454.80B/----	454.80B/424.00A	----	460.40 + 63.50	.5560	----	----	----	----	1 UNCH
4900	----	----	445.50B/----	445.50B/415.70A	----	451.10 + 62.30	.5488	----	----	----	----	48 UNCH
4925	----	----	434.20B/----	434.20B/405.60A	----	439.80 + 60.90	.5399	----	----	----	----	1 UNCH
4975	----	----	412.20B/----	412.20B/386.00A	----	417.80 + 58.00	.5222	----	----	----	----	50 UNCH
5000	374.40	374.40	401.80B/374.40	401.80B/374.40	----	407.20 + 56.70	.5134	----	----	1	60	2120 - 1
5025	----	----	391.40B/----	391.40B/367.20A	----	396.90 + 55.30	.5047	----	----	----	----	32 UNCH
5050	----	----	381.20B/----	381.20B/358.20A	----	386.70 + 53.90	.4960	----	----	----	----	100 UNCH
5070	----	----	373.30B/----	373.30B/351.10A	----	378.80 + 52.90	.4891	----	----	----	----	13 UNCH
5075	----	----	371.30B/----	371.30B/349.30A	----	376.80 + 52.60	.4873	----	----	----	----	30 UNCH
5090	----	----	365.50B/----	365.50B/344.20A	----	371.00 + 51.80	.4822	----	----	----	----	13 UNCH
5100	----	----	361.60B/----	361.60B/340.80A	----	367.20 + 51.30	.4788	----	----	----	----	67 UNCH
5150	----	----	343.00B/----	343.00B/324.20A	----	348.50 + 48.60	.4619	----	----	----	----	1 UNCH
5175	----	----	334.00B/----	334.00B/316.20A	----	339.50 + 47.40	.4535	----	----	----	----	100 UNCH
5195	----	----	326.90B/----	326.90B/310.00A	----	332.50 + 46.40	.4469	----	----	----	----	5 UNCH
5200	----	----	325.20B/----	325.20B/308.50A	----	330.80 + 46.20	.4452	----	----	----	----	787 UNCH
5250	----	----	308.30B/----	308.30B/293.50A	----	313.90 + 43.80	.4289	----	----	----	----	158 UNCH
5275	----	----	300.10B/----	300.10B/286.40A	----	305.80 + 42.70	.4209	----	----	----	----	20 UNCH
5300	285.00	285.00	292.20B/285.00	292.20B/279.40A	----	297.90 + 41.50	.4130	----	----	1	----	340 + 1
5350	----	----	276.80B/----	276.80B/265.80A	----	282.80 + 39.50	.3975	----	----	----	----	457 UNCH
5360	----	----	273.80B/----	273.80B/263.00A	----	279.80 + 39.00	.3944	----	----	----	----	100 UNCH
5370	----	----	270.90B/----	270.90B/260.20A	----	276.90 + 38.60	.3914	----	----	----	----	20 UNCH
5400	266.00	266.00	266.00/266.00	266.00/252.50A	----	268.40 + 37.50	.3824	----	----	1	----	715 UNCH
5460	----	----	246.10B/----	246.10B/237.50A	----	252.10 + 35.30	.3648	----	----	----	----	200 UNCH
5465	----	----	244.80B/----	244.80B/236.30A	----	250.80 + 35.10	.3634	----	----	----	----	50 UNCH
5480	----	----	240.80B/----	240.80B/232.70A	----	247.00 + 34.70	.3591	----	----	----	----	50 UNCH
5500	220.10	220.10	235.80B/220.10	235.80B/220.10	----	241.90 + 34.00	.3534	----	----	206	----	1644 + 170
5525	----	----	229.60B/----	229.60B/222.30A	----	235.70 + 33.20	.3465	----	----	----	----	80 UNCH
5550	----	----	223.60B/----	223.60B/216.80A	----	229.70 + 32.40	.3396	----	----	----	----	1 UNCH
5600	----	----	212.00B/----	212.00B/206.10A	----	218.20 + 31.00	.3263	----	----	----	----	1306 UNCH
5650	----	----	201.00B/----	201.00B/196.10A	----	207.30 + 29.70	.3134	----	----	----	----	5 UNCH
5660	----	----	199.00B/----	199.00B/194.20A	----	205.20 + 29.50	.3109	----	----	----	----	1 UNCH
5675	----	----	195.90B/----	195.90B/191.30A	----	202.00 + 29.00	.3071	----	----	----	----	8 UNCH
5680	----	----	194.70B/----	194.70B/190.20A	----	201.00 + 28.90	.3058	----	----	----	----	1 UNCH
5685	----	----	193.70B/----	193.70B/189.30A	----	200.00 + 28.80	.3046	----	----	----	----	18 UNCH
5690	----	----	192.70B/----	192.70B/188.30A	----	199.00 + 28.70	.3034	----	----	----	----	7 UNCH
5700	----	----	190.80B/----	190.80B/186.60A	----	197.00 + 28.50	.3010	----	----	----	----	285 UNCH
5705	----	----	189.90B/----	189.90B/185.70A	----	196.00 + 28.40	.2997	----	----	----	----	5 UNCH
5710	----	----	188.90B/----	188.90B/184.70A	----	195.00 + 28.30	.2985	----	----	----	----	5 UNCH
5750	----	----	181.00B/----	181.00B/177.70A	----	187.20 + 27.40	.2889	----	----	----	----	576 UNCH
5770	----	----	177.40B/----	177.40B/174.30A	----	183.40 + 26.90	.2842	----	----	----	----	5 UNCH
5775	----	----	176.30B/----	176.30B/173.40A	----	182.50 + 26.80	.2831	----	----	----	----	2 UNCH
5800	----	----	171.70B/----	171.70B/169.20A	----	177.90 + 26.20	.2773	----	----	----	----	220 UNCH
5810	----	----	170.00B/----	170.00B/167.60A	----	176.20 + 26.10	.2751	----	----	----	----	56 UNCH
5825	----	----	167.30B/----	167.30B/165.20A	----	173.50 + 25.70	.2717	----	----	----	----	4 UNCH
5875	----	----	158.90B/----	158.90B/157.50A	----	165.00 + 24.60	.2608	----	----	----	----	9 UNCH
5900	150.70	150.70	154.80B/150.70	154.80B/150.70	----	160.90 + 24.00	.2555	----	----	2	----	1035 UNCH
5950	----	----	147.20B/----	147.20B/146.70A	----	153.00 + 22.60	.2451	----	----	----	----	25 UNCH
6000	----	----	139.90B/----	139.90B/140.00A	----	145.50 + 21.20	.2351	----	----	310	----	5648 + 250
6100	----	----	126.30B/----	126.30B/127.80A	----	131.80 + 18.20	.2164	----	----	----	----	40 UNCH
6150	----	----	120.20B/----	120.20B/122.20A	----	125.50 + 16.70	.2076	----	----	----	----	1 UNCH
6200	----	----	114.40B/----	114.40B/116.90A	----	119.60 + 15.30	.1993	----	----	----	----	3345 UNCH
6300	----	----	104.00B/----	104.00B/107.20A	----	108.90 + 12.80	.1838	----	----	1	----	1046 UNCH
6400	----	----	94.60B/----	94.60B/98.50A	----	99.50 + 10.70	.1697	----	----	1	----	448 - 1
6500	97.00	97.00	97.00/97.00	97.00/90.80A	----	91.30 + 9.30	.1571	----	----	206	----	4250 + 60
6750	----	----	69.00B/----	69.00B/75.10A	----	75.60 + 8.30	.1317	----	----	----	----	100 UNCH
6775	----	----	67.60B/----	67.60B/73.70A	----	74.30 + 8.30	.1295	----	----	----	----	163 UNCH
6800	----	----	66.30B/----	66.30B/72.40A	----	73.00 + 8.30	.1273	----	----	----	----	1664 UNCH
6900	----	----	61.00B/----	61.00B/67.60A	----	68.20 + 8.30	.1192	----	----	----	----	2 UNCH
7000	----	----	59.00B/----	59.00B/61.00A	----	63.80 + 8.30	.1118	----	----	----	80	3994 - 80
7175	----	----	----	#48.70B/*54.70A	----	56.60 NEW	----	----	----	----	125	125 + 125
7250	----	----	46.90B/----	46.90B/52.80A	----	53.80 + 7.10	.0950	----	----	----	----	107 UNCH
7500	----	----	----	39.60B/46.30A	----	45.20 + 5.00	.0806	----	----	----	----	106 UNCH
8000	31.50	31.50	31.50/31.50	31.50/31.50	----	32.50 + 1.10	.0588	----	----	1	303	624 + 213
8125	----	----	----	21.20B/40.50A	----	30.20 + 0.40	.0548	----	----	----	----	801 UNCH
8500	----	----	----	16.80B/35.70A	----	25.00 - 1.00	.0453	----	----	----	----	170 UNCH
8725	----	----	----	#14.80B/*33.30A	----	22.80 NEW	----	----	----	----	250	250 + 250
9000	----	----	----/22.00A	20.50B/22.00A	----	20.80 - 1.60	.0371	----	----	----	----	102 UNCH
9500	----	----	----	10.00B/27.30A	----	18.20 - 1.60	.0318	----	----	----	----	280 UNCH
9900	----	----	----	8.40B/25.10A	----	16.80 - 1.40	.0287	----	----	----	----	4 UNCH
10000	15.00	15.00	17.00/15.00	17.00/15.00	----	16.50 - 1.40	.0281	----	----	327	606	7484 + 301
11000	----	----	----	5.40B/20.60A	----	14.00 - 0.90	.0228	----	----	----	----	379 UNCH
13000	9.50	9.50	9.50/*9.50	9.50/*9.50	----	10.20 - 0.30	.0156	----	----	1	----	366 + 1
15000	7.00	7.00	7.80/6.90	7.80/6.90	----	7.10 UNCH	.0106	----	----	24	----	17996 + 1
17000	----	----	----	0.60B/10.30A	----	4.60 UNCH	.0069	----	----	----	----	20 UNCH
19000	----	----	----	0.50B/8.70A	----	2.90 + 0.10	.0044	----	----	----	----	7 UNCH
20000	2.10	2.10	2.10/2.00A	2.10/2.00A	----	2.30 + 0.10	.0035	----	----	28	----	18399 + 28
24000	----	----	----	0.10B/2.00A	----	1.50 UNCH	.0022	----	----	----	----	6 UNCH
TOTAL										1114	1,424	83291+ 1321
JAN27												
4190	----	----	----	625.20B/1188.70A	----	921.00 + 07.60	.7837	----	----	----	----	1 UNCH
4290	----	----	----	550.80B/1122.00A	----	850.20 + 03.10	.7564	----	----	----	----	1 UNCH
4300	----	----	----	543.60B/1115.50A	----	843.30 + 02.60	.7536	----	----	----	----	1 UNCH
4400	----	----	#726.90B/----	#726.90B/736.80A	----	775.90 + 97.50	.7245	----	----	----	----	1 UNCH
4650	----	----	#615.90B/----	#615.90B/577.70A	----	622.60 + 83.30	.6461	----	----	----	----	1 UNCH
4750	----	----	#564.80B/----	564.80B/528.10A	----	567.90 + 77.50	.6130	----	----	----	----	6 UNCH
4760	----	----	#559.50B/----	559.50B/523.30A	----	562.60 + 76.90	.6097	----	----	----	----	100 UNCH
4800	----	----	#539.00B/----	539.00B/504.70A	----	542.10 + 74.70	.5962	----	----	----	----	1 UNCH
4850	----	----	514.20B/----	514.20B/482.20A	----	517.30 + 71.90	.5794	----	----	----	----	1 UNCH
4875	----	----	502.20B/----	502.20B/471.30A	----	505.30 + 70.60	.5710	----	----	----	----	4 UNCH
4900	----	----	490.40B/----	490.40B/460.60A	----	493.50 + 69.20	.5625	----	----	1	----	10 + 1
5000	----	----	445.60B/----	445.60B/420.20A	----	449.10 + 64.30	.5290	----	----	----	----	27 UNCH
5050	----	----	424.50B/----	424.50B/401.20A	----	428.30 + 61.80	.5125	----	----	----	----	100 UNCH
5100	----	----	404.20B/----	404.20B/383.10A	----	408.50 + 59.60	.4962	----	----	----	----	1 UNCH
5250	----	----	348.60B/----	348.60B/333.50A	----	354.10 + 53.10	.4489	----	----	----	----	7 UNCH
5300	----	----	331.80B/----	331.80B/318.50A	----	337.50 + 51.00	.4337	----	----	----	----	1 UNCH
5400	----	----	300.20B/----	300.20B/290.30A	----	306.50 + 46.80	.4043	----	----	----	----	2 UNCH
5500	----	----	271.80B/----	271.80B/264.00A	----	278.30 + 42.90	.3762	----	----	1	----	25 + 1
5550	----	----	258.60B/----	258.60B/251.90A	----	265.20 + 41.10	.3627	----	----	----	----	1 UNCH
5820	----	----	198.40B/----	198.40B/196.30A	----	205.10 + 32.20	.2966	----	----	----	----	6 UNCH
5850	----	----	192.80B/----	192.80B/191.10A	----	199.40 + 31.30	.2900	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
5900	----	----	183.90B/----	183.90B/182.70A	----	190.30 + 29.90	.2793	----	----	----	----	5 UNCH
6000	155.00	155.00	167.00B/155.00	167.00B/155.00	----	173.50 + 27.30	.2589	----	----	1	----	204 + 1
6025	----	----	163.00B/----	163.00B/163.70A	----	169.50 + 26.70	.2540	----	----	----	----	1 UNCH
6300	----	----	126.70B/----	126.70B/130.00A	----	131.90 + 20.80	.2060	----	----	----	----	2 UNCH
20000	----	----	----	3.10B/4.00A	----	5.60 + 1.60	.0075	----	----	----	----	41 UNCH
TOTAL										3		553 + 3
FEB27												
5000	----	----	----	150.60B/747.20A	----	473.00 + 20.80	.5318	----	----	----	----	1 UNCH
5100	----	----	----	144.60B/790.10A	----	433.20 + 15.00	.5008	----	----	----	----	1 UNCH
5175	----	----	----	131.20B/749.10A	----	406.00 + 10.10	.4783	----	----	----	----	125 UNCH
5300	----	----	----	111.60B/676.20A	----	365.80 + 00.30	.4425	----	----	----	----	50 UNCH
5375	----	----	----	101.60B/643.30A	----	344.90 + 93.60	.4225	----	----	----	----	1 UNCH
5520	----	----	----	83.80B/569.20A	----	310.00 + 79.70	.3868	----	----	----	----	300 UNCH
5530	----	----	----	82.50B/564.90A	----	307.80 + 78.70	.3845	----	----	----	----	100 UNCH
5550	----	----	----	80.70B/555.10A	----	303.50 + 76.90	.3799	----	----	----	----	65 UNCH
5600	----	----	----	76.30B/532.60A	----	293.10 + 72.20	.3687	----	----	----	----	1 UNCH
6000	----	----	----	44.10B/390.90A	----	219.10 + 50.60	.2885	----	----	----	----	5 UNCH
6025	----	----	----	42.40B/383.00A	----	214.40 + 50.30	.2837	----	----	----	----	4 UNCH
6300	----	----	----	27.00B/313.30A	----	161.90 + 34.80	.2294	----	----	----	----	1 UNCH
6500	----	----	----	18.40B/273.60A	----	124.50 + 15.00	.1892	----	----	----	----	110 UNCH
6900	----	----	----	6.30B/216.90A	----	62.00 - 16.70	.1129	----	----	----	----	800 UNCH
7000	----	----	----	70.00B/100.00A	----	50.10 - 20.20	.0961	----	----	----	----	833 UNCH
7100	----	----	----	2.00B/202.40A	----	45.60 - 19.40	.0882	----	----	----	----	8 UNCH
7900	----	----	----	0.10B/296.70A	----	22.90 - 13.70	.0466	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/292.90A	----	21.20 - 13.10	.0433	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	288.90 + 48.70	.3707	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	55.30 + 9.40	.0725	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	683.60 + 84.80	.6236	----	----	----	----	100 UNCH
5000	----	----	----	----	----	634.80 + 79.60	.5850	----	----	----	----	50 UNCH
5650	----	----	----	----	----	457.30 + 59.50	.4383	----	----	----	----	200 UNCH
5700	----	----	----	----	----	444.10 + 58.20	.4284	----	----	----	----	150 UNCH
5800	----	----	----	----	----	419.00 + 55.50	.4091	----	----	----	----	200 UNCH
5880	----	----	----	----	----	400.80 + 53.50	.3946	----	----	----	----	50 UNCH
6300	----	----	----	----	----	329.90 + 44.80	.3313	----	----	----	----	18 UNCH
7500	----	----	----	----	----	257.50 + 32.60	.2410	----	----	----	----	270 UNCH
7800	----	----	----	----	----	250.70 + 31.00	.2290	----	----	----	----	284 UNCH
10000	----	----	----	----	----	181.60 + 21.10	.1564	----	----	----	----	109 UNCH
10500	----	----	----	----	----	162.90 + 19.10	.1413	----	----	----	----	10 UNCH
TOTAL												1441 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
APR26												
3500	----	----	----	----/*1.60A	----	0.20 - 0.20	.0006	----	----	----	----	7 UNCH
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 53
3550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3700	----	----	----	0.30B/*1.60A	----	0.50 - 0.50	.0019	----	----	2	----	2 UNCH
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 3
3700	----	----	----/*3.10A	1.10B/*3.10A	----	2.00 - 2.00	.0082	----	----	----	----	1 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3750	----	----	----/*3.40A	1.50B/*3.40A	----	2.20 - 2.40	.0093	----	----	----	----	2 UNCH
3750	----	----	----	0.40B/*1.70A	----	0.60 - 0.60	.0023	----	----	2	----	2 UNCH
3800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
3800	----	----	----	0.40B/*1.80A	----	0.80 - 0.70	.0032	----	----	----	----	1 UNCH
3800	----	----	----/*3.70A	1.80B/*3.70A	----	2.50 - 2.80	.0108	----	----	----	----	3 UNCH
3850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3850	----	----	----	0.60B/*2.00A	----	0.90 - 0.90	.0038	----	----	----	----	2 UNCH
3900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 12
3900	1.20	1.20	1.30B/*1.20	1.30B/*1.20	----	1.20 - 1.00	.0052	----	----	1	----	4 + 1
3950	----	----	----/*2.00A	1.50B/*2.00A	----	1.40 NEW	.0063	----	----	2	----	2 + 2
3950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4000	----	----	----/*2.30A	1.80B/*2.30A	----	1.70 - 1.80	.0079	----	----	----	----	102 UNCH
4000	----	----	----/*5.90A	6.10B/*5.90A	----	4.40 - 5.50	.0208	----	----	----	----	4 UNCH
4025	----	----	----/*2.40A	2.10B/*2.40A	----	1.90 - 2.00	.0090	----	----	----	----	2 UNCH
4025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4050	----	----	----/*2.60A	2.20B/*2.60A	----	2.00 - 2.30	.0097	----	----	----	----	2 UNCH
4050	----	----	----/*6.90A	7.70B/*6.90A	----	5.20 - 6.50	.0250	----	----	2	----	12 + 2
4050	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	5	----	0 - 7
4075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4075	3.40	3.40	3.40/*2.80A	3.40/*2.80A	----	2.20 - 2.70	.0109	----	----	1	----	0 - 1
4100	----	----	----/*3.00A	2.70B/*3.00A	----	2.50 - 3.00	.0126	----	----	----	----	3 UNCH
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 81
4100	----	----	----/*7.80A	9.70B/*7.80A	----	6.20 - 7.80	.0303	----	----	3	----	12 + 1
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
4125	----	----	----/*8.50A	10.70B/*8.50A	----	6.70 - 8.70	.0331	----	----	----	----	2 UNCH
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 89
4150	----	----	----/*8.90A	12.00B/*8.90A	----	7.40 - 9.50	.0368	----	----	1	----	0 - 1
4150	4.80	4.80	5.00/*3.30	5.00/*3.30	----	3.00 NEW	.0157	----	----	8	----	8 + 8
4175	----	----	----/*3.70A	4.20B/*3.70A	----	3.30 - 4.60	.0176	----	----	----	----	18 UNCH
4175	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4200	----	----	----/*18.00A	25.20B/*18.00A	----	15.50 - 15.40	.0678	----	----	----	----	1 UNCH
4200	----	----	----/*4.10A	4.90B/*4.10A	----	3.60 - 5.30	.0196	----	----	2	----	18 - 1
4200	----	----	#569.30B/----	#569.30B/525.80A	----	621.40 + 22.90	.9549	----	----	----	----	1 UNCH
4200	9.30	9.30	9.30/*9.30	15.00B/*9.30	----	8.90 NEW	.0448	----	----	1	----	1 + 1
4200	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 90
4210	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4220	----	----	----/*4.20A	5.20B/*4.20A	----	3.90 - 5.90	.0215	----	----	2	----	1 - 1
4225	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 21
4240	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 31
4245	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4245	----	----	----/*12.30A	16.80B/*12.30A	----	10.70 - 13.70	.0542	----	----	----	----	2 UNCH
4250	----	----	----/*20.60A	30.50B/*20.60A	----	18.50 - 18.10	.0809	----	----	----	----	1 UNCH
4250	----	----	----/*4.70A	6.70B/*4.70A	----	4.40 - 6.90	.0249	----	----	----	----	7 UNCH
4250	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	2	----	0 - 71
4260	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4275	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 64
4275	----	----	----/*5.20A	8.00B/*5.20A	----	4.90 - 7.90	.0282	----	----	2	----	1 - 1
4280	----	----	----/*5.20A	8.20B/*5.20A	----	5.00 - 8.10	.0289	----	----	1	----	1 UNCH
4280	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 UNCH
4290	12.10	12.10	12.10/*5.50A	12.10/*5.50A	----	5.20 NEW	.0303	----	----	2	----	1 + 1
4300	----	----	----/*14.90A	21.50B/*14.90A	----	13.30 - 17.00	.0679	----	----	5	----	2 + 1
4300	----	----	----/*5.80A	9.30B/*5.80A	----	5.40 - 9.10	.0317	----	----	2	----	2 UNCH
4300	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 0.60	----	----	----	3	----	0 - 168
4315	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4320	5.30	5.30	5.30/*5.30	10.30B/*5.30	----	5.90 NEW	.0351	----	----	1	----	1 + 1
4320	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4325	----	----	----/*6.60A	10.50B/*6.60A	----	6.00 NEW	.0359	----	----	4	----	0 UNCH
4325	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4330	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4335	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 106
4340	----	----	----/*17.10A	25.40B/*17.10A	----	15.80 - 19.70	.0806	----	----	----	----	1 UNCH
4345	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4350	----	----	----/*17.90A	27.60B/*17.90A	----	16.50 - 20.40	.0842	----	----	----	----	2 UNCH
4350	0.10	0.10	0.30/*0.10	0.30/*0.10	----	0.00 - 1.00	----	----	----	2	----	0 - 16
4350	----	----	#468.70B/----	#468.70B/350.40A	----	463.10 + 33.60	----	----	----	----	----	0 - 11
4350	9.10	9.10	9.10/*7.20A	12.20B/*7.20A	----	6.70 - 11.90	.0408	----	----	2	----	2 UNCH
4355	0.20	0.20	0.20/*0.10A	0.30B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 4
4360	7.30	7.30	7.30/*7.30	12.70B/*7.30	----	7.00 NEW	.0429	----	----	1	----	1 + 1
4360	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 12
4365	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 11
4365	----	----	#453.70B/----	#453.70B/335.90A	----	448.10 + 33.40	----	----	----	----	----	0 - 6
4370	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 14
4375	----	----	----/*8.30A	14.10B/*8.30A	----	7.50 - 13.60	.0464	----	----	2	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
4375	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 2
4380	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 3
4385	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 14
4390	----	----	----/*8.60A	15.20B/*8.60A	----	8.10 - 14.70	.0505	----	----	----	----	1 UNCH
4390	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 5
4395	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 1.50	----	----	----	1	----	0 - 4
4400	0.70	0.70	0.70/*0.10	0.70/*0.10	----	0.00 - 1.50	----	----	----	5	----	0 - 72
4400	----	----	----/*9.00A	16.40B/*9.00A	----	8.50 - 15.50	.0533	----	----	----	----	1 UNCH
4400	----	----	----/*21.40A	34.80B/*21.40A	----	20.40 - 24.60	.1040	----	----	----	----	1 UNCH
4400	378.00	378.00	#418.70B/378.00	#418.70B/300.70A	----	413.10 + 33.00	----	----	----	1	----	0 - 4
4405	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 1.60	----	----	----	1	----	0 - 2
4410	----	----	#408.70B/----	#408.70B/291.20A	----	403.10 + 32.80	----	----	----	----	----	0 - 4
4410	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 13
4410	----	----	----/*9.50A	17.30B/*9.50A	----	8.90 - 16.30	.0562	----	----	----	----	5 UNCH
4415	----	----	#410.50B/----	#410.50B/313.90A	----	407.00 + 17.70	.9421	----	----	----	----	9 UNCH
4415	----	----	#403.70B/----	#403.70B/286.20A	----	398.10 + 32.70	----	----	----	----	----	0 - 14
4415	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.80	----	----	----	----	----	0 - 7
4415	----	----	----/*9.70A	17.90B/*9.70A	----	9.10 - 16.80	.0577	----	----	----	----	4 UNCH
4420	----	----	#405.50B/----	#405.50B/309.50A	----	402.20 + 17.20	.9406	----	----	----	----	5 UNCH
4420	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.90	----	----	----	----	----	0 - 11
4420	----	----	#398.70B/----	#398.70B/281.30A	----	393.10 + 32.70	----	----	----	----	----	0 - 10
4425	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.00	----	----	----	1	----	0 - 22
4425	----	----	----/*10.10A	19.00B/*10.10A	----	9.50 - 17.80	.0607	----	----	3	----	3 + 2
4430	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.10	----	----	----	1	----	0 - 7
4435	----	----	----/*0.10A	----/*0.10A	----	0.00 - 2.20	----	----	----	----	----	0 - 17
4435	----	----	#383.70B/----	#383.70B/266.40A	----	378.10 + 32.30	----	----	----	----	----	0 - 1
4435	25.00	25.00	25.00/*24.60A	39.70B/*24.60A	----	23.70 - 28.10	.1204	----	----	1	----	3 + 1
4440	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 2.30	----	----	----	----	----	0 - 6
4440	----	----	----/*25.00A	40.70B/*25.00A	----	24.30 - 28.50	.1232	----	----	----	----	1 UNCH
4440	----	----	#378.70B/----	#378.70B/261.50A	----	373.10 + 32.20	----	----	----	----	----	0 - 1
4450	20.00	20.00	20.00/*11.10A	21.80B/*11.10A	----	10.80 - 20.20	.0698	----	----	2	----	5 + 2
4450	----	----	#368.70B/----	#368.70B/251.20A	----	363.10 + 32.00	----	----	----	----	----	0 - 7
4450	1.20	1.20	1.20/*0.10A	1.20/*0.10A	----	0.00 - 2.50	----	----	----	6	----	0 - 76
4455	11.30	11.30	11.30/*11.30	22.60B/*11.30	----	11.10 - 20.70	.0719	----	----	1	----	1 UNCH
4455	----	----	#363.70B/----	#363.70B/246.70A	----	358.10 + 31.80	----	----	----	----	----	0 - 1
4455	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 2.70	----	----	----	----	----	0 - 3
4460	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 2.80	----	----	----	----	----	0 - 2
4465	----	----	#386.50B/----	#386.50B/316.70A	----	388.80 + 98.30	.8263	----	----	----	----	5 UNCH
4465	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 3.00	----	----	----	----	----	0 - 3
4470	304.00	304.00	#348.70B/304.00	#348.70B/232.00A	----	343.10 + 31.40	----	----	----	1	----	0 - 1
4470	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 3.10	----	----	----	----	----	0 - 6
4475	----	----	----/*0.10A	0.80B/*0.10A	----	0.00 - 3.30	----	----	----	1	----	0 - 73
4475	----	----	#343.70B/----	#343.70B/227.10A	----	338.10 + 31.20	----	----	----	----	----	0 - 2
4475	----	----	----/*12.60A	25.30B/*12.60A	----	12.30 - 23.00	.0804	----	----	----	----	2 UNCH
4480	----	----	#338.70B/----	#338.70B/222.20A	----	333.10 + 31.00	----	----	----	----	----	0 - 3
4480	----	----	----/*0.10A	0.90B/*0.10A	----	0.00 - 3.50	----	----	----	1	----	0 - 3
4485	1.80	1.80	1.80/*0.20A	1.80/*0.20A	----	0.00 - 3.70	----	----	----	2	----	0 - 80
4490	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 3.90	----	----	----	----	----	0 - 20
4490	----	----	#328.70B/----	#328.70B/212.40A	----	323.10 + 30.60	----	----	----	----	----	0 - 10
4495	0.50	0.50	0.50/*0.10A	1.10B/*0.10A	----	0.00 - 4.20	----	----	----	6	----	0 - 21
4495	----	----	#323.70B/----	#323.70B/207.50A	----	318.10 + 30.40	----	----	----	----	----	0 - 7
4500	----	----	----/*32.50A	54.90B/*32.50A	----	31.60 - 35.40	.1582	----	----	----	----	1 UNCH
4500	3.10	3.10	3.10/*0.10A	3.10/*0.10A	----	0.00 - 4.40	----	----	----	8	----	0 - 133
4500	----	----	#330.20B/----	#330.20B/241.70A	----	326.90 + 08.20	.9073	----	----	----	----	2 UNCH
4500	----	----	#337.50B/----	#337.50B/268.80A	----	344.30 + 98.90	.8414	----	----	----	----	2 UNCH
4500	14.80	14.80	16.00/*14.40A	29.80B/*14.40A	----	14.00 NEW	.0925	----	----	10	----	6 + 6
4500	283.40	283.40	#318.80B/283.40	#318.80B/202.30A	----	313.10 + 30.10	----	----	----	2	----	0 - 91
4505	----	----	----/*33.20A	54.60B/*33.20A	----	32.30 NEW	.1615	----	----	1	----	1 + 1
4505	----	----	----/*0.10A	1.20B/*0.10A	----	0.00 - 4.70	----	----	----	5	----	0 - 25
4505	----	----	#313.70B/----	#313.70B/197.90A	----	308.10 + 29.90	----	----	----	----	----	0 - 6
4510	0.40	0.40	0.40/*0.10A	1.30B/*0.10A	----	0.00 - 4.90	----	----	----	11	----	0 - 50
4515	0.50	0.50	0.50/*0.10A	1.50B/*0.10A	----	0.00 - 5.20	----	----	----	1	----	0 - 1
4520	----	----	#298.70B/----	#298.70B/183.40A	----	293.10 + 29.00	----	----	----	----	----	0 - 2
4520	----	----	----/*0.10A	1.80B/*0.10A	----	0.00 - 5.60	----	----	----	----	----	0 - 1
4525	----	----	----/*16.30A	34.30B/*16.30A	----	16.00 - 29.80	.1067	----	----	----	----	106 UNCH
4525	----	----	#293.70B/----	#293.70B/178.60A	----	288.10 + 28.60	----	----	----	----	----	0 - 14
4525	----	----	#307.10B/----	#307.10B/222.00A	----	303.90 + 04.60	.8931	----	----	----	----	50 UNCH
4525	1.10	1.10	2.00/*0.10	2.20B/*0.10	----	0.00 - 5.90	----	----	----	4	----	0 - 46
4530	----	----	#312.00B/----	#312.00B/246.50A	----	318.80 + 95.00	.8206	----	----	----	----	1 UNCH
4530	----	----	#302.30B/----	#302.30B/217.80A	----	299.40 + 03.90	.8902	----	----	----	----	2 UNCH
4530	0.70	0.70	0.70/*0.10	2.30B/*0.10	----	0.00 - 6.30	----	----	----	6	----	0 - 3
4535	----	----	----/*0.10A	2.50B/*0.10A	----	0.00 - 6.70	----	----	----	----	----	0 - 76
4540	----	----	----/*17.60A	37.50B/*17.60A	----	17.40 - 32.20	.1164	----	----	----	----	10 UNCH
4540	2.50	2.50	2.50/*0.10A	2.80B/*0.10A	----	0.00 - 7.10	----	----	----	19	----	0 - 8
4540	----	----	#278.70B/----	#278.70B/164.40A	----	273.10 + 27.40	----	----	----	----	----	0 - 1
4545	5.00	5.00	5.00/*0.10A	5.00/*0.10A	----	0.00 - 7.50	----	----	----	2	----	0 - 5
4545	----	----	#273.70B/----	#273.70B/159.70A	----	268.10 + 27.00	----	----	----	----	----	0 - 1
4550	----	----	----/*40.30A	69.70B/*40.30A	----	39.40 - 42.10	.1940	----	----	1	----	1 UNCH
4550	----	----	#268.80B/----	268.80B/154.60A	----	263.10 + 26.50	----	----	----	7	----	0 - 126
4550	----	----	#284.40B/----	284.40B/203.30A	----	281.30 + 00.60	.8765	----	----	----	----	150 UNCH
4550	----	----	#317.20B/----	#317.20B/256.10A	----	319.60 + 87.90	.7692	----	----	----	----	1 UNCH
4550	3.00	3.00	3.60/*0.10	3.60/*0.10	----	0.00 - 8.00	----	----	----	20	----	0 - 220
4550	18.50	18.50	18.50/*18.50	39.70B/*18.50	----	18.40 - 33.80	.1233	----	----	1	----	297 + 1
4555	----	----	#263.70B/----	#263.70B/150.30A	----	258.10 + 26.00	----	----	----	----	----	0 - 1
4555	----	----	----/*0.10A	3.60B/*0.10A	----	0.00 - 8.50	----	----	----	2	----	0 - 17
4560	----	----	#258.70B/----	#258.70B/145.70A	----	253.10 + 25.40	----	----	----	7	----	0 - 7
4560	1.70	1.70	1.70/*0.10A	3.60B/*0.10A	----	0.00 - 9.10	----	----	----	3	----	0 - 25
4565	----	----	----/*20.20A	43.30B/*20.20A	----	20.00 - 36.40	.1344	----	----	1	----	5 - 1
4565	----	----	----/*43.00A	73.40B/*43.00A	----	42.10 - 44.30	.2060	----	----	1	----	1 UNCH
4565	0.80	0.80	0.80/*0.10A	4.00B/*0.10A	----	0.00 NEW	----	----	----	3	----	0 UNCH
4570	----	----	#266.60B/----	#266.60B/188.40A	----	263.50 + 97.10	.8613	----	----	----	----	2 UNCH
4570	----	----	----/*0.10A	4.30B/*0.10A	----	0.00 - 10.30	----	----	----	2	----	0 - 16
4570	----	----	#248.70B/----	#248.70B/134.40A	----	243.10 + 24.20	----	----	----	1	----	0 - 1
4575	----	----	#243.70B/----	243.70B/130.00A	----	238.10 + 23.50	----	----	----	----	----	0 - 4
4575	3.90	3.90	3.90/*0.10A	4.70B/*0.10A	----	0.00 - 11.00	----	----	----	10	----	0 - 7
4580	----	----	#257.70B/----	#257.70B/181.20A	----	254.80 + 95.30	.8531	----	----	----	----	2 UNCH
4580	37.50	37.50	38.00/*22.10A	47.30B/*22.10A	----	21.80 NEW	.1466	----	----	4	----	2 + 2
4580	----	----	#238.70B/----	#238.70B/125.60A	----	233.10 + 22.80	----	----	----	----	----	0 - 11
4580	----	----	----/*0.10A	5.10B/*0.10A	----	0.00 - 11.70	----	----	----	----	----	0 - 17
4585	0.60	0.60	0.60/*0.10A	5.50B/*0.10A	----	0.00 - 12.50	----	----	----	1	----	0 - 5
4590	----	----	#228.70B/----	#228.70B/117.00A	----	223.10 + 21.20	----	----	----	----	----	0 - 5
4590	----	----	----/*0.10A	6.10B/*0.10A	----	0.00 - 13.30	----	----	----	----	----	0 - 10
4590	24.20	24.20	24.20/*23.30A	50.10B/*23.30A	----	23.10 NEW	.1554	----	----	1	----	1 + 1
4595	0.90	0.90	0.90/*0.20A	6.60B/*0.20A	----	0.00 - 14.20	----	----	----	7	----	0 - 10
4595	----	----	#223.70B/----	#223.70B/112.70A	----	218.10 + 20.40	----	----	----	----	----	0 - 2
4600	43.90	43.90	43.90/*24.70A	53.10B/*24.70A	----	24.50 NEW	.1647	----	----	5	----	5 + 5
4600	----	----	#255.10B/----	#255.10B/198.20A	----	261.90 + 84.50	.7632	----	----	----	----	1 UNCH
4600	6.00	6.00	7.60/*0.20A	9.00B/*0.20A	----	0.00 - 15.10	----	----	----	108	----	0 - 95
4600	----	----	#240.10B/----	240.10B/166.70A	----	237.50 + 91.30	.8350	----	----	----	----	1 UNCH
4600	----	----	#218.70B/----	218.70B/108.20A	----	213.10 + 19.40	----	----	----	15	----	0 - 152
4605	8.00	8.00	8.00/*0.10A	8.30B/*0.10A	----	0.00 - 16.10	----	----	----	27	----	0 - 45
4605	----	----	#251.20B/----	#251.20B/194.90A	----	258.00 + 83.70	.7588	----	----	----	----	1 UNCH
4605	----	----	#213.70B/----	#213.70B/104.40A	----	208.10 + 18.40	----	----	----	14	----	0 - 5
4610	140.00	140.00	#208.70B/140.00	#208.70B/100.30A	----	203.10 + 17.30	----	----	----	1	----	0 - 22
4610	8.40	8.40	8.40/*0.10A	8.80B/*0.10A	----	0.00 - 17.20	----	----	----	4	----	0 - 28
4615	7.70	7.70	7.70/*0.10A	9.60B/*0.10A	----	0.00 - 18.30	----	----	----	15	----	0 - 6
4615	----	----	#203.70B/----	#203.70B/96.30A	----	198.10 + 16.20	----	----	----	----	----	0 - 3
4620	----	----	----/*27.90A	59.50B/*27.90A	----	27.50 NEW	.1846	----	----	2	----	2 + 2
4620	----	----	#198.70B/----	#198.70B/92.30A	----	193.10 + 15.00	----	----	----	----	----	0 - 4
4620	7.00	7.00	7.00/*0.20A	10.40B/*0.20A	----	0.00 - 19.50	----	----	----	11	----	0 - 23
4625	----	----	#219.10B/----	219.10B/150.70A	----	216.40 + 86.00	.8095	----	----	----	----	1 UNCH
4625	6.50	6.50	6.50/*0.10A	11.40B/*0.10A	----	0.00 - 20.80	----	----	----	8	----	0 - 80
4625	135.50	135.50	#193.70B/122.00	193.70B/88.40A	----	188.10 + 13.70	----	----	----	8	----	0 - 108
4630	----	----	#188.70B/----	#188.70B/84.60A	----	183.10 + 12.30	----	----	----	----	----	0 - 8
4630	2.70	2.70	2.70/*0.20A	12.30B/*0.20A	----	0.00 - 22.20	----	----	----	2	----	0 - 2
4630	----	----	----/*29.40A	62.80B/*29.40A	----	29.20 - 49.60	.1955	----	----	----	----	80 UNCH
4635	4.00	4.00	4.00/*0.20A	13.50B/*0.20A	----	0.00 - 23.70	----	----	----	4	----	0 - 2
4635	----	----	#183.70B/----	#183.70B/80.80A	----	178.10 + 10.80	----	----	----	----	----	0 - 9
4635	----	----	#210.80B/----	#210.80B/144.20A	----	208.10 + 83.80	.7985	----	----	----	----	5 UNCH
4640	9.50	9.50	11.50/*0.20A	14.60B/*0.20A	----	0.00 - 25.20	----	----	----	60	----	0 - 29
4640	121.80	121.80	#178.70B/121.80	#178.70B/77.20A	----	173.10 + 09.30	----	----	----	5	----	0 - 21
4640	----	----	#206.70B/----	#206.70B/141.00A	----	204.00 + 82.60	.7927	----	----	----	----	2 UNCH
4645	----	----	#173.70B/----	#173.70B/73.70A	----	168.10 + 07.60	----	----	----	2	----	0 - 5
4645	9.00	9.00	11.80/*0.20A	15.90B/*0.20A	----	0.00 - 26.90	----	----	----	13	----	0 - 56
4650	----	----	#198.50B/----	198.50B/127.00A	----	195.90 + 80.30	.7807	----	----	----	----	16 UNCH
4650	100.80	100.80	#168.70B/75.00	168.70B/69.90A	----	163.10 + 05.90	----	----	----	45	----	0 - 74
4650	13.00	13.00	15.00/*0.10	17.40B/*0.10	----	0.00 - 28.60	----	----	----	56	----	0 - 58

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4650	----	----	#217.10B/----	#217.10B/167.10A	----	223.80 + 75.90	.7142	----	----	----	----	1 UNCH
4655	80.00	80.00	#163.70B/80.00	#163.70B/66.80A	----	158.10 + 04.00	----	----	----	32	----	0 - 33
4655	10.60	10.60	10.60/*0.20A	18.80B/*0.20A	----	0.00 - 30.50	----	----	----	1	----	0 - 3
4660	71.20	71.20	#158.70B/71.20	#158.70B/59.60A	----	153.10 + 02.10	----	----	----	3	----	0 - 6
4660	9.00	9.00	11.00/*0.10	20.40B/*0.10	----	0.00 - 32.50	----	----	----	29	----	0 - 31
4665	14.00	14.00	14.00/*0.20A	22.10B/*0.20A	----	0.00 - 34.50	----	----	----	8	----	0 - 43
4665	----	----	#153.70B/----	#153.70B/56.50A	----	148.10 + 00.00	----	----	----	----	----	0 - 7
4665	----	----	----/*36.10A	77.00B/*36.10A	----	36.00 - 57.70	.2382	----	----	----	----	6 UNCH
4670	90.00	90.00	#148.70B/90.00	#148.70B/53.40A	----	143.10 + 97.80	----	----	----	2	----	0 - 5
4670	25.00	25.00	25.00/*0.20A	25.00/*0.20A	----	0.00 - 36.70	----	----	----	15	----	0 - 10
4670	----	----	----/*67.10A	112.20B/*67.10A	----	66.40 - 62.00	.3070	----	----	----	----	1 UNCH
4670	----	----	----/*37.30A	78.90B/*37.30A	----	37.10 - 58.90	.2449	----	----	1	----	11 + 1
4675	----	----	#178.70B/----	178.70B/113.00A	----	176.30 + 74.40	.7481	----	----	----	----	16 UNCH
4675	78.00	78.00	78.00/*38.30A	82.10B/38.30A	----	38.20 - 60.10	.2516	----	----	101	----	101 + 100
4675	69.90	69.90	143.70B/69.90	143.70B/50.40A	----	138.10 + 95.50	----	----	----	31	----	0 - 65
4675	26.50	26.50	26.50/*0.20A	26.50/*0.20A	----	0.00 - 39.00	----	----	----	35	----	0 - 44
4680	87.50	87.50	#138.70B/87.50	#138.70B/44.40A	----	133.10 + 93.20	----	----	----	2	----	0 - 55
4680	17.90	17.90	17.90/*0.10A	27.90B/*0.10A	----	0.00 NEW	----	----	----	4	----	0 UNCH
4685	----	----	#133.70B/----	#133.70B/41.30A	----	128.10 + 90.70	----	----	----	3	----	0 - 7
4685	19.70	19.70	19.70/*0.20A	30.10B/*0.20A	----	0.00 - 43.80	----	----	----	11	----	0 - 42
4690	18.00	18.00	18.00/*0.20A	32.50B/*0.20A	----	0.00 - 46.50	----	----	----	162	----	0 - 4
4690	56.80	56.80	#128.70B/38.30A	#128.70B/38.30A	----	123.10 + 88.00	----	----	----	5	----	0 - 4
4695	----	----	----/*74.50A	122.00B/*74.50A	----	73.80 - 66.80	.3353	----	----	----	----	1 UNCH
4695	72.40	72.40	#123.70B/72.40	#123.70B/36.70A	----	118.10 + 85.30	----	----	----	3	----	0 - 13
4695	35.00	35.00	35.00/*0.20A	35.00/*0.20A	----	0.00 NEW	----	----	----	74	----	0 UNCH
4700	50.00	50.00	50.00/44.50A	91.90B/44.50A	----	44.40 - 66.30	.2880	----	----	1	----	3 + 1
4700	----	----	159.70B/----	159.70B/99.60A	----	157.40 + 68.00	.7117	----	----	----	----	3 UNCH
4700	36.60	36.60	36.60/*0.10	37.80B/*0.10	----	0.00 - 52.00	----	----	----	248	----	0 - 27
4700	39.00	39.00	118.80B/29.40	118.80B/29.40	----	113.10 + 82.50	----	----	----	54	----	0 - 254
4700	----	----	#190.30B/----	#190.30B/137.00A	----	188.30 + 66.50	.6583	----	----	1	----	2 UNCH
4705	----	----	#113.70B/----	113.70B/31.50A	----	108.10 + 79.50	----	----	----	7	----	0 - 42
4705	----	----	#186.90B/----	#186.90B/135.40A	----	184.90 + 65.60	.6524	----	----	1	----	1 UNCH
4705	30.00	30.00	32.10/*0.20A	40.30B/*0.20A	----	0.00 - 55.00	----	----	----	13	----	0 - 5
4710	43.00	43.00	43.10B/*0.30A	43.10B/*0.30A	----	0.00 - 58.10	----	----	----	4	----	0 - 42
4710	38.00	38.00	#108.70B/28.60A	108.70B/28.60A	----	103.10 + 76.40	----	----	----	5	----	0 - 6
4715	125.10	125.10	#149.40B/125.10	#149.40B/92.10A	----	146.50 + 64.10	.6883	----	----	2	----	50 UNCH
4715	42.00	42.00	#103.70B/26.90A	103.70B/26.90A	----	98.10 + 73.30	----	----	----	3	----	0 - 153
4715	29.20	29.20	29.20/*0.30A	46.20B/*0.30A	----	0.00 NEW	----	----	----	45	----	0 UNCH
4720	33.00	33.00	33.00/*0.30A	49.20B/*0.30A	----	0.00 - 64.50	----	----	----	9	----	0 - 1
4720	26.00	26.00	#98.70B/24.40A	98.70B/24.40A	----	93.10 + 70.00	----	----	----	13	----	0 - 8
4725	36.50	36.50	36.50/*0.30A	51.00B/*0.30A	----	0.00 - 67.90	----	----	----	286	----	0 - 5
4725	35.00	35.00	95.00/19.10	95.00/19.10	----	88.10 + 66.60	----	----	----	66	----	0 - 290
4725	----	----	#173.60B/----	#173.60B/123.60A	----	171.60 + 61.60	.6282	----	----	----	----	1 UNCH
4730	10.30	10.30	10.30/*0.30A	51.80B/*0.30A	----	0.00 NEW	----	----	----	39	----	0 UNCH
4730	----	----	#138.70B/----	#138.70B/85.00A	----	136.00 + 60.30	.6635	----	----	----	----	4 UNCH
4730	22.20	22.20	#88.70B/19.90A	88.70B/19.90A	----	83.10 + 63.10	----	----	----	5	----	0 - 4
4735	32.00	32.00	83.70B/18.10A	83.70B/18.10A	----	78.10 + 59.50	----	----	----	16	----	0 - 7
4735	----	----	#135.30B/----	135.30B/82.70A	----	132.60 + 59.00	.6551	----	----	----	----	4 UNCH
4735	----	----	----/*116.40A	169.30B/*116.40A	----	111.70 - 74.40	.3995	----	----	----	----	1 UNCH
4735	8.50	8.50	15.00/*0.30A	55.20B/*0.30A	----	0.00 NEW	----	----	----	14	----	0 UNCH
4740	38.00	38.00	78.70B/16.70A	78.70B/16.70A	----	73.10 + 55.90	----	----	----	9	----	0 - 8
4740	23.00	23.00	30.90/*0.30A	58.70B/*0.30A	----	0.00 NEW	----	----	----	205	----	0 UNCH
4745	----	----	128.50B/----	128.50B/78.20A	----	125.90 NEW	.6377	----	----	1	----	1 + 1
4745	39.50	39.50	73.70B/15.10A	73.70B/15.10A	----	68.10 + 52.10	----	----	----	7	----	0 - 10
4745	46.50	46.50	46.50/*0.40A	62.40B/*0.40A	----	0.00 NEW	----	----	----	12	----	0 UNCH
4750	----	----	----/59.60A	118.60B/59.60A	----	59.50 - 79.40	.3709	----	----	2	----	3 + 1
4750	100.30	100.30	125.20B/100.30	125.20B/76.20A	----	122.60 + 55.00	.6288	----	----	9	----	3 - 3
4750	19.00	19.00	68.80B/12.50	68.80B/12.50	----	63.10 + 48.20	----	----	----	116	----	0 - 126
4750	55.00	55.00	66.50B/*0.10	66.50B/*0.10	----	0.00 - 86.20	----	----	----	115	----	0 - 6
4750	133.00	133.00	#177.50B/133.00	#177.50B/133.00	----	180.60 NEW	.5839	----	----	1	----	1 + 1
4750	----	----	#157.60B/----	#157.60B/112.50A	----	155.70 + 56.60	.5965	----	----	----	----	1 UNCH
4755	----	----	121.90B/----	121.90B/74.10A	----	119.30 NEW	.6198	----	----	1	----	1 + 1
4755	13.50	13.50	63.80B/12.60A	63.80B/12.60A	----	58.10 + 44.30	----	----	----	18	----	0 - 7
4755	19.70	19.70	19.70/*0.40A	70.00B/*0.40A	----	0.00 - 90.20	----	----	----	7	----	0 - 2
4760	----	----	#151.40B/----	#151.40B/106.70A	----	149.60 + 54.70	.5835	----	----	----	----	32 UNCH
4760	65.80	65.80	74.10B/*0.10	74.10B/*0.10	----	0.00 NEW	----	----	----	107	----	0 UNCH
4760	20.00	20.00	58.80B/10.90	58.80B/10.90	----	53.10 + 40.30	----	----	----	23	----	0 - 9
4765	----	----	#168.60B/----	#168.60B/132.90A	----	171.80 + 55.10	.5677	----	----	----	----	3 UNCH
4765	20.40	20.40	20.40/*0.40A	78.20B/*0.40A	----	0.00 NEW	----	----	----	30	----	0 UNCH
4765	24.20	24.20	53.80B/10.70A	53.80B/10.70A	----	48.10 + 36.30	----	----	----	31	----	0 - 5
4770	----	----	----/*66.70A	129.00B/*66.70A	----	66.80 - 84.60	.4076	----	----	----	----	2 UNCH
4770	20.00	20.00	20.20/*0.10	82.30B/*0.10	----	0.00 NEW	----	----	----	105	----	0 UNCH
4770	----	----	#145.40B/----	#145.40B/102.40A	----	143.60 + 52.60	.5703	----	----	----	----	3 UNCH
4770	30.60	30.60	48.70B/9.70A	48.70B/9.70A	----	43.10 + 32.10	----	----	----	65	----	0 - 72
4775	18.80	18.80	18.80/*0.40A	86.50B/*0.40A	----	0.00 - 06.60	----	----	----	28	----	0 - 3
4775	12.00	12.00	43.70B/9.00	43.70B/9.00	----	38.10 + 27.90	----	----	----	210	----	0 - 143
4775	----	----	----/68.50A	132.00B/68.50A	----	68.80 - 85.90	.4171	----	----	----	----	1 UNCH
4775	----	----	109.30B/----	109.30B/66.20A	----	106.80 + 48.50	.5826	----	----	----	----	1 UNCH
4780	19.50	19.50	38.70B/8.00A	38.70B/8.00A	----	33.10 + 23.70	----	----	----	258	----	0 - 13
4780	15.50	15.50	15.50/*0.40A	90.90B/*0.40A	----	0.00 - 10.80	----	----	----	17	----	0 - 2
4780	----	----	106.30B/----	106.30B/64.30A	----	103.80 + 47.20	.5731	----	----	1	----	1 + 1
4785	14.10	14.10	33.70B/6.80A	33.70B/6.80A	----	28.10 NEW	----	----	----	53	----	0 UNCH
4785	----	----	103.30B/----	103.30B/62.50A	----	100.90 + 46.00	.5635	----	----	----	----	5 UNCH
4785	20.00	20.00	20.00/*0.40A	95.20B/*0.40A	----	0.00 NEW	----	----	----	17	----	0 UNCH
4790	9.60	9.60	12.10/*0.20	99.60B/*0.20	----	0.00 - 19.50	----	----	----	34	----	0 - 1
4790	10.00	10.00	28.80B/6.00A	28.80B/6.00A	----	23.10 NEW	----	----	----	19	----	0 UNCH
4790	----	----	100.40B/----	100.40B/60.70A	----	98.00 NEW	.5538	----	----	1	----	1 + 1
4795	33.30	33.30	33.30/*0.10	104.10B/*0.10	----	0.00 NEW	----	----	----	57	----	0 UNCH
4795	7.50	7.50	23.90B/5.00A	23.90B/5.00A	----	18.10 + 10.60	----	----	----	84	----	0 - 7
4800	----	----	94.70B/----	94.70B/57.20A	----	92.30 + 42.10	.5342	----	----	4	----	5 UNCH
4800	85.50	85.50	85.50/*0.20	108.90B/*0.20	----	0.00 - 28.40	----	----	----	80	----	0 - 3
4800	----	----	----/78.80A	147.80B/78.80A	----	79.20 NEW	.4655	----	----	11	----	11 + 11
4800	10.00	10.00	21.00/4.00	21.00/4.00	----	13.10 + 6.10	----	----	----	427	----	0 - 202
4800	----	----	#128.10B/----	#128.10B/93.70A	----	126.40 + 46.60	.5298	----	----	1	----	5 UNCH
4805	3.20	3.20	3.20/*0.40A	113.20B/*0.40A	----	0.00 - 32.90	----	----	----	2	----	0 - 1
4805	8.00	8.00	14.10B/3.60A	14.10B/3.60A	----	8.10 + 1.60	----	----	----	11	----	0 - 17
4810	17.90	17.90	20.00/*0.20	115.80B/*0.20	----	0.00 NEW	----	----	----	87	----	0 UNCH
4810	6.50	6.50	12.20B/2.90A	12.20B/2.90A	----	3.10 - 2.90	----	----	----	242	----	0 - 75
4810	----	----	89.00B/----	89.00B/54.00A	----	86.90 + 39.70	.5143	----	----	----	----	1 UNCH
4815	10.90	10.90	12.00/*2.30A	120.30B/*2.30A	----	1.90 NEW	----	----	----	19	----	0 UNCH
4815	70.40	70.40	86.40B/70.40	86.40B/52.40A	----	84.20 + 38.40	.5043	----	----	5	----	10 + 5
4815	4.10	4.10	10.90B/*0.20	10.90B/*0.20	----	0.00 - 5.60	----	----	----	17	----	0 - 76
4820	68.10	68.10	83.80B/67.80	83.80B/50.90A	----	81.60 + 37.20	.4943	----	----	20	----	25 + 20
4820	6.00	6.00	9.90B/*0.10	9.90B/*0.10	----	0.00 - 5.20	----	----	----	240	----	0 - 1
4820	----	----	----/*4.50A	124.90B/*4.50A	----	6.90 NEW	----	----	----	4	----	0 UNCH
4825	56.80	56.80	65.60/*8.30A	129.50B/*8.30A	----	11.90 - 39.30	----	----	----	11	----	0 - 1
4825	10.00	10.00	10.00/*0.10	10.00/*0.10	----	0.00 - 4.90	----	----	----	75	----	0 - 32
4825	66.00	66.00	81.20B/66.00	81.20B/49.30A	----	79.10 NEW	.4843	----	----	5	----	5 + 5
4825	----	----	----/90.20A	164.80B/90.20A	----	91.00 - 98.30	.5155	----	----	----	----	1 UNCH
4830	----	----	----/*12.00A	134.20B/*12.00A	----	16.90 NEW	----	----	----	2	----	0 UNCH
4830	6.70	6.70	8.10B/*0.10	8.10B/*0.10	----	0.00 - 4.50	----	----	----	110	----	0 - 52
4835	4.20	4.20	7.30B/*0.40A	7.30B/*0.40A	----	0.00 - 4.20	----	----	----	11	----	0 - 100
4840	----	----	----/*21.70A	143.60B/*21.70A	----	26.90 - 38.40	----	----	----	----	----	0 - 11
4840	5.00	5.00	6.60B/*0.30	6.60B/*0.30	----	0.00 - 3.90	----	----	----	33	----	0 - 5
4845	42.10	42.10	71.30B/42.10	71.30B/42.10	----	69.50 NEW	.4440	----	----	2	----	1 + 1
4845	6.00	6.00	6.00/*0.40A	6.00/*0.40A	----	0.00 - 3.70	----	----	----	4	----	0 - 2
4845	----	----	#104.60B/----	#104.60B/77.60A	----	103.20 + 38.10	.4673	----	----	----	----	4 UNCH
4850	----	----	----/31.50A	153.50B/31.50A	----	36.90 NEW	----	----	----	4	----	0 UNCH
4850	3.00	3.00	8.00/*0.10	8.00/*0.10	----	0.00 - 3.40	----	----	----	162	----	0 - 99
4850	53.60	53.60	69.00B/53.60	69.00B/42.60A	----	67.20 + 30.40	.4339	----	----	4	----	191 + 3
4850	----	----	----/103.10A	182.80B/103.10A	----	104.10 - 04.00	.5658	----	----	----	----	1 UNCH
4850	----	----	#102.20B/----	#102.20B/76.00A	----	100.80 NEW	.4603	----	----	45	----	45 + 45
4855	----	----	----/*36.50A	157.90B/36.50A	----	41.90 NEW	----	----	----	4	----	0 UNCH
4855	1.20	1.20	4.80B/*0.40A	4.80B/*0.40A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4855	----	----	----/*140.40A	211.50B/*140.40A	----	140.30 - 98.00	.5463	----	----	----	----	1 UNCH
4860	----	----	4.30B/*0.40A	4.30B/*0.40A	----	0.00 - 3.00	----	----	----	----	----	0 - 6
4860	----	----	64.60B/----	64.60B/40.00A	----	62.80 + 28.20	.4139	----	----	----	----	0 UNCH
4865	1.10	1.10	3.80B/*0.20A	3.80B/*0.20A	----	0.00 - 2.80	----	----	----	20	----	0 - 3
4870	1.60	1.60	3.40B/*0.40A	3.40B/*0.40A	----	0.00 - 2.60	----	----	----	3	----	0 - 4
4875	0.80	0.80	3.10B/*0.30A	3.10B/*0.30A	----	0.00 - 2.50	----	----	----	5	----	0 - 1
4875	35.60	35.60	58.40B/35.60	58.40B/35.60	----	56.60 + 25.10	.3842	----	----	4	----	2 + 1
4875	----	----	#90.60B/----	#90.60B/68.30A	----	89.40 + 32.80	.4254	----	----	----	----	1 UNCH
4880	----	----	----/*61.40A	182.00B/61.40A	----	66.90 - 36.80	----	----	----	1	----	0 - 1
4880	1.70	1.70	2.80B/*0.20A	2.80B/*0.20A	----	0.00 - 2.30	----	----	----	4	----	0 - 6
4880	42.00	42.00	56.20B/40.50	56.20B/35.40A	----	54.70 + 24.20	.3745	----	----	4	----	3 + 2
4885	----	----	2.40B/*0.40A	2.40B/*0.40A	----	0.00 - 2.20	----	----	----	----	----	0 - 2
4885	----	----	54.40B/----	54.40B/34.30A	----	52.80 + 23.20	.3649	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4890	----	----	2.10B/*0.20A	2.10B/*0.20A	----	0.00 - 2.00	----	----	----	4	----	0 - 4
4900	----	----	----/81.30A	201.90B/81.30A	----	86.90 - 36.30	----	----	----	----	----	0 - 3
4900	1.50	1.50	1.50/*0.20A	1.70B/*0.20A	----	0.00 - 1.80	----	----	----	20	----	0 - 17
4900	165.00	165.00	165.00/132.70A	221.90B/132.70A	----	134.20 - 14.00	.6634	----	----	1	----	2 UNCH
4900	34.60	34.60	48.90B/34.60	48.90B/31.40A	----	47.40 + 20.50	.3364	----	----	12	----	32 + 5
4900	----	----	#79.90B/----	#79.90B/61.10A	----	78.90 + 28.60	.3908	----	----	10	----	13 + 8
4905	0.10	0.10	0.30/*0.10	1.50B/*0.10	----	0.00 - 1.70	----	----	----	2	----	0 - 2
4905	33.60	33.60	47.20B/33.60	47.20B/30.40A	----	45.70 NEW	.3271	----	----	1	----	1 + 1
4910	----	----	----/91.30A	211.30B/91.30A	----	96.90 - 36.10	----	----	----	----	----	0 - 22
4910	1.40	1.40	1.40/*0.20A	1.40/*0.20A	----	0.00 - 1.60	----	----	----	10	----	0 - 2
4910	----	----	45.30B/----	45.30B/29.50A	----	44.10 NEW	.3180	----	----	4	----	4 + 4
4915	1.70	1.70	1.70/*0.20A	1.70/*0.20A	----	0.00 - 1.50	----	----	----	2	----	0 - 3
4920	1.00	1.00	1.80B/*0.20A	1.80B/*0.20A	----	0.00 - 1.40	----	----	----	3	----	0 - 3
4925	----	----	----/149.40A	242.40B/149.40A	----	151.20 - 18.10	.7086	----	----	----	----	1 UNCH
4925	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 7
4925	----	----	40.60B/----	40.60B/26.40A	----	39.40 + 16.40	.2911	----	----	----	----	51 UNCH
4925	----	----	#70.20B/----	#70.20B/53.90A	----	69.50 + 24.80	.3571	----	----	----	----	1 UNCH
4930	----	----	39.10B/----	39.10B/25.70A	----	38.00 + 15.70	.2826	----	----	1	----	1 UNCH
4930	1.80	1.80	1.80/*0.20A	1.80/*0.20A	----	0.00 - 1.20	----	----	----	4	----	0 - 7
4935	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 6
4940	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4940	28.70	28.70	36.20B/28.70	36.20B/23.70A	----	35.20 NEW	.2657	----	----	1	----	1 + 1
4950	----	----	----/131.30A	251.20B/131.30A	----	136.90 - 35.50	----	----	----	----	----	0 - 1
4950	0.30	0.30	0.50/*0.20	0.50/*0.20	----	0.00 - 1.00	----	----	----	6	----	0 - 11
4950	33.70	33.70	33.70/33.70	33.70/22.20A	----	32.60 NEW	.2494	----	----	2	----	2 + 2
4955	----	----	32.30B/----	32.30B/21.30A	----	31.40 + 12.30	.2417	----	----	----	----	1 UNCH
4955	----	----	----/171.90A	268.00B/171.90A	----	173.20 - 22.10	.7581	----	----	----	----	1 UNCH
4955	53.60	53.60	#59.90B/53.60	#59.90B/46.20A	----	59.30 NEW	.3181	----	----	2	----	1 + 1
4965	----	----	29.80B/----	29.80B/19.80A	----	29.00 + 11.00	.2262	----	----	----	----	1 UNCH
4975	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.70	----	----	----	1	----	0 - 1
4980	0.70	0.70	0.70/*0.20A	0.70/*0.20A	----	0.00 - 0.70	----	----	----	4	----	0 - 7
4990	----	----	----/198.80A	299.00B/198.80A	----	200.70 - 25.90	.8085	----	----	----	----	1 UNCH
4990	----	----	24.50B/----	24.50B/16.60A	----	23.90 + 8.50	.1913	----	----	601	----	602 + 601
4995	----	----	23.50B/----	23.50B/16.00A	----	22.90 NEW	.1844	----	----	601	----	601 + 601
5000	----	----	----/181.30A	300.90B/181.30A	----	186.90 - 35.00	----	----	----	----	----	0 - 50
5000	0.90	0.90	0.90/*0.10	0.90/*0.10	----	0.00 - 0.50	----	----	----	4	----	0 - 108
5000	----	----	----/207.00A	308.00B/207.00A	----	208.80 - 26.90	.8213	----	----	----	----	1 UNCH
5000	17.00	17.00	22.60B/15.40A	22.60B/15.40A	----	22.10 + 7.60	.1785	----	----	7	----	106 + 4
5000	42.00	42.00	#46.60B/42.00	#46.60B/36.70A	----	46.30 + 15.10	.2634	----	----	9	----	8 + 5
5000	49.90	49.90	#65.80B/*49.90	#65.80B/*49.90	----	73.00 NEW	.3160	----	----	1	----	1 + 1
5010	----	----	----/215.20A	317.10B/215.20A	----	217.20 - 27.70	.8335	----	----	----	----	1 UNCH
5015	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
5015	----	----	20.00B/----	20.00B/13.80A	----	19.60 NEW	.1604	----	----	1	----	1 + 1
5015	43.70	43.70	#43.70/43.70	#43.70/33.90A	----	42.60 NEW	.2466	----	----	1	----	1 + 1
5025	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.40	----	----	----	1	----	0 - 5
5025	14.70	14.70	18.50B/14.70	18.50B/12.90A	----	18.10 NEW	.1492	----	----	1	----	1 + 1
5025	----	----	----/206.30A	325.40B/206.30A	----	211.90 - 34.90	----	----	----	----	----	0 - 1
5025	----	----	#40.30B/----	#40.30B/32.20A	----	40.20 + 12.50	.2356	----	----	----	----	2 UNCH
5030	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.40	----	----	----	1	----	0 - 2
5030	----	----	----/211.30A	330.40B/211.30A	----	216.90 - 34.90	----	----	----	----	----	0 - 2
5040	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
5040	----	----	#36.80B/----	#36.80B/29.80A	----	36.90 + 11.10	.2199	----	----	----	----	19 UNCH
5045	----	----	----/226.30A	345.30B/226.30A	----	231.90 - 34.80	----	----	----	----	----	0 - 4
5050	----	----	----/231.30A	350.70B/231.30A	----	236.90 - 34.80	----	----	----	----	----	0 - 4
5050	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
5050	12.00	12.00	15.10B/10.70A	15.10B/10.70A	----	14.90 + 4.10	.1245	----	----	10	----	9 + 8
5050	----	----	#34.70B/----	#34.70B/28.20A	----	34.80 + 10.20	.2097	----	----	4	----	5 + 4
5055	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
5065	----	----	----/246.30A	365.20B/246.30A	----	251.90 - 34.70	----	----	----	----	----	0 - 1
5065	----	----	13.30B/9.80A	13.30B/9.80A	----	13.20 NEW	.1112	----	----	1	----	1 + 1
5070	----	----	----/251.30A	370.20B/251.30A	----	256.90 - 34.70	----	----	----	----	----	0 - 13
5070	----	----	13.00B/9.50A	13.00B/9.50A	----	12.70 NEW	.1072	----	----	4	----	4 + 4
5075	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
5075	----	----	12.50B/9.20A	12.50B/9.20A	----	12.20 + 2.90	.1031	----	----	----	----	20 UNCH
5080	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5095	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
5100	10.50	10.50	10.50/7.80A	10.50/7.80A	----	10.10 NEW	.0858	----	----	1	----	1 + 1
5100	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.10	----	----	----	5	----	0 - 8
5100	----	----	----/293.90A	401.30B/293.90A	----	296.90 - 32.30	.9140	----	----	----	----	30 UNCH
5100	----	----	#25.80B/----	25.80B/21.60A	----	26.30 + 6.50	.1654	----	----	----	----	2 UNCH
5120	----	----	----/301.30A	420.10B/301.30A	----	306.90 - 34.60	----	----	----	----	----	0 - 1
5120	----	----	8.40B/7.00A	8.40B/7.00A	----	8.70 NEW	.0740	----	----	4	----	4 + 4
5125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5135	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 120
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5165	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5170	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5175	----	----	----/356.30A	475.10B/356.30A	----	361.90 - 34.60	----	----	----	1	----	0 - 1
5175	----	----	16.70B/----	16.70B/14.80A	----	17.40 + 3.00	.1145	----	----	----	----	1 UNCH
5185	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 4
5190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5200	----	----	----/4.50A	4.70B/4.50A	----	5.00 + 0.30	.0418	----	----	----	----	2 UNCH
5200	----	----	14.40B/----	14.40B/13.10A	----	15.20 NEW	.1011	----	----	2	----	2 + 2
5210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5215	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5225	----	----	----/406.30A	525.00B/406.30A	----	411.90 - 34.60	----	----	----	1	----	0 - 1
5225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 12
5230	----	----	----/3.90A	3.80B/3.90A	----	4.10 UNCH	.0338	----	----	----	----	1 UNCH
5240	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5245	----	----	----/3.60A	3.30B/3.60A	----	3.80 UNCH	.0310	----	----	----	----	20 UNCH
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5250	2.60	2.60	3.30B/*2.60	3.30B/*2.60	----	3.70 UNCH	.0301	----	----	4	----	5 + 4
5260	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5285	----	----	----/*3.00A	2.70B/*3.00A	----	3.00 NEW	.0240	----	----	2	----	2 + 2
5290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5290	----	----	----/*2.90A	2.50B/*2.90A	----	2.90 - 0.20	.0231	----	----	----	----	1 UNCH
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	1.90	1.90	2.50/*1.90	2.50/*1.90	----	2.80 - 0.20	.0221	----	----	4	----	6 + 4
5305	----	----	----/*2.70A	2.30B/*2.70A	----	2.70 - 0.20	.0213	----	----	----	----	1 UNCH
5325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5350	----	----	----	1.90B/*2.40A	----	2.10 - 0.30	.0161	----	----	----	----	1 UNCH
5360	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5375	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5380	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5435	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5500	----	----	----	0.50B/*1.70A	----	1.10 - 0.10	.0075	----	----	----	----	2 UNCH
5550	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5650	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
5675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										6696		3207 - 4660

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	388.60 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	378.60 UNCH	----	----	----	----	----	0 UNCH
4305	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4315	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GOLD WEEKLY TUESDAY OPTION Week5

GWT TUE MAR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4385	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	278.60	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	273.60	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	268.60	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	258.60	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	253.60	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	248.60	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	243.60	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	238.60	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	233.60	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	228.60	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	223.60	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	218.60	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	213.60	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	208.60	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	198.60	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	193.60	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	188.60	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	183.60	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	178.60	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	173.60	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	168.60	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	153.60	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	143.60	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	138.60	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	133.60	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	128.60	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	123.60	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	118.60	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	113.60	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	108.60	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	103.60	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	98.60	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	93.60	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	88.60	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	83.60	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	78.60	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	73.60	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	68.60	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	63.60	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	58.60	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	53.60	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	48.60	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	43.60	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	38.60	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	33.60	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	28.60	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	23.60	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	18.60	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	13.60	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	8.60	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	3.60	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	1.40	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	21.40	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	46.40	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	71.40	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	96.40	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	106.40	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	121.40	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	126.40	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	146.40	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	171.40	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE GOLD WEEKLY TUESDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
MAR26														
4875	----	----	----	----	----	196.40	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	201.40	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	221.40	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4905	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	231.40	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	261.40	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	266.40	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	271.40	UNCH	----	----	----	----	----	0	UNCH
4955	----	----	----	----	----	276.40	UNCH	----	----	----	----	----	0	UNCH
4960	----	----	----	----	----	281.40	UNCH	----	----	----	----	----	0	UNCH
4965	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4965	----	----	----	----	----	286.40	UNCH	----	----	----	----	----	0	UNCH
4970	----	----	----	----	----	291.40	UNCH	----	----	----	----	----	0	UNCH
4990	----	----	----	----	----	311.40	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	321.40	UNCH	----	----	----	----	----	0	UNCH
5010	----	----	----	----	----	331.40	UNCH	----	----	----	----	----	0	UNCH
5015	----	----	----	----	----	336.40	UNCH	----	----	----	----	----	0	UNCH
5020	----	----	----	----	----	341.40	UNCH	----	----	----	----	----	0	UNCH
5030	----	----	----	----	----	351.40	UNCH	----	----	----	----	----	0	UNCH
5040	----	----	----	----	----	361.40	UNCH	----	----	----	----	----	0	UNCH
5045	----	----	----	----	----	366.40	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	371.40	UNCH	----	----	----	----	----	0	UNCH
5090	----	----	----	----	----	411.40	UNCH	----	----	----	----	----	0	UNCH
5095	----	----	----	----	----	416.40	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	421.40	UNCH	----	----	----	----	----	0	UNCH
5115	----	----	----	----	----	436.40	UNCH	----	----	----	----	----	0	UNCH
5125	----	----	----	----	----	446.40	UNCH	----	----	----	----	----	0	UNCH
5175	----	----	----	----	----	496.40	UNCH	----	----	----	----	----	0	UNCH
5215	----	----	----	----	----	536.40	UNCH	----	----	----	----	----	0	UNCH
5600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
APR26														
3300	----	----	----	----/*1.10A	----	0.10	UNCH	.0000	----	----	----	----	10	UNCH
3500	----	----	----/*2.00A	0.40B/*2.00A	----	0.90	- 1.20	.0034	----	----	----	----	1	UNCH
3800	----	----	----	0.50B/*1.00A	----	0.40	- 0.60	.0015	----	----	----	----	2	UNCH
3850	----	----	----	0.60B/*1.40A	----	0.50	- 0.70	.0020	----	----	----	----	2	UNCH
3900	----	----	----	0.70B/*1.50A	----	0.60	- 0.90	.0025	----	----	----	----	48	UNCH
3950	----	----	----/*1.60A	1.00B/*1.60A	----	0.90	- 1.00	.0039	----	----	----	----	2	UNCH
4000	5.40	5.40	5.40/*5.30A	5.40/*5.30A	----	3.80	- 4.80	.0183	----	----	1	----	2	+ 1
4000	----	----	----/*2.00A	1.10B/*2.00A	----	1.30	- 1.10	.0058	----	----	----	----	1	UNCH
4075	----	----	----/*1.60A	2.00B/*1.60A	----	1.90	- 1.60	.0090	----	----	----	----	1	UNCH
4100	1.70	1.70	2.20B/*1.70	2.20B/*1.70	----	2.10	- 1.90	.0102	----	----	1	----	18	+ 1
4125	----	----	----/*2.20A	2.40B/*2.20A	----	2.30	- 2.20	.0114	----	----	----	----	2	UNCH
4175	7.60	7.60	7.80/*7.60	11.60B/*7.60	----	7.50	NEW	.0380	----	----	48	----	48	+ 48
4175	----	----	----/*2.70A	3.20B/*2.70A	----	2.70	- 3.10	.0141	----	----	----	----	4	UNCH
4200	----	----	----/*9.60A	13.00B/*9.60A	----	8.30	- 10.80	.0422	----	----	----	----	1	UNCH
4200	----	----	----/*2.80A	3.60B/*2.80A	----	2.90	- 3.70	.0155	----	----	----	----	2	UNCH
4225	----	----	----/*3.10A	4.20B/*3.10A	----	3.20	- 4.40	.0175	----	----	----	----	5	UNCH
4240	----	----	----/*3.40A	4.60B/*3.40A	----	3.30	- 4.90	.0184	----	----	----	----	23	UNCH
4250	4.00	4.00	4.00/*3.40A	5.00B/*3.40A	----	3.40	- 5.30	.0192	----	----	1	----	40	UNCH
4250	----	----	----/*11.20A	16.50B/*11.20A	----	10.10	- 13.20	.0520	----	----	----	----	61	UNCH
4250	----	----	----/*19.10A	26.20B/*19.10A	----	17.10	- 19.50	.0767	----	----	----	----	25	UNCH
4280	----	----	----/*3.80A	6.50B/*3.80A	----	3.80	- 6.40	.0221	----	----	----	----	50	UNCH
4300	----	----	----/*13.40A	18.80B/*13.40A	----	12.40	- 15.90	.0643	----	----	----	----	126	UNCH
4300	7.50	7.50	7.50/*4.30A	7.70B/*4.30A	----	4.00	- 7.40	.0239	----	----	81	----	81	+ 79
4305	----	----	----/*13.60A	18.70B/*13.60A	----	12.60	- 16.20	.0655	----	----	----	----	5	UNCH
4310	8.10	8.10	8.10/*4.20A	8.10/*4.20A	----	4.20	- 7.80	.0253	----	----	50	----	104	+ 50
4325	----	----	#491.30B/----	#491.30B/410.10A	----	501.30	+ 16.90	.9283	----	----	----	----	0	UNCH
4325	----	----	----/*4.70A	8.60B/*4.70A	----	4.40	- 8.70	.0269	----	----	----	----	27	UNCH
4330	6.60	6.60	7.00/*4.70A	9.00B/*4.70A	----	4.50	NEW	.0277	----	----	50	----	50	+ 50
4350	6.50	6.50	6.50/*5.20A	10.40B/*5.20A	----	4.90	- 10.10	.0307	----	----	2	----	6	UNCH
4360	----	----	----/*5.50A	10.70B/*5.50A	----	5.10	- 10.70	.0323	----	----	----	----	6	UNCH
4360	----	----	----/*28.60A	40.70B/*28.60A	----	25.70	- 28.60	.1144	----	----	----	----	2	UNCH
4365	----	----	----/*5.60A	11.10B/*5.60A	----	5.20	- 11.00	.0331	----	----	----	----	5	UNCH
4380	----	----	----/*6.00A	12.10B/*6.00A	----	5.50	- 12.10	.0356	----	----	----	----	1	UNCH
4390	----	----	----/*6.30A	12.70B/*6.30A	----	5.80	- 12.80	.0379	----	----	----	----	2	UNCH
4400	----	----	#424.30B/----	424.30B/314.50A	----	419.00	+ 20.90	.9596	----	----	----	----	3	UNCH
4400	18.00	18.00	20.00/*18.00	31.20B/*18.00	----	18.50	- 23.50	.0974	----	----	44	----	19	- 29
4400	----	----	#423.90B/----	#423.90B/345.20A	----	431.20	+ 10.90	.9022	----	----	----	----	1	UNCH
4400	----	----	----/*6.60A	13.40B/*6.60A	----	6.10	- 13.60	.0402	----	----	1	----	90	+ 1
4405	----	----	----/*6.80A	13.80B/*6.80A	----	6.20	- 14.00	.0411	----	----	----	----	20	UNCH
4410	----	----	#414.60B/----	#414.60B/305.40A	----	409.30	+ 20.10	.9573	----	----	----	----	9	UNCH
4410	----	----	----/*7.00A	14.30B/*7.00A	----	6.40	- 14.40	.0425	----	----	----	----	5	UNCH
4415	----	----	#409.80B/----	#409.80B/300.90A	----	404.40	+ 19.60	.9563	----	----	----	----	14	UNCH
4420	----	----	----/*7.40A	14.80B/*7.40A	----	6.70	- 15.30	.0449	----	----	1	----	20	+ 1
4440	----	----	----/*8.10A	16.90B/*8.10A	----	7.40	- 17.10	.0505	----	----	----	----	8	UNCH
4445	----	----	----/*8.30A	17.60B/*8.30A	----	7.60	NEW	.0521	----	----	1	----	1	+ 1
4450	15.00	15.00	15.00/*8.50A	18.20B/*8.50A	----	7.80	- 18.20	.0537	----	----	1	----	11	+ 1
4450	----	----	----/*23.50A	39.90B/*23.50A	----	22.90	- 28.50	.1205	----	----	----	----	8	UNCH
4470	----	----	----/*9.40A	20.60B/*9.40A	----	8.70	- 20.30	.0607	----	----	----	----	5	UNCH
4475	----	----	#352.10B/----	#352.10B/248.40A	----	346.90	+ 13.60	.9369	----	----	----	----	4	UNCH
4475	----	----	----/*9.60A	21.40B/*9.60A	----	9.00	- 20.90	.0629	----	----	----	----	1	UNCH
4475	----	----	#371.70B/----	#371.70B/303.50A	----	377.30	+ 93.70	.8271	----	----	----	----	5	UNCH
4480	----	----	----/*9.90A	21.90B/*9.90A	----	9.20	- 21.50	.0647	----	----	1	----	0	- 1
4485	----	----	----/*10.20A	22.60B/*10.20A	----	9.50	- 22.10	.0669	----	----	1	----	0	- 1
4485	----	----	----/*27.00A	46.10B/*27.00A	----	26.60	- 32.50	.1398	----	----	----	----	10	UNCH
4495	----	----	----/*10.70A	24.30B/*10.70A	----	10.00	- 23.40	.0710	----	----	----	----	3	UNCH
4495	----	----	#333.00B/----	#333.00B/231.60A	----	328.00	+ 11.10	.9288	----	----	----	----	14	UNCH
4500	31.00	31.00	33.00/*29.40A	50.60B/*29.40A	----	28.40	- 34.40	.1489	----	----	144	----	144	+ 143
4500	----	----	#334.30B/----	#334.30B/264.50A	----	341.20	+ 00.00	.8507	----	----	----	----	1	UNCH
4500	----	----	#328.40B/----	328.40B/227.50A	----	323.30	+ 10.50	.9264	----	----	1	----	19	UNCH
4500	22.50	22.50	22.50/*10.70	24.80B/*10.70	----	10.30	- 24.10	.0733	----	----	9	----	14	+ 8
4515	----	----	#314.30B/----	#314.30B/215.20A	----	309.20	+ 08.30	.9187	----	----	----	----	11	UNCH
4520	----	----	----/*12.20A	28.20B/*12.20A	----	11.60	- 26.90	.0835	----	----	----	----	1	UNCH
4525	----	----	----/*12.60A	29.20B/*12.60A	----	12.00	- 27.60	.0865	----	----	----	----	6	UNCH
4530	14.30	14.30	14.30/*12.90A	30.20B/*12.90A	----	12.40	NEW	.0895	----	----	1	----	1	+ 1
4530	----	----	#300.30B/----	#300.30B/202.80A	----	295.30	+ 06.10	.9103	----	----	----	----	6	UNCH
4535	----	----	----/*13.30A	31.00B/*13.30A	----	12.70	- 29.20	.0921	----	----	----	----	5	UNCH
4540	----	----	----/*54.70A	81.90B/*54.70A	----	50.90	- 48.40	.2157	----	----	----	----	1	UNCH
4540	----	----	----/*35.10A	59.60B/*35.10A	----	34.00	- 39.80	.1766	----	----	----	----	5	UNCH
4540	----	----	----/*13.70A	32.00B/*13.70A	----	13.10	- 30.00	.0952	----	----	2	----	13	+ 2
4545	----	----	#286.40B/----	#286.40B/191.00A	----	281.50	+ 03.70	.9010	----	----	1	----	0	- 1
4545	----	----	----/*35.90A	61.00B/*35.90A	----	34.70	- 40.60	.1802	----	----	----	----	1	UNCH
4550	----	----	----/*36.70A	63.50B/*36.70A	----	35.50	- 41.30	.1840	----	----	----	----	2	UNCH
4550	----	----	----/*56.80A	85.20B/*56.80A	----	52.90	- 49.60	.2232	----	----	----	----	3	UNCH
4550	----	----	#281.80B/----	281.80B/187.20A	----	276.90	+ 02.80	.8978	----	----	----	----	2	UNCH
4550	28.00	28.00	28.00/*14.40A	34.30B/*14.40A	----	14.00	- 31.50	.1020	----	----	4	----	13	+ 3
4550	----	----	#291.60B/----	291.60B/227.50A	----	298.30	+ 93.00	.8156	----	----	----	----	2	UNCH
4555	----	----	#277.20B/----	#277.20B/183.40A	----	272.40	+ 02.00	.8946	----	----	----	----	5	UNCH
4560	20.10	20.10	20.10/*15.30A	36.50B/*15.30A	----	14.90	NEW	.1089	----	----	1	----	1	+ 1
4565	----	----	----/*39.20A	67.30B/*39.20A	----	38.00	- 43.60	.1960	----	----	----	----	1	UNCH
4570	----	----	#263.50B/----	#263.50B/173.00A	----	258.80	+ 99.30	.8833	----	----	----	----	15	UNCH
4575	----	----	----/*16.60A	40.10B/*16.60A	----	16.40	- 36.00	.1203	----	----	----	----	1	UNCH
4575	----	----	----/*41.00A	71.50B/*41.00A	----	39.80	NEW	.2044	----	----	16	----	16	+ 16
4575	----	----	#258.90B/----	258.90B/168.90A	----	254.30	+ 98.40	.8794	----	----	----	----	1	UNCH
4585	22.90	22.90	22.90/*17.60A	42.90B/*17.60A	----	17.40	- 38.00	.1282	----	----	2	----	2	UNCH
4590	----	----	#258.90B/----	#258.90B/199.80A	----	265.50	+ 86.80	.7819	----	----	----	----	1	UNCH
4595	----	----	----/*18.70A	45.50B/*18.70A	----	18.60	- 40.00	.1371	----	----	----	----	2	UNCH
4600	22.20	22.20	22.20/*19.40A	46.90B/*19.40A	----	19.20	- 41.00	.1417	----	----	125	----	119	+ 101
4600	----	----	----/*45.80A	79.90B/*45.80A	----	44.70	- 49.10	.2269	----	----	16	----	16	+ 15
4600	----	----	#250.90B/----	250.90B/193.10A	----	257.50	+ 85.20	.7727	----	----	----	----	1	UNCH
4600	----	----	#236.60B/----	236.60B/151.40A	----	232.20	+ 93.40	.8581	----	----	----	----	54	UNCH
4605	----	----	#232.00B/----	#232.00B/147.60A	----	227.90	NEW	.8531	----	----	1	----	1	+ 1
4605	----	----	#246.90B/----	#246.90B/189.90A	----	253.60	+ 84.40	.7681	----	----	----	----	8	UNCH
4605	----	----	----/*69.20A	103.70B/*69.20A	----	65.30	- 56.40	.2678	----	----	----	----	1	UNCH
4610	----	----	#227.80B/----	#227.80B/144.50A	----	223.50	+ 91.30	.8484	----	----	----	----	1	UNCH
4610	21.20	21.20	21.20/*20.60A	49.90B/*20.60A	----	20.50	NEW	.1514	----	----	24	----	23	+ 23
4610	58.10	58.10	58.10/*47.90A	82.40B/*47.90A	----	46.80	NEW	.2363	----	----	5	----	5	+ 5
4610	----	----	#264.30B/----	#264.30B/210.70A	----	269.30	+ 77.20	.7273	----	----	----	----	1	UNCH
4620	----	----	#235.20B/----	#235.20B/180.20A	----	241.90	+ 81.90	.7535	----	----	----	----	9	UNCH
4625	----	----	#214.90B/----	214.90B/134.40A	----	210.70	+ 88.00	.8324	----	----	----	----	5	UNCH
4630	25.10	25.10	25.10/*23.40A	56.60B/*23.40A	----	23.40	NEW	.1726	----	----	1	----	1	+ 1
4635	----	----	#223.70B/----	#223.70B/170.90A	----	230.40	+ 79.20	.7382	----	----	----	----	12	UNCH
4635	----	----	----/*24.20A	58.10B/*24.20A	----	24.20	NEW	.1784	----	----	23	----	23	+ 23
4640	----	----	#201.90B/----	#201.90B/124.70A	----	198.00	+ 84.40	.8155	----	----	----	----	11	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE APR26 — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4640	26.00	26.00	26.00/*25.00A	60.10B/*25.00A	----	25.00 NEW	.1842	----	----	2	----	2 + 2
4645	----	----	----/*25.80A	61.70B/*25.80A	----	25.90 NEW	.1905	----	----	1	----	1 + 1
4645	----	----	#238.90B/----	#238.90B/189.60A	----	243.80 + 72.90	.6954	----	----	----	----	1 UNCH
4650	38.80	38.80	38.80/*26.60A	63.90B/26.60A	----	26.70 - 52.50	.1964	----	----	8	----	11 + 8
4650	----	----	#193.60B/----	193.60B/116.90A	----	189.70 + 81.90	.8033	----	----	4	----	58 UNCH
4660	----	----	#185.50B/----	#185.50B/111.00A	----	181.60 + 79.50	.7901	----	----	----	----	54 UNCH
4660	39.00	39.00	39.00/*28.40A	67.70B/*28.40A	----	28.60 NEW	.2096	----	----	9	----	9 + 9
4665	----	----	#181.20B/----	#181.20B/108.10A	----	177.60 + 78.20	.7836	----	----	----	----	20 UNCH
4665	----	----	#205.70B/----	#205.70B/153.10A	----	208.20 + 73.80	.7055	----	----	----	----	27 UNCH
4670	----	----	#177.20B/----	#177.20B/105.20A	----	173.60 + 76.90	.7767	----	----	----	----	1 UNCH
4675	----	----	#173.30B/----	173.30B/102.40A	----	169.60 + 75.60	.7693	----	----	----	----	50 UNCH
4675	----	----	#203.20B/----	203.20B/147.40A	----	201.00 + 71.90	.6940	----	----	----	----	17 UNCH
4680	----	----	#169.30B/----	#169.30B/99.60A	----	165.70 + 74.30	.7622	----	----	----	----	51 UNCH
4680	----	----	#199.60B/----	#199.60B/143.60A	----	197.50 + 71.10	.6883	----	----	----	----	9 UNCH
4690	----	----	#161.40B/----	#161.40B/94.80A	----	157.90 + 71.50	.7469	----	----	----	----	0 UNCH
4690	----	----	#207.90B/----	#207.90B/162.20A	----	212.80 + 67.10	.6508	----	----	----	----	3 UNCH
4695	----	----	#189.00B/----	#189.00B/134.90A	----	187.00 + 68.20	.6703	----	----	----	----	6 UNCH
4700	----	----	153.70B/----	153.70B/89.40A	----	150.30 + 68.80	.7310	----	----	----	----	53 UNCH
4700	----	----	----/36.70A	85.50B/36.70A	----	37.30 - 65.60	.2687	----	----	1	----	21 + 1
4700	----	----	#185.50B/----	185.50B/131.20A	----	183.50 + 67.10	.6642	----	----	6	----	22 + 6
4700	99.00	99.00	99.00/*71.20A	118.60B/71.20A	----	70.60 - 67.20	.3354	----	----	2	----	3 + 2
4705	44.50	44.50	44.50/*38.00A	87.80B/*38.00A	----	38.50 NEW	.2768	----	----	8	----	8 + 8
4705	----	----	#150.10B/----	#150.10B/86.90A	----	146.60 + 67.50	.7230	----	----	2	----	2 + 1
4715	----	----	----/*75.90A	125.30B/*75.90A	----	75.40 - 70.20	.3540	----	----	----	----	12 UNCH
4725	77.00	77.00	135.30B/77.00	135.30B/77.00	----	132.00 + 61.80	.6882	----	----	2	----	21 UNCH
4730	----	----	#165.30B/----	#165.30B/116.10A	----	163.50 + 61.20	.6263	----	----	----	----	24 UNCH
4740	----	----	124.70B/----	124.70B/71.10A	----	121.60 + 57.50	.6603	----	----	2	----	2 - 2
4750	----	----	#152.50B/----	152.50B/106.70A	----	150.80 + 57.10	.5998	----	----	----	----	3 UNCH
4750	84.00	84.00	118.00B/66.80A	118.00B/66.80A	----	114.90 + 54.70	.6411	----	----	2	----	4 UNCH
4750	----	----	----/50.90A	112.50B/50.90A	----	51.80 NEW	.3587	----	----	1	----	1 + 1
4755	----	----	114.60B/----	114.60B/64.80A	----	111.60 + 53.30	.6312	----	----	----	----	5 UNCH
4760	----	----	111.30B/----	111.30B/62.80A	----	108.40 + 51.90	.6211	----	----	----	----	1 UNCH
4775	----	----	101.80B/----	101.80B/57.20A	----	99.00 + 47.70	.5901	----	----	----	----	1 UNCH
4780	----	----	98.70B/----	98.70B/55.40A	----	96.00 + 46.30	.5795	----	----	2	----	11 + 1
4785	----	----	----/*63.50A	133.40B/*63.50A	----	64.90 - 89.60	.4309	----	----	----	----	0 UNCH
4790	----	----	93.20B/----	93.20B/51.80A	----	90.10 + 43.50	.5581	----	----	----	----	2 UNCH
4795	----	----	----/*67.60A	140.10B/*67.60A	----	69.10 NEW	.4525	----	----	50	----	50 + 50
4800	100.00	100.00	#122.90B/90.00	122.90B/88.30A	----	121.30 + 46.80	.5301	----	----	6	----	14 + 3
4800	61.60	61.60	87.40B/61.60	87.40B/48.10A	----	84.40 + 40.80	.5363	----	----	14	----	17 + 6
4800	----	----	----/69.80A	143.60B/69.80A	----	71.30 - 93.60	.4635	----	----	50	----	50 + 48
4805	94.60	94.60	94.60/*72.00A	147.10B/*72.00A	----	73.60 NEW	.4745	----	----	2	----	1 + 1
4810	95.70	95.70	108.90/*74.10A	150.80B/*74.10A	----	75.90 NEW	.4856	----	----	4	----	2 + 2
4815	54.00	54.00	79.50B/54.00	79.50B/44.00A	----	76.30 + 36.80	.5031	----	----	2	----	6 + 1
4815	----	----	#114.80B/----	114.80B/82.80A	----	113.10 + 43.70	.5085	----	----	----	----	13 UNCH
4815	114.00	114.00	114.00/*76.40A	154.20B/*76.40A	----	78.20 NEW	.4967	----	----	2	----	1 + 1
4820	48.10	48.10	76.70B/48.10	76.70B/42.00A	----	73.80 NEW	.4919	----	----	54	----	52 + 52
4825	----	----	#131.80B/----	#131.80B/102.00A	----	133.70 + 47.70	.4999	----	----	----	----	3 UNCH
4825	----	----	----/81.20A	161.70B/81.20A	----	83.10 - 00.20	.5190	----	----	----	----	356 UNCH
4825	53.00	53.00	74.10B/53.00	74.10B/40.60A	----	71.20 + 34.20	.4807	----	----	164	----	169 + 158
4830	----	----	71.50B/----	71.50B/39.70A	----	68.80 + 33.10	.4696	----	----	----	----	102 UNCH
4835	----	----	#104.40B/----	104.40B/75.90A	----	102.80 NEW	.4792	----	----	1	----	1 + 1
4835	43.00	43.00	69.00B/42.70	69.00B/38.30A	----	66.40 + 31.80	.4584	----	----	60	----	75 + 60
4840	----	----	66.70B/----	66.70B/37.00A	----	64.00 + 30.60	.4471	----	----	----	----	4 UNCH
4850	44.80	44.80	62.00B/34.50A	62.00B/34.50A	----	59.50 + 28.20	.4248	----	----	44	----	47 + 21
4850	----	----	#118.90B/----	#118.90B/94.80A	----	121.50 + 43.60	.4706	----	----	----	----	2 UNCH
4850	----	----	----/94.00A	181.30B/94.00A	----	96.40 - 06.20	.5750	----	----	----	----	1 UNCH
4855	41.10	41.10	59.80B/39.90	59.80B/33.50A	----	57.40 NEW	.4138	----	----	70	----	70 + 70
4860	----	----	#92.20B/----	92.20B/67.90A	----	90.80 + 34.90	.4425	----	----	4	----	4 UNCH
4860	----	----	57.70B/----	57.70B/32.30A	----	55.30 + 26.10	.4028	----	----	1	----	2 + 1
4865	----	----	55.60B/----	55.60B/31.10A	----	53.20 NEW	.3917	----	----	1	----	1 + 1
4875	----	----	51.50B/----	51.50B/29.20A	----	49.30 + 22.90	.3701	----	----	4	----	4 + 4
4880	----	----	49.60B/----	49.60B/28.50A	----	47.40 + 21.80	.3594	----	----	1	----	3 UNCH
4890	----	----	45.90B/----	45.90B/25.70A	----	43.80 + 19.90	.3383	----	----	----	----	3 UNCH
4895	----	----	44.20B/----	44.20B/25.40A	----	42.10 + 19.00	.3280	----	----	----	----	3 UNCH
4900	26.10	26.10	42.50B/26.10	42.50B/24.00A	----	40.50 + 18.10	.3179	----	----	73	150	464 + 198
4900	159.10	159.10	159.10/125.30A	221.60B/125.30A	----	127.30 NEW	.6818	----	----	31	----	16 + 16
4915	----	----	#69.00B/----	69.00B/52.00A	----	68.10 + 25.40	.3631	----	----	----	----	20 UNCH
4915	----	----	37.70B/----	37.70B/21.50A	----	35.80 NEW	.2882	----	----	23	----	23 + 23
4925	----	----	----/*204.40A	279.70B/*204.40A	----	201.30 - 02.60	.6159	----	----	----	----	1 UNCH
4925	25.00	25.00	34.70B/25.00	34.70B/20.30A	----	33.00 + 14.00	.2694	----	----	128	----	139 + 14
4935	----	----	#61.80B/----	61.80B/46.80A	----	61.10 + 22.40	.3355	----	----	----	----	1 UNCH
4935	----	----	32.00B/----	32.00B/19.20A	----	30.30 + 12.60	.2511	----	----	----	----	1 UNCH
4940	----	----	30.70B/----	30.70B/18.40A	----	29.10 NEW	.2425	----	----	23	----	23 + 23
4950	----	----	#56.80B/----	56.80B/43.20A	----	56.30 + 20.30	.3155	----	----	16	----	16 + 15
4950	----	----	----/160.80A	266.10B/160.80A	----	163.50 - 23.80	.7743	----	----	----	----	1 UNCH
4955	21.10	21.10	27.10B/21.10	27.10B/16.30A	----	25.60 NEW	.2173	----	----	1	----	1 + 1
4960	----	----	25.90B/----	25.90B/15.70A	----	24.50 + 9.40	.2093	----	----	----	----	100 UNCH
4965	----	----	24.90B/----	24.90B/15.10A	----	23.50 + 8.90	.2017	----	----	----	----	20 UNCH
4970	----	----	#50.50B/----	50.50B/38.90A	----	50.40 + 17.70	.2898	----	----	----	----	20 UNCH
4975	----	----	#49.20B/----	49.20B/37.80A	----	49.00 NEW	.2836	----	----	20	----	20 + 20
4975	250.40	250.40	250.40/*236.70A	317.30B/*236.70A	----	233.50 NEW	.6715	----	----	1	----	1 + 1
4980	----	----	#47.80B/----	47.80B/36.80A	----	47.70 + 16.60	.2775	----	----	----	----	20 UNCH
4985	42.80	42.80	46.40B/42.80	46.40B/35.70A	----	46.30 + 15.90	.2713	----	----	5	----	305 UNCH
4985	----	----	20.90B/----	20.90B/12.90A	----	19.80 + 6.90	.1730	----	----	----	----	1 UNCH
4990	41.40	41.40	45.00B/41.40	45.00B/34.90A	----	45.10 NEW	.2655	----	----	5	----	5 + 5
4995	14.50	14.50	19.20B/11.90A	19.20B/11.90A	----	18.10 NEW	.1596	----	----	2	----	2 + 2
4995	41.50	41.50	43.70B/41.50	43.70B/33.90A	----	43.80 + 14.80	.2595	----	----	11	----	11 + 10
5000	39.40	39.40	42.40B/37.10	42.40B/33.00A	----	42.60 + 14.30	.2538	----	----	14	----	26 - 1
5000	16.00	16.00	18.40B/11.40A	18.40B/11.40A	----	17.40 + 5.70	.1537	----	----	2	----	69 UNCH
5000	----	----	----/201.00A	311.90B/201.00A	----	204.20 - 28.70	.8461	----	----	----	----	7 UNCH
5005	----	----	17.60B/11.00A	17.60B/11.00A	----	16.60 + 5.20	.1473	----	----	9	----	6 + 3
5010	----	----	----/209.40A	321.20B/209.40A	----	212.70 NEW	.8583	----	----	1	----	1 + 1
5025	----	----	14.80B/9.50A	14.80B/9.50A	----	14.00 + 3.90	.1254	----	----	100	----	100 + 99
5050	----	----	11.80B/8.10A	11.80B/8.10A	----	11.30 + 2.60	.1020	----	----	22	----	26 + 18
5065	----	----	----/257.70A	373.80B/257.70A	----	261.80 - 32.40	.9095	----	----	----	----	1 UNCH
5080	----	----	9.10B/6.50A	9.10B/6.50A	----	8.80 + 1.50	.0796	----	----	----	----	1 UNCH
5085	----	----	----/275.90A	392.70B/275.90A	----	280.30 - 33.00	.9231	----	----	----	----	1 UNCH
5090	----	----	----/280.60A	397.90B/280.60A	----	284.90 - 33.20	.9260	----	----	----	----	21 UNCH
5100	----	----	7.70B/5.70A	7.70B/5.70A	----	7.60 + 1.00	.0682	----	----	4	----	5 + 3
5120	----	----	----/308.50A	427.00B/308.50A	----	313.30 - 33.70	.9418	----	----	----	----	35 UNCH
5120	----	----	6.50B/5.00A	6.50B/5.00A	----	6.50 + 0.60	.0580	----	----	----	----	2 UNCH
5140	----	----	----/327.50A	446.30B/327.50A	----	332.40 - 34.00	.9502	----	----	----	----	1 UNCH
5150	----	----	5.20B/4.20A	5.20B/4.20A	----	5.30 + 0.30	.0465	----	----	----	----	1 UNCH
5160	----	----	----/3.80A	4.70B/3.80A	----	4.90 + 0.10	.0428	----	----	----	----	121 UNCH
5185	----	----	----/3.30A	4.00B/3.30A	----	4.20 UNCH	.0360	----	----	----	----	40 UNCH
5190	----	----	----/3.30A	3.90B/3.30A	----	4.10 UNCH	.0350	----	----	----	----	1 UNCH
5210	----	----	----/2.90A	3.30B/2.90A	----	3.60 - 0.10	.0303	----	----	----	----	1 UNCH
5250	----	----	----/*2.30A	2.60B/*2.30A	----	2.90 - 0.20	.0235	----	----	----	----	7 UNCH
5260	----	----	----/*2.20A	2.50B/*2.20A	----	2.70 - 0.30	.0218	----	----	----	----	20 UNCH
5285	----	----	----/*2.00A	2.10B/*2.00A	----	2.40 - 0.30	.0189	----	----	----	----	2 UNCH
5300	----	----	----	7.30B/8.80A	----	7.80 + 0.20	.0551	----	----	6	----	18 + 6
5300	----	----	----/*2.00A	1.90B/*2.00A	----	2.20 - 0.30	.0171	----	----	----	----	2 UNCH
5305	----	----	----/*2.00A	1.90B/*2.00A	----	2.10 - 0.40	.0163	----	----	----	----	1 UNCH
5335	----	----	----/*1.80A	1.60B/*1.80A	----	1.80 - 0.40	.0136	----	----	----	----	1 UNCH
5350	1.40	1.40	1.50B/*1.10	1.50B/*1.10	----	1.70 - 0.40	.0126	----	----	5	----	2 - 2
5400	----	----	----/*1.20A	0.80B/*1.20A	----	1.20 - 0.50	.0086	----	----	----	----	2 UNCH
TOTAL										1748	150	4904 + 1517

GWR THU APR26 — GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/6.20A	----	1.30 - 0.90	.0040	----	----	----	----	1 UNCH
3500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
3550	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	1 + 1
3600	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	2	----	24 + 1
3650	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	33 + 1
3700	----	----	----/*2.10A	0.20B/*2.10A	----	1.60 - 1.10	.0058	----	----	----	----	1 UNCH
3700	0.80	0.80	0.80/*0.10	0.80/*0.10	----	0.10 UNCH	----	----	----	9	----	14 + 5
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3800	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	7 UNCH
3850	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 - 0.20	----	----	----	1	----	28 + 1
3900	0.20	0.20	0.30/*0.10	0.30/*0.10	----	0.10 - 0.30	----	----	----	26	----	44 + 11
3900	1.60	1.60	1.60/*1.60	1.60/*1.60	----	2.30 NEW	.0096	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
APR26												
3950	0.20	0.20	0.30/*0.10A	0.30/*0.10A	----	0.10 - 0.30	.0000	----	----	69	----	94 + 59
3950	----	----	----/*2.60A	1.80B/*2.60A	----	2.60 - 1.70	.0113	----	----	----	----	1 UNCH
4000	----	----	#818.00B/----	#818.00B/701.70A	----	813.20 + 34.20	1.0000	----	----	1	----	1 UNCH
4000	3.00	3.00	3.00/*2.90A	3.00/*2.90A	----	3.00 - 1.90	.0135	----	----	1	----	3 UNCH
4000	0.20	0.20	0.30/*0.10	0.30/*0.10	----	0.20 - 0.30	.0000	----	----	92	----	396 + 19
4025	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.30	.0000	----	----	13	----	31 + 10
4050	----	----	----/*7.50A	8.90B/*7.50A	----	6.20 - 7.50	.0289	----	----	----	----	2 UNCH
4050	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.20 - 0.40	.0000	----	----	45	----	55 + 39
4075	0.20	0.20	0.30/*0.20	0.30/*0.20	----	0.20 - 0.40	.0000	----	----	12	----	19 + 12
4100	----	----	----/*8.70A	11.00B/*8.70A	----	7.40 - 9.00	.0349	----	----	----	----	1 UNCH
4100	0.60	0.60	0.70/*0.20	0.70/*0.20	----	0.30 - 0.40	.0000	----	----	24	----	53 + 1
4100	----	----	----/*3.80A	3.70B/*3.80A	----	3.70 - 3.30	.0181	----	----	----	----	1 UNCH
4125	0.30	0.30	0.40/*0.30	0.70B/*0.30	----	0.30 - 0.50	.0000	----	----	2	----	6 + 1
4150	0.30	0.30	0.30/*0.30	0.80B/*0.30	----	0.40 - 0.50	.0001	----	----	2	----	83 + 2
4150	----	----	----/*4.50A	5.00B/*4.50A	----	4.20 - 4.40	.0215	----	----	----	----	1 UNCH
4175	0.20	0.20	1.10/*0.20	1.10/*0.20	----	0.50 - 0.50	.0001	----	----	33	----	34 + 29
4200	1.40	1.40	1.40/*0.60	1.40/*0.60	----	0.60 - 0.60	.0002	----	----	39	----	252 + 4
4200	----	----	----/*5.40A	6.60B/*5.40A	----	4.80 - 5.90	.0256	----	----	----	----	101 UNCH
4215	0.70	0.70	0.70/*0.50	1.20B/*0.50	----	0.60 - 0.70	.0002	----	----	4	----	5 + 4
4220	----	----	----/*0.80A	1.20B/*0.80A	----	0.60 - 0.70	.0002	----	----	2	----	0 - 2
4225	0.90	0.90	0.90/*0.80A	1.20B/*0.80A	----	0.70 - 0.70	.0003	----	----	1	----	4 + 1
4225	----	----	----/*5.80A	7.60B/*5.80A	----	5.20 - 6.80	.0283	----	----	----	----	5 UNCH
4230	----	----	----/*12.20A	19.30B/*12.20A	----	11.70 NEW	.0568	----	----	3	----	3 + 3
4235	1.10	1.10	1.10/*0.90A	1.20B/*0.90A	----	0.70 - 0.80	.0003	----	----	9	----	12 + 8
4235	----	----	----/*12.40A	19.50B/*12.40A	----	11.90 - 15.00	.0579	----	----	----	----	1 UNCH
4240	1.10	1.10	1.10/*0.50A	1.20B/*0.50A	----	0.70 - 0.80	.0003	----	----	11	----	14 + 10
4245	----	----	----/*0.90A	1.30B/*0.90A	----	0.80 - 0.80	.0004	----	----	----	----	17 UNCH
4250	----	----	----/*14.00A	21.00B/*14.00A	----	12.60 - 15.90	.0614	----	----	3	----	4 + 3
4250	----	----	#568.50B/----	#568.50B/452.50A	----	563.90 + 33.70	.9995	----	----	----	----	1 UNCH
4250	----	----	----/*6.30A	9.20B/*6.30A	----	5.60 - 7.90	.0311	----	----	----	----	1 UNCH
4250	1.00	1.00	1.30B/*0.60	1.30B/*0.60	----	0.80 - 0.80	.0004	----	----	18	----	228 + 13
4255	----	----	----/*1.00A	1.20B/*1.00A	----	0.80 - 0.90	.0004	----	----	----	----	2 UNCH
4260	----	----	----/*0.90A	1.30B/*0.90A	----	0.90 - 0.80	.0005	----	----	----	----	2 UNCH
4265	1.10	1.10	1.10/*0.60	1.30B/*0.60	----	0.90 - 0.90	.0005	----	----	3	----	10 + 1
4270	----	----	----/*0.90A	1.30B/*0.90A	----	0.90 - 1.00	.0005	----	----	----	----	1 UNCH
4270	----	----	----/*6.70A	9.50B/*6.70A	----	6.00 - 8.90	.0338	----	----	2	----	9 - 2
4275	0.90	0.90	0.90/*0.90	1.40B/*0.90	----	1.00 - 0.90	.0006	----	----	1	----	20 + 1
4280	1.10	1.10	1.10/*0.90A	1.40B/*0.90A	----	1.00 - 1.00	.0006	----	----	3	----	8 + 2
4280	----	----	#538.50B/----	#538.50B/419.20A	----	534.00 + 33.50	.9993	----	----	----	----	1 UNCH
4285	----	----	----/*15.30A	24.40B/*15.30A	----	14.40 - 18.10	.0705	----	----	----	----	1 UNCH
4285	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 1.10	.0006	----	----	----	----	13 UNCH
4290	----	----	----/*1.00A	1.40B/*1.00A	----	1.00 - 1.10	.0007	----	----	1	----	3 + 1
4295	----	----	----/*1.00A	1.30B/*1.00A	----	1.10 - 1.10	.0008	----	----	----	----	26 UNCH
4300	1.50	1.50	1.60/*1.00	1.60/*1.00	----	1.10 - 1.20	.0008	----	----	65	----	60 - 39
4300	18.50	18.50	18.50/*16.30A	26.00B/*16.30A	----	15.20 - 19.20	.0746	----	----	1	----	2 + 1
4300	----	----	----/*7.70A	11.60B/*7.70A	----	6.70 - 10.50	.0386	----	----	2	----	12 - 2
4305	1.00	1.00	1.00/*1.00	1.40B/*1.00	----	1.10 - 1.30	.0008	----	----	1	----	20 UNCH
4310	0.90	0.90	1.10/*0.90	1.50B/*0.90	----	1.10 - 1.40	.0008	----	----	3	----	11 + 1
4315	----	----	----/*1.10A	1.40B/*1.10A	----	1.20 - 1.40	.0009	----	----	----	----	4 UNCH
4320	----	----	----/*1.10A	1.40B/*1.10A	----	1.20 - 1.40	.0010	----	----	----	----	11 UNCH
4325	----	----	----/*17.80A	29.00B/*17.80A	----	16.80 - 20.90	.0825	----	----	----	----	150 UNCH
4325	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 1.50	.0010	----	----	----	----	77 UNCH
4330	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 1.60	.0010	----	----	----	----	9 UNCH
4330	----	----	----/*8.70A	13.10B/*8.70A	----	7.60 - 12.30	.0445	----	----	----	----	10 UNCH
4330	----	----	#488.90B/----	#488.90B/369.80A	----	484.30 + 32.90	.9989	----	----	----	----	1 UNCH
4335	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 1.70	.0010	----	----	----	----	25 UNCH
4335	----	----	----/*8.90A	13.50B/*8.90A	----	7.70 - 12.70	.0453	----	----	----	----	5 UNCH
4340	----	----	----/*1.30A	1.60B/*1.30A	----	1.30 - 1.80	.0012	----	----	----	----	7 UNCH
4345	1.20	1.20	1.20/*1.20	1.60B/*1.20	----	1.30 - 1.90	.0012	----	----	1	----	19 + 1
4350	----	----	----/*19.70A	32.30B/*19.70A	----	18.60 - 22.90	.0913	----	----	1	----	1 UNCH
4350	2.20	2.20	2.20/*1.10	2.20/*1.10	----	1.30 - 2.00	.0012	----	----	11	----	29 + 3
4350	----	----	#469.00B/----	#469.00B/350.10A	----	464.40 + 32.60	.9987	----	----	----	----	4 UNCH
4350	----	----	----/*9.50A	14.00B/*9.50A	----	8.20 - 13.80	.0487	----	----	1	----	26 UNCH
4355	----	----	----/*1.40A	1.70B/*1.40A	----	1.30 - 2.10	.0012	----	----	----	----	5 UNCH
4360	----	----	----/*9.80A	14.70B/*9.80A	----	8.60 - 14.50	.0513	----	----	----	----	1 UNCH
4360	----	----	----/*1.40A	1.70B/*1.40A	----	1.30 - 2.20	.0012	----	----	----	----	16 UNCH
4365	----	----	----/*1.50A	1.80B/*1.50A	----	1.40 - 2.30	.0014	----	----	----	----	2 UNCH
4370	----	----	----/*1.30A	1.90B/*1.30A	----	1.40 - 2.40	.0014	----	----	----	----	8 UNCH
4375	2.30	2.30	2.30/*1.30A	2.30/*1.30A	----	1.40 - 2.60	.0014	----	----	15	----	15 + 11
4380	1.30	1.30	1.30/*1.30	2.20B/*1.30	----	1.40 - 2.70	.0015	----	----	1	----	16 + 1
4385	----	----	----/*1.60A	2.20B/*1.60A	----	1.40 - 2.90	.0015	----	----	4	----	24 + 4
4390	2.40	2.40	2.40/*1.70A	2.40/*1.70A	----	1.50 - 2.90	.0017	----	----	1	----	2 + 1
4395	----	----	----/*1.70A	2.40B/*1.70A	----	1.50 - 3.10	.0017	----	----	----	----	1 UNCH
4400	----	----	#419.30B/----	419.30B/300.70A	----	414.60 + 31.30	.9982	----	----	----	----	8 UNCH
4400	----	----	----/*10.90A	18.50B/*10.90A	----	10.40 - 17.70	.0631	----	----	----	----	2 UNCH
4400	1.70	1.70	2.00/*1.20	2.50B/*1.20	----	1.50 - 3.30	.0017	----	----	16	----	147 + 2
4400	25.50	25.50	25.50/*23.70A	40.00B/*23.70A	----	22.70 - 27.40	.1113	----	----	6	----	8 + 6
4405	----	----	----/*1.70A	2.70B/*1.70A	----	1.50 - 3.50	.0018	----	----	----	----	1 UNCH
4410	----	----	#409.20B/----	#409.20B/291.30A	----	404.60 + 30.90	.9979	----	----	----	----	4 UNCH
4410	----	----	----/*1.80A	2.80B/*1.80A	----	1.60 - 3.60	.0020	----	----	1	----	1 UNCH
4410	----	----	----/*24.60A	41.70B/*24.60A	----	23.70 - 28.30	.1160	----	----	----	----	4 UNCH
4410	----	----	----/*11.70A	19.50B/*11.70A	----	10.90 - 18.60	.0664	----	----	----	----	4 UNCH
4415	----	----	#399.80B/----	#399.80B/319.50A	----	409.00 + 15.30	.9319	----	----	----	----	8 UNCH
4415	----	----	#404.20B/----	#404.20B/286.10A	----	399.70 + 30.80	.9979	----	----	----	----	10 UNCH
4415	----	----	----/*11.80A	20.00B/*11.80A	----	11.10 - 19.20	.0679	----	----	----	----	9 UNCH
4415	----	----	#419.10B/----	#419.10B/342.20A	----	421.80 + 05.60	.8815	----	----	----	----	5 UNCH
4415	----	----	----/*1.80A	3.00B/*1.80A	----	1.60 - 3.80	.0020	----	----	----	----	18 UNCH
4420	----	----	#394.70B/----	#394.70B/315.20A	----	404.30 + 14.90	.9300	----	----	----	----	5 UNCH
4420	----	----	#399.30B/----	#399.30B/281.60A	----	394.70 + 30.60	.9979	----	----	----	----	4 UNCH
4420	----	----	----/*1.80A	3.20B/*1.80A	----	1.60 - 4.00	.0021	----	----	----	----	12 UNCH
4420	----	----	#414.60B/----	#414.60B/338.10A	----	417.30 + 05.10	.8791	----	----	----	----	5 UNCH
4425	----	----	#394.40B/----	#394.40B/276.40A	----	389.70 + 30.30	.9978	----	----	----	----	1 UNCH
4425	----	----	----/*1.80A	3.30B/*1.80A	----	1.60 - 4.20	.0021	----	----	----	----	7 UNCH
4430	2.00	2.00	2.00/*1.90A	3.50B/*1.90A	----	1.70 - 4.40	.0023	----	----	1	----	6 UNCH
4435	----	----	#384.40B/----	#384.40B/266.90A	----	379.80 + 29.90	.9975	----	----	----	----	1 UNCH
4440	----	----	#377.70B/----	#377.70B/298.00A	----	385.50 + 12.80	.9221	----	----	----	----	1 UNCH
4440	2.00	2.00	2.00/*1.90A	3.90B/*1.90A	----	1.70 - 4.90	.0024	----	----	1	----	19 + 1
4450	----	----	#369.60B/----	#369.60B/252.70A	----	364.80 + 29.10	.9972	----	----	----	----	78 UNCH
4450	4.60	4.60	4.60/*1.80	4.60/*1.80	----	1.80 - 5.30	.0027	----	----	11	----	37 - 3
4450	----	----	----/*14.00A	25.30B/*14.00A	----	13.30 - 22.70	.0821	----	----	----	----	3 UNCH
4455	2.10	2.10	2.10/*2.00A	4.50B/*2.00A	----	1.80 NEW	.0028	----	----	2	----	2 + 2
4460	----	----	#359.50B/----	#359.50B/243.20A	----	354.90 + 28.60	.9971	----	----	----	----	17 UNCH
4460	----	----	----/*2.10A	4.90B/*2.10A	----	1.80 - 6.00	.0028	----	----	----	----	25 UNCH
4460	----	----	----/*29.70A	51.50B/*29.70A	----	29.10 - 33.60	.1415	----	----	----	----	4 UNCH
4465	----	----	----/*30.30A	52.60B/*30.30A	----	29.70 - 34.20	.1443	----	----	----	----	3 UNCH
4465	----	----	----/*15.10A	27.00B/*15.10A	----	14.30 - 24.40	.0887	----	----	----	----	1 UNCH
4465	3.20	3.20	3.20/*2.10A	5.20B/*2.10A	----	1.90 - 6.20	.0031	----	----	2	----	21 UNCH
4465	----	----	#354.70B/----	#354.70B/238.50A	----	349.90 + 28.20	.9968	----	----	----	----	5 UNCH
4470	----	----	#349.70B/----	#349.70B/272.80A	----	357.60 + 09.50	.9085	----	----	----	----	5 UNCH
4470	----	----	----/*2.10A	5.30B/*2.10A	----	1.90 - 6.50	.0032	----	----	----	----	13 UNCH
4470	----	----	#349.60B/----	#349.60B/233.60A	----	345.00 + 28.00	.9967	----	----	----	----	47 UNCH
4475	----	----	----/*32.10A	54.80B/*32.10A	----	31.00 - 35.40	.1502	----	----	----	----	1 UNCH
4475	5.70	5.70	5.70/*2.20A	5.70/*2.20A	----	1.90 - 6.90	.0033	----	----	3	----	38 UNCH
4475	----	----	#344.70B/----	#344.70B/228.90A	----	340.00 + 27.60	.9966	----	----	----	----	18 UNCH
4480	----	----	----/*2.20A	5.80B/*2.20A	----	1.90 - 7.30	.0033	----	----	----	----	30 UNCH
4480	----	----	----/*32.80A	56.00B/*32.80A	----	31.60 - 36.00	.1531	----	----	----	----	1 UNCH
4480	----	----	#339.80B/----	#339.80B/224.20A	----	335.00 + 27.20	.9966	----	----	----	----	9 UNCH
4485	----	----	#334.70B/----	#334.70B/219.10A	----	330.10 + 26.90	.9963	----	----	----	----	1 UNCH
4485	3.30	3.30	3.30/*2.20A	6.30B/*2.20A	----	2.00 - 7.60	.0036	----	----	3	----	43 + 3
4490	----	----	#329.80B/----	#329.80B/214.80A	----	325.10 + 26.50	.9962	----	----	----	----	13 UNCH
4490	----	----	----/*2.30A	6.40B/*2.30A	----	2.00 - 8.00	.0037	----	----	----	----	8 UNCH
4495	----	----	#324.90B/----	#324.90B/210.10A	----	320.10 + 26.00	.9958	----	----	----	----	19 UNCH
4495	2.00	2.00	2.00/*2.00	6.50B/*2.00	----	2.10 - 8.40	.0041	----	----	1	----	2 + 1
4500	----	----	#320.00B/----	320.00B/205.40A	----	315.20 + 25.70	.9957	----	----	1	----	20 - 1
4500	7.00	7.00	8.00/*2.30A	8.00/*2.30A	----	2.10 - 8.90	.0042	----	----	271	----	321 + 91
4500	235.00	235.00	#322.20B/235.00	#322.20B/235.00	----	330.10 + 05.70	.8925	----	----	1	----	9 + 1
4510	8.00	8.00	8.00/*2.40A	8.00/*2.40A	----	2.20 - 9.80	.0046	----	----	1	----	1 UNCH
4510	----	----	#309.90B/----	#309.90B/195.90A	----	305.20 + 24.60	.9953	----	----	----	----	1 UNCH
4515	----	----	#305.00B/----	#305.00B/191.20A	----	300.30 + 24.20	.9952	----	----	----	----	2 UNCH
4515	----	----	----/*2.50A	8.00B/*2.50A	----	2.20 - 10.30	.0047	----	----	----	----	40 UNCH
4520	----	----	#300.10B/----	#300.10B/186.60A	----	295.30 + 23.60	.9948	----	----	----	----	5 UNCH
4520	----	----	----/*2.50A	8.40B/*2.50A	----	2.30 - 10.80	.0051	----	----	3	----	77 + 1
4525	49.50	49.50	49.50/*39.50A	67.20B/*39.50A	----	38.30 NEW	.1829	----	----	50	----	50 + 50
4525	3.50	3.50	3.50/*2.60A	8.90B/*2.60A	----	2.30 - 11.40	.0053	----	----	1	----	130 UNCH
4525	----	----	#295.10B/----	#295.10B/182.40A	----	290.40 + 23.10	.9946	----	----	----	----	81 UNCH
4530	230.00	230.00	#290.20B/230.00	#290.20B/177.70A	----	285.40 + 22.50	.9945	----	----	1	----	4 UNCH
4530	7.00	7.00	7.00/*2.50	9.40B/*2.50	----	2.30 - 12.10	.0054	----	----	6	100	110 + 103

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
APR26												
4530	42.30	42.30	42.30/*40.40A	68.60B/*40.40A	----	39.10 NEW	.1865	----	----	3	----	3 + 3
4535	----	----	#285.20B/----	#285.20B/173.00A	----	280.50 + 21.90	.9941	----	----	----	----	2 UNCH
4535	----	----	----/*2.70A	9.90B/*2.70A	----	2.40 - 12.60	.0058	----	----	----	----	1 UNCH
4540	5.00	5.00	5.00/*2.70A	10.40B/*2.70A	----	2.40 - 13.30	.0060	----	----	4	----	7 + 1
4540	----	----	#286.30B/----	#286.30B/217.10A	----	294.30 + 00.10	.8666	----	----	----	----	1 UNCH
4540	----	----	#280.30B/----	#280.30B/169.10A	----	275.50 + 21.20	.9939	----	----	----	----	25 UNCH
4545	----	----	----/*2.80A	11.00B/*2.80A	----	2.50 - 14.00	.0065	----	----	----	----	1 UNCH
4550	----	----	#277.50B/----	277.50B/206.20A	----	285.50 + 98.50	.8592	----	----	----	----	2 UNCH
4550	----	----	#302.90B/----	#302.90B/239.40A	----	305.40 + 89.40	.7980	----	----	----	----	1 UNCH
4550	11.10	11.10	12.10/*2.60	12.10/*2.60	----	2.60 - 14.70	.0070	----	----	30	----	53 + 7
4550	----	----	#270.60B/----	270.60B/160.20A	----	265.60 + 19.70	.9929	----	----	----	----	42 UNCH
4550	22.50	22.50	22.50/*22.50	45.50B/*22.50	----	22.50 - 36.00	.1405	----	----	1	----	8 + 1
4555	----	----	#265.50B/----	#265.50B/155.90A	----	260.70 + 19.00	.9927	----	----	----	----	52 UNCH
4555	8.50	8.50	8.50/*2.90A	12.20B/*2.90A	----	2.60 - 15.50	.0072	----	----	1	----	1 UNCH
4560	----	----	#260.50B/----	#260.50B/151.30A	----	255.80 + 18.30	.9922	----	----	2	----	7 - 1
4560	10.70	10.70	10.70/*3.00A	12.80B/*3.00A	----	2.70 - 16.30	.0077	----	----	2	----	2 UNCH
4565	----	----	----/*3.10A	13.60B/*3.10A	----	2.80 - 17.10	.0083	----	----	1	----	2 UNCH
4565	----	----	#255.60B/----	#255.60B/147.00A	----	250.80 + 17.40	.9916	----	----	1	----	7 UNCH
4565	----	----	----/*25.20A	48.60B/*25.20A	----	24.50 NEW	.1526	----	----	2	----	0 UNCH
4570	6.20	6.20	6.20/*3.10A	14.30B/*3.10A	----	2.80 - 18.00	.0085	----	----	3	----	5 + 2
4575	4.80	4.80	4.80/*3.20A	15.10B/*3.20A	----	2.90 - 18.90	.0092	----	----	63	----	75 + 52
4575	----	----	#245.70B/----	245.70B/138.50A	----	241.00 + 15.60	.9907	----	----	3	----	53 + 3
4580	----	----	#240.80B/----	#240.80B/134.40A	----	236.10 + 14.70	.9901	----	----	----	----	6 UNCH
4580	----	----	----/*27.40A	52.80B/*27.40A	----	26.60 - 40.80	.1653	----	----	3	----	1 UNCH
4580	15.10	15.10	15.10/*3.30A	15.90B/*3.30A	----	3.00 - 19.90	.0098	----	----	7	100	105 + 104
4585	----	----	----/*28.00A	54.20B/*28.00A	----	27.30 NEW	.1696	----	----	2	----	2 + 2
4585	----	----	----/*3.40A	16.80B/*3.40A	----	3.10 - 20.90	.0105	----	----	3	----	8 + 3
4590	10.30	10.30	10.30/*3.50A	17.70B/*3.50A	----	3.20 - 21.90	.0113	----	----	2	----	152 + 1
4590	----	----	#230.90B/----	#230.90B/126.20A	----	226.30 + 12.60	.9886	----	----	----	----	2 UNCH
4590	----	----	----/*51.70A	87.10B/*51.70A	----	50.50 NEW	.2346	----	----	2	----	1 + 1
4595	----	----	----/*29.80A	58.90B/*29.80A	----	28.90 - 43.40	.1790	----	----	1	----	2 UNCH
4595	----	----	----/*3.60A	18.60B/*3.60A	----	3.30 - 23.00	.0121	----	----	----	----	7 UNCH
4595	----	----	#226.00B/----	#226.00B/122.00A	----	221.40 + 11.50	.9878	----	----	----	----	4 UNCH
4600	----	----	#234.70B/----	234.70B/173.80A	----	242.70 + 90.20	.8160	----	----	----	----	16 UNCH
4600	----	----	----/*30.10A	61.40B/*30.10A	----	29.70 NEW	.1837	----	----	2	----	2 + 2
4600	20.50	20.50	20.50/*3.30	20.50/*3.30	----	3.40 - 24.20	.0129	----	----	304	----	259 + 120
4600	163.00	163.00	#221.20B/163.00	221.20B/117.90A	----	216.50 + 10.30	.9870	----	----	3	----	492 - 1
4600	59.00	59.00	59.00/*53.90A	90.60B/*53.90A	----	52.70 - 52.20	.2435	----	----	1	----	1 UNCH
4605	132.00	132.00	#216.20B/132.00	#216.20B/113.90A	----	211.60 + 09.10	.9861	----	----	8	----	38 + 7
4610	6.30	6.30	6.30/*4.00A	21.70B/*4.00A	----	3.60 - 26.70	.0147	----	----	46	----	39 - 11
4610	----	----	#211.40B/----	#211.40B/110.10A	----	206.70 + 07.80	.9852	----	----	----	----	7 UNCH
4615	----	----	#206.50B/----	#206.50B/106.50A	----	201.80 + 06.50	.9843	----	----	----	----	11 UNCH
4615	4.00	4.00	7.60/*4.00	23.00B/*4.00	----	3.70 - 28.00	.0156	----	----	3	----	3 + 1
4620	21.00	21.00	21.00/*4.20A	24.20B/*4.20A	----	3.90 NEW	.0172	----	----	2	----	1 + 1
4620	----	----	#201.60B/----	#201.60B/102.50A	----	197.00 + 05.20	.9827	----	----	----	----	11 UNCH
4620	----	----	#218.10B/----	#218.10B/160.40A	----	226.10 + 86.40	.7956	----	----	----	----	3 UNCH
4625	12.50	12.50	12.50/*4.40A	25.50B/*4.40A	----	4.00 - 30.80	.0183	----	----	64	----	52 + 39
4625	----	----	#214.10B/----	214.10B/157.10A	----	222.10 + 85.50	.7904	----	----	----	----	1 UNCH
4625	----	----	#196.80B/----	196.80B/98.70A	----	192.10 + 03.70	.9816	----	----	3	----	46 + 3
4630	23.30	23.30	23.40/*4.60A	26.80B/*4.60A	----	4.20 - 32.20	.0200	----	----	3	----	7 + 1
4635	16.40	16.40	16.40/*4.80A	28.20B/*4.80A	----	4.40 - 33.70	.0218	----	----	55	----	46 - 5
4635	----	----	#206.00B/----	#206.00B/150.60A	----	214.00 + 83.50	.7792	----	----	----	----	15 UNCH
4640	13.80	13.80	13.80/*4.90A	29.70B/*4.90A	----	4.60 - 35.30	.0237	----	----	121	----	253 - 48
4640	120.00	120.00	#182.20B/120.00	#182.20B/87.80A	----	177.60 + 99.10	.9762	----	----	3	----	45 + 1
4645	----	----	#177.40B/----	#177.40B/84.60A	----	172.80 + 97.40	.9742	----	----	----	----	1 UNCH
4650	----	----	#194.10B/----	194.10B/141.40A	----	202.20 + 80.50	.7618	----	----	----	----	1 UNCH
4650	----	----	----/*39.90A	79.80B/39.90A	----	39.20 - 53.90	.2379	----	----	----	----	41 UNCH
4650	24.50	24.50	28.00/*5.00	33.00B/*5.00	----	5.00 - 38.70	.0279	----	----	600	----	566 + 464
4650	82.90	82.90	#172.70B/81.80A	172.70B/81.80A	----	168.10 + 95.80	.9720	----	----	28	----	156 - 9
4655	----	----	#167.80B/----	#167.80B/78.40A	----	163.30 + 94.00	.9697	----	----	----	----	11 UNCH
4655	12.00	12.00	12.00/*5.60A	34.50B/*5.60A	----	5.20 - 40.50	.0301	----	----	12	----	7 + 6
4660	87.10	87.10	#163.00B/74.50A	#163.00B/74.50A	----	158.60 + 92.20	.9667	----	----	7	----	16 + 1
4660	7.90	7.90	10.00/*5.80A	36.30B/*5.80A	----	5.50 - 42.30	.0332	----	----	6	----	5 + 4
4665	11.00	11.00	11.00/*6.10A	38.20B/*6.10A	----	5.70 NEW	.0358	----	----	3	----	3 + 3
4665	----	----	#182.50B/----	#182.50B/132.30A	----	190.50 + 77.30	.7434	----	----	----	----	5 UNCH
4665	----	----	#158.30B/----	#158.30B/71.80A	----	153.80 + 90.20	.9641	----	----	1	----	3 UNCH
4670	----	----	#153.60B/----	#153.60B/67.70A	----	149.10 + 88.30	.9606	----	----	1	----	5 + 1
4670	30.10	30.10	30.10/*6.30A	40.20B/*6.30A	----	6.00 - 46.20	.0392	----	----	16	----	12 + 11
4675	98.00	98.00	148.90B/98.00	148.90B/64.80A	----	144.40 + 86.30	.9563	----	----	7	----	49 + 7
4675	18.10	18.10	18.10/*6.60A	42.20B/*6.60A	----	6.40 - 48.10	.0436	----	----	47	----	64 + 37
4675	----	----	----/45.70A	90.40B/45.70A	----	44.90 - 59.30	.2692	----	----	----	----	101 UNCH
4680	74.20	74.20	#144.20B/61.90A	#144.20B/61.90A	----	139.80 + 84.30	.9524	----	----	1	----	17 - 1
4680	30.00	30.00	32.10/*7.00A	44.40B/*7.00A	----	6.70 - 50.20	.0475	----	----	8	----	6 + 5
4685	91.00	91.00	#139.50B/90.10	139.50B/59.10A	----	135.20 + 82.20	.9475	----	----	2	----	6 + 2
4685	----	----	----/*7.30A	46.60B/*7.30A	----	7.10 NEW	.0524	----	----	1	----	1 + 1
4690	22.30	22.30	22.40/*7.70A	49.00B/*7.70A	----	7.50 NEW	.0575	----	----	19	----	19 + 19
4690	----	----	#168.10B/----	#168.10B/114.60A	----	171.70 + 71.70	.7103	----	----	----	----	3 UNCH
4690	----	----	#134.90B/----	134.90B/56.30A	----	130.60 + 80.00	.9424	----	----	4	----	8 + 4
4695	20.10	20.10	20.10/*8.10A	51.40B/*8.10A	----	7.90 NEW	.0630	----	----	1	----	1 + 1
4700	45.30	45.30	47.00/*8.00	54.10B/*8.00	----	8.40 - 59.00	.0696	----	----	287	----	237 + 142
4700	52.00	52.00	126.40B/51.60A	126.40B/51.60A	----	121.50 + 75.50	.9303	----	----	116	----	152 - 56
4700	----	----	----/80.80A	131.70B/80.80A	----	80.20 - 68.30	.3465	----	----	----	----	1 UNCH
4700	----	----	#195.00B/----	195.00B/142.20A	----	193.10 + 66.00	.6530	----	----	----	----	6 UNCH
4700	----	----	166.10B/----	166.10B/108.60A	----	164.50 + 69.50	.6962	----	----	----	----	1 UNCH
4700	75.00	75.00	75.00/52.00A	97.30B/52.00A	----	51.40 - 64.90	.3035	----	----	1	----	4 UNCH
4705	76.70	76.70	#121.80B/76.70	121.80B/48.80A	----	117.00 + 73.20	.9233	----	----	2	----	6 + 1
4705	27.80	27.80	27.80/*9.00A	56.40B/*9.00A	----	8.90 NEW	.0766	----	----	53	----	49 + 49
4710	43.00	43.00	43.00/*9.40A	59.20B/*9.40A	----	9.50 - 63.60	.0848	----	----	10	----	7 + 2
4710	70.50	70.50	#117.30B/70.50	117.30B/46.70A	----	112.50 + 70.80	.9151	----	----	11	----	14 + 9
4715	----	----	#155.30B/----	#155.30B/101.40A	----	153.80 + 66.00	.6741	----	----	----	----	5 UNCH
4720	52.00	52.00	#108.40B/42.10A	108.40B/42.10A	----	103.80 + 66.10	.8972	----	----	18	----	16 + 12
4720	20.30	20.30	20.30/*10.70A	64.80B/*10.70A	----	10.70 NEW	.1026	----	----	42	----	28 + 28
4725	38.00	38.00	38.00/*11.00	67.70B/*11.00	----	11.40 - 70.80	.1132	----	----	226	----	148 + 131
4725	43.00	43.00	104.00B/40.20A	104.00B/40.20A	----	99.50 + 63.70	.8867	----	----	25	----	26 + 2
4725	----	----	148.30B/----	148.30B/96.10A	----	146.90 + 63.60	.6590	----	----	----	----	1 UNCH
4730	53.40	53.40	#99.60B/38.20A	99.60B/38.20A	----	95.30 + 61.30	.8748	----	----	7	----	24 + 3
4730	----	----	----/*12.00A	70.70B/*12.00A	----	12.20 NEW	.1250	----	----	11	----	6 + 6
4735	----	----	95.30B/----	95.30B/35.90A	----	91.10 + 58.80	.8623	----	----	1	----	1 - 1
4735	----	----	#141.50B/----	141.50B/92.40A	----	140.10 + 61.20	.6433	----	----	----	----	11 UNCH
4735	30.60	30.60	30.60/*12.80A	72.30B/*12.80A	----	13.00 NEW	.1376	----	----	7	----	5 + 5
4740	67.10	67.10	67.70/*13.50A	71.90B/*13.50A	----	13.90 NEW	.1515	----	----	22	----	20 + 20
4740	53.10	53.10	91.10B/34.00A	91.10B/34.00A	----	87.00 + 56.30	.8484	----	----	29	----	17 + 15
4745	68.00	68.00	86.90B/68.00	86.90B/32.30A	----	82.90 + 53.80	.8337	----	----	2	----	13 + 2
4745	45.00	45.00	45.00/*14.40A	75.00B/*14.40A	----	14.80 NEW	.1662	----	----	27	----	15 + 15
4750	----	----	131.50B/----	131.50B/84.90A	----	130.20 + 57.50	.6190	----	----	5	----	5 - 3
4750	----	----	----/67.30A	120.80B/67.30A	----	67.20 - 76.80	.3807	----	----	----	----	1 UNCH
4750	----	----	#162.50B/----	162.50B/118.20A	----	161.10 + 57.20	.5933	----	----	----	----	1 UNCH
4750	34.00	34.00	82.90B/34.00	82.90B/30.50A	----	79.00 + 51.40	.8168	----	----	150	----	202 + 24
4750	49.90	49.90	49.90/*15.00	78.80B/*15.00	----	15.90 - 83.10	.1831	----	----	146	----	124 + 101
4755	15.00	15.00	15.00/*15.00	81.70B/*15.00	----	17.00 NEW	.2008	----	----	23	----	21 + 21
4755	----	----	78.70B/----	78.70B/28.50A	----	75.10 + 48.90	.7991	----	----	8	----	13 + 6
4760	46.10	46.10	74.70B/46.10	74.70B/27.00A	----	71.20 + 46.40	.7800	----	----	13	----	44 + 10
4760	19.30	19.30	19.30/*17.40	85.60B/*17.40	----	18.20 NEW	.2199	----	----	9	----	8 + 8
4765	----	----	----/*73.00A	130.30B/*73.00A	----	72.70 - 80.50	.4058	----	----	----	----	1 UNCH
4765	37.10	37.10	70.90B/37.10	70.90B/25.50A	----	67.50 + 44.00	.7600	----	----	2	----	3 + 1
4765	40.40	40.40	40.40/*18.70A	89.40B/*18.70A	----	19.40 NEW	.2399	----	----	21	----	17 + 17
4770	40.00	40.00	41.00/*19.90A	93.10B/*19.90A	----	20.80 NEW	.2619	----	----	24	----	15 + 15
4770	43.30	43.30	67.00B/38.00	67.00B/24.00A	----	63.90 + 41.60	.7380	----	----	10	----	8 + 6
4775	91.40	91.40	91.40/76.70A	135.20B/76.70A	----	76.60 - 83.00	.4230	----	----	2	----	2 UNCH
4775	----	----	#147.40B/----	147.40B/107.30A	----	146.30 + 52.80	.5618	----	----	----	----	6 UNCH
4775	33.10	33.10	63.30B/33.10	63.30B/22.90A	----	60.30 + 39.20	.7152	----	----	119	----	61 + 36
4775	31.00	31.00	44.10/21.30A	96.70B/21.30A	----	22.20 - 95.30	.2847	----	----	18	----	12 + 10
4780	36.00	36.00	60.60B/36.00	60.60B/21.10A	----	56.90 + 36.90	.6905	----	----	8	----	7 + 4
4780	40.10	40.10	46.80/*22.70A	100.60B/*22.70A	----	23.80 - 97.50	.3094	----	----	45	----	54 + 39
4785	38.00	38.00	57.40B/36.00	57.40B/19.90A	----	53.60 + 34.70	.6646	----	----	7	----	4 + 3
4785	40.60	40.60	40.60/*24.30A	104.40B/*24.30A	----	25.50 NEW	.3353	----	----	80	----	72 + 72
4790	30.60	30.60	54.00B/30.60	54.00B/18.80A	----	50.30 + 32.40	.6380	----	----	14	----	41 + 9
4795	37.00	37.00	37.00/*27.70A	112.40B/*27.70A	----	29.10 NEW	.3899	----	----	9	----	9 + 9
4795	----	----	50.80B/----	50.80B/17.80A	----	47.20 + 30.20	.6100	----	----	4	----	28 + 2
4800	----	----	----/87.10A	150.10B/87.10A	----	87.10 - 89.10	.4671	----	----	----	----	12 UNCH
4800	----	----	101.40B/----	101.40B/66.20A	----	100.20 NEW	.5326	----	----	----	200	200 + 200
4800	25.00	25.00	47.90B/16.90A	47.90B/16.90A	----	44.20 + 28.10	.5812	----	----	293	----	325 + 76
4800	113.30	113.30	#133.20B/113.30	133.20B/97.30A	----	132.20 + 48.20	.5295	----	----	2	----	2 + 1
4800	70.50	70.50	70.50/28.80	116.50B/28.80	----	31.10 - 06.30	.4187	----	----	118	----	110 + 91
4805	----	----	----/*121.20A	188.90B/*121.20A	----	121.40 NEW	.4765	----	----	2	----	1 + 1
4805	35.20	35.20	40.10/*31.50A	120.70B/*31.50A	----	33.20 NEW	.4482	----	----	5	----	5 + 5
4805	38.00	38.00	44.90B/38.00	44.90B/16.30A	----	41.30 + 26.10	.5517	----	----	18	----	17 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU APR26		GOLD WEEKLY THURSDAY OPTION Week1										
4810	41.10	41.10	41.10/*33.60A	124.90B/*33.60A	----	35.50 NEW	.4784	----	----	31	----	30 + 30
4810	23.20	23.20	42.10B/23.20	42.10B/14.90A	----	38.60 + 24.20	.5215	----	----	38	----	52 + 27
4815	40.80	40.80	42.00/*35.80A	129.10B/*35.80A	----	37.80 NEW	.5088	----	----	5	----	3 + 3
4815	37.10	37.10	39.40B/23.70	39.40B/14.00A	----	35.90 + 22.30	.4910	----	----	8	----	22 + 4
4815	111.00	111.00	#125.10B/111.00	125.10B/92.70A	----	124.20 NEW	.5099	----	----	2	----	1 + 1
4820	28.90	28.90	36.80B/27.00	36.80B/13.10A	----	33.40 + 20.50	.4604	----	----	42	----	48 - 6
4820	43.80	43.80	44.40/*38.20A	133.50B/*38.20A	----	40.30 NEW	.5394	----	----	23	----	23 + 23
4825	25.80	25.80	34.40B/15.00	34.40B/12.40A	----	31.00 + 18.80	.4299	----	----	136	----	161 + 116
4825	43.60	43.60	43.60/40.80A	138.10B/40.80A	----	42.90 - 15.70	.5700	----	----	23	----	326 + 11
4830	50.60	50.60	50.60/*43.40A	142.20B/*43.40A	----	45.60 - 17.40	.6003	----	----	23	----	22 + 22
4830	17.40	17.40	32.00B/11.40A	32.00B/11.40A	----	28.70 + 17.10	.3996	----	----	8	----	3 + 1
4835	51.10	51.10	51.30/*46.10A	147.00B/*46.10A	----	48.40 - 19.00	.6303	----	----	21	----	23 + 21
4835	12.00	12.00	29.80B/10.70A	29.80B/10.70A	----	26.50 + 15.50	.3696	----	----	56	----	53 + 51
4840	14.50	14.50	27.70B/10.20A	27.70B/10.20A	----	24.50 NEW	.3407	----	----	12	----	10 + 10
4845	103.00	103.00	103.00/*52.00A	155.90B/52.00A	----	54.50 NEW	.6873	----	----	1	----	1 + 1
4845	13.70	13.70	25.70B/9.80A	25.70B/9.80A	----	22.60 + 12.70	.3125	----	----	5	----	2 + 1
4850	----	----	----/111.70A	184.00B/111.70A	----	111.80 - 00.70	.5582	----	----	----	----	1 UNCH
4850	----	----	#107.30B/----	107.30B/79.80A	----	106.50 + 39.10	.4634	----	----	1	----	1 UNCH
4850	15.20	15.20	25.80/9.30A	25.80/9.30A	----	20.80 + 11.40	.2854	----	----	217	----	580 - 3
4850	60.60	60.60	60.90/56.20A	160.30B/56.20A	----	57.70 - 23.00	.7145	----	----	23	----	26 + 21
4855	11.50	11.50	22.00B/8.70A	22.00B/8.70A	----	19.10 + 10.20	.2593	----	----	22	----	15 + 14
4855	----	----	73.70B/----	73.70B/50.70A	----	72.60 NEW	.4323	----	----	8	----	4 + 4
4860	----	----	71.50B/----	71.50B/49.10A	----	70.40 + 31.50	.4232	----	----	----	----	1 UNCH
4860	10.70	10.70	20.40B/8.10A	20.40B/8.10A	----	17.50 + 9.10	.2345	----	----	3	----	7 + 1
4865	119.00	119.00	119.00/*66.20A	174.20B/66.20A	----	68.00 NEW	.7881	----	----	2	----	1 + 1
4865	16.90	16.90	18.80B/7.70A	18.80B/7.70A	----	16.10 + 8.10	.2118	----	----	22	----	18 + 16
4870	85.40	85.40	85.40/*69.70A	178.90B/69.70A	----	71.60 NEW	.8101	----	----	1	----	1 + 1
4870	11.00	11.00	17.40B/7.20A	17.40B/7.20A	----	14.70 + 7.10	.1898	----	----	23	----	18 + 15
4875	----	----	----/125.70A	202.40B/125.70A	----	125.90 - 06.00	.6036	----	----	2	----	2 + 1
4875	----	----	----/73.30A	183.40B/73.30A	----	75.30 NEW	.8306	----	----	1	----	1 + 1
4875	9.50	9.50	16.10B/6.80A	16.10B/6.80A	----	13.40 + 6.20	.1693	----	----	61	----	46 - 29
4880	8.50	8.50	14.80B/6.40A	14.80B/6.40A	----	12.30 + 5.40	.1512	----	----	54	----	53 + 51
4885	8.10	8.10	13.70B/5.90A	13.70B/5.90A	----	11.20 + 4.70	.1339	----	----	11	----	11 + 8
4890	----	----	----/134.90A	213.90B/134.90A	----	135.00 - 09.00	.6303	----	----	----	----	10 UNCH
4890	----	----	12.60B/5.50A	12.60B/5.50A	----	10.20 + 4.00	.1182	----	----	1	----	2 + 1
4895	5.50	5.50	11.60B/5.20A	11.60B/5.20A	----	9.30 + 3.40	.1042	----	----	3	----	3 + 2
4900	----	----	----/141.00A	221.60B/141.00A	----	141.30 NEW	.6478	----	----	2	----	1 + 1
4900	----	----	----/92.30A	206.80B/92.30A	----	95.40 - 31.60	.9081	----	----	2	----	2 + 1
4900	----	----	----/170.70A	252.80B/170.70A	----	171.00 - 04.00	.6025	----	----	----	----	1 UNCH
4900	----	----	#84.90B/----	84.90B/65.30A	----	84.30 + 30.40	.3970	----	----	1	200	201 + 200
4900	----	----	55.20B/----	55.20B/38.20A	----	54.50 + 23.60	.3519	----	----	----	----	5 UNCH
4900	4.60	4.60	10.80/4.40	10.80/4.40	----	8.50 + 2.90	.0918	----	----	340	----	368 + 158
4905	----	----	#82.80B/----	82.80B/64.20A	----	82.20 + 29.50	.3904	----	----	----	----	1 UNCH
4905	5.10	5.10	9.90B/4.50A	9.90B/4.50A	----	7.80 NEW	.0809	----	----	14	----	12 + 12
4905	----	----	----/96.60A	211.60B/96.60A	----	99.70 - 32.00	.9189	----	----	----	----	5 UNCH
4910	----	----	----/100.70A	216.40B/100.70A	----	104.00 - 32.40	.9292	----	----	----	----	1 UNCH
4910	----	----	#80.80B/----	80.80B/62.70A	----	80.20 + 28.70	.3838	----	----	----	----	1 UNCH
4910	4.00	4.00	9.10B/4.00	9.10B/4.00	----	7.10 + 2.00	.0707	----	----	5	----	6 + 1
4915	4.50	4.50	8.30B/4.00A	8.30B/4.00A	----	6.50 + 1.70	.0620	----	----	33	----	28 + 25
4915	----	----	----/105.00A	221.20B/105.00A	----	108.30 - 32.90	.9379	----	----	----	----	1 UNCH
4920	----	----	7.60B/3.80A	7.60B/3.80A	----	5.90 NEW	.0538	----	----	1	----	1 + 1
4920	----	----	----/109.10A	226.00B/109.10A	----	112.80 - 33.20	.9461	----	----	----	----	5 UNCH
4925	----	----	75.10B/----	75.10B/58.30A	----	74.50 NEW	.3644	----	----	1	----	1 + 1
4925	----	----	----/113.50A	230.90B/113.50A	----	117.30 - 33.50	.9529	----	----	----	----	1 UNCH
4925	----	----	7.00B/3.40A	7.00B/3.40A	----	5.40 + 1.00	.0470	----	----	3	----	4 + 3
4930	----	----	6.50B/3.20A	6.50B/3.20A	----	4.90 + 0.70	.0406	----	----	----	----	1 UNCH
4935	5.30	5.30	6.00B/2.90A	6.00B/2.90A	----	4.50 + 0.50	.0354	----	----	1	----	1 UNCH
4940	----	----	42.10B/----	42.10B/29.10A	----	41.50 + 16.90	.2855	----	----	4	----	31 UNCH
4940	180.00	180.00	180.00/127.50A	245.40B/127.50A	----	131.00 - 34.20	.9693	----	----	2	----	2 UNCH
4940	4.00	4.00	5.80/2.70A	5.80/2.70A	----	4.10 + 0.30	.0306	----	----	17	----	15 + 14
4950	----	----	----/136.60A	255.10B/136.60A	----	140.30 - 34.50	.9763	----	----	----	----	2 UNCH
4950	3.50	3.50	5.10/*1.80	5.10/*1.80	----	3.50 UNCH	.0236	----	----	35	----	51 + 19
4955	----	----	----/141.30A	260.40B/141.30A	----	145.10 - 34.60	.9795	----	----	----	----	32 UNCH
4955	----	----	4.30B/2.10A	4.30B/2.10A	----	3.20 - 0.10	.0204	----	----	10	----	10 + 4
4960	----	----	36.40B/----	36.40B/25.60A	----	36.10 NEW	.2551	----	----	1	----	1 + 1
4960	3.00	3.00	4.00B/2.00A	4.00B/2.00A	----	2.90 - 0.30	.0174	----	----	5	----	13 + 4
4965	----	----	35.10B/----	35.10B/24.80A	----	34.80 + 13.40	.2477	----	----	----	----	1 UNCH
4965	----	----	----/190.80A	275.00B/190.80A	----	186.60 - 21.00	.7520	----	----	----	----	1 UNCH
4965	----	----	3.70B/*2.00A	3.70B/*2.00A	----	2.70 - 0.30	.0154	----	----	1	----	1 + 1
4970	----	----	----/155.40A	275.00B/155.40A	----	159.40 - 34.90	.9864	----	----	1	----	1 + 1
4970	3.60	3.60	3.60/2.00A	3.60/2.00A	----	2.50 NEW	.0135	----	----	1	----	1 + 1
4975	----	----	58.10B/----	58.10B/45.70A	----	57.60 NEW	.3023	----	----	1	----	1 + 1
4975	1.40	1.40	3.10B/*1.40	3.10B/*1.40	----	2.30 - 0.50	.0117	----	----	28	----	21 + 17
4985	----	----	----/169.70A	289.80B/169.70A	----	173.90 - 35.00	.9908	----	----	----	----	1 UNCH
4990	----	----	29.30B/----	29.30B/21.00A	----	29.10 + 10.40	.2133	----	----	----	----	2 UNCH
4990	----	----	----/210.00A	296.60B/210.00A	----	205.90 - 23.90	.7864	----	----	----	----	1 UNCH
4990	----	----	----/174.60A	294.40B/174.60A	----	178.70 - 35.10	.9917	----	----	----	----	5 UNCH
4995	----	----	----/*1.50A	2.30B/*1.50A	----	1.70 - 0.60	.0069	----	----	----	----	1 UNCH
5000	28.00	28.00	28.00/26.50	28.00/19.40A	----	27.00 + 9.30	.2003	----	----	201	----	201 + 200
5000	----	----	----/245.10A	330.70B/245.10A	----	237.10 - 18.10	.7261	----	----	----	----	1 UNCH
5000	----	----	50.80B/----	50.80B/40.40A	----	50.50 NEW	.2735	----	----	60	----	60 + 60
5000	2.10	2.10	2.20/*0.90	2.20/*0.90	----	1.60 - 0.60	.0061	----	----	24	----	43 + 15
5000	----	----	----/184.10A	304.60B/184.10A	----	188.50 - 35.10	.9938	----	----	----	----	277 UNCH
5005	1.00	1.00	1.90B/*0.90	1.90B/*0.90	----	1.50 - 0.70	.0054	----	----	5	----	4 UNCH
5010	----	----	48.10B/----	48.10B/38.40A	----	47.80 + 15.10	.2622	----	----	----	----	1 UNCH
5010	----	----	25.30B/----	25.30B/18.10A	----	25.10 NEW	.1881	----	----	2	----	2 + 2
5010	1.40	1.40	1.80B/*1.30A	1.80B/*1.30A	----	1.40 - 0.70	.0048	----	----	2	----	4 + 2
5020	40.00	40.00	45.40B/40.00	45.40B/36.70A	----	45.30 NEW	.2514	----	----	4	----	2 + 2
5020	----	----	----/203.70A	323.90B/203.70A	----	208.10 - 35.10	.9959	----	----	----	----	1 UNCH
5020	1.00	1.00	1.50B/*1.00	1.50B/*1.00	----	1.30 - 0.60	.0040	----	----	2	----	7 + 2
5025	----	----	----/*0.90A	1.50B/*0.90A	----	1.20 - 0.60	.0035	----	----	5	----	64 + 4
5030	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.60	.0030	----	----	----	----	2 UNCH
5030	----	----	----/213.50A	333.80B/213.50A	----	218.00 - 35.10	.9969	----	----	----	----	6 UNCH
5035	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.60	.0029	----	----	1	----	0 - 1
5040	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 0.60	.0025	----	----	----	----	11 UNCH
5045	----	----	----/228.20A	348.70B/228.20A	----	232.80 - 35.10	.9978	----	----	----	----	2 UNCH
5050	40.00	40.00	40.00/40.00	40.00/31.60A	----	38.50 NEW	.2207	----	----	70	----	70 + 70
5050	----	----	18.80B/----	18.80B/14.00A	----	18.80 NEW	.1454	----	----	2	----	2 + 2
5050	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.90 - 0.60	.0020	----	----	7	----	7 + 6
5050	----	----	----/233.10A	354.00B/233.10A	----	237.80 - 35.00	.9979	----	----	----	----	1 UNCH
5060	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.60	.0016	----	----	----	----	10 UNCH
5065	----	----	16.70B/----	16.70B/12.80A	----	16.90 + 4.40	.1318	----	----	----	----	1 UNCH
5065	----	----	35.20B/----	35.20B/29.30A	----	35.50 + 9.90	.2065	----	----	----	----	1 UNCH
5070	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.60	.0012	----	----	----	----	17 UNCH
5080	----	----	----/263.00A	379.30B/263.00A	----	267.50 - 35.00	.9990	----	----	----	----	2 UNCH
5080	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.60	.0009	----	----	----	----	1 UNCH
5085	----	----	14.70B/----	14.70B/11.30A	----	14.60 + 3.30	.1151	----	----	----	----	1 UNCH
5095	----	----	13.50B/10.50A	13.50B/10.50A	----	13.70 + 3.00	.1082	----	----	----	----	1 UNCH
5100	----	----	28.90B/----	28.90B/24.10A	----	29.40 + 7.50	.1763	----	----	1	----	1 UNCH
5100	0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.40 - 0.50	.0004	----	----	2	----	15 + 2
5100	----	----	----/282.60A	399.70B/282.60A	----	287.30 - 35.00	.9995	----	----	----	----	21 UNCH
5105	----	----	----/287.80A	404.20B/287.80A	----	292.30 - 34.90	.9995	----	----	----	----	4 UNCH
5110	----	----	----/292.80A	409.10B/292.80A	----	297.20 - 35.00	.9995	----	----	----	----	1 UNCH
5110	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.50	.0004	----	----	----	----	5 UNCH
5115	----	----	11.70B/9.40A	11.70B/9.40A	----	11.90 + 2.20	.0946	----	----	----	----	1 UNCH
5120	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.50	.0002	----	----	----	----	13 UNCH
5130	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.40	.0002	----	----	----	----	15 UNCH
5150	----	----	22.10B/----	22.10B/19.60A	----	22.40 + 4.70	.1394	----	----	1	----	1 UNCH
5155	----	----	8.80B/7.70A	8.80B/7.70A	----	9.20 + 1.10	.0732	----	----	----	----	4 UNCH
5155	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.40	.0001	----	----	----	----	6 UNCH
5160	----	----	----/*0.40A	0.20B/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	2 UNCH
5160	----	----	----/342.50A	458.80B/342.50A	----	347.00 - 34.90	1.0000	----	----	----	----	0 - 2
5165	----	----	----/*0.40A	0.20B/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	3 UNCH
5175	----	----	----	0.10B/*0.50A	----	0.10 NEW	.0000	----	----	3	----	3 + 3
5180	20.30	20.30	#20.30/16.40A	20.30/16.40A	----	19.10 NEW	.1209	----	----	1	----	1 + 1
5190	----	----	----	----/0.40A	----	0.10 - 0.30	.0000	----	----	----	----	4 UNCH
5190	----	----	----/372.40A	488.80B/372.40A	----	377.00 - 34.70	1.0000	----	----	----	----	2 UNCH
5200	16.00	16.00	16.60B/14.90A	16.60B/14.90A	----	17.30 + 2.90	.1103	----	----	1	----	1 UNCH
5200	----	----	----/6.40A	6.30B/6.40A	----	7.00 + 0.40	.0553	----	----	----	----	10 UNCH
5200	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10 - 0.30	.0000	----	----	15	----	29 + 15
5210	----	----	----/392.30A	508.70B/392.30A	----	397.00 - 34.70	1.0000	----	----	----	----	2 UNCH
5210	----	----	----	----/*0.30A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
5215	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	2 UNCH
5215	----	----	----/5.90A	5.70B/5.90A	----	6.50 + 0.30	.0510	----	----	----	----	1 UNCH
5220	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	13 UNCH
5235	----	----	----	----/*0.30A	----	0.10 - 0.20	----	----	----	----	----	4 UNCH
5250	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	----	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5270	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5300	10.40	10.40	10.40/10.40	10.40/10.40	----	10.60 NEW	.0695	----	----	1	----	1 + 1
5300	----	----	----/482.10A	599.00B/482.10A	----	487.00 - 34.50	1.0000	----	----	----	----	0 UNCH
5300	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
5305	----	----	9.80B/----	9.80B/10.40A	----	10.30 + 0.60	.0677	----	----	----	----	2 UNCH
5320	----	----	----	9.10B/10.30A	----	9.60 + 0.50	.0632	----	----	----	----	1 UNCH
5330	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5340	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5350	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5360	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	----	----	----/*2.90A	2.50B/*2.90A	----	2.80 - 0.50	.0199	----	----	----	----	250 UNCH
5400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	2	----	7 UNCH
5410	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5425	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5430	----	----	----/612.10A	728.40B/612.10A	----	617.00 - 34.40	1.0000	----	----	3	----	0 - 3
5435	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5440	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5450	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5540	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5650	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL										6308	600	12914 + 3753

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.20	.0005	----	----	7	----	16 + 7
3500	----	----	----/2.00A	0.20B/2.00A	----	1.30 - 1.00	.0046	----	----	----	----	2 UNCH
3600	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 - 0.20	.0008	----	----	----	----	1 UNCH
3700	----	----	----/*0.50A	0.10B/*0.50A	----	0.40 - 0.20	.0012	----	----	----	----	2 UNCH
3750	----	----	----/*2.90A	0.90B/*2.90A	----	1.80 - 1.40	.0076	----	----	----	----	1 UNCH
3800	----	----	----/*0.70A	0.70B/*0.70A	----	0.50 - 0.30	.0017	----	----	----	----	54 UNCH
3850	----	----	----	0.20B/*1.10A	----	0.70 - 0.30	.0024	----	----	----	----	1 UNCH
3900	----	----	----/*1.10A	1.10B/*1.10A	----	0.80 - 0.50	.0029	----	----	----	----	11 UNCH
3900	----	----	----/*3.80A	1.90B/*3.80A	----	2.60 - 2.30	.0119	----	----	1	----	1 UNCH
3950	----	----	----/*4.20A	2.90B/*4.20A	----	3.00 - 2.80	.0141	----	----	1	----	3 UNCH
3950	----	----	----/*1.30A	0.50B/*1.30A	----	1.10 - 0.60	.0042	----	----	----	----	30 UNCH
4000	----	----	----/*1.00A	1.10B/*1.00A	----	1.30 - 0.80	.0053	----	----	----	----	279 UNCH
4000	----	----	----/*4.80A	6.00B/*4.80A	----	3.40 - 3.70	.0165	----	----	----	----	21 UNCH
4050	----	----	----/*1.60A	0.90B/*1.60A	----	1.40 - 1.10	.0060	----	----	4	----	40 + 3
4050	----	----	----/*10.00A	11.70B/*10.00A	----	7.50 - 8.50	.0341	----	----	----	----	12 UNCH
4050	----	----	----/*5.40A	5.30B/*5.40A	----	4.00 - 4.70	.0199	----	----	----	----	1 UNCH
4100	----	----	----/*6.30A	6.80B/*6.30A	----	4.70 - 6.10	.0240	----	----	----	----	2 UNCH
4100	----	----	----/*1.80A	1.30B/*1.80A	----	1.50 - 1.40	.0069	----	----	----	----	57 UNCH
4100	----	----	----/*11.50A	14.40B/*11.50A	----	9.00 - 10.10	.0412	----	----	----	----	10 UNCH
4125	1.60	1.60	1.60/*1.60	1.60/*1.60	----	1.50 - 1.70	.0071	----	----	3	----	35 UNCH
4150	----	----	----/*2.00A	1.70B/*2.00A	----	1.60 - 1.90	.0079	----	----	----	----	28 UNCH
4175	----	----	----/*7.60A	9.90B/*7.60A	----	6.20 - 8.50	.0326	----	----	1	----	0 - 1
4200	----	----	#616.20B/----	#616.20B/505.70A	----	614.80 + 31.90	.9900	----	----	----	----	1 UNCH
4200	1.70	1.70	2.20B/*1.70	2.20B/*1.70	----	1.90 - 2.60	.0099	----	----	3	----	332 + 2
4200	----	----	----/*8.30A	11.20B/*8.30A	----	6.80 - 9.50	.0361	----	----	----	----	4 UNCH
4210	----	----	----/*2.30A	2.30B/*2.30A	----	1.90 - 2.80	.0101	----	----	----	----	1 UNCH
4220	----	----	----/*2.30A	2.40B/*2.30A	----	2.00 - 3.00	.0107	----	----	----	----	1 UNCH
4225	----	----	----/*2.40A	2.50B/*2.40A	----	2.00 - 3.10	.0108	----	----	----	----	22 UNCH
4230	----	----	----/*8.40A	12.50B/*8.40A	----	7.60 - 10.90	.0408	----	----	----	----	1 UNCH
4240	----	----	----/*2.40A	2.80B/*2.40A	----	2.20 - 3.40	.0121	----	----	----	----	3 UNCH
4250	----	----	#527.00B/----	#527.00B/481.00A	----	570.80 + 22.60	.9553	----	----	----	----	1 UNCH
4250	11.90	11.90	11.90/*10.00A	14.20B/*10.00A	----	8.20 - 11.90	.0444	----	----	10	----	100 UNCH
4250	----	----	#568.00B/----	#568.00B/456.90A	----	565.10 + 30.80	.9876	----	----	----	----	50 UNCH
4250	----	----	----/*2.40A	2.90B/*2.40A	----	2.20 - 3.70	.0123	----	----	----	----	11 UNCH
4265	----	----	----/*2.60A	3.30B/*2.60A	----	2.40 - 4.00	.0136	----	----	----	----	2 UNCH
4275	----	----	----/*2.60A	3.50B/*2.60A	----	2.50 - 4.30	.0143	----	----	----	----	10 UNCH
4285	465.00	465.00	#533.40B/423.00	#533.40B/423.00A	----	530.50 + 29.90	.9848	----	----	2	----	2 UNCH
4290	----	----	----/*2.80A	3.80B/*2.80A	----	2.70 - 4.70	.0157	----	----	----	----	0 UNCH
4300	----	----	----/*2.90A	4.20B/*2.90A	----	2.80 - 5.10	.0165	----	----	----	----	150 UNCH
4305	----	----	----/*2.80A	4.30B/*2.80A	----	2.80 - 5.30	.0167	----	----	----	----	0 UNCH
4310	----	----	----/*12.30A	18.50B/*12.30A	----	10.50 - 15.30	.0577	----	----	----	----	10 UNCH
4310	----	----	----/*3.00A	4.40B/*3.00A	----	2.90 - 5.50	.0173	----	----	----	----	11 UNCH
4315	----	----	----/*12.20A	18.90B/*12.20A	----	10.70 - 15.60	.0590	----	----	----	----	5 UNCH
4320	----	----	----/*3.10A	5.30B/*3.10A	----	3.00 - 5.90	.0182	----	----	----	----	1 UNCH
4330	----	----	----/*3.30A	5.80B/*3.30A	----	3.10 - 6.30	.0191	----	----	1	----	2 UNCH
4335	----	----	----/*3.40A	6.00B/*3.40A	----	3.20 - 6.50	.0198	----	----	----	----	10 UNCH
4350	----	----	#469.20B/----	#469.20B/360.90A	----	466.40 + 27.40	.9784	----	----	----	----	1 UNCH
4350	4.50	4.50	4.50/*3.50A	6.60B/*3.50A	----	3.40 - 7.20	.0214	----	----	2	----	15 UNCH
4350	----	----	----/*25.60A	38.80B/*25.60A	----	23.00 - 23.60	.1053	----	----	----	----	2 UNCH
4360	7.00	7.00	7.30/*3.80A	7.30/*3.80A	----	3.60 - 7.60	.0229	----	----	6	----	6 + 6
4370	----	----	----/*3.90A	7.40B/*3.90A	----	3.80 - 8.10	.0245	----	----	2	----	2 + 1
4375	----	----	----/*3.90A	7.80B/*3.90A	----	3.80 - 8.50	.0247	----	----	----	----	1 UNCH
4380	----	----	----/*4.00A	7.80B/*4.00A	----	3.90 - 8.80	.0255	----	----	----	----	5 UNCH
4385	----	----	----/*4.20A	8.10B/*4.20A	----	4.00 - 9.10	.0263	----	----	----	----	4 UNCH
4390	----	----	----/*4.20A	8.40B/*4.20A	----	4.10 - 9.40	.0271	----	----	----	----	2 UNCH
4390	----	----	----/*29.40A	45.50B/*29.40A	----	26.80 - 26.90	.1222	----	----	----	----	2 UNCH
4400	----	----	#420.10B/----	#420.10B/314.00A	----	417.30 + 24.50	.9710	----	----	----	----	52 UNCH
4400	21.50	21.50	21.50/*17.00A	29.10B/*17.00A	----	15.60 - 22.00	.0869	----	----	1	----	22 + 1
4400	----	----	----/*30.80A	47.30B/*30.80A	----	27.90 - 27.80	.1269	----	----	----	----	150 UNCH
4400	9.10	9.10	10.00B/*4.20	10.00B/*4.20	----	4.30 - 10.00	.0288	----	----	186	----	118 + 75
4410	----	----	----/*4.70A	9.80B/*4.70A	----	4.50 - 10.70	.0305	----	----	----	----	4 UNCH
4410	----	----	#410.40B/----	#410.40B/304.80A	----	407.50 + 23.80	.9693	----	----	----	----	4 UNCH
4415	----	----	#411.60B/----	#411.60B/331.40A	----	414.40 + 11.00	.9065	----	----	----	----	10 UNCH
4415	----	----	----/*4.80A	10.10B/*4.80A	----	4.60 - 11.10	.0314	----	----	----	----	5 UNCH
4420	----	----	----/*5.00A	10.50B/*5.00A	----	4.70 - 11.50	.0323	----	----	----	----	5 UNCH
4420	----	----	#400.60B/----	#400.60B/295.60A	----	397.70 + 23.00	.9675	----	----	----	----	4 UNCH
4425	----	----	----/*5.10A	11.30B/*5.10A	----	4.90 - 11.80	.0338	----	----	----	----	1 UNCH
4440	----	----	#388.70B/----	#388.70B/310.60A	----	391.50 + 08.50	.8949	----	----	----	----	1 UNCH
4440	----	----	----/*20.00A	35.40B/*20.00A	----	18.80 - 25.90	.1047	----	----	----	----	1 UNCH
4440	----	----	#381.10B/----	#381.10B/277.40A	----	378.20 + 21.40	.9632	----	----	----	----	10 UNCH
4440	----	----	----/*5.50A	11.70B/*5.50A	----	5.20 - 13.10	.0366	----	----	----	----	33 UNCH
4445	----	----	----/*5.70A	12.50B/*5.70A	----	5.40 - 13.50	.0382	----	----	----	----	25 UNCH
4450	20.00	20.00	20.00/*20.00	37.10B/*20.00	----	19.70 NEW	.1097	----	----	3	----	3 + 3
4450	----	----	#371.40B/----	#371.40B/268.50A	----	368.50 + 20.50	.9606	----	----	----	----	1 UNCH
4450	9.90	9.90	9.90/*5.90A	13.00B/*5.90A	----	5.50 - 14.00	.0392	----	----	8	----	16 UNCH
4455	----	----	----/*6.00A	13.10B/*6.00A	----	5.70 - 14.40	.0408	----	----	----	----	4 UNCH
4460	288.00	288.00	#361.70B/259.60	#361.70B/259.60A	----	358.80 + 19.50	.9580	----	----	12	----	3 + 1
4460	----	----	----/*6.30A	13.60B/*6.30A	----	5.80 - 15.00	.0418	----	----	----	----	2 UNCH
4465	10.20	10.20	10.20/*6.50A	14.10B/*6.50A	----	6.00 - 15.40	.0434	----	----	5	----	15 + 5
4470	----	----	----/*22.70A	40.90B/*22.70A	----	21.70 - 29.10	.1205	----	----	----	----	2 UNCH
4475	----	----	----/*6.80A	15.20B/*6.80A	----	6.30 - 16.50	.0462	----	----	----	----	4 UNCH
4480	----	----	----/*7.00A	15.70B/*7.00A	----	6.50 - 17.00	.0479	----	----	----	----	5 UNCH
4485	----	----	----/*7.20A	16.20B/*7.20A	----	6.70 - 17.60	.0496	----	----	1	----	10 UNCH
4490	----	----	----/*24.70A	45.00B/*24.70A	----	23.80 - 31.60	.1319	----	----	----	----	16 UNCH
4495	----	----	----/*7.60A	17.70B/*7.60A	----	7.10 - 18.80	.0531	----	----	----	----	2 UNCH
4495	----	----	----/*44.50A	68.30B/*44.50A	----	40.40 - 37.80	.1794	----	----	1	----	0 - 1
4500	----	----	#334.90B/----	#334.90B/262.70A	----	337.80 + 01.60	.8614	----	----	----	----	300 UNCH
4500	----	----	----/*25.70A	47.20B/*25.70A	----	25.00 - 32.80	.1383	----	----	----	----	17 UNCH
4500	17.00	17.00	17.00/*7.50	18.00B/*7.50	----	7.30 - 19.40	.0549	----	----	182	----	197 + 127
4500	----	----	----/*45.10A	69.60B/*45.10A	----	41.20 - 38.40	.1826	----	----	1	----	0 - 1
4500	----	----	#323.10B/----	#323.10B/224.80A	----	320.20 + 15.00	.9449	----	----	----	----	6 UNCH
4505	----	----	----/*8.00A	18.70B/*8.00A	----	7.50 - 20.10	.0568	----	----	----	----	9 UNCH
4515	----	----	----/*28.00A	50.60B/*28.00A	----	26.90 - 34.70	.1482	----	----	----	----	16 UNCH
4515	----	----	----/*8.40A	20.00B/*8.40A	----	7.90 - 21.50	.0605	----	----	1	----	0 - 1
4515	----	----	#308.80B/----	#308.80B/212.20A	----	305.90 NEW	.9393	----	----	1	----	1 + 1
4520	----	----	----/*8.60A	20.80B/*8.60A	----	8.20 - 22.10	.0630	----	----	----	----	2 UNCH
4520	250.00	250.00	#304.00B/240.00	#304.00B/208.00A	----	301.10 NEW	.9368	----	----	12	----	12 + 12
4525	----	----	----/*8.90A	21.60B/*8.90A	----	8.40 - 22.90	.0650	----	----	1	----	1 UNCH
4530	----	----	----/*9.20A	22.40B/*9.20A	----	8.70 - 23.60	.0675	----	----	----	----	1 UNCH
4535	----	----	#304.50B/----	#304.50B/236.20A	----	307.50 + 96.90	.8373	----	----	----	----	4 UNCH
4535	13.10	13.10	13.10/*9.40A	23.40B/*9.40A	----	8.90 - 24.50	.0696	----	----	1	----	5 + 1
4540	14.50	14.50	14.50/*9.70A	24.30B/*9.70A	----	9.20 - 25.30	.0722	----	----	5	----	27 + 5
4545	----	----	----/*10.00A	25.00B/*10.00A	----	9.50 - 26.10	.0749	----	----	1	----	2 + 1
4550	----	----	#291.70B/----	291.70B/225.10A	----	294.70 + 94.70	.8257	----	----	----	----	1 UNCH
4550	32.60	32.60	32.60/*9.00	32.60/*9.00	----	9.80 - 26.90	.0776	----	----	27	----	36 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
4550	----	----	#275.70B/----	275.70B/183.70A	----	272.80 + 07.50	.9222	----	----	----	----	49 UNCH
4555	----	----	----/*10.60A	27.10B/*10.60A	----	10.20 - 27.70	.0810	----	----	----	----	14 UNCH
4555	----	----	#271.00B/----	#271.00B/179.80A	----	268.10 + 06.60	.9188	----	----	----	----	11 UNCH
4560	----	----	----/*10.90A	27.80B/*10.90A	----	10.50 - 28.60	.0838	----	----	----	----	20 UNCH
4565	----	----	----/*11.30A	29.00B/*11.30A	----	10.80 - 29.60	.0867	----	----	----	----	22 UNCH
4570	----	----	----/*11.70A	30.20B/*11.70A	----	11.20 - 30.50	.0901	----	----	1	----	2 + 1
4570	----	----	#294.70B/----	#294.70B/234.70A	----	297.00 + 86.80	.7658	----	----	----	----	1 UNCH
4575	----	----	#270.70B/----	270.70B/207.40A	----	273.90 + 90.80	.8051	----	----	----	----	5 UNCH
4575	----	----	----/*12.00A	31.30B/*12.00A	----	11.60 NEW	.0936	----	----	32	----	32 + 32
4580	----	----	#247.70B/----	#247.70B/160.70A	----	245.00 + 02.00	.9026	----	----	1	----	6 + 1
4580	----	----	----/*12.40A	32.30B/*12.40A	----	12.00 - 32.40	.0972	----	----	----	----	3 UNCH
4585	----	----	----/*38.80A	69.70B/*38.80A	----	37.80 - 45.20	.2034	----	----	----	----	4 UNCH
4585	----	----	#243.10B/----	#243.10B/157.00A	----	240.40 + 01.00	.8990	----	----	----	----	2 UNCH
4585	----	----	----/*12.80A	33.40B/*12.80A	----	12.40 NEW	.1008	----	----	1	----	1 + 1
4590	----	----	#238.60B/----	#238.60B/153.30A	----	235.80 + 99.90	.8953	----	----	----	----	39 UNCH
4590	----	----	----/*13.20A	34.70B/*13.20A	----	12.80 - 34.50	.1045	----	----	----	----	28 UNCH
4595	----	----	#234.00B/----	#234.00B/149.70A	----	231.30 + 98.90	.8910	----	----	----	----	38 UNCH
4595	----	----	----/*13.60A	35.90B/*13.60A	----	13.30 - 35.60	.1088	----	----	----	----	71 UNCH
4600	----	----	#229.40B/----	229.40B/146.00A	----	226.70 + 97.70	.8872	----	----	----	----	140 UNCH
4600	40.00	40.00	40.00/*14.00A	40.00/*14.00A	----	13.70 - 36.70	.1126	----	----	363	----	309 + 253
4600	----	----	#271.60B/----	#271.60B/215.20A	----	273.80 + 82.40	.7408	----	----	----	----	10 UNCH
4600	----	----	----/*64.30A	100.80B/*64.30A	----	61.00 NEW	.2587	----	----	1	----	1 + 1
4605	----	----	#224.90B/----	#224.90B/142.40A	----	222.20 + 96.60	.8828	----	----	----	----	6 UNCH
4605	----	----	----/*14.50A	38.70B/*14.50A	----	14.20 - 37.80	.1170	----	----	----	----	67 UNCH
4610	----	----	----/*43.50A	77.90B/*43.50A	----	42.70 - 49.40	.2269	----	----	----	----	14 UNCH
4610	----	----	#220.40B/----	#220.40B/138.90A	----	217.70 + 95.50	.8783	----	----	----	----	50 UNCH
4610	----	----	----/*15.00A	40.50B/*15.00A	----	14.70 - 39.00	.1215	----	----	----	----	60 UNCH
4615	170.00	170.00	#215.90B/170.00	#215.90B/135.40A	----	213.30 + 94.40	.8733	----	----	24	----	22 - 12
4620	----	----	#211.40B/----	#211.40B/131.90A	----	208.80 + 93.10	.8687	----	----	----	----	5 UNCH
4620	26.20	26.20	26.20/*16.00A	43.30B/*16.00A	----	15.80 NEW	.1311	----	----	1	----	1 + 1
4625	----	----	#207.00B/----	207.00B/128.50A	----	204.40 + 91.90	.8635	----	----	----	----	41 UNCH
4625	----	----	----/*16.70A	45.00B/*16.70A	----	16.40 - 42.50	.1363	----	----	----	----	2 UNCH
4635	----	----	#222.70B/----	#222.70B/169.10A	----	226.00 + 80.40	.7473	----	----	----	----	9 UNCH
4635	29.50	29.50	29.50/*17.90A	48.40B/*17.90A	----	17.60 NEW	.1469	----	----	1	----	1 + 1
4635	----	----	#198.20B/----	#198.20B/121.90A	----	195.70 + 89.50	.8529	----	----	----	----	5 UNCH
4640	----	----	----/*18.50A	50.50B/*18.50A	----	18.30 NEW	.1528	----	----	2	----	1 + 1
4640	----	----	#193.80B/----	#193.80B/118.80A	----	191.30 + 88.10	.8470	----	----	----	----	21 UNCH
4645	----	----	#189.50B/----	#189.50B/115.40A	----	187.00 + 86.80	.8410	----	----	4	----	10 + 4
4645	22.00	22.00	22.00/*19.10A	52.20B/*19.10A	----	19.00 NEW	.1588	----	----	1	----	1 + 1
4650	50.90	50.90	50.90/*19.80A	53.90B/19.80A	----	19.70 - 49.00	.1648	----	----	41	----	33 + 31
4650	----	----	#211.20B/----	211.20B/159.70A	----	214.60 + 77.60	.7309	----	----	1	----	1 UNCH
4650	----	----	----/*52.30A	92.90B/52.30A	----	51.70 - 56.80	.2687	----	----	----	----	70 UNCH
4650	179.00	179.00	#185.20B/179.00	185.20B/112.20A	----	182.70 + 85.40	.8349	----	----	5	----	55 - 1
4655	----	----	#180.90B/----	#180.90B/102.50A	----	178.50 + 84.10	.8283	----	----	----	----	1 UNCH
4660	----	----	#203.70B/----	#203.70B/153.70A	----	207.20 + 75.70	.7196	----	----	----	----	2 UNCH
4660	----	----	----/*21.30A	57.20B/*21.30A	----	21.20 NEW	.1777	----	----	2	----	1 + 1
4660	----	----	#176.70B/----	#176.70B/99.50A	----	174.30 + 82.80	.8221	----	----	----	----	4 UNCH
4665	28.30	28.30	28.30/*22.10A	59.40B/*22.10A	----	22.10 NEW	.1849	----	----	1	----	1 + 1
4670	----	----	#168.30B/----	#168.30B/93.50A	----	166.00 NEW	.8080	----	----	1	----	1 + 1
4670	28.50	28.50	35.00/*22.90A	61.70B/*22.90A	----	22.90 NEW	.1918	----	----	7	----	5 + 5
4675	30.10	30.10	33.50/*23.80A	64.00B/23.80A	----	23.80 - 56.00	.1992	----	----	42	----	44 + 42
4680	32.60	32.60	32.60/*24.60A	65.50B/*24.60A	----	24.70 NEW	.2066	----	----	3	----	3 + 3
4685	28.70	28.70	28.90/*25.60A	68.00B/*25.60A	----	25.70 - 58.90	.2146	----	----	8	----	12 + 8
4690	35.00	35.00	35.00/*26.50A	70.10B/*26.50A	----	26.70 NEW	.2227	----	----	1	----	1 + 1
4690	----	----	#151.90B/----	#151.90B/82.40A	----	149.70 + 74.00	.7771	----	----	----	----	5 UNCH
4695	----	----	#147.90B/----	#147.90B/79.80A	----	145.80 + 72.60	.7689	----	----	----	----	15 UNCH
4700	----	----	#180.50B/----	180.50B/124.70A	----	178.50 + 67.70	.6711	----	----	----	----	1 UNCH
4700	----	----	143.90B/----	143.90B/77.90A	----	141.90 + 71.10	.7603	----	----	23	----	82 - 2
4700	55.00	55.00	55.00/28.60A	74.60B/28.60A	----	28.80 NEW	.2395	----	----	34	----	31 + 31
4700	----	----	#200.20B/----	#200.20B/152.60A	----	202.60 + 66.50	.6435	----	----	----	----	51 UNCH
4705	90.00	90.00	#140.00B/75.30A	#140.00B/75.30A	----	138.00 + 69.50	.7512	----	----	4	----	16 + 1
4710	37.80	37.80	37.80/*30.80A	79.50B/*30.80A	----	31.10 NEW	.2574	----	----	4	----	2 + 2
4715	----	----	#132.30B/----	#132.30B/70.40A	----	130.40 + 66.40	.7327	----	----	1	----	4 UNCH
4720	----	----	#166.70B/----	#166.70B/115.40A	----	164.90 NEW	.6450	----	----	11	----	9 + 9
4720	46.90	46.90	46.90/*32.60	84.80B/*32.60	----	33.60 NEW	.2764	----	----	7	----	5 + 5
4720	75.10	75.10	#128.50B/67.80A	#128.50B/67.80A	----	126.70 NEW	.7233	----	----	1	----	1 + 1
4725	79.10	79.10	124.80B/79.10	124.80B/65.70A	----	123.00 + 63.30	.7135	----	----	8	----	4 - 2
4725	51.90	51.90	51.90/34.40A	87.50B/34.40A	----	34.90 NEW	.2862	----	----	11	----	11 + 11
4730	103.00	103.00	#121.60B/103.00	#121.60B/63.50A	----	119.40 + 61.70	.7033	----	----	1	----	6 + 1
4730	----	----	----/*75.50A	129.70B/*75.50A	----	75.30 - 72.90	.3681	----	----	----	----	2 UNCH
4735	----	----	118.40B/----	118.40B/61.30A	----	115.80 + 60.10	.6930	----	----	4	----	1 UNCH
4740	----	----	114.80B/----	114.80B/59.00A	----	112.30 + 58.60	.6824	----	----	----	----	20 UNCH
4750	115.00	115.00	115.00/*82.50A	140.40B/82.50A	----	82.50 NEW	.3959	----	----	4	----	2 + 2
4750	68.20	68.20	68.20/41.40	101.60B/41.40	----	42.30 - 79.00	.3392	----	----	63	----	49 + 48
4750	76.50	76.50	107.80B/55.40A	107.80B/55.40A	----	105.40 + 55.40	.6606	----	----	13	----	78 + 3
4750	125.00	125.00	#168.50B/125.00	#168.50B/125.00	----	170.90 + 58.00	.5880	----	----	2	----	12 + 2
4760	69.20	69.20	101.00B/69.20	101.00B/51.10A	----	98.70 NEW	.6379	----	----	52	----	50 + 50
4760	75.00	75.00	75.70/*44.60A	106.80B/*44.60A	----	45.60 NEW	.3619	----	----	75	----	75 + 75
4765	57.50	57.50	59.80/*46.20A	109.70B/*46.20A	----	47.40 NEW	.3736	----	----	6	----	3 + 3
4765	75.20	75.20	97.60B/75.20	97.60B/49.40A	----	95.40 NEW	.6261	----	----	8	----	8 + 8
4770	----	----	94.40B/----	94.40B/47.70A	----	92.20 + 49.00	.6143	----	----	4	----	214 - 1
4770	50.50	50.50	60.00/*48.10A	112.90B/*48.10A	----	49.20 NEW	.3855	----	----	2	----	2 + 2
4775	60.00	60.00	91.20B/55.00	91.20B/45.60A	----	89.10 + 47.50	.6024	----	----	41	----	26 + 16
4780	----	----	#128.70B/----	128.70B/89.50A	----	127.30 NEW	.5604	----	----	1	----	1 + 1
4780	----	----	88.30B/----	88.30B/44.60A	----	86.00 + 45.90	.5902	----	----	5	----	5 + 1
4785	----	----	#148.00B/----	#148.00B/114.40A	----	150.40 NEW	.5471	----	----	24	----	24 + 24
4785	----	----	----/*127.40A	187.60B/*127.40A	----	122.40 NEW	.4523	----	----	24	----	24 + 24
4785	----	----	#125.80B/----	125.80B/87.70A	----	124.40 + 49.70	.5530	----	----	----	----	1 UNCH
4785	66.00	66.00	85.40B/66.00	85.40B/42.30A	----	83.00 + 44.40	.5779	----	----	6	----	9 + 4
4790	----	----	83.40B/----	83.40B/41.40A	----	80.00 + 42.80	.5653	----	----	----	----	6 UNCH
4795	----	----	#120.10B/----	120.10B/83.20A	----	118.80 + 47.60	.5381	----	----	----	----	10 UNCH
4795	58.40	58.40	80.40B/58.40	80.40B/39.00A	----	77.20 + 41.40	.5527	----	----	33	----	17 + 12
4795	----	----	----/*100.50A	166.60B/*100.50A	----	100.70 - 86.80	.4615	----	----	----	----	4 UNCH
4800	65.00	65.00	65.00/59.70A	133.10B/59.70A	----	61.20 - 94.60	.4597	----	----	6	----	6 + 5
4800	53.20	53.20	77.50B/53.20	77.50B/38.00A	----	74.30 + 39.80	.5400	----	----	48	----	47 - 10
4800	----	----	----/102.60A	169.70B/102.60A	----	102.90 - 87.80	.4691	----	----	----	----	1 UNCH
4800	----	----	#117.40B/----	117.40B/81.10A	----	116.00 + 46.50	.5305	----	----	2	----	4 + 2
4805	----	----	#114.60B/----	114.60B/79.80A	----	113.20 NEW	.5230	----	----	1	----	1 + 1
4805	89.40	89.40	89.40/*61.90A	136.70B/*61.90A	----	63.50 NEW	.4726	----	----	9	----	9 + 9
4810	67.80	67.80	71.80B/56.30	71.80B/35.70A	----	68.80 NEW	.5143	----	----	3	----	2 + 2
4810	----	----	----/*107.30A	176.00B/107.30A	----	107.40 - 90.00	.4842	----	----	----	----	4 UNCH
4810	----	----	----/*64.10A	140.30B/*64.10A	----	65.70 NEW	.4855	----	----	2	----	2 + 2
4815	67.60	67.60	69.20B/53.70	69.20B/33.90A	----	66.20 + 35.50	.5013	----	----	2	----	16 + 1
4820	----	----	#106.50B/----	106.50B/74.40A	----	105.20 + 42.30	.5001	----	----	----	----	4 UNCH
4820	----	----	66.60B/----	66.60B/32.70A	----	63.60 NEW	.4883	----	----	103	----	103 + 103
4825	43.50	43.50	63.90B/43.50	63.90B/31.00A	----	61.10 + 32.60	.4752	----	----	26	----	50 + 16
4830	48.50	48.50	62.10/47.00	62.10/29.80A	----	58.70 + 31.30	.4622	----	----	58	----	78 + 49
4835	----	----	59.00B/----	59.00B/29.20A	----	56.30 + 29.90	.4491	----	----	22	----	15 - 12
4840	----	----	----/*121.70A	195.90B/121.70A	----	121.90 - 96.20	.5303	----	----	----	----	1 UNCH
4840	----	----	#96.30B/----	96.30B/68.10A	----	95.00 + 38.10	.4693	----	----	4	----	4 UNCH
4840	24.60	24.60	56.60B/24.60	56.60B/24.60	----	54.00 + 28.60	.4360	----	----	2	----	11 UNCH
4850	----	----	----/84.20A	170.70B/84.20A	----	86.40 - 08.40	.5897	----	----	----	----	24 UNCH
4850	31.50	31.50	52.10B/31.50	52.10B/25.90A	----	49.60 + 26.10	.4101	----	----	107	----	113 + 98
4850	----	----	#91.40B/----	91.40B/63.90A	----	90.20 + 36.10	.4538	----	----	----	----	1 UNCH
4850	----	----	----/*126.90A	202.70B/126.90A	----	127.10 - 98.20	.5458	----	----	----	----	4 UNCH
4855	----	----	----/*129.50A	206.20B/129.50A	----	129.70 - 99.20	.5535	----	----	----	----	1 UNCH
4860	----	----	47.80B/----	47.80B/23.90A	----	45.40 + 23.60	.3844	----	----	27	----	14 - 8
4865	----	----	45.80B/----	45.80B/22.80A	----	43.40 + 22.40	.3716	----	----	----	----	1 UNCH
4875	31.20	31.20	41.90B/31.20	41.90B/21.10A	----	39.70 + 20.30	.3468	----	----	3	----	8 + 3
4880	27.00	27.00	40.00B/20.20A	40.00B/20.20A	----	37.90 + 19.20	.3345	----	----	2	----	213 UNCH
4880	----	----	#77.90B/----	77.90B/56.50A	----	76.70 + 30.30	.4075	----	----	----	----	2 UNCH
4885	29.30	29.30	38.20B/29.30	38.20B/19.60A	----	36.20 + 18.20	.3225	----	----	14	----	15 + 14
4885	----	----	#75.80B/----	75.80B/55.20A	----	74.60 + 29.40	.3999	----	----	----	----	18 UNCH
4885	----	----	----/*146.10A	227.90B/146.10A	----	146.40 - 05.00	.5997	----	----	----	----	1 UNCH
4895	----	----	34.90B/----	34.90B/18.20A	----	32.90 + 16.20	.2989	----	----	----	----	1 UNCH
4900	21.50	21.50	33.30B/17.50A	33.30B/17.50A	----	31.40 + 15.30	.2875	----	----	17	----	63 + 1
4900	161.40	161.40	161.40/117.00A	212.40B/117.00A	----	118.30 - 19.10	.7123	----	----	1	----	14 UNCH
4900	----	----	#69.50B/----	69.50B/50.70A	----	68.60 + 26.80	.3772	----	----	2	----	7 + 2
4900	----	----	----/*154.90A	239.10B/154.90A	----	155.40 - 07.60	.6224	----	----	----	----	1 UNCH
4905	----	----	31.80B/----	31.80B/16.70A	----	29.90 NEW	.2762	----	----	2	----	1 + 1
4905	----	----	----/120.40A	216.80B/120.40A	----	121.80 - 20.00	.7235	----	----	----	----	14 UNCH
4905	----	----	----/*157.90A	242.90B/157.90A	----	158.40 - 08.50	.6301	----	----	----	----	1 UNCH
4910	----	----	#65.70B/----	65.70B/48.80A	----	64.70 + 25.00	.3621	----	----	----	----	16 UNCH
4920	----	----	27.60B/----	27.60B/15.10A	----	25.90 + 12.10	.2444	----	----	----	----	3 UNCH
4920	----	----	#62.00B/----	62.00B/46.00A	----	61.10 + 23.40	.3473	----	----	----	----	0 UNCH
4925	19.70	19.70	26.30B/19.70	26.30B/14.50A	----	24.70 NEW	.2345	----	----	39	----	39 + 39
4930	24.90	24.90	25.10B/24.90	25.10B/14.00A	----	23.50 NEW	.2246	----	----	10	----	10 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
4935	20.30	20.30	23.90B/16.60	23.90B/13.30A	----	22.30 NEW	.2147	----	----	40	----	40 + 40
4940	----	----	22.70B/----	22.70B/12.50A	----	21.30 + 9.40	.2058	----	----	----	----	6 UNCH
4940	40.30	40.30	#55.00B/40.30	55.00B/40.30	----	54.30 NEW	.3185	----	----	2	----	1 + 1
4950	21.10	21.10	21.10/15.60	21.10/11.90A	----	19.30 + 8.20	.1883	----	----	52	----	118 + 42
4950	250.00	250.00	250.00/155.00A	256.70B/155.00A	----	156.10 - 26.20	.8115	----	----	1	----	3 UNCH
4950	----	----	#51.80B/----	51.80B/38.90A	----	51.10 + 18.90	.3044	----	----	----	----	2 UNCH
4960	----	----	18.70B/----	18.70B/11.20A	----	17.50 NEW	.1720	----	----	2	----	1 + 1
4960	----	----	#48.70B/----	48.70B/36.80A	----	48.10 NEW	.2907	----	----	4	----	4 + 4
4965	----	----	17.80B/----	17.80B/10.50A	----	16.60 + 6.70	.1640	----	----	----	----	10 UNCH
4970	14.00	14.00	16.90B/14.00	16.90B/10.20A	----	15.80 + 6.20	.1565	----	----	1	----	3 + 1
4975	----	----	16.10B/----	16.10B/9.70A	----	15.10 + 5.90	.1498	----	----	----	----	1 UNCH
4975	----	----	#65.20B/----	#65.20B/52.50A	----	71.60 + 27.20	.3273	----	----	----	----	3 UNCH
4975	----	----	#44.50B/----	44.50B/33.60A	----	43.90 NEW	.2708	----	----	2	----	0 UNCH
4980	----	----	15.30B/----	15.30B/9.40A	----	14.40 + 5.50	.1430	----	----	----	----	4 UNCH
4980	----	----	#43.10B/----	43.10B/32.80A	----	42.60 NEW	.2645	----	----	2	----	0 UNCH
4990	----	----	----/188.10A	294.30B/188.10A	----	189.90 - 29.60	.8700	----	----	----	----	1 UNCH
5000	----	----	----/196.70A	303.80B/196.70A	----	198.70 - 30.30	.8818	----	----	----	----	277 UNCH
5000	6.00	6.00	12.50B/6.00	12.50B/6.00	----	11.80 + 4.10	.1180	----	----	5	----	43 - 2
5000	----	----	#38.10B/----	38.10B/29.20A	----	37.70 + 12.90	.2398	----	----	----	----	4 UNCH
5005	11.00	11.00	11.90B/11.00	11.90B/7.60A	----	11.30 NEW	.1129	----	----	1	----	1 + 1
5010	----	----	11.40B/----	11.40B/7.30A	----	10.80 + 3.60	.1078	----	----	----	----	2 UNCH
5010	29.30	29.30	#35.70B/29.30	35.70B/27.70A	----	35.40 NEW	.2280	----	----	2	----	2 + 2
5015	----	----	----/210.00A	318.20B/210.00A	----	212.10 - 31.10	.8970	----	----	1	----	1 - 1
5025	33.20	33.20	#33.20/33.20	33.20/25.40A	----	32.30 NEW	.2113	----	----	1	----	1 + 1
5025	----	----	9.80B/6.40A	9.80B/6.40A	----	9.40 + 2.90	.0937	----	----	----	----	1 UNCH
5030	8.30	8.30	9.20B/6.10A	9.20B/6.10A	----	8.90 NEW	.0888	----	----	103	----	102 + 102
5030	----	----	----/223.50A	332.70B/223.50A	----	225.70 - 31.80	.9110	----	----	----	----	9 UNCH
5040	----	----	----/232.60A	342.30B/232.60A	----	235.00 - 32.10	.9185	----	----	----	----	1 UNCH
5045	----	----	----/237.20A	347.20B/237.20A	----	239.60 - 32.30	.9225	----	----	----	----	1 UNCH
5050	----	----	7.60B/5.30A	7.60B/5.30A	----	7.50 + 2.00	.0741	----	----	1	----	4 + 1
5055	----	----	26.60B/----	26.60B/21.10A	----	26.80 + 8.00	.1805	----	----	----	----	1 UNCH
5055	----	----	7.30B/5.10A	7.30B/5.10A	----	7.10 NEW	.0702	----	----	1	----	1 + 1
5060	----	----	----/251.00A	361.80B/251.00A	----	253.60 - 32.80	.9328	----	----	----	----	48 UNCH
5075	----	----	23.40B/----	23.40B/19.10A	----	23.70 + 6.70	.1622	----	----	----	----	1 UNCH
5080	----	----	5.70B/4.20A	5.70B/4.20A	----	5.70 NEW	.0555	----	----	2	----	2 + 2
5095	----	----	----/283.90A	396.00B/283.90A	----	286.80 - 33.60	.9509	----	----	----	----	85 UNCH
5100	----	----	----/288.70A	400.90B/288.70A	----	291.60 - 33.60	.9537	----	----	----	----	2 UNCH
5100	2.80	2.80	4.80B/2.80	4.80B/2.80	----	4.80 + 0.80	.0461	----	----	1	----	4 + 1
5130	----	----	3.60B/3.00A	3.60B/3.00A	----	3.80 NEW	.0355	----	----	1	----	1 + 1
5140	----	----	3.30B/2.80A	3.30B/2.80A	----	3.50 + 0.30	.0324	----	----	----	----	1 UNCH
5150	----	----	3.10B/2.00A	3.10B/2.00A	----	3.30 + 0.30	.0301	----	----	----	----	1 UNCH
5155	----	----	----/2.60A	2.90B/2.60A	----	3.10 + 0.20	.0283	----	----	----	----	38 UNCH
5180	----	----	----/366.30A	479.90B/366.30A	----	369.40 - 34.40	.9768	----	----	----	----	1 UNCH
5200	1.80	1.80	2.00B/*1.30	2.00B/*1.30	----	2.30 UNCH	.0199	----	----	4	----	0 UNCH
5205	----	----	----/2.00A	2.00B/2.00A	----	2.20 - 0.10	.0189	----	----	----	----	1 UNCH
5220	----	----	9.50B/----	9.50B/9.40A	----	10.10 + 1.40	.0737	----	----	----	----	1 UNCH
5240	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.70 NEW	.0141	----	----	10	----	10 + 10
5250	----	----	----/*1.30A	1.40B/*1.30A	----	1.60 - 0.20	.0131	----	----	----	----	1 UNCH
5250	----	----	8.00B/----	8.00B/8.90A	----	8.60 + 0.90	.0629	----	----	----	----	12 UNCH
5275	----	----	----/472.20A	499.30B/472.20A	----	463.00 - 34.70	.9895	----	----	----	----	2 UNCH
5285	----	----	----/*1.40A	1.10B/*1.40A	----	1.20 - 0.30	.0095	----	----	----	----	2 UNCH
5295	----	----	----	1.10B/*1.40A	----	1.10 - 0.30	.0086	----	----	----	----	100 UNCH
5300	----	----	----/*1.00A	1.00B/*1.00A	----	1.10 - 0.20	.0085	----	----	----	----	1 UNCH
5300	----	----	----	5.20B/7.40A	----	6.60 + 0.30	.0483	----	----	----	----	0 UNCH
5305	----	----	----	1.00B/*1.30A	----	1.00 - 0.30	.0077	----	----	----	----	1 UNCH
5345	----	----	----	0.50B/*1.00A	----	0.70 - 0.30	.0052	----	----	----	----	20 UNCH
5350	----	----	----	3.80B/6.10A	----	5.20 - 0.10	.0378	----	----	----	----	2 UNCH
5350	----	----	----	0.50B/1.20A	----	0.70 - 0.30	.0051	----	----	----	----	2 UNCH
5370	----	----	----	0.40B/*1.20A	----	0.60 - 0.30	.0043	----	----	----	----	10 UNCH
5380	----	----	----	0.40B/*1.10A	----	0.60 - 0.30	.0042	----	----	----	----	1 UNCH
5395	----	----	----	0.30B/1.10A	----	0.50 - 0.30	.0035	----	----	----	----	10 UNCH
5400	----	----	----	0.30B/1.00A	----	0.50 - 0.30	.0034	----	----	----	----	1 UNCH
5400	----	----	----	2.80B/*5.30A	----	3.90 - 0.30	.0285	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.30A	----	0.10 - 0.20	.0004	----	----	----	----	1 UNCH
5600	----	----	----/796.10A	823.70B/796.10A	----	786.90 - 34.60	1.0000	----	----	----	----	1 UNCH
5675	----	----	----	----/0.90A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
TOTAL										2259		6742 + 1497
MAY26												
4300	40.10	40.10	#46.50/*40.10	57.10B/*40.10	----	37.70 NEW	.1330	----	----	2	----	2 + 2
4350	61.30	61.30	#61.30/*48.20A	66.80B/*48.20A	----	44.30 NEW	.1540	----	----	1	----	1 + 1
4475	----	----	----/*70.20A	98.10B/*70.20A	----	65.90 NEW	.2188	----	----	2	----	1 + 1
4500	77.00	77.00	#77.00/*75.50A	105.70B/*75.50A	----	71.30 NEW	.2341	----	----	3	----	2 + 2
4720	200.00	200.00	#229.10B/200.00	#229.10B/180.00A	----	232.10 + 56.70	.5998	----	----	1	----	1 UNCH
4950	97.00	97.00	#115.90B/97.00	#115.90B/97.00	----	119.10 + 29.40	.3956	----	----	1	----	1 UNCH
TOTAL										10		8 + 6

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26												
4250	----	----	----	----	----	13.70 - 16.20	.0653	----	----	----	----	1 UNCH
TOTAL												1 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
APR26												
5000	----	----	----	0.001B/0.233A	----	0.062 - 0.041	.0096	----	----	----	----	1 UNCH
5300	----	----	----	----/0.178A	----	0.001 - 0.001	----	----	----	----	----	3 UNCH
5600	----	----	----	0.004B/0.202A	----	0.125 - 0.073	.0193	----	----	----	----	1 UNCH
5700	----	----	----	----/0.155A	----	0.001 - 0.004	----	----	----	----	----	3 UNCH
5800	----	----	----/*0.219A	0.009B/*0.219A	----	0.152 - 0.112	.0250	----	----	----	----	0 UNCH
6000	----	----	----	----/0.153A	----	0.001 - 0.010	----	----	----	----	----	3 UNCH
6000	----	----	----/*0.248A	0.063B/*0.248A	----	0.189 - 0.163	.0330	----	----	----	----	1 UNCH
6000	----	----	----/*0.483A	0.269B/*0.483A	----	0.368 - 0.185	.0580	----	----	----	----	1 UNCH
6200	----	----	----	----/0.140A	----	0.001 - 0.017	----	----	----	----	----	3 UNCH
6300	----	----	----	0.010B/*0.126A	----	0.002 - 0.023	.0000	----	----	----	----	2 UNCH
6500	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.006 - 0.042	.0001	----	----	10	----	13 + 7
6500	----	----	----/*0.927A	0.817B/*0.927A	----	0.765 - 0.342	.1209	----	----	----	----	1 UNCH
6600	0.075	0.075	0.075/*0.026	0.075/*0.026	----	0.010 - 0.060	.0002	----	----	2	----	4 UNCH
6645	----	----	----	0.001B/*0.118A	----	0.014 - 0.070	.0004	----	----	----	----	1 UNCH
6650	----	----	----	0.001B/*0.118A	----	0.014 - 0.071	.0004	----	----	----	----	1 UNCH
6675	----	----	----	0.001B/*0.120A	----	0.016 - 0.078	.0006	----	----	----	----	1 UNCH
6700	0.044	0.044	0.044/*0.044	0.088B/*0.044	----	0.019 - 0.085	.0008	----	----	1	----	4 UNCH
6800	0.029	0.029	0.030/*0.029	0.090B/*0.029	----	0.034 - 0.123	.0021	----	----	2	----	3 + 2
6800	----	----	----	----	----	8.710 + 0.626	.8710	----	----	----	----	50 UNCH
6850	0.078	0.078	0.078/*0.078	0.078/*0.078	----	0.046 - 0.147	.0036	----	----	1	----	3 + 1
6900	----	----	----	----	----	7.140 + 0.984	.9939	----	----	----	----	1 UNCH
6955	----	----	----/*0.164A	0.059B/*0.164A	----	0.086 - 0.213	.0099	----	----	----	----	35 UNCH
6975	0.144	0.144	0.144/*0.144	0.144/*0.144	----	0.093 NEW	.0114	----	----	1	----	1 + 1
6985	----	----	----/*0.168A	0.076B/*0.168A	----	0.096 - 0.235	.0121	----	----	----	----	5 UNCH
6995	----	----	----/*0.169A	0.092B/*0.169A	----	0.100 - 0.243	.0130	----	----	----	----	2 UNCH
7000	----	----	----	----	----	6.180 + 0.913	.9865	----	----	----	----	2 UNCH
7000	----	----	----/*1.041A	1.172B/*1.041A	----	0.923 - 0.670	.1857	----	----	1	----	1 UNCH
7000	----	----	----	0.616B/15.064A	----	8.325 + 0.516	.7282	----	----	----	----	1 UNCH
7000	----	----	----/*0.187A	0.095B/*0.187A	----	0.102 - 0.247	.0134	----	----	----	----	28 UNCH
7010	----	----	----	----	----	6.084 + 0.905	.9856	----	----	1	----	4 - 1
7020	----	----	----	----	----	5.988 + 0.897	.9846	----	----	----	----	1 UNCH
7025	----	----	----/*1.119A	1.196B/*1.119A	----	0.968 - 0.688	.1943	----	----	1	----	1 UNCH
7030	----	----	----	----	----	5.892 + 0.888	.9834	----	----	----	----	4 UNCH
7045	----	----	----	----	----	5.749 + 0.874	.9818	----	----	----	----	4 UNCH
7100	0.200	0.200	0.200/*0.197A	0.229B/*0.197A	----	0.150 - 0.339	.0262	----	----	1	----	2 UNCH
7100	----	----	----	----	----	5.228 + 0.821	.9737	----	----	----	----	2 UNCH
7120	----	----	----	----	----	5.040 + 0.799	.9700	----	----	----	----	1 UNCH
7150	0.548	0.548	0.548/*0.215A	0.548/*0.215A	----	0.182 NEW	.0364	----	----	10	----	10 + 10
7170	0.144	0.144	0.200/*0.144	0.340B/*0.144	----	0.196 NEW	.0413	----	----	4	----	2 + 2
7175	----	----	----	----	----	4.528 + 0.732	.9572	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1										
APR26												
7200	0.225	0.225	0.280/*0.200	0.457B/*0.200	----	0.220 - 0.462	.0501	----	----	15	----	15 + 10
7200	----	----	----	----	----	4.298 + 0.697	.9498	----	----	----	----	2 UNCH
7250	----	----	----	----	----	3.844 + 0.622	.9313	----	----	----	----	1 UNCH
7250	----	----	----/*0.325A	0.557B/*0.325A	----	0.266 - 0.538	.0686	----	----	----	----	21 UNCH
7260	----	----	----	----	----	3.754 + 0.605	.9270	----	----	----	----	1 UNCH
7300	0.600	0.600	0.600/*0.300	0.764B/*0.300	----	0.321 - 0.624	.0932	----	----	14	----	8 + 6
7300	----	----	----	1.603B/3.083A	----	3.399 + 0.535	.9067	----	----	----	----	4 UNCH
7350	0.600	0.600	0.600/*0.494A	0.924B/*0.494A	----	0.387 NEW	.1257	----	----	1	----	1 + 1
7350	----	----	----	1.652B/2.673A	----	2.965 + 0.438	.8743	----	----	----	----	1 UNCH
7400	----	----	----	3.301B/3.953A	----	4.033 + 0.205	.6371	----	----	----	----	2 UNCH
7400	----	----	----/2.105A	1.527B/2.105A	----	2.544 + 0.329	.8320	----	----	----	----	5 UNCH
7400	0.797	0.797	0.797/*0.350	1.189B/*0.350	----	0.466 - 0.830	.1679	----	----	3	----	4 + 3
7415	0.535	0.535	#0.535/*0.535	1.207B/*0.535	----	0.493 NEW	.1830	----	----	1	----	1 + 1
7450	1.500	1.500	1.500/1.500	1.851B/1.500	----	2.140 NEW	.7773	----	----	2	----	0 UNCH
7470	0.486	0.486	#0.486/*0.486	#1.252B/*0.486	----	0.606 NEW	.2484	----	----	5	----	5 + 5
7475	----	----	----/1.534A	1.725B/1.534A	----	1.946 + 0.151	.7446	----	----	----	----	1 UNCH
7500	1.200	1.200	1.480/1.036	1.595B/1.036	----	1.758 + 0.089	.7079	----	----	9	----	19 + 8
7500	1.250	1.250	1.250/*0.842A	1.297B/*0.842A	----	0.680 - 1.070	.2920	----	----	5	----	6 + 5
7550	1.200	1.200	1.200/1.200	1.271B/1.200	----	1.407 - 0.029	.6220	----	----	3	----	3 + 3
7550	1.162	1.162	1.162/*1.036A	1.352B/*1.036A	----	0.829 NEW	.3779	----	----	2	----	2 + 2
7580	1.064	1.064	#1.255/*0.926	#1.255/*0.926	----	0.937 NEW	.4368	----	----	7	----	5 + 5
7600	----	----	----	3.484B/3.763A	----	3.945 + 0.230	.5281	----	----	----	----	2 UNCH
7600	0.990	0.990	1.525/*0.990	1.811B/*0.990	----	1.017 NEW	.4784	----	----	2	----	2 + 2
7600	0.890	0.890	1.060/0.890	1.192B/0.890	----	1.095 - 0.136	.5215	----	----	3	----	2 + 1
7650	0.750	0.750	0.750/0.750	0.930B/0.750	----	0.827 NEW	.4127	----	----	6	----	6 + 6
7675	----	----	----/0.784A	0.831B/0.784A	----	0.713 - 0.258	.3585	----	----	1	----	11 + 1
7700	----	----	----/2.239A	1.714B/2.239A	----	1.533 - 1.445	.6934	----	----	----	----	1 UNCH
7700	----	----	----/0.690A	0.781B/0.690A	----	0.611 - 0.286	.3065	----	----	----	----	3 UNCH
7725	1.820	1.820	1.974B/1.820	1.974B/1.820	----	2.269 NEW	.4472	----	----	25	----	25 + 25
7750	0.460	0.460	0.500/*0.400	0.575B/*0.400	----	0.446 NEW	.2146	----	----	11	----	10 + 10
7775	----	----	----/0.460A	0.497B/0.460A	----	0.381 - 0.327	.1764	----	----	----	----	1 UNCH
7800	----	----	----/1.880A	1.719B/1.880A	----	1.956 + 0.005	.4029	----	----	----	----	3 UNCH
7800	0.450	0.450	0.450/0.430A	0.471B/0.430A	----	0.326 - 0.329	.1438	----	----	1	----	3 - 1
7975	----	----	----/*0.206A	0.107B/*0.206A	----	0.125 - 0.262	.0329	----	----	----	----	7 UNCH
8000	----	----	----/1.324A	1.077B/1.324A	----	1.286 - 0.043	.2930	----	----	----	----	4 UNCH
8000	0.150	0.150	0.150/*0.150	0.350B/*0.150	----	0.112 - 0.248	.0271	----	----	1	----	10 UNCH
8000	----	----	----	----	----	4.033 - 1.407	.9728	----	----	----	----	5 UNCH
8200	0.064	0.064	0.064/*0.064	0.064/*0.064	----	0.030 - 0.148	.0031	----	----	1	----	1 + 1
8250	----	----	----	----	----	8.030 - 1.167	.7231	----	----	----	----	4 UNCH
8275	----	----	----	----	----	8.221 - 1.172	.7311	----	----	----	----	4 UNCH
8500	----	----	----	0.001B/0.123A	----	0.003 - 0.053	.0000	----	----	----	----	1 UNCH
8600	----	----	----	0.194B/0.503A	----	0.348 - 0.059	.0912	----	----	----	----	1 UNCH
8625	----	----	----	0.001B/0.115A	----	0.001 - 0.034	----	----	----	----	----	6 UNCH
8700	----	----	----	0.001B/*0.132A	----	0.001 - 0.026	----	----	----	----	----	1 UNCH
8750	----	----	----	----	----	11.422 - 1.180	.0000	----	----	----	----	20 UNCH
8775	----	----	----	----	----	11.672 - 1.178	.0000	----	----	----	----	10 UNCH
8800	----	----	----	----/0.138A	----	0.001 - 0.018	----	----	----	----	----	1 UNCH
TOTAL										153	0	458 + 116
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
APR26												
4400	----	----	----	----/0.187A	----	0.006 - 0.007	.0005	----	----	----	----	1 UNCH
5500	----	----	----	----/*0.127A	----	0.029 - 0.021	.0042	----	----	----	----	5 UNCH
5800	----	----	----	0.001B/*0.121A	----	0.046 - 0.030	.0077	----	----	----	----	1 UNCH
6000	----	----	----	0.065B/*0.155A	----	0.066 - 0.038	.0120	----	----	----	----	8 UNCH
6100	----	----	----	0.004B/*0.163A	----	0.081 - 0.043	.0153	----	----	----	----	1 UNCH
6550	----	----	----/*0.203A	0.050B/*0.203A	----	0.128 - 0.152	.0314	----	----	----	----	3 UNCH
6600	----	----	----/*0.216A	0.094B/*0.216A	----	0.137 - 0.173	.0346	----	----	----	----	1 UNCH
6700	0.280	0.280	0.280/*0.234A	0.280/*0.234A	----	0.163 - 0.220	.0434	----	----	1	----	1 UNCH
6725	----	----	----/*0.251A	0.193B/*0.251A	----	0.172 - 0.233	.0463	----	----	----	----	4 UNCH
6795	----	----	----/*0.255A	0.234B/*0.255A	----	0.200 - 0.274	.0555	----	----	----	----	3 UNCH
6815	----	----	----/*0.256A	0.247B/*0.256A	----	0.210 - 0.287	.0587	----	----	----	----	4 UNCH
6825	----	----	----/*0.254A	0.258B/*0.254A	----	0.215 - 0.293	.0604	----	----	----	----	8 UNCH
6845	----	----	----/*0.253A	0.283B/*0.253A	----	0.225 - 0.308	.0637	----	----	----	----	4 UNCH
6860	----	----	----/*0.263A	0.301B/*0.263A	----	0.234 - 0.318	.0666	----	----	----	----	3 UNCH
6870	----	----	----/*0.270A	0.314B/*0.270A	----	0.240 - 0.325	.0685	----	----	----	----	4 UNCH
6900	----	----	----/*0.291A	0.384B/*0.291A	----	0.260 - 0.347	.0748	----	----	----	----	4 UNCH
6900	----	----	----	----	----	7.335 + 0.812	.9251	----	----	----	----	1 UNCH
6910	----	----	----/*0.298A	0.373B/*0.298A	----	0.267 - 0.355	.0771	----	----	----	----	4 UNCH
6915	----	----	----/*0.301A	0.381B/*0.301A	----	0.271 - 0.359	.0783	----	----	----	----	4 UNCH
6920	----	----	----/*0.307A	0.387B/*0.307A	----	0.275 - 0.362	.0795	----	----	----	----	4 UNCH
6925	----	----	----/*0.310A	0.395B/*0.310A	----	0.279 - 0.366	.0807	----	----	----	----	4 UNCH
6935	----	----	----/*0.317A	0.411B/*0.317A	----	0.287 - 0.374	.0832	----	----	----	----	4 UNCH
6950	----	----	----/*0.329A	0.436B/*0.329A	----	0.299 - 0.386	.0870	----	----	----	----	20 UNCH
6960	----	----	----/*0.338A	0.452B/*0.338A	----	0.308 - 0.394	.0898	----	----	----	----	4 UNCH
6990	----	----	----/*0.369A	0.507B/*0.369A	----	0.335 - 0.420	.0982	----	----	----	----	11 UNCH
6995	----	----	----/*0.374A	0.516B/*0.374A	----	0.340 - 0.424	.0997	----	----	----	----	4 UNCH
7000	0.650	0.650	0.650/*0.335	0.650/*0.335	----	0.345 - 0.428	.1013	----	----	39	----	36 + 35
7000	----	----	----	----	----	6.420 + 0.730	.8986	----	----	----	----	8 UNCH
7050	0.950	0.950	0.950/*0.433A	0.950/*0.433A	----	0.399 NEW	.1178	----	----	1	----	1 + 1
7050	----	----	----	----	----	6.895 + 0.617	.7687	----	----	----	----	1 UNCH
7080	----	----	----/*0.464A	0.708B/*0.464A	----	0.436 - 0.502	.1289	----	----	----	----	2 UNCH
7100	----	----	----	----	----	5.538 + 0.637	.8629	----	----	----	----	1 UNCH
7100	----	----	----/*0.499A	0.791B/*0.499A	----	0.463 - 0.521	.1370	----	----	----	----	1 UNCH
7150	----	----	----	----	----	5.112 + 0.587	.8413	----	----	----	----	1 UNCH
7200	----	----	----	----	----	4.695 + 0.532	.8170	----	----	----	----	4 UNCH
7230	----	----	----/*0.687A	1.166B/*0.687A	----	0.674 - 0.660	.1988	----	----	----	----	4 UNCH
7240	----	----	----	2.869B/4.130A	----	4.370 + 0.488	.7954	----	----	----	----	4 UNCH
7300	----	----	----	2.802B/3.685A	----	3.898 + 0.418	.7596	----	----	----	----	2 UNCH
7400	----	----	----	3.498B/4.705A	----	4.478 + 0.386	.6224	----	----	----	----	1 UNCH
7400	----	----	----	2.422B/2.905A	----	3.159 + 0.299	.6900	----	----	----	----	1 UNCH
7400	1.694	1.694	1.694/*1.202A	1.900B/*1.202A	----	1.082 NEW	.3099	----	----	2	----	2 + 2
7415	----	----	----/*1.197A	1.930B/*1.197A	----	1.127 - 0.877	.3214	----	----	----	----	12 UNCH
7460	2.250	2.250	#2.250/*1.406A	#2.250/*1.406A	----	1.273 NEW	.3574	----	----	2	----	1 + 1
7500	----	----	----/2.182A	2.103B/2.182A	----	2.493 + 0.184	.6086	----	----	----	----	4 UNCH
7525	----	----	----/2.082A	1.974B/2.082A	----	2.339 + 0.156	.5868	----	----	----	----	4 UNCH
7550	----	----	----/1.986A	2.010B/1.986A	----	2.191 + 0.130	.5644	----	----	6	----	3 UNCH
7600	1.927	1.927	1.927/1.750A	1.927/1.750A	----	1.912 + 0.080	.5184	----	----	6	----	6 + 5
7600	----	----	----	3.000B/3.186A	----	3.371 NEW	.5249	----	----	2	----	2 + 2
7625	----	----	----/1.654A	1.689B/1.654A	----	1.781 + 0.057	.4951	----	----	----	----	3 UNCH
7700	----	----	----/1.355A	1.404B/1.355A	----	1.425 - 0.004	.4245	----	----	----	----	1 UNCH
7750	----	----	----/1.140A	1.171B/1.140A	----	1.219 - 0.037	.3784	----	----	----	----	3 UNCH
7800	2.580	2.580	2.580/2.375A	2.580/2.375A	----	2.474 NEW	.4262	----	----	2	----	0 UNCH
7800	0.850	0.850	0.850/0.850	1.038B/0.850	----	1.036 - 0.064	.3338	----	----	1	----	1 + 1
7825	----	----	----/0.874A	0.919B/0.874A	----	0.954 - 0.074	.3125	----	----	----	----	1 UNCH
7900	----	----	----/0.734A	0.741B/0.734A	----	0.741 - 0.096	.2531	----	----	2	----	3 + 2
8000	0.500	0.500	0.500/0.499A	0.514B/0.499A	----	0.529 - 0.106	.1872	----	----	3	----	4 + 3
8075	----	----	----	----	----	5.084 - 1.260	.8518	----	----	----	----	3 UNCH
8325	----	----	----/*0.226A	0.135B/*0.226A	----	0.204 - 0.066	.0704	----	----	----	----	10 UNCH
8700	----	----	----	0.006B/*0.193A	----	0.103 - 0.026	.0304	----	----	----	----	2 UNCH
8975	----	----	----	0.002B/0.168A	----	0.069 - 0.024	.0182	----	----	----	----	1 UNCH
9000	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.067 - 0.024	.0175	----	----	2	----	136 UNCH
TOTAL										69	0	384 + 52
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	38.483B/37.280A	38.483B/37.280A	----	38.600 + 1.153	.9932	----	----	----	----	1 UNCH
3875	----	----	37.335B/35.805A	37.335B/35.805A	----	37.361 + 1.152	.9918	----	----	----	----	50 UNCH
3900	----	----	36.991B/35.790A	36.991B/35.790A	----	37.113 + 1.151	.9915	----	----	----	----	1 UNCH
4000	----	----	36.097B/34.570A	36.097B/34.570A	----	36.124 + 1.150	.9902	----	----	----	----	53 UNCH
4100	----	----	35.102B/33.581A	35.102B/33.581A	----	35.132 + 1.148	.9892	----	----	----	----	50 UNCH
4200	----	----	34.108B/32.591A	34.108B/32.591A	----	34.140 + 1.146	.9880	----	----	----	----	116 UNCH
4400	----	----	32.081B/30.656A	32.081B/30.656A	----	32.159 + 1.142	.9856	----	----	----	----	43 UNCH
4450	----	----	31.522B/30.349A	31.522B/30.349A	----	31.664 + 1.140	.9849	----	----	----	----	2 UNCH
4500	----	----	31.116B/29.630A	31.116B/29.630A	----	31.169 + 1.139	.9841	----	----	----	----	120 UNCH
4550	----	----	30.536B/29.365A	30.536B/29.365A	----	30.675 + 1.137	.9833	----	----	----	----	1 UNCH
4600	----	----	30.076B/28.695A	30.076B/28.695A	----	30.181 + 1.136	.9825	----	----	----	----	43 UNCH
4650	----	----	29.636B/28.147A	29.636B/28.147A	----	29.688 + 1.134	.9816	----	----	----	----	77 UNCH
4675	----	----	29.296B/27.963A	29.296B/27.963A	----	29.441 + 1.133	.9812	----	----	----	----	15 UNCH
4700	----	----	29.050B/27.892A	29.050B/27.892A	----	29.194 + 1.132	.9807	----	----	----	----	2 UNCH
4725	----	----	28.803B/27.646A	28.803B/27.646A	----	28.948 + 1.131	.9802	----	----	----	----	2 UNCH
4750	----	----	28.545B/27.236A	28.545B/27.236A	----	28.702 + 1.131	.9797	----	----	----	----	7 UNCH
4800	----	----	28.062B/26.753A	28.062B/26.753A	----	28.209 + 1.128	.9786	----	----	----	----	7 UNCH
4825	----	----	27.816B/26.512A	27.816B/26.512A	----	27.963 + 1.127	.9781	----	----	----	----	22 UNCH
4850	----	----	27.570B/26.272A	27.570B/26.272A	----	27.717 + 1.125	.9775	----	----	----	----	10 UNCH
4900	----	----	27.080B/25.782A	27.080B/25.782A	----	27.226 + 1.123	.9763	----	----	----	----	14 UNCH
4925	----	----	26.835B/25.542A	26.835B/25.542A	----	26.981 + 1.122	.9756	----	----	----	----	12 UNCH
4950	----	----	26.579B/25.456A	26.579B/25.456A	----	26.736 + 1.121	.9750	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS													
MAY26															
5000	----	----	26.193B/24.709A	26.193B/24.709A	----	26.246	+	1.118	.9736	----	----	----	----	99	UNCH
5025	----	----	25.844B/24.731A	25.844B/24.731A	----	26.001	+	1.116	.9729	----	----	----	----	3	UNCH
5050	----	----	25.612B/24.327A	25.612B/24.327A	----	25.757	+	1.115	.9721	----	----	----	----	6	UNCH
5075	----	----	25.367B/24.084A	25.367B/24.084A	----	25.513	+	1.113	.9714	----	----	----	----	6	UNCH
5100	----	----	25.123B/23.837A	25.123B/23.837A	----	25.269	+	1.111	.9705	----	----	----	----	9	UNCH
5125	----	----	24.866B/23.712A	24.866B/23.712A	----	25.025	+	1.109	.9697	----	----	----	----	1	UNCH
5150	----	----	24.631B/23.356A	24.631B/23.356A	----	24.782	+	1.108	.9688	----	----	----	----	15	UNCH
5200	----	----	24.144B/22.865A	24.144B/22.865A	----	24.295	+	1.103	.9669	----	----	----	----	11	UNCH
5225	----	----	23.891B/22.760A	23.891B/22.760A	----	24.053	+	1.102	.9660	----	----	----	----	1	UNCH
5250	----	----	23.657B/22.377A	23.657B/22.377A	----	23.810	+	1.099	.9650	----	----	----	----	21	UNCH
5275	----	----	23.416B/22.137A	23.416B/22.137A	----	23.568	+	1.097	.9639	----	----	----	----	6	UNCH
5300	----	----	23.278B/21.865A	23.278B/21.865A	----	23.326	+	1.094	.9628	----	----	----	----	126	UNCH
5325	----	----	22.976B/21.658A	22.976B/21.658A	----	23.085	+	1.092	.9617	----	----	----	----	29	UNCH
5350	----	----	22.734B/21.419A	22.734B/21.419A	----	22.844	+	1.090	.9605	----	----	----	----	25	UNCH
5400	----	----	22.310B/20.907A	22.310B/20.907A	----	22.362	+	1.084	.9580	----	----	----	----	146	UNCH
5425	----	----	21.968B/20.702A	21.968B/20.702A	----	22.122	+	1.081	.9567	----	----	----	----	12	UNCH
5450	----	----	21.828B/20.436A	21.828B/20.436A	----	21.883	+	1.079	.9554	----	----	----	----	50	UNCH
5475	----	----	21.470B/20.554A	21.470B/20.554A	----	21.643	+	1.075	.9540	----	----	----	----	2	UNCH
5500	----	----	21.347B/19.961A	21.347B/19.961A	----	21.404	+	1.072	.9525	----	----	----	----	185	UNCH
5525	----	----	21.052B/19.751A	21.052B/19.751A	----	21.166	+	1.069	.9510	----	----	----	----	35	UNCH
5550	----	----	20.780B/19.524A	20.780B/19.524A	----	20.928	+	1.066	.9495	----	----	----	----	8	UNCH
5600	----	----	20.394B/19.031A	20.394B/19.031A	----	20.453	+	1.058	.9462	----	----	----	----	110	UNCH
5625	----	----	20.070B/18.817A	20.070B/18.817A	----	20.216	+	1.054	.9445	----	----	----	----	8	UNCH
5650	----	----	19.867B/18.592A	19.867B/18.592A	----	19.980	+	1.050	.9427	----	----	----	----	31	UNCH
5675	----	----	19.600B/18.360A	19.600B/18.360A	----	19.745	+	1.047	.9409	----	----	----	----	6	UNCH
5700	----	----	19.367B/18.130A	19.367B/18.130A	----	19.510	+	1.043	.9389	----	----	----	----	9	UNCH
5750	----	----	18.903B/17.670A	18.903B/17.670A	----	19.041	+	1.034	.9349	----	----	----	----	16	UNCH
5775	----	----	18.632B/----	18.632B/17.791A	----	18.808	+	1.029	.9329	----	----	----	----	1	UNCH
5800	----	----	18.398B/----	18.398B/17.566A	----	18.575	+	1.024	.9307	----	----	----	----	1	UNCH
5825	----	----	18.207B/16.987A	18.207B/16.987A	----	18.343	+	1.019	.9285	----	----	----	----	11	UNCH
5850	----	----	17.932B/----	17.932B/17.113A	----	18.111	+	1.014	.9261	----	----	----	----	2	UNCH
5900	----	----	17.584B/16.311A	17.584B/16.311A	----	17.650	+	1.003	.9213	----	----	----	----	124	UNCH
5925	----	----	17.243B/----	17.243B/16.453A	----	17.421	+	0.998	.9188	----	----	----	----	1	UNCH
5950	----	----	17.063B/15.864A	17.063B/15.864A	----	17.192	+	0.992	.9161	----	----	----	----	16	UNCH
6000	15.261	15.261	16.661B/15.261	16.661B/15.261	----	16.737	+	0.980	.9107	----	----	8	----	253	UNCH
6050	----	----	16.100B/----	16.100B/15.350A	----	16.285	+	0.967	.9048	----	----	----	----	2	UNCH
6075	----	----	15.973B/14.762A	15.973B/14.762A	----	16.061	+	0.961	.9018	----	----	----	----	122	UNCH
6100	----	----	15.717B/14.546A	15.717B/14.546A	----	15.837	+	0.954	.8987	----	----	----	----	9	UNCH
6125	----	----	15.423B/----	15.423B/14.708A	----	15.614	+	0.947	.8955	----	----	----	----	1	UNCH
6150	----	----	15.199B/----	15.199B/14.496A	----	15.392	+	0.939	.8921	----	----	----	----	3	UNCH
6175	----	----	14.981B/----	14.981B/14.285A	----	15.171	+	0.932	.8888	----	----	----	----	1	UNCH
6200	----	----	14.866B/13.680A	14.866B/13.680A	----	14.951	+	0.925	.8852	----	----	----	----	59	UNCH
6225	----	----	14.643B/13.478A	14.643B/13.478A	----	14.732	+	0.917	.8817	----	----	----	----	69	UNCH
6250	----	----	14.318B/----	14.318B/13.655A	----	14.514	+	0.909	.8780	----	----	----	----	3	UNCH
6275	----	----	14.095B/----	14.095B/13.449A	----	14.297	+	0.901	.8741	----	----	----	----	4	UNCH
6300	----	----	13.969B/12.852A	13.969B/12.852A	----	14.081	+	0.892	.8703	----	----	----	----	24	UNCH
6325	----	----	13.619B/----	13.619B/13.037A	----	13.866	+	0.883	.8663	----	----	----	----	3	UNCH
6350	----	----	13.543B/12.438A	13.543B/12.438A	----	13.653	+	0.875	.8622	----	----	----	----	7	UNCH
6375	----	----	13.334B/12.238A	13.334B/12.238A	----	13.440	+	0.866	.8580	----	----	----	----	48	UNCH
6400	11.980	11.980	13.127B/11.980	13.127B/11.980	----	13.229	+	0.857	.8537	----	----	9	----	62	- 1
6425	----	----	12.915B/11.832A	12.915B/11.832A	----	13.019	+	0.848	.8493	----	----	----	----	6	UNCH
6450	----	----	12.542B/----	12.542B/12.023A	----	12.810	+	0.838	.8448	----	----	----	----	4	UNCH
6475	----	----	12.497B/11.429A	12.497B/11.429A	----	12.602	+	0.828	.8402	----	----	----	----	6	UNCH
6500	----	----	12.294B/11.244A	12.294B/11.244A	----	12.396	+	0.818	.8354	----	----	----	----	176	UNCH
6525	----	----	12.086B/11.039A	12.086B/11.039A	----	12.191	+	0.808	.8306	----	----	----	----	28	UNCH
6550	----	----	11.885B/10.857A	11.885B/10.857A	----	11.988	+	0.799	.8257	----	----	----	----	8	UNCH
6575	----	----	11.545B/----	11.545B/11.058A	----	11.785	+	0.787	.8207	----	----	----	----	3	UNCH
6600	----	----	11.484B/10.463A	11.484B/10.463A	----	11.584	+	0.777	.8155	----	----	1	----	10	UNCH
6625	----	----	11.286B/10.277A	11.286B/10.277A	----	11.385	+	0.766	.8103	----	----	----	----	7	UNCH
6650	----	----	11.087B/10.102A	11.087B/10.102A	----	11.187	+	0.755	.8049	----	----	----	----	6	UNCH
6675	----	----	10.741B/----	10.741B/10.305A	----	10.990	+	0.744	.7994	----	----	----	----	1	UNCH
6700	----	----	10.698B/9.727A	10.698B/9.727A	----	10.795	+	0.733	.7938	----	----	----	----	173	UNCH
6750	10.309	10.309	10.317B/9.376A	10.317B/9.376A	----	10.410	+	0.710	.7824	----	----	1	----	13	UNCH
6800	----	----	9.939B/9.012A	9.939B/9.012A	----	10.031	+	0.686	.7705	----	----	----	----	56	UNCH
6825	----	----	9.753B/8.850A	9.753B/8.850A	----	9.843	+	0.673	.7644	----	----	----	----	107	UNCH
6850	----	----	9.408B/----	9.408B/9.039A	----	9.658	+	0.662	.7582	----	----	----	----	1	UNCH
6875	----	----	9.222B/----	9.222B/8.872A	----	9.474	+	0.649	.7519	----	----	----	----	1	UNCH
6900	----	----	9.208B/8.322A	9.208B/8.322A	----	9.292	+	0.637	.7455	----	----	----	----	195	UNCH
6925	----	----	9.028B/8.157A	9.028B/8.157A	----	9.112	+	0.624	.7390	----	----	----	----	12	UNCH
6950	----	----	8.635B/----	8.635B/8.381A	----	8.934	+	0.612	.7324	----	----	----	----	5	UNCH
7000	8.500	8.500	8.506B/7.676A	8.506B/7.676A	----	8.582	+	0.586	.7189	----	----	3	----	467	- 2
7025	----	----	8.333B/7.517A	8.333B/7.517A	----	8.410	+	0.573	.7120	----	----	----	----	11	UNCH
7050	8.233	8.233	8.233/7.364A	8.233/7.364A	----	8.239	+	0.560	.7050	----	----	2	----	27	UNCH
7075	----	----	8.000B/7.213A	8.000B/7.213A	----	8.070	+	0.547	.6979	----	----	----	----	7	UNCH
7100	----	----	7.833B/7.061A	7.833B/7.061A	----	7.903	+	0.534	.6908	----	----	----	----	64	UNCH
7125	----	----	7.454B/7.055A	7.454B/7.055A	----	7.738	+	0.521	.6835	----	----	----	----	4	UNCH
7150	----	----	7.290B/6.921A	7.290B/6.921A	----	7.575	+	0.507	.6762	----	----	----	----	2	UNCH
7175	----	----	7.107B/6.808A	7.107B/6.808A	----	7.414	+	0.494	.6688	----	----	----	----	4	UNCH
7200	----	----	7.191B/6.519A	7.191B/6.519A	----	7.255	+	0.480	.6613	----	----	1	----	33	- 1
7225	----	----	6.790B/6.411A	6.790B/6.411A	----	7.098	+	0.466	.6538	----	----	----	----	3	UNCH
7250	----	----	6.882B/6.158A	6.882B/6.158A	----	6.943	+	0.452	.6462	----	----	----	----	51	UNCH
7275	----	----	6.485B/6.142A	6.485B/6.142A	----	6.791	+	0.439	.6385	----	----	----	----	2	UNCH
7300	----	----	6.582B/5.956A	6.582B/5.956A	----	6.640	+	0.425	.6307	----	----	----	----	125	UNCH
7325	----	----	6.282B/5.900A	6.282B/5.900A	----	6.492	+	0.412	.6229	----	----	----	----	1	UNCH
7350	----	----	6.290B/5.706A	6.290B/5.706A	----	6.346	+	0.398	.6151	----	----	2	----	37	UNCH
7375	----	----	6.228B/5.454A	6.228B/5.454A	----	6.202	+	0.384	.6072	----	----	----	----	86	UNCH
7400	----	----	6.094B/5.327A	6.094B/5.327A	----	6.060	+	0.370	.5992	----	----	1	----	23	UNCH
7425	----	----	5.902B/5.220A	5.902B/5.220A	----	5.921	+	0.357	.5912	----	----	----	----	6	UNCH
7450	----	----	5.836B/5.100A	5.836B/5.100A	----	5.783	+	0.343	.5832	----	----	----	----	12	UNCH
7475	----	----	5.627B/4.981A	5.627B/4.981A	----	5.648	+	0.329	.5752	----	----	----	----	7	UNCH
7500	5.288	5.288	5.518B/4.864A	5.518B/4.864A	----	5.516	+	0.316	.5671	----	----	49	----	451	+ 30
7525	5.100	5.100	5.366B/4.748A	5.366B/4.748A	----	5.385	+	0.302	.5589	----	----	10	----	16	+ 5
7530	----	----	5.340B/4.740A	5.340B/4.740A	----	5.359	+	0.300	.5573	----	----	----	----	5	UNCH
7535	----	----	5.311B/4.715A	5.311B/4.715A	----	5.334	+	0.298	.5557	----	----	----	----	2	UNCH
7540	----	----	5.290B/4.691A	5.290B/4.691A	----	5.308	+	0.295	.5541	----	----	----	----	1	UNCH
7545	----	----	5.262B/4.677A	5.262B/4.677A	----	5.282	+	0.291	.5524	----	----	----	----	2	UNCH
7550	----	----	5.238B/4.650A	5.238B/4.650A	----	5.257	+	0.289	.5508	----	----	1	----	11	UNCH
7555	----	----	5.212B/4.631A	5.212B/4.631A	----	5.232	+	0.287	.5492	----	----	----	----	2	UNCH
7560	----	----	5.146B/4.654A	5.146B/4.654A	----	5.206	+	0.284	.5476	----	----	----	----	0	UNCH
7565	4.763	4.763	5.158B/4.570A	5.158B/4.570A	----	5.181		NEW	.5459	----	----	1	----	1	+ 1
7570	----	----	5.136B/4.554A	5.136B/4.554A	----	5.156	+	0.279	.5443	----	----	----	----	1	UNCH
7575	----	----	5.111B/4.533A	5.111B/4.533A	----	5.131	+	0.276	.5427	----	----	----	----	6	UNCH
7585	----	----	5.062B/4.488A	5.062B/4.488A	----	5.081	+	0.270	.5394	----	----	----	----	2	UNCH
7590	----	----	5.039B/4.465A	5.039B/4.465A	----	5.056	+	0.268	.5378	----	----	----	----	0	UNCH
7595	----	----	5.017B/4.449A	5.017B/4.449A	----	5.032	+	0.266	.5361	----	----	----	----	2	UNCH
7600	4.950	4.950	5.008B/4.424A	5.008B/4.424A	----	5.007	+	0.263	.5345	----	----	16	----	81	- 2
7605	----	----	4.964B/4.400A	4.964B/4.400A	----	4.983	+	0.260	.5329	----	----	----	----	1	UNCH
7610	4.567	4.567	4.938B/4.381A	4.938B/4.381A	----	4.958	+	0.257	.5312	----	----	1	----	0	- 1
7615	4.546	4.546	4.912B/4.365A	4.912B/4.365A	----	4.934	+	0.255	.5296	----	----	1	----	2	+ 1
7620	----	----	4.892B/4.368A	4.892B/4.368A	----	4.910	+	0.252	.5280	----	----	----	----	2	UNCH
7625	----	----	4.868B/4.318A	4.868B/4.318A	----	4.886	+	0.250	.5264	----	----	----	----	7	UNCH
7630	----	----	4.843B/4.298A	4.843B/4.298A	----	4.862	+	0.247	.5247	----	----	----	----	1	UNCH
7635	----	----	4.824B/4.279A	4.824B/4.279A	----	4.838	+	0.245	.5231	----	----	----	----	2	UNCH
7640	----	----	4.794B/4.257A	4.794B/4.257A	----	4.814	+	0.242	.5215	----	----	----	----	3	UNCH
7645	----	----	4.769B/4.238A	4.769B/4.238A	----	4.790	+	0.239	.5198	----	----	----	----	10	UNCH
7650	----	----	4.744B/4.224A	4.744B/4.224A	----	4.767	+	0.237	.5182	----	----	1	----	21	UNCH
7655	----	----	4.730B/4.197A	4.730B/4.197A	----	4.743	+	0.234	.5166	----	----	----	----	2	UNCH
7660	----	----	4.697B/4.174A	4.697B/4.174A	----	4.720	+	0.232	.5149	----	----	----	----	1	UNCH
7665	----	----	4.673B/4.154A	4.673B/4.154A	----	4.696	+	0.229	.5133	----	----	----	----	10	UNCH
7675	----	----	4.646B/4.124A	4.646B/4.124A	----	4.650	+	0.225	.5101	----	----	----	----	1	UNCH
7680	----	----	4.619B/4.099A	4.619B/4.099A	----	4.627	+	0.222	.5084	----	----	----	----	1	UNCH
7685	----	----	4.594B/4.075A	4.594B/4.075A	----	4.604	+	0.220	.5068	----	----	----	----	1	UNCH
7690	----	----	4.582B/4.051A	4.582B/4.051A	----	4.581	+	0.217	.5052	----	----	----	----	1	UNCH
7700	4.529	4.529	4.537B/4.012A	4.537B/4.012A	----	4.535	+	0.212	.5019	----	----	8	----	202	+ 2
7710	----	----	4.468B/3.976A	4.468B/3.976A	----	4.490	+	0.207	.4987	----	----	----	----	1	UNCH
7725	----	----	4.407B/3.924A	4.407B/3.924A	----	4.423	+	0.200	.4938	----	----	----	----	1	UNCH
7735	4.385	4.385	4.385/3.873A	4.385/3.873A	----	4.378		NEW	.4906	----	----	1	----	1	+ 1
7750	----	----	4.293B/3.827A	4.293B/3.827A	----	4.312	+	0.187	.4857	----	----	----	----	6	UNCH
7760	----	----	4.241B/3.785A	4.241B/3.785A	----	4.269	+	0.182	.4825	----	----	----	----	1	UNCH
7770	4.168	4.168	4.204B/3.757A	4.204B/3.757A	----	4.226		NEW	.4792	----	----	1	----	1	+ 1
7775	4.000	4.000	4.190B/3.746A	4.190B/3.746A	----	4.205	+	0.176	.4776	----	----	2	----	3	+ 2
7785	----	----	4.139B/3.700A	4.139B/3.700A	----	4.162	+	0.171	.4744	----	----	----	----	1	UNCH
7800	4.020	4.020	4.099B/3.643A	4.099B/3.643A	----	4.099	+	0.164	.4696	----	----	9	----	80	+ 9
7805	3.740	3.740	4.103B/3.626A	4.103B/3.626A	----	4.078	+	0.161	.4680	----	----	7	----	6	+ 5
7810	----	----	4.096B/3.616A	4.096B/3.616A	----	4.057	+	0.159	.4664	----	----	----	----	1	UNCH
7815	----	----	4.074B/3.589A	4.074B/3.589A	----	4.037	+	0.157	.4648	----	----	----	----	2	UNCH
7825	----	----	4.035B/3.565A	4.035B/3.565A	----	3.996	+	0.153	.4616	----	----	----	----	1	UNCH
7845	----	----	3.957B/3.487A	3.957B/3.487A	----	3.914	+	0.143	.4552	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
7850	----	----	3.942B/3.463A	3.942B/3.463A	----	3.894 + 0.141	.4536	----	----	16	----	29 + 14
7855	----	----	3.916B/3.437A	3.916B/3.437A	----	3.874 + 0.139	.4520	----	----	----	----	8 UNCH
7875	3.700	3.700	3.843B/3.393A	3.843B/3.393A	----	3.795 + 0.130	.4457	----	----	1	----	44 + 1
7900	3.320	3.320	3.738B/3.293A	3.738B/3.293A	----	3.699 + 0.120	.4378	----	----	4	----	35 + 2
7925	----	----	3.659B/3.204A	3.659B/3.204A	----	3.604 + 0.110	.4300	----	----	----	----	5 UNCH
7930	3.267	3.267	3.651B/3.187A	3.651B/3.187A	----	3.585 NEW	.4284	----	----	1	----	1 + 1
7940	----	----	3.614B/3.160A	3.614B/3.160A	----	3.548 + 0.103	.4253	----	----	----	----	2 UNCH
7945	----	----	3.596B/3.145A	3.596B/3.145A	----	3.530 + 0.102	.4238	----	----	----	----	1 UNCH
7950	3.220	3.220	3.581B/3.125A	3.581B/3.125A	----	3.511 + 0.099	.4222	----	----	26	----	17 + 12
7980	----	----	3.475B/3.042A	3.475B/3.042A	----	3.403 + 0.088	.4130	----	----	----	----	3 UNCH
7985	----	----	3.482B/3.027A	3.482B/3.027A	----	3.386 + 0.087	.4115	----	----	----	----	4 UNCH
7990	----	----	3.440B/3.005A	3.440B/3.005A	----	3.368 + 0.084	.4099	----	----	----	----	4 UNCH
7995	----	----	3.426B/2.994A	3.426B/2.994A	----	3.350 + 0.082	.4084	----	----	----	----	19 UNCH
8000	3.530	3.530	3.530/2.983A	3.530/2.983A	----	3.333 + 0.081	.4069	----	----	39	100	1419 - 23
8005	3.202	3.202	3.398B/2.967A	3.398B/2.967A	----	3.315 + 0.078	.4053	----	----	1	----	23 UNCH
8010	----	----	3.373B/2.951A	3.373B/2.951A	----	3.298 + 0.077	.4038	----	----	----	----	32 UNCH
8015	----	----	3.360B/2.937A	3.360B/2.937A	----	3.281 + 0.075	.4023	----	----	----	----	22 UNCH
8020	----	----	3.340B/2.922A	3.340B/2.922A	----	3.264 + 0.073	.4008	----	----	----	----	13 UNCH
8025	----	----	3.324B/2.901A	3.324B/2.901A	----	3.247 + 0.072	.3993	----	----	----	----	13 UNCH
8030	----	----	3.325B/2.886A	3.325B/2.886A	----	3.230 + 0.070	.3978	----	----	----	----	3 UNCH
8035	----	----	3.296B/2.878A	3.296B/2.878A	----	3.213 + 0.068	.3963	----	----	----	----	1 UNCH
8040	----	----	3.281B/2.864A	3.281B/2.864A	----	3.196 + 0.066	.3948	----	----	----	----	1 UNCH
8050	----	----	3.249B/2.828A	3.249B/2.828A	----	3.162 + 0.062	.3918	----	----	----	----	9 UNCH
8065	----	----	3.197B/2.793A	3.197B/2.793A	----	3.113 + 0.057	.3873	----	----	----	----	5 UNCH
8070	----	----	3.177B/2.779A	3.177B/2.779A	----	3.096 + 0.055	.3858	----	----	----	----	1 UNCH
8075	----	----	3.174B/2.765A	3.174B/2.765A	----	3.080 + 0.054	.3843	----	----	----	----	5 UNCH
8080	----	----	3.149B/2.744A	3.149B/2.744A	----	3.063 + 0.051	.3828	----	----	----	----	1 UNCH
8090	----	----	3.138B/2.723A	3.138B/2.723A	----	3.031 + 0.048	.3799	----	----	----	----	20 UNCH
8095	----	----	3.107B/2.703A	3.107B/2.703A	----	3.015 + 0.046	.3784	----	----	----	----	15 UNCH
8100	----	----	3.099B/2.689A	3.099B/2.689A	----	2.999 + 0.045	.3770	----	----	----	----	238 UNCH
8105	----	----	3.076B/2.675A	3.076B/2.675A	----	2.983 + 0.043	.3755	----	----	----	----	6 UNCH
8110	----	----	3.078B/2.662A	3.078B/2.662A	----	2.967 + 0.041	.3740	----	----	----	----	2 UNCH
8115	----	----	3.051B/2.655A	3.051B/2.655A	----	2.951 + 0.039	.3726	----	----	----	----	2 UNCH
8125	----	----	3.015B/2.622A	3.015B/2.622A	----	2.920 + 0.036	.3697	----	----	----	----	3 UNCH
8150	----	----	2.941B/2.563A	2.941B/2.563A	----	2.843 + 0.027	.3624	----	----	----	----	12 UNCH
8175	----	----	2.899B/2.498A	2.899B/2.498A	----	2.768 + 0.019	.3553	----	----	----	----	15 UNCH
8200	2.500	2.500	2.824B/2.429A	2.824B/2.429A	----	2.694 + 0.011	.3482	----	----	7	----	80 + 5
8210	----	----	2.800B/2.412A	2.800B/2.412A	----	2.666 + 0.009	.3454	----	----	----	----	4 UNCH
8225	----	----	2.787B/2.374A	2.787B/2.374A	----	2.623 + 0.004	.3413	----	----	----	----	4 UNCH
8230	----	----	2.777B/2.357A	2.777B/2.357A	----	2.609 + 0.002	.3399	----	----	----	----	1 UNCH
8235	----	----	2.776B/2.352A	2.776B/2.352A	----	2.595 + 0.001	.3385	----	----	----	----	1 UNCH
8240	----	----	2.835B/2.340A	2.835B/2.340A	----	2.581 - 0.001	.3371	----	----	----	----	1 UNCH
8250	----	----	2.808B/2.315A	2.808B/2.315A	----	2.553 - 0.004	.3344	----	----	----	----	94 UNCH
8255	----	----	2.794B/2.298A	2.794B/2.298A	----	2.540 - 0.005	.3330	----	----	----	----	3 UNCH
8265	----	----	2.738B/2.275A	2.738B/2.275A	----	2.512 - 0.008	.3303	----	----	----	----	1 UNCH
8270	----	----	2.753B/2.271A	2.753B/2.271A	----	2.499 - 0.009	.3289	----	----	----	----	6 UNCH
8275	----	----	2.740B/2.252A	2.740B/2.252A	----	2.485 - 0.011	.3276	----	----	----	----	5 UNCH
8280	----	----	2.727B/2.248A	2.727B/2.248A	----	2.472 - 0.012	.3262	----	----	----	----	2 UNCH
8290	----	----	2.700B/2.219A	2.700B/2.219A	----	2.446 - 0.014	.3236	----	----	----	----	10 UNCH
8300	2.389	2.389	2.673B/2.195A	2.673B/2.195A	----	2.419 - 0.018	.3209	----	----	9	----	122 - 5
8310	----	----	2.605B/2.182A	2.605B/2.182A	----	2.393 - 0.020	.3182	----	----	----	----	2 UNCH
8325	----	----	2.608B/2.148A	2.608B/2.148A	----	2.355 - 0.024	.3143	----	----	----	----	4 UNCH
8340	----	----	2.570B/2.117A	2.570B/2.117A	----	2.317 - 0.027	.3104	----	----	----	----	29 UNCH
8345	----	----	2.507B/2.105A	2.507B/2.105A	----	2.304 - 0.029	.3090	----	----	----	----	16 UNCH
8350	----	----	2.544B/2.096A	2.544B/2.096A	----	2.292 - 0.030	.3078	----	----	----	----	26 UNCH
8360	----	----	2.519B/2.076A	2.519B/2.076A	----	2.267 - 0.033	.3052	----	----	----	----	1 UNCH
8370	----	----	2.485B/2.055A	2.485B/2.055A	----	2.243 - 0.035	.3026	----	----	----	----	1 UNCH
8375	----	----	2.477B/2.040A	2.477B/2.040A	----	2.231 - 0.036	.3014	----	----	----	----	4 UNCH
8400	2.162	2.162	2.421B/1.984A	2.421B/1.984A	----	2.171 - 0.042	.2950	----	----	9	----	31 + 1
8420	----	----	2.374B/1.949A	2.374B/1.949A	----	2.125 - 0.046	.2901	----	----	----	----	3 UNCH
8425	----	----	2.362B/1.939A	2.362B/1.939A	----	2.113 - 0.047	.2888	----	----	----	----	6 UNCH
8435	----	----	2.325B/1.921A	2.325B/1.921A	----	2.091 - 0.049	.2864	----	----	----	----	1 UNCH
8440	----	----	2.326B/1.908A	2.326B/1.908A	----	2.079 - 0.051	.2851	----	----	----	----	1 UNCH
8450	----	----	2.303B/1.888A	2.303B/1.888A	----	2.057 - 0.052	.2827	----	----	----	----	140 UNCH
8460	----	----	2.243B/1.874A	2.243B/1.874A	----	2.035 - 0.054	.2803	----	----	----	----	1 UNCH
8465	----	----	2.270B/1.860A	2.270B/1.860A	----	2.024 - 0.055	.2791	----	----	----	----	1 UNCH
8475	1.829	1.829	2.242B/1.829	2.242B/1.829	----	2.002 NEW	.2767	----	----	1	----	1 + 1
8485	1.810	1.810	2.226B/1.810	2.226B/1.810	----	1.981 NEW	.2743	----	----	1	----	1 + 1
8490	----	----	2.192B/1.814A	2.192B/1.814A	----	1.970 - 0.060	.2731	----	----	----	----	2 UNCH
8500	1.985	1.985	2.193B/1.790	2.193B/1.790	----	1.949 - 0.061	.2708	----	----	102	----	740 + 49
8505	----	----	2.179B/1.786A	2.179B/1.786A	----	1.939 - 0.062	.2697	----	----	----	----	4 UNCH
8510	----	----	2.171B/1.777A	2.171B/1.777A	----	1.928 - 0.063	.2685	----	----	----	----	2 UNCH
8515	----	----	2.155B/1.769A	2.155B/1.769A	----	1.918 - 0.064	.2673	----	----	----	----	1 UNCH
8525	----	----	2.104B/1.749A	2.104B/1.749A	----	1.897 - 0.066	.2650	----	----	----	----	23 UNCH
8535	----	----	2.116B/1.731A	2.116B/1.731A	----	1.877 - 0.067	.2627	----	----	----	----	1 UNCH
8540	----	----	2.075B/1.724A	2.075B/1.724A	----	1.867 - 0.068	.2616	----	----	----	----	6 UNCH
8545	1.847	1.847	2.095B/1.715A	2.095B/1.715A	----	1.857 - 0.069	.2604	----	----	1	----	3 + 1
8550	----	----	2.087B/1.715A	2.087B/1.715A	----	1.847 - 0.069	.2593	----	----	----	----	8 UNCH
8565	----	----	2.051B/1.685A	2.051B/1.685A	----	1.817 - 0.072	.2559	----	----	----	----	10 UNCH
8570	----	----	2.046B/1.673A	2.046B/1.673A	----	1.807 - 0.073	.2548	----	----	----	----	4 UNCH
8575	----	----	2.030B/1.664A	2.030B/1.664A	----	1.798 - 0.073	.2537	----	----	----	----	34 UNCH
8590	----	----	2.005B/1.637A	2.005B/1.637A	----	1.769 - 0.076	.2504	----	----	----	----	1 UNCH
8600	1.670	1.670	1.981B/1.624A	1.981B/1.624A	----	1.750 - 0.077	.2482	----	----	3	----	251 UNCH
8605	----	----	1.959B/1.614A	1.959B/1.614A	----	1.741 - 0.077	.2471	----	----	----	----	3 UNCH
8615	----	----	1.957B/1.597A	1.957B/1.597A	----	1.722 - 0.079	.2449	----	----	----	----	1 UNCH
8620	----	----	1.926B/1.591A	1.926B/1.591A	----	1.713 - 0.080	.2439	----	----	----	----	2 UNCH
8640	----	----	1.893B/1.558A	1.893B/1.558A	----	1.677 - 0.082	.2396	----	----	----	----	1 UNCH
8650	----	----	1.886B/1.552A	1.886B/1.552A	----	1.659 - 0.083	.2375	----	----	----	----	11 UNCH
8660	----	----	1.872B/1.526A	1.872B/1.526A	----	1.641 - 0.085	.2354	----	----	----	----	2 UNCH
8670	----	----	1.853B/1.511A	1.853B/1.511A	----	1.624 - 0.085	.2334	----	----	----	----	1 UNCH
8675	----	----	1.840B/1.504A	1.840B/1.504A	----	1.615 - 0.086	.2323	----	----	----	----	1 UNCH
8695	----	----	1.801B/1.474A	1.801B/1.474A	----	1.581 - 0.088	.2282	----	----	----	----	2 UNCH
8700	----	----	1.798B/1.471A	1.798B/1.471A	----	1.573 - 0.088	.2273	----	----	----	----	75 UNCH
8705	1.522	1.522	1.771B/1.461A	1.771B/1.461A	----	1.565 - 0.088	.2263	----	----	1	----	17 + 1
8725	1.491	1.491	1.755B/1.432A	1.755B/1.432A	----	1.532 NEW	.2223	----	----	1	----	1 + 1
8750	----	----	1.712B/1.397A	1.712B/1.397A	----	1.492 - 0.092	.2174	----	----	11	----	42 + 11
8775	----	----	1.671B/1.363A	1.671B/1.363A	----	1.453 - 0.094	.2126	----	----	----	----	26 UNCH
8800	----	----	1.631B/1.335A	1.631B/1.335A	----	1.415 - 0.096	.2079	----	----	2	----	628 + 2
8850	----	----	1.514B/1.275A	1.514B/1.275A	----	1.343 - 0.099	.1989	----	----	----	----	3 UNCH
8875	----	----	1.515B/1.237A	1.515B/1.237A	----	1.309 - 0.100	.1945	----	----	----	----	3 UNCH
8900	1.206	1.206	1.480B/1.206	1.480B/1.206	----	1.276 - 0.100	.1903	----	----	1	----	116 UNCH
8925	----	----	1.427B/1.183A	1.427B/1.183A	----	1.243 - 0.102	.1860	----	----	----	----	4 UNCH
8950	----	----	1.411B/1.157A	1.411B/1.157A	----	1.212 - 0.102	.1820	----	----	11	----	59 + 11
8975	----	----	1.378B/1.131A	1.378B/1.131A	----	1.181 - 0.103	.1779	----	----	----	----	24 UNCH
9000	1.259	1.259	1.344B/1.060	1.344B/1.060	----	1.152 - 0.103	.1741	----	----	73	50	1229 + 12
9025	----	----	1.313B/1.077A	1.313B/1.077A	----	1.123 - 0.104	.1703	----	----	----	----	6 UNCH
9050	----	----	1.269B/1.051A	1.269B/1.051A	----	1.095 - 0.104	.1665	----	----	----	----	17 UNCH
9075	----	----	1.252B/1.026A	1.252B/1.026A	----	1.069 - 0.103	.1630	----	----	----	----	6 UNCH
9100	----	----	1.208B/1.001A	1.208B/1.001A	----	1.043 - 0.103	.1594	----	----	5	----	78 - 5
9125	----	----	1.195B/0.978A	1.195B/0.978A	----	1.017 - 0.103	.1559	----	----	----	----	5 UNCH
9150	1.025	1.025	1.145B/0.954A	1.145B/0.954A	----	0.993 - 0.103	.1526	----	----	5	----	28 + 4
9175	----	----	1.130B/0.932A	1.130B/0.932A	----	0.969 - 0.103	.1493	----	----	----	----	8 UNCH
9200	----	----	1.113B/0.910A	1.113B/0.910A	----	0.946 - 0.102	.1461	----	----	10	----	166 + 10
9225	----	----	1.087B/0.889A	1.087B/0.889A	----	0.924 - 0.101	.1430	----	----	----	----	15 UNCH
9250	0.894	0.894	1.064B/0.882A	1.064B/0.882A	----	0.902 - 0.101	.1399	----	----	1	----	69 + 1
9275	----	----	1.034B/0.863A	1.034B/0.863A	----	0.881 - 0.101	.1369	----	----	----	----	29 UNCH
9300	0.847	0.847	1.004B/0.844A	1.004B/0.844A	----	0.861 - 0.100	.1340	----	----	2	----	196 UNCH
9325	----	----	0.992B/0.826A	0.992B/0.826A	----	0.842 - 0.098	.1313	----	----	----	----	5 UNCH
9350	----	----	0.971B/0.809A	0.971B/0.809A	----	0.823 - 0.098	.1286	----	----	----	----	30 UNCH
9375	----	----	0.949B/0.791A	0.949B/0.791A	----	0.804 - 0.097	.1258	----	----	----	----	12 UNCH
9400	----	----	0.928B/0.775A	0.928B/0.775A	----	0.787 - 0.096	.1233	----	----	----	----	40 UNCH
9425	----	----	0.906B/0.759A	0.906B/0.759A	----	0.769 - 0.095	.1207	----	----	----	----	8 UNCH
9450	----	----	0.887B/0.740A	0.887B/0.740A	----	0.753 - 0.094	.1183	----	----	----	----	16 UNCH
9475	----	----	0.867B/0.725A	0.867B/0.725A	----	0.737 - 0.093	.1159	----	----	----	----	3 UNCH
9500	0.750	0.750	0.845B/0.712A	0.845B/0.712A	----	0.721 - 0.092	.1136	----	----	22	50	851 + 2
9525	----	----	0.835B/0.695A	0.835B/0.695A	----	0.706 - 0.091	.1113	----	----	----	----	23 UNCH
9550	----	----	0.821B/0.684A	0.821B/0.684A	----	0.691 - 0.090	.1091	----	----	----	----	32 UNCH
9575	----	----	0.794B/0.669A	0.794B/0.669A	----	0.677 - 0.089	.1069	----	----	----	----	4 UNCH
9600	----	----	0.784B/0.656A	0.784B/0.656A	----	0.663 - 0.088	.1048	----	----	1	----	125 UNCH
9625	----	----	0.761B/0.644A	0.761B/0.644A	----	0.649 - 0.087	.1027	----	----	----	----	6 UNCH
9650	----	----	0.752B/0.633A	0.752B/0.633A	----	0.636 - 0.086	.1007	----	----	----	----	14 UNCH
9675	----	----	0.735B/0.620A	0.735B/0.620A	----	0.624 - 0.084	.0989	----	----	----	----	13 UNCH
9700	----	----	0.717B/0.607A	0.717B/0.607A	----	0.611 - 0.084	.0969	----	----	1	----	17 UNCH
9725	----	----	0.700B/0.596A	0.700B/0.596A	----	0.599 - 0.083	.0950	----	----	----	----	9 UNCH
9750	----	----	0.686B/0.585A	0.686B/0.585A	----	0.587 - 0.082	.0932	----	----	----	----	78 UNCH
9775	----	----	0.672B/0.572A	0.672B/0.572A	----	0.576 - 0.080	.0915	----	----	----	----	2 UNCH
9800	----	----	0.658B/0.561A	0.658B/0.561A	----	0.565 - 0.079	.0898	----	----	1	----	101 UNCH
9825	----	----	0.645B/0.552A	0.645B/0.552A	----	0.554 - 0.078	.0881	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
9850	----	----	0.632B/0.541A	0.632B/0.541A	----	0.543 - 0.078	.0864	----	----	----	----	20 UNCH
9875	----	----	0.619B/0.532A	0.619B/0.532A	----	0.532 - 0.077	.0847	----	----	----	----	11 UNCH
9900	----	----	0.607B/0.521A	0.607B/0.521A	----	0.522 - 0.076	.0831	----	----	3	----	246 UNCH
9925	----	----	0.592B/0.513A	0.592B/0.513A	----	0.512 - 0.075	.0816	----	----	----	----	2 UNCH
9950	----	----	0.580B/0.504A	0.580B/0.504A	----	0.503 - 0.074	.0801	----	----	----	----	26 UNCH
9975	----	----	0.568B/0.496A	0.568B/0.496A	----	0.493 - 0.074	.0786	----	----	----	----	2 UNCH
10000	0.550	0.550	0.559B/0.487A	0.559B/0.487A	----	0.484 - 0.073	.0772	----	----	24	----	1065 + 15
10025	----	----	0.549B/0.478A	0.549B/0.478A	----	0.475 - 0.072	.0757	----	----	----	----	2 UNCH
10050	----	----	----/0.471A	0.533B/0.471A	----	0.467 - 0.070	.0744	----	----	----	----	22 UNCH
10075	----	----	----/0.461A	0.526B/0.461A	----	0.458 - 0.070	.0731	----	----	----	----	4 UNCH
10100	----	----	----/0.454A	0.518B/0.454A	----	0.450 - 0.069	.0718	----	----	----	----	78 UNCH
10125	----	----	----/0.446A	0.509B/0.446A	----	0.442 - 0.068	.0705	----	----	----	----	1 UNCH
10150	----	----	----/0.439A	0.499B/0.439A	----	0.434 - 0.068	.0692	----	----	----	----	1 UNCH
10175	----	----	----/0.432A	0.483B/0.432A	----	0.427 - 0.066	.0681	----	----	----	----	1 UNCH
10200	----	----	----/0.423A	0.479B/0.423A	----	0.420 - 0.065	.0669	----	----	----	----	34 UNCH
10225	----	----	----/0.418A	0.472B/0.418A	----	0.413 - 0.064	.0658	----	----	----	----	1 UNCH
10250	----	----	----/0.410A	0.462B/0.410A	----	0.406 - 0.063	.0647	----	----	----	----	5 UNCH
10275	----	----	----/0.404A	0.454B/0.404A	----	0.399 - 0.063	.0636	----	----	----	----	4 UNCH
10300	----	----	----/0.397A	0.444B/0.397A	----	0.392 - 0.062	.0624	----	----	----	----	209 UNCH
10305	----	----	----/*0.395A	0.444B/*0.395A	----	0.391 - 0.062	.0623	----	----	----	----	2 UNCH
10325	----	----	----/*0.391A	0.437B/*0.391A	----	0.386 - 0.061	.0615	----	----	----	----	1 UNCH
10350	----	----	----/0.385A	0.428B/0.385A	----	0.380 - 0.060	.0605	----	----	----	----	3 UNCH
10375	----	----	----/0.379A	0.423B/0.379A	----	0.374 - 0.059	.0595	----	----	----	----	1 UNCH
10400	----	----	----/0.374A	0.415B/0.374A	----	0.368 - 0.059	.0585	----	----	----	----	27 UNCH
10425	----	----	----/*0.368A	0.408B/*0.368A	----	0.362 - 0.058	.0575	----	----	----	----	19 UNCH
10450	----	----	----/*0.363A	0.400B/*0.363A	----	0.357 - 0.057	.0567	----	----	----	----	4 UNCH
10480	----	----	----/*0.356A	0.363B/*0.356A	----	0.350 - 0.056	.0556	----	----	----	----	2 UNCH
10485	----	----	----/*0.357A	0.367B/0.357A	----	0.349 - 0.056	.0554	----	----	----	----	2 UNCH
10490	----	----	----/*0.357A	0.358B/*0.357A	----	0.348 - 0.056	.0552	----	----	----	----	1 UNCH
10500	0.360	0.360	0.360/0.350	0.360/0.350	----	0.346 - 0.056	.0549	----	----	17	----	324 + 2
10515	----	----	----/*0.350A	0.351B/*0.350A	----	0.343 - 0.055	.0544	----	----	----	----	7 UNCH
10520	----	----	----/*0.352A	0.350B/0.352A	----	0.342 - 0.055	.0542	----	----	----	----	2 UNCH
10550	----	----	----/*0.342A	0.344B/*0.342A	----	0.336 - 0.054	.0532	----	----	----	----	2 UNCH
10555	----	----	----/*0.344A	0.342B/*0.344A	----	0.335 - 0.054	.0531	----	----	----	----	1 UNCH
10560	0.350	0.350	0.350/0.340	0.350/0.340	----	0.334 - 0.054	.0529	----	----	3	----	11 + 1
10570	----	----	----/*0.341A	0.340B/*0.341A	----	0.332 - 0.053	.0526	----	----	----	----	1 UNCH
10575	----	----	----/0.338A	0.339B/0.338A	----	0.331 - 0.053	.0524	----	----	----	----	1 UNCH
10580	----	----	----/0.336A	0.337B/0.336A	----	0.330 - 0.053	.0522	----	----	----	----	1 UNCH
10595	----	----	----/*0.333A	0.334B/*0.333A	----	0.327 - 0.053	.0517	----	----	----	----	2 UNCH
10600	----	----	----/0.333A	0.334B/0.333A	----	0.326 - 0.053	.0516	----	----	----	----	23 UNCH
10605	----	----	----/0.332A	0.332B/0.332A	----	0.325 - 0.053	.0514	----	----	----	----	5 UNCH
10610	----	----	----/*0.330A	0.330B/0.330A	----	0.324 - 0.053	.0513	----	----	----	----	1 UNCH
10615	----	----	----/*0.329A	0.329B/*0.329A	----	0.323 - 0.053	.0511	----	----	----	----	1 UNCH
10625	----	----	----/*0.329A	0.327B/*0.329A	----	0.322 - 0.051	.0509	----	----	----	----	1 UNCH
10630	----	----	----/*0.326A	0.327B/*0.326A	----	0.321 - 0.051	.0507	----	----	----	----	1 UNCH
10650	----	----	----/*0.324A	0.323B/*0.324A	----	0.317 - 0.051	.0501	----	----	----	----	1 UNCH
10655	----	----	----/*0.322A	0.321B/*0.322A	----	0.316 - 0.051	.0499	----	----	----	----	1 UNCH
10670	----	----	----/*0.321A	0.306B/*0.321A	----	0.314 - 0.050	.0495	----	----	----	----	1 UNCH
10675	----	----	----/*0.320A	0.305B/*0.320A	----	0.313 - 0.050	.0494	----	----	----	----	3 UNCH
10680	----	----	----/*0.318A	0.304B/*0.318A	----	0.312 - 0.050	.0492	----	----	----	----	7 UNCH
10685	----	----	----/*0.317A	0.303B/*0.317A	----	0.311 - 0.050	.0491	----	----	----	----	1 UNCH
10690	----	----	----/*0.318A	0.302B/*0.318A	----	0.310 - 0.050	.0489	----	----	----	----	1 UNCH
10700	----	----	----/*0.320A	0.300B/*0.320A	----	0.308 - 0.050	.0486	----	----	----	----	119 UNCH
10720	----	----	----/*0.321A	0.296B/0.321A	----	0.305 - 0.049	.0481	----	----	----	----	1 UNCH
10725	----	----	----/*0.322A	0.295B/*0.322A	----	0.304 - 0.049	.0479	----	----	----	----	3 UNCH
10750	----	----	----/*0.324A	0.290B/*0.324A	----	0.300 - 0.048	.0472	----	----	----	----	1 UNCH
10755	----	----	----/*0.325A	0.290B/*0.325A	----	0.299 - 0.049	.0471	----	----	----	----	1 UNCH
10760	----	----	----/*0.324A	0.289B/*0.324A	----	0.299 - 0.048	.0470	----	----	----	----	10 UNCH
10765	----	----	----/*0.322A	0.287B/*0.322A	----	0.298 - 0.048	.0469	----	----	----	----	10 UNCH
10770	----	----	----/*0.319A	0.286B/*0.319A	----	0.297 - 0.048	.0467	----	----	----	----	1 UNCH
10800	----	----	----/0.314A	0.281B/0.314A	----	0.292 - 0.047	.0459	----	----	----	----	21 UNCH
10825	----	----	----/*0.311A	0.277B/*0.311A	----	0.288 - 0.047	.0452	----	----	----	----	1 UNCH
10835	----	----	----/*0.307A	0.276B/*0.307A	----	0.287 - 0.046	.0450	----	----	----	----	1 UNCH
10850	----	----	----/*0.307A	0.272B/*0.307A	----	0.285 - 0.045	.0447	----	----	----	----	12 UNCH
10855	----	----	----/*0.305A	0.273B/*0.305A	----	0.284 - 0.046	.0445	----	----	----	----	3 UNCH
10875	----	----	----/*0.301A	0.271B/*0.301A	----	0.281 - 0.045	.0440	----	----	----	----	2 UNCH
10900	----	----	----/*0.304A	0.264B/*0.304A	----	0.278 - 0.044	.0435	----	----	----	----	40 UNCH
10925	----	----	----/*0.299A	0.263B/*0.299A	----	0.274 - 0.044	.0428	----	----	----	----	5 UNCH
10950	----	----	----/*0.296A	0.259B/*0.296A	----	0.271 - 0.043	.0423	----	----	----	----	2 UNCH
10975	----	----	----/*0.292A	0.254B/*0.292A	----	0.267 - 0.043	.0417	----	----	----	----	9 UNCH
11000	0.280	0.280	0.280/0.253	0.280/0.253	----	0.264 - 0.042	.0411	----	----	13	----	697 + 1
11025	----	----	----/*0.283A	0.247B/*0.283A	----	0.261 - 0.042	.0406	----	----	----	----	5 UNCH
11050	----	----	----/*0.282A	0.247B/*0.282A	----	0.258 - 0.041	.0401	----	----	----	----	2 UNCH
11075	----	----	----/*0.279A	0.242B/*0.279A	----	0.255 - 0.040	.0396	----	----	----	----	1 UNCH
11100	----	----	----/0.275A	0.238B/0.275A	----	0.252 - 0.040	.0391	----	----	----	----	59 UNCH
11125	----	----	----/*0.270A	0.235B/*0.270A	----	0.249 - 0.040	.0386	----	----	----	----	3 UNCH
11150	----	----	----/*0.267A	0.233B/*0.267A	----	0.246 - 0.039	.0381	----	----	----	----	2 UNCH
11200	----	----	----/*0.263A	0.227B/*0.263A	----	0.241 - 0.038	.0372	----	----	----	----	262 UNCH
11225	----	----	----/0.260A	0.224B/0.260A	----	0.238 - 0.038	.0367	----	----	----	----	40 UNCH
11240	----	----	----/*0.263A	0.223B/*0.263A	----	0.236 - 0.038	.0364	----	----	----	----	2 UNCH
11245	----	----	----/*0.256A	0.223B/*0.256A	----	0.236 - 0.037	.0364	----	----	----	----	2 UNCH
11250	----	----	----/*0.256A	0.223B/*0.256A	----	0.235 - 0.038	.0362	----	----	----	----	22 UNCH
11255	----	----	----/*0.256A	0.221B/*0.256A	----	0.235 - 0.037	.0362	----	----	----	----	1 UNCH
11260	----	----	----/*0.255A	0.222B/*0.255A	----	0.234 - 0.037	.0360	----	----	----	----	1 UNCH
11265	----	----	----/*0.253A	0.220B/*0.253A	----	0.234 - 0.037	.0360	----	----	----	----	1 UNCH
11275	----	----	----/*0.252A	0.220B/*0.252A	----	0.233 - 0.036	.0358	----	----	----	----	1 UNCH
11290	----	----	----/*0.252A	0.218B/*0.252A	----	0.231 - 0.037	.0355	----	----	----	----	1 UNCH
11300	----	----	----/*0.251A	0.217B/*0.251A	----	0.230 - 0.037	.0354	----	----	----	----	93 UNCH
11305	----	----	----/0.250A	0.216B/0.250A	----	0.230 - 0.036	.0353	----	----	----	----	1 UNCH
11315	----	----	----/*0.249A	0.216B/*0.249A	----	0.229 - 0.036	.0352	----	----	----	----	1 UNCH
11325	----	----	----/*0.248A	0.214B/*0.248A	----	0.228 - 0.036	.0350	----	----	----	----	8 UNCH
11335	----	----	----/*0.247A	0.214B/*0.247A	----	0.227 - 0.035	.0348	----	----	----	----	2 UNCH
11345	----	----	----/*0.244A	0.212B/*0.244A	----	0.226 - 0.035	.0346	----	----	----	----	1 UNCH
11350	----	----	----/*0.245A	0.212B/*0.245A	----	0.226 - 0.035	.0346	----	----	----	----	4 UNCH
11365	----	----	----/*0.245A	0.210B/*0.245A	----	0.224 - 0.035	.0343	----	----	----	----	1 UNCH
11370	----	----	----/*0.243A	0.208B/*0.243A	----	0.224 - 0.035	.0343	----	----	----	----	2 UNCH
11380	----	----	----/*0.241A	0.207B/*0.241A	----	0.223 - 0.034	.0341	----	----	----	----	3 UNCH
11385	----	----	----/*0.242A	0.207B/*0.242A	----	0.222 - 0.035	.0340	----	----	----	----	1 UNCH
11400	----	----	----/0.238A	0.207B/0.238A	----	0.221 - 0.034	.0338	----	----	----	----	10 UNCH
11450	----	----	----/*0.236A	0.202B/*0.236A	----	0.216 - 0.034	.0329	----	----	----	----	41 UNCH
11455	----	----	----/*0.231A	0.201B/*0.231A	----	0.216 - 0.033	.0329	----	----	----	----	1 UNCH
11465	----	----	----/*0.233A	0.200B/*0.233A	----	0.215 - 0.033	.0328	----	----	----	----	1 UNCH
11475	----	----	----/*0.231A	0.199B/*0.231A	----	0.214 - 0.033	.0326	----	----	----	----	1 UNCH
11480	----	----	----/*0.235A	0.198B/*0.235A	----	0.214 - 0.033	.0326	----	----	----	----	1 UNCH
11485	----	----	----/*0.231A	0.197B/*0.231A	----	0.213 - 0.033	.0324	----	----	----	----	2 UNCH
11500	----	----	----/0.228A	0.197B/0.228A	----	0.212 - 0.033	.0322	----	----	----	----	251 UNCH
11505	----	----	----/0.229A	0.195B/0.229A	----	0.212 - 0.032	.0322	----	----	----	----	2 UNCH
11515	----	----	----/*0.229A	0.195B/*0.229A	----	0.211 - 0.032	.0321	----	----	----	----	2 UNCH
11525	----	----	----/*0.226A	0.193B/*0.226A	----	0.210 - 0.032	.0319	----	----	----	----	7 UNCH
11530	----	----	----/*0.228A	0.193B/*0.228A	----	0.209 - 0.033	.0318	----	----	----	----	10 UNCH
11540	----	----	----/*0.228A	0.192B/*0.228A	----	0.209 - 0.032	.0317	----	----	----	----	10 UNCH
11550	----	----	----/*0.223A	0.192B/*0.223A	----	0.208 - 0.032	.0315	----	----	----	----	22 UNCH
11570	----	----	----/*0.225A	0.190B/*0.225A	----	0.206 - 0.032	.0312	----	----	----	----	1 UNCH
11575	----	----	----/*0.224A	0.190B/*0.224A	----	0.206 - 0.032	.0312	----	----	----	----	1 UNCH
11595	----	----	----/*0.222A	0.188B/*0.222A	----	0.204 - 0.032	.0309	----	----	----	----	1 UNCH
11600	----	----	----/*0.221A	0.188B/*0.221A	----	0.204 - 0.031	.0309	----	----	----	----	43 UNCH
11615	----	----	----/*0.221A	0.187B/*0.221A	----	0.202 - 0.032	.0306	----	----	----	----	1 UNCH
11625	----	----	----/*0.221A	0.186B/*0.221A	----	0.202 - 0.031	.0305	----	----	----	----	2 UNCH
11630	----	----	----/*0.222A	0.183B/*0.222A	----	0.201 - 0.031	.0304	----	----	----	----	1 UNCH
11640	----	----	----/*0.220A	0.185B/*0.220A	----	0.201 - 0.031	.0303	----	----	----	----	1 UNCH
11650	----	----	----/*0.219A	0.182B/*0.219A	----	0.200 - 0.031	.0302	----	----	----	----	2 UNCH
11665	----	----	----/*0.218A	0.183B/*0.218A	----	0.199 - 0.030	.0300	----	----	----	----	1 UNCH
11685	----	----	----/*0.216A	0.181B/*0.216A	----	0.197 - 0.031	.0297	----	----	----	----	1 UNCH
11690	----	----	----/*0.216A	0.181B/*0.216A	----	0.197 - 0.030	.0297	----	----	----	----	1 UNCH
11700	----	----	----/*0.215A	0.180B/*0.215A	----	0.196 - 0.030	.0295	----	----	----	----	85 UNCH
11705	----	----	----/*0.216A	0.179B/*0.216A	----	0.196 - 0.030	.0295	----	----	----	----	1 UNCH
11725	----	----	----/*0.213A	0.178B/*0.213A	----	0.194 - 0.030	.0292	----	----	----	----	6 UNCH
11730	----	----	----/*0.213A	0.177B/*0.213A	----	0.194 - 0.030	.0291	----	----	----	----	1 UNCH
11750	----	----	----/*0.210A	0.176B/*0.210A	----	0.192 - 0.030	.0288	----	----	----	----	5 UNCH
11775	----	----	----/*0.209A	0.174B/*0.209A	----	0.191 - 0.029	.0286	----	----	----	----	2 UNCH
11800	----	----	----/0.206A	0.170B/0.206A	----	0.189 - 0.029	.0283	----	----	----	----	64 UNCH
11825	----	----	----/*0.205A	0.169B/*0.205A	----	0.187 - 0.029	.0280	----	----	----	----	2 UNCH
11850	----	----	----/*0.203A	0.169B/*0.203A	----	0.185 - 0.029	.0276	----	----	----	----	3 UNCH
11900	----	----	----/0.199A	0.165B/0.199A	----	0.182 - 0.028	.0271	----	----	----	----	86 UNCH
11925	----	----	----/*0.189A	0.162B/*0.189A	----	0.180 - 0.028	.0268	----	----	----	----	2 UNCH
11950	----	----	----/*0.187A	0.159B/*0.187A	----	0.179 - 0.028	.0266	----	----	----	----	5 UNCH
11975	----	----	----/*0.188A	0.160B/*0.188A	----	0.177 - 0.028	.0263	----	----	----	----	4 UNCH
12000	----	----	----/0.189A	0.159B/0.189A	----	0.176 - 0.027	.0261	----	----	----	----	843 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
12025	----	----	----/*0.191A	0.155B/*0.191A	----	0.174 - 0.027	.0258	----	----	----	----	1 UNCH
12050	----	----	----/*0.189A	0.155B/*0.189A	----	0.173 - 0.027	.0256	----	----	----	----	1 UNCH
12075	----	----	----/*0.187A	0.151B/*0.187A	----	0.171 - 0.027	.0252	----	----	----	----	1 UNCH
12100	----	----	----/*0.186A	0.149B/*0.186A	----	0.170 - 0.026	.0251	----	----	----	----	17 UNCH
12125	----	----	----/*0.182A	0.148B/*0.182A	----	0.168 - 0.027	.0247	----	----	----	----	1 UNCH
12150	----	----	----/0.182A	0.145B/0.182A	----	0.167 - 0.026	.0246	----	----	----	----	13 UNCH
12175	----	----	----/*0.179A	0.145B/*0.179A	----	0.166 - 0.026	.0244	----	----	----	----	1 UNCH
12200	----	----	----/*0.180A	0.142B/*0.180A	----	0.164 - 0.026	.0241	----	----	----	----	4 UNCH
12225	----	----	----/*0.176A	0.141B/*0.176A	----	0.163 - 0.026	.0239	----	----	----	----	2 UNCH
12250	----	----	----/*0.177A	0.139B/*0.177A	----	0.162 - 0.025	.0237	----	----	----	----	3 UNCH
12300	0.147	0.147	0.179/*0.146	0.179/*0.146	----	0.159 - 0.025	.0232	----	----	93	----	118 - 22
12350	----	----	----/*0.171A	0.135B/*0.171A	----	0.157 - 0.025	.0228	----	----	----	----	2 UNCH
12375	----	----	----/*0.170A	0.132B/*0.170A	----	0.155 - 0.025	.0225	----	----	----	----	1 UNCH
12400	----	----	----/*0.169A	0.131B/*0.169A	----	0.154 - 0.025	.0223	----	----	----	----	12 UNCH
12450	----	----	----/*0.167A	0.129B/*0.167A	----	0.152 - 0.024	.0220	----	----	----	----	5 UNCH
12500	0.164	0.164	0.164/0.164	0.164/0.164	----	0.149 - 0.025	.0215	----	----	4	----	331 + 2
12525	----	----	----/*0.163A	0.125B/*0.163A	----	0.148 - 0.025	.0213	----	----	----	----	2 UNCH
12550	----	----	----/*0.161A	0.124B/*0.161A	----	0.147 - 0.024	.0212	----	----	----	----	3 UNCH
12600	0.161	0.161	0.161/*0.155A	0.161/*0.155A	----	0.145 - 0.024	.0208	----	----	1	----	30 + 1
12650	----	----	----/*0.157A	0.119B/*0.157A	----	0.143 - 0.024	.0205	----	----	----	----	3 UNCH
12675	----	----	----/*0.156A	0.118B/*0.156A	----	0.142 - 0.024	.0203	----	----	----	----	3 UNCH
12700	----	----	----/*0.155A	0.117B/*0.155A	----	0.141 - 0.024	.0201	----	----	----	----	5 UNCH
12725	----	----	----/*0.154A	0.116B/*0.154A	----	0.140 - 0.024	.0200	----	----	----	----	1 UNCH
12775	----	----	----/*0.152A	0.112B/*0.152A	----	0.138 - 0.024	.0196	----	----	----	----	2 UNCH
12800	----	----	----/*0.150A	0.111B/*0.150A	----	0.137 - 0.024	.0195	----	----	----	----	30 UNCH
12900	----	----	----/*0.146A	0.129B/*0.146A	----	0.133 - 0.024	.0188	----	----	----	----	73 UNCH
13000	0.111	0.111	0.121/*0.111	0.121/*0.111	----	0.130 - 0.023	.0183	----	----	6	----	262 + 3
13100	----	----	----/*0.137A	0.099B/*0.137A	----	0.126 - 0.024	.0176	----	----	----	----	3 UNCH
13200	----	----	----	0.045B/0.148A	----	0.123 - 0.024	.0171	----	----	----	----	44 UNCH
13300	----	----	----	0.042B/*0.159A	----	0.120 - 0.024	.0166	----	----	----	----	3 UNCH
13400	----	----	----	0.038B/*0.156A	----	0.117 - 0.024	.0161	----	----	----	----	3 UNCH
13500	----	----	----	0.035B/*0.153A	----	0.114 - 0.025	.0156	----	----	----	----	64 UNCH
13600	----	----	----/0.135A	0.032B/0.135A	----	0.111 - 0.025	.0152	----	----	----	----	19 UNCH
13700	----	----	----	0.029B/*0.148A	----	0.109 - 0.025	.0148	----	----	----	----	76 UNCH
13800	----	----	----	0.026B/*0.144A	----	0.107 - 0.025	.0145	----	----	----	----	39 UNCH
13900	----	----	----	0.024B/0.139A	----	0.104 - 0.026	.0140	----	----	----	----	4 UNCH
14000	----	----	----	0.064B/0.140A	----	0.102 - 0.026	.0137	----	----	----	----	400 UNCH
14100	----	----	----	0.021B/0.130A	----	0.100 - 0.026	.0133	----	----	----	----	27 UNCH
14200	----	----	----	0.018B/*0.133A	----	0.098 - 0.027	.0130	----	----	----	----	41 UNCH
14300	----	----	----	0.016B/*0.132A	----	0.096 - 0.027	.0127	----	----	----	----	6 UNCH
14400	----	----	----	0.014B/*0.135A	----	0.094 - 0.028	.0124	----	----	----	----	13 UNCH
14500	----	----	----	0.012B/0.137A	----	0.092 - 0.028	.0120	----	----	----	----	117 UNCH
14600	----	----	----	0.009B/*0.141A	----	0.091 - 0.028	.0118	----	----	----	----	55 UNCH
14700	----	----	----	0.008B/*0.141A	----	0.089 - 0.029	.0115	----	----	----	----	9 UNCH
14800	----	----	----	0.006B/*0.142A	----	0.087 - 0.030	.0112	----	----	----	----	61 UNCH
14900	----	----	----	0.004B/*0.154A	----	0.086 - 0.030	.0110	----	----	----	----	3 UNCH
15000	----	----	----/*0.084A	0.003B/*0.084A	----	0.084 - 0.030	.0107	----	----	----	----	449 UNCH
15100	----	----	----	0.002B/0.150A	----	0.083 - 0.030	.0106	----	----	----	----	9 UNCH
15200	----	----	----	0.014B/0.148A	----	0.082 - 0.031	.0104	----	----	----	----	54 UNCH
15300	----	----	----	0.004B/0.146A	----	0.080 - 0.032	.0101	----	----	----	----	11 UNCH
15500	----	----	----	0.002B/0.149A	----	0.078 - 0.032	.0098	----	----	----	----	115 UNCH
15600	----	----	----	0.002B/0.148A	----	0.077 - 0.032	.0096	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/0.147A	----	0.076 - 0.032	.0094	----	----	----	----	19 UNCH
15800	----	----	----	0.013B/0.145A	----	0.075 - 0.033	.0093	----	----	----	----	14 UNCH
15900	----	----	----	0.001B/0.144A	----	0.074 - 0.033	.0091	----	----	----	----	14 UNCH
16000	----	----	----	0.001B/0.142A	----	0.073 - 0.033	.0089	----	----	----	----	721 UNCH
16100	----	----	----	0.001B/0.141A	----	0.072 - 0.033	.0088	----	----	----	----	6 UNCH
16200	----	----	----	0.001B/0.140A	----	0.071 - 0.034	.0086	----	----	----	----	1 UNCH
16300	----	----	----	0.001B/0.137A	----	0.070 - 0.034	.0085	----	----	----	----	1 UNCH
16400	----	----	----	0.001B/0.136A	----	0.069 - 0.034	.0083	----	----	----	----	2 UNCH
16500	----	----	----	0.001B/*0.134A	----	0.068 - 0.035	.0082	----	----	----	----	56 UNCH
16600	----	----	----	0.001B/*0.132A	----	0.068 - 0.034	.0081	----	----	----	----	3 UNCH
16700	----	----	----	0.001B/*0.130A	----	0.067 - 0.035	.0080	----	----	----	----	5 UNCH
16800	----	----	----	0.001B/*0.129A	----	0.066 - 0.035	.0078	----	----	----	----	6 UNCH
16900	----	----	----	0.001B/*0.127A	----	0.065 - 0.035	.0077	----	----	----	----	67 UNCH
17000	----	----	----	0.001B/*0.126A	----	0.065 - 0.035	.0076	----	----	----	----	67 UNCH
17100	----	----	----	0.001B/*0.124A	----	0.064 - 0.035	.0075	----	----	----	----	8 UNCH
17200	----	----	----	0.001B/*0.123A	----	0.063 - 0.036	.0074	----	----	----	----	6 UNCH
17300	----	----	----	0.013B/*0.122A	----	0.063 - 0.035	.0073	----	----	----	----	5 UNCH
17400	----	----	----	0.001B/*0.120A	----	0.062 - 0.035	.0072	----	----	----	----	6 UNCH
17500	----	----	----	0.001B/0.119A	----	0.062 - 0.035	.0071	----	----	----	----	96 UNCH
17600	0.076	0.076	0.076/*0.076	0.076/*0.076	----	0.061 - 0.035	.0070	----	----	2	----	8 + 1
17700	----	----	----	0.001B/*0.117A	----	0.061 - 0.034	.0070	----	----	----	----	9 UNCH
17800	----	----	----	0.001B/*0.116A	----	0.060 - 0.035	.0068	----	----	----	----	8 UNCH
17900	----	----	----	0.001B/*0.102A	----	0.060 - 0.034	.0068	----	----	----	----	3 UNCH
18000	----	----	----	0.001B/0.113A	----	0.059 - 0.034	.0067	----	----	----	----	54 UNCH
18100	----	----	----	0.001B/*0.112A	----	0.059 - 0.033	.0066	----	----	----	----	1 UNCH
18200	----	----	----	0.001B/*0.111A	----	0.058 - 0.034	.0065	----	----	----	----	11 UNCH
18300	----	----	----	0.001B/*0.110A	----	0.058 - 0.033	.0065	----	----	----	----	5 UNCH
18400	----	----	----	0.001B/*0.110A	----	0.058 - 0.032	.0065	----	----	----	----	2 UNCH
18500	----	----	----	0.001B/0.109A	----	0.057 - 0.032	.0063	----	----	----	----	11 UNCH
18700	----	----	----	0.001B/*0.108A	----	0.057 - 0.031	.0063	----	----	----	----	8 UNCH
18800	----	----	----	0.001B/*0.107A	----	0.056 - 0.031	.0062	----	----	----	----	6 UNCH
18900	----	----	----	0.001B/*0.106A	----	0.056 - 0.030	.0061	----	----	----	----	3 UNCH
19000	----	----	----	0.001B/*0.105A	----	0.056 - 0.029	.0061	----	----	----	----	51 UNCH
19100	----	----	----	0.001B/*0.104A	----	0.055 - 0.029	.0060	----	----	----	----	74 UNCH
19200	----	----	----	0.001B/*0.104A	----	0.055 - 0.028	.0060	----	----	----	----	130 UNCH
19300	----	----	----	0.001B/*0.103A	----	0.055 - 0.027	.0059	----	----	----	----	6 UNCH
19400	----	----	----	0.001B/*0.102A	----	0.055 - 0.026	.0059	----	----	----	----	66 UNCH
19500	----	----	----	0.001B/*0.101A	----	0.055 - 0.025	.0059	----	----	----	----	96 UNCH
19700	----	----	----	0.001B/*0.100A	----	0.054 - 0.024	.0057	----	----	----	----	2 UNCH
19800	----	----	----	0.001B/*0.099A	----	0.054 - 0.023	.0057	----	----	----	----	10 UNCH
19900	----	----	----	0.001B/*0.099A	----	0.054 - 0.022	.0057	----	----	----	----	11 UNCH
20000	----	----	----/0.045A	0.010B/0.045A	----	0.054 - 0.021	.0057	----	----	----	----	392 UNCH
21000	----	----	----	----/0.100A	----	0.044 - 0.019	.0046	----	----	----	----	15 UNCH
22000	----	----	----	----/0.132A	----	0.035 - 0.015	.0036	----	----	----	----	10 UNCH
23000	----	----	----	----/0.131A	----	0.026 - 0.013	.0027	----	----	----	----	6 UNCH
24000	----	----	----	0.004B/0.035A	----	0.020 - 0.009	.0021	----	----	----	----	4 UNCH
25000	----	----	----/0.018A	0.008B/0.018A	----	0.014 - 0.008	.0014	----	----	----	----	91 UNCH
TOTAL										671	200	23126 + 164
JUN26												
4300	----	----	33.751B/32.217A	33.751B/32.217A	----	33.807 + 1.110	.9767	----	----	----	----	20 UNCH
4850	----	----	28.421B/26.989A	28.421B/26.989A	----	28.527 + 1.054	.9563	----	----	----	----	7 UNCH
4900	----	----	27.930B/26.556A	27.930B/26.556A	----	28.057 + 1.047	.9537	----	----	----	----	9 UNCH
5000	----	----	27.098B/25.468A	27.098B/25.468A	----	27.122 + 1.034	.9482	----	----	----	----	350 UNCH
5025	----	----	26.757B/25.384A	26.757B/25.384A	----	26.887 + 1.030	.9468	----	----	----	----	6 UNCH
5050	----	----	26.527B/25.139A	26.527B/25.139A	----	26.653 + 1.026	.9454	----	----	----	----	1 UNCH
5200	----	----	25.223B/23.680A	25.223B/23.680A	----	25.255 + 1.003	.9364	----	----	----	----	77 UNCH
5225	----	----	24.884B/23.604A	24.884B/23.604A	----	25.023 + 0.998	.9347	----	----	----	----	4 UNCH
5275	----	----	24.408B/23.145A	24.408B/23.145A	----	24.562 + 0.990	.9314	----	----	----	----	7 UNCH
5300	----	----	24.206B/22.988A	24.206B/22.988A	----	24.332 + 0.986	.9297	----	----	----	----	3 UNCH
5325	----	----	23.957B/22.724A	23.957B/22.724A	----	24.102 + 0.981	.9279	----	----	----	----	5 UNCH
5350	----	----	23.717B/22.471A	23.717B/22.471A	----	23.873 + 0.977	.9261	----	----	----	----	7 UNCH
5400	----	----	23.287B/22.115A	23.287B/22.115A	----	23.417 + 0.968	.9223	----	----	----	----	2 UNCH
5425	----	----	23.060B/21.820A	23.060B/21.820A	----	23.189 + 0.963	.9204	----	----	----	----	9 UNCH
5500	----	----	22.460B/21.083A	22.460B/21.083A	----	22.511 + 0.949	.9143	----	----	----	----	341 UNCH
5525	----	----	22.135B/21.036A	22.135B/21.036A	----	22.287 + 0.945	.9122	----	----	----	----	2 UNCH
5600	----	----	21.480B/20.305A	21.480B/20.305A	----	21.617 + 0.929	.9055	----	----	----	----	7 UNCH
5625	----	----	21.255B/20.084A	21.255B/20.084A	----	21.396 + 0.925	.9031	----	----	----	----	11 UNCH
5675	----	----	20.792B/19.747A	20.792B/19.747A	----	20.955 + 0.914	.8983	----	----	----	----	1 UNCH
5700	----	----	20.667B/19.385A	20.667B/19.385A	----	20.736 + 0.909	.8958	----	----	----	----	56 UNCH
5725	----	----	20.370B/19.236A	20.370B/19.236A	----	20.518 + 0.904	.8932	----	----	----	----	10 UNCH
5750	----	----	20.151B/19.020A	20.151B/19.020A	----	20.301 + 0.899	.8906	----	----	----	----	13 UNCH
5775	----	----	19.912B/18.908A	19.912B/18.908A	----	20.084 + 0.893	.8879	----	----	----	----	1 UNCH
5800	----	----	19.684B/18.722A	19.684B/18.722A	----	19.869 + 0.888	.8852	----	----	----	----	2 UNCH
5825	----	----	19.477B/18.499A	19.477B/18.499A	----	19.654 + 0.882	.8824	----	----	----	----	1 UNCH
5850	----	----	19.288B/18.195A	19.288B/18.195A	----	19.441 + 0.877	.8796	----	----	----	----	9 UNCH
5900	----	----	18.830B/17.893A	18.830B/17.893A	----	19.016 + 0.866	.8737	----	----	----	----	4 UNCH
5925	----	----	18.653B/17.572A	18.653B/17.572A	----	18.806 + 0.860	.8707	----	----	----	----	17 UNCH
6000	----	----	18.094B/16.939A	18.094B/16.939A	----	18.180 + 0.843	.8613	----	----	----	----	401 UNCH
6025	----	----	17.820B/16.777A	17.820B/16.777A	----	17.973 + 0.836	.8581	----	----	----	----	7 UNCH
6050	----	----	17.565B/16.822A	17.565B/16.822A	----	17.768 + 0.831	.8548	----	----	----	----	4 UNCH
6075	----	----	17.425B/16.382A	17.425B/16.382A	----	17.563 + 0.824	.8514	----	----	----	----	30 UNCH
6100	----	----	17.207B/16.187A	17.207B/16.187A	----	17.360 + 0.818	.8480	----	----	----	----	16 UNCH
6200	----	----	16.458B/15.383A	16.458B/15.383A	----	16.558 + 0.792	.8338	----	----	----	----	101 UNCH
6225	----	----	16.150B/15.443A	16.150B/15.443A	----	16.360 + 0.785	.8301	----	----	----	----	1 UNCH
6250	----	----	15.951B/15.257A	15.951B/15.257A	----	16.164 + 0.778	.8263	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUN26													
6300	----	----	15.511B/14.837A	15.511B/14.837A	----	15.774	+ 0.764	.8186	----	----	----	----	4 UNCH
6400	----	----	14.893B/13.908A	14.893B/13.908A	----	15.010	+ 0.735	.8027	----	----	----	----	110 UNCH
6425	----	----	14.670B/13.748A	14.670B/13.748A	----	14.822	+ 0.727	.7985	----	----	----	----	25 UNCH
6450	----	----	14.485B/13.578A	14.485B/13.578A	----	14.635	+ 0.719	.7943	----	----	----	----	6 UNCH
6475	----	----	14.191B/13.671A	14.191B/13.671A	----	14.449	+ 0.710	.7901	----	----	----	----	5 UNCH
6500	----	----	14.118B/13.226A	14.118B/13.226A	----	14.265	+ 0.702	.7858	----	----	----	----	11 UNCH
6625	----	----	13.222B/12.377A	13.222B/12.377A	----	13.364	+ 0.660	.7637	----	----	----	----	10 UNCH
6650	----	----	12.907B/12.485A	12.907B/12.485A	----	13.188	+ 0.651	.7591	----	----	----	----	1 UNCH
6700	----	----	12.553B/12.161A	12.553B/12.161A	----	12.840	+ 0.634	.7498	----	----	----	----	1 UNCH
6725	----	----	12.381B/12.002A	12.381B/12.002A	----	12.669	+ 0.625	.7451	----	----	----	----	1 UNCH
6750	----	----	12.210B/11.844A	12.210B/11.844A	----	12.498	+ 0.616	.7403	----	----	----	----	3 UNCH
6800	----	----	12.028B/11.228A	12.028B/11.228A	----	12.162	+ 0.598	.7307	----	----	----	----	6 UNCH
6850	----	----	11.482B/11.246A	11.482B/11.246A	----	11.831	+ 0.578	.7209	----	----	----	----	5 UNCH
6900	----	----	11.377B/10.620A	11.377B/10.620A	----	11.507	+ 0.560	.7109	----	----	----	----	16 UNCH
6925	----	----	11.218B/10.472A	11.218B/10.472A	----	11.347	+ 0.550	.7059	----	----	----	----	9 UNCH
6975	----	----	10.909B/10.179A	10.909B/10.179A	----	11.031	+ 0.530	.6957	----	----	----	----	7 UNCH
7000	----	----	10.755B/10.037A	10.755B/10.037A	----	10.876	+ 0.521	.6906	----	----	----	----	124 UNCH
7025	----	----	10.361B/10.148A	10.361B/10.148A	----	10.722	+ 0.511	.6854	----	----	----	----	1 UNCH
7050	----	----	10.212B/10.012A	10.212B/10.012A	----	10.569	+ 0.501	.6802	----	----	----	----	1 UNCH
7100	----	----	10.155B/9.476A	10.155B/9.476A	----	10.269	+ 0.481	.6697	----	----	----	----	54 UNCH
7250	----	----	9.300B/8.683A	9.300B/8.683A	----	9.407	+ 0.421	.6378	----	----	----	----	32 UNCH
7275	----	----	8.907B/8.849A	8.907B/8.849A	----	9.269	+ 0.411	.6324	----	----	----	----	1 UNCH
7300	----	----	8.770B/8.633A	8.770B/8.633A	----	9.133	+ 0.402	.6270	----	----	----	----	3 UNCH
7375	----	----	8.412B/8.189A	8.412B/8.189A	----	8.733	+ 0.372	.6107	----	----	----	----	3 UNCH
7400	----	----	8.421B/8.063A	8.421B/8.063A	----	8.603	+ 0.362	.6052	----	----	1	----	4 + 1
7425	----	----	8.421B/7.821A	8.421B/7.821A	----	8.474	+ 0.352	.5998	----	----	----	----	11 UNCH
7450	----	----	8.251B/7.763A	8.251B/7.763A	----	8.347	+ 0.342	.5943	----	----	----	----	2 UNCH
7475	----	----	8.117B/7.614A	8.117B/7.614A	----	8.222	+ 0.333	.5889	----	----	----	----	1 UNCH
7500	----	----	8.074B/7.376A	8.074B/7.376A	----	8.098	+ 0.323	.5834	----	----	----	----	133 UNCH
7525	7.775	7.775	7.881B/7.310A	7.881B/7.310A	----	7.976	+ 0.313	.5779	----	----	1	----	5 + 1
7550	----	----	7.813B/7.193A	7.813B/7.193A	----	7.855	+ 0.303	.5725	----	----	6	----	26 + 4
7575	----	----	7.681B/7.090A	7.681B/7.090A	----	7.736	+ 0.294	.5670	----	----	----	----	1 UNCH
7600	7.350	7.350	7.588B/6.984A	7.588B/6.984A	----	7.619	+ 0.284	.5615	----	----	3	----	16 UNCH
7675	----	----	7.265B/6.691A	7.265B/6.691A	----	7.277	+ 0.257	.5452	----	----	----	----	2 UNCH
7700	6.621	6.621	7.170B/6.530A	7.170B/6.530A	----	7.165	+ 0.247	.5398	----	----	60	----	108 + 45
7725	6.539	6.539	7.047B/6.506A	7.047B/6.506A	----	7.056	+ 0.239	.5344	----	----	2	----	6 + 2
7750	----	----	6.940B/6.401A	6.940B/6.401A	----	6.948	+ 0.230	.5290	----	----	----	----	11 UNCH
7775	----	----	6.831B/6.354A	6.831B/6.354A	----	6.842	+ 0.221	.5236	----	----	----	----	1 UNCH
7800	----	----	6.733B/6.211A	6.733B/6.211A	----	6.737	+ 0.213	.5183	----	----	----	----	14 UNCH
7825	----	----	6.617B/6.126A	6.617B/6.126A	----	6.633	+ 0.203	.5129	----	----	----	----	1 UNCH
7850	----	----	6.525B/6.030A	6.525B/6.030A	----	6.532	+ 0.196	.5076	----	----	----	----	1 UNCH
7900	----	----	6.338B/5.816A	6.338B/5.816A	----	6.333	+ 0.179	.4970	----	----	----	----	66 UNCH
7925	----	----	6.215B/5.772A	6.215B/5.772A	----	6.235	+ 0.170	.4918	----	----	----	----	1 UNCH
7950	5.720	5.720	6.131B/5.705A	6.131B/5.705A	----	6.140	+ 0.163	.4866	----	----	1	----	2 + 1
7975	----	----	6.025B/5.611A	6.025B/5.611A	----	6.045	+ 0.155	.4813	----	----	----	----	2 UNCH
8000	----	----	5.959B/5.486A	5.959B/5.486A	----	5.952	+ 0.147	.4762	----	----	----	----	184 UNCH
8025	----	----	5.851B/5.445A	5.851B/5.445A	----	5.861	+ 0.140	.4710	----	----	----	----	3 UNCH
8050	----	----	5.778B/5.329A	5.778B/5.329A	----	5.771	+ 0.132	.4659	----	----	----	----	57 UNCH
8075	----	----	5.654B/5.289A	5.654B/5.289A	----	5.682	+ 0.125	.4608	----	----	----	----	2 UNCH
8100	----	----	5.594B/5.215A	5.594B/5.215A	----	5.595	+ 0.118	.4558	----	----	----	----	9 UNCH
8125	----	----	5.484B/5.139A	5.484B/5.139A	----	5.510	+ 0.111	.4508	----	----	----	----	2 UNCH
8150	----	----	5.421B/5.063A	5.421B/5.063A	----	5.425	+ 0.104	.4458	----	----	----	----	10 UNCH
8175	5.328	5.328	5.328/5.160A	5.328/5.160A	----	5.342	NEW	.4408	----	----	1	----	1 + 1
8200	4.875	4.875	5.258B/4.875	5.258B/4.875	----	5.260	+ 0.090	.4359	----	----	1	----	3 - 1
8225	5.034	5.034	5.162B/4.855A	5.162B/4.855A	----	5.180	+ 0.084	.4311	----	----	1	----	3 + 1
8250	----	----	5.100B/4.784A	5.100B/4.784A	----	5.101	+ 0.078	.4262	----	----	----	----	15 UNCH
8275	----	----	5.014B/4.716A	5.014B/4.716A	----	5.023	+ 0.071	.4214	----	----	----	----	19 UNCH
8300	----	----	4.957B/4.634A	4.957B/4.634A	----	4.947	+ 0.066	.4167	----	----	----	----	85 UNCH
8350	----	----	4.802B/4.519A	4.802B/4.519A	----	4.798	+ 0.054	.4073	----	----	----	----	8 UNCH
8375	----	----	4.711B/4.456A	4.711B/4.456A	----	4.725	+ 0.048	.4026	----	----	----	----	4 UNCH
8400	----	----	4.661B/4.398A	4.661B/4.398A	----	4.654	+ 0.043	.3980	----	----	----	----	7 UNCH
8425	----	----	4.591B/4.280A	4.591B/4.280A	----	4.583	+ 0.037	.3934	----	----	----	----	51 UNCH
8450	----	----	4.518B/4.273A	4.518B/4.273A	----	4.514	+ 0.031	.3889	----	----	----	----	18 UNCH
8475	----	----	4.449B/4.233A	4.449B/4.233A	----	4.446	+ 0.026	.3844	----	----	----	----	6 UNCH
8500	4.350	4.350	4.388B/4.104A	4.388B/4.104A	----	4.380	+ 0.022	.3800	----	----	116	----	308 + 80
8550	----	----	4.255B/4.044A	4.255B/4.044A	----	4.249	+ 0.011	.3712	----	----	----	----	4 UNCH
8575	----	----	4.189B/4.001A	4.189B/4.001A	----	4.186	+ 0.007	.3669	----	----	----	----	4 UNCH
8600	----	----	4.131B/3.944A	4.131B/3.944A	----	4.124	+ 0.002	.3627	----	----	----	----	9 UNCH
8625	----	----	----/3.893A	4.049B/3.893A	----	4.063	- 0.002	.3585	----	----	----	----	4 UNCH
8650	----	----	----/3.801A	4.008B/3.801A	----	4.002	- 0.007	.3543	----	----	----	----	1 UNCH
8675	----	----	----/3.742A	3.947B/3.742A	----	3.943	- 0.011	.3501	----	----	----	----	5 UNCH
8700	3.828	3.828	3.892B/3.647A	3.892B/3.647A	----	3.885	- 0.015	.3460	----	----	1	----	28 UNCH
8725	3.774	3.774	3.869B/3.620A	3.869B/3.620A	----	3.828	- 0.019	.3420	----	----	1	----	3 + 1
8750	3.721	3.721	3.881B/3.554A	3.881B/3.554A	----	3.772	- 0.023	.3380	----	----	1	----	12 - 1
8775	----	----	3.856B/3.520A	3.856B/3.520A	----	3.717	- 0.027	.3340	----	----	----	----	1 UNCH
8800	----	----	3.810B/3.470A	3.810B/3.470A	----	3.663	- 0.030	.3301	----	----	1	----	24 UNCH
8825	----	----	3.799B/3.423A	3.799B/3.423A	----	3.609	- 0.034	.3262	----	----	----	----	2 UNCH
8850	----	----	3.714B/3.370A	3.714B/3.370A	----	3.557	- 0.038	.3224	----	----	----	----	11 UNCH
8875	3.361	3.361	3.669B/3.328A	3.669B/3.328A	----	3.506	- 0.041	.3186	----	----	1	----	2 + 1
8900	----	----	3.660B/3.266A	3.660B/3.266A	----	3.455	- 0.044	.3149	----	----	----	----	12 UNCH
8950	----	----	3.560B/3.194A	3.560B/3.194A	----	3.357	- 0.050	.3075	----	----	----	----	2 UNCH
8975	----	----	3.472B/3.147A	3.472B/3.147A	----	3.309	- 0.053	.3039	----	----	----	----	4 UNCH
9000	----	----	3.454B/3.098A	3.454B/3.098A	----	3.262	- 0.056	.3004	----	----	----	----	507 UNCH
9025	----	----	3.426B/3.056A	3.426B/3.056A	----	3.216	- 0.059	.2969	----	----	----	----	2 UNCH
9050	----	----	3.372B/3.024A	3.372B/3.024A	----	3.170	- 0.062	.2934	----	----	----	----	12 UNCH
9100	----	----	3.279B/2.935A	3.279B/2.935A	----	3.082	- 0.067	.2865	----	----	----	----	326 UNCH
9125	----	----	3.240B/2.896A	3.240B/2.896A	----	3.039	- 0.069	.2832	----	----	----	----	2 UNCH
9150	----	----	3.159B/2.855A	3.159B/2.855A	----	2.996	- 0.072	.2798	----	----	----	----	100 UNCH
9175	----	----	3.158B/2.819A	3.158B/2.819A	----	2.955	- 0.074	.2766	----	----	----	----	1 UNCH
9200	----	----	3.116B/2.779A	3.116B/2.779A	----	2.914	- 0.076	.2734	----	----	----	----	97 UNCH
9225	----	----	3.072B/2.744A	3.072B/2.744A	----	2.874	- 0.078	.2702	----	----	----	----	5 UNCH
9250	----	----	3.030B/2.710A	3.030B/2.710A	----	2.834	- 0.081	.2670	----	----	----	----	5 UNCH
9275	----	----	2.992B/2.670A	2.992B/2.670A	----	2.795	- 0.083	.2639	----	----	----	----	7 UNCH
9300	----	----	2.917B/2.634A	2.917B/2.634A	----	2.757	- 0.085	.2608	----	----	1	----	31 UNCH
9325	2.596	2.596	2.876B/2.596	2.876B/2.596	----	2.720	NEW	.2578	----	----	2	----	2 + 2
9350	----	----	2.875B/2.566A	2.875B/2.566A	----	2.683	- 0.088	.2548	----	----	----	----	17 UNCH
9375	----	----	2.839B/2.530A	2.839B/2.530A	----	2.647	- 0.089	.2519	----	----	----	----	17 UNCH
9400	----	----	2.767B/2.499A	2.767B/2.499A	----	2.611	- 0.091	.2489	----	----	1	----	21 UNCH
9425	----	----	2.729B/2.466A	2.729B/2.466A	----	2.576	- 0.093	.2461	----	----	----	----	22 UNCH
9450	----	----	2.697B/2.439A	2.697B/2.439A	----	2.542	- 0.094	.2432	----	----	----	----	4 UNCH
9475	----	----	2.695B/2.408A	2.695B/2.408A	----	2.508	- 0.096	.2404	----	----	----	----	17 UNCH
9500	----	----	2.661B/2.370A	2.661B/2.370A	----	2.475	- 0.097	.2377	----	----	----	----	227 UNCH
9525	----	----	2.628B/2.344A	2.628B/2.344A	----	2.442	- 0.098	.2349	----	----	----	----	1 UNCH
9550	----	----	2.592B/2.312A	2.592B/2.312A	----	2.410	- 0.099	.2322	----	----	----	----	1 UNCH
9600	----	----	2.536B/2.253A	2.536B/2.253A	----	2.347	- 0.102	.2269	----	----	----	----	16 UNCH
9625	----	----	2.498B/2.226A	2.498B/2.226A	----	2.317	- 0.103	.2244	----	----	----	----	4 UNCH
9650	----	----	2.464B/2.197A	2.464B/2.197A	----	2.287	- 0.104	.2218	----	----	----	----	1 UNCH
9675	----	----	2.438B/2.169A	2.438B/2.169A	----	2.257	- 0.105	.2193	----	----	----	----	2 UNCH
9700	----	----	2.412B/2.144A	2.412B/2.144A	----	2.228	- 0.106	.2168	----	----	----	----	36 UNCH
9750	----	----	2.354B/2.088A	2.354B/2.088A	----	2.171	- 0.108	.2119	----	----	----	----	28 UNCH
9800	----	----	2.292B/2.036A	2.292B/2.036A	----	2.117	- 0.108	.2071	----	----	1	----	4 + 1
9850	----	----	2.233B/1.985A	2.233B/1.985A	----	2.063	- 0.111	.2025	----	----	----	----	2 UNCH
9875	----	----	2.203B/1.960A	2.203B/1.960A	----	2.037	- 0.111	.2002	----	----	----	----	10 UNCH
9900	2.027	2.027	2.176B/1.936A	2.176B/1.936A	----	2.012	- 0.111	.1980	----	----	16	----	28 + 16
9925	----	----	2.149B/1.912A	2.149B/1.912A	----	1.987	- 0.112	.1958	----	----	----	----	1 UNCH
9950	----	----	2.079B/1.889A	2.079B/1.889A	----	1.962	- 0.112	.1936	----	----	----	----	2 UNCH
9975	----	----	2.093B/1.866A	2.093B/1.866A	----	1.938	- 0.112	.1914	----	----	----	----	4 UNCH
10000	2.060	2.060	2.080/1.711	2.080/1.711	----	1.914	- 0.113	.1893	----	----	44	----	653 - 13
10025	----	----	2.047B/1.822A	2.047B/1.822A	----	1.890	- 0.114	.1872	----	----	----	----	5 UNCH
10050	----	----	2.020B/1.800A	2.020B/1.800A	----	1.867	- 0.114	.1851	----	----	----	----	3 UNCH
10075	----	----	1.992B/1.781A	1.992B/1.781A	----	1.844	- 0.114	.1831	----	----	----	----	9 UNCH
10100	1.790	1.790	1.984B/1.756A	1.984B/1.756A	----	1.821	- 0.115	.1810	----	----	1	----	19 + 1
10125	----	----	1.946B/1.736A	1.946B/1.736A	----	1.799	- 0.115	.1790	----	----	----	----	1 UNCH
10175	----	----	1.907B/1.694A	1.907B/1.694A	----	1.755	- 0.115	.1751	----	----	----	----	1 UNCH
10200	----	----	1.890B/1.674A	1.890B/1.674A	----	1.734	- 0.115	.1732	----	----	----	----	9 UNCH
10225	----	----	1.872B/1.656A	1.872B/1.656A	----	1.713	- 0.115	.1713	----	----	----	----	1 UNCH
10300	----	----	1.808B/1.598A	1.808B/1.598A	----	1.652	- 0.115	.1657	----	----	----	----	7 UNCH
10375	----	----	1.734B/1.544A	1.734B/1.544A	----	1.594	- 0.115	.1604	----	----	----	----	2 UNCH
10400	----	----	1.716B/1.523A	1.716B/1.523A	----	1.575	- 0.115	.1586	----	----	----	----	4 UNCH
10425	----	----	1.679B/1.507A	1.679B/1.507A	----	1.556	- 0.115	.1569	----	----	----	----	1 UNCH
10450	----	----	1.678B/1.492A	1.678B/1.492A	----	1.538	- 0.115	.1552	----	----	----	----	3 UNCH
10475	----	----	1.639B/1.475A	1.639B/1.475A	----	1.519	- 0.115	.1535	----	----	----	----	2 UNCH
10500	----	----	1.640B/1.458A	1.640B/1.458A	----	1.501	- 0.115	.1518	----	----	18	----	330 + 1
10525	----	----	----/1.441A	1.590B/1.441A	----	1.484	- 0.114	.1502	----	----	----	----	12 UNCH
10550	----	----	----/1.419A	1.568B/1.419A	----	1.466	- 0.115	.1486	----	----	----	----	1 UNCH
10600	----	----	1.547B/1.387A	1.547B/1.387A	----	1.432	- 0.114	.1454	----	----	18	----	45 + 7
10625	----	----	----/1.373A	1.526B/1.373A	----	1.415	- 0.114	.1438	----	----	----	----	1 UNCH
10650	----	----	----/1.363A	1.500B/1.363A	----	1.399	- 0.114	.1423	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
10675	----	----	----/1.348A	1.494B/1.348A	----	1.383 - 0.113	.1408	----	----	----	----	3 UNCH
10700	----	----	----/1.328A	1.477B/1.328A	----	1.367 - 0.113	.1393	----	----	----	----	9 UNCH
10750	----	----	----/1.300A	1.428B/1.300A	----	1.336 - 0.112	.1364	----	----	----	----	4 UNCH
10800	----	----	----/1.271A	1.401B/1.271A	----	1.306 - 0.112	.1335	----	----	----	----	2 UNCH
10850	----	----	----/1.243A	1.375B/1.243A	----	1.276 - 0.112	.1307	----	----	----	----	12 UNCH
10875	----	----	----/1.230A	1.355B/1.230A	----	1.262 - 0.111	.1293	----	----	----	----	6 UNCH
10900	----	----	1.372B/1.217A	1.372B/1.217A	----	1.248 - 0.110	.1280	----	----	----	----	20 UNCH
10925	----	----	1.357B/1.204A	1.357B/1.204A	----	1.234 - 0.110	.1267	----	----	----	----	1 UNCH
10950	----	----	1.343B/1.191A	1.343B/1.191A	----	1.221 - 0.109	.1254	----	----	----	----	1 UNCH
11000	----	----	----/1.167A	1.294B/1.167A	----	1.194 - 0.109	.1228	----	----	----	----	493 UNCH
11025	----	----	----/1.155A	1.272B/1.155A	----	1.181 - 0.108	.1215	----	----	----	----	1 UNCH
11050	----	----	----/1.143A	1.229B/1.143A	----	1.168 - 0.108	.1203	----	----	----	----	4 UNCH
11075	----	----	----/1.130A	1.250B/1.130A	----	1.155 - 0.108	.1190	----	----	----	----	5 UNCH
11100	----	----	1.258B/1.118A	1.258B/1.118A	----	1.143 - 0.107	.1179	----	----	----	----	1 UNCH
11125	----	----	----/1.105A	1.234B/1.105A	----	1.131 - 0.106	.1167	----	----	----	----	5 UNCH
11175	----	----	----/1.083A	1.203B/1.083A	----	1.106 - 0.106	.1143	----	----	----	----	2 UNCH
11200	----	----	1.205B/1.073A	1.205B/1.073A	----	1.095 - 0.105	.1132	----	----	----	----	2 UNCH
11225	----	----	1.193B/1.061A	1.193B/1.061A	----	1.083 - 0.105	.1120	----	----	----	----	3 UNCH
11300	----	----	----/1.029A	1.147B/1.029A	----	1.049 - 0.103	.1087	----	----	----	----	2 UNCH
11325	----	----	1.144B/1.018A	1.144B/1.018A	----	1.039 - 0.102	.1077	----	----	----	----	6 UNCH
11350	----	----	1.133B/1.010A	1.133B/1.010A	----	1.028 - 0.102	.1066	----	----	----	----	3 UNCH
11375	----	----	1.120B/0.999A	1.120B/0.999A	----	1.017 - 0.102	.1055	----	----	----	----	1 UNCH
11400	----	----	----/0.989A	1.108B/0.989A	----	1.007 - 0.101	.1045	----	----	----	----	164 UNCH
11425	----	----	1.099B/0.978A	1.099B/0.978A	----	0.996 - 0.101	.1035	----	----	----	----	12 UNCH
11450	----	----	----/0.968A	1.086B/0.968A	----	0.986 - 0.100	.1025	----	----	----	----	13 UNCH
11475	----	----	----/0.960A	1.075B/0.960A	----	0.976 - 0.100	.1015	----	----	----	----	2 UNCH
11500	----	----	----/0.950A	1.060B/0.950A	----	0.966 - 0.099	.1005	----	----	----	----	172 UNCH
11525	----	----	----/0.941A	1.044B/0.941A	----	0.957 - 0.098	.0996	----	----	----	----	4 UNCH
11550	----	----	----/0.933A	1.042B/0.933A	----	0.947 - 0.098	.0986	----	----	----	----	1 UNCH
11625	----	----	----/0.905A	1.011B/0.905A	----	0.919 - 0.096	.0958	----	----	----	----	1 UNCH
11675	----	----	----/0.887A	0.991B/0.887A	----	0.901 - 0.095	.0940	----	----	----	----	2 UNCH
11700	0.919	0.919	0.919/0.881A	0.969B/0.881A	----	0.892 - 0.095	.0931	----	----	5	----	7 + 4
11725	----	----	----/0.871A	0.971B/0.871A	----	0.884 - 0.094	.0922	----	----	----	----	2 UNCH
11750	----	----	----/0.870A	0.961B/0.870A	----	0.875 - 0.094	.0914	----	----	----	----	21 UNCH
11775	----	----	----/0.854A	0.952B/0.854A	----	0.867 - 0.093	.0905	----	----	----	----	2 UNCH
11800	----	----	----/0.848A	0.943B/0.848A	----	0.858 - 0.093	.0896	----	----	----	----	4 UNCH
11850	----	----	----/0.833A	0.923B/0.833A	----	0.842 - 0.092	.0880	----	----	----	----	5 UNCH
11900	----	----	----/0.818A	0.893B/0.818A	----	0.826 - 0.091	.0864	----	----	----	----	2 UNCH
11925	----	----	----/0.811A	0.892B/0.811A	----	0.819 - 0.090	.0857	----	----	----	----	8 UNCH
11950	----	----	----/0.802A	0.887B/0.802A	----	0.811 - 0.090	.0849	----	----	----	----	3 UNCH
12000	0.805	0.805	0.830/0.793A	0.859B/0.793A	----	0.796 - 0.089	.0833	----	----	32	----	459 - 4
12025	----	----	----/0.781A	0.851B/0.781A	----	0.789 - 0.088	.0826	----	----	----	----	11 UNCH
12125	----	----	----/0.752A	0.824B/0.752A	----	0.760 - 0.087	.0797	----	----	----	----	1 UNCH
12200	----	----	----/0.739A	0.807B/0.739A	----	0.740 - 0.086	.0776	----	----	----	----	13 UNCH
12225	----	----	----/0.729A	0.791B/0.729A	----	0.733 - 0.086	.0769	----	----	----	----	7 UNCH
12275	----	----	----/0.715A	0.785B/0.715A	----	0.720 - 0.085	.0755	----	----	----	----	1 UNCH
12325	----	----	----/0.704A	0.770B/0.704A	----	0.708 - 0.084	.0743	----	----	----	----	3 UNCH
12350	----	----	----/0.697A	0.762B/0.697A	----	0.702 - 0.083	.0737	----	----	----	----	5 UNCH
12400	----	----	----/0.692A	0.744B/0.692A	----	0.690 - 0.082	.0724	----	----	----	----	23 UNCH
12425	----	----	----/0.684A	0.742B/0.684A	----	0.684 - 0.082	.0718	----	----	----	----	1 UNCH
12450	----	----	----/0.681A	0.736B/0.681A	----	0.678 - 0.082	.0712	----	----	----	----	9 UNCH
12475	----	----	----/0.676A	0.728B/0.676A	----	0.672 - 0.082	.0706	----	----	----	----	1 UNCH
12500	0.660	0.660	0.660/0.660	0.717B/0.660	----	0.666 - 0.082	.0699	----	----	1	----	99 UNCH
12525	----	----	----/0.665A	0.716B/0.665A	----	0.661 - 0.081	.0694	----	----	----	----	37 UNCH
12550	----	----	----/0.657A	0.708B/0.657A	----	0.655 - 0.081	.0688	----	----	----	----	6 UNCH
12575	----	----	----/0.651A	0.702B/0.651A	----	0.650 - 0.080	.0683	----	----	----	----	2 UNCH
12600	----	----	----/0.647A	0.695B/0.647A	----	0.644 - 0.080	.0676	----	----	----	----	5 UNCH
12650	----	----	----/0.642A	0.687B/0.642A	----	0.634 - 0.079	.0666	----	----	----	----	2 UNCH
12675	----	----	----/0.637A	0.681B/0.637A	----	0.628 - 0.080	.0660	----	----	----	----	2 UNCH
12700	----	----	----/0.629A	0.664B/0.629A	----	0.623 - 0.079	.0655	----	----	----	----	11 UNCH
12725	----	----	----/0.628A	0.668B/0.628A	----	0.618 - 0.079	.0649	----	----	----	----	2 UNCH
12750	----	----	----/0.622A	0.654B/0.622A	----	0.613 - 0.079	.0644	----	----	----	----	2 UNCH
12775	----	----	----/0.618A	0.653B/0.618A	----	0.608 - 0.078	.0639	----	----	----	----	7 UNCH
12800	----	----	----/0.610A	0.640B/0.610A	----	0.603 - 0.078	.0634	----	----	----	----	34 UNCH
12900	----	----	----/0.600A	0.625B/0.600A	----	0.585 - 0.076	.0614	----	----	----	----	6 UNCH
13000	----	----	----/0.593A	0.606B/0.593A	----	0.567 - 0.075	.0595	----	----	----	----	273 UNCH
13100	----	----	----/0.577A	0.580B/0.577A	----	0.550 - 0.074	.0577	----	----	----	----	4 UNCH
13200	----	----	----	0.458B/0.632A	----	0.533 - 0.074	.0559	----	----	----	----	3 UNCH
13300	----	----	----	0.441B/0.615A	----	0.518 - 0.073	.0543	----	----	----	----	3 UNCH
13400	----	----	----	0.424B/0.599A	----	0.503 - 0.072	.0527	----	----	----	----	5 UNCH
13500	----	----	----	0.410B/0.585A	----	0.489 - 0.072	.0512	----	----	----	----	23 UNCH
13600	----	----	----	0.396B/0.571A	----	0.476 - 0.070	.0498	----	----	----	----	7 UNCH
13700	----	----	----	0.389B/0.556A	----	0.463 - 0.070	.0484	----	----	----	----	5 UNCH
13800	----	----	----	0.377B/0.543A	----	0.451 - 0.069	.0471	----	----	----	----	1 UNCH
13900	----	----	----	0.362B/0.530A	----	0.439 - 0.069	.0458	----	----	----	----	3 UNCH
14000	----	----	----	0.351B/0.518A	----	0.428 - 0.068	.0446	----	----	----	----	292 UNCH
14200	----	----	----	0.330B/0.495A	----	0.407 - 0.068	.0424	----	----	----	----	60 UNCH
14300	----	----	----	0.320B/0.485A	----	0.398 - 0.066	.0414	----	----	----	----	1 UNCH
14400	----	----	----	0.310B/0.474A	----	0.389 - 0.066	.0404	----	----	----	----	65 UNCH
14500	----	----	----	0.400B/0.462A	----	0.380 - 0.065	.0394	----	----	----	----	31 UNCH
14600	----	----	----	0.293B/0.453A	----	0.371 - 0.065	.0384	----	----	----	----	6 UNCH
14700	----	----	----	0.284B/0.444A	----	0.363 - 0.065	.0375	----	----	----	----	11 UNCH
14800	----	----	----	0.276B/0.435A	----	0.356 - 0.064	.0367	----	----	----	----	10 UNCH
14900	----	----	----	0.268B/0.426A	----	0.348 - 0.064	.0359	----	----	----	----	6 UNCH
15000	0.410	0.410	0.410/0.330	0.410/0.330	----	0.341 - 0.064	.0351	----	----	48	----	155 - 29
15300	----	----	----	0.244B/0.394A	----	0.316 - 0.060	.0325	----	----	----	----	2 UNCH
15400	----	----	----	0.238B/0.386A	----	0.308 - 0.059	.0317	----	----	----	----	1 UNCH
15500	----	----	----	0.231B/0.379A	----	0.300 - 0.059	.0308	----	----	----	----	7 UNCH
15600	----	----	----	0.225B/0.372A	----	0.293 - 0.058	.0301	----	----	----	----	1 UNCH
15700	----	----	----	0.220B/0.365A	----	0.286 - 0.057	.0294	----	----	----	----	1 UNCH
15800	----	----	----	0.214B/0.358A	----	0.279 - 0.056	.0286	----	----	----	----	6 UNCH
15900	----	----	----	0.209B/0.352A	----	0.272 - 0.055	.0279	----	----	----	----	8 UNCH
16000	----	----	----/0.300A	0.203B/0.300A	----	0.266 - 0.054	.0273	----	----	----	----	202 UNCH
16200	----	----	----	0.194B/0.336A	----	0.254 - 0.052	.0260	----	----	----	----	36 UNCH
16400	----	----	----	0.184B/0.326A	----	0.242 - 0.051	.0248	----	----	----	----	1 UNCH
16500	----	----	----	0.180B/0.319A	----	0.237 - 0.050	.0243	----	----	----	----	30 UNCH
16600	----	----	----	0.176B/0.312A	----	0.231 - 0.050	.0236	----	----	----	----	2 UNCH
16700	----	----	----	0.171B/0.307A	----	0.226 - 0.049	.0231	----	----	----	----	6 UNCH
16800	----	----	----	0.167B/0.302A	----	0.221 - 0.048	.0226	----	----	----	----	3 UNCH
17000	----	----	----	0.160B/0.293A	----	0.212 - 0.046	.0216	----	----	----	----	21 UNCH
17100	----	----	----	0.156B/0.288A	----	0.207 - 0.046	.0211	----	----	----	----	5 UNCH
17200	----	----	----	0.150B/0.284A	----	0.203 - 0.045	.0207	----	----	----	----	5 UNCH
17300	----	----	----	0.147B/0.281A	----	0.198 - 0.045	.0202	----	----	----	----	11 UNCH
17400	----	----	----	0.144B/0.277A	----	0.194 - 0.044	.0198	----	----	----	----	3 UNCH
17500	----	----	----	0.140B/0.273A	----	0.190 - 0.043	.0194	----	----	----	----	63 UNCH
17700	----	----	----	0.134B/0.265A	----	0.182 - 0.042	.0185	----	----	----	----	3 UNCH
17800	----	----	----	0.131B/0.261A	----	0.179 - 0.041	.0182	----	----	----	----	3 UNCH
18000	----	----	----	0.125B/0.254A	----	0.171 - 0.041	.0174	----	----	----	----	44 UNCH
18100	----	----	----	0.120B/0.251A	----	0.168 - 0.040	.0171	----	----	----	----	2 UNCH
18300	----	----	----	0.115B/*0.244A	----	0.161 - 0.039	.0163	----	----	----	----	1 UNCH
18900	----	----	----	0.101B/*0.226A	----	0.144 - 0.035	.0146	----	----	----	----	1 UNCH
19000	----	----	----	0.098B/0.223A	----	0.141 - 0.035	.0143	----	----	----	----	229 UNCH
19500	----	----	----	0.091B/*0.210A	----	0.129 - 0.032	.0130	----	----	----	----	126 UNCH
19600	----	----	----	0.089B/0.206A	----	0.126 - 0.033	.0127	----	----	----	----	2 UNCH
19900	----	----	----	0.083B/0.201A	----	0.120 - 0.031	.0121	----	----	----	----	28 UNCH
20000	----	----	----	0.110B/0.160A	----	0.118 - 0.030	.0119	----	----	----	----	236 UNCH
21000	----	----	----	0.088B/0.182A	----	0.099 - 0.028	.0099	----	----	----	----	20 UNCH
23000	0.099	0.099	0.099/*0.099	0.099/0.099	----	0.074 - 0.022	.0073	----	----	1	----	14 - 1
25000	----	----	----	0.055B/0.199A	----	0.058 - 0.018	.0056	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/0.247A	----	0.040 - 0.014	.0039	----	----	----	----	3 UNCH
30000	----	----	----	0.021B/0.213A	----	0.025 - 0.009	.0024	----	----	2	----	31 + 2
32000	----	----	----	0.001B/0.227A	----	0.018 - 0.008	.0017	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/0.040A	----	0.013 - 0.006	.0012	----	----	6	----	15 + 6
TOTAL										395	0	10191 + 129
JUL26												
2700	----	----	----	----	----	49.659 + 1.180	.9936	----	----	----	----	1 UNCH
3900	----	----	----	----	----	37.820 + 1.154	.9754	----	----	----	----	1 UNCH
4000	----	----	----	----	----	36.851 + 1.148	.9727	----	----	----	----	1 UNCH
4200	----	----	----	1.436B/64.323A	----	34.925 + 1.135	.9668	----	----	----	----	2 UNCH
4500	----	----	----	21.252B/42.561A	----	32.071 + 1.106	.9555	----	----	----	----	28 UNCH
4600	----	----	----	20.335B/41.644A	----	31.131 + 1.094	.9510	----	----	----	----	114 UNCH
4700	----	----	----	19.377B/40.658A	----	30.198 + 1.081	.9461	----	----	----	----	1 UNCH
4750	----	----	----	18.813B/40.187A	----	29.734 + 1.074	.9435	----	----	----	----	1 UNCH
4825	----	----	----	18.229B/39.488A	----	29.042 + 1.063	.9392	----	----	----	----	3 UNCH
4900	----	----	----	17.537B/38.708A	----	28.355 + 1.051	.9348	----	----	----	----	1 UNCH
4925	----	----	----	17.359B/39.099A	----	28.127 + 1.047	.9332	----	----	----	----	16 UNCH
5000	----	----	----	16.844B/37.811A	----	27.448 + 1.036	.9283	----	----	----	----	307 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
5025	----	----	----	16.431B/37.597A	----	27.222 + 1.031	.9266	----	----	----	----	4 UNCH
5050	----	----	----	16.182B/37.363A	----	26.997 + 1.027	.9249	----	----	----	----	2 UNCH
5100	----	----	----	15.838B/36.868A	----	26.550 + 1.019	.9213	----	----	----	----	130 UNCH
5150	----	----	----	15.362B/36.354A	----	26.106 + 1.011	.9175	----	----	----	----	6 UNCH
5200	----	----	----	14.758B/38.425A	----	25.664 + 1.001	.9136	----	----	----	----	40 UNCH
5225	----	----	----	14.747B/35.700A	----	25.445 + 0.998	.9116	----	----	----	----	9 UNCH
5250	----	----	----	14.503B/35.465A	----	25.226 + 0.993	.9096	----	----	----	----	2 UNCH
5275	----	----	----	14.303B/35.227A	----	25.008 + 0.989	.9075	----	----	----	----	1 UNCH
5300	----	----	----	14.092B/34.993A	----	24.790 + 0.983	.9053	----	----	----	----	7 UNCH
5350	----	----	----	13.770B/34.539A	----	24.358 + 0.974	.9009	----	----	----	----	155 UNCH
5375	----	----	----	14.088B/34.396A	----	24.144 + 0.970	.8987	----	----	----	----	1 UNCH
5400	----	----	----	13.289B/43.973A	----	23.930 + 0.966	.8964	----	----	----	----	21 UNCH
5425	----	----	----	13.063B/43.779A	----	23.717 + 0.961	.8941	----	----	----	----	42 UNCH
5450	----	----	----	13.224B/33.707A	----	23.505 + 0.956	.8917	----	----	----	----	1 UNCH
5500	----	----	----	12.588B/35.197A	----	23.083 + 0.946	.8868	----	----	----	----	492 UNCH
5550	----	----	----	12.098B/32.789A	----	22.665 + 0.936	.8818	----	----	----	----	3 UNCH
5600	----	----	----	11.788B/41.806A	----	22.251 + 0.926	.8766	----	----	----	----	102 UNCH
5650	----	----	----	11.344B/31.677A	----	21.841 + 0.916	.8712	----	----	----	----	43 UNCH
5675	----	----	----	11.232B/40.628A	----	21.637 + 0.911	.8684	----	----	----	----	25 UNCH
5700	----	----	----	11.038B/32.133A	----	21.435 + 0.906	.8656	----	----	----	----	26 UNCH
5750	----	----	----	10.686B/30.739A	----	21.033 + 0.895	.8599	----	----	----	----	158 UNCH
5775	----	----	----	10.567B/30.501A	----	20.834 + 0.890	.8570	----	----	----	----	1 UNCH
5800	----	----	----	10.298B/30.264A	----	20.635 + 0.884	.8541	----	----	----	----	16 UNCH
5900	----	----	----	9.757B/29.313A	----	19.853 + 0.862	.8418	----	----	----	----	10 UNCH
5925	----	----	----	9.594B/29.078A	----	19.660 + 0.856	.8387	----	----	----	----	10 UNCH
5950	----	----	----	9.363B/28.840A	----	19.468 + 0.850	.8355	----	----	----	----	6 UNCH
5975	----	----	----	9.191B/28.603A	----	19.278 + 0.845	.8323	----	----	----	----	20 UNCH
6000	----	----	----	9.069B/19.192A	----	19.088 + 0.838	.8290	----	----	----	----	550 UNCH
6050	----	----	----	8.687B/36.649A	----	18.713 + 0.827	.8223	----	----	----	----	58 UNCH
6075	----	----	----	8.676B/36.737A	----	18.527 + 0.820	.8190	----	----	----	----	1 UNCH
6100	----	----	----	8.333B/36.776A	----	18.342 + 0.814	.8155	----	----	----	----	10 UNCH
6200	----	----	----	7.938B/35.417A	----	17.615 + 0.787	.8015	----	----	----	----	99 UNCH
6250	----	----	----	7.919B/34.450A	----	17.259 + 0.774	.7943	----	----	----	----	1 UNCH
6300	----	----	----	7.780B/34.329A	----	16.907 + 0.759	.7870	----	----	----	----	3 UNCH
6350	----	----	----	7.050B/34.231A	----	16.561 + 0.745	.7795	----	----	----	----	2 UNCH
6450	----	----	----	6.702B/32.231A	----	15.883 + 0.714	.7643	----	----	----	----	1 UNCH
6500	----	----	----	6.417B/32.466A	----	15.551 + 0.697	.7565	----	----	----	----	195 UNCH
6600	----	----	----	6.000B/31.277A	----	14.903 + 0.662	.7406	----	----	----	----	51 UNCH
6650	----	----	----	5.819B/30.833A	----	14.587 + 0.644	.7326	----	----	----	----	100 UNCH
6750	----	----	----	12.240B/13.825A	----	13.969 + 0.605	.7162	----	----	----	----	24 UNCH
6800	----	----	----	12.254B/13.529A	----	13.668 + 0.584	.7079	----	----	----	----	250 UNCH
6825	----	----	----	12.271B/13.379A	----	13.519 + 0.574	.7038	----	----	----	----	6 UNCH
6850	----	----	----	12.162B/13.231A	----	13.372 + 0.564	.6996	----	----	----	----	1 UNCH
6875	----	----	----	12.006B/13.090A	----	13.226 + 0.553	.6954	----	----	----	----	16 UNCH
6900	----	----	----	11.874B/12.945A	----	13.081 + 0.542	.6912	----	----	----	----	97 UNCH
6950	----	----	----	11.591B/12.663A	----	12.795 + 0.520	.6827	----	----	----	----	1 UNCH
7000	----	----	----	11.315B/12.381A	----	12.515 + 0.499	.6742	----	----	2	----	161 UNCH
7025	----	----	----	11.179B/12.244A	----	12.377 + 0.488	.6700	----	----	----	----	125 UNCH
7050	----	----	----	11.031B/12.109A	----	12.239 + 0.476	.6657	----	----	----	----	1 UNCH
7100	----	----	----	10.779B/11.843A	----	11.969 + 0.454	.6571	----	----	----	----	5 UNCH
7200	----	----	----/10.714A	10.256B/10.714A	----	11.444 + 0.408	.6399	----	----	----	----	11 UNCH
7225	----	----	----/10.511A	10.141B/10.511A	----	11.316 + 0.396	.6356	----	----	----	----	1 UNCH
7250	----	----	----/10.564A	10.006B/10.564A	----	11.189 + 0.385	.6313	----	----	----	----	160 UNCH
7300	----	----	----	9.775B/10.600A	----	10.939 + 0.361	.6227	----	----	----	----	5 UNCH
7350	----	----	----	9.720B/10.440A	----	10.694 + 0.338	.6140	----	----	----	----	1 UNCH
7400	----	----	----	9.386B/10.355A	----	10.454 + 0.314	.6054	----	----	----	----	22 UNCH
7450	----	----	----	9.299B/10.128A	----	10.219 + 0.291	.5968	----	----	----	----	12 UNCH
7500	9.500	9.500	9.800/9.498A	9.800/9.498A	----	9.989 + 0.267	.5882	----	----	3	----	319 UNCH
7600	8.958	8.958	8.958/8.958	8.958/8.958	----	9.544 + 0.222	.5711	----	----	1	----	20 + 1
7700	----	----	----	8.038B/9.075A	----	9.118 + 0.177	.5541	----	----	----	----	19 UNCH
7800	----	----	----	7.828B/8.699A	----	8.711 + 0.134	.5374	----	----	----	----	15 UNCH
7900	----	----	----	7.295B/8.330A	----	8.322 + 0.093	.5209	----	----	2	----	9 + 2
7975	----	----	----	7.135B/8.074A	----	8.042 NEW	.5087	----	----	5	----	5 + 5
8000	----	----	----	7.197B/7.944A	----	7.951 + 0.054	.5046	----	----	4	----	512 + 2
8025	----	----	----	6.864B/7.898A	----	7.861 + 0.045	.5006	----	----	----	----	8 UNCH
8100	6.912	6.912	6.912/6.912	6.912/6.912	----	7.597 + 0.017	.4887	----	----	1	----	21 UNCH
8200	----	----	----	6.326B/7.337A	----	7.260 - 0.016	.4731	----	----	----	----	2 UNCH
8250	----	----	----	6.158B/7.188A	----	7.098 - 0.032	.4654	----	----	----	----	45 UNCH
8300	----	----	----	6.287B/7.041A	----	6.939 - 0.048	.4578	----	----	----	----	215 UNCH
8350	----	----	----	5.881B/6.896A	----	6.785 - 0.062	.4503	----	----	----	----	2 UNCH
8375	----	----	----	5.812B/6.828A	----	6.709 - 0.069	.4466	----	----	----	----	1 UNCH
8400	----	----	----	5.745B/6.763A	----	6.634 - 0.076	.4429	----	----	----	----	3 UNCH
8500	6.169	6.169	6.169/6.166A	6.169/6.166A	----	6.344 - 0.102	.4284	----	----	39	----	684 UNCH
8550	----	----	----	5.463B/6.358A	----	6.205 - 0.114	.4212	----	----	----	----	329 UNCH
8600	----	----	----	5.245B/6.234A	----	6.069 - 0.125	.4142	----	----	2	----	6 - 2
8650	----	----	----	5.127B/6.113A	----	5.937 - 0.136	.4073	----	----	----	----	1 UNCH
8700	----	----	----	5.019B/5.988A	----	5.808 - 0.146	.4005	----	----	----	----	63 UNCH
8750	----	----	----	4.902B/5.872A	----	5.682 - 0.156	.3938	----	----	----	----	8 UNCH
8800	----	----	----	4.793B/5.760A	----	5.560 - 0.164	.3872	----	----	----	----	12 UNCH
8900	----	----	----	4.597B/5.537A	----	5.324 - 0.181	.3743	----	----	----	----	103 UNCH
9000	5.000	5.000	5.000/4.999A	5.000/4.999A	----	5.101 - 0.195	.3618	----	----	20	----	215 UNCH
9100	----	----	----	4.211B/5.113A	----	4.890 - 0.207	.3498	----	----	----	----	9 UNCH
9200	----	----	----	4.032B/4.925A	----	4.689 - 0.218	.3381	----	----	----	----	75 UNCH
9250	----	----	----	3.945B/4.833A	----	4.593 - 0.222	.3325	----	----	----	----	7 UNCH
9300	----	----	----	3.862B/4.744A	----	4.499 - 0.226	.3269	----	----	----	----	255 UNCH
9350	----	----	----	3.781B/4.660A	----	4.408 - 0.230	.3214	----	----	----	----	7 UNCH
9400	----	----	----	3.703B/4.573A	----	4.319 - 0.233	.3161	----	----	----	----	25 UNCH
9450	----	----	----	3.626B/4.494A	----	4.233 - 0.235	.3108	----	----	----	----	33 UNCH
9500	----	----	----	3.551B/4.406A	----	4.149 - 0.238	.3057	----	----	36	----	597 UNCH
9600	----	----	----	3.406B/4.254A	----	3.988 - 0.241	.2957	----	----	----	----	51 UNCH
9700	----	----	----	3.267B/4.127A	----	3.834 - 0.244	.2860	----	----	----	----	4 UNCH
9725	----	----	----	3.231B/4.086A	----	3.797 - 0.244	.2837	----	----	----	----	1 UNCH
9775	----	----	----	3.166B/4.021A	----	3.725 - 0.245	.2791	----	----	----	----	50 UNCH
9800	----	----	----	3.121B/3.982A	----	3.689 - 0.245	.2768	----	----	----	----	109 UNCH
9900	----	----	----	3.009B/3.823A	----	3.552 - 0.245	.2679	----	----	----	----	70 UNCH
10000	3.000	3.000	3.392/3.000	3.392/3.000	----	3.421 - 0.245	.2593	----	----	14	----	1470 + 1
10100	----	----	----	2.773B/3.612A	----	3.296 - 0.244	.2511	----	----	----	----	1 UNCH
10125	----	----	----	2.745B/3.559A	----	3.266 - 0.244	.2491	----	----	----	----	1 UNCH
10200	----	----	----	2.667B/3.473A	----	3.178 - 0.242	.2432	----	----	----	----	81 UNCH
10250	----	----	----	2.615B/3.419A	----	3.121 - 0.241	.2393	----	----	----	----	20 UNCH
10375	----	----	----	2.489B/3.281A	----	2.984 - 0.239	.2301	----	----	----	----	18 UNCH
10400	----	----	----	2.464B/3.252A	----	2.957 - 0.239	.2282	----	----	----	----	1 UNCH
10475	----	----	----	2.394B/3.176A	----	2.880 - 0.237	.2229	----	----	----	----	25 UNCH
10500	----	----	----	2.361B/3.150A	----	2.855 - 0.236	.2212	----	----	----	----	599 UNCH
10600	----	----	----	2.280B/3.066A	----	2.758 - 0.233	.2145	----	----	----	----	1 UNCH
10800	----	----	----	2.114B/2.864A	----	2.576 - 0.227	.2017	----	----	----	----	28 UNCH
11000	----	----	----	1.953B/2.688A	----	2.411 - 0.220	.1899	----	----	3	----	1046 - 1
11100	----	----	----	1.888B/2.607A	----	2.334 NEW	.1844	----	----	23	----	23 + 23
11200	----	----	----	1.823B/2.529A	----	2.261 - 0.211	.1791	----	----	3	----	8 UNCH
11225	----	----	----	1.806B/2.520A	----	2.243 - 0.211	.1778	----	----	----	----	3 UNCH
11300	----	----	----	1.759B/2.461A	----	2.191 - 0.207	.1740	----	----	----	----	62 UNCH
11400	----	----	----	1.695B/2.389A	----	2.124 - 0.203	.1690	----	----	----	----	19 UNCH
11500	----	----	----	1.635B/2.322A	----	2.059 - 0.199	.1643	----	----	----	----	129 UNCH
11600	----	----	----	1.576B/2.269A	----	1.998 - 0.194	.1597	----	----	----	----	1 UNCH
11625	----	----	----	1.554B/2.253A	----	1.983 - 0.193	.1586	----	----	----	----	2 UNCH
11650	----	----	----	1.550B/2.208A	----	1.968 - 0.192	.1575	----	----	----	----	24 UNCH
11675	----	----	----	1.536B/2.208A	----	1.954 - 0.190	.1564	----	----	----	----	22 UNCH
11700	----	----	----	1.525B/2.201A	----	1.939 - 0.190	.1553	----	----	----	----	22 UNCH
11725	----	----	----	1.510B/2.181A	----	1.925 - 0.188	.1543	----	----	----	----	22 UNCH
11750	----	----	----	1.496B/2.173A	----	1.911 - 0.187	.1532	----	----	----	----	22 UNCH
11775	----	----	----	1.479B/2.155A	----	1.897 - 0.186	.1522	----	----	----	----	22 UNCH
11800	----	----	----	1.464B/2.143A	----	1.883 - 0.185	.1511	----	----	----	----	1 UNCH
11900	----	----	----	1.407B/2.094A	----	1.828 - 0.181	.1470	----	----	----	----	1 UNCH
11950	----	----	----	1.376B/2.070A	----	1.802 - 0.179	.1450	----	----	----	----	1 UNCH
12000	----	----	----	1.341B/2.050A	----	1.777 - 0.176	.1431	----	----	----	----	549 UNCH
12200	----	----	----	1.570B/1.958A	----	1.679 - 0.167	.1356	----	----	----	----	1 UNCH
12225	1.569	1.569	1.569/1.565	1.569/1.565	----	1.667 NEW	.1347	----	----	16	----	16 + 16
12250	1.557	1.557	1.565B/1.557	1.565B/1.557	----	1.656 NEW	.1339	----	----	5	----	5 + 5
12300	----	----	----	1.194B/1.922A	----	1.633 - 0.163	.1321	----	----	----	----	8 UNCH
12375	----	----	----	1.156B/1.899A	----	1.599 - 0.160	.1295	----	----	----	----	1 UNCH
12425	----	----	----	1.133B/1.864A	----	1.578 - 0.157	.1279	----	----	----	----	1 UNCH
12450	----	----	----/1.465A	1.122B/1.465A	----	1.567 - 0.156	.1270	----	----	----	----	1 UNCH
12475	----	----	----	1.111B/1.852A	----	1.556 - 0.156	.1262	----	----	----	----	3 UNCH
12500	1.450	1.450	1.450/1.443A	1.450/1.443A	----	1.546 - 0.154	.1254	----	----	3	----	143 + 1
12600	1.400	1.400	1.400/1.400	1.400/1.400	----	1.505 - 0.150	.1222	----	----	5	----	6 + 5
12725	1.392	1.392	1.392/1.392	1.392/1.392	----	1.455 NEW	.1184	----	----	1	----	1 + 1
12800	----	----	----	0.973B/1.690A	----	1.427 - 0.141	.1162	----	----	----	----	1 UNCH
13000	1.500	1.500	1.500/1.500	1.500/1.500	----	1.354 - 0.134	.1105	----	----	3	----	699 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
14000	0.950	0.950	0.950/0.950	0.950/0.950	----	1.057 - 0.098	.0871	----	----	6	----	799 + 6
14700	----	----	----/0.948A	0.745B/0.948A	----	0.900 - 0.078	.0745	----	----	----	----	1 UNCH
15000	----	----	----/0.894A	0.730B/0.894A	----	0.842 - 0.070	.0698	----	----	2	----	671 + 2
16000	----	----	----	0.544B/0.745A	----	0.683 - 0.049	.0569	----	----	1	----	765 UNCH
17000	----	----	----	0.433B/0.634A	----	0.563 - 0.035	.0470	----	----	----	----	23 UNCH
18000	----	----	----	0.359B/0.549A	----	0.471 - 0.026	.0394	----	----	2	----	253 UNCH
19000	----	----	----	0.294B/0.482A	----	0.400 - 0.022	.0334	----	----	1	----	78 + 1
20000	----	----	----/0.350A	0.294B/0.350A	----	0.346 - 0.021	.0288	----	----	----	----	1210 UNCH
21000	----	----	----	0.213B/0.380A	----	0.304 - 0.023	.0252	----	----	----	----	427 UNCH
24000	----	----	----	0.165B/0.287A	----	0.225 - 0.037	.0183	----	----	----	----	125 UNCH
25000	0.165	0.165	0.165/0.165	0.165/0.165	----	0.209 - 0.042	.0169	----	----	10	----	345 - 10
27000	----	----	----	0.087B/0.229A	----	0.161 - 0.035	.0131	----	----	----	----	4 UNCH
30000	----	----	----	0.070B/0.205A	----	0.117 - 0.027	.0095	----	----	----	----	23 UNCH
32000	----	----	----	0.001B/0.420A	----	0.098 - 0.024	.0079	----	----	----	----	4 UNCH
35000	0.070	0.070	0.070/*0.065	0.070/*0.065	----	0.080 - 0.020	.0064	----	----	2	----	75 + 2
TOTAL										215	0	17602 + 60
AUG26												
5000	----	----	----	13.804B/42.505A	----	28.311 + 1.024	.9158	----	----	----	----	2 UNCH
5400	----	----	----	10.688B/53.082A	----	24.904 + 0.882	.8829	----	----	----	----	2 UNCH
5500	----	----	----	9.781B/53.923A	----	24.084 + 0.845	.8735	----	----	----	----	1 UNCH
6300	----	----	----	5.772B/45.363A	----	18.095 + 0.569	.7794	----	----	----	----	5 UNCH
6450	----	----	----	4.687B/44.401A	----	17.099 + 0.522	.7587	----	----	----	----	1 UNCH
6500	----	----	----	4.566B/43.785A	----	16.777 + 0.507	.7516	----	----	----	----	2 UNCH
6600	----	----	----	4.623B/42.103A	----	16.147 + 0.476	.7372	----	----	----	----	4 UNCH
6800	----	----	----	13.844B/15.091A	----	14.947 + 0.416	.7076	----	----	----	----	7 UNCH
6875	----	----	----	13.470B/14.664A	----	14.518 + 0.394	.6964	----	----	----	----	5 UNCH
7000	----	----	----	12.812B/13.998A	----	13.828 + 0.357	.6774	----	----	----	----	3 UNCH
7025	----	----	----	12.682B/13.869A	----	13.694 + 0.350	.6736	----	----	----	----	5 UNCH
7050	----	----	----	12.537B/13.740A	----	13.561 + 0.342	.6697	----	----	----	----	2 UNCH
7100	----	----	----	12.286B/13.497A	----	13.299 + 0.327	.6621	----	----	----	----	2 UNCH
7350	----	----	----	11.104B/12.295A	----	12.064 + 0.248	.6237	----	----	----	----	4 UNCH
7400	----	----	----	11.142B/12.071A	----	11.832 + 0.232	.6161	----	----	----	----	8 UNCH
7425	----	----	----	11.201B/11.961A	----	11.718 + 0.224	.6122	----	----	----	----	14 UNCH
7475	----	----	----	11.147B/11.744A	----	11.493 + 0.207	.6046	----	----	----	----	6 UNCH
7500	----	----	----	10.432B/11.637A	----	11.382 + 0.199	.6008	----	----	----	----	2 UNCH
7550	----	----	----	10.220B/11.411A	----	11.164 + 0.182	.5932	----	----	----	----	4 UNCH
7625	----	----	----	9.917B/11.117A	----	10.845 + 0.157	.5819	----	----	----	----	15 UNCH
7700	----	----	----	9.633B/10.821A	----	10.536 + 0.132	.5707	----	----	----	----	1 UNCH
7800	----	----	----	9.255B/10.442A	----	10.139 + 0.099	.5559	----	----	----	----	1 UNCH
7900	----	----	----	8.893B/10.078A	----	9.759 + 0.067	.5414	----	----	----	----	1 UNCH
8000	----	----	----	8.548B/9.701A	----	9.394 + 0.035	.5271	----	----	----	----	12 UNCH
8300	----	----	----	7.593B/8.775A	----	8.388 - 0.051	.4857	----	----	----	----	1 UNCH
8450	----	----	----	7.183B/8.346A	----	7.930 - 0.089	.4659	----	----	----	----	1 UNCH
8500	----	----	----	7.049B/8.207A	----	7.784 - 0.101	.4595	----	----	----	----	12 UNCH
8900	----	----	----	6.080B/7.185A	----	6.719 - 0.182	.4107	----	----	----	----	7 UNCH
9000	----	----	----	5.863B/6.994A	----	6.480 - 0.199	.3993	----	----	----	----	20 UNCH
9100	----	----	----	5.660B/6.780A	----	6.251 - 0.214	.3882	----	----	----	----	84 UNCH
9400	----	----	----	5.101B/6.191A	----	5.621 - 0.253	.3566	----	----	----	----	102 UNCH
10000	----	----	----	4.185B/5.196A	----	4.584 - 0.299	.3015	----	----	----	----	33 UNCH
10200	----	----	----	3.924B/4.905A	----	4.295 - 0.306	.2854	----	----	----	----	3 UNCH
10400	----	----	----	3.683B/4.658A	----	4.029 - 0.312	.2703	----	----	----	----	2 UNCH
10500	----	----	----	3.570B/4.517A	----	3.905 - 0.312	.2631	----	----	----	----	7 UNCH
11100	----	----	----	2.972B/3.877A	----	3.260 - 0.310	.2247	----	----	----	----	1 UNCH
11200	----	----	----	2.885B/3.779A	----	3.168 - 0.307	.2190	----	----	----	----	1 UNCH
11300	----	----	----	2.800B/3.690A	----	3.079 - 0.305	.2135	----	----	----	----	10 UNCH
11500	----	----	----	2.641B/3.499A	----	2.912 - 0.299	.2031	----	----	----	----	9 UNCH
11850	----	----	----	2.375B/3.233A	----	2.651 - 0.286	.1865	----	----	----	----	1 UNCH
12000	----	----	----	2.290B/3.116A	----	2.550 - 0.280	.1800	----	----	----	----	2 UNCH
12500	----	----	----	1.997B/2.781A	----	2.253 - 0.256	.1605	----	----	----	----	1 UNCH
13000	----	----	----	1.747B/2.512A	----	2.007 - 0.231	.1439	----	----	----	----	53 UNCH
14000	----	----	----	1.289B/2.057A	----	1.629 - 0.181	.1178	----	----	----	----	6 UNCH
15000	----	----	----/1.460A	1.231B/1.460A	----	1.354 - 0.137	.0983	----	----	----	----	36 UNCH
16000	----	----	----/1.199A	1.057B/1.199A	----	1.145 - 0.102	.0832	----	----	----	----	1 UNCH
17000	----	----	----/1.014A	0.876B/1.014A	----	0.978 - 0.078	.0712	----	----	----	----	2 UNCH
18000	----	----	----/0.873A	0.737B/0.873A	----	0.841 - 0.063	.0614	----	----	----	----	1 UNCH
19000	----	----	----/0.759A	0.626B/0.759A	----	0.728 - 0.053	.0532	----	----	----	----	2 UNCH
20000	----	----	----	0.504B/0.682A	----	0.634 - 0.046	.0465	----	----	----	----	217 UNCH
25000	----	----	----	0.255B/0.467A	----	0.352 - 0.031	.0259	----	----	----	----	2 UNCH
30000	0.290	0.290	0.290/*0.290	0.290/*0.290	----	0.235 - 0.024	.0171	----	----	1	----	13 UNCH
35000	----	----	----	0.087B/0.261A	----	0.159 - 0.017	.0116	----	----	----	----	2 UNCH
TOTAL										1	0	741 0
SEP26												
5100	----	----	----	#9.584B/64.155A	----	27.713 + 1.002	.8980	----	----	----	----	1 UNCH
5900	----	----	----	4.354B/59.605A	----	21.445 + 0.803	.8191	----	----	----	----	2 UNCH
6000	----	----	----	----	----	20.737 + 0.783	.8073	----	----	----	----	7 UNCH
6700	----	----	----	14.807B/16.508A	----	16.311 + 0.680	.7157	----	----	----	----	1 UNCH
7000	----	----	----	13.635B/14.926A	----	14.700 + 0.640	.6739	----	----	----	----	118 UNCH
7125	----	----	----	13.026B/14.320A	----	14.078 + 0.622	.6564	----	----	----	----	75 UNCH
7500	----	----	11.917B/----	11.917B/12.675A	----	12.373 + 0.548	.6042	----	----	----	----	1 UNCH
7700	----	----	----	10.564B/11.891A	----	11.558 + 0.498	.5770	----	----	----	----	1 UNCH
8000	----	----	----	9.506B/10.823A	----	10.448 + 0.417	.5376	----	----	----	----	105 UNCH
8200	----	----	----	8.894B/10.188A	----	9.779 + 0.365	.5125	----	----	----	----	20 UNCH
8500	----	----	----	8.032B/9.334A	----	8.871 + 0.294	.4767	----	----	----	----	100 UNCH
8675	----	----	----	7.586B/8.873A	----	8.391 + 0.259	.4569	----	----	----	----	5 UNCH
8700	----	----	----	7.525B/8.810A	----	8.325 + 0.254	.4541	----	----	----	----	100 UNCH
9000	----	----	----	6.851B/8.107A	----	7.586 + 0.202	.4223	----	----	----	----	65 UNCH
9500	----	----	----	5.873B/7.102A	----	6.542 + 0.137	.3747	----	----	----	----	2 UNCH
9750	----	----	----	5.459B/6.664A	----	6.096 + 0.113	.3533	----	----	----	----	23 UNCH
9800	----	----	----	5.384B/6.581A	----	6.012 + 0.109	.3493	----	----	2	----	9 + 2
9900	----	----	----	5.232B/6.398A	----	5.849 NEW	.3413	----	----	28	----	28 + 28
10000	5.500	5.500	5.500/5.500	5.500/5.500	----	5.693 + 0.094	.3335	----	----	32	----	149 + 19
10500	----	----	----	4.422B/5.554A	----	5.000 + 0.068	.2981	----	----	----	----	50 UNCH
10800	----	----	----	4.079B/5.189A	----	4.645 + 0.058	.2793	----	----	----	----	2 UNCH
11000	4.488	4.488	4.488/4.488	4.488/4.488	----	4.430 + 0.054	.2678	----	----	1	----	58 - 1
12000	----	----	----	2.997B/4.011A	----	3.556 + 0.043	.2191	----	----	----	----	47 UNCH
12500	----	----	----	2.655B/3.632A	----	3.215 + 0.041	.1995	----	----	----	----	92 UNCH
13000	----	----	----	2.358B/3.301A	----	2.920 + 0.038	.1823	----	----	----	----	2 UNCH
14000	----	----	----	1.883B/2.775A	----	2.440 + 0.034	.1538	----	----	----	----	41 UNCH
15000	----	----	----	1.458B/2.418A	----	2.069 + 0.031	.1314	----	----	----	----	131 UNCH
16000	----	----	----	1.135B/2.133A	----	1.776 + 0.027	.1134	----	----	----	----	18 UNCH
17000	----	----	----	1.257B/1.526A	----	1.538 + 0.022	.0987	----	----	----	----	27 UNCH
18000	----	----	----	1.065B/1.334A	----	1.343 + 0.018	.0866	----	----	----	----	2 UNCH
19000	----	----	----	0.904B/1.182A	----	1.179 + 0.012	.0763	----	----	----	----	14 UNCH
20000	----	----	----	0.778B/1.057A	----	1.041 + 0.007	.0677	----	----	----	----	308 UNCH
21000	----	----	----	0.674B/0.957A	----	0.923 + 0.002	.0602	----	----	----	----	1 UNCH
23000	----	----	----	0.519B/0.794A	----	0.734 - 0.007	.0483	----	----	----	----	31 UNCH
25000	----	----	----	0.409B/0.674A	----	0.590 - 0.015	.0391	----	----	----	----	14 UNCH
30000	----	----	----	0.241B/0.482A	----	0.364 - 0.028	.0245	----	----	----	----	19 UNCH
35000	----	----	----	0.151B/0.377A	----	0.216 - 0.021	.0150	----	----	----	----	27 UNCH
TOTAL										63	0	1696 + 48
OCT26												
3800	----	----	----	----	----	40.259 + 1.186	.9674	----	----	----	----	1 UNCH
7000	----	----	----	14.803B/16.215A	----	16.230 + 0.660	.6810	----	----	----	----	2 UNCH
7100	----	----	----	14.334B/15.723A	----	15.713 + 0.638	.6684	----	----	----	----	1 UNCH
7500	----	----	----	12.561B/13.965A	----	13.799 + 0.555	.6177	----	----	----	----	1 UNCH
7650	----	----	----	12.595B/13.386A	----	13.144 + 0.525	.5989	----	----	----	----	1 UNCH
7875	----	----	----	11.119B/12.548A	----	12.225 + 0.482	.5710	----	----	----	----	2 UNCH
7975	11.650	11.650	11.650/11.650	11.650/11.650	----	11.840 + 0.463	.5588	----	----	1	----	0 - 1
8000	----	----	----	10.680B/12.121A	----	11.746 + 0.458	.5558	----	----	----	----	4 UNCH
8075	11.350	11.350	11.350/11.350	11.350/11.350	----	11.470 + 0.445	.5469	----	----	1	----	1 UNCH
8500	----	----	----	9.183B/10.588A	----	10.053 + 0.373	.4981	----	----	----	----	1 UNCH
8700	----	----	----	8.657B/10.055A	----	9.469 + 0.342	.4765	----	----	----	----	4 UNCH
9000	----	----	----	7.930B/9.324A	----	8.682 + 0.301	.4460	----	----	----	----	1 UNCH
9100	----	----	----	7.708B/9.100A	----	8.442 + 0.288	.4364	----	----	----	----	73 UNCH
10000	----	----	----	6.064B/7.384A	----	6.692 + 0.195	.3606	----	----	----	----	96 UNCH
11000	----	----	----	4.736B/5.963A	----	5.377 + 0.128	.2972	----	----	----	----	3 UNCH
12000	----	----	----	3.760B/4.936A	----	4.433 + 0.085	.2490	----	----	----	----	65 UNCH
13000	----	----	----	3.034B/4.135A	----	3.684 + 0.057	.2103	----	----	----	----	145 UNCH
14000	----	----	----	2.476B/3.510A	----	3.076 + 0.039	.1785	----	----	----	----	2 UNCH
15000	----	----	----	2.044B/3.021A	----	2.584 + 0.028	.1523	----	----	----	----	178 UNCH
16000	----	----	----	1.640B/2.686A	----	2.191 + 0.021	.1309	----	----	----	----	1 UNCH
18000	----	----	----	1.068B/2.186A	----	1.624 + 0.006	.0991	----	----	----	----	290 UNCH
20000	----	----	----	1.113B/1.413A	----	1.262 - 0.002	.0779	----	----	----	----	225 UNCH
TOTAL										2	0	1097 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
6500	----	----	----	----	----	19.551 +	0.766 .7390	----	----	----	----	1 UNCH
7000	----	----	----	15.422B/17.000A	----	16.829 +	0.663 .6799	----	----	----	----	14 UNCH
7100	----	----	----	14.952B/16.512A	----	16.330 +	0.642 .6679	----	----	----	----	14 UNCH
7500	----	----	----	13.206B/14.375A	----	14.487 +	0.563 .6201	----	----	----	----	1 UNCH
7900	----	----	----	11.730B/13.339A	----	12.884 +	0.490 .5734	----	----	----	----	10 UNCH
8000	----	----	----	11.394B/13.006A	----	12.520 +	0.473 .5622	----	----	----	----	10 UNCH
10000	----	----	----	6.782B/8.293A	----	7.693 +	0.236 .3827	----	----	----	----	26 UNCH
12000	----	----	----	4.389B/5.760A	----	5.203 +	0.128 .2719	----	----	----	----	24 UNCH
12500	----	----	----	3.972B/5.307A	----	4.757 +	0.112 .2511	----	----	----	----	10 UNCH
14000	----	----	----	2.998B/4.226A	----	3.693 +	0.076 .2000	----	----	----	----	1 UNCH
15000	----	----	----	2.516B/3.665A	----	3.157 +	0.060 .1734	----	----	----	----	5 UNCH
16000	----	----	----	2.125B/3.241A	----	2.723 +	0.044 .1514	----	----	----	----	2 UNCH
17000	----	----	----	1.752B/2.936A	----	2.372 +	0.030 .1333	----	----	----	----	1 UNCH
20000	----	----	----	1.459B/1.792A	----	1.647 -	0.001 .0946	----	----	----	----	31 UNCH
TOTAL											0	150 0
DEC26												
3875	----	----	----	----	----	39.752 +	1.368 .9531	----	----	----	----	1 UNCH
5250	----	----	----	----	----	28.146 +	1.213 .8649	----	----	----	----	50 UNCH
5500	----	----	----	----	----	26.275 +	1.150 .8426	----	----	----	----	1 UNCH
6500	----	----	----	----	----	19.812 +	0.921 .7372	----	----	----	----	564 UNCH
6900	----	----	----	16.349B/18.097A	----	17.738 +	0.868 .6910	----	----	----	----	1 UNCH
6950	----	----	----	16.109B/17.858A	----	17.498 +	0.862 .6852	----	----	----	----	200 UNCH
7000	----	----	----	15.901B/17.613A	----	17.262 +	0.856 .6794	----	----	----	----	120 UNCH
7025	----	----	----	15.757B/17.510A	----	17.145 +	0.853 .6765	----	----	----	----	1 UNCH
7075	----	----	----	15.555B/17.281A	----	16.915 +	0.847 .6707	----	----	----	----	5 UNCH
7100	----	----	----	15.442B/17.169A	----	16.801 +	0.844 .6679	----	----	----	----	15 UNCH
7375	----	----	----	14.259B/15.999A	----	15.605 +	0.802 .6364	----	----	----	----	4 UNCH
7500	----	----	----	13.758B/15.502A	----	15.095 +	0.780 .6223	----	----	----	----	18 UNCH
7575	----	----	----	13.456B/15.216A	----	14.798 +	0.765 .6140	----	----	----	----	1 UNCH
7750	----	----	----	12.823B/14.564A	----	14.135 +	0.731 .5947	----	----	----	----	2 UNCH
7800	----	----	----	12.646B/14.381A	----	13.952 +	0.720 .5892	----	----	----	----	1 UNCH
7925	----	----	----	12.218B/13.967A	----	13.508 +	0.693 .5759	----	----	----	----	2 UNCH
8000	----	----	----	11.971B/13.720A	----	13.250 +	0.676 .5680	----	----	----	----	127 UNCH
8100	----	----	----	11.639B/13.401A	----	12.917 +	0.653 .5577	----	----	----	----	1 UNCH
8200	12.404	12.404	12.404/12.404	12.404/12.404	----	12.594 +	0.629 .5475	----	----	1	----	25 - 1
8400	----	----	----	10.751B/12.509A	----	11.980 +	0.581 .5277	----	----	----	----	50 UNCH
8500	----	----	----	10.489B/12.233A	----	11.689 +	0.557 .5180	----	----	----	----	150 UNCH
8550	----	----	----	10.355B/12.083A	----	11.547 +	0.545 .5133	----	----	----	----	1 UNCH
8800	----	----	----	9.722B/11.462A	----	10.871 +	0.483 .4902	----	----	----	----	5 UNCH
8900	----	----	----	9.467B/11.221A	----	10.616 +	0.459 .4813	----	----	----	----	2 UNCH
8950	----	----	----	9.351B/11.104A	----	10.492 +	0.447 .4769	----	----	----	----	1 UNCH
9000	----	----	----	9.244B/10.988A	----	10.370 +	0.435 .4726	----	----	----	----	183 UNCH
9050	----	----	----	9.144B/10.872A	----	10.250 +	0.423 .4683	----	----	----	----	100 UNCH
9300	----	----	----	8.614B/10.333A	----	9.680 +	0.367 .4476	----	----	----	----	1 UNCH
9500	----	----	----	8.222B/9.928A	----	9.257 +	0.324 .4318	----	----	----	----	3 UNCH
9700	----	----	----	7.840B/9.552A	----	8.862 +	0.286 .4168	----	----	----	----	1 UNCH
9800	----	----	----	7.680B/9.369A	----	8.673 +	0.267 .4095	----	----	----	----	17 UNCH
9900	----	----	----	7.511B/9.194A	----	8.491 +	0.250 .4024	----	----	----	----	3 UNCH
10000	----	----	----	7.333B/9.026A	----	8.315 +	0.235 .3954	----	----	----	----	773 UNCH
10025	----	----	----	7.306B/8.984A	----	8.272 +	0.231 .3937	----	----	----	----	3 UNCH
10500	----	----	----	6.589B/8.244A	----	7.516 +	0.176 .3632	----	----	----	----	2 UNCH
10600	----	----	----	6.460B/8.100A	----	7.371 +	0.167 .3572	----	----	----	----	1 UNCH
11000	----	----	----	5.949B/7.562A	----	6.833 +	0.140 .3345	----	----	----	----	91 UNCH
11350	----	----	----	5.548B/7.133A	----	6.414 +	0.127 .3165	----	----	----	----	5 UNCH
11800	----	----	----	5.076B/6.638A	----	5.933 +	0.119 .2954	----	----	----	----	25 UNCH
12000	----	----	----	4.893B/6.429A	----	5.738 +	0.119 .2866	----	----	----	----	438 UNCH
12200	----	----	----	4.708B/6.239A	----	5.553 +	0.119 .2783	----	----	----	----	1 UNCH
12500	----	----	----	4.457B/5.963A	----	5.292 +	0.119 .2665	----	----	----	----	43 UNCH
13000	----	----	----	4.072B/5.543A	----	4.898 +	0.123 .2484	----	----	----	----	338 UNCH
14000	----	----	----	3.423B/4.826A	----	4.226 +	0.124 .2170	----	----	----	----	56 UNCH
14200	----	----	----	3.313B/4.695A	----	4.107 +	0.123 .2114	----	----	----	----	1 UNCH
15000	----	----	----	2.909B/4.244A	----	3.675 +	0.116 .1909	----	----	----	----	1821 UNCH
16000	----	----	----	2.484B/3.756A	----	3.218 +	0.105 .1690	----	----	----	----	1608 UNCH
17000	----	----	----	2.130B/3.376A	----	2.833 +	0.090 .1502	----	----	----	----	50 UNCH
18000	----	----	----	1.782B/3.099A	----	2.507 +	0.073 .1342	----	----	----	----	7 UNCH
19000	----	----	----	1.495B/2.860A	----	2.230 +	0.057 .1204	----	----	----	----	1 UNCH
20000	----	----	----	1.256B/2.653A	----	1.994 +	0.041 .1085	----	----	----	----	262 UNCH
21000	----	----	----	1.494B/1.937A	----	1.793 +	0.027 .0982	----	----	----	----	4 UNCH
23000	----	----	----	1.263B/1.657A	----	1.474 +	0.005 .0817	----	----	----	----	4 UNCH
25000	----	----	----	1.028B/1.424A	----	1.237 -	0.010 .0691	----	----	----	----	231 UNCH
30000	0.830	0.830	0.830/0.830	0.830/0.830	----	0.877 -	0.019 .0493	----	----	1	----	105 UNCH
40000	0.700	0.700	0.700/0.677A	0.700/0.677A	----	0.568 -	0.018 .0315	----	----	1	----	23 UNCH
TOTAL										3	0	7549 - 1
JAN27												
7550	----	----	----	5.762B/25.456A	----	16.013 +	0.746 .6276	----	----	----	----	1 UNCH
7650	----	----	----	13.081B/17.466A	----	15.649 +	0.733 .6172	----	----	----	----	6 UNCH
10000	----	----	----	0.097B/18.144A	----	9.494 +	0.488 .4192	----	----	----	----	1 UNCH
11000	----	----	----	0.095B/16.236A	----	7.909 +	0.414 .3596	----	----	----	----	1 UNCH
13000	----	----	----	0.001B/13.461A	----	6.304 +	0.325 .2863	----	----	----	----	1 UNCH
14000	----	----	----	1.750B/12.450A	----	5.821 +	0.296 .2620	----	----	----	----	1 UNCH
14500	----	----	----	0.001B/11.997A	----	5.634 +	0.283 .2521	----	----	----	----	400 UNCH
15000	----	----	----	0.001B/11.588A	----	5.477 +	0.273 .2435	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	1.200B/22.032A	----	12.126 +	0.686 .4994	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/7.701A	----	1.698 +	0.102 .0814	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
9200	----	----	----	#0.468B/*22.828A	----	12.904 -	0.313 .5004	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	59.898 +	1.295 .9963	----	----	----	----	1 UNCH
10000	----	----	----	----	----	14.449 -	0.746 .4946	----	----	----	----	1 UNCH
10300	----	----	----	----	----	13.984 -	0.764 .4804	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.802 +	0.610 .9160	----	----	----	----	1 UNCH
20000	----	----	----	----	----	9.918 -	1.028 .3088	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.016A	----	0.003	UNCH .0002	----	----	----	----	31 UNCH
2100	----	----	----	----/0.064A	----	0.003	UNCH .0002	----	----	----	----	1 UNCH
2150	----	----	----	----/0.066A	----	0.003 -	0.001 .0002	----	----	----	----	1 UNCH
2175	----	----	----	----/0.066A	----	0.004	UNCH .0003	----	----	----	----	1 UNCH
2650	----	----	----	----/0.083A	----	0.010 -	0.002 .0009	----	----	----	----	2 UNCH
2700	----	----	----	----/0.085A	----	0.011 -	0.002 .0010	----	----	----	----	50 UNCH
2800	----	----	----	----/0.091A	----	0.013 -	0.002 .0012	----	----	----	----	12 UNCH
2850	----	----	----	----/0.094A	----	0.014 -	0.002 .0013	----	----	----	----	3 UNCH
2875	----	----	----	----/0.095A	----	0.015 -	0.002 .0014	----	----	----	----	1 UNCH
2950	----	----	----	----/0.100A	----	0.017 -	0.002 .0017	----	----	----	----	1 UNCH
3000	----	----	----	----/0.102A	----	0.018 -	0.003 .0018	----	----	----	----	19 UNCH
3075	----	----	----	0.001B/0.104A	----	0.021 -	0.003 .0021	----	----	----	----	16 UNCH
3100	----	----	----	0.001B/0.105A	----	0.022 -	0.003 .0022	----	----	----	----	5 UNCH
3125	----	----	----	0.001B/0.106A	----	0.023 -	0.003 .0023	----	----	----	----	14 UNCH
3175	----	----	----	0.001B/0.107A	----	0.025 -	0.004 .0025	----	----	----	----	14 UNCH
3200	----	----	----	0.001B/0.108A	----	0.027 -	0.003 .0027	----	----	----	----	13 UNCH
3225	----	----	----	0.001B/0.109A	----	0.028 -	0.004 .0028	----	----	----	----	10 UNCH
3275	----	----	----	0.001B/0.112A	----	0.030 -	0.004 .0030	----	----	----	----	54 UNCH
3300	----	----	----	0.001B/0.113A	----	0.032 -	0.004 .0032	----	----	----	----	79 UNCH
3325	----	----	----	0.001B/0.114A	----	0.033 -	0.004 .0033	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.115A	----	0.035 -	0.004 .0035	----	----	----	----	14 UNCH
3375	----	----	----	0.001B/0.116A	----	0.036 -	0.005 .0036	----	----	----	----	12 UNCH
3400	----	----	----	0.001B/0.118A	----	0.038 -	0.004 .0038	----	----	----	----	39 UNCH
3450	----	----	----	0.001B/0.121A	----	0.041 -	0.005 .0042	----	----	----	----	5 UNCH
3475	----	----	----	0.001B/0.122A	----	0.042 -	0.006 .0043	----	----	----	----	13 UNCH
3500	----	----	----	0.001B/*0.050A	----	0.044 -	0.006 .0045	----	----	----	----	58 UNCH
3550	----	----	----	0.001B/0.127A	----	0.048 -	0.006 .0049	----	----	----	----	1 UNCH
3575	----	----	----	0.001B/0.129A	----	0.050 -	0.006 .0051	----	----	----	----	28 UNCH
3600	----	----	----	0.001B/0.131A	----	0.052 -	0.006 .0053	----	----	----	----	6 UNCH
3625	----	----	----	0.001B/0.133A	----	0.054 -	0.006 .0055	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
3675	----	----	----	0.001B/0.138A	----	0.058 - 0.007	.0060	----	----	----	----	105 UNCH
3700	----	----	----	0.001B/0.140A	----	0.060 - 0.007	.0062	----	----	----	----	264 UNCH
3750	----	----	----	0.001B/0.145A	----	0.065 - 0.008	.0067	----	----	----	----	10 UNCH
3775	----	----	----	0.001B/0.148A	----	0.067 - 0.008	.0069	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/0.151A	----	0.070 - 0.008	.0072	----	----	----	----	356 UNCH
3850	----	----	----	0.001B/0.156A	----	0.075 - 0.009	.0078	----	----	----	----	1 UNCH
3900	----	----	----	0.080B/0.159A	----	0.080 - 0.010	.0083	----	----	----	----	52 UNCH
3925	----	----	----	0.001B/0.160A	----	0.083 - 0.010	.0087	----	----	----	----	9 UNCH
3950	----	----	----	0.001B/0.162A	----	0.086 - 0.010	.0090	----	----	----	----	11 UNCH
3975	----	----	----	0.001B/0.163A	----	0.089 - 0.011	.0093	----	----	----	----	5 UNCH
4000	0.070	0.070	0.090/0.070	0.101B/0.070	----	0.092 - 0.011	.0097	----	----	17	----	305 + 12
4025	----	----	----	0.001B/*0.165A	----	0.094 - 0.011	.0099	----	----	----	----	3 UNCH
4050	----	----	----	0.090B/0.154A	----	0.096 - 0.012	.0102	----	----	----	----	21 UNCH
4075	----	----	----	0.014B/*0.148A	----	0.098 - 0.012	.0104	----	----	----	----	15 UNCH
4100	----	----	----	0.095B/0.149A	----	0.100 - 0.013	.0107	----	----	----	----	190 UNCH
4125	----	----	----	0.015B/*0.144A	----	0.102 - 0.013	.0109	----	----	----	----	10 UNCH
4150	----	----	----	0.017B/*0.141A	----	0.104 - 0.014	.0112	----	----	----	----	9 UNCH
4175	----	----	----	0.019B/*0.148A	----	0.106 - 0.014	.0115	----	----	----	----	1 UNCH
4200	----	----	----	0.022B/0.152A	----	0.109 - 0.014	.0118	----	----	----	----	101 UNCH
4225	----	----	----	0.024B/*0.154A	----	0.111 - 0.015	.0121	----	----	----	----	20 UNCH
4250	----	----	----	0.027B/0.158A	----	0.113 - 0.015	.0124	----	----	----	----	10 UNCH
4275	----	----	----	0.030B/*0.160A	----	0.115 - 0.016	.0127	----	----	----	----	7 UNCH
4300	----	----	----	0.033B/0.163A	----	0.117 - 0.017	.0130	----	----	----	----	267 UNCH
4325	----	----	----	0.035B/*0.165A	----	0.120 - 0.017	.0133	----	----	----	----	1 UNCH
4350	----	----	----	0.038B/0.169A	----	0.122 - 0.018	.0136	----	----	----	----	27 UNCH
4375	----	----	----	0.041B/*0.171A	----	0.125 - 0.018	.0140	----	----	----	----	12 UNCH
4400	----	----	----	0.045B/0.171A	----	0.127 - 0.019	.0143	----	----	----	----	314 UNCH
4425	----	----	----	0.048B/*0.174A	----	0.129 - 0.020	.0146	----	----	----	----	14 UNCH
4450	----	----	----	0.051B/*0.177A	----	0.132 - 0.020	.0150	----	----	----	----	7 UNCH
4475	----	----	----	0.054B/*0.181A	----	0.135 - 0.020	.0154	----	----	----	----	81 UNCH
4500	0.150	0.150	0.150/*0.150	0.150/*0.150	----	0.137 - 0.022	.0157	----	----	1	----	787 UNCH
4525	----	----	----	0.062B/0.188A	----	0.140 - 0.022	.0161	----	----	----	----	19 UNCH
4550	----	----	----	0.065B/*0.191A	----	0.143 - 0.023	.0166	----	----	----	----	4 UNCH
4575	----	----	----	0.069B/*0.196A	----	0.146 - 0.023	.0170	----	----	----	----	11 UNCH
4600	----	----	----	0.073B/*0.200A	----	0.149 - 0.024	.0174	----	----	----	----	15 UNCH
4625	----	----	----/*0.172A	0.125B/*0.172A	----	0.152 - 0.025	.0178	----	----	----	----	66 UNCH
4650	----	----	----/*0.176A	0.128B/*0.176A	----	0.155 - 0.026	.0183	----	----	----	----	10 UNCH
4675	----	----	----/*0.180A	0.132B/*0.180A	----	0.158 - 0.027	.0187	----	----	----	----	17 UNCH
4700	----	----	----/*0.186A	0.152B/*0.186A	----	0.161 - 0.028	.0191	----	----	----	----	116 UNCH
4725	----	----	----/*0.189A	0.142B/*0.189A	----	0.165 - 0.029	.0197	----	----	----	----	11 UNCH
4750	----	----	----/*0.193A	0.148B/*0.193A	----	0.168 - 0.030	.0201	----	----	----	----	18 UNCH
4775	----	----	----/*0.197A	0.153B/*0.197A	----	0.172 - 0.031	.0207	----	----	----	----	4 UNCH
4800	----	----	----/0.201A	0.160B/0.201A	----	0.176 - 0.032	.0212	----	----	1	----	317 + 1
4825	----	----	----/*0.205A	0.159B/*0.205A	----	0.180 - 0.033	.0218	----	----	----	----	3 UNCH
4850	----	----	----/*0.210A	0.167B/*0.210A	----	0.184 - 0.034	.0224	----	----	----	----	78 UNCH
4875	----	----	----/*0.214A	0.171B/*0.214A	----	0.188 - 0.035	.0230	----	----	----	----	1 UNCH
4900	----	----	----/*0.217A	0.177B/*0.217A	----	0.192 - 0.037	.0235	----	----	----	----	163 UNCH
4925	----	----	----/*0.221A	0.181B/*0.221A	----	0.197 - 0.038	.0242	----	----	----	----	9 UNCH
4950	----	----	----/0.231A	0.187B/0.231A	----	0.201 - 0.040	.0248	----	----	----	----	12 UNCH
4975	----	----	----/*0.234A	0.192B/*0.234A	----	0.206 - 0.041	.0255	----	----	----	----	52 UNCH
5000	0.240	0.240	0.253/0.230	0.253/0.230	----	0.211 - 0.042	.0262	----	----	71	----	885 - 10
5025	----	----	----/*0.246A	0.206B/*0.246A	----	0.216 - 0.044	.0269	----	----	----	----	1 UNCH
5050	----	----	----/*0.254A	0.214B/*0.254A	----	0.222 - 0.045	.0278	----	----	----	----	24 UNCH
5075	----	----	----/*0.263A	0.219B/*0.263A	----	0.227 - 0.047	.0285	----	----	----	----	7 UNCH
5100	0.274	0.274	0.274/*0.252	0.274/*0.252	----	0.233 - 0.049	.0293	----	----	17	----	161 - 3
5125	----	----	----/*0.275A	0.234B/*0.275A	----	0.239 - 0.051	.0302	----	----	----	----	50 UNCH
5150	----	----	----/*0.284A	0.245B/*0.284A	----	0.246 - 0.052	.0311	----	----	----	----	50 UNCH
5175	----	----	----/*0.292A	0.249B/*0.292A	----	0.252 - 0.054	.0320	----	----	----	----	2 UNCH
5200	0.281	0.281	0.281/*0.281	0.281/*0.281	----	0.259 - 0.056	.0329	----	----	15	----	169 - 3
5225	----	----	----/*0.307A	0.267B/*0.307A	----	0.266 - 0.058	.0339	----	----	----	----	5 UNCH
5250	0.260	0.260	0.260/*0.260	0.276B/*0.260	----	0.273 - 0.061	.0349	----	----	4	----	29 - 4
5275	----	----	----/*0.310A	0.284B/*0.310A	----	0.281 - 0.063	.0360	----	----	----	----	8 UNCH
5300	0.295	0.295	0.295/*0.295	0.295/*0.295	----	0.289 - 0.065	.0371	----	----	4	----	171 UNCH
5325	----	----	----/*0.322A	0.345B/*0.322A	----	0.297 - 0.068	.0382	----	----	----	----	23 UNCH
5350	----	----	----/*0.347A	0.357B/*0.347A	----	0.306 - 0.070	.0394	----	----	----	----	28 UNCH
5375	0.371	0.371	0.371/*0.358A	0.372B/*0.358A	----	0.315 - 0.072	.0406	----	----	1	----	13 - 1
5400	0.359	0.359	0.359/*0.355A	0.382B/*0.355A	----	0.324 - 0.075	.0418	----	----	3	----	99 UNCH
5425	0.357	0.357	0.357/*0.357	0.399B/*0.357	----	0.334 - 0.078	.0432	----	----	1	----	14 + 1
5450	----	----	----/*0.380A	0.413B/*0.380A	----	0.344 - 0.081	.0445	----	----	----	----	9 UNCH
5475	----	----	----/*0.384A	0.426B/*0.384A	----	0.354 - 0.084	.0459	----	----	----	----	13 UNCH
5500	0.375	0.375	0.390/0.350	0.442B/0.350	----	0.365 - 0.087	.0473	----	----	29	----	584 + 21
5525	----	----	----/*0.390A	0.454B/*0.390A	----	0.376 - 0.091	.0488	----	----	----	----	37 UNCH
5550	0.381	0.381	0.381/*0.381	0.472B/*0.381	----	0.388 - 0.094	.0504	----	----	1	----	33 + 1
5575	----	----	0.506B/*0.413A	0.506B/*0.413A	----	0.400 - 0.097	.0520	----	----	----	----	4 UNCH
5600	----	----	0.586B/*0.426A	0.586B/*0.426A	----	0.413 - 0.100	.0537	----	----	3	----	68 - 2
5625	----	----	0.558B/0.438A	0.558B/0.438A	----	0.426 - 0.104	.0554	----	----	----	----	6 UNCH
5650	----	----	0.579B/*0.453A	0.579B/*0.453A	----	0.439 - 0.109	.0571	----	----	----	----	40 UNCH
5675	----	----	0.603B/0.466A	0.603B/0.466A	----	0.453 - 0.113	.0590	----	----	----	----	48 UNCH
5700	----	----	0.623B/0.482A	0.623B/0.482A	----	0.468 - 0.116	.0609	----	----	2	----	127 + 2
5725	0.546	0.546	0.647B/0.497A	0.647B/0.497A	----	0.483 - 0.121	.0629	----	----	5	----	27 + 5
5750	0.620	0.620	0.669B/0.511A	0.669B/0.511A	----	0.499 - 0.125	.0649	----	----	1	----	111 UNCH
5775	0.587	0.587	0.694B/0.517A	0.694B/0.517A	----	0.515 - 0.130	.0670	----	----	4	----	14 - 1
5800	0.583	0.583	0.712B/0.527A	0.712B/0.527A	----	0.532 - 0.134	.0692	----	----	34	----	368 - 10
5825	----	----	0.750B/0.554A	0.750B/0.554A	----	0.549 - 0.140	.0714	----	----	----	----	55 UNCH
5850	0.618	0.618	0.771B/0.564A	0.771B/0.564A	----	0.568 - 0.144	.0737	----	----	2	----	7 + 1
5875	----	----	0.793B/0.587A	0.793B/0.587A	----	0.586 - 0.150	.0761	----	----	----	----	4 UNCH
5900	0.658	0.658	0.825B/0.611A	0.825B/0.611A	----	0.606 - 0.155	.0786	----	----	17	----	119 + 9
5925	----	----	0.849B/0.631A	0.849B/0.631A	----	0.626 - 0.161	.0811	----	----	4	----	13 + 1
5950	0.736	0.736	0.881B/0.662A	0.881B/0.662A	----	0.647 - 0.166	.0837	----	----	6	----	14 + 5
5975	0.756	0.756	0.902B/0.675A	0.902B/0.675A	----	0.669 - 0.172	.0864	----	----	3	----	22 + 3
6000	0.950	0.950	1.006/0.705A	1.006/0.705A	----	0.691 - 0.179	.0892	----	----	120	----	1009 - 6
6025	----	----	0.975B/0.729A	0.975B/0.729A	----	0.715 - 0.184	.0921	----	----	----	----	24 UNCH
6050	----	----	1.011B/0.750A	1.011B/0.750A	----	0.739 - 0.191	.0950	----	----	----	----	320 UNCH
6075	----	----	1.047B/0.773A	1.047B/0.773A	----	0.764 - 0.197	.0981	----	----	1	----	166 + 1
6100	----	----	1.091B/0.797A	1.091B/0.797A	----	0.789 - 0.205	.1011	----	----	2	----	146 + 2
6125	----	----	1.119B/0.827A	1.119B/0.827A	----	0.816 - 0.212	.1044	----	----	----	----	7 UNCH
6150	----	----	1.163B/0.855A	1.163B/0.855A	----	0.844 - 0.218	.1077	----	----	----	----	33 UNCH
6175	----	----	1.185B/0.878A	1.185B/0.878A	----	0.872 - 0.226	.1111	----	----	----	----	13 UNCH
6200	----	----	1.217B/0.909A	1.217B/0.909A	----	0.902 - 0.233	.1146	----	----	3	----	61 + 2
6225	----	----	1.267B/0.932A	1.267B/0.932A	----	0.932 - 0.242	.1182	----	----	----	----	32 UNCH
6250	----	----	1.309B/0.960A	1.309B/0.960A	----	0.964 - 0.249	.1219	----	----	----	----	92 UNCH
6275	----	----	1.320B/0.993A	1.320B/0.993A	----	0.997 - 0.257	.1257	----	----	----	----	13 UNCH
6300	1.160	1.160	1.398B/1.033A	1.398B/1.033A	----	1.030 - 0.266	.1296	----	----	4	----	183 + 3
6325	----	----	1.409B/1.061A	1.409B/1.061A	----	1.065 - 0.274	.1336	----	----	----	----	126 UNCH
6350	----	----	1.487B/1.100A	1.487B/1.100A	----	1.101 - 0.283	.1377	----	----	----	----	80 UNCH
6375	----	----	1.538B/1.134A	1.538B/1.134A	----	1.138 - 0.292	.1419	----	----	----	----	31 UNCH
6400	----	----	1.587B/1.176A	1.587B/1.176A	----	1.176 - 0.301	.1461	----	----	6	----	75 UNCH
6425	----	----	1.637B/1.213A	1.637B/1.213A	----	1.216 - 0.310	.1506	----	----	----	----	10 UNCH
6450	----	----	1.692B/1.250A	1.692B/1.250A	----	1.256 - 0.320	.1550	----	----	----	----	41 UNCH
6475	----	----	1.750B/1.294A	1.750B/1.294A	----	1.298 - 0.330	.1597	----	----	----	----	8 UNCH
6500	1.667	1.667	1.794B/1.334A	1.794B/1.334A	----	1.342 - 0.339	.1644	----	----	92	----	791 + 16
6525	----	----	1.862B/1.373A	1.862B/1.373A	----	1.386 - 0.349	.1692	----	----	----	----	18 UNCH
6550	----	----	1.923B/1.419A	1.923B/1.419A	----	1.432 - 0.359	.1742	----	----	----	----	170 UNCH
6575	----	----	1.981B/1.472A	1.981B/1.472A	----	1.479 - 0.370	.1792	----	----	----	----	70 UNCH
6600	2.050	2.050	2.054B/1.521A	2.054B/1.521A	----	1.528 - 0.380	.1843	----	----	6	----	424 - 2
6625	----	----	2.110B/1.563A	2.110B/1.563A	----	1.578 - 0.391	.1896	----	----	----	----	7 UNCH
6650	2.182	2.182	2.195/1.619A	2.195/1.619A	----	1.629 - 0.403	.1949	----	----	8	----	90 - 2
6675	2.280	2.280	2.280/1.667A	2.280/1.667A	----	1.682 - 0.414	.2004	----	----	1	----	65 - 1
6700	2.320	2.320	2.331B/1.723A	2.331B/1.723A	----	1.737 - 0.424	.2060	----	----	15	----	422 - 4
6725	----	----	2.400B/1.773A	2.400B/1.773A	----	1.793 - 0.436	.2117	----	----	----	----	7 UNCH
6750	----	----	2.476B/1.834A	2.476B/1.834A	----	1.850 - 0.448	.2174	----	----	----	----	60 UNCH
6775	----	----	2.551B/1.896A	2.551B/1.896A	----	1.909 - 0.460	.2233	----	----	----	----	14 UNCH
6800	2.400	2.400	2.619B/1.958A	2.619B/1.958A	----	1.970 - 0.471	.2293	----	----	21	----	77 + 6
6825	----	----	2.689B/2.023A	2.689B/2.023A	----	2.032 - 0.484	.2354	----	----	----	----	13 UNCH
6850	----	----	2.786B/2.080A	2.786B/2.080A	----	2.096 - 0.496	.2416	----	----	2	----	12 + 2
6875	----	----	2.846B/2.150A	2.846B/2.150A	----	2.162 - 0.508	.2479	----	----	----	----	7 UNCH
6900	2.840	2.840	2.948B/2.207A	2.948B/2.207A	----	2.230 - 0.520	.2544	----	----	28	----	400 + 6
6925	----	----	3.015B/2.291A	3.015B/2.291A	----	2.299 - 0.533	.2609	----	----	----	----	164 UNCH
6950	----	----	3.106B/2.360A	3.106B/2.360A	----	2.370 - 0.545	.2675	----	----	10	----	17 + 10
6975	----	----	3.200B/2.428A	3.200B/2.428A	----	2.443 - 0.558	.2742	----	----	----	----	14 UNCH
7000	3.079	3.079	3.300/2.503A	3.300/2.503A	----	2.518 - 0.571	.2810	----	----	73	----	852 - 9
7025	----	----	3.385B/2.580A	3.385B/2.580A	----	2.594 - 0.584	.2878	----	----	----	----	10 UNCH
7050	----	----	3.419B/2.655A	3.419B/2.655A	----	2.673 - 0.597	.2948	----	----	10	----	45 + 10
7075	3.350	3.350	3.506B/2.737A	3.506B/2.737A	----	2.753 - 0.610	.3019	----	----	2	----	9 - 1
7100	3.380	3.380	3.657B/2.813A	3.657B/2.813A	----	2.836 - 0.623	.3091	----	----	7	----	63 + 3
7125	----	----	3.725B/2.906A	3.725B/2.906A	----	2.920 - 0.637	.3163	----	----	----	----	11 UNCH
7150	3.080	3.080	3.828B/2.995A	3.828B/2.995A	----	3.007 - 0.650	.3236	----	----	1	----	27 UNCH
7175	----	----	3.924B/3.080A	3.924B/3.080A	----	3.095 - 0.664	.3310	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7200	3.950	3.950	4.059B/3.167A	4.059B/3.167A	----	3.186 -	0.677 .3385	----	----	68	----	315 + 20
7225	----	----	4.151B/3.261A	4.151B/3.261A	----	3.278 -	0.691 .3461	----	----	----	----	18 UNCH
7250	----	----	4.282B/3.349A	4.282B/3.349A	----	3.373 -	0.704 .3537	----	----	----	----	56 UNCH
7275	----	----	4.382B/3.453A	4.382B/3.453A	----	3.470 -	0.718 .3614	----	----	----	----	6 UNCH
7300	4.000	4.000	4.497B/3.541A	4.497B/3.541A	----	3.569 -	0.731 .3691	----	----	2	----	40 UNCH
7325	----	----	4.624B/3.651A	4.624B/3.651A	----	3.670 -	0.745 .3769	----	----	----	----	14 UNCH
7350	----	----	4.744B/3.751A	4.744B/3.751A	----	3.774 -	0.758 .3848	----	----	----	----	30 UNCH
7375	----	----	4.866B/3.856A	4.866B/3.856A	----	3.879 -	0.772 .3927	----	----	----	----	8 UNCH
7400	----	----	5.003B/3.963A	5.003B/3.963A	----	3.987 -	0.786 .4006	----	----	2	----	32 UNCH
7425	----	----	5.126B/4.071A	5.126B/4.071A	----	4.097 -	0.799 .4086	----	----	----	----	14 UNCH
7450	----	----	5.231B/4.191A	5.231B/4.191A	----	4.209 -	0.813 .4166	----	----	----	----	7 UNCH
7475	----	----	5.383B/4.298A	5.383B/4.298A	----	4.323 -	0.827 .4247	----	----	----	----	8 UNCH
7500	5.263	5.263	5.600/4.410A	5.600/4.410A	----	4.440 -	0.840 .4328	----	----	56	----	404 - 2
7525	4.939	4.939	5.658B/4.535A	5.658B/4.535A	----	4.559 -	0.854 .4409	----	----	1	----	33 UNCH
7530	----	----	5.689B/4.553A	5.689B/4.553A	----	4.583 -	0.857 .4425	----	----	----	----	7 UNCH
7535	----	----	5.709B/4.578A	5.709B/4.578A	----	4.607 -	0.859 .4441	----	----	----	----	6 UNCH
7540	----	----	5.746B/4.611A	5.746B/4.611A	----	4.631 -	0.862 .4458	----	----	----	----	6 UNCH
7545	----	----	5.770B/4.628A	5.770B/4.628A	----	4.656 -	0.864 .4474	----	----	----	----	2 UNCH
7550	----	----	5.802B/4.658A	5.802B/4.658A	----	4.680 -	0.867 .4490	----	----	----	----	17 UNCH
7555	----	----	5.829B/4.677A	5.829B/4.677A	----	4.705 -	0.870 .4507	----	----	----	----	1 UNCH
7560	----	----	5.828B/4.701A	5.828B/4.701A	----	4.729 -	0.873 .4523	----	----	----	----	2 UNCH
7565	----	----	5.884B/4.728A	5.884B/4.728A	----	4.754 -	0.875 .4539	----	----	----	----	1 UNCH
7570	5.784	5.784	5.914B/4.755A	5.914B/4.755A	----	4.779 -	0.878 .4555	----	----	2	----	3 + 2
7575	5.000	5.000	5.937B/4.773A	5.937B/4.773A	----	4.804 -	0.880 .4572	----	----	1	----	2 + 1
7580	----	----	5.972B/4.798A	5.972B/4.798A	----	4.829 -	0.883 .4588	----	----	----	----	25 UNCH
7585	----	----	5.999B/4.825A	5.999B/4.825A	----	4.854 -	0.885 .4604	----	----	----	----	6 UNCH
7590	----	----	6.028B/4.849A	6.028B/4.849A	----	4.879 -	0.888 .4621	----	----	----	----	1 UNCH
7595	----	----	6.045B/4.874A	6.045B/4.874A	----	4.904 -	0.891 .4637	----	----	----	----	1 UNCH
7600	5.600	5.600	6.089B/4.902A	6.089B/4.902A	----	4.929 -	0.894 .4653	----	----	12	----	52 + 10
7605	5.977	5.977	6.113B/4.924A	6.113B/4.924A	----	4.955 -	0.896 .4670	----	----	1	----	3 + 1
7610	----	----	6.145B/4.952A	6.145B/4.952A	----	4.980 -	0.899 .4686	----	----	----	----	1 UNCH
7620	----	----	6.203B/5.003A	6.203B/5.003A	----	5.032 -	0.904 .4719	----	----	----	----	31 UNCH
7625	----	----	6.224B/5.028A	6.224B/5.028A	----	5.057 -	0.907 .4735	----	----	----	----	3 UNCH
7630	----	----	6.263B/5.052A	6.263B/5.052A	----	5.083 -	0.909 .4751	----	----	----	----	1 UNCH
7635	----	----	6.292B/5.079A	6.292B/5.079A	----	5.109 -	0.912 .4767	----	----	----	----	36 UNCH
7645	----	----	6.303B/5.126A	6.303B/5.126A	----	5.161 -	0.917 .4800	----	----	----	----	2 UNCH
7650	----	----	6.368B/5.160A	6.368B/5.160A	----	5.188 -	0.919 .4816	----	----	----	----	7 UNCH
7655	----	----	6.391B/5.180A	6.391B/5.180A	----	5.214 -	0.922 .4833	----	----	----	----	1 UNCH
7660	----	----	6.383B/5.214A	6.383B/5.214A	----	5.240 -	0.925 .4849	----	----	----	----	1 UNCH
7665	----	----	6.413B/5.236A	6.413B/5.236A	----	5.267 -	0.927 .4865	----	----	----	----	3 UNCH
7670	----	----	6.442B/5.261A	6.442B/5.261A	----	5.293 -	0.930 .4882	----	----	----	----	1 UNCH
7675	----	----	6.450B/5.289A	6.450B/5.289A	----	5.320 -	0.932 .4898	----	----	----	----	3 UNCH
7685	----	----	6.497B/5.329A	6.497B/5.329A	----	5.374 -	0.937 .4930	----	----	----	----	10 UNCH
7700	----	----	6.623B/5.409A	6.623B/5.409A	----	5.455 -	0.945 .4979	----	----	----	----	272 UNCH
7710	----	----	6.625B/5.478A	6.625B/5.478A	----	5.509 -	0.950 .5012	----	----	----	----	2 UNCH
7715	----	----	6.655B/5.524A	6.655B/5.524A	----	5.537 -	0.952 .5028	----	----	----	----	1 UNCH
7720	----	----	6.681B/5.552A	6.681B/5.552A	----	5.564 -	0.955 .5044	----	----	----	----	2 UNCH
7725	----	----	6.709B/5.580A	6.709B/5.580A	----	5.592 -	0.957 .5060	----	----	----	----	2 UNCH
7730	----	----	6.749B/5.605A	6.749B/5.605A	----	5.620 -	0.959 .5077	----	----	----	----	1 UNCH
7735	----	----	6.740B/5.634A	6.740B/5.634A	----	5.647 -	0.962 .5093	----	----	----	----	1 UNCH
7745	----	----	6.805B/5.690A	6.805B/5.690A	----	5.703 -	0.967 .5125	----	----	----	----	3 UNCH
7750	----	----	6.925B/5.696A	6.925B/5.696A	----	5.731 -	0.969 .5142	----	----	----	----	61 UNCH
7755	----	----	6.793B/5.748A	6.793B/5.748A	----	5.759 -	0.972 .5158	----	----	----	----	4 UNCH
7760	6.298	6.298	6.820B/5.775A	6.820B/5.775A	----	5.788 -	0.973 .5174	----	----	1	----	4 UNCH
7770	----	----	6.885B/5.832A	6.885B/5.832A	----	5.844 -	0.979 .5206	----	----	----	----	1 UNCH
7775	----	----	6.916B/5.860A	6.916B/5.860A	----	5.873 -	0.981 .5222	----	----	----	----	2 UNCH
7780	----	----	6.948B/5.890A	6.948B/5.890A	----	5.901 -	0.984 .5238	----	----	----	----	1 UNCH
7785	----	----	6.976B/5.918A	6.976B/5.918A	----	5.930 -	0.986 .5254	----	----	----	----	1 UNCH
7790	----	----	7.084B/5.946A	7.084B/5.946A	----	5.959 -	0.988 .5270	----	----	----	----	2 UNCH
7800	----	----	7.223B/6.002A	7.223B/6.002A	----	6.017 -	0.992 .5303	----	----	----	----	24 UNCH
7805	----	----	7.091B/6.029A	7.091B/6.029A	----	6.046 -	0.994 .5319	----	----	----	----	1 UNCH
7815	----	----	7.167B/6.091A	7.167B/6.091A	----	6.104 -	0.999 .5351	----	----	----	----	1 UNCH
7825	----	----	7.224B/6.148A	7.224B/6.148A	----	6.163 -	1.003 .5383	----	----	----	----	1 UNCH
7830	----	----	7.343B/6.176A	7.343B/6.176A	----	6.192 -	1.006 .5399	----	----	----	----	11 UNCH
7840	----	----	7.284B/6.236A	7.284B/6.236A	----	6.251 -	1.011 .5430	----	----	----	----	2 UNCH
7850	----	----	7.545B/6.281A	7.545B/6.281A	----	6.311 -	1.015 .5462	----	----	----	----	44 UNCH
7865	----	----	7.482B/6.405A	7.482B/6.405A	----	6.401 -	1.021 .5510	----	----	----	----	1 UNCH
7875	----	----	7.703B/6.464A	7.703B/6.464A	----	6.461 -	1.026 .5542	----	----	----	----	7 UNCH
7880	----	----	7.553B/6.495A	7.553B/6.495A	----	6.492 -	1.028 .5557	----	----	----	----	1 UNCH
7885	----	----	7.564B/6.525A	7.564B/6.525A	----	6.522 -	1.030 .5573	----	----	----	----	1 UNCH
7890	----	----	7.596B/6.555A	7.596B/6.555A	----	6.553 -	1.032 .5589	----	----	----	----	1 UNCH
7895	----	----	----/6.571A	7.616B/6.571A	----	6.583 -	1.035 .5605	----	----	----	----	1 UNCH
7900	----	----	7.870B/6.584A	7.870B/6.584A	----	6.614 -	1.036 .5620	----	----	----	----	33 UNCH
7910	----	----	----/6.674A	7.651B/6.674A	----	6.676 -	1.040 .5652	----	----	----	----	3 UNCH
7915	----	----	----/6.694A	7.684B/6.694A	----	6.707 -	1.042 .5668	----	----	----	----	1 UNCH
7925	----	----	----/6.754A	7.750B/6.754A	----	6.769 -	1.046 .5699	----	----	----	----	1 UNCH
7930	----	----	----/6.796A	7.748B/6.796A	----	6.800 -	1.049 .5714	----	----	----	----	1 UNCH
7935	----	----	----/6.814A	7.752B/6.814A	----	6.831 -	1.051 .5730	----	----	----	----	2 UNCH
7940	----	----	----/6.858A	7.753B/6.858A	----	6.863 -	1.052 .5745	----	----	----	----	3 UNCH
7950	----	----	8.197B/6.916A	8.197B/6.916A	----	6.926 -	1.056 .5776	----	----	----	----	24 UNCH
7955	----	----	----/6.945A	7.765B/6.945A	----	6.957 -	1.059 .5792	----	----	----	----	1 UNCH
7965	----	----	8.302B/7.028A	8.302B/7.028A	----	7.021 -	1.062 .5823	----	----	----	----	6 UNCH
7970	----	----	----/7.067A	7.866B/7.067A	----	7.053 -	1.064 .5838	----	----	----	----	3 UNCH
7975	----	----	----/7.179A	8.062B/7.179A	----	7.085 -	1.066 .5853	----	----	----	----	1 UNCH
7980	----	----	----/7.153A	8.092B/7.153A	----	7.117 -	1.068 .5869	----	----	----	----	1 UNCH
7985	----	----	----/7.204A	8.125B/7.204A	----	7.149 -	1.070 .5884	----	----	----	----	1 UNCH
7990	----	----	----/7.196A	8.001B/7.196A	----	7.181 -	1.072 .5899	----	----	----	----	2 UNCH
8000	----	----	8.535B/7.241A	8.535B/7.241A	----	7.246 -	1.076 .5930	----	----	----	----	480 UNCH
8005	----	----	----/7.319A	8.265B/7.319A	----	7.279 -	1.077 .5945	----	----	----	----	2 UNCH
8010	----	----	----/7.353A	8.300B/7.353A	----	7.311 -	1.079 .5960	----	----	----	----	2 UNCH
8025	----	----	8.711B/7.423A	8.711B/7.423A	----	7.409 -	1.085 .6005	----	----	----	----	7 UNCH
8030	----	----	----/7.477A	8.441B/7.477A	----	7.442 -	1.087 .6020	----	----	----	----	1 UNCH
8035	----	----	----/7.522A	8.476B/7.522A	----	7.475 -	1.089 .6035	----	----	----	----	1 UNCH
8040	----	----	----/7.573A	8.511B/7.573A	----	7.508 -	1.090 .6051	----	----	----	----	1 UNCH
8050	----	----	----/7.780A	8.583B/7.780A	----	7.575 -	1.093 .6081	----	----	----	----	4 UNCH
8065	----	----	----/7.916A	8.521B/7.916A	----	7.675 -	1.098 .6125	----	----	----	----	1 UNCH
8070	----	----	----/7.949A	8.554B/7.949A	----	7.708 -	1.101 .6140	----	----	----	----	2 UNCH
8075	----	----	----/8.012A	8.596B/8.012A	----	7.741 -	1.103 .6155	----	----	----	----	4 UNCH
8080	----	----	----/8.016A	8.796B/8.016A	----	7.775 -	1.104 .6170	----	----	----	----	3 UNCH
8085	----	----	9.130B/7.868A	9.130B/7.868A	----	7.809 -	1.106 .6185	----	----	----	----	7 UNCH
8090	----	----	9.167B/7.896A	9.167B/7.896A	----	7.842 -	1.108 .6199	----	----	----	----	20 UNCH
8095	----	----	----/8.117A	8.904B/8.117A	----	7.876 -	1.110 .6214	----	----	----	----	2 UNCH
8100	----	----	9.243B/7.960A	9.243B/7.960A	----	7.910 -	1.112 .6229	----	----	----	----	33 UNCH
8105	----	----	----/8.185A	8.977B/8.185A	----	7.944 -	1.113 .6244	----	----	----	----	1 UNCH
8110	----	----	----/8.219A	9.013B/8.219A	----	7.978 -	1.115 .6258	----	----	----	----	1 UNCH
8125	----	----	----/8.351A	9.123B/8.351A	----	8.081 -	1.120 .6302	----	----	----	----	1 UNCH
8150	----	----	----/8.523A	9.307B/8.523A	----	8.253 -	1.129 .6374	----	----	----	----	4 UNCH
8175	----	----	----/8.698A	9.492B/8.698A	----	8.427 -	1.137 .6445	----	----	----	----	2 UNCH
8195	----	----	----/8.809A	9.642B/8.809A	----	8.568 -	1.143 .6502	----	----	----	----	2 UNCH
8200	----	----	9.973B/8.661A	9.973B/8.661A	----	8.604 -	1.144 .6516	----	----	----	----	37 UNCH
8205	----	----	----/8.880A	9.717B/8.880A	----	8.639 -	1.146 .6530	----	----	----	----	1 UNCH
8210	----	----	----/8.915A	9.755B/8.915A	----	8.674 -	1.148 .6544	----	----	----	----	1 UNCH
8215	----	----	----/8.951A	9.793B/8.951A	----	8.710 -	1.149 .6558	----	----	----	----	1 UNCH
8225	----	----	----/9.052A	9.869B/9.052A	----	8.782 -	1.152 .6586	----	----	----	----	5 UNCH
8230	----	----	----/9.058A	9.906B/9.058A	----	8.817 -	1.154 .6600	----	----	----	----	1 UNCH
8240	----	----	----/9.130A	9.982B/9.130A	----	8.889 -	1.157 .6627	----	----	----	----	2 UNCH
8250	----	----	10.352B/9.021A	10.352B/9.021A	----	8.961 -	1.160 .6655	----	----	----	----	73 UNCH
8255	----	----	----/9.239A	10.066B/9.239A	----	8.997 -	1.161 .6668	----	----	----	----	3 UNCH
8265	----	----	----/9.311A	10.142B/9.311A	----	9.070 -	1.164 .6696	----	----	----	----	1 UNCH
8270	----	----	----/9.348A	10.146B/9.348A	----	9.106 -	1.165 .6709	----	----	----	----	1 UNCH
8275	----	----	----/9.414A	10.178B/9.414A	----	9.143 -	1.166 .6723	----	----	----	----	1 UNCH
8280	----	----	----/9.421A	10.223B/9.421A	----	9.179 -	1.168 .6736	----	----	----	----	3 UNCH
8285	----	----	----/9.458A	10.261B/9.458A	----	9.216 -	1.169 .6749	----	----	----	----	1 UNCH
8290	----	----	----/9.495A	10.299B/9.495A	----	9.253 -	1.170 .6763	----	----	----	----	2 UNCH
8295	----	----	----/9.531A	10.338B/9.531A	----	9.289 -	1.172 .6776	----	----	----	----	1 UNCH
8300	----	----	10.717B/9.391A	10.717B/9.391A	----	9.326 -	1.173 .6790	----	----	----	----	64 UNCH
8305	----	----	----/9.605A	10.415B/9.605A	----	9.363 -	1.175 .6803	----	----	----	----	1 UNCH
8315	----	----	----/9.679A	10.494B/9.679A	----	9.437 -	1.177 .6830	----	----	----	----	1 UNCH
8320	----	----	----/9.716A	10.532B/9.716A	----	9.474 -	1.178 .6842	----	----	----	----	2 UNCH
8325	----	----	----/9.783A	10.572B/9.783A	----	9.511 -	1.180 .6856	----	----	----	----	1 UNCH
8330	----	----	----/9.791A	10.611B/9.791A	----	9.548 -	1.181 .6869	----	----	----	----	1 UNCH
8335	----	----	----/9.828A	10.650B/9.828A	----	9.586 -	1.182 .6882	----	----	----	----	1 UNCH
8340	----	----	11.033B/9.700A	11.033B/9.700A	----	9.623 -	1.183 .6895	----	----	----	----	19 UNCH
8350	----	----	11.111B/9.768A	11.111B/9.768A	----	9.698 -	1.186 .6921	----	----	----	----	19 UNCH
8355	----	----	----/9.978A	10.810B/9.978A	----	9.735 -	1.187 .6934	----	----	----	----	3 UNCH
8360	----	----	----/10.016A	10.849B/10.016A	----	9.773 -	1.188 .6947	----	----	----	----	4 UNCH
8375	----	----	11.295B/9.959A	11.295B/9.959A	----	9.886 -	1.192 .6985	----	----	----	----	8 UNCH
8385	----	----	----/10.208A	11.047B/10.208A	----	9.962 -	1.194 .7010	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8395	----	----	----/10.284A	11.128B/10.284A	----	10.038 - 1.196	.7036	----	----	----	----	2 UNCH
8400	----	----	11.493B/10.152A	11.493B/10.152A	----	10.076 - 1.198	.7048	----	----	----	----	32 UNCH
8405	----	----	----/10.360A	11.208B/10.360A	----	10.114 - 1.199	.7060	----	----	----	----	2 UNCH
8410	----	----	----/10.384A	11.249B/10.384A	----	10.153 - 1.199	.7073	----	----	----	----	3 UNCH
8415	----	----	----/10.422A	11.289B/10.422A	----	10.191 - 1.201	.7086	----	----	----	----	3 UNCH
8420	----	----	----/10.486A	11.329B/10.486A	----	10.229 - 1.202	.7098	----	----	----	----	2 UNCH
8425	----	----	----/10.513A	11.369B/10.513A	----	10.268 - 1.203	.7110	----	----	----	----	5 UNCH
8430	----	----	----/10.537A	11.409B/10.537A	----	10.306 - 1.204	.7123	----	----	----	----	1 UNCH
8450	----	----	11.902B/10.547A	11.902B/10.547A	----	10.461 - 1.208	.7171	----	----	----	----	30 UNCH
8460	----	----	----/10.799A	11.652B/10.799A	----	10.539 - 1.209	.7195	----	----	----	----	1 UNCH
8475	----	----	----/10.926A	11.730B/10.926A	----	10.656 - 1.212	.7232	----	----	----	----	5 UNCH
8480	----	----	----/10.940A	11.770B/10.940A	----	10.695 - 1.213	.7243	----	----	----	----	1 UNCH
8490	----	----	----/11.034A	11.852B/11.034A	----	10.773 - 1.215	.7267	----	----	----	----	1 UNCH
8495	----	----	----/11.083A	11.894B/11.083A	----	10.812 - 1.217	.7278	----	----	----	----	1 UNCH
8500	----	----	12.299B/10.940A	12.299B/10.940A	----	10.852 - 1.217	.7291	----	----	----	----	373 UNCH
8515	----	----	----/11.200A	12.055B/11.200A	----	10.970 - 1.220	.7325	----	----	----	----	1 UNCH
8535	----	----	----/11.373A	12.211B/11.373A	----	11.129 - 1.223	.7371	----	----	----	----	2 UNCH
8545	----	----	----/11.469A	12.293B/11.469A	----	11.209 - 1.224	.7394	----	----	----	----	1 UNCH
8550	----	----	----/11.493A	12.332B/11.493A	----	11.248 - 1.226	.7405	----	----	----	----	3 UNCH
8555	----	----	----/11.549A	12.367B/11.549A	----	11.288 - 1.227	.7417	----	----	----	----	1 UNCH
8560	----	----	----/11.598A	12.418B/11.598A	----	11.329 - 1.226	.7428	----	----	----	----	1 UNCH
8565	----	----	----/11.613A	12.450B/11.613A	----	11.369 - 1.227	.7439	----	----	----	----	1 UNCH
8570	----	----	----/11.653A	12.500B/11.653A	----	11.409 - 1.228	.7451	----	----	----	----	1 UNCH
8575	----	----	----/11.693A	12.539B/11.693A	----	11.449 - 1.229	.7461	----	----	----	----	3 UNCH
8580	----	----	----/11.733A	12.581B/11.733A	----	11.489 - 1.230	.7473	----	----	----	----	1 UNCH
8585	----	----	----/11.789A	12.623B/11.789A	----	11.530 - 1.230	.7483	----	----	----	----	1 UNCH
8590	----	----	----/11.814A	12.664B/11.814A	----	11.570 - 1.231	.7495	----	----	----	----	4 UNCH
8600	----	----	13.122B/11.748A	13.122B/11.748A	----	11.651 - 1.232	.7517	----	----	----	----	85 UNCH
8605	----	----	----/11.909A	12.790B/11.909A	----	11.691 - 1.234	.7527	----	----	----	----	3 UNCH
8620	----	----	----/12.031A	12.915B/12.031A	----	11.813 - 1.236	.7560	----	----	----	----	1 UNCH
8630	----	----	----/12.123A	12.990B/12.123A	----	11.895 - 1.236	.7581	----	----	----	----	1 UNCH
8640	----	----	----/12.246A	13.074B/12.246A	----	11.977 - 1.237	.7602	----	----	----	----	2 UNCH
8645	----	----	----/12.261A	13.117B/12.261A	----	12.018 - 1.238	.7613	----	----	----	----	1 UNCH
8650	----	----	----/12.275A	13.159B/12.275A	----	12.059 - 1.238	.7623	----	----	----	----	5 UNCH
8655	----	----	----/12.343A	13.201B/12.343A	----	12.100 - 1.239	.7634	----	----	----	----	3 UNCH
8665	----	----	----/12.440A	13.286B/12.440A	----	12.182 - 1.240	.7654	----	----	----	----	1 UNCH
8670	----	----	----/12.481A	13.329B/12.481A	----	12.223 - 1.241	.7665	----	----	----	----	1 UNCH
8675	----	----	13.748B/12.376A	13.748B/12.376A	----	12.265 - 1.241	.7675	----	----	----	----	9 UNCH
8685	----	----	----/12.616A	13.456B/12.616A	----	12.347 - 1.243	.7696	----	----	----	----	1 UNCH
8695	----	----	----/12.688A	13.541B/12.688A	----	12.430 - 1.244	.7716	----	----	----	----	1 UNCH
8700	----	----	13.958B/12.586A	13.958B/12.586A	----	12.472 - 1.244	.7726	----	----	----	----	32 UNCH
8705	----	----	14.001B/12.628A	14.001B/12.628A	----	12.513 - 1.245	.7736	----	----	----	----	10 UNCH
8725	----	----	----/12.938A	13.798B/12.938A	----	12.680 - 1.246	.7776	----	----	----	----	2 UNCH
8750	----	----	----/13.158A	14.013B/13.158A	----	12.890 - 1.248	.7824	----	----	----	----	1 UNCH
8775	----	----	14.611B/13.220A	14.611B/13.220A	----	13.100 - 1.250	.7872	----	----	----	----	9 UNCH
8800	----	----	14.816B/13.419A	14.816B/13.419A	----	13.312 - 1.252	.7919	----	----	----	----	220 UNCH
8825	----	----	----/13.741A	14.650B/13.741A	----	13.525 - 1.253	.7965	----	----	----	----	3 UNCH
8850	----	----	15.252B/13.866A	15.252B/13.866A	----	13.739 - 1.255	.8010	----	----	----	----	13 UNCH
8875	----	----	15.468B/14.086A	15.468B/14.086A	----	13.954 - 1.256	.8053	----	----	----	----	8 UNCH
8900	----	----	15.686B/14.302A	15.686B/14.302A	----	14.170 - 1.257	.8096	----	----	----	----	8 UNCH
8925	----	----	15.905B/14.522A	15.905B/14.522A	----	14.388 - 1.257	.8138	----	----	----	----	6 UNCH
8950	----	----	----/14.820A	15.745B/14.820A	----	14.606 - 1.258	.8179	----	----	----	----	3 UNCH
8975	----	----	16.347B/14.960A	16.347B/14.960A	----	14.825 - 1.258	.8219	----	----	----	----	9 UNCH
9000	----	----	16.572B/15.152A	16.572B/15.152A	----	15.045 - 1.259	.8258	----	----	----	----	168 UNCH
9025	----	----	16.792B/15.405A	16.792B/15.405A	----	15.266 - 1.259	.8296	----	----	----	----	11 UNCH
9050	----	----	----/15.748A	16.637B/15.748A	----	15.488 - 1.259	.8333	----	----	----	----	2 UNCH
9075	----	----	----/15.968A	16.861B/15.968A	----	15.710 - 1.259	.8369	----	----	----	----	4 UNCH
9100	----	----	----/16.146A	17.089B/16.146A	----	15.934 - 1.259	.8404	----	----	----	----	4 UNCH
9150	----	----	17.917B/16.526A	17.917B/16.526A	----	16.383 - 1.258	.8473	----	----	----	----	7 UNCH
9175	----	----	18.144B/16.751A	18.144B/16.751A	----	16.609 - 1.258	.8506	----	----	----	----	19 UNCH
9200	----	----	18.371B/16.978A	18.371B/16.978A	----	16.836 - 1.257	.8538	----	----	----	----	7 UNCH
9225	----	----	18.600B/17.208A	18.600B/17.208A	----	17.063 - 1.257	.8569	----	----	----	----	7 UNCH
9250	----	----	----/17.496A	18.458B/17.496A	----	17.291 - 1.256	.8600	----	----	----	----	2 UNCH
9275	----	----	----/17.717A	18.691B/17.717A	----	17.520 - 1.255	.8629	----	----	----	----	1 UNCH
9300	----	----	19.289B/17.896A	19.289B/17.896A	----	17.749 - 1.255	.8658	----	----	----	----	6 UNCH
9375	----	----	19.982B/18.590A	19.982B/18.590A	----	18.441 - 1.252	.8740	----	----	----	----	10 UNCH
9400	----	----	20.237B/18.812A	20.237B/18.812A	----	18.673 - 1.251	.8765	----	----	----	----	6 UNCH
9450	----	----	----/19.329A	20.318B/19.329A	----	19.138 - 1.249	.8815	----	----	----	----	3 UNCH
9475	----	----	----/19.550A	20.551B/19.550A	----	19.371 - 1.249	.8839	----	----	----	----	4 UNCH
9500	----	----	21.172B/19.681A	21.172B/19.681A	----	19.605 - 1.248	.8863	----	----	----	----	110 UNCH
9525	----	----	----/20.023A	21.022B/20.023A	----	19.840 - 1.246	.8885	----	----	----	----	1 UNCH
9550	----	----	21.412B/20.257A	21.412B/20.257A	----	20.075 - 1.245	.8908	----	----	----	----	3 UNCH
9575	----	----	21.648B/20.489A	21.648B/20.489A	----	20.310 - 1.244	.8929	----	----	----	----	1 UNCH
9600	----	----	22.087B/20.670A	22.087B/20.670A	----	20.546 - 1.243	.8950	----	----	----	----	26 UNCH
9650	----	----	22.560B/21.169A	22.560B/21.169A	----	21.019 - 1.240	.8991	----	----	----	----	11 UNCH
9675	----	----	----/21.427A	22.439B/21.427A	----	21.256 - 1.239	.9010	----	----	----	----	2 UNCH
9700	----	----	23.055B/21.539A	23.055B/21.539A	----	21.493 - 1.238	.9030	----	----	----	----	182 UNCH
9725	----	----	----/21.900A	22.916B/21.900A	----	21.730 - 1.238	.9048	----	----	----	----	1 UNCH
9750	----	----	----/22.136A	23.154B/22.136A	----	21.968 - 1.237	.9066	----	----	----	----	3 UNCH
9775	----	----	23.551B/22.373A	23.551B/22.373A	----	22.206 - 1.236	.9084	----	----	----	----	3 UNCH
9800	----	----	23.985B/22.589A	23.985B/22.589A	----	22.445 - 1.234	.9101	----	----	----	----	7 UNCH
9825	----	----	24.028B/22.847A	24.028B/22.847A	----	22.683 - 1.234	.9118	----	----	----	----	2 UNCH
9850	----	----	24.491B/22.962A	24.491B/22.962A	----	22.922 - 1.233	.9135	----	----	----	----	179 UNCH
9900	----	----	24.941B/23.550A	24.941B/23.550A	----	23.401 - 1.231	.9167	----	----	----	----	8 UNCH
10000	----	----	25.931B/24.401A	25.931B/24.401A	----	24.362 - 1.227	.9227	----	----	----	----	134 UNCH
10050	----	----	26.195B/25.004A	26.195B/25.004A	----	24.843 - 1.226	.9254	----	----	----	----	2 UNCH
10100	----	----	26.678B/25.485A	26.678B/25.485A	----	25.326 - 1.224	.9281	----	----	----	----	2 UNCH
10225	----	----	27.893B/26.693A	27.893B/26.693A	----	26.537 - 1.219	.9341	----	----	----	----	2 UNCH
10250	----	----	28.136B/26.936A	28.136B/26.936A	----	26.780 - 1.218	.9352	----	----	----	----	4 UNCH
10300	----	----	28.622B/27.421A	28.622B/27.421A	----	27.266 - 1.216	.9374	----	----	----	----	4 UNCH
10325	----	----	28.865B/27.664A	28.865B/27.664A	----	27.509 - 1.216	.9384	----	----	----	----	1 UNCH
10350	----	----	29.109B/27.908A	29.109B/27.908A	----	27.753 - 1.215	.9394	----	----	----	----	1 UNCH
10400	----	----	29.598B/28.395A	29.598B/28.395A	----	28.240 - 1.213	.9414	----	----	----	----	2 UNCH
10450	----	----	30.085B/28.882A	30.085B/28.882A	----	28.728 - 1.212	.9432	----	----	----	----	2 UNCH
10475	----	----	30.330B/29.126A	30.330B/29.126A	----	28.973 - 1.211	.9441	----	----	----	----	1 UNCH
10500	----	----	30.752B/29.365A	30.752B/29.365A	----	29.217 - 1.210	.9450	----	----	----	----	10 UNCH
10505	----	----	30.622B/29.420A	30.622B/29.420A	----	29.266 - 1.210	.9451	----	----	----	----	1 UNCH
10510	----	----	30.673B/29.469A	30.673B/29.469A	----	29.315 - 1.210	.9453	----	----	----	----	1 UNCH
10545	----	----	31.014B/29.811A	31.014B/29.811A	----	29.658 - 1.208	.9465	----	----	----	----	1 UNCH
10550	----	----	31.239B/29.854A	31.239B/29.854A	----	29.707 - 1.208	.9466	----	----	----	----	22 UNCH
10585	----	----	31.406B/30.203A	31.406B/30.203A	----	30.049 - 1.208	.9478	----	----	----	----	1 UNCH
10590	----	----	31.456B/30.252A	31.456B/30.252A	----	30.098 - 1.208	.9480	----	----	----	----	1 UNCH
10595	----	----	31.519B/30.301A	31.519B/30.301A	----	30.147 - 1.207	.9481	----	----	----	----	3 UNCH
10600	----	----	31.445B/30.350A	31.445B/30.350A	----	30.196 - 1.207	.9483	----	----	----	----	5 UNCH
10670	----	----	32.130B/31.036A	32.130B/31.036A	----	30.883 - 1.205	.9503	----	----	----	----	3 UNCH
10675	----	----	32.179B/31.085A	32.179B/31.085A	----	30.932 - 1.205	.9505	----	----	----	----	1 UNCH
10700	----	----	32.707B/31.319A	32.707B/31.319A	----	31.177 - 1.204	.9513	----	----	----	----	9 UNCH
10800	----	----	33.399B/32.310A	33.399B/32.310A	----	32.160 - 1.202	.9540	----	----	----	----	1 UNCH
10820	----	----	33.605B/32.509A	33.605B/32.509A	----	32.357 - 1.201	.9545	----	----	----	----	1 UNCH
10825	----	----	33.654B/32.558A	33.654B/32.558A	----	32.406 - 1.201	.9546	----	----	----	----	1 UNCH
10835	----	----	33.741B/32.656A	33.741B/32.656A	----	32.505 - 1.200	.9548	----	----	----	----	2 UNCH
10845	----	----	33.851B/32.755A	33.851B/32.755A	----	32.603 - 1.200	.9551	----	----	----	----	1 UNCH
10875	----	----	34.147B/33.050A	34.147B/33.050A	----	32.898 - 1.200	.9558	----	----	----	----	2 UNCH
10900	----	----	34.393B/33.295A	34.393B/33.295A	----	33.145 - 1.198	.9564	----	----	----	----	1 UNCH
10950	----	----	34.876B/33.786A	34.876B/33.786A	----	33.637 - 1.198	.9576	----	----	----	----	1 UNCH
10975	----	----	35.123B/34.032A	35.123B/34.032A	----	33.884 - 1.197	.9582	----	----	----	----	3 UNCH
11000	----	----	35.694B/34.165A	35.694B/34.165A	----	34.130 - 1.197	.9587	----	----	----	----	60 UNCH
11025	----	----	35.616B/34.523A	35.616B/34.523A	----	34.377 - 1.196	.9592	----	----	----	----	1 UNCH
11075	----	----	36.110B/35.016A	36.110B/35.016A	----	34.870 - 1.195	.9603	----	----	----	----	1 UNCH
11100	----	----	36.357B/35.262A	36.357B/35.262A	----	35.117 - 1.194	.9608	----	----	----	----	1 UNCH
11125	----	----	36.604B/35.509A	36.604B/35.509A	----	35.364 - 1.194	.9613	----	----	----	----	1 UNCH
11175	----	----	37.098B/36.002A	37.098B/36.002A	----	35.858 - 1.193	.9623	----	----	----	----	1 UNCH
11200	----	----	37.345B/36.240A	37.345B/36.240A	----	36.105 - 1.192	.9627	----	----	----	----	4 UNCH
11225	----	----	37.592B/36.495A	37.592B/36.495A	----	36.352 - 1.192	.9632	----	----	----	----	3 UNCH
11250	----	----	37.837B/36.742A	37.837B/36.742A	----	36.599 - 1.191	.9637	----	----	----	----	1 UNCH
11500	----	----	40.620B/39.105A	40.620B/39.105A	----	39.074 - 1.187	.9676	----	----	----	----	78 UNCH
11550	----	----	40.810B/39.708A	40.810B/39.708A	----	39.569 - 1.186	.9683	----	----	----	----	1 UNCH
11650	----	----	41.801B/40.697A	41.801B/40.697A	----	40.561 - 1.184	.9697	----	----	----	----	1 UNCH
11800	----	----	43.289B/42.183A	43.289B/42.183A	----	42.049 - 1.182	.9716	----	----	----	----	1 UNCH
11875	----	----	44.033B/42.927A	44.033B/42.927A	----	42.793 - 1.182	.9724	----	----	----	----	1 UNCH
12250	----	----	47.760B/46.649A	47.760B/46.649A	----	46.519 - 1.179	.9762	----	----	----	----	3 UNCH
12300	----	----	48.257B/47.146A	48.257B/47.146A	----	47.016 - 1.179	.9767	----	----	----	----	1 UNCH
12500	----	----	50.481B/49.127A	50.481B/49.127A	----	49.005 - 1.178	.9784	----	----	----	----	20 UNCH
12700	----	----	52.185B/51.116A	52.185B/51.116A	----	50.996 - 1.177	.9798	----	----	----	----	1 UNCH
13000	----	----	55.278B/54.103A	55.278B/54.103A	----	53.984 - 1.176	.9816	----	----	----	----	1 UNCH
TOTAL										804	0	18998 + 96
JUN26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
2100	----	----	----	----/0.015A	----	0.004 -	0.002 .0003	----	----	----	----	1 UNCH
2500	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.017 -	0.006 .0015	----	----	4	----	141 UNCH
2650	0.038	0.038	0.038/*0.038	0.038/0.038	----	0.025	NEW .0022	----	----	1	----	1 + 1
3000	----	----	----	0.050B/0.095A	----	0.060 -	0.020 .0051	----	----	----	----	245 UNCH
3075	----	----	----	0.001B/0.160A	----	0.066 -	0.022 .0056	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.164A	----	0.068 -	0.023 .0058	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.171A	----	0.072 -	0.024 .0062	----	----	----	----	8 UNCH
3200	----	----	----	0.001B/0.179A	----	0.076 -	0.026 .0066	----	----	----	----	4 UNCH
3325	----	----	----	0.001B/0.198A	----	0.088 -	0.029 .0077	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.200A	----	0.091 -	0.029 .0080	----	----	----	----	1 UNCH
3400	----	----	----	0.045B/0.182A	----	0.096 -	0.031 .0084	----	----	----	----	12 UNCH
3500	----	----	----	0.111B/0.154A	----	0.107 -	0.034 .0095	----	----	----	----	100 UNCH
3550	----	----	----	0.065B/0.193A	----	0.112 -	0.037 .0100	----	----	----	----	5 UNCH
3575	----	----	----	0.069B/0.197A	----	0.115 -	0.038 .0103	----	----	----	----	22 UNCH
3600	----	----	----	0.072B/0.200A	----	0.119 -	0.038 .0106	----	----	----	----	4 UNCH
3650	----	----	----	0.080B/0.208A	----	0.125 -	0.040 .0112	----	----	----	----	22 UNCH
3675	----	----	----	0.083B/0.212A	----	0.128 -	0.042 .0115	----	----	----	----	2 UNCH
3700	----	----	----	0.117B/0.212A	----	0.132 -	0.042 .0119	----	----	----	----	6 UNCH
3800	----	----	----	0.101B/0.232A	----	0.146 -	0.047 .0133	----	----	----	----	14 UNCH
3850	----	----	----	0.109B/0.241A	----	0.154 -	0.049 .0141	----	----	----	----	2 UNCH
3900	----	----	----	0.118B/0.251A	----	0.162 -	0.051 .0148	----	----	----	----	5 UNCH
3925	----	----	----	0.122B/0.257A	----	0.166 -	0.053 .0152	----	----	----	----	3 UNCH
4000	0.197	0.197	0.197/0.197	0.197/0.197	----	0.180 -	0.056 .0166	----	----	1	----	53 + 1
4075	----	----	----	0.151B/0.294A	----	0.194 -	0.061 .0180	----	----	----	----	1 UNCH
4100	----	----	----	0.156B/0.300A	----	0.200 -	0.061 .0186	----	----	----	----	2 UNCH
4125	----	----	----	0.162B/0.307A	----	0.205 -	0.063 .0191	----	----	----	----	5 UNCH
4150	----	----	----	0.167B/0.312A	----	0.210 -	0.065 .0196	----	----	----	----	4 UNCH
4200	----	----	----	0.179B/0.325A	----	0.222 -	0.068 .0207	----	----	----	----	26 UNCH
4225	----	----	----	0.185B/0.333A	----	0.228 -	0.070 .0213	----	----	----	----	7 UNCH
4250	----	----	----	0.192B/0.340A	----	0.234 -	0.071 .0219	----	----	----	----	5 UNCH
4275	----	----	----	0.198B/0.348A	----	0.241 -	0.073 .0226	----	----	----	----	13 UNCH
4300	----	----	----	0.205B/0.356A	----	0.247 -	0.075 .0232	----	----	----	----	5 UNCH
4350	----	----	----	0.218B/0.373A	----	0.261 -	0.078 .0245	----	----	----	----	2 UNCH
4375	----	----	----	0.225B/0.382A	----	0.268 -	0.081 .0252	----	----	----	----	1 UNCH
4400	----	----	----	0.232B/0.390A	----	0.276 -	0.082 .0259	----	----	----	----	8 UNCH
4425	----	----	----	0.240B/0.398A	----	0.284 -	0.084 .0267	----	----	----	----	1 UNCH
4500	----	----	----	0.265B/0.424A	----	0.309 -	0.090 .0291	----	----	----	----	166 UNCH
4550	----	----	----	0.283B/0.443A	----	0.327 -	0.095 .0308	----	----	----	----	2 UNCH
4600	----	----	----	0.302B/0.462A	----	0.346 -	0.100 .0326	----	----	----	----	7 UNCH
4625	----	----	----/*0.423A	0.365B/0.423A	----	0.356 -	0.102 .0335	----	----	----	----	12 UNCH
4650	----	----	----/0.434A	0.376B/0.434A	----	0.367 -	0.104 .0345	----	----	----	----	1 UNCH
4725	----	----	----/*0.470A	0.412B/0.470A	----	0.401 -	0.112 .0376	----	----	----	----	10 UNCH
4750	----	----	----/0.480A	0.424B/0.480A	----	0.413 -	0.115 .0387	----	----	----	----	2 UNCH
4800	----	----	----/0.506A	0.448B/0.506A	----	0.438 -	0.121 .0410	----	----	----	----	23 UNCH
4850	----	----	----/0.516A	0.478B/0.516A	----	0.466 -	0.127 .0435	----	----	----	----	3 UNCH
4875	----	----	----/*0.529A	0.494B/0.529A	----	0.480 -	0.131 .0448	----	----	----	----	15 UNCH
4900	0.515	0.515	0.515/0.515	0.590B/0.515	----	0.495 -	0.134 .0461	----	----	1	----	176 UNCH
5000	0.580	0.580	0.586/0.550	0.586/0.550	----	0.558 -	0.148 .0516	----	----	3	----	1001 + 1
5025	----	----	----/0.613A	0.577B/0.613A	----	0.573 -	0.151 .0530	----	----	----	----	8 UNCH
5075	----	----	----/0.633A	0.609B/0.633A	----	0.604 -	0.158 .0558	----	----	----	----	1 UNCH
5100	0.658	0.658	0.658/0.654A	0.674B/0.654A	----	0.620 -	0.162 .0573	----	----	1	----	29 UNCH
5125	----	----	----/0.667A	0.643B/0.667A	----	0.637 -	0.165 .0588	----	----	----	----	1 UNCH
5150	----	----	----/0.685A	0.657B/0.685A	----	0.653 -	0.170 .0603	----	----	----	----	16 UNCH
5175	----	----	----/0.711A	0.686B/0.711A	----	0.670 -	0.174 .0618	----	----	----	----	12 UNCH
5250	----	----	----/0.754A	0.762B/0.754A	----	0.724 -	0.186 .0667	----	----	----	----	13 UNCH
5275	----	----	----/0.781A	0.804B/0.781A	----	0.743 -	0.190 .0684	----	----	----	----	23 UNCH
5300	----	----	----/0.802A	0.829B/0.802A	----	0.762 -	0.194 .0701	----	----	----	----	14 UNCH
5325	----	----	----/0.823A	0.853B/0.823A	----	0.782 -	0.198 .0719	----	----	----	----	10 UNCH
5350	----	----	----/0.844A	0.881B/0.844A	----	0.803 -	0.202 .0737	----	----	----	----	7 UNCH
5375	----	----	----/0.868A	0.954B/0.868A	----	0.824 -	0.206 .0756	----	----	----	----	10 UNCH
5400	----	----	----/0.892A	0.989B/0.892A	----	0.845 -	0.211 .0774	----	----	----	----	12 UNCH
5425	----	----	----/0.920A	1.018B/0.920A	----	0.867 -	0.216 .0794	----	----	----	----	4 UNCH
5450	----	----	----/0.937A	1.060B/0.937A	----	0.890 -	0.220 .0814	----	----	----	----	2 UNCH
5475	1.026	1.026	1.026/0.963A	1.089B/0.963A	----	0.913 -	0.225 .0834	----	----	15	----	13 - 1
5500	1.000	1.000	1.000/0.980A	1.123B/0.980A	----	0.937 -	0.230 .0855	----	----	4	----	280 + 1
5525	----	----	----/0.977A	1.153B/0.977A	----	0.962 -	0.234 .0876	----	----	----	----	16 UNCH
5550	----	----	----/1.004A	1.187B/1.004A	----	0.987 -	0.239 .0898	----	----	----	----	10 UNCH
5600	----	----	----/1.057A	1.262B/1.057A	----	1.040 -	0.249 .0943	----	----	2	----	18 + 1
5625	----	----	----/1.086A	1.286B/1.086A	----	1.068 -	0.254 .0967	----	----	----	----	2 UNCH
5650	----	----	----/1.114A	1.321B/1.114A	----	1.097 -	0.258 .0991	----	----	----	----	51 UNCH
5675	----	----	----/1.144A	1.359B/1.144A	----	1.126 -	0.264 .1015	----	----	----	----	21 UNCH
5700	----	----	----/1.171A	1.400B/1.171A	----	1.156 -	0.269 .1040	----	----	2	----	223 + 2
5750	----	----	----/1.239A	1.468B/1.239A	----	1.219 -	0.279 .1092	----	----	1	----	227 + 1
5775	----	----	----/1.270A	1.510B/1.270A	----	1.252 -	0.284 .1119	----	----	----	----	5 UNCH
5800	1.470	1.470	1.470/1.300	1.548B/1.300	----	1.286 -	0.289 .1146	----	----	10	----	83 + 10
5825	----	----	----/1.339A	1.591B/1.339A	----	1.320 -	0.295 .1173	----	----	----	----	9 UNCH
5850	----	----	----/1.370A	1.624B/1.370A	----	1.356 -	0.301 .1202	----	----	----	----	5 UNCH
5875	----	----	----/1.410A	1.671B/1.410A	----	1.393 -	0.306 .1231	----	----	----	----	12 UNCH
5900	----	----	----/1.444A	1.724B/1.444A	----	1.430 -	0.312 .1261	----	----	6	----	40 + 6
5925	----	----	----/1.484A	1.763B/1.484A	----	1.469 -	0.317 .1291	----	----	----	----	11 UNCH
5950	----	----	----/1.524A	1.814B/1.524A	----	1.508 -	0.323 .1321	----	----	----	----	4 UNCH
5975	----	----	----/1.563A	1.868B/1.563A	----	1.549 -	0.328 .1353	----	----	----	----	2 UNCH
6000	2.050	2.050	2.050/1.600	2.050/1.600	----	1.590 -	0.335 .1385	----	----	20	----	727 UNCH
6025	----	----	----/1.648A	1.964B/1.648A	----	1.633 -	0.340 .1417	----	----	----	----	31 UNCH
6050	2.010	2.010	2.026B/1.689A	2.026B/1.689A	----	1.676 -	0.347 .1450	----	----	3	----	144 - 2
6075	----	----	----/1.735A	2.069B/1.735A	----	1.721 -	0.353 .1484	----	----	----	----	31 UNCH
6100	----	----	2.137B/1.776A	2.137B/1.776A	----	1.767 -	0.359 .1518	----	----	5	----	70 UNCH
6125	----	----	----/1.826A	2.175B/1.826A	----	1.814 -	0.365 .1553	----	----	1	----	3 + 1
6150	----	----	2.251B/1.874A	2.251B/1.874A	----	1.862 -	0.372 .1588	----	----	----	----	5 UNCH
6175	----	----	2.303B/1.922A	2.303B/1.922A	----	1.911 -	0.378 .1624	----	----	1	----	24 UNCH
6200	----	----	2.364B/1.965A	2.364B/1.965A	----	1.961 -	0.385 .1660	----	----	----	----	153 UNCH
6225	----	----	2.414B/2.021A	2.414B/2.021A	----	2.013 -	0.391 .1697	----	----	----	----	2 UNCH
6250	----	----	2.485B/2.072A	2.485B/2.072A	----	2.065 -	0.399 .1735	----	----	----	----	89 UNCH
6275	----	----	2.560B/2.125A	2.560B/2.125A	----	2.119 -	0.405 .1773	----	----	----	----	2 UNCH
6300	----	----	2.615B/2.176A	2.615B/2.176A	----	2.174 -	0.412 .1811	----	----	1	----	115 - 1
6325	----	----	----/2.235A	2.624B/2.235A	----	2.230 -	0.419 .1851	----	----	----	----	6 UNCH
6350	----	----	2.750B/2.291A	2.750B/2.291A	----	2.287 -	0.427 .1890	----	----	----	----	27 UNCH
6375	----	----	2.818B/2.347A	2.818B/2.347A	----	2.346 -	0.434 .1931	----	----	----	----	101 UNCH
6400	2.543	2.543	2.850B/2.403A	2.850B/2.403A	----	2.405 -	0.442 .1971	----	----	1	----	75 - 1
6425	----	----	2.939B/2.462A	2.939B/2.462A	----	2.466 -	0.450 .2012	----	----	----	----	45 UNCH
6450	----	----	----/2.528A	2.983B/2.528A	----	2.529 -	0.457 .2054	----	----	----	----	9 UNCH
6475	----	----	3.095B/2.589A	3.095B/2.589A	----	2.592 -	0.465 .2097	----	----	----	----	2 UNCH
6500	----	----	3.176B/2.653A	3.176B/2.653A	----	2.657 -	0.473 .2140	----	----	1	----	194 + 1
6525	----	----	3.237B/2.720A	3.237B/2.720A	----	2.723 -	0.482 .2183	----	----	----	----	35 UNCH
6550	----	----	3.299B/2.787A	3.299B/2.787A	----	2.790 -	0.490 .2227	----	----	----	----	6 UNCH
6575	----	----	3.380B/2.855A	3.380B/2.855A	----	2.859 -	0.499 .2271	----	----	----	----	2 UNCH
6600	----	----	3.498B/2.925A	3.498B/2.925A	----	2.929 -	0.507 .2316	----	----	1	----	146 + 1
6625	----	----	3.580B/2.994A	3.580B/2.994A	----	3.001 -	0.515 .2361	----	----	----	----	9 UNCH
6650	3.130	3.130	3.669B/3.064A	3.669B/3.064A	----	3.074	NEW .2407	----	----	11	----	11 + 11
6675	3.486	3.486	3.706B/3.140A	3.706B/3.140A	----	3.148 -	0.533 .2453	----	----	5	----	4 + 3
6700	3.600	3.600	3.838B/3.214A	3.838B/3.214A	----	3.224 -	0.542 .2500	----	----	1	----	52 UNCH
6725	----	----	3.936B/3.292A	3.936B/3.292A	----	3.301 -	0.551 .2547	----	----	----	----	26 UNCH
6750	----	----	4.029B/3.369A	4.029B/3.369A	----	3.380 -	0.559 .2595	----	----	----	----	20 UNCH
6775	----	----	4.136B/3.449A	4.136B/3.449A	----	3.460 -	0.568 .2643	----	----	----	----	2 UNCH
6800	3.850	3.850	4.223B/3.484	4.223B/3.484	----	3.541 -	0.578 .2691	----	----	8	----	19 - 1
6825	----	----	4.325B/3.614A	4.325B/3.614A	----	3.624 -	0.587 .2740	----	----	----	----	2 UNCH
6850	4.077	4.077	4.430B/3.699A	4.430B/3.699A	----	3.708 -	0.597 .2789	----	----	1	----	16 - 1
6875	4.140	4.140	4.524B/3.784A	4.524B/3.784A	----	3.794 -	0.606 .2839	----	----	1	----	1 UNCH
6900	----	----	4.622B/3.868A	4.622B/3.868A	----	3.882 -	0.615 .2889	----	----	----	----	87 UNCH
6925	----	----	4.727B/3.956A	4.727B/3.956A	----	3.970 -	0.626 .2939	----	----	----	----	9 UNCH
6950	----	----	4.834B/4.051A	4.834B/4.051A	----	4.061 -	0.635 .2990	----	----	----	----	5 UNCH
6975	----	----	4.937B/4.145A	4.937B/4.145A	----	4.153 -	0.645 .3041	----	----	----	----	6 UNCH
7000	----	----	5.036B/4.238A	5.036B/4.238A	----	4.246 -	0.655 .3092	----	----	1	----	496 + 1
7025	----	----	5.011B/4.333A	5.011B/4.333A	----	4.341 -	0.665 .3144	----	----	----	----	4 UNCH
7050	----	----	----/4.429A	5.090B/4.429A	----	4.438 -	0.674 .3196	----	----	----	----	20 UNCH
7075	----	----	5.235B/4.531A	5.235B/4.531A	----	4.536 -	0.684 .3248	----	----	----	----	41 UNCH
7100	----	----	----/4.626A	5.312B/4.626A	----	4.636 -	0.694 .3300	----	----	----	----	18 UNCH
7125	----	----	5.451B/4.728A	5.451B/4.728A	----	4.737 -	0.704 .3353	----	----	----	----	3 UNCH
7150	----	----	----/4.838A	5.549B/4.838A	----	4.840 -	0.714 .3406	----	----	----	----	2 UNCH
7175	----	----	5.683B/4.935A	5.683B/4.935A	----	4.944 -	0.724 .3459	----	----	----	----	35 UNCH
7200	----	----	5.858B/5.042A	5.858B/5.042A	----	5.050 -	0.734 .3512	----	----	----	----	229 UNCH
7225	----	----	5.902B/5.155A	5.902B/5.155A	----	5.158 -	0.743 .3566	----	----	----	----	6 UNCH
7250	----	----	6.043B/5.269A	6.043B/5.269A	----	5.267 -	0.754 .3620	----	----	----	----	11 UNCH
7275	----	----	6.155B/5.374A	6.155B/5.374A	----	5.378 -	0.763 .3674	----	----	----	----	3 UNCH
7300	5.622	5.622	6.353B/5.479A	6.353B/5.479A	----	5.490 -	0.774 .3728	----	----	3	----	64 UNCH
7325	----	----	6.410B/5.606A	6.410B/5.606A	----	5.604 -	0.783 .3782	----	----	----	----	1 UNCH
7350	----	----	6.555B/5.716A	6.555B/5.716A	----	5.720 -	0.793 .3836	----	----	----	----	2 UNCH
7375	----	----	6.649B/5.839A	6.649B/5.839A	----	5.837 -	0.803 .3891	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7400	----	----	6.830B/5.948A	6.830B/5.948A	----	5.956 - 0.813	.3945	----	----	----	----	48 UNCH
7425	----	----	6.945B/6.073A	6.945B/6.073A	----	6.076 - 0.823	.4000	----	----	----	----	2 UNCH
7450	----	----	7.074B/6.196A	7.074B/6.196A	----	6.198 - 0.832	.4054	----	----	----	----	2 UNCH
7475	----	----	7.224B/6.324A	7.224B/6.324A	----	6.321 - 0.843	.4109	----	----	----	----	4 UNCH
7500	7.012	7.012	7.418B/6.439A	7.418B/6.439A	----	6.447 - 0.852	.4164	----	----	1	----	335 + 1
7550	----	----	7.630B/6.701A	7.630B/6.701A	----	6.702 - 0.871	.4273	----	----	6	----	7 + 4
7575	----	----	7.774B/6.833A	7.774B/6.833A	----	6.832 - 0.880	.4328	----	----	----	----	9 UNCH
7600	----	----	7.985B/6.960A	7.985B/6.960A	----	6.963 - 0.890	.4382	----	----	----	----	78 UNCH
7625	----	----	8.078B/7.103A	8.078B/7.103A	----	7.096 - 0.900	.4437	----	----	----	----	3 UNCH
7650	----	----	8.223B/7.231A	8.223B/7.231A	----	7.231 - 0.908	.4491	----	----	----	----	3 UNCH
7675	----	----	8.369B/7.374A	8.369B/7.374A	----	7.367 - 0.918	.4546	----	----	----	----	1 UNCH
7700	----	----	8.514B/7.510A	8.514B/7.510A	----	7.505 - 0.927	.4600	----	----	----	----	19 UNCH
7725	----	----	8.657B/7.671A	8.657B/7.671A	----	7.644 - 0.936	.4654	----	----	----	----	1 UNCH
7750	----	----	8.807B/7.794A	8.807B/7.794A	----	7.785 - 0.945	.4708	----	----	----	----	2 UNCH
7775	----	----	8.980B/7.932A	8.980B/7.932A	----	7.928 - 0.953	.4762	----	----	----	----	25 UNCH
7800	8.637	8.637	9.129B/8.081A	9.129B/8.081A	----	8.072 - 0.962	.4815	----	----	1	----	4 UNCH
7850	----	----	9.461B/8.374A	9.461B/8.374A	----	8.364 - 0.979	.4922	----	----	----	----	8 UNCH
7875	----	----	9.583B/8.531A	9.583B/8.531A	----	8.513 - 0.987	.4975	----	----	----	----	19 UNCH
7900	----	----	9.826B/8.656A	9.826B/8.656A	----	8.663 - 0.996	.5027	----	----	----	----	107 UNCH
7925	----	----	9.822B/8.833A	9.822B/8.833A	----	8.815 - 1.003	.5080	----	----	----	----	10 UNCH
7950	----	----	9.991B/8.983A	9.991B/8.983A	----	8.968 - 1.011	.5132	----	----	----	----	21 UNCH
8000	----	----	10.329B/9.272A	10.329B/9.272A	----	9.278 - 1.027	.5236	----	----	1	----	145 UNCH
8025	----	----	10.492B/9.449A	10.492B/9.449A	----	9.436 - 1.034	.5287	----	----	----	----	1 UNCH
8050	----	----	10.659B/9.609A	10.659B/9.609A	----	9.595 - 1.042	.5338	----	----	----	----	1 UNCH
8075	----	----	----/9.793A	10.803B/9.793A	----	9.755 - 1.049	.5389	----	----	----	----	1 UNCH
8100	----	----	10.978B/9.946A	10.978B/9.946A	----	9.917 - 1.056	.5440	----	----	----	----	2 UNCH
8125	----	----	----/10.103A	11.135B/10.103A	----	10.080 - 1.063	.5490	----	----	----	----	2 UNCH
8150	----	----	----/10.264A	11.303B/10.264A	----	10.244 - 1.071	.5540	----	----	----	----	4 UNCH
8175	----	----	11.529B/10.421A	11.529B/10.421A	----	10.410 - 1.077	.5589	----	----	----	----	42 UNCH
8200	----	----	----/10.600A	11.615B/10.600A	----	10.578 - 1.083	.5638	----	----	----	----	14 UNCH
8225	----	----	----/10.770A	11.796B/10.770A	----	10.746 - 1.090	.5687	----	----	----	----	6 UNCH
8250	----	----	12.018B/10.943A	12.018B/10.943A	----	10.916 - 1.096	.5736	----	----	----	----	15 UNCH
8275	----	----	12.250B/11.116A	12.250B/11.116A	----	11.087 - 1.103	.5784	----	----	----	----	23 UNCH
8300	----	----	12.373B/11.285A	12.373B/11.285A	----	11.260 - 1.108	.5831	----	----	----	----	5 UNCH
8350	----	----	12.886B/11.639A	12.886B/11.639A	----	11.608 - 1.121	.5925	----	----	----	----	17 UNCH
8400	----	----	----/11.982A	12.991B/11.982A	----	11.962 - 1.132	.6018	----	----	----	----	3 UNCH
8425	----	----	13.445B/12.145A	13.445B/12.145A	----	12.141 - 1.137	.6063	----	----	----	----	63 UNCH
8450	----	----	13.629B/12.451A	13.629B/12.451A	----	12.320 - 1.143	.6109	----	----	----	----	18 UNCH
8475	----	----	----/12.574A	13.438B/12.574A	----	12.501 - 1.148	.6153	----	----	----	----	2 UNCH
8500	----	----	14.013B/12.771A	14.013B/12.771A	----	12.684 - 1.152	.6198	----	----	----	----	60 UNCH
8525	----	----	----/13.199A	13.822B/13.199A	----	12.867 - 1.158	.6242	----	----	----	----	1 UNCH
8550	----	----	----/13.385A	14.015B/13.385A	----	13.051 - 1.163	.6285	----	----	----	----	1 UNCH
8575	13.491	13.491	13.491/13.491	14.069B/13.491	----	13.237 NEW	.6328	----	----	1	----	1 + 1
8600	13.679	13.679	13.679/13.679	14.260B/13.679	----	13.423 - 1.172	.6371	----	----	1	----	1 + 1
8625	----	----	14.972B/13.702A	14.972B/13.702A	----	13.611 - 1.177	.6413	----	----	----	----	11 UNCH
8675	14.250	14.250	14.250/14.250	15.064B/14.250	----	13.990 - 1.185	.6496	----	----	1	----	2 + 1
8700	----	----	15.560B/14.274A	15.560B/14.274A	----	14.181 - 1.189	.6537	----	----	----	----	14 UNCH
8750	----	----	15.957B/14.658A	15.957B/14.658A	----	14.565 - 1.197	.6618	----	----	----	----	26 UNCH
8775	----	----	----/15.093A	15.802B/15.093A	----	14.759 - 1.201	.6657	----	----	----	----	1 UNCH
8800	----	----	16.356B/15.046A	16.356B/15.046A	----	14.954 - 1.204	.6696	----	----	----	----	14 UNCH
8825	----	----	16.555B/15.241A	16.555B/15.241A	----	15.150 - 1.208	.6735	----	----	----	----	15 UNCH
8850	----	----	16.775B/15.438A	16.775B/15.438A	----	15.346 - 1.212	.6774	----	----	----	----	6 UNCH
8925	----	----	----/16.271A	17.012B/16.271A	----	15.942 - 1.221	.6886	----	----	----	----	4 UNCH
8975	----	----	----/16.671A	17.428B/16.671A	----	16.343 - 1.227	.6958	----	----	----	----	2 UNCH
9000	----	----	17.984B/16.637A	17.984B/16.637A	----	16.545 - 1.230	.6994	----	----	----	----	93 UNCH
9050	----	----	----/17.310A	18.049B/17.310A	----	16.951 - 1.236	.7064	----	----	----	----	3 UNCH
9075	----	----	----/17.446A	18.258B/17.446A	----	17.155 - 1.239	.7098	----	----	----	----	2 UNCH
9100	----	----	18.838B/17.464A	18.838B/17.464A	----	17.361 - 1.241	.7132	----	----	----	----	6 UNCH
9125	----	----	----/17.854A	18.680B/17.854A	----	17.566 - 1.244	.7166	----	----	----	----	1 UNCH
9150	----	----	----/18.067A	18.885B/18.067A	----	17.773 - 1.246	.7199	----	----	----	----	1 UNCH
9175	----	----	----/18.264A	19.104B/18.264A	----	17.981 - 1.248	.7232	----	----	----	----	1 UNCH
9200	----	----	19.656B/18.297A	19.656B/18.297A	----	18.189 - 1.250	.7264	----	----	----	----	80 UNCH
9325	----	----	----/19.530A	20.391B/19.530A	----	19.240 - 1.260	.7420	----	----	----	----	1 UNCH
9450	----	----	21.794B/20.419A	21.794B/20.419A	----	20.307 - 1.268	.7565	----	----	----	----	6 UNCH
9500	----	----	22.238B/20.840A	22.238B/20.840A	----	20.738 - 1.271	.7621	----	----	----	----	138 UNCH
9525	----	----	----/21.239A	22.138B/21.239A	----	20.954 - 1.272	.7649	----	----	----	----	1 UNCH
9550	----	----	----/21.455A	22.434B/21.455A	----	21.171 - 1.273	.7676	----	----	----	----	1 UNCH
9575	----	----	----/21.672A	22.655B/21.672A	----	21.389 - 1.274	.7702	----	----	----	----	1 UNCH
9725	----	----	----/22.985A	23.938B/22.985A	----	22.704 - 1.280	.7854	----	----	----	----	1 UNCH
9825	----	----	----/23.830A	24.835B/23.830A	----	23.591 - 1.283	.7950	----	----	----	----	1 UNCH
9850	----	----	----/24.052A	25.060B/24.052A	----	23.814 - 1.283	.7973	----	----	----	----	1 UNCH
9900	----	----	25.762B/24.377A	25.762B/24.377A	----	24.260 - 1.285	.8018	----	----	----	----	17 UNCH
9925	----	----	----/24.760A	25.740B/24.760A	----	24.484 - 1.285	.8040	----	----	----	----	1 UNCH
9950	----	----	----/24.989A	25.966B/24.989A	----	24.709 - 1.285	.8062	----	----	----	----	1 UNCH
10000	----	----	26.686B/25.262A	26.686B/25.262A	----	25.158 - 1.287	.8105	----	----	----	----	97 UNCH
10025	----	----	----/25.663A	26.647B/25.663A	----	25.384 - 1.287	.8126	----	----	----	----	2 UNCH
10075	----	----	----/26.113A	27.104B/26.113A	----	25.836 - 1.287	.8167	----	----	----	----	1 UNCH
10100	26.700	26.700	27.575B/26.184A	27.575B/26.184A	----	26.063 - 1.287	.8188	----	----	5	----	6 UNCH
10125	----	----	----/26.566A	27.558B/26.566A	----	26.289 - 1.288	.8208	----	----	----	----	1 UNCH
10150	----	----	28.030B/26.639A	28.030B/26.639A	----	26.517 - 1.288	.8227	----	----	----	----	8 UNCH
10175	----	----	----/27.023A	28.020B/27.023A	----	26.744 - 1.288	.8247	----	----	----	----	2 UNCH
10200	----	----	28.522B/27.075A	28.522B/27.075A	----	26.972 - 1.288	.8266	----	----	----	----	117 UNCH
10225	----	----	----/27.478A	28.475B/27.478A	----	27.200 - 1.289	.8285	----	----	----	----	1 UNCH
10325	----	----	----/28.393A	29.402B/28.393A	----	28.116 - 1.289	.8359	----	----	----	----	1 UNCH
10350	----	----	----/28.621A	29.633B/28.621A	----	28.346 - 1.288	.8377	----	----	----	----	1 UNCH
10375	----	----	----/28.851A	29.858B/28.851A	----	28.576 - 1.288	.8394	----	----	----	----	1 UNCH
10400	----	----	30.096B/29.082A	30.096B/29.082A	----	28.806 - 1.288	.8412	----	----	----	----	1 UNCH
10500	----	----	31.256B/29.860A	31.256B/29.860A	----	29.730 - 1.287	.8480	----	----	----	----	9 UNCH
10600	----	----	31.945B/30.933A	31.945B/30.933A	----	30.657 - 1.287	.8544	----	----	----	----	5 UNCH
10825	----	----	34.292B/32.896A	34.292B/32.896A	----	32.759 - 1.284	.8677	----	----	----	----	6 UNCH
10850	----	----	34.302B/33.253A	34.302B/33.253A	----	32.994 - 1.284	.8691	----	----	----	----	4 UNCH
10875	----	----	34.543B/33.496A	34.543B/33.496A	----	33.229 - 1.283	.8705	----	----	----	----	2 UNCH
10950	----	----	35.252B/34.157A	35.252B/34.157A	----	33.935 - 1.282	.8744	----	----	----	----	3 UNCH
11000	----	----	35.728B/34.627A	35.728B/34.627A	----	34.407 - 1.281	.8770	----	----	----	----	2 UNCH
11325	----	----	38.908B/37.699A	38.908B/37.699A	----	37.493 - 1.275	.8921	----	----	----	----	1 UNCH
11500	----	----	40.699B/39.315A	40.699B/39.315A	----	39.166 - 1.271	.8993	----	----	----	----	10 UNCH
11525	----	----	40.844B/39.604A	40.844B/39.604A	----	39.406 - 1.270	.9002	----	----	----	----	1 UNCH
11675	----	----	42.267B/41.039A	42.267B/41.039A	----	40.847 - 1.267	.9058	----	----	----	----	1 UNCH
11700	----	----	42.544B/41.274A	42.544B/41.274A	----	41.088 - 1.266	.9067	----	----	----	----	1 UNCH
12000	----	----	45.602B/44.043A	45.602B/44.043A	----	43.984 - 1.261	.9165	----	----	----	----	50 UNCH
12025	----	----	45.695B/44.405A	45.695B/44.405A	----	44.226 - 1.261	.9172	----	----	----	----	1 UNCH
13000	----	----	55.219B/53.886A	55.219B/53.886A	----	53.737 - 1.246	.9403	----	----	----	----	5 UNCH
TOTAL										133	0	8530 + 43
JUL26												
2000	----	----	----	0.018B/0.036A	----	0.028 - 0.002	.0019	----	----	----	----	6 UNCH
2400	----	----	----	0.001B/0.405A	----	0.056 - 0.004	.0040	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.421A	----	0.080 - 0.005	.0058	----	----	----	----	6 UNCH
3000	----	----	----	0.052B/0.194A	----	0.125 - 0.007	.0091	----	----	----	----	4 UNCH
3350	----	----	----	0.100B/0.250A	----	0.183 - 0.012	.0137	----	----	----	----	1 UNCH
3400	----	----	----	0.110B/0.261A	----	0.193 - 0.013	.0145	----	----	----	----	55 UNCH
3475	----	----	----	0.123B/0.278A	----	0.209 - 0.014	.0157	----	----	----	----	5 UNCH
3500	----	----	----	0.128B/0.283A	----	0.214 - 0.015	.0161	----	----	----	----	3 UNCH
3600	----	----	----	0.147B/0.309A	----	0.237 - 0.017	.0179	----	----	----	----	12 UNCH
3700	----	----	----	0.169B/0.333A	----	0.262 - 0.020	.0199	----	----	----	----	92 UNCH
3800	----	----	----	0.195B/0.364A	----	0.289 - 0.023	.0221	----	----	----	----	25 UNCH
3825	----	----	----	0.202B/0.372A	----	0.296 - 0.024	.0227	----	----	----	----	8 UNCH
3850	----	----	----	0.208B/0.380A	----	0.303 - 0.026	.0232	----	----	----	----	3 UNCH
3900	----	----	----	0.222B/0.397A	----	0.318 - 0.028	.0244	----	----	----	----	11 UNCH
3950	----	----	----	0.236B/0.414A	----	0.334 - 0.031	.0257	----	----	----	----	1 UNCH
4000	----	----	----	0.253B/0.431A	----	0.351 - 0.033	.0270	----	----	----	----	67 UNCH
4075	----	----	----	0.278B/0.459A	----	0.377 - 0.038	.0291	----	----	----	----	16 UNCH
4100	----	----	----	0.287B/0.468A	----	0.387 - 0.039	.0299	----	----	----	----	6 UNCH
4175	----	----	----	0.315B/0.499A	----	0.416 - 0.044	.0322	----	----	----	----	9 UNCH
4200	----	----	----	0.325B/0.510A	----	0.426 - 0.046	.0330	----	----	----	----	27 UNCH
4225	----	----	----	0.335B/0.520A	----	0.436 - 0.048	.0338	----	----	----	----	1 UNCH
4250	----	----	----	0.346B/0.532A	----	0.447 - 0.050	.0346	----	----	----	----	21 UNCH
4300	----	----	----	0.368B/0.555A	----	0.469 - 0.054	.0364	----	----	----	----	96 UNCH
4325	----	----	----	0.379B/0.567A	----	0.481 - 0.056	.0373	----	----	----	----	17 UNCH
4375	----	----	----	0.404B/0.591A	----	0.505 - 0.061	.0392	----	----	----	----	32 UNCH
4400	----	----	----	0.418B/0.604A	----	0.517 - 0.064	.0401	----	----	----	----	28 UNCH
4450	----	----	----	0.446B/0.631A	----	0.543 - 0.069	.0421	----	----	----	----	4 UNCH
4475	----	----	----	0.460B/0.644A	----	0.556 - 0.072	.0431	----	----	----	----	16 UNCH
4500	----	----	----	0.475B/0.659A	----	0.570 - 0.074	.0442	----	----	2	----	303 + 2
4575	----	----	----	0.523B/0.702A	----	0.614 - 0.082	.0476	----	----	----	----	75 UNCH
4600	----	----	----	0.539B/0.718A	----	0.629 - 0.086	.0487	----	----	----	----	101 UNCH
4650	----	----	----/0.750A	0.574B/0.750A	----	0.661 - 0.092	.0512	----	----	----	----	40 UNCH
4675	----	----	----/0.767A	0.592B/0.767A	----	0.677 - 0.095	.0524	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
4700	----	----	----/0.784A	0.611B/0.784A	----	0.694 - 0.098	.0537	----	----	----	----	152 UNCH
4725	----	----	----/0.801A	0.631B/0.801A	----	0.711 - 0.102	.0549	----	----	----	----	3 UNCH
4750	----	----	----/0.819A	0.649B/0.819A	----	0.729 - 0.106	.0563	----	----	----	----	54 UNCH
4775	----	----	----/0.837A	0.670B/0.837A	----	0.748 - 0.108	.0577	----	----	----	----	8 UNCH
4800	----	----	----/0.856A	0.690B/0.856A	----	0.766 - 0.113	.0590	----	----	----	----	15 UNCH
4825	----	----	----/0.875A	0.711B/0.875A	----	0.786 - 0.116	.0605	----	----	----	----	26 UNCH
4850	----	----	----/0.895A	0.733B/0.895A	----	0.806 - 0.119	.0620	----	----	----	----	2 UNCH
4875	----	----	----/0.915A	0.756B/0.915A	----	0.826 - 0.123	.0634	----	----	----	----	23 UNCH
4900	----	----	----/0.935A	0.779B/0.935A	----	0.847 - 0.127	.0650	----	----	----	----	172 UNCH
5000	----	----	----/1.022A	0.876B/1.022A	----	0.937 - 0.142	.0714	----	----	----	----	833 UNCH
5025	----	----	----/1.045A	0.903B/1.045A	----	0.961 - 0.146	.0731	----	----	----	----	1 UNCH
5050	----	----	----/1.069A	0.929B/1.069A	----	0.985 - 0.151	.0749	----	----	----	----	16 UNCH
5075	----	----	----/1.093A	0.957B/1.093A	----	1.010 - 0.155	.0766	----	----	----	----	11 UNCH
5100	----	----	----/1.118A	0.985B/1.118A	----	1.036 - 0.159	.0784	----	----	----	----	175 UNCH
5150	----	----	----/1.169A	1.044B/1.169A	----	1.090 - 0.168	.0822	----	----	----	----	5 UNCH
5175	----	----	----/1.195A	1.075B/1.195A	----	1.118 - 0.172	.0841	----	----	----	----	5 UNCH
5200	----	----	----/1.222A	1.098B/1.222A	----	1.147 - 0.176	.0861	----	----	----	----	86 UNCH
5225	----	----	----/1.250A	1.101B/1.250A	----	1.176 - 0.181	.0881	----	----	----	----	9 UNCH
5250	----	----	----/1.278A	1.124B/1.278A	----	1.207 - 0.184	.0902	----	----	----	----	250 UNCH
5275	----	----	----/1.307A	1.129B/1.307A	----	1.238 - 0.189	.0923	----	----	----	----	2 UNCH
5300	----	----	----/1.336A	1.148B/1.336A	----	1.270 - 0.193	.0944	----	----	----	----	125 UNCH
5325	----	----	----/1.367A	1.141B/1.367A	----	1.302 - 0.198	.0965	----	----	----	----	11 UNCH
5350	----	----	----	1.096B/1.710A	----	1.336 - 0.202	.0988	----	----	----	----	26 UNCH
5375	----	----	----	1.132B/1.678A	----	1.370 - 0.207	.1010	----	----	----	----	17 UNCH
5400	----	----	----	1.090B/1.719A	----	1.405 - 0.211	.1033	----	----	----	----	75 UNCH
5425	----	----	----	1.219B/1.798A	----	1.441 - 0.216	.1056	----	----	----	----	49 UNCH
5450	----	----	----	1.319B/1.804A	----	1.478 - 0.220	.1080	----	----	----	----	38 UNCH
5475	----	----	----	1.316B/1.854A	----	1.515 - 0.226	.1104	----	----	----	----	53 UNCH
5500	----	----	----	1.273B/1.881A	----	1.554 - 0.230	.1129	----	----	----	----	887 UNCH
5525	----	----	----	1.420B/1.926A	----	1.594 - 0.234	.1154	----	----	----	----	72 UNCH
5550	----	----	----	1.476B/1.970A	----	1.634 - 0.240	.1179	----	----	----	----	13 UNCH
5575	----	----	----	1.533B/1.992A	----	1.675 - 0.245	.1205	----	----	----	----	3 UNCH
5600	----	----	----	1.432B/2.050A	----	1.718 - 0.249	.1232	----	----	----	----	13 UNCH
5625	----	----	----	1.622B/2.076A	----	1.761 - 0.255	.1258	----	----	----	----	3 UNCH
5650	----	----	----	1.664B/2.108A	----	1.805 - 0.260	.1285	----	----	----	----	29 UNCH
5675	----	----	----	1.594B/2.170A	----	1.851 - 0.264	.1313	----	----	----	----	45 UNCH
5700	----	----	----/2.142A	1.628B/2.142A	----	1.897 - 0.270	.1341	----	----	----	----	297 UNCH
5725	----	----	----/2.121A	1.697B/2.121A	----	1.944 - 0.275	.1369	----	----	----	----	3 UNCH
5750	----	----	----/2.150A	1.847B/2.150A	----	1.992 - 0.281	.1398	----	----	----	----	52 UNCH
5775	----	----	----/2.255A	1.893B/2.255A	----	2.042 - 0.285	.1427	----	----	----	----	2 UNCH
5800	----	----	----/2.188A	1.941B/2.188A	----	2.092 - 0.291	.1456	----	----	2	----	21 + 1
5825	----	----	----/2.303A	1.990B/2.303A	----	2.144 - 0.296	.1487	----	----	----	----	2 UNCH
5850	----	----	----/2.457A	1.926B/2.457A	----	2.196 - 0.302	.1517	----	----	----	----	114 UNCH
5875	----	----	----/2.507A	1.995B/2.507A	----	2.250 - 0.307	.1548	----	----	----	----	3 UNCH
5900	----	----	----/2.561A	2.028B/2.561A	----	2.305 - 0.312	.1579	----	----	----	----	6 UNCH
5950	----	----	----/2.675A	2.137B/2.675A	----	2.417 - 0.325	.1642	----	----	----	----	2 UNCH
5975	----	----	----/2.733A	2.199B/2.733A	----	2.475 - 0.331	.1674	----	----	----	----	1 UNCH
6000	----	----	----/2.796A	2.250B/2.796A	----	2.535 - 0.336	.1707	----	----	23	----	587 + 23
6100	----	----	----/3.061A	2.513B/3.061A	----	2.783 - 0.361	.1842	----	----	----	----	285 UNCH
6200	----	----	----/3.306A	2.875B/3.306A	----	3.050 - 0.387	.1982	----	----	----	----	9 UNCH
6250	----	----	----/3.446A	3.016B/3.446A	----	3.191 - 0.400	.2054	----	----	----	----	13 UNCH
6275	----	----	----/3.519A	2.954B/3.519A	----	3.263 - 0.408	.2090	----	----	----	----	1 UNCH
6300	----	----	----/3.615A	3.044B/3.615A	----	3.337 - 0.414	.2127	----	----	----	----	31 UNCH
6325	----	----	----/3.691A	3.109B/3.691A	----	3.411 - 0.422	.2164	----	----	----	----	20 UNCH
6375	----	----	----/3.845A	3.259B/3.845A	----	3.564 - 0.437	.2239	----	----	----	----	1 UNCH
6400	----	----	----/3.897A	3.346B/3.897A	----	3.643 - 0.444	.2277	----	----	----	----	55 UNCH
6500	4.000	4.000	4.000/3.902	4.103B/3.902	----	3.969 - 0.476	.2432	----	----	53	----	683 - 2
6550	----	----	----/4.424A	3.823B/4.424A	----	4.139 - 0.494	.2511	----	----	----	----	50 UNCH
6600	----	----	----/4.576A	4.008B/4.576A	----	4.314 NEW	.2591	----	----	1	----	1 + 1
6650	----	----	----/4.757A	4.189B/4.757A	----	4.495 - 0.530	.2671	----	----	----	----	100 UNCH
6700	4.600	4.600	4.600/4.560A	4.600/4.560A	----	4.680 - 0.549	.2753	----	----	1	----	81 UNCH
6750	----	----	----/5.141A	4.555B/5.141A	----	4.871 - 0.568	.2835	----	----	----	----	24 UNCH
6800	----	----	----/5.340A	4.895B/5.340A	----	5.067 - 0.588	.2918	----	----	1	----	257 UNCH
6900	----	----	----/5.753A	5.149B/5.753A	----	5.473 - 0.630	.3085	----	----	----	----	8 UNCH
7000	5.578	5.578	5.672/5.578	5.782B/5.578	----	5.900 - 0.674	.3255	----	----	10	----	517 + 10
7025	----	----	----/6.304A	5.778B/6.304A	----	6.010 - 0.685	.3297	----	----	----	----	125 UNCH
7125	----	----	----/6.770A	6.168B/6.770A	----	6.463 - 0.730	.3469	----	----	----	----	8 UNCH
7150	----	----	----/6.892A	6.294B/6.892A	----	6.580 - 0.741	.3512	----	----	----	----	1 UNCH
7200	----	----	----/7.136A	6.539B/7.136A	----	6.816 - 0.765	.3598	----	----	----	----	39 UNCH
7250	----	----	----/7.385A	6.922B/7.385A	----	7.058 - 0.788	.3684	----	----	----	----	169 UNCH
7300	----	----	----/7.640A	7.039B/7.640A	----	7.305 - 0.811	.3770	----	----	----	----	25 UNCH
7325	----	----	----/7.801A	7.161B/7.801A	----	7.430 - 0.823	.3813	----	----	----	----	1 UNCH
7375	----	----	----/8.011A	7.590B/8.011A	----	7.684 - 0.846	.3900	----	----	----	----	148 UNCH
7400	----	----	----/8.163A	7.557B/8.163A	----	7.813 - 0.858	.3943	----	----	----	----	25 UNCH
7450	----	----	----/8.437A	7.823B/8.437A	----	8.075 - 0.881	.4029	----	----	----	----	1 UNCH
7500	----	----	----/8.711A	8.108B/8.711A	----	8.342 - 0.904	.4115	----	----	----	----	38 UNCH
7525	----	----	----/8.853A	8.236B/8.853A	----	8.477 - 0.916	.4158	----	----	----	----	2 UNCH
7550	----	----	----/8.995A	8.378B/8.995A	----	8.613 - 0.927	.4201	----	----	----	----	1 UNCH
7600	----	----	----/9.284A	8.664B/9.284A	----	8.889 - 0.951	.4286	----	----	2	----	4 + 2
7625	----	----	----/9.426A	8.809B/9.426A	----	9.029 - 0.962	.4329	----	----	----	----	1 UNCH
7700	----	----	----/9.873A	9.249B/9.873A	----	9.457 - 0.994	.4456	----	----	----	----	1 UNCH
7800	10.125	10.125	10.125/10.125	10.125/10.125	----	10.043 - 1.038	.4623	----	----	1	----	2 + 1
7850	----	----	----/10.797A	10.167B/10.797A	----	10.343 - 1.058	.4706	----	----	----	----	1 UNCH
7900	----	----	----/11.111A	10.541B/11.111A	----	10.647 - 1.079	.4788	----	----	----	----	8 UNCH
7975	----	----	----/11.600A	10.965B/11.600A	----	11.112 NEW	.4910	----	----	5	----	5 + 5
8000	----	----	----/11.590A	11.514B/11.590A	----	11.269 - 1.118	.4951	----	----	----	----	291 UNCH
8100	----	----	----/12.418A	11.793B/12.418A	----	11.909 - 1.154	.5110	----	----	----	----	25 UNCH
8125	----	----	----/12.577A	11.963B/12.577A	----	12.071 - 1.163	.5149	----	----	----	----	4 UNCH
8250	----	----	----/13.437A	12.804B/13.437A	----	12.899 - 1.204	.5343	----	----	----	----	46 UNCH
8300	----	----	----/13.756A	13.167B/13.756A	----	13.238 - 1.219	.5419	----	----	----	----	120 UNCH
8375	----	----	----/14.284A	13.690B/14.284A	----	13.753 - 1.240	.5531	----	----	----	----	1 UNCH
8400	----	----	----/14.533A	13.866B/14.533A	----	13.926 - 1.248	.5568	----	----	----	----	7 UNCH
8500	----	----	----/14.986A	14.593B/14.986A	----	14.630 - 1.273	.5713	----	----	----	----	53 UNCH
8600	----	----	----/15.737A	15.515B/15.737A	----	15.348 - 1.297	.5855	----	----	----	----	56 UNCH
8700	----	----	----/16.649A	16.078B/16.649A	----	16.080 - 1.318	.5992	----	----	----	----	4 UNCH
9000	----	----	----/18.810A	18.404B/18.810A	----	18.355 - 1.366	.6379	----	----	----	----	308 UNCH
9200	----	----	----/20.728A	20.012B/20.728A	----	19.930 - 1.389	.6616	----	----	----	----	11 UNCH
9400	----	----	----/22.377A	21.656B/22.377A	----	21.548 - 1.404	.6836	----	----	----	----	1 UNCH
9450	----	----	----/22.799A	22.063B/22.799A	----	21.959 - 1.406	.6889	----	----	----	----	12 UNCH
9500	----	----	----/23.218A	22.336B/23.218A	----	22.372 - 1.408	.6940	----	----	----	----	218 UNCH
9600	----	----	----/24.025A	22.201B/24.025A	----	23.204 - 1.412	.7040	----	----	----	----	50 UNCH
9900	----	----	----	17.070B/34.468A	----	25.751 - 1.416	.7318	----	----	----	----	6 UNCH
9950	----	----	----	17.739B/35.006A	----	26.182 - 1.416	.7362	----	----	----	----	5 UNCH
10000	----	----	----	17.791B/35.739A	----	26.614 - 1.416	.7404	----	----	----	----	205 UNCH
10275	----	----	----	20.221B/38.185A	----	29.021 - 1.412	.7623	----	----	----	----	7 UNCH
10500	----	----	----	21.637B/40.799A	----	31.022 - 1.406	.7785	----	----	----	----	3 UNCH
10600	----	----	----	22.432B/41.569A	----	31.919 - 1.403	.7852	----	----	----	----	9 UNCH
11000	----	----	----	25.799B/45.409A	----	35.552 - 1.390	.8098	----	----	----	----	217 UNCH
11300	----	----	----	28.578B/48.412A	----	38.317 - 1.377	.8258	----	----	----	----	10 UNCH
11500	----	----	----	30.361B/50.465A	----	40.177 - 1.368	.8355	----	----	----	----	1 UNCH
12000	----	----	----	34.765B/55.283A	----	44.872 - 1.345	.8566	----	----	----	----	15 UNCH
13000	----	----	----	44.189B/65.137A	----	54.413 - 1.301	.8893	----	----	----	----	2 UNCH
TOTAL										101	0	9938 + 43
AUG26												
3300	----	----	0.146B/----	0.146B/0.330A	----	0.191 + 0.057	.0138	----	----	----	----	2 UNCH
3900	----	----	----	0.327B/0.543A	----	0.415 + 0.051	.0290	----	----	----	----	2 UNCH
4175	----	----	----	0.463B/0.682A	----	0.561 + 0.023	.0388	----	----	----	----	1 UNCH
4300	----	----	----	0.537B/0.757A	----	0.640 + 0.005	.0440	----	----	----	----	1 UNCH
4350	----	----	----	0.569B/0.790A	----	0.674 - 0.004	.0462	----	----	----	----	1 UNCH
4375	----	----	----	0.586B/0.807A	----	0.691 - 0.009	.0473	----	----	----	----	160 UNCH
4500	----	----	----	0.680B/0.897A	----	0.785 - 0.034	.0534	----	----	----	----	2 UNCH
4600	----	----	----	0.765B/0.977A	----	0.867 - 0.058	.0586	----	----	----	----	2 UNCH
4700	----	----	----	0.859B/1.064A	----	0.956 - 0.085	.0642	----	----	----	----	1 UNCH
4800	----	----	----/1.159A	0.963B/1.159A	----	1.054 - 0.114	.0703	----	----	----	----	15 UNCH
5000	----	----	----/1.375A	1.203B/1.375A	----	1.276 - 0.182	.0838	----	----	----	----	14 UNCH
5275	----	----	----	1.278B/2.070A	----	1.649 - 0.278	.1055	----	----	----	----	1 UNCH
5300	----	----	----	1.321B/2.107A	----	1.687 - 0.287	.1077	----	----	----	----	1 UNCH
5500	----	----	----/2.331A	1.770B/2.331A	----	2.023 - 0.359	.1262	----	----	----	----	26 UNCH
5675	----	----	----/2.756A	2.172B/2.756A	----	2.362 - 0.421	.1441	----	----	----	----	9 UNCH
5800	----	----	----/3.008A	2.360B/3.008A	----	2.633 - 0.465	.1578	----	----	----	----	4 UNCH
5850	----	----	----/3.130A	2.478B/3.130A	----	2.748 - 0.483	.1635	----	----	----	----	2 UNCH
5875	----	----	----/3.192A	2.537B/3.192A	----	2.807 - 0.491	.1664	----	----	----	----	12 UNCH
5900	----	----	----/3.281A	2.601B/3.281A	----	2.867 - 0.500	.1694	----	----	----	----	16 UNCH
5950	----	----	----/3.387A	2.726B/3.387A	----	2.991 - 0.517	.1754	----	----	----	----	20 UNCH
6000	----	----	----/3.522A	2.853B/3.522A	----	3.118 - 0.534	.1814	----	----	----	----	139 UNCH
6050	----	----	----/3.663A	2.992B/3.663A	----	3.250 - 0.551	.1876	----	----	----	----	8 UNCH
6100	----	----	----/3.833A	3.132B/3.833A	----	3.387 - 0.567	.1939	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS											
AUG26													
6300	----	----	----/4.432A	3.740B/4.432A	----	3.977 -	0.632 .2202	----	----	----	----	1	UNCH
6500	----	----	----/5.166A	4.423B/5.166A	----	4.643 -	0.693 .2481	----	----	----	----	129	UNCH
6600	----	----	----/5.519A	4.797B/5.519A	----	5.005 -	0.723 .2624	----	----	----	----	13	UNCH
6725	----	----	----/6.053A	5.289B/6.053A	----	5.485 -	0.760 .2808	----	----	----	----	7	UNCH
6825	----	----	----/6.448A	5.707B/6.448A	----	5.891 -	0.790 .2957	----	----	----	----	7	UNCH
7000	----	----	----/7.242A	6.517B/7.242A	----	6.652 -	0.841 .3222	----	----	----	----	1	UNCH
7050	----	----	----/7.498A	6.747B/7.498A	----	6.880 -	0.856 .3299	----	----	----	----	1	UNCH
7100	----	----	----/7.722A	6.994B/7.722A	----	7.114 -	0.871 .3375	----	----	----	----	2	UNCH
7350	----	----	----/9.065A	8.272B/9.065A	----	8.356 -	0.951 .3759	----	----	----	----	6	UNCH
7500	----	----	----/9.888A	9.093B/9.888A	----	9.160 -	1.000 .3988	----	----	----	----	1	UNCH
7550	----	----	----/10.144A	9.378B/10.144A	----	9.437 -	1.017 .4064	----	----	----	----	5	UNCH
7700	----	----	----/11.030A	10.255B/11.030A	----	10.296 -	1.066 .4289	----	----	----	----	25	UNCH
8000	----	----	----/12.917A	12.131B/12.917A	----	12.127 -	1.163 .4726	----	----	----	----	20	UNCH
8150	----	----	----/13.959A	13.114B/13.959A	----	13.095 -	1.207 .4935	----	----	----	----	10	UNCH
8200	----	----	----/14.256A	13.462B/14.256A	----	13.424 -	1.222 .5004	----	----	----	----	10	UNCH
8250	----	----	----/14.600A	13.805B/14.600A	----	13.758 -	1.235 .5072	----	----	----	----	5	UNCH
8500	----	----	----/16.370A	15.564B/16.370A	----	15.472 -	1.299 .5401	----	----	----	----	20	UNCH
9000	----	----	----/20.134A	19.313B/20.134A	----	19.124 -	1.397 .6003	----	----	----	----	29	UNCH
9300	----	----	----/22.511A	22.082B/22.511A	----	21.441 -	1.439 .6328	----	----	----	----	1	UNCH
9500	----	----	----/24.139A	23.286B/24.139A	----	23.032 -	1.460 .6529	----	----	----	----	30	UNCH
10000	----	----	----/28.323A	27.450B/28.323A	----	27.147 -	1.495 .6981	----	----	----	----	6	UNCH
10175	----	----	----/29.824A	27.976B/29.824A	----	28.629 -	1.502 .7123	----	----	----	----	15	UNCH
TOTAL											0	792	0
SEP26													
2500	----	----	----	0.001B/3.541A	----	0.076 +	0.009 .0053	----	----	----	----	60	UNCH
3000	----	----	----	0.123B/0.329A	----	0.171 +	0.017 .0115	----	----	----	----	22	UNCH
3500	----	----	----	0.257B/0.492A	----	0.340 +	0.028 .0223	----	----	----	----	74	UNCH
4000	----	----	----	0.491B/0.743A	----	0.623 +	0.040 .0392	----	----	----	----	46	UNCH
4500	----	----	----	0.875B/1.126A	----	1.009 -	0.043 .0621	----	----	----	----	12	UNCH
4650	----	----	----	1.036B/1.276A	----	1.155 -	0.079 .0706	----	----	----	----	0	UNCH
5000	1.750	1.750	1.750/1.750	1.750/1.750	----	1.576 -	0.173 .0939	----	----	3	----	232	UNCH
5100	----	----	----	1.297B/2.256A	----	1.720 -	0.202 .1016	----	----	----	----	1	UNCH
5500	----	----	----	2.204B/2.929A	----	2.432 -	0.308 .1372	----	----	----	----	228	UNCH
5600	----	----	----	2.452B/3.155A	----	2.648 -	0.332 .1474	----	----	----	----	1	UNCH
5700	----	----	----	2.585B/3.376A	----	2.879 -	0.355 .1580	----	----	----	----	2	UNCH
5800	----	----	----	2.845B/3.641A	----	3.127 -	0.377 .1690	----	----	----	----	7	UNCH
6000	----	----	----	3.397B/4.225A	----	3.676 -	0.416 .1923	----	----	----	----	128	UNCH
6050	----	----	----	3.548B/4.406A	----	3.824 -	0.425 .1984	----	----	----	----	15	UNCH
6300	----	----	----	4.369B/5.233A	----	4.635 -	0.465 .2300	----	----	----	----	3	UNCH
6400	----	----	----	4.730B/5.605A	----	4.993 -	0.479 .2431	----	----	----	----	1	UNCH
6425	----	----	----	4.823B/5.700A	----	5.085 -	0.483 .2464	----	----	----	----	1	UNCH
6500	----	----	----	5.113B/5.995A	----	5.370 -	0.492 .2565	----	----	----	----	55	UNCH
6900	----	----	----	6.826B/7.782A	----	7.067 -	0.542 .3116	----	----	----	----	1	UNCH
7000	----	----	----	7.302B/8.259A	----	7.537 -	0.556 .3256	----	----	----	----	15	UNCH
7025	----	----	----	7.425B/8.354A	----	7.658 -	0.560 .3291	----	----	----	----	1	UNCH
7100	----	----	----	7.796B/8.732A	----	8.026 -	0.571 .3397	----	----	----	----	16	UNCH
7125	----	----	----	7.922B/8.889A	----	8.152 -	0.574 .3432	----	----	----	----	25	UNCH
7175	----	----	----	8.212B/9.150A	----	8.405 -	0.583 .3502	----	----	----	----	20	UNCH
7200	----	----	----	8.310B/9.252A	----	8.533 -	0.587 .3537	----	----	----	----	50	UNCH
7500	----	----	----	9.960B/10.919A	----	10.156 -	0.648 .3953	----	----	----	----	3	UNCH
7550	----	----	----	10.279B/11.212A	----	10.440 -	0.661 .4022	----	----	----	----	2	UNCH
7700	----	----	----	11.184B/12.158A	----	11.318 -	0.698 .4226	----	----	----	----	1	UNCH
7800	----	----	----	11.802B/12.766A	----	11.923 -	0.724 .4359	----	----	----	----	4	UNCH
7900	----	----	----	12.402B/13.403A	----	12.542 -	0.751 .4490	----	----	----	----	1	UNCH
8000	----	----	----	13.085B/14.026A	----	13.176 -	0.778 .4619	----	----	----	----	40	UNCH
8100	----	----	----	13.748B/14.692A	----	13.823 -	0.805 .4746	----	----	----	----	1	UNCH
8200	----	----	----	14.426B/15.371A	----	14.484 -	0.831 .4870	----	----	----	----	1	UNCH
8500	----	----	----	16.532B/17.487A	----	16.544 -	0.901 .5229	----	----	----	----	225	UNCH
8700	----	----	----	17.990B/18.955A	----	17.976 -	0.942 .5454	----	----	----	----	100	UNCH
9000	----	----	----	20.258B/21.232A	----	20.205 -	0.994 .5772	----	----	----	----	74	UNCH
9300	----	----	----	22.603B/23.588A	----	22.522 -	1.036 .6066	----	----	----	----	1	UNCH
9400	----	----	----	23.411B/24.389A	----	23.312 -	1.047 .6159	----	----	----	----	1	UNCH
10150	----	----	----	29.592B/30.602A	----	29.474 -	1.111 .6773	----	----	----	----	1	UNCH
10300	----	----	----	30.858B/31.882A	----	30.750 -	1.119 .6879	----	----	----	----	1	UNCH
TOTAL										3	0	1472	0
OCT26													
2675	----	----	----	0.084B/0.299A	----	0.130 -	0.016 .0083	----	----	----	----	8	UNCH
3250	----	----	----	0.218B/0.474A	----	0.271 -	0.031 .0172	----	----	----	----	1	UNCH
4000	----	----	----	0.581B/0.865A	----	0.656 -	0.069 .0398	----	----	----	----	3	UNCH
4500	----	----	----	1.020B/1.301A	----	1.160 -	0.109 .0660	----	----	----	----	4	UNCH
5000	----	----	----	1.302B/2.394A	----	1.941 -	0.175 .1020	----	----	----	----	6	UNCH
5050	----	----	----	1.395B/2.460A	----	2.034 -	0.183 .1061	----	----	----	----	1	UNCH
5150	----	----	----	1.579B/2.609A	----	2.230 -	0.198 .1146	----	----	----	----	5	UNCH
6500	----	----	----/6.524A	5.478B/6.524A	----	6.160 -	0.456 .2567	----	----	----	----	6	UNCH
7000	----	----	----/8.757A	7.699B/8.757A	----	8.284 -	0.563 .3185	----	----	----	----	85	UNCH
7225	----	----	----/9.946A	8.844B/9.946A	----	9.365 -	0.609 .3469	----	----	----	----	87	UNCH
7500	----	----	----/11.449A	10.357B/11.449A	----	10.790 -	0.666 .3817	----	----	----	----	1	UNCH
7950	----	----	----	13.124B/14.206A	----	13.367 -	0.753 .4376	----	----	----	----	10	UNCH
8200	----	----	----	14.740B/15.860A	----	14.927 -	0.798 .4673	----	----	----	----	6	UNCH
8375	----	----	----	15.942B/17.064A	----	16.071 -	0.828 .4874	----	----	----	----	1	UNCH
9100	----	----	----	21.302B/22.427A	----	21.228 -	0.932 .5631	----	----	----	----	1	UNCH
10000	----	----	----	28.496B/29.612A	----	28.370 -	1.026 .6389	----	----	----	----	40	UNCH
TOTAL											0	265	0
NOV26													
4500	----	----	----	1.205B/1.529A	----	1.361 -	0.114 .0722	----	----	----	----	2	UNCH
4550	----	----	----	1.266B/1.591A	----	1.435 -	0.120 .0755	----	----	----	----	1	UNCH
4800	----	----	----	1.165B/2.443A	----	1.844 -	0.151 .0932	----	----	----	----	1	UNCH
5200	----	----	----	1.954B/3.136A	----	2.646 -	0.210 .1258	----	----	----	----	1	UNCH
5950	----	----	----	3.982B/5.088A	----	4.695 -	0.344 .1990	----	----	----	----	1	UNCH
6700	----	----	----	6.877B/8.131A	----	7.532 -	0.495 .2838	----	----	----	----	50	UNCH
7000	----	----	----	8.310B/9.551A	----	8.901 -	0.556 .3195	----	----	----	----	40	UNCH
7025	----	----	----	8.438B/9.679A	----	9.021 -	0.561 .3225	----	----	----	----	6	UNCH
7500	----	----	----	11.021B/12.304A	----	11.484 -	0.655 .3793	----	----	----	----	3	UNCH
7700	----	----	----	12.217B/13.509A	----	12.623 -	0.692 .4029	----	----	----	----	50	UNCH
8500	----	----	----	17.527B/18.875A	----	17.759 -	0.823 .4905	----	----	----	----	60	UNCH
9000	----	----	----	21.236B/22.529A	----	21.393 -	0.887 .5381	----	----	----	----	5	UNCH
9050	----	----	----	21.616B/22.959A	----	21.771 -	0.893 .5426	----	----	----	----	3	UNCH
10000	----	----	----	29.161B/30.465A	----	29.325 -	0.982 .6167	----	----	----	----	1	UNCH
11000	----	----	----	37.597B/38.929A	----	37.783 -	1.047 .6783	----	----	----	----	1	UNCH
TOTAL											0	225	0
DEC26													
1500	----	----	----	0.001B/0.150A	----	0.031 +	0.011 .0017	----	----	----	----	180	UNCH
2000	----	----	----	0.001B/0.500A	----	0.091 +	0.028 .0050	----	----	----	----	10	UNCH
2500	----	----	----	0.072B/0.365A	----	0.162 +	0.048 .0092	----	----	----	----	32	UNCH
3000	----	----	#0.206B/----	0.206B/0.528A	----	0.281 +	0.079 .0163	----	----	----	----	93	UNCH
3100	----	----	0.239B/----	0.239B/0.571A	----	0.313 +	0.087 .0182	----	----	----	----	1	UNCH
3150	----	----	#0.257B/----	0.257B/0.594A	----	0.339 +	0.092 .0195	----	----	----	----	1	UNCH
3500	----	----	----	0.422B/0.783A	----	0.571 +	0.135 .0310	----	----	----	----	45	UNCH
3850	----	----	----	0.656B/1.034A	----	0.873 +	0.163 .0453	----	----	----	----	1	UNCH
3900	----	----	----	0.705B/1.076A	----	0.920 +	0.163 .0475	----	----	----	----	1	UNCH
3925	----	----	----	0.725B/1.097A	----	0.944 +	0.163 .0487	----	----	----	----	1	UNCH
4000	----	----	----	0.791B/1.165A	----	1.019 +	0.162 .0521	----	----	----	----	74	UNCH
4500	----	----	----	1.367B/1.729A	----	1.627 +	0.127 .0794	----	----	----	----	32	UNCH
4600	----	----	----	1.517B/1.869A	----	1.774 +	0.115 .0858	----	----	----	----	4	UNCH
4800	----	----	----	1.343B/2.728A	----	2.097 +	0.084 .0994	----	----	----	----	241	UNCH
5000	----	----	----	1.738B/3.073A	----	2.461 +	0.046 .1142	----	----	----	----	357	UNCH
5250	----	----	----	2.313B/3.594A	----	2.981 -	0.010 .1345	----	----	----	----	50	UNCH
5300	----	----	----	2.446B/3.702A	----	3.095 -	0.022 .1388	----	----	----	----	250	UNCH
5400	----	----	----	2.851B/3.928A	----	3.331 -	0.047 .1476	----	----	----	----	100	UNCH
5500	----	----	----	2.970B/4.182A	----	3.582 -	0.072 .1568	----	----	----	----	86	UNCH
5600	----	----	----	3.241B/4.460A	----	3.847 -	0.097 .1662	----	----	----	----	4	UNCH
5800	----	----	----	3.833B/5.070A	----	4.422 -	0.149 .1859	----	----	----	----	1	UNCH
5950	----	----	----	4.323B/5.608A	----	4.896 -	0.187 .2014	----	----	----	----	5	UNCH
6000	----	----	----	4.494B/5.765A	----	5.062 -	0.199 .2067	----	----	----	----	147	UNCH
6200	----	----	----	5.222B/6.523A	----	5.772 -	0.244 .2284	----	----	----	----	13	UNCH
6300	----	----	----	5.601B/6.927A	----	6.155 -	0.264 .2395	----	----	----	----	25	UNCH
6500	----	----	----	6.433B/7.827A	----	6.978 -	0.298 .2622	----	----	----	----	626	UNCH
6650	----	----	----	7.094B/8.512A	----	7.644 -	0.318 .2794	----	----	----	----	5	UNCH
6725	----	----	----	7.443B/8.850A	----	7.991 -	0.329 .2881	----	----	----	----	4	UNCH
6750	----	----	----	7.561B/8.943A	----	8.110 -	0.331 .2910	----	----	----	----	6	UNCH
6800	----	----	----	7.799B/9.233A	----	8.349 -	0.337 .2968	----	----	----	----	52	UNCH
6850	----	----	----	8.040B/9.435A	----	8.593 -	0.343 .3026	----	----	----	----	65	UNCH
6900	----	----	----	8.286B/9.686A	----	8.840 -	0.349 .3084	----	----	----	----	1	UNCH
6950	----	----	----	8.532B/9.942A	----	9.092 -	0.355 .3142	----	----	----	----	101	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
7000	----	----	----	8.792B/10.201A	----	9.347 -	0.361 .3199	----	----	----	----	179 UNCH
7050	----	----	----	9.050B/10.464A	----	9.607 -	0.367 .3257	----	----	----	----	1 UNCH
7075	----	----	----	9.181B/10.597A	----	9.738 -	0.370 .3286	----	----	----	----	20 UNCH
7100	----	----	----	9.309B/10.731A	----	9.870 -	0.373 .3315	----	----	----	----	2 UNCH
7200	----	----	----	9.850B/11.326A	----	10.406 -	0.388 .3430	----	----	----	----	14 UNCH
7500	13.000	13.000	13.000/12.639A	13.000/12.639A	----	12.097 -	0.437 .3770	----	----	20	----	25 + 9
7550	----	----	----	11.843B/13.326A	----	12.390 -	0.446 .3826	----	----	----	----	1 UNCH
7800	----	----	----	13.370B/14.843A	----	13.904 -	0.496 .4101	----	----	----	----	20 UNCH
7850	----	----	----	13.687B/15.162A	----	14.215 -	0.507 .4155	----	----	----	----	10 UNCH
7875	----	----	----	13.843B/15.323A	----	14.372 -	0.512 .4181	----	----	----	----	4 UNCH
7900	----	----	----	14.006B/15.484A	----	14.530 -	0.518 .4208	----	----	----	----	19 UNCH
8000	----	----	----	14.651B/16.193A	----	15.168 -	0.540 .4313	----	----	----	----	50 UNCH
8100	----	----	----	15.317B/16.802A	----	15.818 -	0.563 .4416	----	----	----	----	1 UNCH
8200	----	----	----/16.686A	15.990B/16.686A	----	16.479 -	0.586 .4518	----	----	----	----	35 UNCH
8350	----	----	----	17.018B/18.571A	----	17.489 -	0.623 .4668	----	----	----	----	9 UNCH
8400	----	----	----	17.367B/18.892A	----	17.831 -	0.635 .4717	----	----	----	----	50 UNCH
8500	----	----	----	18.074B/19.572A	----	18.523 -	0.659 .4813	----	----	----	----	150 UNCH
8600	----	----	----	18.783B/20.289A	----	19.225 -	0.683 .4907	----	----	----	----	2 UNCH
8800	----	----	----	20.240B/21.753A	----	20.656 -	0.732 .5091	----	----	----	----	10 UNCH
8900	----	----	----/21.613A	20.982B/21.613A	----	21.385 -	0.756 .5180	----	----	----	----	30 UNCH
9000	----	----	----/22.299A	21.736B/22.299A	----	22.122 -	0.781 .5267	----	----	----	----	3 UNCH
9050	----	----	----	22.110B/23.629A	----	22.494 -	0.793 .5310	----	----	----	----	100 UNCH
9500	----	----	----	25.595B/27.124A	----	25.929 -	0.892 .5675	----	----	----	----	2 UNCH
9850	----	----	----	28.393B/29.958A	----	28.699 -	0.957 .5934	----	----	----	----	8 UNCH
9950	----	----	----	29.206B/30.746A	----	29.505 -	0.973 .6005	----	----	----	----	1 UNCH
10025	----	----	----	29.863B/31.360A	----	30.113 -	0.984 .6056	----	----	----	----	3 UNCH
10125	----	----	----	30.690B/32.184A	----	30.929 -	0.998 .6124	----	----	----	----	1 UNCH
10700	----	----	----	35.521B/37.056A	----	35.721 -	1.057 .6481	----	----	----	----	5 UNCH
10800	----	----	----	36.354B/37.859A	----	36.570 -	1.064 .6538	----	----	----	----	2 UNCH
11000	----	----	----	38.086B/39.574A	----	38.281 -	1.076 .6648	----	----	----	----	2 UNCH
11500	----	----	----	42.415B/43.922A	----	42.626 -	1.093 .6902	----	----	----	----	1 UNCH
12000	----	----	----	18.393B/113.391A	----	47.051 -	1.099 .7127	----	----	----	----	1 UNCH
12100	----	----	----	18.943B/110.406A	----	47.945 -	1.099 .7170	----	----	----	----	1 UNCH
12300	----	----	----	20.349B/110.934A	----	49.739 -	1.099 .7251	----	----	----	----	1 UNCH
15000	----	----	----	42.455B/141.417A	----	74.663 -	1.107 .8085	----	----	----	----	1 UNCH
19000	----	----	----	81.839B/145.533A	----	112.976 -	1.175 .8792	----	----	----	----	1 UNCH
TOTAL										20	0	3379 + 9
JAN27												
3800	----	----	----	0.001B/6.440A	----	0.579 -	0.050 .0339	----	----	----	----	1 UNCH
7125	----	----	----	1.727B/19.111A	----	10.264 -	0.433 .3262	----	----	----	----	1 UNCH
8600	----	----	----	9.944B/29.216A	----	19.708 -	0.614 .4725	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
7175	----	----	----	----	----	15.929 -	1.786 .3010	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7300	----	----	----	5.462B/8.433A	----	7.590 +	0.389 .6396	----	----	----	----	1 UNCH
TOTAL											0	1 0
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	#12.983B/15.525A	----	14.309 +	1.004 .9546	----	----	----	----	1 UNCH
6800	----	----	----	----	----	8.792 +	0.777 .8607	----	----	----	----	2 UNCH
7000	----	----	----	----	----	7.101 +	0.668 .8034	----	----	----	----	1 UNCH
7010	----	----	----	----	----	7.019 +	0.661 .8000	----	----	1	----	0 - 1
7050	----	----	----	----	----	6.698 +	0.637 .7861	----	----	----	----	2 UNCH
7110	----	----	----	4.741B/6.008A	----	6.227 +	0.598 .7637	----	----	----	----	1 UNCH
7150	----	----	----	4.731B/5.724A	----	5.922 +	0.572 .7478	----	----	2	----	0 - 2
7200	----	----	----	4.601B/5.388A	----	5.550 +	0.538 .7268	----	----	----	----	2 UNCH
7300	----	----	----	4.180B/4.756A	----	4.842 +	0.468 .6812	----	----	----	----	1 UNCH
7400	----	----	----	3.522B/3.996A	----	4.186 +	0.397 .6315	----	----	----	----	102 UNCH
7450	----	----	----	3.500B/3.687A	----	3.878 +	0.361 .6052	----	----	----	----	1 UNCH
7475	----	----	----	3.362B/3.567A	----	3.730 +	0.344 .5918	----	----	----	----	1 UNCH
7500	3.150	3.150	3.363B/3.070A	3.363B/3.070A	----	3.585 +	0.326 .5783	----	----	6	----	12 + 5
7550	----	----	3.105B/----	3.105B/3.167A	----	3.307 +	0.292 .5509	----	----	----	----	2 UNCH
7600	----	----	2.817B/----	2.817B/2.914A	----	3.044 +	0.259 .5230	----	----	2	----	3 + 2
7675	----	----	2.506B/----	2.506B/2.617A	----	2.677 +	0.211 .4810	----	----	----	----	1 UNCH
7700	2.880	2.880	2.880/2.880	2.880/2.482A	----	2.562 +	0.196 .4671	----	----	7	----	10 + 7
7775	----	----	----	2.043B/2.238A	----	2.240 +	0.153 .4255	----	----	----	----	1 UNCH
7800	1.950	1.950	1.950/1.930	1.982B/1.930	----	2.141 +	0.140 .4119	----	----	6	----	20 + 2
7900	1.600	1.600	1.600/1.600	1.626B/1.600	----	1.777 +	0.090 .3590	----	----	1	----	2 + 1
8000	1.237	1.237	1.237/1.237	1.320B/1.237	----	1.469 +	0.050 .3096	----	----	2	----	26 + 2
8100	1.100	1.100	1.117B/1.100	1.117B/1.100	----	1.210 +	0.017 .2645	----	----	1	----	22 + 1
8150	----	----	----	0.898B/1.130A	----	1.098 +	0.003 .2439	----	----	----	----	1 UNCH
8250	----	----	----	0.700B/0.934A	----	0.903 -	0.020 .2062	----	----	----	----	7 UNCH
8400	----	----	----/0.703A	0.508B/0.703A	----	0.675 -	0.042 .1591	----	----	----	----	5 UNCH
8500	0.600	0.600	0.650/0.510	0.650/0.510	----	0.557 -	0.051 .1333	----	----	32	----	25 + 24
8625	0.399	0.399	0.430/*0.380	0.430/*0.380	----	0.439	NEW .1065	----	----	4	----	2 + 2
8800	----	----	----	0.229B/0.372A	----	0.304 -	0.059 .0755	----	----	----	----	6 UNCH
9000	0.450	0.450	0.450/*0.352A	0.450/0.352A	----	0.186 -	0.051 .0478	----	----	1	----	11 UNCH
9125	----	----	----	0.057B/0.326A	----	0.135 -	0.044 .0353	----	----	----	----	2 UNCH
9200	0.198	0.198	0.198/*0.198	0.198/*0.198	----	0.111	NEW .0292	----	----	7	----	7 + 7
9500	----	----	----	0.024B/*0.239A	----	0.049 -	0.026 .0132	----	----	----	----	2 UNCH
9700	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.027 -	0.019 .0073	----	----	1	----	4 + 1
TOTAL										73	0	285 + 51
SO2 PUT		SILVER OPTIONS										
APR26												
5500	----	----	----	0.004B/*0.206A	----	0.112 -	0.049 .0174	----	----	----	----	10 UNCH
5800	----	----	----	0.056B/*0.241A	----	0.140 -	0.080 .0241	----	----	----	----	2 UNCH
6000	0.150	0.150	0.150/*0.150	0.150/*0.150	----	0.176 -	0.112 .0320	----	----	1	----	12 UNCH
6100	----	----	----/*0.307A	0.138B/*0.307A	----	0.204 -	0.132 .0379	----	----	----	----	10 UNCH
6200	----	----	----/*0.344A	0.185B/*0.344A	----	0.240 -	0.157 .0453	----	----	----	----	1 UNCH
6250	----	----	----/*0.384A	0.209B/*0.384A	----	0.263 -	0.170 .0499	----	----	----	----	2 UNCH
6300	0.300	0.300	0.300/*0.300	0.305B/*0.300	----	0.288	NEW .0549	----	----	1	----	1 + 1
6400	0.330	0.330	0.330/*0.330	0.330/*0.330	----	0.347 -	0.216 .0666	----	----	1	----	11 + 1
6450	----	----	----/*0.445A	0.346B/*0.445A	----	0.381 -	0.234 .0733	----	----	----	----	2 UNCH
6500	----	----	----/*0.479A	0.432B/*0.479A	----	0.419 -	0.252 .0807	----	----	----	----	2 UNCH
6600	0.560	0.560	0.560/*0.547A	0.560/*0.547A	----	0.504 -	0.292 .0973	----	----	4	----	24 + 4
6650	----	----	----/*0.704A	0.593B/*0.704A	----	0.552 -	0.313 .1066	----	----	----	----	3 UNCH
6800	----	----	----/*0.868A	0.898B/*0.868A	----	0.720 -	0.382 .1392	----	----	----	----	2 UNCH
7025	----	----	----/*1.140A	1.425B/*1.140A	----	1.075 -	0.506 .2051	----	----	1	----	1 UNCH
7050	----	----	----/*1.347A	1.501B/*1.347A	----	1.124 -	0.522 .2138	----	----	1	----	1 UNCH
7150	1.750	1.750	1.750/*1.590A	1.836B/*1.590A	----	1.348	NEW .2521	----	----	2	----	2 + 2
7175	1.977	1.977	1.977/*1.453A	1.977/*1.453A	----	1.410	NEW .2624	----	----	1	----	1 + 1
7180	1.974	1.974	#1.974/*1.490A	1.974/*1.490A	----	1.423	NEW .2646	----	----	1	----	1 + 1
7325	----	----	----/*1.926A	2.534B/*1.926A	----	1.847 -	0.708 .3307	----	----	----	----	1 UNCH
7400	----	----	2.927B/2.396A	2.927B/2.396A	----	2.109 -	0.762 .3684	----	----	----	----	1 UNCH
7500	3.282	3.282	3.282/2.803A	3.300B/2.803A	----	2.508	NEW .4216	----	----	1	----	1 + 1
7600	----	----	----/3.236A	3.322B/3.236A	----	2.966 -	0.899 .4769	----	----	----	----	1 UNCH
TOTAL										14	0	92 + 11
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	6.231B/7.594A	----	7.819 +	0.587 .7513	----	----	----	----	7 UNCH
7100	----	----	----	6.154B/6.950A	----	7.085 +	0.526 .7194	----	----	----	----	1 UNCH
7500	----	----	4.355B/----	4.355B/4.367A	----	4.548 +	0.282 .5695	----	----	----	----	14 UNCH
7600	----	----	3.829B/----	3.829B/3.902A	----	4.024 +	0.226 .5286	----	----	----	----	3 UNCH
7975	----	----	----	2.253B/2.550A	----	2.458 +	0.055 .3777	----	----	----	----	2 UNCH
8000	----	----	----	2.219B/2.438A	----	2.375 +	0.046 .3683	----	----	----	----	1 UNCH
8500	----	----	----	1.018B/1.291A	----	1.185 -	0.059 .2111	----	----	----	----	5 UNCH
TOTAL											0	33 0
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	0.001B/*0.182A	----	0.014 -	0.003 .0018	----	----	----	----	20 UNCH
5500	----	----	----/*0.320A	0.121B/*0.320A	----	0.262 -	0.075 .0362	----	----	----	----	1 UNCH
6000	----	----	----/*0.527A	0.327B/*0.527A	----	0.462 -	0.159 .0677	----	----	----	----	3 UNCH
6400	----	----	----/*0.891A	0.765B/*0.891A	----	0.764 -	0.278 .1142	----	----	----	----	5 UNCH
6500	----	----	----/*0.992A	0.923B/*0.992A	----	0.872 -	0.318 .1303	----	----	----	----	2 UNCH
6825	----	----	----/*1.578A	1.597B/*1.578A	----	1.366 -	0.472 .1995	----	----	----	----	20 UNCH
7000	----	----	----/*1.982A	2.180B/*1.982A	----	1.749 -	0.572 .2486	----	----	----	----	8 UNCH
7300	----	----	----/*2.945A	3.363B/2.945A	----	2.658 -	0.755 .3516	----	----	----	----	10 UNCH
7500	----	----	4.351B/3.770A	4.351B/3.770A	----	3.472 -	0.875 .4304	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 67

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 PUT		SILVER OPTIONS										
APR26												
7550	4.089	4.089	4.089/4.032A	4.573B/4.032A	----	3.703 NEW	.4508	----	----	1	----	1 + 1
7625	----	----	----/4.399A	5.002B/4.399A	----	4.071 - 0.946	.4816	----	----	----	----	1 UNCH
TOTAL										1	0	72 + 1
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	----/3.889A	3.691B/3.889A	----	3.979 - 0.065	.4670	----	----	----	----	8 UNCH
8000	----	----	----/3.200A	2.955B/3.200A	----	3.248 - 0.308	.4038	----	----	----	----	0 UNCH
8200	2.580	2.580	#2.580/*2.580	#2.580/*2.580	----	2.705 NEW	.3482	----	----	1	----	1 + 1
8225	2.500	2.500	#2.500/*2.500	#2.500/*2.500	----	2.657 NEW	.3423	----	----	2	----	2 + 2
TOTAL										3	0	11 + 3
SO4 PUT		SILVER OPTIONS										
APR26												
6050	1.000	1.000	1.000/*0.730	1.000/*0.730	----	0.686 - 0.254	.0905	----	----	5	----	9 + 3
6125	1.002	1.002	#1.052B/*0.820	1.052B/*0.820	----	0.754 NEW	.0993	----	----	2	----	2 + 2
6400	----	----	----/*1.262A	1.165B/*1.262A	----	1.086 - 0.357	.1399	----	----	----	----	1 UNCH
7300	----	----	----/*3.676A	4.062B/*3.676A	----	3.418 - 0.804	.3668	----	----	----	----	1 UNCH
TOTAL										7	0	13 + 5
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
5700	----	----	----	----/*0.075A	----	0.000 - 0.001	----	----	----	----	----	0 - 25
6000	----	----	----	----	----	16.078 + 1.158	----	----	----	1	----	0 - 1
6000	----	----	----	----/*0.076A	----	0.000 - 0.002	----	----	----	----	----	0 - 3
6000	----	----	----	----	----	16.174 NEW	.9799	----	----	1	----	1 + 1
6200	----	----	----	----/*0.076A	----	0.000 - 0.006	----	----	----	----	----	0 - 40
6400	----	----	----	----/0.075A	----	0.000 - 0.015	----	----	----	----	----	0 - 10
6500	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.025	----	----	----	1	----	0 - 11
6575	----	----	----	----/*0.076A	----	0.000 - 0.036	----	----	----	----	----	0 - 1
6700	----	----	----	----/*0.083A	----	0.000 - 0.066	----	----	----	----	----	0 - 6
6700	----	----	----/*0.500A	0.432B/*0.500A	----	0.367 NEW	.0832	----	----	1	----	1 + 1
6800	----	----	----/*0.605A	0.581B/*0.605A	----	0.464 NEW	.1051	----	----	1	----	1 + 1
6800	1.460	1.460	#2.000/*1.460	2.000/*1.460	----	1.655 NEW	.2138	----	----	3	----	3 + 3
6800	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.106	----	----	----	2	----	0 - 2
6900	----	----	----/*0.121A	0.001B/*0.121A	----	0.000 - 0.128	----	----	----	----	----	0 - 1
6900	----	----	----/*0.709A	0.768B/*0.709A	----	0.585 NEW	.1319	----	----	1	----	1 + 1
6950	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.000 - 0.139	----	----	----	2	----	0 - 2
7000	----	----	----	3.800B/----	----	6.078 + 1.007	----	----	----	1	----	0 - 2
7000	----	----	----/*0.863A	1.003B/*0.863A	----	0.734 NEW	.1640	----	----	1	----	1 + 1
7000	----	----	----/*0.049A	0.001B/*0.049A	----	0.000 - 0.152	----	----	----	----	----	0 - 4
7025	----	----	----	----	----	5.828 + 0.999	----	----	----	----	----	0 - 1
7030	----	----	----	----	----	5.778 + 0.997	----	----	----	----	----	0 - 4
7050	----	----	----/*0.020A	0.010B/*0.020A	----	0.000 - 0.171	----	----	----	----	----	0 - 1
7095	----	----	----/*0.157A	0.004B/*0.157A	----	0.000 - 0.193	----	----	----	----	----	0 - 1
7100	0.200	0.200	0.200/*0.005	0.200/*0.005	----	0.000 - 0.196	----	----	----	2	----	0 UNCH
7100	----	----	----	----	----	5.078 + 0.963	----	----	----	----	----	0 - 3
7150	----	----	----	----	----	4.578 + 0.928	----	----	----	2	----	0 - 2
7150	----	----	----/*0.139A	0.008B/*0.139A	----	0.000 - 0.232	----	----	----	----	----	0 - 1
7200	0.180	0.180	0.180/*0.007	0.180/*0.007	----	0.000 - 0.282	----	----	----	5	----	0 - 4
7200	----	----	----	----	----	4.078 + 0.877	----	----	----	----	----	0 - 3
7250	----	----	----/*0.138A	0.124B/*0.138A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7255	----	----	----/*0.138A	0.136B/*0.138A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7260	0.160	0.160	0.160/*0.070	0.160/*0.070	----	0.000 NEW	----	----	----	2	----	0 UNCH
7300	----	----	----	1.677B/2.540A	----	3.078 + 0.709	----	----	----	1	----	0 - 2
7300	0.388	0.388	0.560/*0.144A	0.560/*0.144A	----	0.000 - 0.451	----	----	----	3	----	0 - 6
7320	----	----	----/*0.147A	0.319B/*0.147A	----	0.000 - 0.499	----	----	----	----	----	0 - 10
7325	0.003	0.003	0.003/*0.003	0.330B/*0.003	----	0.000 - 0.512	----	----	----	1	----	0 - 1
7350	0.690	0.690	0.690/*0.120	0.690/*0.120	----	0.000 - 0.582	----	----	----	4	----	0 - 2
7350	1.450	1.450	1.450/1.450	1.450/1.450	----	2.578 + 0.577	----	----	----	1	----	0 - 3
7360	0.200	0.200	#0.200/*0.050	0.454B/*0.050	----	0.000 NEW	----	----	----	4	----	0 UNCH
7370	----	----	----/*0.148A	0.494B/*0.148A	----	0.000 - 0.644	----	----	----	----	----	0 - 1
7400	1.200	1.200	1.600/1.200	1.600/1.200	----	2.078 + 0.409	----	----	----	7	----	0 - 1
7400	0.950	0.950	0.950/*0.141	0.950/*0.141	----	0.000 - 0.750	----	----	----	8	----	0 - 1
7405	0.010	0.010	#0.891B/*0.010	0.891B/*0.010	----	0.000 - 0.769	----	----	----	1	----	0 - 1
7450	0.795	0.795	1.100/*0.040A	1.100/*0.040A	----	0.000 NEW	----	----	----	6	----	0 UNCH
7450	1.300	1.300	1.300/1.207A	1.300/1.207A	----	1.578 + 0.200	----	----	----	3	----	0 - 3
7475	0.650	0.650	0.650/0.650	1.144B/0.650	----	1.328 NEW	----	----	----	5	----	0 UNCH
7475	0.913	0.913	1.200/*0.010	1.200/*0.010	----	0.000 NEW	----	----	----	3	----	0 UNCH
7480	0.650	0.650	#0.650/*0.650	#0.690B/*0.650	----	1.278 NEW	----	----	----	5	----	0 UNCH
7500	0.600	0.600	0.600/*0.206A	0.653B/*0.206A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7500	0.755	0.755	1.050/0.650A	1.050/0.650A	----	1.078 - 0.050	----	----	----	9	----	0 - 16
7525	----	----	----	2.382B/2.747A	----	3.009 NEW	.5702	----	----	2	----	0 UNCH
7525	----	----	----/*0.289A	0.720B/*0.289A	----	0.000 - 1.348	----	----	----	----	----	0 - 4
7525	----	----	----/0.582A	0.807B/0.582A	----	0.828 - 0.189	----	----	----	----	----	0 - 1
7550	0.620	0.620	0.620/0.536A	0.808B/0.536A	----	0.578 NEW	----	----	----	8	----	0 UNCH
7550	1.100	1.100	1.100/*0.303A	1.100/*0.303A	----	0.000 - 1.497	----	----	----	1	----	0 - 1
7600	0.850	0.850	1.127/*0.165	1.127/*0.165	----	0.078 - 0.661	----	----	----	38	----	0 - 8
7625	0.121	0.121	0.121/*0.121	0.529B/*0.121	----	0.000 NEW	----	----	----	1	----	0 UNCH
7650	0.140	0.140	0.150/*0.100	0.432B/*0.100	----	0.000 NEW	----	----	----	4	----	0 UNCH
7700	0.401	0.401	0.401/*0.100A	0.401/*0.100A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7800	2.400	2.400	2.400/2.400	2.599B/2.400	----	2.827 NEW	.4381	----	----	2	----	0 UNCH
7800	----	----	----/*0.122A	0.076B/*0.122A	----	0.000 NEW	----	----	----	4	----	0 UNCH
7850	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.000 - 0.239	----	----	----	2	----	0 - 2
7900	----	----	----	2.224B/2.402A	----	2.437 + 0.126	.3949	----	----	----	----	0 UNCH
7925	----	----	----/*0.160A	0.003B/*0.160A	----	0.000 - 0.170	----	----	----	----	----	0 - 1
8000	0.998	0.998	0.998/0.998	0.998/0.998	----	1.032 NEW	.2660	----	----	1	----	1 + 1
8000	----	----	----	0.005B/0.148A	----	0.000 - 0.122	----	----	----	----	----	0 - 4
8100	----	----	----	0.005B/0.115A	----	0.000 - 0.068	----	----	----	3	----	0 - 2
8125	----	----	----	0.003B/*0.114A	----	0.000 - 0.059	----	----	----	----	----	0 - 1
8200	----	----	----	0.001B/*0.092A	----	0.000 - 0.037	----	----	----	----	----	0 - 1
8225	----	----	----	0.001B/*0.087A	----	0.000 - 0.032	----	----	----	----	----	0 - 1
8400	----	----	----	----/0.077A	----	0.000 - 0.011	----	----	----	----	----	0 - 1
8500	0.440	0.440	0.440/0.440	0.440/0.440	----	0.319 NEW	.0898	----	----	5	----	5 + 5
8725	----	----	----	0.065B/0.333A	----	0.200 - 0.034	.0556	----	----	----	----	1 UNCH
8800	----	----	----	----	----	11.922 - 1.159	----	----	----	1	----	0 - 1
8800	----	----	----	12.306B/15.165A	----	12.076 NEW	.9550	----	----	1	----	1 + 1
TOTAL										166	0	16 - 188
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week5										
MAR26												
6300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	6.919 UNCH	----	----	----	----	----	0 UNCH
6820	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6825	----	----	----	----	----	6.669 UNCH	----	----	----	----	----	0 UNCH
6845	----	----	----	----	----	6.469 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	5.919 UNCH	----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6975	----	----	----	----	----	5.169 UNCH	----	----	----	----	----	0 UNCH
6990	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7060	----	----	----	----	----	4.319 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	3.919 UNCH	----	----	----	----	----	0 UNCH
7120	----	----	----	----	----	3.719 UNCH	----	----	----	----	----	0 UNCH
7125	----	----	----	----	----	3.669 UNCH	----	----	----	----	----	0 UNCH
7125	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7135	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	3.419 UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7175	----	----	----	----	----	3.169 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	2.919 UNCH	----	----	----	----	----	0 UNCH
7225	----	----	----	----	----	2.669 UNCH	----	----	----	----	----	0 UNCH
7225	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7230	----	----	----	----	----	2.619 UNCH	----	----	----	----	----	0 UNCH
7230	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	2.419 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	1.919 UNCH	----	----	----	----	----	0 UNCH
7325	----	----	----	----	----	1.669 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	1.419 UNCH	----	----	----	----	----	0 UNCH
7360	----	----	----	----	----	1.319 UNCH	----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	1.169 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week5										
MAR26												
7400	----	----	----	----	----	0.919 UNCH	----	----	----	----	----	0 UNCH
7425	----	----	----	----	----	0.669 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.419 UNCH	----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	0.169 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	5.081 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	7.081 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
APR26												
4200	----	----	----	0.007B/0.180A	----	0.006 - 0.008	.0006	----	----	----	----	1 UNCH
6600	0.295	0.295	0.295/*0.295	0.295/*0.295	----	0.244 NEW	.0562	----	----	1	----	1 + 1
6700	0.409	0.409	0.409/*0.392A	0.409/*0.392A	----	0.298 NEW	.0704	----	----	1	----	1 + 1
7000	----	----	----	----	----	6.643 NEW	.8593	----	----	1	----	1 + 1
7100	----	----	----	----	----	5.787 + 0.719	.8231	----	----	----	----	1 UNCH
7200	----	----	----	3.409B/6.573A	----	5.968 + 0.498	.7022	----	----	----	----	0 UNCH
7215	----	----	----	3.476B/4.601A	----	4.852 + 0.614	.7715	----	----	----	----	2 UNCH
7250	1.548	1.548	1.548/*1.225A	1.548/*1.225A	----	1.004 - 0.579	.2464	----	----	5	----	10 + 5
7320	----	----	----	3.211B/3.878A	----	4.056 + 0.508	.7141	----	----	----	----	2 UNCH
7400	----	----	----/*2.859A	3.324B/*2.859A	----	2.598 - 0.783	.3821	----	----	----	----	2 UNCH
7475	----	----	----	3.562B/4.044A	----	4.238 + 0.329	.5839	----	----	----	----	2 UNCH
7500	----	----	----	2.160B/2.555A	----	2.852 + 0.321	.5945	----	----	----	----	1 UNCH
7600	----	----	----	3.153B/3.401A	----	3.574 + 0.257	.5260	----	----	----	----	7 UNCH
7700	1.584	1.584	1.716B/1.584	1.716B/1.584	----	1.799 + 0.136	.4426	----	----	6	----	18 + 6
7800	1.248	1.248	1.302B/1.248	1.302B/1.248	----	1.395 + 0.066	.3674	----	----	2	----	42 + 2
7800	----	----	----	2.397B/2.583A	----	2.675 + 0.155	.4332	----	----	----	----	1 UNCH
7900	----	----	----	0.986B/1.119A	----	1.069 + 0.013	.2978	----	----	----	----	1 UNCH
8000	----	----	----	0.742B/0.905A	----	0.815 - 0.021	.2369	----	----	----	----	2 UNCH
8000	----	----	----	1.701B/1.955A	----	1.965 + 0.073	.3459	----	----	----	----	4 UNCH
8050	----	----	----	0.547B/0.845A	----	0.711 - 0.033	.2101	----	----	----	----	1 UNCH
8400	----	----	----	0.154B/0.423A	----	0.289 - 0.048	.0880	----	----	----	----	1 UNCH
9500	----	----	----	0.002B/*0.172A	----	0.012 - 0.009	.0031	----	----	----	----	1 UNCH
TOTAL										16	0	102 + 16

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
APR26												
515	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0020 NEW	.0128	----	----	1	----	1 + 1
525	----	----	----	----/0.0150A	----	0.0030 - 0.0075	.0223	----	----	----	----	10 UNCH
525	----	----	----/*0.0245A	0.0155B/*0.0245	----	0.0190 - 0.0080	.1021	----	----	----	----	0 UNCH
530	----	----	#0.3475B/----	0.3475B/0.3645A	----	0.3685 + 0.0225	.8764	----	----	----	----	9 UNCH
535	----	----	----/*0.0145A	0.0020B/*0.0145	----	0.0055 - 0.0110	.0466	----	----	----	----	1 UNCH
537	----	----	----/*0.0150A	0.0025B/*0.0150	----	0.0060 - 0.0120	.0526	----	----	----	----	1 UNCH
540	0.0090	0.0090	0.0090/*0.0090	0.0090/*0.0090	----	0.0075 - 0.0135	.0678	----	----	20	----	30 + 18
542	----	----	----/*0.0185A	0.0040B/*0.0185	----	0.0085 - 0.0145	.0788	----	----	----	----	10 UNCH
545	0.0150	0.0150	0.0150/*0.0150	0.0150/*0.0150	----	0.0105 NEW	.1006	----	----	10	----	10 + 10
545	----	----	0.2055B/0.1710A	0.2055B/0.1710A	----	0.2070 + 0.0155	.8992	----	----	----	----	4 UNCH
550	----	----	----/*0.0285A	0.0135B/*0.0285	----	0.0155 - 0.0210	.1541	----	----	----	----	3 UNCH
555	----	----	----/*0.0380A	0.0260B/*0.0380	----	0.0245 - 0.0255	.2407	----	----	----	----	4 UNCH
555	----	----	0.1165B/0.0985A	0.1165B/0.0985A	----	0.1210 + 0.0075	.7591	----	----	----	----	1 UNCH
560	----	----	----/*0.0535A	0.0495B/*0.0535	----	0.0390 - 0.0295	.3615	----	----	----	----	6 UNCH
560	----	----	----/0.0720A	0.0810B/0.0720A	----	0.0855 + 0.0030	.6383	----	----	----	----	1 UNCH
565	----	----	0.0575B/0.0505A	0.0575B/0.0505A	----	0.0570 UNCH	.4942	----	----	----	----	3 UNCH
569	----	----	----/0.0385A	0.0385B/0.0385A	----	0.0395 NEW	.3774	----	----	1	----	1 + 1
570	0.0300	0.0300	0.0300/*0.0250	0.0345B/*0.0250	----	0.0360 NEW	.3501	----	----	25	----	25 + 25
575	----	----	----	0.0180B/0.0265A	----	0.0220 - 0.0025	.2294	----	----	----	----	10 UNCH
580	----	----	----	0.0075B/0.0215A	----	0.0140 - 0.0030	.1471	----	----	----	----	11 UNCH
587	----	----	----	0.2390B/0.2805A	----	0.2310 - 0.0355	.9230	----	----	----	----	4 UNCH
606	----	----	----	0.0075B/0.0165A	----	0.0125 - 0.0020	.0836	----	----	----	----	1 UNCH
645	----	----	----	----/0.0085A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
TOTAL										57		148 + 55
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
485	----	----	----	----/0.0120A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
500	----	----	----	----/0.0125A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
508	----	----	----	0.0180B/*0.0390	----	0.0260 - 0.0090	.1009	----	----	----	----	20 UNCH
510	----	----	----	0.0195B/*0.0405	----	0.0275 - 0.0095	.1068	----	----	----	----	10 UNCH
510	----	----	----	----/0.0125A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
520	----	----	----	0.0310B/*0.0495	----	0.0370 - 0.0105	.1435	----	----	----	----	70 UNCH
520	----	----	----	----/*0.0030A	----	0.0005 - 0.0005	----	----	----	----	----	1 UNCH
525	----	----	----	----/0.0125A	----	0.0005 - 0.0015	----	----	----	----	----	46 UNCH
526	----	----	----	----/0.0120A	----	0.0005 - 0.0015	----	----	----	----	----	10 UNCH
528	----	----	----	----/*0.0115A	----	0.0005 - 0.0020	----	----	----	----	----	10 UNCH
529	----	----	----	----/*0.0110A	----	0.0005 - 0.0020	----	----	----	----	----	1 UNCH
530	----	----	----/*0.0400A	0.0335B/*0.0400	----	0.0345 - 0.0100	.1580	----	----	----	----	2 UNCH
530	----	----	----	----/*0.0035A	----	0.0005 - 0.0025	----	----	----	----	----	10 UNCH
535	----	----	----	----/*0.0100A	----	0.0005 - 0.0045	.0000	----	----	----	----	61 UNCH
537	----	----	#0.2770B/0.2365	#0.2770B/0.2365	----	0.2770 + 0.0270	.0000	----	----	----	----	2 UNCH
539	----	----	#0.2575B/0.2170	#0.2575B/0.2170	----	0.2570 + 0.0260	.9999	----	----	----	----	1 UNCH
542	----	----	----	----/*0.0100A	----	0.0005 - 0.0085	.0005	----	----	----	----	30 UNCH
548	----	----	----/*0.0115A	0.0005B/*0.0115	----	0.0020 - 0.0145	.0091	----	----	----	----	1 UNCH
548	----	----	#0.1700B/0.1320	0.1700B/0.1320A	----	0.1685 + 0.0180	.9908	----	----	----	----	1 UNCH
549	----	----	----/*0.0115A	0.0010B/*0.0115	----	0.0025 - 0.0160	.0130	----	----	----	----	2 UNCH
550	0.0070	0.0070	0.0070/*0.0070	0.0070/*0.0070	----	0.0030 - 0.0170	.0176	----	----	25	----	27 + 25
550	----	----	0.1510B/0.1155A	0.1510B/0.1155A	----	0.1495 + 0.0155	.9823	----	----	----	----	1 UNCH
552	----	----	----/*0.0525A	0.0535B/*0.0525	----	0.0440 - 0.0220	.2778	----	----	----	----	4 UNCH
552	0.0100	0.0100	0.0100/*0.0095A	0.0100/*0.0095A	----	0.0045 NEW	.0331	----	----	1	----	1 + 1
553	----	----	0.1230B/0.0925A	0.1230B/0.0925A	----	0.1215 + 0.0110	.9594	----	----	----	----	1 UNCH
554	----	----	----/*0.0150A	0.0080B/*0.0150	----	0.0060 - 0.0230	.0535	----	----	----	----	1 UNCH
555	0.0150	0.0150	0.0150/*0.0150	0.0150/*0.0150	----	0.0075 NEW	.0729	----	----	5	----	5 + 5
556	----	----	----/0.1565A	0.1695B/0.1565A	----	0.1820 + 0.0110	.6155	----	----	----	----	1 UNCH
556	----	----	----/*0.0175A	0.0135B/*0.0175	----	0.0085 - 0.0260	.0901	----	----	----	----	1 UNCH
559	0.0300	0.0300	0.0330/*0.0130	0.0330/*0.0130	----	0.0145 NEW	.1857	----	----	4	----	4 + 4
560	0.0295	0.0295	0.0315B/*0.0220	0.0315B/*0.0220	----	0.0170 - 0.0320	.2283	----	----	12	----	12 + 12
560	----	----	0.0635B/0.0470A	0.0635B/0.0470A	----	0.0635 + 0.0005	.7716	----	----	----	----	22 UNCH
565	0.0255	0.0255	0.0255/0.0255	0.0330B/0.0255	----	0.0340 - 0.0045	.4801	----	----	6	----	7 + 4
566	----	----	----/0.0235A	0.0280B/0.0235A	----	0.0295 - 0.0050	.4180	----	----	----	----	2 UNCH
568	0.0540	0.0540	0.0540/*0.0540	0.0860B/*0.0540	----	0.0555 NEW	.6966	----	----	2	----	2 + 2
568	----	----	----/0.0185A	0.0190B/0.0185A	----	0.0220 - 0.0055	.3033	----	----	----	----	10 UNCH
570	----	----	----/0.0150A	0.0110B/0.0150A	----	0.0165 - 0.0050	.2109	----	----	----	----	11 UNCH
571	----	----	0.1040B/0.0900A	0.1040B/0.0900A	----	0.1035 + 0.0040	.4329	----	----	----	----	1 UNCH
575	0.0065	0.0065	0.0065/0.0065	0.0065/0.0065	----	0.0070 - 0.0055	.0655	----	----	10	----	23 + 10
584	----	----	----	----/0.0095A	----	0.0010 - 0.0035	.0031	----	----	----	----	1 UNCH
585	----	----	----	----/*0.0095A	----	0.0010 - 0.0030	.0029	----	----	----	----	1 UNCH
590	----	----	----/0.0420A	0.0425B/0.0420A	----	0.0450 - 0.0005	.2292	----	----	----	----	2 UNCH
590	----	----	0.2980B/0.2585A	0.2980B/0.2585A	----	0.2540 - 0.0340	.9998	----	----	----	----	15 UNCH
591	----	----	----	----/0.0120A	----	0.0005 - 0.0015	.0001	----	----	----	----	1 UNCH
600	----	----	----	0.0040B/*0.0145	----	0.0095 - 0.0025	.0728	----	----	----	----	1 UNCH
620	----	----	----	0.0065B/0.0170A	----	0.0125 - 0.0010	.0711	----	----	----	----	4 UNCH
635	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0010 NEW	.0071	----	----	1	----	1 + 1
650	----	----	----	----/*0.0105A	----	0.0030 - 0.0005	.0181	----	----	----	----	2 UNCH
TOTAL										66		446 + 64
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week5										
MAR26												
540	----	----	----	----	----	0.2140 UNCH	----	----	----	----	----	0 UNCH
542	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
545	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
547	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
548	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
549	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
549	----	----	----	----	----	0.1240 UNCH	----	----	----	----	----	0 UNCH
551	----	----	----	----	----	0.1040 UNCH	----	----	----	----	----	0 UNCH
552	----	----	----	----	----	0.0940 UNCH	----	----	----	----	----	0 UNCH
554	----	----	----	----	----	0.0740 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.0640 UNCH	----	----	----	----	----	0 UNCH
559	----	----	----	----	----	0.0240 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 69

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week5										
MAR26												
560	----	----	----	----	----	0.0140 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
APR26												
527	----	----	----	0.0030B/*0.0140	----	0.0060 - 0.0080	.0431	----	----	----	----	1 UNCH
535	0.0150	0.0150	0.0150/*0.0150	0.0150/*0.0150	----	0.0090 NEW	.0699	----	----	14	----	14 + 14
540	0.0115	0.0115	0.0115/*0.0115	0.0115/*0.0115	----	0.0115 NEW	.0944	----	----	10	----	10 + 10
542	0.0135	0.0135	0.0135/*0.0135	0.0135/*0.0135	----	0.0135 NEW	.1108	----	----	10	----	10 + 10
544	0.0160	0.0160	0.0160/*0.0160	0.0160/*0.0160	----	0.0155 NEW	.1280	----	----	10	----	10 + 10
545	0.0170	0.0170	0.0170/*0.0170	0.0170/*0.0170	----	0.0165 NEW	.1370	----	----	10	----	10 + 10
555	----	----	----/0.1110A	0.1080B/0.1110A	----	0.1320 + 0.0090	.7181	----	----	----	----	1 UNCH
565	----	----	0.1180B/0.0995A	0.1180B/0.0995A	----	0.1165 + 0.0055	.5050	----	----	----	----	1 UNCH
585	0.0460	0.0460	0.0460/0.0410A	0.0460/0.0410A	----	0.0435 NEW	.2462	----	----	1	----	1 + 1
TOTAL										55		58 + 55
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
440	----	----	----	----/0.0120A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
495	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
500	----	----	----	----/0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 200
510	----	----	----	----/*0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
520	----	----	----	----/*0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
520	----	----	----	0.0025B/*0.0135	----	0.0075 - 0.0060	.0461	----	----	----	----	2 UNCH
525	----	----	----	----/*0.0085A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 30
530	----	----	----	----/*0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
531	----	----	----	----/*0.0085A	----	0.0000 - 0.0005	----	----	----	3	----	0 - 3
532	----	----	----	----/*0.0100A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 15
533	----	----	----	----/*0.0105A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 38
534	----	----	----	----/*0.0090A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 8
535	----	----	----	----/*0.0090A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 15
535	----	----	----/*0.0205A	0.0115B/*0.0205	----	0.0140 - 0.0100	.0967	----	----	----	----	1 UNCH
540	----	----	----	----/*0.0095A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 10
543	----	----	----	----/0.0115A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 2
545	----	----	----	----/*0.0115A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 1
548	----	----	----	----/0.0100A	----	0.0000 - 0.0060	----	----	----	3	----	0 - 3
549	0.0920	0.0920	0.1035B/*0.0920	0.1035B/*0.0920	----	0.0935 NEW	.3315	----	----	1	----	1 + 1
549	----	----	----	----/0.0100A	----	0.0000 - 0.0070	----	----	----	----	----	0 - 5
550	----	----	----	----/0.0110A	----	0.0000 - 0.0085	----	----	----	----	----	0 - 11
550	----	----	----/*0.0410A	0.0380B/*0.0410	----	0.0325 - 0.0190	.2301	----	----	----	----	7 UNCH
550	0.1350	0.1350	0.1460B/0.1055A	0.1460B/0.1055A	----	0.1465 + 0.0240	----	----	----	2	----	0 - 15
551	0.0075	0.0075	0.0075/*0.0040	0.0075/*0.0040	----	0.0000 NEW	----	----	----	2	----	0 UNCH
552	----	----	----	----/0.0125A	----	0.0000 - 0.0115	----	----	----	----	----	0 - 10
553	----	----	----/*0.0125A	----/*0.0125A	----	0.0000 - 0.0135	----	----	----	----	----	0 - 3
554	0.1000	0.1000	0.1000/*0.0875A	0.1000/*0.0875A	----	0.0795 NEW	.3528	----	----	1	----	1 + 1
554	----	----	0.1065B/0.0685A	0.1065B/0.0685A	----	0.1065 + 0.0170	----	----	----	----	----	0 - 1
555	----	----	----/0.0120A	0.0005B/0.0120A	----	0.0000 - 0.0175	----	----	----	----	----	0 - 3
555	----	----	0.0970B/0.0605A	0.0970B/0.0605A	----	0.0965 + 0.0150	----	----	----	----	----	0 - 5
558	0.0095	0.0095	0.0095/*0.0010	0.0095/*0.0010	----	0.0000 - 0.0250	----	----	----	30	----	0 - 2
558	----	----	0.0680B/0.0390A	0.0680B/0.0390A	----	0.0665 + 0.0075	----	----	----	----	----	0 - 10
559	----	----	----/*0.0125A	0.0020B/*0.0125	----	0.0000 - 0.0280	----	----	----	----	----	0 - 2
560	----	----	----/*0.0120A	0.0075B/*0.0120	----	0.0000 - 0.0320	----	----	----	----	----	0 - 1
561	----	----	----/*0.0125A	0.0140B/*0.0125	----	0.0000 - 0.0355	----	----	----	----	----	0 - 1
562	0.0405	0.0405	0.0405/*0.0145	0.0405/*0.0145	----	0.0265 NEW	----	----	----	4	----	0 UNCH
563	----	----	----/*0.0135A	0.0310B/*0.0135	----	0.0000 - 0.0450	----	----	----	----	----	0 - 19
563	0.0335	0.0335	0.0335/*0.0095	0.0335/*0.0095	----	0.0165 - 0.0125	----	----	----	14	----	0 - 7
564	0.0295	0.0295	0.0400B/*0.0005	0.0400B/*0.0005	----	0.0000 NEW	----	----	----	3	----	0 UNCH
564	0.0290	0.0290	0.0290/*0.0045	0.0290/*0.0045	----	0.0065 NEW	----	----	----	2	----	0 UNCH
565	0.0310	0.0310	0.0310/*0.0210A	0.0495B/*0.0210	----	0.0035 NEW	----	----	----	1	----	0 UNCH
565	0.0230	0.0230	0.0230/*0.0095A	0.0230/*0.0095A	----	0.0000 - 0.0205	----	----	----	1	----	0 - 25
566	0.0300	0.0300	0.0585B/*0.0300	0.0585B/*0.0300	----	0.0135 NEW	----	----	----	4	----	0 UNCH
566	0.0170	0.0170	0.0170/*0.0120A	0.0170/*0.0120A	----	0.0000 NEW	----	----	----	10	----	0 UNCH
569	----	----	----	0.0005B/*0.0120	----	0.0000 - 0.0110	----	----	----	----	----	0 - 8
570	----	----	0.0980B/*0.0660	0.0980B/*0.0660	----	0.0535 - 0.0420	.0000	----	----	----	----	0 - 1
570	----	----	----/*0.0005A	0.0005B/*0.0005	----	0.0000 - 0.0095	----	----	----	----	----	0 - 39
575	----	----	0.1480B/0.1090A	0.1480B/0.1090A	----	0.1035 - 0.0375	----	----	----	----	----	0 - 1
575	----	----	----	----/0.0115A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 15
576	----	----	0.1580B/0.1180A	0.1580B/0.1180A	----	0.1135 - 0.0370	----	----	----	----	----	0 - 1
576	----	----	----	----/0.0110A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 1
580	0.0930	0.0930	#0.0930/0.0815A	#0.0930/0.0815A	----	0.0930 NEW	.3582	----	----	1	----	1 + 1
580	----	----	----	----/0.0095A	----	0.0000 - 0.0025	----	----	----	----	----	0 - 10
585	----	----	0.2480B/0.2060A	0.2480B/0.2060A	----	0.2035 - 0.0340	----	----	----	----	----	0 - 1
585	0.0015	0.0015	0.0015/*0.0005A	0.0015/*0.0005A	----	0.0000 - 0.0015	----	----	----	1	----	0 - 5
586	----	----	0.2580B/0.2160A	0.2580B/0.2160A	----	0.2135 - 0.0335	----	----	----	----	----	0 - 24
588	----	----	----/0.0405A	0.0410B/0.0405A	----	0.0420 - 0.0030	.2294	----	----	----	----	1 UNCH
595	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
596	----	----	----	----/*0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
597	----	----	0.3680B/0.3255A	0.3680B/0.3255A	----	0.3235 - 0.0330	----	----	----	----	----	0 - 16
600	----	----	----	----/*0.0075A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
600	----	----	----/0.0260A	0.0205B/0.0260A	----	0.0235 - 0.0035	.1381	----	----	----	----	1 UNCH
604	----	----	0.4380B/0.3950A	0.4380B/0.3950A	----	0.3935 - 0.0330	----	----	----	----	----	0 - 1
620	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0015 NEW	.0117	----	----	1	----	1 + 1
625	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
641	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 18
645	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 17
650	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
655	----	----	----	----/0.0080A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
685	----	----	----	----/0.0120A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
700	----	----	----	----/0.0120A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
TOTAL										84		16 - 677
MAY26												
465	----	----	----	0.0065B/*0.0305	----	0.0095 - 0.0030	.0330	----	----	----	----	2 UNCH
475	----	----	----	0.0110B/*0.0345	----	0.0140 - 0.0045	.0471	----	----	----	----	2 UNCH
485	----	----	----	0.0170B/0.0395A	----	0.0200 - 0.0060	.0652	----	----	----	----	1 UNCH
500	----	----	----	0.0300B/0.0510A	----	0.0340 - 0.0090	.1042	----	----	----	----	1 UNCH
510	----	----	----	0.0415B/0.0610A	----	0.0475 - 0.0110	.1388	----	----	----	----	4 UNCH
520	----	----	----	0.0560B/0.0740A	----	0.0605 - 0.0125	.1744	----	----	----	----	1 UNCH
540	----	----	----/0.1135A	0.1010B/0.1135A	----	0.0995 - 0.0170	.2719	----	----	----	----	10 UNCH
550	----	----	----/0.1425A	0.1350B/0.1425A	----	0.1290 - 0.0200	.3354	----	----	----	----	28 UNCH
550	----	----	0.3205B/0.3075A	0.3205B/0.3075A	----	0.3280 + 0.0140	.6637	----	----	----	----	3 UNCH
555	----	----	----/0.1595A	0.1545B/0.1595A	----	0.1470 - 0.0210	.3703	----	----	----	----	16 UNCH
556	----	----	----/0.1635A	0.1590B/0.1635A	----	0.1505 - 0.0215	.3773	----	----	----	----	1 UNCH
560	----	----	----/0.1790A	0.1765B/0.1790A	----	0.1665 - 0.0230	.4064	----	----	----	----	1 UNCH
561	----	----	----/0.1830A	0.1815B/0.1830A	----	0.1710 - 0.0230	.4138	----	----	----	----	1 UNCH
562	----	----	----/0.1875A	0.1860B/0.1875A	----	0.1750 - 0.0235	.4212	----	----	----	----	20 UNCH
565	----	----	----/0.2005A	0.2005B/0.2005A	----	0.1885 - 0.0240	.4437	----	----	----	----	1 UNCH
568	----	----	0.2140B/0.2095A	0.2140B/0.2095A	----	0.2220 + 0.0090	.5327	----	----	----	----	1 UNCH
575	----	----	----/0.2495A	0.2545B/0.2495A	----	0.2385 - 0.0270	.5196	----	----	----	----	1 UNCH
579	----	----	----/0.1625A	0.1620B/0.1625A	----	0.1700 + 0.0055	.4491	----	----	----	----	1 UNCH
584	----	----	----/0.3005A	0.2930B/0.3005A	----	0.2895 - 0.0300	.5873	----	----	----	----	24 UNCH
585	----	----	----/0.3065A	0.3160B/0.3065A	----	0.2955 - 0.0305	.5948	----	----	----	----	1 UNCH
590	----	----	----/0.3380A	0.3495B/0.3380A	----	0.3275 - 0.0315	.6308	----	----	----	----	17 UNCH
600	----	----	----/0.4060A	0.4220B/0.4060A	----	0.3960 - 0.0335	.6988	----	----	----	----	1 UNCH
600	----	----	----	0.0880B/0.0975A	----	0.0965 + 0.0005	.3003	----	----	----	----	1 UNCH
607	----	----	----	0.0705B/0.0820A	----	0.0790 - 0.0005	.2575	----	----	----	----	1 UNCH
617	----	----	----	0.0500B/0.0645A	----	0.0590 - 0.0020	.2039	----	----	----	----	1 UNCH
624	----	----	----	0.0385B/0.0550A	----	0.0480 - 0.0025	.1719	----	----	----	----	16 UNCH
645	----	----	----	----	----	0.7750 - 0.0365	.8970	----	----	----	----	6 UNCH
660	----	----	----	0.0060B/0.0290A	----	0.0175 - 0.0025	.0701	----	----	----	----	1 UNCH
675	----	----	----	0.0010B/0.0240A	----	0.0110 - 0.0020	.0460	----	----	----	----	2 UNCH
695	----	----	----	0.0010B/0.0205A	----	0.0060 - 0.0015	.0262	----	----	----	----	20 UNCH
710	----	----	----	----/0.0305A	----	0.0040 - 0.0010	.0177	----	----	----	----	2 UNCH
TOTAL												188
JUN26												
579	----	----	----/0.3535A	0.3540B/0.3535A	----	0.3370 - 0.0295	.5241	----	----	----	----	1 UNCH
610	----	----	----	0.1310B/0.1410A	----	0.1375 - 0.0010	.3143	----	----	----	----	7 UNCH
630	----	----	----	0.0850B/0.0995A	----	0.0925 - 0.0030	.2309	----	----	----	----	8 UNCH
650	----	----	----	0.0535B/0.0715A	----	0.0620 - 0.0035	.1660	----	----	----	----	6 UNCH
660	----	----	----	0.0420B/0.0615A	----	0.0505 - 0.0035	.1396	----	----	----	----	7 UNCH
TOTAL												29
JUL26												
600	----	----	----	0.2315B/0.2370A	----	0.2395 + 0.0035	.4167	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----/0.7365A	0.7380B/0.7365A	----	0.7665 + 0.0255	.9266	----	----	----	----	1 UNCH
500	----	----	0.6525B/0.6425A	0.6525B/0.6425A	----	0.6715 + 0.0235	.9059	----	----	----	----	3 UNCH
505	----	----	0.6055B/0.5965A	0.6055B/0.5965A	----	0.6250 + 0.0230	.8941	----	----	----	----	3 UNCH
525	----	----	0.4295B/0.4210A	0.4295B/0.4210A	----	0.4470 + 0.0185	.8185	----	----	----	----	14 UNCH
530	----	----	0.4020B/0.3690A	0.4020B/0.3690A	----	0.4055 + 0.0175	.7913	----	----	----	----	276 UNCH
531	----	----	----/0.3740A	#0.3790B/0.3740	----	0.3970 + 0.0165	.7853	----	----	----	----	1 UNCH
532	----	----	----/0.3665A	#0.3710B/0.3665	----	0.3890 + 0.0165	.7799	----	----	----	----	1 UNCH
533	----	----	----/0.3590A	#0.3630B/0.3590	----	0.3810 + 0.0160	.7738	----	----	----	----	3 UNCH
534	----	----	----/0.3510A	#0.3550B/0.3510	----	0.3730 + 0.0155	.7676	----	----	----	----	4 UNCH
535	----	----	0.3600B/0.3355A	0.3600B/0.3355A	----	0.3650 + 0.0150	.7607	----	----	----	----	1 UNCH
536	----	----	----/0.3360A	#0.3400B/0.3360	----	0.3575 + 0.0150	.7544	----	----	----	----	2 UNCH
537	----	----	----/0.3290A	#0.3320B/0.3290	----	0.3495 + 0.0145	.7480	----	----	----	----	1 UNCH
539	----	----	----/0.3145A	#0.3165B/0.3145	----	0.3340 + 0.0135	.7339	----	----	----	----	3 UNCH
540	----	----	0.3230B/0.2925A	0.3230B/0.2925A	----	0.3265 + 0.0130	.7268	----	----	----	----	44 UNCH
541	----	----	----/0.2990A	#0.3030B/0.2990	----	0.3195 + 0.0130	.7196	----	----	----	----	10 UNCH
542	----	----	----/0.2915A	#0.2960B/0.2915	----	0.3120 + 0.0125	.7123	----	----	----	----	15 UNCH
543	----	----	----/0.2775A	#0.2875B/0.2775	----	0.3045 + 0.0120	.7050	----	----	----	----	1 UNCH
544	----	----	----/0.2700A	#0.2805B/0.2700	----	0.2975 + 0.0115	.6971	----	----	----	----	3 UNCH
545	----	----	0.2860B/0.2580A	0.2860B/0.2580A	----	0.2905 + 0.0110	.6892	----	----	----	----	19 UNCH
546	----	----	----/0.2540A	0.2675B/0.2540A	----	0.2835 + 0.0110	.6813	----	----	----	----	7 UNCH
547	----	----	----/0.2510A	0.2630B/0.2510A	----	0.2765 + 0.0105	.6733	----	----	----	----	1 UNCH
548	0.2505	0.2505	0.2605B/0.2395A	0.2605B/0.2395A	----	0.2700 + 0.0105	.6652	----	----	1	----	34 UNCH
549	----	----	#0.2630B/0.2330	#0.2630B/0.2330	----	0.2630 + 0.0095	.6567	----	----	----	----	6 UNCH
550	----	----	0.2565B/0.2260A	0.2565B/0.2260A	----	0.2565 + 0.0095	.6481	----	----	----	----	529 UNCH
551	----	----	0.2500B/0.2200A	0.2500B/0.2200A	----	0.2500 + 0.0090	.6396	----	----	----	----	18 UNCH
552	----	----	0.2410B/0.2145A	0.2410B/0.2145A	----	0.2440 + 0.0090	.6310	----	----	----	----	21 UNCH
553	----	----	0.2360B/0.2080A	0.2360B/0.2080A	----	0.2375 + 0.0085	.6220	----	----	----	----	21 UNCH
554	----	----	0.2295B/0.2015A	0.2295B/0.2015A	----	0.2315 + 0.0085	.6133	----	----	----	----	7 UNCH
555	----	----	0.2255B/0.1965A	0.2255B/0.1965A	----	0.2255 + 0.0080	.6043	----	----	----	----	87 UNCH
556	----	----	0.2255B/0.1925A	0.2255B/0.1925A	----	0.2195 + 0.0080	.5953	----	----	----	----	26 UNCH
557	----	----	0.2175B/0.1855A	0.2175B/0.1855A	----	0.2135 + 0.0075	.5861	----	----	----	----	17 UNCH
558	----	----	0.2110B/0.1800A	0.2110B/0.1800A	----	0.2080 + 0.0075	.5770	----	----	----	----	10 UNCH
559	----	----	0.2065B/0.1750A	0.2065B/0.1750A	----	0.2025 + 0.0075	.5677	----	----	----	----	7 UNCH
560	0.1900	0.1900	0.2005B/0.1685A	0.2005B/0.1685A	----	0.1970 + 0.0070	.5584	----	----	21	----	876 - 12
561	----	----	0.1950B/0.1665A	0.1950B/0.1665A	----	0.1915 + 0.0070	.5491	----	----	1	----	14 + 1
562	----	----	0.1885B/0.1620A	0.1885B/0.1620A	----	0.1860 + 0.0065	.5398	----	----	6	----	9 + 6
563	----	----	0.1845B/0.1550A	0.1845B/0.1550A	----	0.1805 + 0.0060	.5304	----	----	3	----	7 - 1
564	0.1810	0.1810	0.1810/0.1525A	0.1810/0.1525A	----	0.1755 + 0.0060	.5210	----	----	9	----	10 + 6
565	0.1695	0.1695	0.1740B/0.1455A	0.1740B/0.1455A	----	0.1705 + 0.0055	.5116	----	----	12	----	169 + 10
566	0.1730	0.1730	0.1730/0.1415A	0.1730/0.1415A	----	0.1655 NEW	.5022	----	----	8	----	8 + 8
567	0.1680	0.1680	0.1680/0.1380A	0.1680/0.1380A	----	0.1605 + 0.0050	.4927	----	----	5	----	6 + 4
568	0.1465	0.1465	0.1595B/0.1340A	0.1595B/0.1340A	----	0.1560 + 0.0050	.4833	----	----	2	----	2 UNCH
569	0.1570	0.1570	0.1570/0.1290A	0.1570/0.1290A	----	0.1510 + 0.0040	.4738	----	----	27	----	109 - 16
570	0.1505	0.1505	0.1540/0.1245A	0.1540/0.1245A	----	0.1465 + 0.0040	.4644	----	----	77	----	1021 - 27
571	0.1505	0.1505	0.1505/0.1220A	0.1505/0.1220A	----	0.1420 + 0.0035	.4550	----	----	2	----	8 + 1
572	----	----	0.1425B/0.1180A	0.1425B/0.1180A	----	0.1375 + 0.0030	.4455	----	----	----	----	14 UNCH
573	----	----	0.1390B/0.1140A	0.1390B/0.1140A	----	0.1330 + 0.0025	.4361	----	----	----	----	36 UNCH
574	0.1265	0.1265	0.1350B/0.1105A	0.1350B/0.1105A	----	0.1290 + 0.0025	.4269	----	----	2	----	14 + 2
575	0.1295	0.1295	0.1315B/0.1060A	0.1315B/0.1060A	----	0.1245 + 0.0020	.4173	----	----	45	----	612 + 8
576	----	----	0.1265B/0.1035A	0.1265B/0.1035A	----	0.1205 + 0.0015	.4081	----	----	3	----	13 + 2
577	----	----	0.1225B/0.1005A	0.1225B/0.1005A	----	0.1165 + 0.0010	.3988	----	----	----	----	2 UNCH
578	----	----	0.1190B/0.0970A	0.1190B/0.0970A	----	0.1130 + 0.0010	.3899	----	----	----	----	8 UNCH
579	----	----	0.1145B/0.0940A	0.1145B/0.0940A	----	0.1090 + 0.0005	.3806	----	----	----	----	8 UNCH
580	0.1105	0.1105	0.1125B/0.0895A	0.1125B/0.0895A	----	0.1055 UNCH	.3717	----	----	11	----	556 + 2
581	----	----	0.1065B/0.0880A	0.1065B/0.0880A	----	0.1020 UNCH	.3628	----	----	----	----	4 UNCH
582	0.0830	0.0830	0.1040B/0.0830	0.1040B/0.0830	----	0.0985 - 0.0005	.3540	----	----	2	----	5 UNCH
583	0.1000	0.1000	0.1010B/0.0820A	0.1010B/0.0820A	----	0.0950 - 0.0010	.3450	----	----	30	----	54 + 26
584	----	----	0.0980B/0.0790A	0.0980B/0.0790A	----	0.0920 - 0.0010	.3367	----	----	----	----	45 UNCH
585	0.0945	0.0945	0.0955/0.0755A	0.0955/0.0755A	----	0.0890 - 0.0015	.3284	----	----	94	----	489 + 82
586	----	----	0.0920B/0.0740A	0.0920B/0.0740A	----	0.0860 - 0.0015	.3200	----	----	----	----	8 UNCH
587	----	----	0.0890B/0.0720A	0.0890B/0.0720A	----	0.0830 - 0.0015	.3117	----	----	1	----	5 + 1
588	----	----	0.0850B/0.0690A	0.0850B/0.0690A	----	0.0800 - 0.0020	.3034	----	----	----	----	3 UNCH
589	----	----	0.0830B/0.0665A	0.0830B/0.0665A	----	0.0775 - 0.0020	.2957	----	----	----	----	12 UNCH
590	0.0815	0.0815	0.0815/0.0640A	0.0815/0.0640A	----	0.0745 - 0.0025	.2874	----	----	66	----	1560 - 16
591	----	----	0.0765B/0.0625A	0.0765B/0.0625A	----	0.0720 - 0.0025	.2798	----	----	----	----	115 UNCH
592	----	----	0.0740B/0.0605A	0.0740B/0.0605A	----	0.0695 - 0.0025	.2722	----	----	----	----	2 UNCH
593	----	----	0.0725B/0.0585A	0.0725B/0.0585A	----	0.0670 - 0.0030	.2646	----	----	----	----	16 UNCH
594	----	----	0.0690B/0.0565A	0.0690B/0.0565A	----	0.0650 - 0.0025	.2578	----	----	----	----	4 UNCH
595	----	----	0.0675B/0.0540A	0.0675B/0.0540A	----	0.0625 - 0.0030	.2503	----	----	1	175	304 + 174
597	----	----	0.0630B/0.0510A	0.0630B/0.0510A	----	0.0580 NEW	.2360	----	----	1	----	1 + 1
598	----	----	0.0600B/0.0490A	0.0600B/0.0490A	----	0.0560 - 0.0030	.2294	----	----	----	----	2 UNCH
599	----	----	0.0585B/0.0480A	0.0585B/0.0480A	----	0.0540 - 0.0030	.2227	----	----	----	----	3 UNCH
600	0.0515	0.0515	0.0565B/0.0445A	0.0565B/0.0445A	----	0.0520 - 0.0030	.2161	----	----	77	100	1492 + 26
601	----	----	0.0545B/0.0440A	0.0545B/0.0440A	----	0.0505 - 0.0025	.2105	----	----	----	----	2 UNCH
602	----	----	----/0.0420A	0.0515B/0.0420A	----	0.0485 - 0.0030	.2039	----	----	----	----	4 UNCH
603	----	----	0.0505B/0.0405A	0.0505B/0.0405A	----	0.0465 - 0.0030	.1972	----	----	----	----	3 UNCH
604	----	----	0.0495B/0.0390A	0.0495B/0.0390A	----	0.0450 - 0.0030	.1917	----	----	----	----	36 UNCH
605	----	----	0.0470B/0.0370A	0.0470B/0.0370A	----	0.0435 - 0.0030	.1862	----	----	----	----	181 UNCH
606	----	----	0.0450B/0.0360A	0.0450B/0.0360A	----	0.0420 - 0.0025	.1807	----	----	----	----	4 UNCH
607	----	----	0.0445B/0.0345A	0.0445B/0.0345A	----	0.0405 - 0.0025	.1753	----	----	----	----	5 UNCH
608	----	----	0.0420B/0.0330A	0.0420B/0.0330A	----	0.0390 - 0.0025	.1698	----	----	----	----	2 UNCH
609	----	----	0.0405B/0.0320A	0.0405B/0.0320A	----	0.0375 - 0.0025	.1644	----	----	----	----	2 UNCH
610	0.0330	0.0330	0.0330/0.0305A	0.0390B/0.0305A	----	0.0360 - 0.0030	.1590	----	----	9	----	1464 + 4
611	----	----	0.0380B/0.0300A	0.0380B/0.0300A	----	0.0345 - 0.0030	.1535	----	----	----	----	5 UNCH
612	----	----	0.0365B/0.0280A	0.0365B/0.0280A	----	0.0335 - 0.0025	.1494	----	----	----	----	11 UNCH
613	----	----	----/0.0270A	0.0350B/0.0270A	----	0.0320 - 0.0030	.1440	----	----	----	----	17 UNCH
614	----	----	0.0340B/0.0255A	0.0340B/0.0255A	----	0.0310 - 0.0025	.1398	----	----	----	----	15 UNCH
615	0.0275	0.0275	0.0275/0.0245A	0.0325B/0.0245A	----	0.0300 - 0.0025	.1358	----	----	7	----	455 + 5
616	0.0275	0.0275	0.0320B/0.0235A	0.0320B/0.0235A	----	0.0285 - 0.0030	.1303	----	----	3	----	26 + 2
617	0.0260	0.0260	0.0275/0.0225A	0.0300B/0.0225A	----	0.0275 - 0.0030	.1263	----	----	5	----	40 + 3
618	0.0260	0.0260	0.0265/0.0220A	0.0295B/0.0220A	----	0.0265 - 0.0030	.1222	----	----	5	----	24 + 4
619	0.0240	0.0240	0.0255/0.0210A	0.0280B/0.0210A	----	0.0255 - 0.0030	.1182	----	----	6	----	39 + 3
620	0.0220	0.0220	0.0280B/0.0200A	0.0280B/0.0200A	----	0.0245 - 0.0030	.1142	----	----	23	----	1058 + 13
621	0.0235	0.0235	0.0245/0.0195A	0.0260B/0.0195A	----	0.0235 - 0.0030	.1102	----	----	10	----	21 + 8
622	0.0230	0.0230	0.0230/0.0190A	0.0250B/0.0190A	----	0.0230 - 0.0025	.1077	----	----	4	----	32 + 2
623	0.0220	0.0220	0.0230/0.0180A	0.0250B/0.0180A	----	0.0220 - 0.0030	.1037	----	----	6	----	58 + 5
624	0.0205	0.0205	0.0205/0.0180A	0.0240B/0.0180A	----	0.0215 - 0.0025	.1012	----	----	2	----	18 + 2
625	0.0205	0.0205	0.0215/0.0170A	0.0230B/0.0170A	----	0.0205 - 0.0025	.0972	----	----	7	----	1228 + 7
626	0.0205	0.0205	0.0205/0.0165A	0.0225B/0.0165A	----	0.0200 - 0.0025	.0948	----	----	2	----	21 + 2
627	0.0190	0.0190	0.0190/0.0155A	0.0215B/0.0155A	----	0.0190 - 0.0030	.0909	----	----	2	----	29 + 2
628	0.0190	0.0190	0.0190/0.0155A	0.0210B/0.0155A	----	0.0185 - 0.0025	.0885	----	----	3	175	193 + 178
629	----	----	----/0.0145A	0.0200B/0.0145A	----	0.0180 - 0.0025	.0861	----	----	----	----	98 UNCH
630	0.0185	0.0185	0.0185/0.0145A	0.0190B/0.0145A	----	0.0170 - 0.0030	.0822	----	----	1	----	518 - 1
631	----	----	----/0.0140A	0.0185B/0.0140A	----	0.0165 - 0.0025	.0798	----	----	----	----	6 UNCH
633	----	----	----/0.0130A	0.0175B/0.0130A	----	0.0155 - 0.0025	.0752	----	----	----	----	7 UNCH
634	----	----	----/0.0125A	0.0170B/0.0125A	----	0.0150 - 0.0025	.0729	----	----	----	----	3 UNCH
635	----	----	----/0.0120A	0.0160B/0.0120A	----	0.0145 - 0.0025	.0706	----	----	----	----	207 UNCH
636	----	----	----/0.0115A	0.0155B/0.0115A	----	0.0140 - 0.0025	.0684	----	----	----	----	7 UNCH
637	----	----	----/*0.0110A	0.0150B/*0.0110	----	0.0135 - 0.0025	.0661	----	----	----	----	3 UNCH
639	----	----	----/*0.0105A	0.0140B/*0.0105	----	0.0130 - 0.0020	.0633	----	----	----	----	1 UNCH
640	----	----	----/*0.0100A	0.0135B/*0.0100	----	0.0125 - 0.0020	.0611	----	----	----	----	1194 UNCH
641	----	----	----/*0.0100A	0.0135B/*0.0100	----	0.0120 - 0.0025	.0589	----	----	----	----	3 UNCH
642	----	----	----/*0.0095A	0.0130B/*0.0095	----	0.0120 - 0.0020	.0584	----	----	----	----	3 UNCH
643	----	----	----/*0.0090A	0.0125B/*0.0090	----	0.0115 - 0.0020	.0563	----	----	----	----	9 UNCH
644	----	----	----/*0.0090A	0.0120B/*0.0090	----	0.0110 - 0.0020	.0541	----	----	----	----	1 UNCH
645	----	----	----/*0.0085A	0.0115B/*0.0085	----	0.0105 - 0.0020	.0519	----	----	----	----	85 UNCH
646	----	----	----/*0.0085A	0.0110B/*0.0085	----	0.0105 - 0.0020	.0515	----	----	----	----	1 UNCH
650	----	----	----/*0.0075A	0.0100B/*0.0075	----	0.0095 - 0.0015	.0465	----	----	6	----	3293 UNCH
655	----	----	----/*0.0065A	0.0085B/*0.0065	----	0.0080 - 0.0015	.0395	----	----	----	----	70 UNCH
660	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0070 - 0.0015	.0345	----	----	----	----	148 UNCH
665	0.0060	0.0060	0.0060/*0.0050A	0.0060/*0.0050A	----	0.0060 - 0.0015	.0297	----	----	3	----	14 + 1
670	----	----	----/*0.0050A	0.0050B/*0.0050	----	0.0055 - 0.0010	.0269	----	----	----	----	525 UNCH
675	----	----	----/*0.0045A	----/*0.0045A	----	0.0050 - 0.0010	.0242	----	----	----	----	126 UNCH
680	0.0045	0.0045	0.0045/*0.0035	0.0045/*0.0035	----	0.0045 - 0.0010	.0217	----	----	10	----	1091 + 10
685	----	----	----/*0.0035A	----/*0.0035A	----	0.0040 - 0.0010	.0192	----	----	----	----	12 UNCH
690	----	----	----/*0.0035A	----/*0.0035A	----	0.0040 - 0.0005	.0187	----	----	----	----	178 UNCH
695	----	----	----/*0.0030A	----/*0.0030A	----	0.0035 - 0.0010	.0164	----	----	----	----	25 UNCH
700	0.0030	0.0030	0.0030/*0.0025	0.0030/*0.0025	----	0.0035 - 0.0005	.0159	----	----	2	----	539 - 1
705	----	----	----/*0.0025A	----/*0.0025A	----	0.0035 - 0.0005	.0155	----	----	----	----	2 UNCH
710	----	----	----/*0.0025A	----/*0.0025A	----	0.0035 UNCH	.0152	----	----	----	----	59 UNCH
715	----	----	----/*0.0025A	----/*0.0025A	----	0.0035 UNCH	.0148	----	----	----	----	16 UNCH
720	----	----	----/*0.0020A	----/*0.0020A	----	0.0035 UNCH	.0145	----	----	----	----	13 UNCH
725	----	----	----/*0.0020A	----/*0.0020A	----	0.0035 + 0.0005	.0142	----	----	----	----	93 UNCH
730	----	----	----/*0.0020A	----/*0.0020A	----	0.0035 + 0.0005	.0139	----	----	----	----	15 UNCH
735	----	----	----	----/*0.0055A	----	0.0035 + 0.0005	.0136	----	----	1	----	5 UNCH
740	----	----	----	----/*0.0055A	----	0.0035 + 0.0005	.0134	----	----	1	----	92 - 1
745	----	----	----	----/*0.0055A	----	0.0030 UNCH	.0116	----	----	----	----	34 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 71

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
750	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	0.0030 UNCH	.0114	----	----	1	----	489 UNCH
755	----	----	----/*0.0020A	----/*0.0020A	----	0.0030 UNCH	.0112	----	----	----	----	2 UNCH
760	----	----	----/*0.0015A	0.0010B/*0.0015	----	0.0030 UNCH	.0110	----	----	----	----	78 UNCH
765	----	----	----	----/*0.0055A	----	0.0025 - 0.0005	.0093	----	----	----	----	2 UNCH
770	----	----	----	----/*0.0055A	----	0.0025 - 0.0005	.0091	----	----	----	----	3 UNCH
775	----	----	----	----/*0.0055A	----	0.0025 - 0.0005	.0090	----	----	----	----	47 UNCH
780	----	----	----	----/*0.0055A	----	0.0025 - 0.0005	.0088	----	----	----	----	8 UNCH
785	----	----	----	----/*0.0050A	----	0.0025 - 0.0005	.0087	----	----	----	----	3 UNCH
790	----	----	----	----/*0.0050A	----	0.0025 - 0.0005	.0086	----	----	----	----	3 UNCH
795	----	----	----	----/*0.0050A	----	0.0025 - 0.0005	.0085	----	----	----	----	5 UNCH
800	----	----	----	----/0.0045A	----	0.0025 - 0.0005	.0083	----	----	----	----	4120 UNCH
810	----	----	----	----/*0.0040A	----	0.0025 - 0.0005	.0081	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0040A	----	0.0025 UNCH	.0079	----	----	----	----	28 UNCH
825	----	----	----	----/*0.0040A	----	0.0020 - 0.0005	.0065	----	----	----	----	91 UNCH
835	----	----	----	----/*0.0035A	----	0.0020 - 0.0005	.0063	----	----	----	----	1 UNCH
840	----	----	----	----/*0.0035A	----	0.0020 - 0.0005	.0062	----	----	----	----	4 UNCH
850	----	----	----	----/0.0035A	----	0.0020 UNCH	.0061	----	----	----	----	62 UNCH
855	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0047	----	----	----	----	30 UNCH
860	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0047	----	----	----	----	4 UNCH
865	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0046	----	----	----	----	3 UNCH
870	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0046	----	----	----	----	4 UNCH
875	----	----	----	----/0.0030A	----	0.0015 - 0.0005	.0045	----	----	----	----	1 UNCH
880	----	----	----	----/*0.0030A	----	0.0015 UNCH	.0045	----	----	----	----	12 UNCH
890	----	----	----	----/*0.0030A	----	0.0015 UNCH	.0044	----	----	----	----	1 UNCH
900	----	----	----	----/*0.0025A	----	0.0010 - 0.0005	.0030	----	----	----	----	73 UNCH
915	----	----	----	----/*0.0025A	----	0.0010 UNCH	.0029	----	----	----	----	1 UNCH
920	----	----	----	----/*0.0025A	----	0.0010 UNCH	.0029	----	----	----	----	4 UNCH
925	----	----	----	----/*0.0025A	----	0.0010 UNCH	.0029	----	----	----	----	10 UNCH
930	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0015	----	----	----	----	1 UNCH
935	----	----	----	----/*0.0025A	----	0.0005 - 0.0005	.0014	----	----	----	----	1 UNCH
940	----	----	----	----/0.0025A	----	0.0005 UNCH	.0012	----	----	----	----	4 UNCH
945	----	----	----	----/0.0025A	----	0.0005 UNCH	.0011	----	----	----	----	10 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	.0010	----	----	----	----	40 UNCH
TOTAL									450	626		31496 + 536
JUN26												
500	----	----	----/0.7390A	0.7375B/0.7390A	----	0.7620 + 0.0215	.8496	----	----	----	----	4 UNCH
525	----	----	0.5515B/0.5310A	0.5515B/0.5310A	----	0.5560 + 0.0130	.7626	----	----	----	----	1 UNCH
535	----	----	0.4770B/0.4595A	0.4770B/0.4595A	----	0.4800 + 0.0090	.7184	----	----	----	----	2 UNCH
540	----	----	0.4420B/0.4175A	0.4420B/0.4175A	----	0.4440 + 0.0075	.6938	----	----	----	----	22 UNCH
545	----	----	0.4085B/0.3890A	0.4085B/0.3890A	----	0.4105 + 0.0070	.6676	----	----	----	----	2 UNCH
549	----	----	#0.3795B/0.3655	#0.3795B/0.3655	----	0.3850 + 0.0070	.6457	----	----	----	----	1 UNCH
550	----	----	0.3765B/0.3585A	0.3765B/0.3585A	----	0.3785 + 0.0065	.6401	----	----	----	----	3 UNCH
555	----	----	0.3460B/0.3230A	0.3460B/0.3230A	----	0.3490 + 0.0070	.6115	----	----	----	----	1 UNCH
557	----	----	#0.3460B/0.3120	#0.3460B/0.3120	----	0.3375 + 0.0070	.5999	----	----	----	----	62 UNCH
559	----	----	0.3320B/0.3025A	0.3320B/0.3025A	----	0.3260 + 0.0065	.5882	----	----	----	----	4 UNCH
560	----	----	0.3260B/0.2955A	0.3260B/0.2955A	----	0.3205 + 0.0065	.5824	----	----	----	----	108 UNCH
565	----	----	0.3005B/0.2700A	0.3005B/0.2700A	----	0.2930 + 0.0055	.5528	----	----	----	----	2 UNCH
569	----	----	0.2800B/0.2545A	0.2800B/0.2545A	----	0.2720 + 0.0045	.5288	----	----	----	----	2 UNCH
570	0.2630	0.2630	0.2750B/0.2475A	0.2750B/0.2475A	----	0.2670 + 0.0040	.5228	----	----	2	----	17 + 1
574	----	----	0.2555B/0.2295A	0.2555B/0.2295A	----	0.2475 + 0.0030	.4987	----	----	----	----	3 UNCH
575	----	----	0.2505B/0.2240A	0.2505B/0.2240A	----	0.2430 + 0.0030	.4928	----	----	----	----	149 UNCH
579	----	----	0.2330B/0.2080A	0.2330B/0.2080A	----	0.2245 + 0.0010	.4687	----	----	----	----	2 UNCH
580	----	----	0.2285B/0.2040A	0.2285B/0.2040A	----	0.2205 + 0.0010	.4628	----	----	35	----	72 + 33
585	----	----	0.2080B/0.1855A	0.2080B/0.1855A	----	0.1995 - 0.0010	.4331	----	----	----	----	26 UNCH
587	----	----	0.1990B/0.1785A	0.1990B/0.1785A	----	0.1915 - 0.0020	.4213	----	----	----	----	2 UNCH
588	----	----	0.1950B/0.1760A	0.1950B/0.1760A	----	0.1880 - 0.0020	.4157	----	----	----	----	2 UNCH
590	----	----	0.1880B/0.1690A	0.1880B/0.1690A	----	0.1805 - 0.0025	.4042	----	----	----	----	19 UNCH
591	----	----	0.1835B/0.1650A	0.1835B/0.1650A	----	0.1770 - 0.0030	.3985	----	----	----	----	10 UNCH
595	----	----	0.1700B/0.1530A	0.1700B/0.1530A	----	0.1630 - 0.0040	.3760	----	----	1	----	5 + 1
600	----	----	0.1535B/0.1370A	0.1535B/0.1370A	----	0.1470 - 0.0050	.3488	----	----	38	----	308 + 15
604	----	----	0.1415B/0.1280A	0.1415B/0.1280A	----	0.1350 - 0.0055	.3277	----	----	----	----	2 UNCH
605	----	----	0.1385B/0.1250A	0.1385B/0.1250A	----	0.1325 - 0.0055	.3229	----	----	----	----	3 UNCH
607	----	----	----/0.1200A	0.1325B/0.1200A	----	0.1270 - 0.0055	.3127	----	----	----	----	20 UNCH
610	----	----	----/0.1115A	0.1245B/0.1115A	----	0.1190 - 0.0060	.2978	----	----	1	----	527 - 1
613	----	----	----/0.1060A	0.1165B/0.1060A	----	0.1115 - 0.0060	.2834	----	----	----	----	2 UNCH
615	----	----	----/0.1010A	0.1115B/0.1010A	----	0.1065 - 0.0060	.2737	----	----	----	----	15 UNCH
616	----	----	----/0.0995A	0.1095B/0.0995A	----	0.1045 - 0.0060	.2695	----	----	----	----	3 UNCH
617	----	----	----/0.0975A	0.1070B/0.0975A	----	0.1020 - 0.0060	.2647	----	----	----	----	1 UNCH
620	----	----	----/0.0915A	0.1000B/0.0915A	----	0.0955 - 0.0060	.2514	----	----	42	----	49 + 27
622	----	----	----/0.0875A	0.0960B/0.0875A	----	0.0915 - 0.0060	.2429	----	----	----	----	3 UNCH
625	----	----	----/0.0820A	0.0900B/0.0820A	----	0.0855 - 0.0055	.2302	----	----	2	----	153 + 2
627	0.0800	0.0800	0.0800/0.0790A	0.0860B/0.0790A	----	0.0820 - 0.0055	.2225	----	----	8	----	11 + 8
629	----	----	----/0.0760A	0.0820B/0.0760A	----	0.0785 - 0.0050	.2147	----	----	----	----	2 UNCH
630	0.0765	0.0765	0.0765/0.0730A	0.0805B/0.0730A	----	0.0765 - 0.0055	.2105	----	----	2	----	525 UNCH
635	----	----	----/0.0665A	0.0720B/0.0665A	----	0.0685 - 0.0050	.1923	----	----	----	----	13 UNCH
640	----	----	----/0.0600A	0.0645B/0.0600A	----	0.0615 - 0.0045	.1757	----	----	4	----	58 - 4
645	----	----	----/0.0540A	0.0575B/0.0540A	----	0.0555 - 0.0035	.1608	----	----	----	----	10 UNCH
650	----	----	----/0.0485A	0.0515B/0.0485A	----	0.0500 - 0.0030	.1469	----	----	35	----	482 + 17
655	----	----	----/0.0440A	0.0460B/0.0440A	----	0.0450 - 0.0030	.1340	----	----	----	----	7 UNCH
660	----	----	----/0.0390A	0.0415B/0.0390A	----	0.0405 - 0.0025	.1222	----	----	1	----	266 - 1
665	----	----	----/0.0360A	0.0390B/0.0360A	----	0.0365 - 0.0025	.1114	----	----	----	----	18 UNCH
670	----	----	----/0.0325A	0.0350B/0.0325A	----	0.0330 - 0.0025	.1018	----	----	----	----	6 UNCH
675	0.0305	0.0305	0.0305/0.0290A	0.0310B/0.0290A	----	0.0300 - 0.0020	.0933	----	----	1	----	33 UNCH
680	0.0275	0.0275	0.0275/0.0260	0.0280B/0.0260	----	0.0275 - 0.0015	.0859	----	----	3	----	303 + 2
690	----	----	----/0.0225A	0.0230B/0.0225A	----	0.0230 - 0.0010	.0726	----	----	----	----	21 UNCH
695	----	----	----/0.0210A	0.0205B/0.0210A	----	0.0210 - 0.0010	.0667	----	----	----	----	1 UNCH
700	----	----	----/0.0190A	0.0190B/0.0190A	----	0.0195 - 0.0005	.0619	----	----	----	----	313 UNCH
705	----	----	----/0.0175A	0.0175B/0.0175A	----	0.0180 - 0.0005	.0573	----	----	----	----	1 UNCH
715	----	----	----/0.0150A	0.0150B/0.0150A	----	0.0155 UNCH	.0494	----	----	----	----	6 UNCH
720	----	----	----	0.0135B/0.0140A	----	0.0145 + 0.0005	.0461	----	----	----	----	5 UNCH
725	----	----	----	0.0125B/0.0130A	----	0.0135 + 0.0005	.0430	----	----	----	----	71 UNCH
740	----	----	----	0.0095B/0.0110A	----	0.0110 + 0.0005	.0349	----	----	----	----	1 UNCH
745	----	----	----	0.0090B/0.0105A	----	0.0105 + 0.0005	.0332	----	----	----	----	1501 UNCH
750	----	----	----	0.0085B/0.0095A	----	0.0100 + 0.0005	.0314	----	----	----	----	158 UNCH
755	----	----	----	0.0075B/0.0090A	----	0.0095 + 0.0005	.0297	----	----	----	----	1 UNCH
765	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0085 + 0.0010	.0265	----	----	1	----	1503 UNCH
770	----	----	----	----/0.0100A	----	0.0080 + 0.0010	.0249	----	----	----	----	3 UNCH
780	----	----	----	----/0.0105A	----	0.0075 + 0.0015	.0230	----	----	----	----	1 UNCH
795	----	----	----	----/0.0115A	----	0.0065 + 0.0015	.0197	----	----	----	----	33 UNCH
800	----	----	----	0.0040B/0.0110A	----	0.0065 + 0.0020	.0194	----	----	----	----	8 UNCH
825	----	----	----	----/*0.0095A	----	0.0050 + 0.0015	.0148	----	----	----	----	1 UNCH
840	----	----	----	----/0.0090A	----	0.0040 + 0.0010	.0120	----	----	----	----	6 UNCH
850	----	----	----	----/0.0085A	----	0.0035 + 0.0010	.0105	----	----	----	----	5 UNCH
880	----	----	----	----/0.0080A	----	0.0025 + 0.0005	.0075	----	----	----	----	2 UNCH
900	----	----	----	----/0.0075A	----	0.0020 + 0.0005	.0060	----	----	----	----	9 UNCH
910	----	----	----	----/0.0075A	----	0.0020 + 0.0005	.0059	----	----	----	----	11 UNCH
950	----	----	----	----/0.0060A	----	0.0010 + 0.0005	.0030	----	----	----	----	1 UNCH
975	----	----	----	----/*0.0040A	----	0.0005 UNCH	.0016	----	----	----	----	1 UNCH
TOTAL										176		7004 + 100
JUL26												
500	----	----	----	----	----	0.7960 + 0.0235	.8150	----	----	----	----	2 UNCH
520	----	----	0.6335B/0.6160A	0.6335B/0.6160A	----	0.6400 + 0.0190	.7494	----	----	----	----	1 UNCH
525	----	----	0.5970B/0.5805A	0.5970B/0.5805A	----	0.6030 + 0.0175	.7306	----	----	----	----	1 UNCH
530	----	----	0.5630B/0.5380A	0.5630B/0.5380A	----	0.5675 + 0.0165	.7110	----	----	----	----	6 UNCH
540	----	----	0.4960B/0.4735A	0.4960B/0.4735A	----	0.5000 + 0.0145	.6688	----	----	----	----	16 UNCH
545	----	----	0.4635B/0.4515A	0.4635B/0.4515A	----	0.4680 + 0.0135	.6468	----	----	----	----	1 UNCH
550	----	----	0.4340B/0.4225A	0.4340B/0.4225A	----	0.4375 + 0.0125	.6239	----	----	----	----	2 UNCH
555	----	----	0.4095B/0.3870A	0.4095B/0.3870A	----	0.4080 + 0.0110	.6005	----	----	----	----	146 UNCH
560	----	----	0.3875B/0.3630A	0.3875B/0.3630A	----	0.3805 + 0.0105	.5767	----	----	----	----	1 UNCH
570	----	----	0.3365B/0.3085A	0.3365B/0.3085A	----	0.3295 + 0.0085	.5284	----	----	----	----	157 UNCH
574	----	----	0.3175B/0.2970A	0.3175B/0.2970A	----	0.3110 NEW	.5090	----	----	5	----	5 + 5
575	----	----	0.3130B/0.2895A	0.3130B/0.2895A	----	0.3065 + 0.0080	.5042	----	----	----	----	17 UNCH
580	----	----	0.2910B/0.2660A	0.2910B/0.2660A	----	0.2850 + 0.0080	.4804	----	----	50	----	188 + 12
585	----	----	0.2690B/0.2450A	0.2690B/0.2450A	----	0.2645 + 0.0075	.4568	----	----	12	----	301 + 2
590	----	----	0.2490B/0.2325A	0.2490B/0.2325A	----	0.2450 + 0.0070	.4335	----	----	----	----	32 UNCH
595	----	----	0.2300B/0.2160A	0.2300B/0.2160A	----	0.2265 + 0.0065	.4105	----	----	29	----	30 + 28
600	0.2050	0.2050	0.2120B/0.1950A	0.2120B/0.1950A	----	0.2090 + 0.0055	.3880	----	----	2	----	187 UNCH
605	----	----	0.1960B/0.1835A	0.1960B/0.1835A	----	0.1925 + 0.0045	.3660	----	----	12	----	14 + 12
610	----	----	0.1800B/0.1695A	0.1800B/0.1695A	----	0.1765 + 0.0030	.3442	----	----	----	----	5 UNCH
615	----	----	0.1660B/0.1560A	0.1660B/0.1560A	----	0.1620 + 0.0020	.3234	----	----	----	----	101 UNCH
620	----	----	0.1525B/0.1435A	0.1525B/0.1435A	----	0.1485 + 0.0015	.3032	----	----	25	----	56 + 25
625	----	----	0.1405B/0.1305A	0.1405B/0.1305A	----	0.1360 + 0.0005	.2838	----	----	250	----	348 + 166
630	----	----	0.1290B/0.1225A	0.1290B/0.1225A	----	0.1250 + 0.0005	.2658	----	----	----	----	5 UNCH
635	----	----	0.1185B/0.1135A	0.1185B/0.1135A	----	0.1145 - 0.0005	.2482	----	----	----	----	11 UNCH
640	0.1090	0.1090	0.1105B/0.1020A	0.1105B/0.1020A	----	0.1050 - 0.0005	.2317	----	----	6	----	760 + 6
645	0.1010	0.1010	0.1025B/0.0945A	0.1025B/0.0945A	----	0.0965 - 0.0005	.2164	----	----	1	----	308 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 72

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
650	0.0935	0.0935	0.0950B/0.0870A	0.0950B/0.0870A	----	0.0890 - 0.0005	.2023	----	----	1	----	287 UNCH
660	----	----	0.0805B/----	0.0805B/0.0760A	----	0.0755 - 0.0005	.1762	----	----	----	----	250 UNCH
665	----	----	0.0715B/----	0.0715B/0.0705A	----	0.0695 - 0.0005	.1643	----	----	----	----	1 UNCH
670	----	----	0.0650B/----	0.0650B/0.0655A	----	0.0645 UNCH	.1538	----	----	----	----	22 UNCH
675	----	----	----	0.0600B/0.0605A	----	0.0595 - 0.0005	.1434	----	----	----	----	437 UNCH
680	----	----	----	0.0550B/0.0565A	----	0.0555 UNCH	.1346	----	----	----	----	4 UNCH
685	----	----	----	0.0505B/0.0515A	----	0.0515 + 0.0005	.1259	----	----	----	----	2 UNCH
690	----	----	----	0.0470B/0.0480A	----	0.0475 UNCH	.1173	----	----	----	----	245 UNCH
695	----	----	----	0.0440B/0.0450A	----	0.0445 + 0.0005	.1103	----	----	----	----	40 UNCH
700	----	----	----	0.0405B/0.0415A	----	0.0410 UNCH	.1026	----	----	----	----	139 UNCH
725	----	----	----	0.0270B/0.0295A	----	0.0285 UNCH	.0736	----	----	----	----	1523 UNCH
730	----	----	----	0.0260B/0.0275A	----	0.0265 UNCH	.0688	----	----	----	----	3 UNCH
750	----	----	----	0.0175B/0.0235A	----	0.0210 UNCH	.0548	----	----	1	----	183 UNCH
775	----	----	----	0.0110B/0.0180A	----	0.0160 UNCH	.0419	----	----	----	----	24 UNCH
800	----	----	----	0.0085B/0.0150A	----	0.0120 - 0.0005	.0316	----	----	1	----	58 UNCH
850	----	----	----	----/0.0105A	----	0.0075 UNCH	.0197	----	----	----	----	3 UNCH
875	----	----	----	----/0.0105A	----	0.0060 UNCH	.0157	----	----	----	----	2 UNCH
900	----	----	----	----/0.0090A	----	0.0050 - 0.0005	.0130	----	----	----	----	271 UNCH
950	----	----	----	----/0.0065A	----	0.0030 - 0.0005	.0079	----	----	----	----	56 UNCH
975	----	----	----	----/0.0055A	----	0.0025 UNCH	.0065	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0035A	----	0.0020 UNCH	.0052	----	----	----	----	4 UNCH
TOTAL										395		6257 + 255
AUG26												
500	----	----	----	----	----	0.8795 + 0.0220	.8015	----	----	----	----	2 UNCH
550	----	----	0.5215B/0.5135A	0.5215B/0.5135A	----	0.5315 + 0.0130	.6355	----	----	----	----	3 UNCH
575	----	----	0.3945B/0.3790A	0.3945B/0.3790A	----	0.3975 + 0.0080	.5360	----	----	----	----	1 UNCH
580	----	----	0.3705B/0.3565A	0.3705B/0.3565A	----	0.3740 + 0.0070	.5158	----	----	----	----	252 UNCH
585	----	----	0.3485B/0.3350A	0.3485B/0.3350A	----	0.3515 + 0.0065	.4958	----	----	----	----	11 UNCH
590	----	----	0.3270B/0.3150A	0.3270B/0.3150A	----	0.3300 + 0.0055	.4758	----	----	----	----	16 UNCH
600	----	----	----/0.2780A	0.2860B/0.2780A	----	0.2900 + 0.0035	.4365	----	----	----	----	4 UNCH
620	----	----	----/0.2140A	0.2180B/0.2140A	----	0.2225 + 0.0015	.3621	----	----	----	----	6 UNCH
625	----	----	----/0.2005A	0.2035B/0.2005A	----	0.2080 + 0.0015	.3446	----	----	----	----	86 UNCH
640	----	----	----/0.1655A	0.1655B/0.1655A	----	0.1700 + 0.0005	.2958	----	----	----	----	165 UNCH
650	----	----	----/0.1455A	0.1435B/0.1455A	----	0.1485 UNCH	.2662	----	----	----	----	4 UNCH
675	----	----	----	0.1010B/0.1075A	----	0.1065 - 0.0010	.2032	----	----	----	----	168 UNCH
680	----	----	----	0.0940B/0.1015A	----	0.1000 - 0.0010	.1926	----	----	----	----	1 UNCH
690	----	----	----	0.0765B/0.0990A	----	0.0880 - 0.0010	.1728	----	----	----	----	3 UNCH
700	----	----	----	0.0655B/0.0885A	----	0.0775 - 0.0010	.1549	----	----	----	----	4 UNCH
725	----	----	----	0.0445B/0.0690A	----	0.0575 - 0.0005	.1188	----	----	----	----	86 UNCH
730	----	----	----	0.0475B/0.0585A	----	0.0540 - 0.0010	.1124	----	----	----	----	1 UNCH
750	----	----	----	0.0360B/0.0475A	----	0.0425 - 0.0010	.0907	----	----	----	----	66 UNCH
800	----	----	----	0.0175B/0.0310A	----	0.0225 - 0.0005	.0512	----	----	----	----	6 UNCH
850	----	----	----	0.0075B/0.0220A	----	0.0120 - 0.0005	.0288	----	----	----	----	1 UNCH
900	----	----	----	0.0025B/0.0170A	----	0.0085 - 0.0005	.0201	----	----	----	----	57 UNCH
950	----	----	----	----/0.0200A	----	0.0055 - 0.0005	.0131	----	----	----	----	2 UNCH
975	----	----	----	----/0.0185A	----	0.0045 UNCH	.0107	----	----	----	----	4 UNCH
TOTAL												949
SEP26												
495	----	----	----	----	----	0.9410 + 0.0205	.8004	----	----	----	----	2 UNCH
500	----	----	----	----	----	0.9020 + 0.0185	.7878	----	----	----	----	5 UNCH
535	----	----	----	0.6310B/0.6620A	----	0.6560 + 0.0110	.6822	----	----	----	----	1 UNCH
565	----	----	0.4840B/0.4720A	0.4840B/0.4720A	----	0.4905 + 0.0125	.5758	----	----	----	----	1 UNCH
575	----	----	0.4345B/0.4250A	0.4345B/0.4250A	----	0.4430 + 0.0135	.5397	----	----	----	----	100 UNCH
595	----	----	0.3445B/0.3420A	0.3445B/0.3420A	----	0.3560 + 0.0120	.4683	----	----	----	----	2 UNCH
600	----	----	----/0.3230A	0.3250B/0.3230A	----	0.3365 + 0.0115	.4509	----	----	----	----	287 UNCH
610	----	----	----/0.2885A	0.2885B/0.2885A	----	0.2995 + 0.0100	.4165	----	----	----	----	31 UNCH
615	----	----	----/0.2725A	0.2710B/0.2725A	----	0.2820 + 0.0090	.3996	----	----	----	----	9 UNCH
620	----	----	----	0.2550B/0.2570A	----	0.2655 + 0.0085	.3830	----	----	----	----	35 UNCH
625	----	----	----	0.2395B/0.2430A	----	0.2500 + 0.0075	.3669	----	----	----	----	142 UNCH
630	----	----	----	0.2250B/0.2295A	----	0.2355 + 0.0070	.3513	----	----	----	----	2 UNCH
650	----	----	----	0.1740B/0.1825A	----	0.1850 + 0.0050	.2930	----	----	----	----	181 UNCH
655	----	----	----	0.1635B/0.1725A	----	0.1745 + 0.0050	.2799	----	----	----	----	4 UNCH
670	----	----	----	0.1350B/0.1465A	----	0.1465 + 0.0050	.2434	----	----	----	----	1 UNCH
690	----	----	----	0.1050B/0.1185A	----	0.1165 + 0.0045	.2015	----	----	----	----	11 UNCH
700	----	----	----	0.0925B/0.1075A	----	0.1045 + 0.0050	.1836	----	----	----	----	55 UNCH
750	----	----	----	0.0485B/0.0665A	----	0.0610 + 0.0030	.1148	----	----	----	----	10 UNCH
800	----	----	----	0.0270B/0.0450A	----	0.0380 + 0.0015	.0742	----	----	----	----	12 UNCH
875	----	----	----	0.0110B/*0.0280	----	0.0200 + 0.0010	.0404	----	----	----	----	1 UNCH
975	----	----	----	0.0015B/0.0220A	----	0.0095 + 0.0005	.0196	----	----	----	----	1 UNCH
TOTAL												893
OCT26												
650	----	----	----	0.2350B/0.2490A	----	0.2520 + 0.0105	.3417	----	----	----	----	100 UNCH
700	----	----	----	0.1225B/0.1655A	----	0.1510 + 0.0075	.2286	----	----	----	----	145 UNCH
775	----	----	----	0.0515B/0.0920A	----	0.0750 + 0.0060	.1250	----	----	----	----	71 UNCH
800	----	----	----	0.0425B/0.0690A	----	0.0600 + 0.0045	.1024	----	----	----	----	1 UNCH
850	----	----	----	0.0215B/0.0505A	----	0.0400 + 0.0030	.0705	----	----	----	----	30 UNCH
875	----	----	----	0.0160B/0.0445A	----	0.0345 + 0.0030	.0608	----	----	----	----	2 UNCH
900	0.0275	0.0275	0.0275/*0.0275	0.0275/*0.0275	----	0.0300 NEW	.0528	----	----	3	----	3 + 3
975	----	----	----	0.0010B/0.0355A	----	0.0160 + 0.0015	.0297	----	----	----	----	4 UNCH
TOTAL										3		356 + 3
NOV26												
535	----	----	----	0.7665B/0.7820A	----	0.7895 + 0.0170	.6873	----	----	----	----	1 UNCH
545	----	----	----	0.7070B/0.7250A	----	0.7300 + 0.0160	.6589	----	----	----	----	1 UNCH
580	----	----	----	0.5265B/0.5370A	----	0.5490 + 0.0160	.5557	----	----	----	----	2 UNCH
585	----	----	----	0.5040B/0.5160A	----	0.5265 + 0.0160	.5408	----	----	----	----	1 UNCH
595	----	----	----	0.4610B/0.4740A	----	0.4835 + 0.0160	.5115	----	----	----	----	2 UNCH
600	----	----	----	0.4405B/0.4545A	----	0.4630 + 0.0155	.4969	----	----	----	----	2 UNCH
610	----	----	----	0.4015B/0.4165A	----	0.4240 + 0.0150	.4683	----	----	----	----	14 UNCH
640	----	----	----	0.3000B/0.3200A	----	0.3225 + 0.0110	.3866	----	----	----	----	1 UNCH
670	----	----	----	0.2215B/0.2450A	----	0.2435 + 0.0085	.3138	----	----	----	----	14 UNCH
675	----	----	----	0.2105B/0.2345A	----	0.2320 + 0.0080	.3026	----	----	----	----	1 UNCH
750	----	----	----	0.0980B/0.1295A	----	0.1195 + 0.0045	.1755	----	----	----	----	1 UNCH
850	----	----	----	0.0325B/0.0690A	----	0.0530 + 0.0020	.0856	----	----	----	----	1 UNCH
900	----	----	----	0.0165B/0.0565A	----	0.0365 + 0.0020	.0609	----	----	----	----	1 UNCH
975	----	----	----	0.0025B/0.0455A	----	0.0205 + 0.0010	.0359	----	----	----	----	1 UNCH
TOTAL												43
DEC26												
520	----	----	----	0.8840B/0.9045A	----	0.9120 + 0.0235	.7210	----	----	----	----	1 UNCH
525	----	----	----	0.8520B/0.8740A	----	0.8800 + 0.0230	.7083	----	----	----	----	123 UNCH
535	----	----	----	0.7905B/0.8150A	----	0.8185 + 0.0220	.6821	----	----	----	----	1 UNCH
550	----	----	----	0.7050B/0.7325A	----	0.7330 + 0.0215	.6415	----	----	----	----	2 UNCH
555	----	----	----	0.6785B/0.7065A	----	0.7060 + 0.0210	.6277	----	----	----	----	1 UNCH
565	----	----	----	0.6270B/0.6575A	----	0.6545 + 0.0205	.5999	----	----	----	----	45 UNCH
575	----	----	----	0.5790B/0.5950A	----	0.6060 + 0.0200	.5719	----	----	----	----	123 UNCH
585	----	----	----	0.5335B/0.5515A	----	0.5610 + 0.0200	.5440	----	----	----	----	1 UNCH
590	0.4985	0.4985	0.4985/0.4985	0.5120B/0.4985	----	0.5390 + 0.0190	.5302	----	----	201	----	200 + 199
595	----	----	----	0.4910B/0.5110A	----	0.5180 + 0.0190	.5165	----	----	----	----	163 UNCH
600	----	----	----	0.4705B/0.4910A	----	0.4975 + 0.0180	.5028	----	----	----	----	551 UNCH
610	----	----	----	0.4320B/0.4535A	----	0.4590 + 0.0175	.4760	----	----	200	----	356 + 200
620	----	----	----	0.3955B/0.4190A	----	0.4225 + 0.0160	.4497	----	----	----	----	408 UNCH
625	----	----	----	0.3785B/0.4030A	----	0.4055 + 0.0160	.4369	----	----	----	----	13 UNCH
630	----	----	----	0.3615B/0.3865A	----	0.3885 + 0.0150	.4241	----	----	----	----	456 UNCH
640	----	----	----	0.3300B/0.3560A	----	0.3570 + 0.0140	.3993	----	----	----	----	29 UNCH
650	----	----	----	0.3010B/0.3285A	----	0.3280 + 0.0135	.3754	----	----	----	----	371 UNCH
660	----	----	----	0.2745B/0.3025A	----	0.3010 + 0.0130	.3523	----	----	----	----	300 UNCH
670	----	----	----	0.2500B/0.2790A	----	0.2765 + 0.0130	.3304	----	----	----	----	4 UNCH
675	----	----	----	0.2385B/0.2680A	----	0.2650 + 0.0130	.3199	----	----	----	----	17 UNCH
700	----	----	----	0.1885B/0.2205A	----	0.2150 + 0.0125	.2714	----	----	----	----	843 UNCH
705	----	----	----	0.1800B/0.2130A	----	0.2065 + 0.0125	.2627	----	----	----	----	2 UNCH
725	----	----	----	0.1495B/0.1835A	----	0.1755 + 0.0115	.2301	----	----	----	----	5 UNCH
730	----	----	----	0.1430B/0.1770A	----	0.1690 + 0.0115	.2228	----	----	----	----	2 UNCH
750	----	----	----	0.1190B/0.1545A	----	0.1445 + 0.0095	.1953	----	----	----	----	24 UNCH
800	----	----	----	0.0760B/0.1125A	----	0.1005 + 0.0070	.1421	----	----	----	----	104 UNCH
850	----	----	----	0.0465B/0.0850A	----	0.0725 + 0.0050	.1056	----	----	----	----	4 UNCH
900	----	----	----	0.0265B/0.0680A	----	0.0540 + 0.0040	.0801	----	----	----	----	200 UNCH
925	----	----	----	0.0195B/0.0625A	----	0.0485 + 0.0035	.0718	----	----	----	----	6 UNCH
950	----	----	----	0.0350B/0.0585A	----	0.0440 + 0.0035	.0649	----	----	----	----	78 UNCH
975	----	----	----	0.0090B/0.0550A	----	0.0405 + 0.0030	.0593	----	----	----	----	13 UNCH
TOTAL										401		4446 + 399
JAN27												
500	----	----	----	----	----	1.1210 + 0.0265	.7775	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.0975 + 0.0035	.1198	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
TOTAL												2
MAR27												
680	----	----	----	----	----	0.4355 + 0.0130	.3886	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2180 + 0.0055	.1873	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0110A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	----	----	22 UNCH
330	----	----	----	----/*0.0015A	----	0.0005 - 0.0005	.0010	----	----	----	----	1 UNCH
340	----	----	----	----/0.0030A	----	0.0010 UNCH	.0025	----	----	----	----	6 UNCH
350	----	----	----	----/*0.0015A	----	0.0015 UNCH	.0037	----	----	----	----	6 UNCH
360	----	----	----	----/0.0035A	----	0.0020 - 0.0005	.0049	----	----	----	----	35 UNCH
370	----	----	----	0.0030B/0.0045A	----	0.0025 - 0.0005	.0063	----	----	----	----	1 UNCH
375	----	----	----	----/0.0050A	----	0.0030 - 0.0005	.0075	----	----	----	----	1 UNCH
390	----	----	----	----/0.0065A	----	0.0040 - 0.0010	.0103	----	----	----	----	2 UNCH
395	----	----	----	----/0.0070A	----	0.0045 - 0.0015	.0117	----	----	----	----	6 UNCH
400	0.0055	0.0055	0.0055/*0.0055	0.0055/0.0055	----	0.0050 - 0.0015	.0131	----	----	1	----	124 UNCH
405	----	----	----	----/0.0080A	----	0.0050 - 0.0015	.0135	----	----	----	----	125 UNCH
410	----	----	----	----/0.0090A	----	0.0055 - 0.0010	.0150	----	----	----	----	23 UNCH
415	----	----	----	0.0005B/0.0100A	----	0.0055 - 0.0015	.0155	----	----	1	----	6 + 1
420	----	----	----/*0.0060A	0.0005B/*0.0060	----	0.0060 - 0.0015	.0171	----	----	----	----	60 UNCH
425	----	----	----/0.0080A	0.0035B/0.0080A	----	0.0065 - 0.0020	.0188	----	----	----	----	56 UNCH
430	----	----	----	0.0030B/0.0120A	----	0.0075 - 0.0015	.0217	----	----	----	----	21 UNCH
435	----	----	----/*0.0080A	0.0080B/*0.0080	----	0.0080 - 0.0020	.0236	----	----	3	----	13 UNCH
440	----	----	----/0.0085A	0.0085B/0.0085A	----	0.0085 - 0.0025	.0256	----	----	----	----	135 UNCH
445	----	----	----/*0.0090A	0.0095B/0.0090A	----	0.0095 - 0.0025	.0288	----	----	----	----	12 UNCH
450	----	----	----/0.0100A	0.0105B/0.0100A	----	0.0105 - 0.0030	.0322	----	----	37	----	864 + 37
455	----	----	----/0.0105A	0.0115B/0.0105A	----	0.0110 - 0.0035	.0346	----	----	----	----	24 UNCH
460	----	----	----/0.0115A	0.0125B/0.0115A	----	0.0120 - 0.0040	.0383	----	----	3	----	593 UNCH
465	0.0135	0.0135	0.0135/0.0125A	0.0140B/0.0125A	----	0.0135 - 0.0040	.0434	----	----	1	----	35 UNCH
470	0.0150	0.0150	0.0150/0.0135A	0.0155B/0.0135A	----	0.0145 - 0.0050	.0476	----	----	1	----	61 + 1
475	0.0150	0.0150	0.0150/0.0150	0.0170B/0.0150	----	0.0160 - 0.0050	.0532	----	----	23	----	349 + 20
480	----	----	----/0.0165A	0.0190B/0.0165A	----	0.0175 - 0.0060	.0591	----	----	----	----	1125 UNCH
485	----	----	----/0.0185A	0.0215B/0.0185A	----	0.0190 - 0.0065	.0654	----	----	----	----	90 UNCH
490	0.0210	0.0210	0.0210/0.0205A	0.0240B/0.0205A	----	0.0210 - 0.0075	.0732	----	----	3	----	288 + 1
495	0.0270	0.0270	0.0270/0.0225A	0.0270/0.0225A	----	0.0235 - 0.0080	.0827	----	----	2	----	96 + 2
500	0.0265	0.0265	0.0310/0.0250	0.0310/0.0250	----	0.0265 - 0.0090	.0939	----	----	423	----	2160 - 222
505	0.0365	0.0365	0.0365/0.0285A	0.0365/0.0285A	----	0.0295 - 0.0100	.1058	----	----	7	----	186 - 1
510	0.0370	0.0370	0.0390/0.0325A	0.0390/0.0325A	----	0.0335 - 0.0110	.1206	----	----	13	----	372 UNCH
514	0.0435	0.0435	0.0445/*0.0365A	0.0445/*0.0365A	----	0.0375 - 0.0115	.1346	----	----	3	----	22 + 3
515	0.0445	0.0445	0.0455/0.0375A	0.0455/0.0375A	----	0.0385 - 0.0115	.1382	----	----	17	----	134 + 5
516	0.0455	0.0455	0.0475/*0.0390A	0.0475/*0.0390A	----	0.0395 - 0.0120	.1419	----	----	17	----	60 + 13
517	0.0470	0.0470	0.0485/*0.0400A	0.0485/*0.0400A	----	0.0405 - 0.0120	.1456	----	----	6	----	76 + 3
518	0.0470	0.0470	0.0500/*0.0410A	0.0500/*0.0410A	----	0.0415 - 0.0125	.1493	----	----	12	----	86 + 6
519	0.0495	0.0495	0.0510/*0.0425A	0.0510/*0.0425A	----	0.0430 - 0.0125	.1541	----	----	16	----	64 + 6
520	0.0510	0.0510	0.0525/0.0440A	0.0525/0.0440A	----	0.0440 - 0.0130	.1579	----	----	36	----	1139 + 16
521	0.0525	0.0525	0.0545/*0.0450A	0.0545/*0.0450A	----	0.0455 - 0.0130	.1627	----	----	18	----	32 + 3
522	0.0510	0.0510	0.0510/*0.0465A	0.0555B/*0.0465	----	0.0470 - 0.0130	.1675	----	----	8	----	39 UNCH
523	0.0520	0.0520	0.0520/*0.0480A	0.0575B/*0.0480	----	0.0485 - 0.0130	.1724	----	----	3	----	21 UNCH
524	0.0530	0.0530	0.0530/*0.0490A	0.0590B/*0.0490	----	0.0495 - 0.0140	.1764	----	----	1	----	19 UNCH
525	0.0555	0.0555	0.0555/0.0505A	0.0610B/0.0505A	----	0.0510 - 0.0140	.1814	----	----	293	----	314 - 220
526	----	----	----/*0.0520A	0.0630B/*0.0520	----	0.0530 - 0.0140	.1872	----	----	----	----	15 UNCH
527	----	----	----/*0.0535A	0.0650B/*0.0535	----	0.0545 - 0.0145	.1923	----	----	----	----	12 UNCH
528	----	----	----/*0.0555A	0.0670B/*0.0555	----	0.0560 - 0.0150	.1974	----	----	----	----	11 UNCH
530	0.0700	0.0700	0.0715B/0.0590A	0.0715B/0.0590A	----	0.0595 - 0.0155	.2085	----	----	9	----	570 - 5
531	----	----	----/*0.0600A	0.0740B/*0.0600	----	0.0615 - 0.0155	.2146	----	----	----	----	3 UNCH
532	----	----	----/*0.0620A	0.0765B/*0.0620	----	0.0630 - 0.0165	.2199	----	----	----	----	6 UNCH
533	----	----	----/*0.0645A	0.0790B/*0.0645	----	0.0650 - 0.0165	.2261	----	----	----	----	1 UNCH
535	----	----	----/0.0680A	0.0840B/0.0680A	----	0.0695 - 0.0170	.2392	----	----	----	----	203 UNCH
536	----	----	----/*0.0700A	0.0865B/*0.0700	----	0.0715 - 0.0175	.2455	----	----	----	----	1 UNCH
537	----	----	----/*0.0725A	0.0895B/*0.0725	----	0.0735 - 0.0180	.2518	----	----	----	----	3 UNCH
539	----	----	----/*0.0770A	0.0950B/*0.0770	----	0.0785 - 0.0185	.2659	----	----	----	----	4 UNCH
540	0.0820	0.0820	0.0985B/0.0795A	0.0985B/0.0795A	----	0.0810 - 0.0190	.2731	----	----	3	----	363 UNCH
541	----	----	----/*0.0830A	0.1010B/*0.0830	----	0.0835 - 0.0195	.2803	----	----	----	----	10 UNCH
542	----	----	----/*0.0855A	0.1045B/*0.0855	----	0.0860 - 0.0200	.2875	----	----	----	----	7 UNCH
544	----	----	----/*0.0910A	0.1110B/*0.0910	----	0.0915 - 0.0210	.3027	----	----	----	----	1 UNCH
545	0.1015	0.1015	0.1150B/0.0940A	0.1150B/0.0940A	----	0.0945 - 0.0210	.3106	----	----	10	----	168 - 2
546	----	----	----/*0.0975A	0.1175B/*0.0975	----	0.0975 - 0.0215	.3186	----	----	----	----	11 UNCH
547	----	----	----/*0.0995A	0.1215B/*0.0995	----	0.1005 - 0.0220	.3266	----	----	----	----	4 UNCH
548	0.1115	0.1115	0.1115/*0.1030A	0.1250B/*0.1030	----	0.1035 - 0.0225	.3347	----	----	1	----	115 - 1
549	----	----	----/*0.1060A	0.1285B/*0.1060	----	0.1070 - 0.0225	.3432	----	----	----	----	13 UNCH
550	0.1255	0.1255	0.1340B/0.1095A	0.1340B/0.1095A	----	0.1105 - 0.0230	.3517	----	----	42	----	1808 - 1
551	----	----	----/0.1125A	0.1365B/0.1125A	----	0.1140 - 0.0230	.3603	----	----	----	----	37 UNCH
552	----	----	0.1415B/0.1155A	0.1415B/0.1155A	----	0.1175 - 0.0235	.3689	----	----	----	----	19 UNCH
553	----	----	----/0.1205A	0.1450B/0.1205A	----	0.1215 - 0.0235	.3778	----	----	----	----	21 UNCH
554	----	----	----/0.1240A	0.1490B/0.1240A	----	0.1250 - 0.0240	.3865	----	----	----	----	20 UNCH
555	----	----	----/0.1280A	0.1535B/0.1280A	----	0.1290 - 0.0245	.3955	----	----	1	----	123 UNCH
556	----	----	0.1590B/0.1315A	0.1590B/0.1315A	----	0.1330 - 0.0245	.4046	----	----	----	----	14 UNCH
557	----	----	0.1630B/0.1355A	0.1630B/0.1355A	----	0.1375 - 0.0245	.4138	----	----	----	----	13 UNCH
558	----	----	0.1675B/0.1400A	0.1675B/0.1400A	----	0.1415 - 0.0250	.4229	----	----	----	----	77 UNCH
559	----	----	0.1725B/0.1440A	0.1725B/0.1440A	----	0.1460 - 0.0250	.4321	----	----	----	----	12 UNCH
560	0.1590	0.1590	0.1790B/0.1475A	0.1790B/0.1475A	----	0.1505 - 0.0255	.4414	----	----	81	127	444 - 65
561	----	----	0.1815B/0.1525A	0.1815B/0.1525A	----	0.1550 - 0.0255	.4507	----	----	1	----	6 + 1
562	0.1590	0.1590	0.1865B/0.1520A	0.1865B/0.1520A	----	0.1595 - 0.0260	.4600	----	----	7	----	20 + 6
563	0.1635	0.1635	0.1915B/0.1565	0.1915B/0.1565	----	0.1645 - 0.0260	.4694	----	----	5	----	6 + 2
564	0.1770	0.1770	0.1970B/0.1630A	0.1970B/0.1630A	----	0.1690 - 0.0265	.4788	----	----	4	----	5 + 1
565	0.1810	0.1810	0.2025B/0.1660A	0.2025B/0.1660A	----	0.1740 - 0.0270	.4883	----	----	26	----	221 + 22
566	0.1825	0.1825	0.2075B/0.1725A	0.2075B/0.1725A	----	0.1790 NEW	.4977	----	----	5	----	5 + 5
567	0.1875	0.1875	0.2105B/0.1765A	0.2105B/0.1765A	----	0.1840 - 0.0275	.5072	----	----	1	----	2 + 1
568	0.1885	0.1885	0.2185B/0.1810	0.2185B/0.1810	----	0.1890 - 0.0280	.5165	----	----	2	----	8 + 2
569	----	----	0.2245B/0.1860A	0.2245B/0.1860A	----	0.1945 - 0.0280	.5261	----	----	1	----	7 UNCH
570	----	----	0.2315B/0.1965A	0.2315B/0.1965A	----	0.2000 - 0.0285	.5355	----	----	1	----	577 UNCH
571	----	----	0.2370B/0.2015A	0.2370B/0.2015A	----	0.2050 - 0.0290	.5449	----	----	----	----	5 UNCH
572	----	----	0.2430B/0.2090A	0.2430B/0.2090A	----	0.2110 - 0.0290	.5543	----	----	----	----	5 UNCH
573	----	----	----/0.2185A	0.2450B/0.2185A	----	0.2165 - 0.0295	.5638	----	----	----	----	4 UNCH
575	----	----	0.2625B/0.2290A	0.2625B/0.2290A	----	0.2280 - 0.0305	.5825	----	----	1	----	290 UNCH
576	----	----	----/0.2310A	0.2630B/0.2310A	----	0.2340 - 0.0305	.5918	----	----	----	----	3 UNCH
577	----	----	----/0.2390A	0.2675B/0.2390A	----	0.2400 - 0.0310	.6011	----	----	----	----	3 UNCH
578	----	----	----/0.2505A	0.2690B/0.2505A	----	0.2460 - 0.0315	.6099	----	----	----	----	25 UNCH
579	----	----	----/0.2570A	0.2710B/0.2570A	----	0.2525 - 0.0320	.6192	----	----	----	----	5 UNCH
580	----	----	0.2920B/0.2605A	0.2920B/0.2605A	----	0.2585 - 0.0325	.6281	----	----	----	----	283 UNCH
581	----	----	----/0.2700A	0.2845B/0.2700A	----	0.2650 - 0.0330	.6370	----	----	----	----	20 UNCH
582	----	----	----/0.2780A	0.2910B/0.2780A	----	0.2715 - 0.0330	.6459	----	----	----	----	7 UNCH
583	----	----	----/0.2900A	0.2925B/0.2900A	----	0.2785 - 0.0330	.6548	----	----	----	----	1 UNCH
584	0.3120	0.3120	0.3120/0.2965A	0.3120/0.2965A	----	0.2850 - 0.0335	.6632	----	----	1	----	5 UNCH
585	0.3070	0.3070	0.3260B/0.2995A	0.3260B/0.2995A	----	0.2920 - 0.0335	.6715	----	----	1	----	189 + 1
586	----	----	----/0.3110A	0.3140B/0.3110A	----	0.2990 - 0.0340	.6798	----	----	----	----	3 UNCH
587	----	----	----/0.3180A	0.3215B/0.3180A	----	0.3060 - 0.0340	.6881	----	----	----	----	3 UNCH
588	----	----	----/0.3250A	0.3290B/0.3250A	----	0.3130 - 0.0345	.6965	----	----	----	----	2 UNCH
589	----	----	----/0.3320A	0.3365B/0.3320A	----	0.3205 - 0.0345	.7041	----	----	----	----	2 UNCH
590	----	----	0.3630B/0.3345A	0.3630B/0.3345A	----	0.3275 - 0.0350	.7125	----	----	----	----	144 UNCH
591	----	----	----/0.3470A	0.3515B/0.3470A	----	0.3350 - 0.0350	.7201	----	----	----	----	1 UNCH
592	----	----	----/0.3540A	0.3645B/0.3540A	----	0.3425 - 0.0350	.7277	----	----	----	----	50 UNCH
594	----	----	----/0.3695A	0.3750B/0.3695A	----	0.3575 - 0.0355	.7420	----	----	----	----	1 UNCH
595	----	----	----/0.3710A	0.3875B/0.3710A	----	0.3655 - 0.0350	.7496	----	----	----	----	32 UNCH
597	----	----	----/0.3925A	0.3985B/0.3925A	----	0.3810 - 0.0350	.7638	----	----	----	----	1 UNCH
598	----	----	----/0.4005A	0.4065B/0.4005A	----	0.3890 - 0.0350	.7705	----	----	----	----	1 UNCH
600	----	----	0.4490B/0.4065A	0.4490B/0.4065A	----	0.4050 - 0.0350	.7838	----	----	----	----	505 UNCH
602	----	----	----/0.4330A	0.4395B/0.4330A	----	0.4210 - 0.0355	.7960	----	----	1	----	1 UNCH
603	----	----	----/0.4410A	0.4480B/0.4410A	----	0.4295 - 0.0350	.8026	----	----	----	----	1 UNCH
604	----	----	----/0.4495A	0.4565B/0.4495A	----	0.4375 - 0.0355	.8081	----	----	----	----	2 UNCH
605	----	----	----/0.4575A	0.4705B/0.4575A	----	0.4460 - 0.0355	.8136	----	----	----	----	37 UNCH
610	----	----	----/0.5000A	0.5130B/0.5000A	----	0.4885 - 0.0355	.8409	----	----	----	----	42 UNCH
615	----	----	----/0.5445A	0.5525B/0.5445A	----	0.5320 - 0.0355	.8641	----	----	----	----	1 UNCH
619	----	----	----/0.5805A	0.5885B/0.5805A	----	0.5680 - 0.0350	.8816	----	----	----	----	1 UNCH
620	----	----	----/0.5895A	0.5975B/0.5895A	----	0.5770 - 0.0350	.8857	----	----	----	----	3 UNCH
645	----	----	----	----	----	0.8130 - 0.0340	.9480	----	----	----	----	1 UNCH
TOTAL									127	1152		15559 - 359
JUN26												
355	----	----	----	----/0.0110A	----	0.0055 - 0.0010	.0112	----	----	----	----	10 UNCH
370	----	----	----	0.0005B/0.0130A	----	0.0075 - 0.0010	.0154	----	----	----	----	1 UNCH
400	----	----	----/0.0120A	0.0115B/0.0120A	----	0.0115 - 0.0020	.0249	----	----	----	----	2 UNCH
410	----	----	----/*0.0135A	0.0135B/0.0135A	----	0.0135 - 0.0020	.0297	----	----	----	----	1 UNCH
420	----	----	----/0.0160A	0.0160B/0.0160A	----	0.0155 - 0.0020	.0347	----	----	----	----	3 UNCH
430	----	----	----/0.0190A	0.0190B/0.0190A	----	0.0180 - 0.0025	.0410	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
435	----	----	----/0.0195A	0.0210B/0.0195A	----	0.0195 - 0.0030	.0447	----	----	----	----	2 UNCH
440	----	----	----/0.0210A	0.0225B/0.0210A	----	0.0215 - 0.0030	.0493	----	----	----	----	7 UNCH
445	----	----	----/0.0230A	0.0250B/0.0230A	----	0.0235 - 0.0035	.0541	----	----	----	----	12 UNCH
450	0.0280	0.0280	0.0280/0.0250A	0.0280/0.0250A	----	0.0260 - 0.0035	.0598	----	----	175	----	472 + 39
455	0.0295	0.0295	0.0295/0.0275A	0.0300B/0.0275A	----	0.0285 - 0.0040	.0656	----	----	4	----	73 UNCH
460	----	----	----/0.0300A	0.0330B/0.0300A	----	0.0310 - 0.0045	.0717	----	----	----	----	90 UNCH
465	----	----	----/0.0330A	0.0365B/0.0330A	----	0.0335 - 0.0060	.0780	----	----	----	----	921 UNCH
470	----	----	----/0.0365A	0.0400B/0.0365A	----	0.0370 - 0.0065	.0859	----	----	3	----	670 UNCH
475	----	----	----/0.0405A	0.0445B/0.0405A	----	0.0405 - 0.0070	.0942	----	----	3	----	164 UNCH
480	----	----	----/0.0450A	0.0495B/0.0450A	----	0.0440 - 0.0085	.1027	----	----	5	----	1238 + 2
485	----	----	----/0.0495A	0.0545B/0.0495A	----	0.0485 - 0.0095	.1129	----	----	3	----	8 + 2
490	----	----	----/0.0545A	0.0595B/0.0545A	----	0.0535 - 0.0105	.1241	----	----	2	----	64 + 2
495	----	----	----/0.0600A	0.0660B/0.0600A	----	0.0590 - 0.0115	.1364	----	----	35	----	35 + 28
500	----	----	----/0.0660A	0.0740B/0.0660A	----	0.0655 - 0.0125	.1502	----	----	----	----	569 UNCH
505	----	----	----/0.0730A	0.0820B/0.0730A	----	0.0725 - 0.0140	.1650	----	----	----	----	514 UNCH
510	0.0885	0.0885	0.0910/0.0805A	0.0910/0.0805A	----	0.0805 - 0.0150	.1813	----	----	34	----	169 + 28
515	----	----	----/0.0895A	0.1005B/0.0895A	----	0.0890 - 0.0170	.1986	----	----	----	----	27 UNCH
520	0.0975	0.0975	0.0975/0.0975	0.1120B/0.0975	----	0.0985 - 0.0185	.2173	----	----	2	----	146 UNCH
523	----	----	----/*0.1055A	0.1190B/*0.1055	----	0.1045 - 0.0195	.2291	----	----	----	----	3 UNCH
525	0.1135	0.1135	0.1135/0.1095A	0.1245B/0.1095A	----	0.1085 - 0.0210	.2371	----	----	42	----	2304 + 1
529	0.1245	0.1245	0.1245/*0.1195A	0.1350B/*0.1195	----	0.1175 NEW	.2542	----	----	5	----	5 + 5
530	----	----	----/0.1220A	0.1375B/0.1220A	----	0.1200 - 0.0225	.2587	----	----	----	----	129 UNCH
535	----	----	----/0.1355A	0.1525B/0.1355A	----	0.1320 - 0.0250	.2814	----	----	----	----	21 UNCH
540	----	----	----/0.1505A	0.1680B/0.1505A	----	0.1460 - 0.0265	.3059	----	----	----	----	45 UNCH
542	----	----	----/*0.1565A	0.1760B/*0.1565	----	0.1520 - 0.0270	.3162	----	----	----	----	1 UNCH
543	----	----	----/*0.1605A	0.1795B/*0.1605	----	0.1555 - 0.0265	.3216	----	----	----	----	10 UNCH
545	----	----	----/0.1665A	0.1860B/0.1665A	----	0.1620 - 0.0270	.3322	----	----	35	----	68 + 34
550	0.1875	0.1875	0.2060B/0.1820A	0.2060B/0.1820A	----	0.1800 - 0.0275	.3597	----	----	2	----	132 UNCH
551	----	----	----/*0.1870A	0.2095B/*0.1870	----	0.1840 - 0.0270	.3654	----	----	----	----	90 UNCH
555	----	----	----/0.2025A	0.2270B/0.2025A	----	0.2000 - 0.0270	.3883	----	----	----	----	11 UNCH
557	----	----	----/*0.2105A	0.2350B/*0.2105	----	0.2085 - 0.0270	.3999	----	----	----	----	50 UNCH
559	0.2265	0.2265	0.2265/*0.2190A	0.2440B/*0.2190	----	0.2170 NEW	.4115	----	----	2	----	2 + 2
560	----	----	0.2490B/0.2230A	0.2490B/0.2230A	----	0.2210 - 0.0275	.4174	----	----	----	----	3 UNCH
561	----	----	0.2535B/0.2275A	0.2535B/0.2275A	----	0.2255 NEW	.4233	----	----	1	----	1 + 1
565	----	----	0.2735B/0.2425A	0.2735B/0.2425A	----	0.2435 - 0.0285	.4470	----	----	35	----	162 + 21
570	----	----	0.2980B/0.2700A	0.2980B/0.2700A	----	0.2675 - 0.0295	.4770	----	----	----	----	6 UNCH
575	----	----	0.3255B/0.2950A	0.3255B/0.2950A	----	0.2930 - 0.0315	.5070	----	----	----	----	61 UNCH
580	----	----	0.3540B/0.3225A	0.3540B/0.3225A	----	0.3205 - 0.0330	.5370	----	----	----	----	15 UNCH
585	----	----	----/0.3530A	0.3840B/0.3530A	----	0.3495 - 0.0350	.5667	----	----	----	----	1 UNCH
590	----	----	----/0.3850A	0.4115B/0.3850A	----	0.3800 - 0.0365	.5956	----	----	----	----	2 UNCH
600	----	----	----/0.4535A	0.4825B/0.4535A	----	0.4460 - 0.0390	.6509	----	----	----	----	15 UNCH
602	----	----	----/0.4725A	0.4745B/0.4725A	----	0.4600 NEW	.6615	----	----	1	----	1 + 1
605	----	----	----/0.4880A	0.5190B/0.4880A	----	0.4810 - 0.0400	.6769	----	----	----	----	48 UNCH
610	----	----	----/0.5240A	0.5560B/0.5240A	----	0.5175 - 0.0400	.7020	----	----	----	----	20 UNCH
615	----	----	0.5955B/0.5610A	0.5955B/0.5610A	----	0.5550 - 0.0400	.7260	----	----	----	----	31 UNCH
620	----	----	----/0.5995A	0.6220B/0.5995A	----	0.5940 - 0.0395	.7484	----	----	----	----	9 UNCH
630	----	----	----/0.6840A	0.7050B/0.6840A	----	0.6745 - 0.0390	.7893	----	----	----	----	9 UNCH
645	----	----	----/0.8170A	0.8195B/0.8170A	----	0.8030 - 0.0375	.8390	----	----	----	----	1 UNCH
650	----	----	----/0.8615A	0.8635B/0.8615A	----	0.8470 - 0.0370	.8529	----	----	----	----	3 UNCH
655	----	----	----/0.9065A	0.9080B/0.9065A	----	0.8920 - 0.0370	.8658	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.3155 - 0.0345	.9379	----	----	----	----	1 UNCH
TOTAL										389		8462 + 166
JUL26												
350	----	----	----	0.0015B/0.0145A	----	0.0080 - 0.0015	.0148	----	----	----	----	5 UNCH
380	----	----	----	0.0105B/0.0185A	----	0.0125 - 0.0025	.0240	----	----	----	----	2 UNCH
390	----	----	----	0.0115B/0.0210A	----	0.0150 - 0.0025	.0289	----	----	----	----	6 UNCH
395	----	----	----	0.0125B/0.0220A	----	0.0160 NEW	.0311	----	----	1	----	1 + 1
400	----	----	----	0.0180B/0.0235A	----	0.0175 - 0.0030	.0340	----	----	----	----	509 UNCH
415	----	----	----	0.0185B/0.0265A	----	0.0225 - 0.0035	.0440	----	----	----	----	52 UNCH
420	----	----	----	0.0205B/0.0285A	----	0.0245 - 0.0035	.0479	----	----	----	----	4 UNCH
425	----	----	----	0.0245B/0.0310A	----	0.0265 - 0.0035	.0520	----	----	----	----	50 UNCH
430	----	----	----	0.0250B/0.0330A	----	0.0290 - 0.0040	.0569	----	----	----	----	8 UNCH
435	----	----	----/0.0355A	0.0335B/0.0355A	----	0.0320 - 0.0040	.0624	----	----	----	----	4 UNCH
440	----	----	----	0.0375B/0.0390A	----	0.0345 - 0.0045	.0675	----	----	----	----	1 UNCH
445	----	----	----/0.0420A	0.0415B/0.0420A	----	0.0380 - 0.0050	.0740	----	----	1	----	1 UNCH
450	----	----	----/0.0455A	0.0455B/0.0455A	----	0.0415 - 0.0055	.0807	----	----	1	----	1924 + 1
455	----	----	----/0.0490A	0.0500B/0.0490A	----	0.0450 - 0.0065	.0875	----	----	----	----	6 UNCH
460	----	----	----/0.0535A	0.0555B/0.0535A	----	0.0495 - 0.0070	.0956	----	----	----	----	1 UNCH
470	----	----	----/0.0630A	0.0660B/0.0630A	----	0.0590 - 0.0080	.1131	----	----	1	----	3 + 1
475	----	----	----/0.0685A	0.0725B/0.0685A	----	0.0645 - 0.0085	.1229	----	----	----	----	177 UNCH
480	----	----	0.0795B/0.0750A	0.0795B/0.0750A	----	0.0705 - 0.0085	.1335	----	----	----	----	68 UNCH
490	----	----	0.0960B/0.0865A	0.0960B/0.0865A	----	0.0845 - 0.0090	.1574	----	----	----	----	518 UNCH
495	----	----	0.1035B/0.0965A	0.1035B/0.0965A	----	0.0920 - 0.0100	.1703	----	----	----	----	96 UNCH
500	0.1015	0.1015	0.1150B/0.1010	0.1150B/0.1010	----	0.1010 - 0.0105	.1847	----	----	30	----	2871 - 12
505	----	----	0.1235B/0.1150A	0.1235B/0.1150A	----	0.1100 - 0.0115	.1994	----	----	----	----	2 UNCH
510	----	----	0.1355B/0.1250A	0.1355B/0.1250A	----	0.1205 - 0.0125	.2156	----	----	----	----	31 UNCH
520	0.1500	0.1500	0.1625B/0.1450A	0.1625B/0.1450A	----	0.1435 - 0.0155	.2503	----	----	2	----	620 UNCH
525	0.1665	0.1665	0.1770B/0.1580A	0.1770B/0.1580A	----	0.1565 - 0.0165	.2691	----	----	251	----	755 + 251
530	0.1910	0.1910	0.1925B/0.1720A	0.1925B/0.1720A	----	0.1705 - 0.0175	.2887	----	----	11	----	3215 + 4
534	0.1930	0.1930	0.2030B/*0.1880	0.2030B/*0.1880	----	0.1830 NEW	.3053	----	----	1	----	1 + 1
535	----	----	0.2065B/0.1910A	0.2065B/0.1910A	----	0.1860 - 0.0185	.3094	----	----	----	----	1 UNCH
539	0.2100	0.2100	0.2215B/*0.2045	0.2215B/*0.2045	----	0.1990 NEW	.3265	----	----	1	----	1 + 1
540	----	----	0.2275B/0.2040A	0.2275B/0.2040A	----	0.2025 - 0.0190	.3309	----	----	----	----	448 UNCH
550	----	----	0.2665B/0.2410A	0.2665B/0.2410A	----	0.2390 - 0.0215	.3758	----	----	----	----	167 UNCH
555	----	----	0.2850B/0.2645A	0.2850B/0.2645A	----	0.2595 - 0.0225	.3992	----	----	30	----	30 + 29
560	0.2865	0.2865	0.3090B/0.2865	0.3090B/0.2865	----	0.2815 - 0.0235	.4230	----	----	32	----	42 + 32
565	----	----	0.3335B/0.3095A	0.3335B/0.3095A	----	0.3050 - 0.0245	.4471	----	----	----	----	7 UNCH
570	----	----	0.3595B/0.3345A	0.3595B/0.3345A	----	0.3300 - 0.0255	.4713	----	----	----	----	30 UNCH
574	----	----	----/*0.3555A	0.3765B/*0.3555	----	0.3515 NEW	.4907	----	----	5	----	5 + 5
580	----	----	0.4150B/0.3860A	0.4150B/0.3860A	----	0.3850 - 0.0255	.5193	----	----	----	----	1735 UNCH
585	----	----	0.4435B/0.4185A	0.4435B/0.4185A	----	0.4140 - 0.0260	.5429	----	----	----	----	21 UNCH
590	----	----	0.4750B/0.4475A	0.4750B/0.4475A	----	0.4445 - 0.0265	.5662	----	----	----	----	21 UNCH
595	----	----	----/0.4835A	0.5020B/0.4835A	----	0.4755 - 0.0275	.5892	----	----	----	----	1 UNCH
600	----	----	0.5370B/0.5120A	0.5370B/0.5120A	----	0.5075 - 0.0280	.6117	----	----	----	----	10 UNCH
610	----	----	0.6075B/0.5830A	0.6075B/0.5830A	----	0.5745 - 0.0305	.6555	----	----	----	----	47 UNCH
615	----	----	0.6435B/0.6180A	0.6435B/0.6180A	----	0.6095 - 0.0315	.6763	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.3345 - 0.0335	.8971	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.3815 - 0.0335	.9039	----	----	----	----	1 UNCH
TOTAL										367		13509 + 314
AUG26												
405	----	----	----	0.0185B/0.0365A	----	0.0275 - 0.0020	.0464	----	----	----	----	3 UNCH
420	----	----	----	0.0260B/0.0440A	----	0.0350 - 0.0035	.0589	----	----	----	----	1 UNCH
440	----	----	----	0.0420B/0.0575A	----	0.0490 - 0.0055	.0813	----	----	----	----	7 UNCH
450	----	----	----	0.0525B/0.0660A	----	0.0580 - 0.0065	.0952	----	----	----	----	4 UNCH
480	----	----	----/0.1025A	0.0945B/0.1025A	----	0.0955 - 0.0095	.1499	----	----	----	----	4 UNCH
500	----	----	----/0.1385A	0.1325B/0.1385A	----	0.1310 - 0.0125	.1982	----	----	----	----	3 UNCH
510	----	----	----/0.1605A	0.1560B/0.1605A	----	0.1530 - 0.0145	.2263	----	----	----	----	1 UNCH
520	----	----	----/0.1855A	0.1825B/0.1855A	----	0.1785 - 0.0160	.2572	----	----	----	----	300 UNCH
530	----	----	----/0.2145A	0.2145B/0.2145A	----	0.2075 - 0.0185	.2906	----	----	----	----	1 UNCH
580	----	----	----/0.4275A	0.4390B/0.4275A	----	0.4185 - 0.0275	.4838	----	----	----	----	250 UNCH
585	----	----	----/0.4545A	0.4675B/0.4545A	----	0.4455 - 0.0285	.5039	----	----	----	----	5 UNCH
590	----	----	----/0.4830A	0.4975B/0.4830A	----	0.4735 - 0.0295	.5238	----	----	----	----	14 UNCH
TOTAL												593
SEP26												
400	----	----	----	0.0225B/0.0445A	----	0.0305 - 0.0015	.0485	----	----	----	----	1 UNCH
450	----	----	----	0.0685B/0.0870A	----	0.0715 - 0.0065	.1071	----	----	----	----	578 UNCH
470	----	----	----	0.0995B/0.1145A	----	0.1005 - 0.0080	.1442	----	----	----	----	3 UNCH
475	----	----	----	0.1080B/0.1220A	----	0.1085 - 0.0085	.1543	----	----	----	----	70 UNCH
480	----	----	----	0.1175B/0.1310A	----	0.1165 - 0.0100	.1646	----	----	----	----	7 UNCH
490	----	----	----	0.1290B/0.1550A	----	0.1345 - 0.0130	.1870	----	----	----	----	9 UNCH
500	----	----	----	0.1525B/0.1770A	----	0.1550 - 0.0160	.2118	----	----	----	127	377 - 127
520	0.2340	0.2340	0.2340/0.2140	0.2340/0.2140	----	0.2050 - 0.0225	.2682	----	----	6	----	3 - 5
540	----	----	----/0.2890A	0.2895B/0.2890A	----	0.2745 - 0.0235	.3345	----	----	----	----	1 UNCH
550	----	----	----/0.3295A	0.3325B/0.3295A	----	0.3165 - 0.0230	.3698	----	----	----	----	20 UNCH
575	----	----	----/0.4480A	0.4545B/0.4480A	----	0.4380 - 0.0215	.4598	----	----	----	----	102 UNCH
590	----	----	----/0.5290A	0.5370B/0.5290A	----	0.5200 - 0.0225	.5135	----	----	----	----	2 UNCH
600	----	----	----/0.5875A	0.5970B/0.5875A	----	0.5785 - 0.0235	.5487	----	----	----	----	9 UNCH
610	----	----	----/0.6495A	0.6565B/0.6495A	----	0.6405 - 0.0245	.5831	----	----	----	----	6 UNCH
615	----	----	----/0.6910A	0.6895B/0.6910A	----	0.6725 - 0.0255	.6000	----	----	----	----	1 UNCH
625	----	----	----/0.7580A	0.7585B/0.7580A	----	0.7400 - 0.0265	.6326	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.2935 - 0.0300	.8075	----	----	----	----	2 UNCH
TOTAL									127	6		1338 - 132
OCT26												
375	----	----	----	0.0150B/0.0440A	----	0.0260 + 0.0020	.0371	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
OCT26												
400	----	----	----	0.0270B/0.0550A	----	0.0375 + 0.0010	.0534	----	----	----	----	1 UNCH
450	----	----	----	0.0775B/0.1025A	----	0.0825 - 0.0025	.1109	----	----	----	----	1 UNCH
470	----	----	----	0.1095B/0.1315A	----	0.1130 - 0.0035	.1457	----	----	----	----	1 UNCH
500	----	----	----	0.1625B/0.1965A	----	0.1740 - 0.0085	.2102	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0340B/0.0685A	----	0.0470 UNCH	.0616	----	----	----	----	10 UNCH
475	----	----	----	0.1355B/0.1690A	----	0.1450 - 0.0080	.1680	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.6305 - 0.0310	.8040	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0330B/0.0690A	----	0.0445 + 0.0025	.0553	----	----	----	----	1 UNCH
400	----	----	----	0.0420B/0.0800A	----	0.0555 + 0.0010	.0682	----	----	----	----	16 UNCH
420	----	----	----	0.0625B/0.1005A	----	0.0745 - 0.0010	.0894	----	----	----	----	2 UNCH
455	----	----	----	0.1115B/0.1525A	----	0.1245 - 0.0040	.1402	----	----	----	----	1 UNCH
475	----	----	----	0.1510B/0.1900A	----	0.1640 - 0.0060	.1769	----	----	----	----	77 UNCH
490	----	----	----	0.1870B/0.2230A	----	0.1995 - 0.0080	.2080	----	----	----	----	5 UNCH
500	----	----	----	0.2140B/0.2490A	----	0.2260 - 0.0095	.2302	----	----	----	----	62 UNCH
550	----	----	----	0.3930B/0.4220A	----	0.4035 - 0.0145	.3578	----	----	----	----	2 UNCH
560	----	----	----	0.4400B/0.4670A	----	0.4490 - 0.0150	.3855	----	----	----	----	300 UNCH
570	----	----	----	0.4900B/0.5160A	----	0.4975 - 0.0150	.4134	----	----	----	----	1 UNCH
580	----	----	----	0.5425B/0.5675A	----	0.5485 - 0.0160	.4414	----	----	----	----	2 UNCH
600	----	----	----	0.6565B/0.6790A	----	0.6600 - 0.0175	.4965	----	----	----	----	26 UNCH
630	----	----	----/0.8640A	0.8465B/0.8640A	----	0.8460 - 0.0205	.5753	----	----	----	----	18 UNCH
TOTAL												513
JAN27												
400	----	----	----	----	----	0.0500 - 0.0025	.0620	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0570 - 0.0030	.0671	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0160 - 0.0010	.0164	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
555	----	----	0.1520B/0.1320A	0.1520B/0.1320A	----	0.1575 + 0.0090	.6623	----	----	----	----	1 UNCH
560	----	----	0.1245B/0.1060A	0.1245B/0.1060A	----	0.1270 + 0.0065	.5842	----	----	----	----	3 UNCH
567	0.0830	0.0830	0.0890B/0.0755A	0.0890B/0.0755A	----	0.0905 + 0.0035	.4697	----	----	6	----	5 - 1
570	0.0800	0.0800	0.0800/0.0650A	0.0800/0.0650A	----	0.0770 NEW	.4205	----	----	1	----	1 + 1
574	----	----	0.0980B/0.0845A	0.0980B/0.0845A	----	0.0980 + 0.0035	.4030	----	----	----	----	1 UNCH
575	----	----	----/0.0500A	0.0550B/0.0500A	----	0.0580 UNCH	.3416	----	----	----	----	4 UNCH
580	----	----	----/0.0385A	0.0395B/0.0385A	----	0.0430 NEW	.2700	----	----	1	----	1 + 1
580	----	----	0.0755B/0.0670A	0.0755B/0.0670A	----	0.0765 + 0.0015	.3368	----	----	----	----	5 UNCH
580	----	----	0.1025B/0.0915A	0.1025B/0.0915A	----	0.0995 - 0.0010	.3653	----	----	----	----	2 UNCH
589	----	----	----/0.0255A	0.0205B/0.0255A	----	0.0245 - 0.0030	.1673	----	----	----	----	2 UNCH
590	----	----	----/0.0460A	0.0480B/0.0460A	----	0.0500 UNCH	.2409	----	----	----	----	5 UNCH
610	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0095A	----	0.0065 NEW	.0476	----	----	100	----	100 + 100
630	----	----	----	----/*0.0100A	----	0.0020 - 0.0010	.0142	----	----	----	----	2 UNCH
640	----	----	----	----/0.0130A	----	0.0070 - 0.0010	.0386	----	----	----	----	3 UNCH
670	----	----	----	----/0.0130A	----	0.0020 - 0.0005	.0113	----	----	----	----	3 UNCH
TOTAL										108		138 + 101
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/0.0155A	----	0.0005 - 0.0010	.0026	----	----	----	----	2 UNCH
490	----	----	----	0.0060B/0.0180A	----	0.0095 - 0.0035	.0412	----	----	----	----	2 UNCH
505	0.0130	0.0130	0.0130/*0.0050	0.0130/*0.0050	----	0.0060 NEW	.0324	----	----	2	----	0 UNCH
510	----	----	----/*0.0260A	0.0160B/*0.0260	----	0.0205 - 0.0060	.0878	----	----	----	----	25 UNCH
520	----	----	----/*0.0185A	0.0095B/*0.0185	----	0.0125 - 0.0075	.0694	----	----	----	----	31 UNCH
526	----	----	----/*0.0220A	0.0125B/*0.0220	----	0.0155 - 0.0085	.0888	----	----	----	----	1 UNCH
535	----	----	----/*0.0285A	0.0210B/*0.0285	----	0.0220 - 0.0120	.1311	----	----	----	----	7 UNCH
540	----	----	----/*0.0345A	0.0285B/*0.0345	----	0.0270 NEW	.1638	----	----	2	----	2 + 2
545	----	----	----/*0.0430A	0.0400B/*0.0430	----	0.0350 NEW	.2098	----	----	2	----	2 + 2
550	----	----	----/*0.0540A	0.0540B/*0.0540	----	0.0460 - 0.0210	.2677	----	----	----	----	4 UNCH
551	0.0720	0.0720	0.0720/*0.0570A	0.0720/*0.0570A	----	0.0490 - 0.0210	.2815	----	----	1	----	0 - 1
555	----	----	----/*0.0690A	0.0740B/*0.0690	----	0.0610 - 0.0240	.3374	----	----	----	----	1 UNCH
570	----	----	----/0.1360A	0.1510B/0.1360A	----	0.1305 - 0.0305	.5792	----	----	----	----	1 UNCH
TOTAL										7		78 + 3

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	----	34.20B/39.40A	----	35.10 - 4.00	.3311	----	----	----	----	5 UNCH
1585	----	----	----	31.40B/37.30A	----	32.70 - 3.80	.3117	----	----	----	----	1 UNCH
1600	----	----	----	27.60B/34.50A	----	29.40 - 3.50	.2844	----	----	----	----	31 UNCH
1800	----	----	----	6.00B/16.50A	----	8.10 - 0.80	.0838	----	----	----	----	4 UNCH
1900	----	----	----	----/13.60A	----	4.30 - 0.60	.0450	----	----	----	----	20 UNCH
1925	----	----	----	----/13.10A	----	3.70 - 0.60	.0387	----	----	----	----	10 UNCH
1950	----	----	----	----/12.60A	----	3.10 - 0.60	.0326	----	----	----	----	40 UNCH
2475	----	----	----	----/8.70A	----	0.30 - 0.10	.0027	----	----	----	----	100 UNCH
TOTAL												211 0
JUN26												
1400	----	----	169.60B/159.90A	169.60B/159.90A	----	160.20 - 3.70	.6722	----	----	----	----	75 UNCH
1440	----	----	----/140.30A	131.50B/140.30A	----	138.40 - 4.50	.6148	----	----	----	----	1 UNCH
1460	----	----	----/131.30A	132.70B/131.30A	----	128.40 - 4.90	.5860	----	----	----	----	25 UNCH
1500	107.70	107.70	117.50B/104.90	117.50B/104.90	----	110.00 - 5.70	.5290	----	----	50	----	110 + 50
1525	----	----	106.60B/104.40A	106.60B/104.40A	----	99.60 - 6.20	.4942	----	----	----	----	5 UNCH
1550	94.00	94.00	96.50B/94.00	96.50B/94.00	----	90.10 - 6.60	.4604	----	----	1	----	11 + 1
1575	----	----	----/86.90A	87.00B/86.90A	----	81.30 - 7.10	.4276	----	----	----	----	15 UNCH
1600	----	----	----/79.20A	78.20B/79.20A	----	73.40 - 7.30	.3964	----	----	20	----	20 + 17
1655	----	----	----/64.90A	61.30B/64.90A	----	58.50 - 7.70	.3330	----	----	----	----	1 UNCH
1700	54.40	54.40	54.40/54.00A	54.40/54.00A	----	48.90 - 7.50	.2879	----	----	25	----	25 + 25
1750	----	----	----	39.90B/47.60A	----	40.40 - 6.90	.2450	----	----	----	----	10 UNCH
1800	----	----	----	32.10B/41.30A	----	33.80 - 5.90	.2093	----	----	----	----	110 UNCH
1850	----	----	----	26.10B/36.40A	----	28.70 - 4.70	.1801	----	----	----	----	2 UNCH
1900	----	----	----	21.30B/32.50A	----	24.70 - 3.40	.1562	----	----	----	----	64 UNCH
1925	----	----	----	19.40B/30.90A	----	23.00 - 2.90	.1458	----	----	----	----	40 UNCH
1950	----	----	----	17.70B/29.50A	----	21.50 - 2.40	.1364	----	----	----	----	10 UNCH
2000	----	----	----	14.70B/27.00A	----	19.00 - 1.40	.1204	----	----	----	----	106 UNCH
2100	----	----	----	9.90B/23.30A	----	14.20 - 1.00	.0914	----	----	----	----	52 UNCH
2200	----	----	----	6.50B/20.70A	----	10.80 - 1.00	.0703	----	----	----	----	7 UNCH
2300	----	----	----	4.00B/18.70A	----	8.50 - 0.90	.0554	----	----	----	----	30 UNCH
2400	----	----	----	2.10B/17.20A	----	6.90 - 0.80	.0448	----	----	----	----	7 UNCH
2500	----	----	----	0.50B/16.00A	----	5.30 - 0.60	.0349	----	----	----	----	25 UNCH
2700	----	----	----	----/14.10A	----	3.30 - 0.40	.0220	----	----	----	----	50 UNCH
3000	----	----	----	----/12.40A	----	1.70 - 0.30	.0115	----	----	----	----	30 UNCH
3500	----	----	----	----/10.70A	----	0.60 - 0.10	.0041	----	----	----	----	25 UNCH
TOTAL										96		856 + 93
SEP26												
1400	----	----	#238.10B/----	#238.10B/236.70	----	234.30 + 1.00	.6618	----	----	----	----	75 UNCH
1575	----	----	#162.10B/----	#162.10B/168.40	----	161.60 + 0.50	.5118	----	----	----	----	25 UNCH
1700	----	----	----	#122.60B/133.20	----	124.00 - 1.40	.4194	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
1900	77.00	77.00	#78.90B/*77.00	#78.90B/77.00	----	83.50 NEW	.3039	----	----	5	----	5 + 5
2100	----	----	----	#53.00B/70.70A	----	58.70 - 1.70	.2236	----	----	----	----	25 UNCH
2400	----	----	----	38.00B/47.00A	----	39.00 - 1.60	.1518	----	----	----	----	20 UNCH
2550	----	----	----	#25.50B/45.00A	----	33.10 - 1.40	.1289	----	----	----	----	50 UNCH
TOTAL										5		205 + 5
DEC26												
2000	----	----	----	----	----	161.60 + 2.30	.3880	----	----	----	----	1 UNCH
3000	----	----	----	----	----	101.50 + 1.10	.2330	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/12.40A	----	2.60 - 2.50	.0349	----	----	----	----	40 UNCH
1300	----	----	----	0.90B/15.30A	----	5.60 - 4.20	.0716	----	----	----	----	1 UNCH
1400	----	----	----/29.80A	21.00B/29.80A	----	22.60 - 8.60	.2358	----	----	----	----	22 UNCH
1450	----	----	----/45.80A	42.50B/45.80A	----	40.60 - 10.30	.3620	----	----	----	----	2 UNCH
1500	----	----	----/69.10A	71.70B/69.10A	----	65.70 - 11.30	.4948	----	----	----	----	2 UNCH
1550	----	----	----/98.50A	107.00B/98.50A	----	97.70 - 11.10	.6163	----	----	----	----	100 UNCH
1675	----	----	213.40B/192.40A	213.40B/192.40A	----	198.50 - 8.50	.8197	----	----	----	----	100 UNCH
1820	----	----	----	----	----	332.50 - 7.50	.9261	----	----	----	----	25 UNCH
TOTAL												292 0
JUN26												
1200	----	----	----	10.50B/23.60A	----	14.00 - 5.30	.0975	----	----	----	----	15 UNCH
1250	----	----	----	19.60B/30.80A	----	21.50 - 6.90	.1401	----	----	----	----	1 UNCH
1300	----	----	----	32.30B/41.80A	----	32.30 - 8.40	.1939	----	----	----	----	75 UNCH
1335	----	----	----	43.80B/51.90A	----	42.30 - 9.20	.2378	----	----	----	----	1 UNCH
1400	----	----	----/76.00A	70.40B/76.00A	----	66.40 - 10.40	.3276	----	----	----	----	185 UNCH
1440	----	----	----/94.30A	90.10B/94.30A	----	84.40 - 11.20	.3850	----	----	----	----	4 UNCH
1450	----	----	----/99.20A	95.50B/99.20A	----	89.30 - 11.30	.3994	----	----	----	----	76 UNCH
1460	----	----	----/104.10A	100.90B/104.10A	----	94.30 - 11.60	.4138	----	----	----	----	25 UNCH
1750	----	----	310.80B/295.20A	310.80B/295.20A	----	295.20 - 13.60	.7548	----	----	----	----	1 UNCH
1900	----	----	446.50B/424.50A	446.50B/424.50A	----	429.00 - 10.10	.8436	----	----	----	----	50 UNCH
TOTAL												433 0
SEP26												
1465	----	----	----	153.60B/*165.70	----	153.40 - 5.70	.3956	----	----	----	----	150 UNCH
1575	----	----	----	222.40B/*230.80	----	219.80 - 6.20	.4878	----	----	----	----	25 UNCH
1650	----	----	----	274.20B/*280.10	----	270.20 - 7.30	.5450	----	----	----	----	50 UNCH
1925	----	----	----/*488.60A	493.10B/*488.60	----	484.50 - 8.80	.7075	----	----	----	----	75 UNCH
TOTAL												300 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1500	----	----	----/53.10A	54.20B/53.10A	----	52.10 - 2.80	.4997	----	----	----	----	2 UNCH
1600	----	----	----	32.40B/39.40A	----	34.10 - 3.20	.3027	----	----	----	----	1 UNCH
TOTAL												3 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----/*30.40A	27.70B/*30.40A	----	25.40 - 5.70	.1594	----	----	----	----	27 UNCH
1765	----	----	----/*22.50A	18.90B/*22.50A	----	17.50 - 5.40	.1332	----	----	----	----	27 UNCH
1790	----	----	----/*26.70A	24.20B/*26.70A	----	21.70 - 6.10	.1603	----	----	----	----	27 UNCH
1840	----	----	----/*37.50A	37.60B/*37.50A	----	32.20 - 8.10	.2237	----	----	----	----	27 UNCH
1940	----	----	----/49.20A	56.40B/49.20A	----	44.00 - 13.40	.3605	----	----	----	----	35 UNCH
1955	----	----	----/70.30A	74.20B/70.30A	----	84.80 + 5.30	.6028	----	----	----	----	10 UNCH
1975	----	----	70.60B/61.20A	70.60B/61.20A	----	73.80 + 4.30	.5529	----	----	----	----	4 UNCH
2050	----	----	----/35.30A	37.80B/35.30A	----	41.30 + 2.20	.3677	----	----	----	----	20 UNCH
2090	----	----	----	----	----	129.70 - 18.40	.7183	----	----	----	----	18 UNCH
2100	----	----	----/24.80A	23.40B/24.80A	----	27.10 + 0.80	.2623	----	----	----	----	12 UNCH
2120	----	----	----/51.80A	52.60B/51.80A	----	57.40 + 3.30	.3394	----	----	----	----	27 UNCH
2150	----	----	220.30B/197.60A	220.30B/197.60A	----	194.00 - 17.80	.7437	----	----	----	----	12 UNCH
2155	----	----	----	----	----	198.00 - 17.80	.7500	----	----	----	----	12 UNCH
2160	----	----	----/29.70A	27.40B/29.70A	----	31.90 + 1.50	.2435	----	----	----	----	12 UNCH
2160	----	----	----	----	----	202.00 - 17.90	.7564	----	----	----	----	12 UNCH
2345	----	----	----	----/8.90A	----	4.40 - 0.50	.0450	----	----	----	----	1 UNCH
TOTAL												283 0
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	248.30B/221.60A	248.30B/221.60A	----	250.30 + 15.90	.9036	----	----	----	----	19 UNCH
1800	----	----	204.80B/180.80A	204.80B/180.80A	----	207.40 + 14.20	.8510	----	----	----	----	18 UNCH
1850	----	----	164.00B/144.20A	164.00B/144.20A	----	167.20 + 11.50	.7833	----	----	----	----	2 UNCH
1875	----	----	145.20B/127.60A	145.20B/127.60A	----	148.70 + 10.10	.7429	----	----	1	----	0 - 1
1950	----	----	96.80B/85.30A	96.80B/85.30A	----	100.70 + 6.20	.6008	----	----	----	----	3 UNCH
2000	----	----	----/63.30A	71.00B/63.30A	----	75.10 + 3.70	.4982	----	----	1	----	285 + 1
2025	----	----	----/54.10A	60.00B/54.10A	----	64.00 + 2.40	.4472	----	----	----	----	50 UNCH
2040	----	----	----/49.20A	54.00B/49.20A	----	58.00 + 1.70	.4172	----	----	----	----	50 UNCH
2045	----	----	----/47.70A	52.10B/47.70A	----	56.10 + 1.50	.4074	----	----	----	----	50 UNCH
2050	----	----	----/46.20A	50.20B/46.20A	----	54.20 + 1.20	.3975	----	----	----	----	111 UNCH
2055	----	----	----/44.70A	48.40B/44.70A	----	52.40 + 1.00	.3879	----	----	----	----	57 UNCH
2060	----	----	----/43.40A	46.70B/43.40A	----	50.70 + 0.90	.3784	----	----	----	----	7 UNCH
2065	----	----	----/42.00A	45.00B/42.00A	----	49.00 + 0.70	.3689	----	----	----	----	14 UNCH
2070	----	----	----/40.70A	43.30B/40.70A	----	47.30 + 0.50	.3595	----	----	----	----	14 UNCH
2075	----	----	----/39.40A	41.70B/39.40A	----	45.70 + 0.30	.3503	----	----	----	----	21 UNCH
2080	----	----	----/38.20A	40.10B/38.20A	----	44.20 + 0.20	.3413	----	----	----	----	20 UNCH
2090	----	----	----/35.90A	37.20B/35.90A	----	41.20 - 0.10	.3235	----	----	----	----	7 UNCH
2095	----	----	----/34.80A	35.70B/34.80A	----	39.80 - 0.20	.3148	----	----	----	----	7 UNCH
2100	28.50	28.50	30.00/28.50	34.40B/28.50	----	38.40 - 0.30	.3062	----	----	10	----	232 + 5
2105	----	----	----/32.80A	33.00B/32.80A	----	37.10 - 0.40	.2979	----	----	----	----	7 UNCH
2110	----	----	----/31.80A	31.80B/31.80A	----	35.90 - 0.40	.2899	----	----	----	----	37 UNCH
2115	----	----	----/30.90A	30.50B/30.90A	----	34.70 - 0.40	.2820	----	----	----	----	22 UNCH
2120	----	----	----/29.90A	29.30B/29.90A	----	33.50 - 0.50	.2741	----	----	----	----	14 UNCH
2125	----	----	----/29.10A	28.20B/29.10A	----	32.40 - 0.50	.2666	----	----	----	----	14 UNCH
2130	----	----	----/28.20A	27.10B/28.20A	----	31.30 - 0.50	.2591	----	----	----	----	107 UNCH
2135	----	----	----/27.40A	26.00B/27.40A	----	30.20 - 0.60	.2516	----	----	----	----	7 UNCH
2140	----	----	----/26.70A	25.00B/26.70A	----	29.20 - 0.60	.2446	----	----	----	----	7 UNCH
2145	----	----	----/25.90A	24.00B/25.90A	----	28.20 - 0.60	.2375	----	----	----	----	7 UNCH
2150	----	----	----/25.20A	23.00B/25.20A	----	27.30 - 0.60	.2309	----	----	----	----	119 UNCH
2155	----	----	----/24.50A	22.10B/24.50A	----	26.40 - 0.60	.2244	----	----	----	----	7 UNCH
2160	----	----	----/23.80A	21.20B/23.80A	----	25.50 - 0.60	.2178	----	----	----	----	13 UNCH
2170	----	----	----/22.60A	19.50B/22.60A	----	23.90 - 0.50	.2057	----	----	----	----	75 UNCH
2175	21.00	21.00	21.50/18.20A	21.50/18.20A	----	23.10 - 0.50	.1997	----	----	20	----	13 + 3
2200	19.10	19.10	20.10/19.10	20.10/19.10	----	19.60 - 0.30	.1725	----	----	200	----	206 + 181
2215	----	----	----	13.40B/18.10A	----	17.80 - 0.20	.1580	----	----	----	----	20 UNCH
2220	----	----	----	12.80B/17.70A	----	17.30 - 0.10	.1537	----	----	----	----	21 UNCH
2245	----	----	----	10.30B/15.90A	----	14.80 + 0.20	.1329	----	----	----	----	10 UNCH
2250	----	----	----	9.80B/15.60A	----	14.40 + 0.30	.1294	----	----	----	----	29 UNCH
2260	----	----	----	9.00B/15.00A	----	13.60 + 0.40	.1224	----	----	----	----	10 UNCH
2265	----	----	----	8.50B/14.70A	----	13.20 + 0.50	.1190	----	----	----	----	10 UNCH
2270	----	----	----	8.10B/14.40A	----	12.80 + 0.50	.1156	----	----	----	----	183 UNCH
2275	----	----	----	7.70B/14.20A	----	12.40 + 0.50	.1122	----	----	----	----	10 UNCH
2280	----	----	----	7.40B/13.90A	----	12.10 + 0.70	.1094	----	----	----	----	10 UNCH
2285	----	----	----	7.00B/13.70A	----	11.80 + 0.80	.1066	----	----	----	----	10 UNCH
2300	----	----	----	6.00B/13.00A	----	10.80 + 0.90	.0979	----	----	----	----	14 UNCH
2315	----	----	----	5.10B/12.40A	----	10.00 + 1.10	.0906	----	----	----	----	10 UNCH
2320	----	----	----	4.80B/12.20A	----	9.70 + 1.10	.0880	----	----	----	----	4 UNCH
2330	----	----	----	4.30B/11.90A	----	9.20 + 1.20	.0834	----	----	----	----	10 UNCH
2350	----	----	----	3.40B/11.20A	----	8.30 + 1.20	.0752	----	----	----	----	1 UNCH
2360	----	----	----	3.00B/10.90A	----	7.90 + 1.30	.0714	----	----	----	----	10 UNCH
2390	----	----	----	1.90B/10.20A	----	6.50 + 1.20	.0594	----	----	----	----	21 UNCH
2400	----	----	----	2.00B/9.90A	----	6.00 + 1.00	.0552	----	----	----	----	5 UNCH
2450	----	----	----	0.30B/9.00A	----	4.20 + 0.70	.0394	----	----	----	----	160 UNCH
2500	----	----	----	----/8.20A	----	3.00 + 0.50	.0284	----	----	----	----	170 UNCH
2700	----	----	----	----/*6.50A	----	1.00 + 0.20	.0093	----	----	----	----	110 UNCH
2730	----	----	----	----/*6.40A	----	0.80 + 0.10	.0074	----	----	----	----	1 UNCH
2750	----	----	----	----/*6.30A	----	0.70 + 0.10	.0065	----	----	----	----	2 UNCH
2800	----	----	----	----/6.10A	----	0.50 + 0.10	.0046	----	----	----	----	1 UNCH
2880	----	----	----	----/5.80A	----	0.30 UNCH	.0028	----	----	----	----	1 UNCH
3000	----	----	----	----/*5.50A	----	0.10 UNCH	.0009	----	----	----	----	2 UNCH
3050	----	----	----	----/*5.40A	----	0.10 UNCH	.0006	----	----	----	----	2 UNCH
3150	----	----	----	----/*5.20A	----	0.10 UNCH	.0002	----	----	----	----	121 UNCH
TOTAL										232		2580 + 189
JUN26												
1900	----	----	193.90B/181.70A	193.90B/181.70A	----	197.20 + 10.30	.6322	----	----	----	----	1 UNCH
2000	----	----	142.50B/135.20A	142.50B/135.20A	----	147.50 + 8.10	.5270	----	----	----	----	20 UNCH
2100	----	----	102.60B/99.70A	102.60B/99.70A	----	108.10 + 5.60	.4258	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUN26												
2200	----	----	----/73.50A	73.10B/73.50A	----	78.80 + 4.30	.3360	----	----	----	----	200 UNCH
2300	55.80	55.80	55.80/53.00	55.80/53.00	----	56.70 + 2.90	.2596	----	----	64	----	317 + 57
2500	----	----	----	25.30B/31.20A	----	30.10 + 2.20	.1520	----	----	----	----	100 UNCH
2650	----	----	----	14.70B/22.20A	----	18.50 + 1.30	.0993	----	----	----	----	17 UNCH
TOTAL										64		656 + 57
JUL26												
1500	----	----	505.10B/479.20A	505.10B/479.20A	----	508.20 + 16.90	.9110	----	----	----	----	50 UNCH
1680	----	----	----	----	----	364.10 + 14.40	.8036	----	----	----	----	50 UNCH
1700	----	----	345.80B/328.10A	345.80B/328.10A	----	350.00 + 14.40	.7886	----	----	----	----	1 UNCH
1800	----	----	280.30B/266.30A	280.30B/266.30A	----	284.90 + 14.10	.7084	----	----	----	----	113 UNCH
1850	----	----	250.40B/237.90A	250.40B/237.90A	----	255.40 + 13.40	.6664	----	----	----	----	2 UNCH
1950	----	----	196.20B/187.60A	196.20B/187.60A	----	202.00 + 11.30	.5801	----	----	----	----	1 UNCH
2000	----	----	172.30B/165.70A	172.30B/165.70A	----	178.40 + 10.00	.5366	----	----	----	----	110 UNCH
2100	----	----	131.90B/129.50A	131.90B/129.50A	----	138.30 + 7.70	.4522	----	----	----	----	348 UNCH
2150	----	----	115.20B/114.50A	115.20B/114.50A	----	121.60 + 6.60	.4126	----	----	----	----	12 UNCH
2200	----	----	----	100.60B/101.50A	----	107.00 + 5.80	.3752	----	----	----	----	402 UNCH
2300	----	----	----	76.70B/79.90A	----	83.10 + 4.60	.3084	----	----	----	----	163 UNCH
2375	----	----	----	62.70B/67.20A	----	68.90 + 4.10	.2652	----	----	----	----	50 UNCH
2400	----	----	----	58.60B/63.40A	----	64.80 + 4.00	.2521	----	----	----	----	766 UNCH
2500	----	----	----	44.80B/50.90A	----	50.80 + 3.80	.2056	----	----	----	----	321 UNCH
2600	----	----	----	34.50B/41.30A	----	40.20 + 3.90	.1679	----	----	----	----	411 UNCH
2700	----	----	----	26.50B/34.20A	----	31.90 + 3.80	.1371	----	----	----	----	13 UNCH
2755	----	----	----	23.00B/31.10A	----	27.80 + 3.30	.1217	----	----	----	----	1 UNCH
2800	----	----	----	20.40B/28.80A	----	24.90 + 3.00	.1105	----	----	----	----	149 UNCH
2850	----	----	----	17.90B/26.60A	----	22.10 + 2.80	.0994	----	----	----	----	158 UNCH
2900	----	----	----	15.70B/24.70A	----	19.60 + 2.50	.0893	----	----	----	----	133 UNCH
3000	----	----	----	12.10B/21.60A	----	15.50 + 2.10	.0723	----	----	----	----	683 UNCH
3100	----	----	----	9.30B/19.10A	----	12.30 + 1.70	.0587	----	----	----	----	101 UNCH
3200	----	----	----	2.90B/21.30A	----	10.10 + 1.40	.0487	----	----	----	----	14 UNCH
3300	----	----	----	1.20B/19.80A	----	8.40 + 1.20	.0408	----	----	----	----	31 UNCH
3400	----	----	----	----/18.60A	----	7.10 + 1.00	.0347	----	----	----	----	32 UNCH
3500	----	----	----	----/17.60A	----	6.10 + 0.90	.0298	----	----	----	----	274 UNCH
3600	----	----	----	----/16.70A	----	5.30 + 0.80	.0259	----	----	----	----	300 UNCH
3800	----	----	----	0.60B/11.40A	----	4.20 + 0.60	.0204	----	----	----	----	12 UNCH
3900	----	----	----	----/10.90A	----	3.80 + 0.60	.0183	----	----	----	----	8 UNCH
4000	----	----	----	----/10.50A	----	3.50 + 0.50	.0167	----	----	----	----	221 UNCH
TOTAL												4930 0
OCT26												
1720	----	----	----	----	----	406.50 + 15.40	.7397	----	----	----	----	1 UNCH
1800	----	----	353.90B/343.80A	353.90B/343.80A	----	361.10 + 15.60	.6914	----	----	----	----	1 UNCH
2000	267.20	267.20	267.20/252.50A	267.20/252.50A	----	265.30 NEW	.5699	----	----	3	----	3 + 3
2200	----	----	185.20B/----	185.20B/186.50A	----	193.90 + 9.30	.4575	----	----	----	----	130 UNCH
2400	----	----	----	135.70B/140.90A	----	144.40 + 7.90	.3641	----	----	----	----	100 UNCH
2500	----	----	----	117.00B/123.60A	----	125.70 + 7.40	.3250	----	----	----	----	175 UNCH
2600	----	----	----	101.30B/109.00A	----	109.90 + 6.60	.2905	----	----	----	----	10 UNCH
2700	----	----	----	88.10B/96.60A	----	96.50 + 5.70	.2600	----	----	----	----	100 UNCH
2800	----	----	----	76.90B/86.10A	----	85.40 + 5.00	.2337	----	----	----	----	30 UNCH
2900	----	----	----	67.40B/77.10A	----	76.10 + 4.50	.2108	----	----	----	----	10 UNCH
3000	----	----	----	59.30B/69.40A	----	68.20 + 4.10	.1909	----	----	----	----	21 UNCH
3200	----	----	----	46.40B/57.10A	----	55.40 + 3.40	.1577	----	----	----	----	10 UNCH
3500	----	----	----	32.70B/44.50A	----	41.50 + 2.60	.1205	----	----	----	----	10 UNCH
TOTAL										3		601 + 3
JAN27												
2360	----	----	----	----	----	201.70 + 8.70	.4234	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	----	----	----	5.20B/*11.90A	----	6.30 - 2.50	.0586	----	----	----	----	1 UNCH
1725	----	----	----	7.90B/*13.80A	----	8.30 - 3.00	.0755	----	----	----	----	13 UNCH
1745	----	----	----	10.60B/*15.60A	----	10.30 - 3.50	.0916	----	----	----	----	15 UNCH
1750	----	----	----	11.30B/16.10A	----	10.90 - 3.60	.0963	----	----	----	----	76 UNCH
1780	----	----	----	16.30B/*19.80A	----	14.80 - 4.50	.1261	----	----	----	----	1 UNCH
1785	----	----	----	17.20B/*20.50A	----	15.60 - 4.60	.1319	----	----	----	----	1 UNCH
1800	----	----	----/22.70A	20.20B/22.70A	----	17.90 - 5.30	.1489	----	----	----	----	108 UNCH
1820	----	----	----/*26.30A	24.90B/*26.30A	----	21.40 - 6.30	.1739	----	----	----	----	100 UNCH
1825	----	----	----/27.30A	26.20B/27.30A	----	22.40 - 6.50	.1808	----	----	----	----	14 UNCH
1850	----	----	----/32.80A	33.20B/32.80A	----	27.70 - 7.90	.2166	----	----	----	----	63 UNCH
1855	----	----	----/*34.00A	34.70B/*34.00A	----	28.90 - 8.20	.2244	----	----	----	----	15 UNCH
1860	----	----	----/*35.30A	36.30B/*35.30A	----	30.10 - 8.50	.2322	----	----	----	----	100 UNCH
1875	----	----	----/39.30A	41.40B/39.30A	----	34.10 - 9.40	.2570	----	----	----	----	121 UNCH
1890	----	----	----/43.70A	47.00B/43.70A	----	38.50 - 10.20	.2831	----	----	----	----	22 UNCH
1895	----	----	----/45.30A	48.90B/45.30A	----	40.10 - 10.50	.2922	----	----	----	----	29 UNCH
1900	----	----	----/46.90A	50.90B/46.90A	----	41.80 - 10.70	.3016	----	----	----	----	131 UNCH
1905	----	----	----/48.60A	53.00B/48.60A	----	43.40 - 11.10	.3107	----	----	----	----	46 UNCH
1910	----	----	----/50.30A	55.10B/50.30A	----	45.20 - 11.30	.3202	----	----	----	----	46 UNCH
1915	----	----	----/52.10A	57.30B/52.10A	----	47.00 - 11.50	.3298	----	----	----	----	67 UNCH
1920	----	----	----/53.90A	59.50B/53.90A	----	48.80 - 11.80	.3394	----	----	----	----	49 UNCH
1925	----	----	----/55.70A	61.80B/55.70A	----	50.70 - 12.10	.3492	----	----	----	----	20 UNCH
1930	----	----	----/57.60A	64.10B/57.60A	----	52.70 - 12.30	.3591	----	----	----	----	20 UNCH
1935	----	----	----/59.60A	66.50B/59.60A	----	54.70 - 12.50	.3690	----	----	----	----	20 UNCH
1945	----	----	----/63.70A	71.40B/63.70A	----	58.80 - 13.10	.3890	----	----	----	----	30 UNCH
1950	----	----	----/65.80A	73.90B/65.80A	----	61.00 - 13.30	.3991	----	----	----	----	80 UNCH
1970	75.00	75.00	84.60B/74.70A	84.60B/74.70A	----	70.20 - 14.20	.4400	----	----	3	----	9 UNCH
1990	----	----	95.90B/84.50A	95.90B/84.50A	----	80.10 - 15.30	.4811	----	----	----	----	10 UNCH
2000	----	----	102.10B/89.70A	102.10B/89.70A	----	85.30 - 15.80	.5017	----	----	----	----	335 UNCH
2030	----	----	----	----	----	102.20 - 17.30	.5627	----	----	----	----	75 UNCH
2050	----	----	135.30B/118.50A	135.30B/118.50A	----	114.50 - 18.20	.6024	----	----	----	----	200 UNCH
2100	----	----	173.20B/152.40A	173.20B/152.40A	----	148.60 - 19.70	.6937	----	----	----	----	70 UNCH
2155	----	----	----	----	----	191.50 - 20.10	.7755	----	----	----	----	13 UNCH
2160	----	----	----	----	----	195.60 - 20.10	.7820	----	----	----	----	38 UNCH
2175	----	----	236.90B/211.30A	236.90B/211.30A	----	208.20 - 19.90	.8002	----	----	----	----	10 UNCH
2195	----	----	----	----	----	225.30 - 19.80	.8220	----	----	----	----	23 UNCH
2200	----	----	259.30B/232.60A	259.30B/232.60A	----	229.70 - 19.70	.8274	----	----	----	----	10 UNCH
2215	----	----	----	----	----	242.90 - 19.60	.8419	----	----	----	----	60 UNCH
2450	----	----	498.10B/467.30A	498.10B/467.30A	----	464.10 - 18.70	.9605	----	----	----	----	50 UNCH
2500	----	----	547.30B/516.20A	547.30B/516.20A	----	512.90 - 18.90	.9715	----	----	----	----	100 UNCH
TOTAL										3		2191 0
JUN26												
1825	----	----	86.20B/84.70A	86.20B/84.70A	----	78.40 - 6.80	.2916	----	----	----	----	25 UNCH
1850	----	----	96.40B/94.10A	96.40B/94.10A	----	87.50 - 7.50	.3163	----	----	----	----	1 UNCH
1900	----	----	118.70B/114.60A	118.70B/114.60A	----	107.90 - 9.10	.3676	----	----	----	----	200 UNCH
2100	----	----	236.20B/222.50A	236.20B/222.50A	----	218.00 - 13.80	.5740	----	----	----	----	100 UNCH
TOTAL												326 0
JUL26												
1400	----	----	----	8.30B/17.80A	----	12.00 - 0.10	.0536	----	----	----	----	150 UNCH
1500	----	----	----	19.00B/26.70A	----	21.10 - 2.50	.0888	----	----	----	----	153 UNCH
1550	----	----	----	27.10B/33.50A	----	27.80 - 3.90	.1124	----	----	----	----	200 UNCH
1600	----	----	----	37.50B/42.40A	----	36.80 - 4.70	.1412	----	----	----	20	381 + 20
1650	----	----	----	50.40B/53.90A	----	48.20 - 5.00	.1745	----	----	----	----	1 UNCH
1680	----	----	----	59.30B/62.00A	----	56.20 - 5.00	.1961	----	----	----	----	50 UNCH
1700	----	----	----	65.80B/67.90A	----	62.00 - 5.00	.2111	----	----	----	----	261 UNCH
1710	----	----	----	69.10B/71.00A	----	65.10 - 4.90	.2189	----	----	----	----	1 UNCH
1750	----	----	83.30B/----	83.30B/84.30A	----	78.10 - 5.00	.2503	----	----	----	----	50 UNCH
1800	----	----	102.70B/----	102.70B/102.70A	----	96.40 - 5.30	.2913	----	----	----	----	218 UNCH
1900	----	----	147.00B/144.60A	147.00B/144.60A	----	138.50 - 7.10	.3762	----	----	----	----	1 UNCH
2100	----	----	263.70B/253.10A	263.70B/253.10A	----	247.90 - 11.70	.5475	----	----	----	----	225 UNCH
2165	----	----	----	----	----	291.20 - 13.00	.5986	----	----	----	----	20 UNCH
2350	----	----	455.10B/436.00A	455.10B/436.00A	----	431.50 - 15.20	.7208	----	----	----	----	5 UNCH
2400	----	----	497.40B/477.10A	497.40B/477.10A	----	472.70 - 15.40	.7476	----	----	----	----	300 UNCH
4000	----	----	2,043.70B/2,014	2,043.70B/2,014	----	2010.30 - 19.50	.9832	----	----	----	----	10 UNCH
TOTAL									20			2026 + 20
OCT26												
1300	20.90	20.90	20.90/*20.90	20.90/*20.90	----	24.00 NEW	.0700	----	----	4	----	4 + 4
1500	----	----	----	51.80B/61.50A	----	54.00 - 4.50	.1410	----	----	----	----	80 UNCH
1600	----	----	----	79.90B/87.70A	----	79.80 - 5.60	.1913	----	----	----	----	17 UNCH
1720	----	----	----	124.20B/129.90A	----	121.30 - 5.60	.2598	----	----	----	----	2 UNCH
1800	----	----	----	159.20B/163.50A	----	154.90 - 5.40	.3081	----	----	----	----	20 UNCH
2000	----	----	264.60B/----	264.60B/264.60A	----	256.70 - 7.80	.4296	----	----	----	----	1 UNCH
2100	----	----	327.40B/324.50A	327.40B/324.50A	----	316.80 - 9.90	.4877	----	----	----	----	100 UNCH
2400	----	----	548.60B/538.20A	548.60B/538.20A	----	531.00 - 13.00	.6355	----	----	----	----	200 UNCH
2500	----	----	630.60B/618.10A	630.60B/618.10A	----	611.10 - 13.60	.6745	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
TOTAL										4		425 +	4
JAN27													
1500	----	----	----	----	----	69.50 - 3.80	.1554	----	----	----	----	40	UNCH
1800	----	----	----	----	----	179.90 - 7.40	.3093	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL		COMEX GOLD OPTIONS		
MAY26	CALL			
OG		4800	0	200
OG		5000	0	450
OG		5200	0	200
OG		5250	0	350
TOTALS			0	1200
JUN26	CALL			
OG		4850	0	210
OG		4900	0	200
OG		5000	0	295
OG		5100	0	100
OG		5150	0	420
OG		5250	0	226
OG		5300	0	200
OG		5450	0	210
OG		5500	0	454
OG		5700	0	75
OG		5750	0	343
OG		6000	0	360
TOTALS			0	3093
JUL26	CALL			
OG		4800	0	400
OG		5300	0	200
OG		5700	0	400
TOTALS			0	1000
AUG26	CALL			
OG		4875	0	75
OG		5300	0	100
OG		5850	0	150
TOTALS			0	325
OCT26	CALL			
OG		4900	0	200
TOTALS			0	200
DEC26	CALL			
OG		5000	0	60
OG		7000	0	80
OG		7175	0	125
OG		8000	0	303
OG		8725	0	250
OG		10000	0	606
TOTALS			0	1424
OG PUT		COMEX GOLD OPTIONS		
MAY26	PUT			
OG		4150	0	150
OG		4350	0	200
OG		4450	0	150
OG		4500	0	110
TOTALS			0	610
JUN26	PUT			
OG		4200	0	100
TOTALS			0	100
AUG26	PUT			
OG		4000	0	250
OG		4050	0	150
OG		4500	0	250
OG		4875	0	75
TOTALS			0	725
SEP26	PUT			
OG		4500	0	160
TOTALS			0	160
SO CALL		COMEX SILVER OPTIONS		
MAY26	CALL			
SO		8000	0	100
SO		9000	0	50
SO		9500	0	50
TOTALS			0	200
HX CALL		COMEX COPPER OPTIONS		
MAY26	CALL			
HX		595	0	175
HX		600	0	100
HX		628	0	175
TOTALS			0	450
HX PUT		COMEX COPPER OPTIONS		
MAY26	PUT			
HX		560	0	127
TOTALS			0	127
SEP26	PUT			
HX		500	0	127
TOTALS			0	127
PO PUT		PLATINUM OPTIONS		
JUL26	PUT			
PO		1600	0	20
TOTALS			0	20
OG2 CALL		GOLD OPTIONS		
APR26	CALL			
OG2		4900	0	20
TOTALS			0	20
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
JUL26	PUT			
HRO		95000	0	50
TOTALS			0	50
COO OPT		COBALT METAL (FASTMARKETS) APO		
JUN26	CALL			
COO		2900	0	300
TOTALS			0	300
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1		
APR26	PUT			
G1R		4530	0	100
G1R		4580	0	100
TOTALS			0	200
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week1		
APR26	CALL			
G1T		4900	0	150
TOTALS			0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU GOLD WEEKLY THURSDAY OPTION Week2

APR26	CALL		
G2R	4800	0	200
TOTALS		0	200

GWR THU GOLD WEEKLY THURSDAY OPTION Week3

APR26	CALL		
G3R	4900	0	200
TOTALS		0	200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.